




cannondale feel it

Cedric Gracia, Siemens Mobile Cannondale Team, finishes second in DH Race of World Cup, Round 3, Fort William, Scotland.
Photo: Kitzbühel



PRECISION



**PRECISION
INNOVATION**



**HANDS-ON
CRAFTSMANSHIP**



**PERFORMANCE
TESTING**

Damiano Cunego, Saeco/Cannondale Team, celebrates his Stage 2 win en route to this year's Giro d'Italia victory.
*Graham Watson



PASSION



FEEL OF
THE RIDE



ATHLETES &
TEAMS



CYCLING
PASSION

OUR PASSION, YOUR RIDE...FEEL IT



FREERIDE [4]

(Gemini DH, Gemini, Chase)

Full suspension and hardtail bikes built for dirt jumping and urban free-riding



HEADSHOK FORKS [12]

(Lefty Max, Lefty Speed, Lefty 110, Fatty)

Lightweight, innovative and performance-proven forks



ALL-MOUNTAIN [18]

(Prophet 4X, Prophet, Jekyll)

Versatile full-suspension bikes to tackle a variety of terrains



X-C RACING [26]

(Scalpel, Hardtails)

Lightweight, agile trailblazing bikes



POLICE [35]

Bikes built for law enforcement



FÉMININE [36]

(Mountain, Road)

Mountain and road bikes built specifically for women's physiques



APPAREL & ACCESSORIES [40]

(Team, Chrono, Terrain, Footwear & Accessories)

Full range of cycling apparel and accessories to fit your cycling lifestyle



CYCLOCROSS [44]

Year-round bikes designed for the mud and winter weather of cyclocross racing



TRIATHLON [46]

(Ironman®)

Designed for the committed Ironman® competitor, but they'll give any triathlete an edge



HIGH-PERFORMANCE ROAD [48]

(Six13, CAAD8, CAAD7, CAAD5)

Amazingly fast and incredibly light bikes designed for competition



SPORT ROAD [58]

Fast and light road bikes with an emphasis on stable handling and all-day comfort



ROAD WARRIOR [60]

High-tech road bikes with flat handlebars and an eye on comfort



STREET [62]

(Fifty-Fifty, Bad Boy, Street)

The ultimate in pedal power, outfitted with an abundance of thoughtful details and accessories



TOURING [66]

Designed with racks and a long wheelbase – the perfect bike for expedition cycling



ADVENTURE [68]

Lightweight, sophisticated bikes for easy-riding fun, fitness and adventure



COMFORT [72]

(Bent, Comfort)

Plush comfort and rider-friendly ergonomics for fun, easy pavement riding



TANDEM [76]

(Mountain, Road)

Two seater bikes for fast street riding or riding on trails

FRAMESETS [79]

Framesets sold individually

SPECS, GEOMETRIES & COLORS [80]


Bike specifications, geometry charts and paint colors

GEMINI DH

Our Gemini DH continues a long racing heritage that includes five Downhill World Championships. TIG-welded from 6061-T6 aluminum, the Gemini frame features a single-pivot design for seven inches/180 mm of travel, a super-stiff Thru-12 through axle, and our Si brake link to eliminate brake jack.

Nuestra Gemini DH es la heredera de una larga tradición de victorias en competiciones que incluye cinco Campeonatos del Mundo de descenso. La Gemini se fabrica con tubos de aluminio 6061-T6 unidos mediante soldaduras TIG. Cuenta con suspensión de pivote único con 180 mm de recorrido, un eje Thru-12 ultrarígido y anclaje de freno Si para evitar la acción del freno sobre la suspensión.

ジェミニは世界選手権のダウンヒル部門で5回もの優勝を果たしています。6061のアルミニウムを手作業で溶接後T6熱処理加工したフレームを基本とするジェミニには、7インチ（180mm）のトラベル幅を誇るシングルピボット式リアショック、最強の剛性を誇るスルー12アクスル、ならびに、ブレーキのトラブルを最小限に抑えるSiフローティングブレーキリンクが搭載されています。



GEMINI BRAKE LINK.

The Gemini DH's innovative brake link keeps the suspension action supple and responsive under high-speed braking loads.

El innovador anclaje del freno de la Gemini DH mantiene activa la suspensión con independencia de la acción del freno.

ジェミニDHには、ハイスピードでの急制動にも十分、かつ俊敏なサスペンションの動きが確保できる最新のブレーキリンクが搭載されています。



Cedric Gracia, Siemens Mobile/Cannondale, Pro DH.
© 1998 Shimano Inc.



• Gemini DH frame w/DH Thru-12 swingarm • Gemini rear floating brake link • ISCG Bottom Bracket • 180mm of rear wheel travel • OnePointFive head tube • Manitou Dorado DH fork w/180 mm travel • Manitou Evolver 6-Way Air rear shock • Magura Gustav M disc brakes • S, M, L • Siemens Team Replica (gloss) (REP); Mocha Brown w/Saffron Metallic swingarm (matte) (BRN), available with or without Gemini Girls decal



the world is a road



GEMINI DH

GEMINI

Our Gemini freeride models are built for strength, with a reinforced twin-triangle main frame featuring a full-length seat tube. The ISCG-compatible Gemini frame is handcrafted from 6061-T6 aluminum, boasts a flex-resistant 80 mm wide pivot, and delivers either 150-170 mm or 180 mm of rear travel.

Nuestros modelos Gemini han sido fabricados y diseñados para lograr la máxima fortaleza, con un triángulo principal delta y un tubo vertical ininterrumpido. La Gemini es compatible con el sistema ISCG y se fabrica con aluminio 6061-T6. Tiene un pivote de 80 mm prácticamente indeformable que permite un recorrido de 150-170 mm ó 180 mm.

フリーライドモデルのジェミニは、フルレングスのシートチューブを採用したことにより強化されたツイントライアングルデザインで、際立つ剛性を最大の特徴としています。6061-T6系のアルミニウムをベースに手加工で仕上げを行なっているフレームはISCG対応で、剛性に優れた80mm幅の大型ピボットを採用、150mmから170mm、また180mmのトラベル幅を確保しています。



Cedric Gracia, Siemens Mobile/Cannondale,
2003-2004 Red Bull Rampage Champion
© Ken Gilson



Cedric Gracia, @Wicket/Radlet



• Gemini DH frame w/DH Thru-12 swingarm • Gemini rear floating brake link • ISCG Bottom Bracket • 180 mm of rear wheel travel • OnePointFive head tube • Marzocchi 888 fork w/200 mm travel • Manitou Swinger SPV 4-Way Coil rear shock • Hayes Mag 8" disc brakes • S, M, L • Mocha Brown w/Saffron Metallic swingarm (matte) (BRN), available with or without Gemini Girls decal; Siemens Team Replica (gloss) (REP)

GEMINI 3000





THRU-12 AXLE.

Our 12 mm Thru-12 rear axle dramatically boosts swingarm stiffness, and is ovalized on one end to eliminate rotation within the rear dropout.

El eje trasero de 12 mm Thru-12 incrementa radicalmente la rigidez del basculante. Su sección ovalada en un extremo impide la rotación respecto a la puntera.

12mm径のスルー12アクスルの採用によって、スイングアームの剛性は劇的に強化されています。また、アクスルがリアエンド内で回転しないようにエンドの片方を楕円形とするなど、さまざまな工夫が施されています。



Cedric Gracia
©Manitou Bikes



- Gemini frame w/Thru-12 swingarm • 150-170 mm adjustable rear wheel travel • OnePointFive head tube • Manitou Breakout Plus 130-170 1.5" fork w/SPV Evolve • Manitou Swinger SPV 4-Way Coil rear shock • Hayes Mag 8" disc brakes
- S, M, L, X • Raw w/Black Tinted Clear HyperHighlight (gloss) (BTC), available with or without Gemini Girls decal

GEMINI 2000





ONEPOINTFIVE HEAD TUBE.

The Gemini frame's OnePointFive head tube is oversized to better withstand the impacts and abuse of hard-core freeriding.

La pipa sobredimensionada OnePointFive de la Gemini mejora la resistencia a los impactos y a los abusos del freeride.

ジェミニのヘッドチューブは、フリーライドによるハードな使用にも耐え抜くことができる、オーバーサイズのワンポイントファイブ型ヘッドチューブを採用しています。



Jens Houg, Marketing Assistant, Cannondale Europe. www.cannondale.com



• Gemini frame w/Thru-12 swingarm • 150-170 mm adjustable rear wheel travel • OnePointFive head tube • Manitou Breakout Plus 130-170 1.5" fork w/TPC • Manitou Metel R Coil rear shock • New Hayes HFX-9 8" disc brakes • S, M, L, X • Saffron Metallic w/Jet Black swingarm (matte) (ORG); Raw, Jet Black (matte) (RAW); both colors available with or without Gemini Girls decal



the model is a frame



GEMINI 900




AARON CHASE-APPROVED.

Our Chase dirt jumper was designed in cooperation with urban freeride impresario Aaron Chase, star of the Chain Reaction video series.

Nuestra dirt-jumper Chase ha sido diseñada con la colaboración de Aaron Chase, estrella del freeride urbano y de la serie de videos Chain Reaction.

ダート・ジャンパーの代名詞とも言えるチェイスは、アーバン・フリーライドの第一人者として「Chain Reaction」に出演しているアロン・チェイス選手の監修のもと開発されました。

Aaron Chase, Australian Tour.
© Matt Kuhn



• Chase hardtail frame • ISCG Bottom Bracket • OnePointFive head tube • SIC Stem • Manitou Stance Flow 100-130
1.5" fork w/Thru Axle • Hayes Mag 8" disc brakes • S, M, L • Saffron Metallic (matte) (ORG)



© 2004 Cannondale Inc. All rights reserved.

CHASE 1

Axon Chase, urban assault.
© Norman Roth



ISCG-COMPATIBLE.

The Chase urban hardtail has beefed-up tubes for superior strength, and it's compatible with ISCG chain retention devices.

La Chase tiene tubos reforzados para aumentar la resistencia. Además es compatible con dispositivos de retención de cadena ISCG.

肉厚のチューブを採用し極めて高い剛性を確保しているチェイスのフレームには、ISCG規格のチェーンリテンションパーツの取り付けが可能です。



• Chase hardtail frame • ISCG Bottom Bracket • SIC Stem • OnePointFive head tube • Manitou Stance Blunt 100 mm 1.5" fork w/Thru Axle • Avid BB5 disc brakes • S, M, L • Mocha Brown (matte) (BRN)

CHASE 2



• Chase hardtail frame • ISCG Bottom Bracket • OnePointFive head tube • Manitou Stance Static 100 mm 1.5" fork • S, M, L • Midnight Blue (matte) (BLU)

CHASE 3

HEADSHOK LEFTY MAX

We offer five Lefty Max models, including the four pound (1750 g) Lefty Max Carbon 140 SPV Evolve – among the world's lightest long travel forks – with an all-new carbon fiber outer leg and lightweight titanium spring. The Lefty Max forks all have 140 mm of travel, and four-way adjustment (including 18-click external rebound adjustment).

Ofrecemos cinco modelos de Lefty Max, incluyendo la Lefty Max Carbon 140 SPV Evolve con botella de carbono y muelle de titanio –una de las horquillas de largo recorrido más ligeras del mundo con menos de 1750 g. Todas las horquillas Lefty Max tienen 140 mm de recorrido y cuatro tipos de ajuste (incluido el control de rebote externo con 18 posiciones).

キャノンデールでは5機種のレフティを発売しています。その中には、わずか4ポンド（1750g）というロングトラベルフォークとして世界最軽量級の軽さを実現している新型カーボンアウターレグとチタンスプリングを採用したレフティMAX SPV Tiも含まれます。すべてのレフティMAXは、140mmのトラベルを確保すると同時に、簡単に設定できる18段階の4ウェイダンパー調整機構が搭載されています。

"A long-term favorite, with tracking accuracy to shame most 'normal' forks, smooth stroking, needle roller slider and limitless mud room"

-What Mountain Bike magazine

"Riders will find the Lefty to be nearly perfect."


-Mountain Bike Action

"Great quality from the axle up to the aluminum rebound-adjustment knob."

-Mountain Bike

"Damping control is refined. It's more twist-free than full-blown downhill forks and as light as a single-crown trail fork."

-Mountain Bike Action



SPV DAMPING (STABLE PLATFORM VALVE).

Features include externally-adjustable pedaling platform, adjustable damping progressivity, and a unique stabilizing valve for enhanced bump control. Eliminates unwanted suspension movement and improves bump-eating performance by eliminating compression spikes.

Control externo de la plataforma del pedaleo, progresividad de la suspensión ajustable y una válvula de estabilización única para mejorar el control ante los impactos que elimina los movimientos indeseados de la suspensión y mejora la respuesta ante los baches evitando las compresiones escalonadas.

簡単調節が可能なペダリングプラットフォームを採用し、また路面からの衝撃を安定して吸収する専用のスタビライザーバルブを搭載することにより、路面からの衝撃を最大限に吸収しつつ、踏み込み時のペダリングパワーのロスを最小限に抑え、極めて快適でスムーズな走りを実現しています。

TPC DAMPING (TWIN PISTON CHAMBER).

Uses twin, independently adjustable pistons, one optimized for rebound damping, the other for compression damping. This low-pressure, high-volume system eliminates cavitation, compression spikes and heat-related problems.

Con dos pistones ajustables independientemente, uno para optimizar la amortiguación del rebote, el otro para regular la amortiguación durante la compresión. Este sistema de baja presión y alto volumen elimina la cavitación, las compresiones escalonadas y los problemas derivados del sobrecalentamiento.

リバウンドダンピング用とコンプレッションダンピング用に別れ、それぞれ独自の調節が可能なツインピストン機構を採用。大容量で低圧の構造を採用することで損傷や底打ち、ならびに高熱によるトラブルの発生を最小限に抑えています。


FFD DAMPING (FLUID FLOW DAMPING).

Similar to TPC, but with a single rebound piston optimized for rebound adjustment. Like TPC, FFD is a low-pressure, high-volume system that eliminates cavitation, compression spikes and heat-related problems.

Similar al TPC, pero con un solo pistón de ajuste optimizado para el control del rebote. Como el TPC, el FFD es un sistema de baja presión y alto volumen que elimina la cavitación, las compresiones escalonadas y los problemas derivados del sobrecalentamiento.

TPCと似ていますが、リバウンド値を最適化したシングルピストン機構を採用。FFDもTPC同様、大容量で低圧の構造を採用することで損傷や底打ち、ならびに高熱によるトラブルの発生を最小限に抑えています。

SPV EVOLVE 140 DAMPER



HEADSHOK LEFTY SPEED

The Lefty Speed packs a lot of innovation in a lightweight (sub 3 lbs/1360 g) package, with 110 mm of travel offered in a lightweight, service-friendly air/oil cartridge design. Available with either Fox TerraLogic inertia-valve or DLR2 internals, the Lefty Speed also has 14-click external rebound adjustment and size-specific compression damping and top-out springs.

La Lefty Speed integra multitud de innovaciones en un conjunto ligero (1360 g) con 110 mm de recorrido y un cartucho de aire y aceite de fácil acceso. Está disponible tanto con tecnología de válvula de inercia Fox TerraLogic como con los componentes DLR2. Cuenta con ajuste externo del rebote (14 posiciones) y con muelles de talla específica para la amortiguación de la compresión y el rebote.

レフティ・スピードはわずか4ポンド弱（1360g）という軽さの中に数え切れないほどのノウハウと技術が詰め込まれています。110mmのトラベル幅、メンテナンスが容易なエアとオイル併用のカートリッジの採用などは、そのほんの一部にすぎません。慣性技術を取り入れたフォックス社のテラロジック、あるいは、DLR2のいずれかを搭載したモデルをお選びいただくことができます。なお、このモデルには14段階のリバウンド調整機構、ならびにサイズ別のコンプレッションダンピングとトップアウトスプリングが標準装備されています。



FOX TERRALOGIC™ DAMPING.



Selected Lefty Speed models feature Fox's TerraLogic inertia-valve technology, which differentiates between rider- and trail-induced compression. The TerraLogic damper remains locked-out under normal pedaling loads, but reacts instantaneously to soak up shock and vibration.

Determinados modelos de Lefty Speed están equipados con la tecnología de válvula de inercia TerraLogic de Fox, que distingue entre la compresión causada por el movimiento del ciclista y la debida a las irregularidades del terreno. El amortiguador TerraLogic permanece bloqueado durante el pedaleo normal pero reacciona instantáneamente para absorber los impactos y las vibraciones indeseables.

一部のレフティ・スピードには慣性技術を採用したフォックス社のテラロジックが搭載されています。このシステムの特徴は、ライダー自らがショックにかかるコンプレッションと路面からくるコンプレッションに対し、それぞれ独立し、かつ同時に対応することに成功している点です。テラロジックのダンパーは通常のペダリング時にはロックアウト状態となりますが、路面からの衝撃を感知すると素早く振動を吸収する仕組みになっています。

*patent # 6,581,948

DLR2 DAMPING.

The Lefty Speed DLR2 models feature a high-flow compression circuit for suppleness and big hit response, plus a new compression piston and redesigned ports for precise rebound control. The Speed DLR2 models also offer a trail-tuned air spring system that's ultra-responsive on small bumps. It offers a stable, efficient mid-stroke pedaling platform, and provides a smooth bottom-out feel.

La Lefty Speed DLR2 esta equipada con un circuito de alto flujo para suavizar y mejorar su respuesta a los grandes impactos, y con un nuevo pistón de compresión y un control del rebote rediseñado. La Speed DLR2 cuenta también con un sistema de cámara de aire autoregurable muy sensible a los pequeños baches, estable ante las cargas del pedaleo y con un suave tope de recorrido.

レフティ・スピードDLR2は、大きな衝撃を素早く吸収する深い懐を持つ大容量のコンプレッションサーキット、および正確なコントロール性能を確保する新型のコンプレッションピストンを搭載しています。さらに、DLR2には、路面からの小さな衝撃にも軽快に反応し、安定したペダリングを確保、ボトムアウト時の衝撃も緩和するエアスプリング機構も搭載されています。

DLR2 110 DAMPER



HEADSHOK FATTY

Our HeadShok Fatty family of forks have won every title under the sun, from World Cup and NORBA Series titles to World Championships. Each Fatty fork has 80 mm of travel, a telescoping steerer that glides on 88 needle bearings, and rigid fork blades for the ultimate in steering precision.

Nuestra familia de horquillas HeadShok Fatty ha ganado todos las competiciones que existen, desde la Copa del Mundo a las Series NORBA pasando por los Campeonatos Mundiales. Todas las Fatty ofrecen 80 mm de recorrido gracias a un eje telescópico que se desliza sobre 88 rodamientos de aguja. Sus brazos rígidos aseguran la máxima precisión en el trazado.

キャノンデールのヘッドショック・ファティシリーズは、これまでにワールドカップ、NORBAシリーズ、世界選手権など世界中のタイトルを数え切れないほど奪取してきました。全モデルともに88個のニードルベアリングがスムーズに動く伸縮型のステアラーと、正確なハンドリングを保証するしっかりとしたフォークのコンビネーションが採用され、80mmのトラベル幅を確保しています。



SUPER FATTY ULTRA DL.

- External on-demand lockout for sprints and climbs.
- Weight-saving aluminum alloy inner steerer.
- Air-sprung, oil-damped cartridge internals.
- Bloqueo externo para las subidas y los esprints.
- Ligero eje interno de aluminio.
- Cartucho con cámara de aire y amortiguación por aceite.
- スプリント時や上りで威力を発揮するオンデマンド式ロックアウト、およびリバウンド調整機構
- 軽量なアルミ合金製インナーステアラー
- エア & 油圧併用カートリッジ

SUPER FATTY DL.

- External lockout and rebound adjustment.
- Super-strong steel inner steerer.
- Air-sprung, oil-damped cartridge internals.
- Bloqueo externo y ajuste del rebote.
- Eje de acero super-resistente.
- Cartucho con cámara de aire y amortiguación por aceite.
- ロックアウト、およびリバウンド調整機構
- 頑丈なスチール製インナーステアラー
- エア & 油圧併用カートリッジ

HEADSHOCK FORKS

FK	TRAVEL (MM)	DAMPER	SPRING ELEMENT	LOCKOUT	WT. (LBS.)	WT. (KG.)	FEATURES
Lefty Max Carbon SPV Evolve Ti	140	Shimmed, Oil, Open Bath	Titanium Coil	No	3.85	1.75	Among the lightest 140 mm production forks available. Four-way adjustment: external rebound, SPV chamber pressure, SPV volume and internal spring preload. SPV Evolve for fantastic small bump response and stable pedaling platform. Lightweight carbon Lefty structure and titanium preload spring.
Lefty Max Carbon SPV Evolve	140	Shimmed, Oil, Open Bath	Coil	No	4	1.81	Among the lightest 140 mm production forks available. Four-way adjustment: external rebound, SPV chamber pressure, SPV volume and internal spring preload. SPV Evolve for fantastic small bump response and stable pedaling platform. Lightweight carbon Lefty structure.
Lefty Max SPV Evolve	140	Shimmed, Oil, Open Bath	Coil	No	4.35	2.04	As light or lighter than other long-travel forks. Four-way adjustment: external rebound, SPV chamber, SPV volume and internal preload. SPV Evolve for fantastic small bump response and stable pedaling platform.
Lefty Max TPC	140	Shimmed, Oil, Open Bath	Coil	No	4.35	2.04	As light or lighter than other long-travel forks. External compression & rebound adjusters. Separate compression/rebound pistons. TPC internals for fantastic small bump response.
Lefty Max FFD	140	Shimmed, Oil, Open Bath	Coil	No	4.35	2.04	As light or lighter than other long-travel forks. Two-way adjustment: external rebound and internal spring preload. Dedicated rebound piston. Low-pressure, high-volume system eliminates cavitation, compression spikes and heat-related problems.
Lefty Speed Carbon Fox Inertia	110	Fox Inertia, Oil	Air	Fox Inertia	3.5	1.36	Fox "Terra Logic" inertia valve technology differentiates between rider-induced and trail-induced compression. Fox "Float" air spring technology with self adjusting negative air spring. Lightweight carbon Lefty structure.
Lefty Speed Carbon DLR	110	Shimmed, Oil, Ext. Rebound	Air	Manual On/Off	3.5	1.36	High-flow compression circuit for suppleness and big hit response. New compression piston and redesigned ports for precise rebound control. Trail-tuned air spring system. 14-click external rebound adjustment. Size-specific compression damping and top-out springs. Lightweight carbon Lefty structure.
Lefty Speed DLR	110	Shimmed, Oil, Ext. Rebound	Air	Manual On/Off	3.9	1.59	High-flow compression circuit for suppleness and big hit response. New compression piston and redesigned ports for precise rebound control. Trail-tuned air spring system. 14-click external rebound adjustment. Size-specific compression damping and top-out springs.
Lefty Carbon ELO (Europe only)	80/100 (adj)	Shimmed, Oil	Air	Electronic On/Off	3	1.36	Lightweight carbon Lefty structure. ELO Lockout. Winner of multiple National Championships and an Olympic bronze medal.
Super Fatty Ultra DL	80	Shimmed, Oil	Air	Manual On/Off	2.8	1.27	Adjustable damping (oil viscosity). Cartridge internals for easy servicing. Negative spring and 88 needle bearings help eliminate stiction for plush small bump response. Weight-saving aluminum alloy inner steerer.
Super Fatty DL	80	Shimmed, Oil	Air	Manual On/Off	3.4	1.54	Adjustable damping (oil viscosity). Cartridge internals for easy servicing. Negative spring and 88 needle bearings help eliminate stiction for plush small bump response.

PROPHET 4-CROSS

The Prophet 4-Cross is race-ready, with an ICGS chain-retention device, a Thru-12 rear hub, and components chosen for strength and durability. The 4-Cross also benefits greatly from the Prophet frame and its welded Hollow-core pivot, which delivers great rear end stiffness for flex-free sprints.

El modelo Prophet 4-Cross viene preparado para la competición, con dispositivo de retención de cadena ICGS, buje trasero Thru-12, y los componentes más resistentes. La 4-Cross también se beneficia del cuadro Prophet y de la rigidez que le proporciona su pivote soldado hueco Hollow-core.

プロフェットの4クロスにはICGSチェーンリテンションデバイス、スルー12リアハブのほか、剛性と耐久性に配慮したコンポが標準装備されていますので、戦闘準備は完璧です。4クロスモデルの「強さ」の秘訣は、プロフェットの専用フレームやスプリント時の爆発的な負荷にも難なく対応する剛性を誇る、中空型ピボットの採用にもあります。

Cedric Gracia, Siemens Mobile/Cannondale, Pro 4X. *Siemens Mobile*





• Prophet 4X frame w/ Thru-12 swingarm and Hox Bot pivot • ISCG Bottom Bracket • 140 mm of rear wheel travel • Adjustable geometry w/ 2 positions • OnePointFive head tube • Lefty Max Carbon 140 fork w/ SPV Evolve • Manitou Swinger SPV 4-Way Air rear shock • FSA El Toro 38T crank w/ E-13 Bash Guard • Magura Louise FR disc brakes • P, S, M, L, X • Siemens Team Replica (gloss) (REP)



Photo provided by Cannondale

TEAM REPLICA 4X

PROPHET

The all-new Prophet is the ultimate all-mountain machine, with adjustable geometry for amazing versatility. The Prophet has 140 mm of balanced front and rear travel and a welded, box-section hollow-core pivot that delivers rear end stiffness for flex-free performance, all in a very light and durable, low-maintenance design.

La nueva Prophet es la bicicleta de enduro definitiva, con geometría ajustable y una increíble versatilidad. La Prophet tiene 140 mm de recorrido tanto en la parte delantera como en la posterior. El pivote soldado hueco confiere una rigidez extraordinaria a la parte trasera, mientras el diseño del cuadro asegura su ligereza, fortaleza y fácil mantenimiento.

新型モデルのプロフェットはジオメトリーが調節可能な究極のオールマウンテン・マシンです。プロフェットは軽量化をはかりながらも、バランスよく動く140mmのリアトラベルを確保し、極めて高い剛性を誇る中空のピボットがリアの「たわみ」を最小限に抑えることにより、最高のパフォーマンスを引き出すことに成功しています。メンテナンス性のよさも見逃すことができません。



HOT BOX PIVOT.

The Prophet's Hot Box, it's welded, hollow-core swingarm pivot, delivers great lateral stiffness for superior efficiency and precise tracking.

El pivote soldado hueco Hot Box del basculante de la Prophet mejora la rigidez lateral y la precisión en el trazado.

溶接加工を施した中空型スイングアームを繋げるプロフェットのピボットは、側面からの圧力に対する強度に優れ、極めて高いトラッキング性能を誇ります。



Dale Krantz, Prototype Technician, Bicycle R&D
Krantz Photography



• Prophet frame w/Hot Box swingarm pivot • 140 mm of rear wheel travel • Adjustable geometry w/2 positions • OnePointFive head tube • Lefty Max Carbon 140 fork w/SPV Evolve & Titanium Coil • Manitou Swinger w/SPV 3-Way Air rear shock • Mavic CrossMax SL Disc wheels • FSA K-Force Carbon crank 22/32/44 • Magura Marta SL disc brakes • P, S, M, L, X • Fairway Green (matte) (GRN); Galvanized (gloss) (GZD); Raw w/Black Tinted Clear HyperHighlight (gloss) (BTC)



MAX AND LEFTY ARE PATENTED



PROPHET 4000



ADJUSTABLE GEOMETRY.

The Prophet's adjustable geometry can be easily set to either a 67.5 or 69 degree head angle for freeride or x-c style handling.

La geometría de la prophet se puede ajustar fácilmente. Elige entre 67.5 o 69 grados para el freeride o el cross-country.

プロフェットは簡単にヘッドアングルを67.5度、あるいは69度に調節することが可能で、それによっても、ジオメトリーがフリーライド、あるいはクロスカントリーに自在に変化します。




• Prophet frame w/Hot Box swingarm pivot • 140 mm of rear wheel travel • Adjustable geometry w/2 positions • OnePointFive head tube • Lefty Max Carbon 140 fork w/SPV Evolve • Manitou Swinger w/SPV 3-Way Air rear shock • Shimano XT crank 22/32/44 • P, S, M, L, X • Galvanized (gloss) (GZD); Raw w/Black Tinted Clear HyperHighlight (gloss) (BTC); Fairway Green (matte) (GRN)

PROPHET 2000





Chad Peterson, Bicycle Product Management. Photo: Photography



BALANCED TRAVEL.

The Prophet 1000 has perfectly balanced travel, with 140 mm of travel at the rear wheel and 140 mm from its HeadShok Lefty Max fork.

La Prophet 1000 tiene un recorrido perfectamente equilibrado, con 140 mm tanto en la rueda trasera como en la horquilla HeadShok Lefty Max.

プロフェット1000はリアに140mmのトラベル幅を確保し、前にヘッドショック・レフティMAXを装備することで、完璧なサスペンションバランスをつくり上げています。



• Prophet frame w/Hot Box swingarm pivot • 140 mm of rear wheel travel • Adjustable geometry w/2 positions • OnePointFive head tube • Lefty Max 140 fork w/SPV Evolve • Manitou Swinger w/SPV 3-Way Air rear shock • Avid Juicy 7 disc brakes • P, S, M, L, X • Mocha Brown (matte) (BRN); Patriot Blue (gloss) (BLU)



The Prophet 1000Z comes with the same great frame as the Prophet 1000, but equipped with the Manitou Swinger w/SPV 3-Way Coil rear shock. Available in the same two colors.

PROPHET 1000

PROPHET 1000Z



CUSTOM FRAME TUBES.

The Prophet's double-triangle "delta" frame has highly manipulated tubes with complex profiles that maximize strength and weld integrity.

Los tubos del cuadro en doble triángulo de la Prophet han sido sometidos a múltiples modificaciones para reforzar el conjunto y asegurar la integridad de las soldaduras.

プロフェットのダブルトライアングル式「デルタ」フレームは、チューブそのものにもさまざまな工夫をこらすことで、最高の強度と完璧なフレームの仕上がりを実現しています。



Nisashi Adachi, Cannondale/Maxxis Team,
2004 Japan DH champion. ©Nisashi Adachi



• Prophet frame w/ Hot Box swingarm pivot • 140 mm of rear wheel travel • Adjustable geometry w/ 2 positions • OnePointFive head tube • Lefty Max 140 fork w/ TPC • Manitou Radium R Air rear shock • P, S, M, L, X • Saffron Metallic (matte) (ORG); Jet Black (gloss) (BLK)

PROPHET 800



• Prophet frame w/ Hot Box swingarm pivot • 140 mm of rear wheel travel • Adjustable geometry w/ 2 positions • OnePointFive head tube • Lefty Max 140 fork w/ Fluid Flow • Manitou Radium R Air rear shock • New Hayes HFX-9 disc brakes • P, S, M, L, X • Race Red (gloss) (RED); Midnight Blue (matte) (BLU)

PROPHET 600



JEKYLL



JEKYLL.

You can set the Jekyll's geometry with a slacker head angle for more stable handling, or a steeper head angle for a more nimble feel.

Variando el ángulo de la pipa de la Jekyll se puede lograr una conducción más estable o un control más ágil.

ジキルのジオメトリーは安定感のあるなだらかなヘッドアングルから、機敏な走りを可能にするスティーブなヘッドアングルまで、さまざまな角度に調節することが可能です。

Winner of "Bike of the Year" awards in the U.S. and Europe, the Jekyll offers low-maintenance, 135 mm of rear wheel travel, and all-mountain versatility. The Jekyll's head angle can be set anywhere between 69.2 and 71.1 degrees (with a Lefty fork) while the bottom bracket height morphs between 12.6 and 13.5 inches (32-34.3 cm).

La Jekyll, galardonada con el título de "Bicicleta del año" tanto en Estados Unidos como en Europa, ofrece 135 mm de recorrido trasero, un sencillo mantenimiento y las ventajas de una gran versatilidad. El ángulo de dirección de la Jekyll puede ajustarse entre 69.2 y 71.1 grados (con una horquilla Lefty) mientras la altura del eje de pedalier varía entre 32 y 34.3 cm (12.6 y 13.5 pulgadas).

米国と欧州で「バイクオブザイヤー」を獲得したジキルは、メンテナンス性のよさ、135mmのリアトラベル、ならびに調整可能なジオメトリーによる極めて高いオールラウンド性能を誇ります。レフティを搭載したジキルのヘッドアングルは69.2度～71.1度の間で無段階調節が可能です。また、ボトムブラケットの高さもヘッドアングルによって12.6インチ～13.5インチ（32cm～34.3cm）の間で調節が可能です。



• Jekyll frame • 135 mm of rear wheel travel • Adjustable Bottom Bracket height • Manitou Splice Super 100-130 fork w/RTWD • Fox Float RL ProPedal Air rear shock • Avid BB5 disc brakes • S, M, L, X • Jet Black w/Sterling Silver swingarm (gloss) (BLK); Patriot Blue w/Sterling Silver swingarm (gloss) (BLU)



Manitou is a trademark.



JEKYLL

SCALPEL

With eight Norba Championships and six World Cup wins, the Scalpel is the winningest full-suspension XC bike on the pro circuit. The secret to the Scalpel's amazing performance are its unique carbon fiber chainstays, which bend at the optimum point mid-way along their length to deliver 2.7 inches (67 mm) of rear travel.

Con ocho Campeonatos NORBA y seis Copas del Mundo, la Scalpel es la bicicleta de XC con doble suspensión mas laureada del circuito profesional. El secreto del rendimiento de la Scalpel son sus vainas de fibra de carbono, que flexan en el punto óptimo de su longitud para proporcionar 67 mm de recorrido de la rueda trasera.

全米選手権を8回制覇、6回のワールドカップ優勝を果たしているスカルペルは、世界で最も多くの勝利をおさめているフルサスクロスカントリーバイクといっても過言ではありません。スカルペルの強さの最大の秘訣は、チェーンステイの中央に正確にピボットポイントがくるように設計され、2.7インチ(67mm)のリアトラベルを実現しているカーボンチェーンステイにあります。



CARBON FIBER CHAINSTAYS.

The Scalpel's pivot is located at a precise point on its carbon fiber chainstays, dictated by the stays' shape and the lay-up of the fibers.

El pivote de la Scalpel se localiza en un punto preciso de sus vainas de fibra de carbono determinado por la forma de las vainas y la disposición de las fibras.

スカルペルはカーボン繊維の組み方、ならびにステイの形状によって、ピボットの位置がカーボンチェーンステイの中心点になるように設計されています。



Christoph Sauser, Siemens Mobile/Cannondale, Pro XC



• Scalpel Si BB Optimo frame • System Integration Bottom Bracket • Composite EPO chainstays & seatstays • Titanium shock linkage hardware • 67 mm of rear wheel travel • Lefty Speed Carbon 110 fork w/Fox Terra Logic • DT Swiss SSD 210 Air rear shock w/remote control • Mavic CrossMax SL Disc wheels • Cannondale Si Hologram crank 22/32/44 • SRAM X-0 shifters & rear derailleur • Magura Marta SL disc brakes • FSA K-Force XC Carbon flat handlebar • Fizik Aliante Team Replica saddle • S, M, L, X • Siemens Team Replica (gloss) (REP)

SCALPEL TEAM REPLICA



Rod Paulsen, Siemens
Mobile/Cannondale Pro XC,
© Mike Galarick



Siemens Mobile/Cannondale XC Team, © Rod Paulsen



• Scalpel Optimo frame • Composite EPO chainstays & seatstays • Titanium shock linkage hardware • 67 mm of rear wheel travel • Lefty Speed Carbon 110 fork w/DLR2 • Fox Float RP3 rear shock • Mavic CrossMax SL Disc wheels • Shimano XTR crank 22/32/44 • Shimano XTR drivetrain & disc brakes • FSA K-Force XC Carbon flat handlebar • Fi'zi:k Gobi saddle • S, M, L, X • Jet Black, Charcoal Grey w/Purple accents (gloss) (BLK); Fairway Green (matte) (GRN); Midnight Blue, Blazer Blue (gloss) (BLU)

SCALPEL 3000




www.cannondale.com





Tinker Juarez, Siemens Mobile/Cannondale,
Pro XC, 24 hour race Champion. Cannondale



NEW TITANIUM HARDWARE.

We've made the Scalpel even lighter for 2005, saving 12 grams with new titanium bolts that attach the shock link to the front triangle.

Hemos rebajado el peso de la Scalpel en 2005, con el nuevo perno de titanio que une el anclaje del amortiguador al cuadro se ahorran 12 gramos.

2005年モデルのスカルペルは、ショックリングをフロントトライアングルに固定するボルトをチタン製に変更し、従来比12グラムの軽量化に成功しています。



• Scalpel Optimo frame • Composite EPO chainstays & seatstays • Titanium shock linkage hardware • Lefty Speed Carbon 110 fork w/ DLR2 • S, M, L, X • Midnight Blue, Blazer Blue (gloss) (BLU); Yellow Green Metallic, Fairway Green (gloss) (GRN); Jet Black (matte) (BBQ)



SCALPEL 2000



• Scalpel Optimo frame • Composite EPO chainstays & seatstays • Titanium shock linkage hardware • 67 mm of rear wheel travel • Fox Float RP3 Air rear shock • Avid Juicy 7 disc brakes • S, M, L, X • Mocha Brown, Saffron Metallic (gloss) (BRN); Jet Black, Race Red (gloss) (RED); Midnight Blue (matte) (BLU)



SCALPEL 1000

HARDTAILS

We've been building lightweight, high-performance mountain bikes for 20+ years, so no one knows more about hardtails than Cannondale. Our hardtail frames are meticulously handcrafted from lightweight aluminum. All feature an innovative Power Pyramid down tube, and each is a finely-tuned off-road machine.

Fabricamos bicicletas de montaña desde hace más de 20 años. Nadie sabe más sobre bicicletas de suspensión frontal que Cannondale. Nuestras bicicletas de suspensión frontal se fabrican meticulosamente con aluminio de bajo peso. Todas cuentan con el innovador tubo diagonal PowerPyramid y sus múltiples detalles las convierten en sofisticadas bicicletas de montaña.

キャノンデールでは20年以上、軽量のハイパフォーマンスバイクを製造し、誰よりも多くのノウハウを蓄積してまいりました。ハードテールは軽量アルミニウムを卓越した技術で精巧に加工して製造されています。現在ではすべての機種にパワーピラミッドダウンチューブを搭載するなど、全機種が「超」ハイパフォーマンスを誇る究極のシリーズとしてクロスカントリーの世界に君臨しています。



SI HOLLOWGRAM COMPONENTS.

Lighter and stiffer than XTR parts, our Hollowgram Si crankset and bottom bracket are integrated into our Optimo Si hardtail frame.

Ligeros y más rígidos que los componentes XTR, nuestras bielas y ejes de pedalier Hollowgram Si se integran en nuestros cuadros de suspensión frontal Optimo Si.

XTRよりも高い剛性を確保しながらも、XTRよりも軽量に仕上がっているキャノンデールの中空Siクランクセットとボトムブラケットのコンビは、オブティモSiハードテールシリーズに搭載されています。



- Optimo Si BB frame • System Integration Bottom Bracket • Compliant hourglass seatstays • Lefty Speed Carbon Fox Terra Logic fork • Mavic CrossMax SL Disc wheels • Cannondale Si Hollowgram crank 22/32/44 • SRAM X-0 shifters & rear derailleur
- Magura Marta SL disc brakes • FSA KForce XC Carbon flat handlebar • Fizik Aliante Team Replica saddle • P, S, M, L, X
- Siemens Team Replica (gloss) (REP)

F4000 SL


Also available as a frame set

HOURGLASS SEATSTAYS.

Our super-light hourglass seatstays have the perfect amount of vertical flex for comfort, but are laterally stiff for sprints and climbs.

Nuestros ligerísimos tirantes curvos ofrecen el grado justo de compresión vertical sin reducir la rigidez lateral necesaria en las escaladas y los sprints.

「超」軽量な砂時計型のシートステイは路面からの突き上げを適度に吸収し、スプリント時やのぼりの側面からの圧力には素晴らしい強さを発揮します。



• Optimo frame • Compliant hourglass seatstays • HeadShok Super Fatty Ultra DLR fork • Shimano XT crank 22/32/44 • Shimano XT drivetrain & disc brakes w/XTR rear derailleur • P, S, M, L, X • Jet Black, Charcoal Grey w/Purple accents (gloss) (BLK); Midnight Blue, Blazer Blue (gloss) (BLU)



2000 SL



Jens Haug, Marketing Assistant, Cannondale Europe.
©2000 Cannondale



Dale Krutz, Prototype Technician, Bicycle R&D
©Van Halst/Getty



- 1FG frame • Dual Assault seat stays • Avid BB7 disc brakes • Super Fatty Ultra DL HeadShok fork • WTB Laser V Pro Saddle • Cannondale Earth riser handlebar • P, S, M, L, X • Jet Black w/Saffron Flame bottom bracket (gloss) (BLK)



PROTOTYPE TECHNOLOGY

1FG ULTRA



- Optimo frame • Compliant hourglass seatstays • Lefty Speed 110 fork w/DLR2 • Avid Juicy 7 disc brakes • P, S, M, L, X • Jet Black w/Saffron Flame bottom bracket (gloss) (BLK); Charcoal Grey (matte) (GRY)



PROTOTYPE TECHNOLOGY



F1000



DUAL ASSAULT SEATSTAYS.

The Furio frame's Dual Assault seatstays are reinforced at the disc brake mount, and offer extra clearance for oversized tires.

Los tirantes Dual Assault del cuadro Furio tienen anclajes de freno reforzados y ofrecen espacio adicional para neumáticos sobredimensionados.

フリオに装備されたデュアルアサルトシートステイは、ディスクブレーキのマウント部で強化されています。また、オーバーサイズのタイヤ装着も可能な大きなクリアランスを確保しています。



• Furio frame • Dual Assault seatstays • Lefty Speed 110 fork w/DLR2 • Shimano LX disc brakes & shifters w/XT rear derailleur • P, S, M, L, X • Fairway Green w/Yellow Green Flame bottom bracket (gloss) (GRN); Jet Black (matte) (BBQ)



F800



• Furio frame • Dual Assault seatstays • HeadShok Super Fatty Ultra DL fork • New Hayes HFX-9 disc brakes • P, S, M, L, X • Raw (matte) (RAW); Patriot Blue (matte) (BLU)



F600



DISC BRAKE-READY.

Our hardtail frames are all disc brake-compatible, so those models with rim brakes can be upgraded to the superior performance of discs.

Todas nuestras bicicletas de suspensión frontal son compatibles con frenos de disco para permitir la actualización en aquellos modelos que tengan frenos de llanta.

キャノンデールのハードテールはすべてディスクブレーキ対応になっていますので、制動力が異なる好みのディスクブレーキに交換することも容易にできます。



• Furio-X frame • Dual Assault seatstays • Disc Brake ready • Super Fatty DL fork • Cannondale Mountain-V saddle • Cannondale Earth riser handlebar • 27 speed • P, S, M, L, X • Race Red (gloss) (RED); Charcoal Grey (gloss) (GRY)



F400



• Furio-X frame • Dual Assault seat stays • Disc Brake ready • Manitou Six Fork • Cannondale Earth riser handlebar • Cannondale Mountain-V saddle • P, S, M, L, X • Patriot Blue (gloss) (BLU); Jet Black (gloss) (BLK)



F300



The Cruiser comes with the same great components and in the same colors as the Interceptor, but on a Jekyll full-suspension frame. The Fox Float rear shock can be locked out for a hardtail feel, while the custom rear rack easily carries the Cannondale Rack Trunk (BRT332/EBO) pictured above.



Officer Thomas Perini making his rounds in downtown Bethel, CT. ©2003 Photography

POLICE CRUISER



- Furio frame • HeadShok Super Fatty DL fork with Lockout • 36 hole rims with Shimano Silent Clutch rear hub and DT spokes • Shimano 27-speed drivetrain • TruVativ Blaze crankset and ISIS bottom bracket • Adjustable rise stem • Alloy cage pedals with clip and strap • Cannondale rear rack • Kickstand • P, S, M, L, X • Jet Black (matte) (BBQ); Lightning White (gloss) (WHT)



POLICE INTERCEPTOR



- Furio-X frame • Manitou Six fork • Sun Black Eye rims with eyelets and machined sidewalls • Shimano 24-speed drivetrain • Adjustable rise stem • Alloy cage pedals with clip and strap • Cannondale rear rack • Kickstand • P, S, M, L, X • Lightning White (gloss) (WHT); Jet Black (matte) (BBQ)



POLICE PURSUIT

FÉMININE

The key to cycling efficiency and comfort is a frame that fits your physique, and for most women, that means having a gender-specific bike. We offer both mountain and road Feminine models, as well as mixte models with a classic "drop-bar" geometry for easy, step-through mounting and dismounting.

La clave del rendimiento y la comodidad es un cuadro que se adapte a tus características físicas, lo que para la mayoría de las mujeres significa un cuadro con geometría femenina. Ofrecemos modelos femeninos tanto de carretera como de montaña, aparte de los modelos de geometría mixta, con un tubo superior diagonal para facilitar la subida y bajada de la bicicleta.

快適で効率性が高いサイクリングを実現するためのポイントは、身体にジャストフィットする自転車の選択にあります。特に男女では体型がもともと異なりますので、キャンノンデールでは女性専用のマウンテン、およびロードバイクをフェミニンシリーズとしてご用意させていただいています。さらに、クラシックなドロップバーを採用しつつも乗り降りが簡単な男女兼用モデルのミキストモデルもご用意いたしました。



©Wahoo/Zoot



• Jekyll Féminine frame • 135 mm of rear wheel travel • Adjustable Bottom Bracket height • Manitou Splice Super Diva 100-130 fork w/RTWD • Fox Float RL ProPedal Air rear shock • Avid BB5 disc brakes • P, S, M • Blazer Blue w/Lightning White swingarm (gloss) (BLU); Lightning White w/Sterling Silver Hyperhighlight (gloss) (WHT)

JEKYLL FÉMININE





• Optimo Féminine frame • Slice Premium fork • Mavic Ksyrium Elite wheels • TruVativ Rouleur Carbon GXP crank • Shimano Ultegra 10-speed shifters & derailleurs • Fizik Vitesse CP3 saddle • FSA SL-K Carbon seatpost • Fizik TechnoGel handlebar inserts • 650c: 40, 44 cm; 700c: 47, 50, 53, 56 cm • Blazer Blue (gloss) (BLU); Platinum (gloss) (PLT)



THE WORLD IS A TORQUE

R1000 FÉMININE





• Furlio-X frame • Dual Assault seatstays • Disc Brake ready • Super Fatty DL fork • SRAM X-7 Twist Shifters & rear derailleur • Selle Royal Viper Lookin Gel saddle • Cannondale Earth riser handlebar • 27 speed • P, S, M • Blazer Blue (gloss) (BLU); Platinum (gloss) (PLT)



• CAAD5 Féminine frame • Gipiemme T3-30S wheels • Shimano Tiagra 9-speed shifters and 105 Triple derailleurs • Terry Cite saddle • Cannondale Carbon seatpost • 650c: 40, 44 cm; 700c: 47, 50, 53, 56 cm • Yellow Green Metallic (gloss) (GRN); Blazer Blue (gloss) (BLU)



R500 FÉMININE TRIPLE


F400 FÉMININE

TEAM

The ultimate high-performance cyclewear, our aerodynamic Team garments combine our most aggressive contouring with technical, moisture-wicking fabrics and superior craftsmanship. And of course, the garments have eye-catching team graphics that give you the same look as Cannondale's sponsored pro racing squads.

El agresivo corte aerodinámico y los tejidos antihumedad más sofisticados se unen a la más alta calidad de fabricación en estas prendas de alto rendimiento para los deportistas más exigentes. Y por supuesto, los gráficos son idénticos a los que lucen las prendas de nuestros corredores profesionales esponsorizados.

優れた縫製技術によって完成されたエアロダイナミクス性能と、最高峰の速乾性が自慢の究極的なハイパフォーマンス・サイクルウェアです。周囲の注目の的となるプロチームと同じデザインを採用し、まさにプロライダーそのものの気分と性能をご堪能いただくことができます。



Christoph Sauser, Siemens Mobile/Cannondale, Pro XL.
©2001 Cannondale



Cannondale Mountain Bike Team, winning up at Big Bear Norba. ©2001 Cannondale





Miko Celestino, one-day specialist, Saeco/Cannondale Team.
©2001 Cannondale

CHRONO

Our men's and women's Chrono lines are diverse, including sleek, tailored garments for exceptional aerodynamics, as well as more loosely sculpted items. Regardless of their cut, Chrono garments all feature the latest technical fabrics, appealing colors and graphics, meticulous craftsmanship and insightful, cycling-specific features.

Nuestras lineas Chrono para mujer y hombre se caracterizan por su diversidad. Junto a prendas ajustadas y aerodinámicas se ofrecen otras de estilo más holgado. Independientemente del estilo todas tienen en común los tejidos más técnicos, los colores más atractivos, una cuidadosa fabricación y multitud de detalles específicos para ciclismo.

クロノシリーズには、ピッタリ感があるエアロダイナミクス性能に優れたものからルーズフィットのものまで幅広いスタイルのウェアを、メンズ&レディースでラインアップしています。いずれのウェアも、ハイセンスなカラーとグラフィックの最新ハイテク繊維を惜しみなく使用し、1枚1枚高度な縫製技術を駆使して製造しています。



David Zürcher, Cannondale Bicycle Product Management and Mike Coffy, Europe Marketing.

TERRAIN


Our Terrain off-road garments match gritty styling forged on the street and trail with a loose cut and sophisticated, moisture-wicking technical fabrics. The garments' relaxed fit and laid-back styling conceals a myriad of innovative yet subtle cycling-specific features that deliver fantastic on-the-bike performance.

Nuestra línea Terrain aúna los diseños off-road más actuales con un corte holgado y sofisticados tejidos antihumedad. El estilo relajado de estas prendas oculta una multitud de innovadores detalles que mejoran significativamente su rendimiento sobre la bicicleta.

Terrainシリーズのオフロードウェアは、速乾性に優れた生地を採用し、市街地でもトレイルでのシーンにもマッチするたくましいシルエットに仕上げられています。ゆったりと開放感があるスタイリングでありながら、サイクリングに必要な機能を満載したスグレモノです。



Christoph Sauser, Siemens Mobile/Cannondale, Pro XL. cat: 0001/0001




FOOTWEAR & ACCESSORIES

The experienced cyclist chooses cycling shoes and riding accessories with the same care used to select a bicycle. Our stylish footwear and accessories, including bags, bottles and more, reflect our long tradition of practical innovation coupled with top-quality materials and manufacturing.

El ciclista experimentado pone tanto cuidado en la selección del calzado y los complementos como en la de la propia bicicleta. Nuestra línea de calzado y complementos incluye bolsas, bidones y otros productos que reflejan nuestra larga tradición en la combinación de innovadores diseños con los mejores materiales y la más exigente calidad de fabricación.

ベテランライダーのみなさんは、シューズやアクセサリ類を選ぶときも自転車を選ぶ時と同じくらい慎重です。キャノンドールのシューズ、バッグやボトルなどのアクセサリ類は、キャノンドールの長年にわたるこれら製品の製造経験と実績に裏付けられた、極めて高い品質を誇る逸品です。



CYCLOCROSS

The ideal cyclocross bike has nimble handling and is lightweight for high speeds and easy portaging. The bike also has to be tough enough to withstand the rough terrain and brutal conditions common to 'cross racing. Our cyclocross models fit the bill perfectly, which also makes them an ideal choice for commuting or winter training.

La bicicleta de cyclocross perfecta es rápida, se controla con precisión y es ligera para facilitar su transporte. También tiene que ser resistente para soportar las brutales condiciones propias de este tipo de competiciones. Nuestros modelos de cyclocross se adaptan con exactitud a este perfil, lo que también las convierte en excelentes bicicletas para la ciudad o el entrenamiento invernal.

ハイスピードの競技に対応する「軽さ」と正確なハンドリング、そして「担ぎやすさ」をも兼ね備えた理想のマシンです。もちろん悪条件の中での戦いも想定される競技ですので、剛性面でも数多くの工夫を凝らし、万全に仕上がっています。頑丈でありながらスタイリッシュなので、冬場のトレーニング用、あるいは通勤バイクとしてもご利用いただいております。



DISC BRAKES.

Cyclocross racing is known for brutal conditions, making the great all-weather performance of disc brakes a smart choice for the savvy competitor.

La competición de cyclocross es famosa por su dureza. La fiabilidad de los frenos de disco en todas las condiciones los convierten en la elección ideal para el corredor experimentado.


過酷な条件の中では、あらゆる環境下ですぐれた制動力を発揮するディスクブレーキが、「走り」を大きく左右します。



• Cyclocross Optimo Disc frame • Fatty Ultra XR Disc fork • Mavic Open Pro Race rims w/Omega hubs • TruVativ Elita SL Cross crank • Avid BB7 disc brakes • 47, 50, 52, 54, 56, 58, 60 cm • Race Red (gloss) (RED)



CYCLOCROSS DISC



John Haseby of the FioriFrutta Team. © J. S. McHenry



• Cyclocross Optimo frame • Slice Ultra XR carbon fork • Gipiemme T3-30S wheels • TruVativ Elita SL Cross crank • 47, 50, 52, 54, 56, 58, 60 cm • Patriot Blue (gloss) (BLU)



For authorized dealers

CYCLOCROSS




IRONMAN®

Our lightweight, cutting-edge Ironman® models are designed and spec'd for the committed triathlete, but they'll give any competitor an edge. Each bike features our Ironman® Slice Aero frame with wind tunnel-tested tri geometry, delivering an unmatched combination of all-day comfort and aerodynamic efficiency.

Nuestros ligerísimos modelos Ironman® han sido diseñados para los triatletas más comprometidos, pero suponen una ventaja para cualquier tipo de corredor. Todos están equipados con nuestro cuadro Slice Aero, cuya geometría ha sido puesta a prueba en el túnel de viento para lograr el equilibrio perfecto entre comodidad y eficacia aerodinámica.

真剣に競技に打ち込むトライアスリートのご要望にお応えすべく生まれた、軽量なハイパフォーマンス・マシンです。風圧テスト用トンネルの中で繰り返しテストを行ない、改良を加えたトライアスロン専用ジオメトリーのアイアンマン・スライスエアロフレームを全モデルに搭載しています。すぐれたエアロダイナミクス性能と快適性でライバルをいっさい寄せつけません。



IRONMAN® SLICE AERO FRAME.

The lightweight Ironman® Slice Aero frame offers a comfortable riding position that maximizes both aerodynamics and ergonomic efficiency.

El cuadro ligero Ironman® Slice Aero permite una posición cómoda que incrementa tanto la eficacia aerodinámica como la ergonómica.

軽量なアイアンマン・スライスエアロフレームはすぐれたエアロダイナミクス性能を確保しながら体型や姿勢にフィットするポジショニングを可能にし、長時間の競技にも耐えうる快適性を実現しています。



• Ironman® Slice Aero Si BB frame • Slice Aero Premium fork • Zipp 404 wheels • Cannondale Si Carbon crank • Profile Airwing handlebar w/Carbon Stryke Ironman® Clip-On • Campagnolo Record derailleurs and 10-speed shifters • Tektro 5.0 Carbon brake levers • Fi'zi:k Arione Tri saddle • 650c: 48, 50, 52 cm; 700c: 54, 56, 58, 60, 62 cm • Lightning White, Patriot Blue (gloss) (BLU)



The world is a triathlete.

IRONMAN® 6000



Foris Al Sultan takes 2nd at the
Quelle Challenge Roth Ironman®.
©Globe Photos.com



SLICE AERO PREMIUM.

The lightweight Slice Aero Premium fork has all-carbon construction, aerodynamic blades, and a weight-saving integrated headset.

La horquilla Slice Aero Premium se fabrica íntegramente con fibra de carbono, tiene brazos con perfil aerodinámico y un ligero juego de dirección integrado.

オールカーボン製のスライスエアロプレミアムは、エアロダイナミクス性にすぐれたブレードと軽量化を極めた専用設計のヘッドセットのコンビで、驚異的な「軽さ」とパフォーマンスを実現しています。

THE OFFICIAL BIKE OF IRONMAN®.

Cannondale is synonymous with performance and commitment, so it makes perfect sense that we'd be chosen as the official bike of Ironman®.



PROFESSIONAL BIKE



- Ironman® Slice Aero Si B8 frame • Slice Aero Premium fork • Mavic Ksyrium Elite wheels
- Cannondale Si Carbon crank • Profile Airwing handlebar w/Carbon Stryke Ironman® Clip-On • Shimano Ultegra 10-speed • Cannondale Wind Carbon seatpost • 650c: 48, 50, 52 cm; 700c: 54, 56, 58, 60, 62 cm • Race Red (gloss) (RED); Charcoal Grey (gloss) (GRY)



- Ironman® Slice Aero frame • Slice Aero Carbon fork • Gipiemme T3-30S wheels • TruVativ Rouleur GXP crank • Profile Airwing handlebar w/Carbon Stryke Ironman® Clip-On • Cannondale Carbon seatpost • 650c: 48, 50, 52cm; 700c: 54, 56, 58, 60, 62 cm • Yellow Green Metallic (gloss) (GRN); Blazer Blue (gloss) (BLU)



IRONMAN® 2000

IRONMAN® 800

SIX13


Comprised of carbon fiber tubes co-molded within aluminum tube joints, the Six13 fuses two materials into something far greater than the sum of its parts. Amazingly fast, incredibly light and supremely comfortable... all in one seamless package that the UCI ruled "too light for the Tour de France."

Tubos principales de carbono y uniones, tirantes y vainas de aluminio. La Six13 logra la fusión perfecta de dos materiales con un resultado netamente superior a la suma de sus partes. Extraordinariamente rápida, increíblemente ligera y extremadamente cómoda... todo en la bicicleta que la UCI declaró "demasiado ligera para el Tour de Francia."

カーボン製のチューブとアルミニウム製のジョイントを融合させたSix13は、単なるカーボン&アルミバイクではありません。爆発的な加速力と軽さを実現しながら、最高の快適性を確保している究極のバイクです。ちなみにUCIでは、このバイクのあまりの軽さに驚き、思わずツール・ド・フランスでの使用を禁止してしまったほどです。



Gilberto Simoni, Saeco/Cannondale Team, 2004 Giro d'Italia, saeco



HOLLOWGRAM SI COMPONENTS.

Precision CNC'd, our Hollowgram Si crankset and bottom bracket weigh less and offer better flex resistance than Dura Ace parts.

Nuestras bielas y ejes de pedalier Hollowgram Si se fabrican con fresadoras CNC logrando una mayor rigidez y menor peso que los componentes Dura Ace.

精密にCNC加工された中空Siクランクセットとボトムブラケットのコンビは、デュラエースよりも軽く、そして強く仕上がっています。



• Six13 Si BB frame • Slice Premium+ fork • Mavic Ksyrium SL wheels • Cannondale Si Hollowgram crank • Campagnolo Record 10-speed
 • FSA K-wing Carbon handlebar • FSA OS-115 w/carbon faceplate stem • USE Alien Carbon seatpost • Fizik Arione Ti saddle • Hutchinson
 Fusion foldable tires • 48, 50, 52, 53, 54, 55, 56, 57, 58, 59, 60, 63 cm • Saeco Team Replica (gloss) (SAE); Patriot Blue w/Blazer Blue
 HyperHighlight (gloss) (BLU); Charcoal Grey (matte) (GRY); Saffron Metallic (gloss) (ORG); Jet Black w/Race Red Flare (gloss) (BLK)



SIX13 TEAM REPLICA

SIX13 COLORS.

All Six13 models are available in your choice of five colors. (See page 49.)

Todos los modelos de Six13 están disponibles en cualquiera de los cuatro colores.

six13の全モデルは、5色よりお選びいただくことができます。

Saeco Team Replica (gloss) (SAE); Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU); Charcoal Grey (matte) (GRY); Saffron Metallic (gloss) (ORG); Jet Black w/Race Red Flare (gloss) (BLK)



MECHANICAL INTERLOCK.

The Six13's unique construction forges a secure, mechanical interlock between its carbon fiber tubes and aluminum clusters.

El diseño de la Six13 incluye puntos de refuerzo gracias a los enlaces mecánicos entre el aluminio y la fibra de carbono.

six13はカーボン製のチューブとアルミニウム部を巧みに組み込んで一体化する、独特のメカニカルインターロック構造を採用しています。



• Six13 Si BB frame • Slice Premium+ fork • Mavic Ksyrium SL wheels • Cannondale Carbon Si crank • Shimano Dura-Ace 10-speed • FSA K-Wing Carbon handlebar • FSA OS-115 w/carbon faceplate stem • USE Alien Carbon seatpost • Fi'zi:k Arione Ti saddle • Hutchinson Fusion foldable tires • 48, 50, 52, 53, 54, 55, 56, 57, 58, 59, 60, 63 cm • BLU, SAE, GRY, ORG, BLK



For more information visit us online

SIX13 R5000



• Six13 Si BB frame • Slice Premium+ fork • Mavic Ksyrium SL wheels • Cannondale Carbon Compact Si crank • Shimano Dura-Ace 10-speed • FSA K-Wing Carbon handlebar • FSA OS-115 w/carbon faceplate stem • USE Alien Carbon seatpost • Fi'zi:k Arione Ti saddle • Hutchinson Fusion foldable tires • 48, 50, 52, 53, 54, 55, 56, 57, 58, 59, 60, 63 cm • ORG, SAE, BLU, GRY, BLK

SIX13 R5000 COMPACT DRIVE



Damiano Cunego, Saeco/Cannondale Team, Italy, 1st 2004 Giro d'Italia, 2005



SLICE PREMIUM+ FORK.

The 330-gram Slice Premium+ fork has lightweight carbon fiber blades, carbon fiber steerer, and carbon fiber dropouts, plus a weight-saving integrated headset.

La horquilla Slice Premium+ pesa 330 gramos, tiene tubo de dirección, brazos y punteras de fibra de carbono y un ligero juego de dirección integrado.

オールカーボン製のスライスエアロプレミアムは、カーボン製のブレード、ステアラー、およびドロップアウト、そして軽量化を極めた専用設計のヘッドセットとのセットにより、330グラムという驚異的な「軽さ」と世界最高峰のパフォーマンスを実現しています。



• Six13 frame • Slice Premium+ fork • Shimano Dura Ace wheels • Shimano Dura-Ace crank • Shimano Dura-Ace 10-speed • FSA K-Wing Carbon handlebar • FSA OS-115 w/carbon faceplate stem • USE Alien Carbon seatpost • Fi'zi:k Arione Ti saddle • Hutchinson Fusion foldable tires • 48, 50, 52, 53, 54, 55, 56, 57, 58, 59, 60, 63 cm • BLK, SAE, BLU, GRV, ORG

SIX13 R5000 DURA ACE



• Six13 Si BB frame • Slice Premium+ fork • Mavic Ksyrium Elite wheels • Cannondale Si Carbon crank • Shimano Ultegra 10-speed shifters and derailleurs • FSA Pro Wing handlebar • Fi'zi:k Arione saddle • Hutchinson Fusion foldable tires • 48, 50, 52, 53, 54, 55, 56, 57, 58, 59, 60, 63 cm • GRV, SAE, BLU, ORG, BLK

SIX13 R3000



• Six-13 frame • Slice Premium+ fork • Campagnolo Zonda wheels • FSA Pro Team Issue Carbon crank • Campagnolo Centaur 10-speed • FSA Pro Wing handlebar • Cannondale Wind Carbon seatpost • Fizik Arione saddle • Hutchinson Fusion foldable tires • 48, 50, 52, 53, 54, 55, 56, 57, 58, 59, 60, 63 cm • BLK, SAE, BLU, GRY, ORG



Also available as a frame set

SIX13 R2000



• Six-13 frame • Slice Premium+ fork • Campagnolo Zonda wheels • FSA Carbon Pro Road Compact crank • Campagnolo Centaur 10-speed • FSA Pro Wing handlebar • Cannondale Wind Carbon seatpost • Fizik Arione saddle • Hutchinson Fusion foldable tires • 48, 50, 52, 53, 54, 55, 56, 57, 58, 59, 60, 63 cm • SAE, BLU, GRY, ORG, BLK

SIX13 R2000 COMPACT DRIVE

CAAD8



CAAD8 FRAME.

The new CAAD8 is our lightest all-aluminum road frame, tickling the scales 30 grams less than our Giro-winning CAAD7/Optimo frame.

El CAAD8 de carretera es nuestro cuadro de aluminio más ligero, con una reducción de 30 gramos respecto al CAAD7/Optimo, ganador del Giro d'Italia.

CAAD8はジロで優勝を飾ったCAAD7オブティモに比べ、30gも軽く仕上がったキャンonderールのアルミバイクの中で1番軽いフレームです。

Thirty grams lighter than our CAAD7/Optimo frame, the new CAAD8 has a Power Pyramid down tube and a tapered, double-buttressed seat tube for lightweight flex-resistance. The Optimo front triangle is complemented by 6061-T6 Aero hourglass seatstays, tapered and buttressed chainstays, and lightweight forged dropouts.

El nuevo CAAD8, treinta gramos más ligero que nuestro cuadro CAAD7/Optimo, tiene un tubo diagonal Power Pyramid y un tubo vertical biconificado que le aportan rigidez sin añadir peso. El triángulo frontal Optimo se complementa con los tirantes curvos Aero de aluminio 6061-T6, las vainas biconificadas y las ligerísimas punteras forjadas.

CAAD7オブティモよりも30g軽く仕上がっているCAAD8にも、パワーピラミッドダウンチューブのほか、軽量かつ剛性が高い先細のダブルバテッドシートチューブなどが装備されています。オブティモ・フロントトライアングルは、砂時計型の6061-T6エアロシートステイ、先細のバテッド・チェーンステイ、そして、軽量の鍛造型ドロップアウトにて補完されています。



• CAAD8 Optimo frame • Slice Premium fork • Mavic Ksyrium Elite wheels • TruVativ Rouleur Carbon crank • Shimano Dura Ace 10-speed • Cannondale Wind Carbon seatpost • Fi'zi:k Arione saddle • Hutchinson Fusion foldable tires • 48, 50, 52, 54, 56, 58, 60, 63 cm • Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU); Charcoal Grey (matte) (GRY)



R5000

COMPACT DRIVE AND STANDARD GEAR CHAINRING COMPARISON

Lighter Than a Standard Double.

The compact crank set with an 11-23 cassette weighs less than a standard crankset with a heavier, climbing cassette (such as a 12-25 or 12-27).

Better Q-Factor Than a Standard Triple.

A compact double is far lighter, will shift far better and has a lower 'Q'-factor than any triple chainring crankset.

Más ligera.

La transmisión compacta con un cassette de 11-23 pesa menos que la transmisión normal con un cassette para ascensiones (12-25 ó 12-27).

Mejor línea de cadena.

La transmisión compacta con dos platos pesa menos, cambia mejor y garantiza una mejor línea de cadena que cualquier transmisión con tres platos.

標準のダブルギアに比べて軽量の仕上がり。

11~23のカセットを使用するコンパクトクランクセットは、登坂対応の重めのカセット（12~25や12~27の）を使用する標準クランクセットよりも軽量化されています。

標準のトリブルクランクよりもすぐれたQファクター。

コンパクトダブルは、どのトリブルチェーンリング・クランクセットよりも軽い、機敏なシフト操作を実現しています。

COMPACT DRIVE DOUBLES						STANDARD DOUBLE			STANDARD TRIPLE		
Gear Roll-Out (in)			Gear Roll-Out (in)			Gear Roll-Out (in)			Gear Roll-Out (in)		
50T	34T	COG	50T	36T		53T	39T	COG	52T	42T	30T
119.5	81.2	◀ 11 ▶	119.5	86.0		126.6	93.2	◀ 11 ▶	124.2	100.3	71.7
109.5	74.5	◀ 12 ▶	109.5	78.8		116.1	85.4	◀ 12 ▶	113.9	92.0	65.7
101.1	68.7	◀ 13 ▶	101.1	72.8		107.1	78.8	◀ 13 ▶	105.1	84.9	60.6
93.9	63.8	◀ 14 ▶	93.9	67.6		99.5	73.2	◀ 14 ▶	97.6	78.8	56.3
87.6	59.6	◀ 15 ▶	87.6	63.1		92.9	68.3	◀ 15 ▶	91.1	73.6	52.6
82.1	55.8	◀ 16 ▶	82.1	59.1		87.1	64.1	◀ 16 ▶	85.4	69.0	49.3
77.3	52.6	◀ 17 ▶	77.3	55.7		81.9	60.3	◀ 17 ▶	80.4	64.9	46.4
69.2	47.0	◀ 19 ▶	69.2	49.8		73.3	53.9	◀ 19 ▶	71.9	58.1	41.1
62.5	42.5	◀ 21 ▶	62.5	45.1		66.3	48.8	◀ 21 ▶	65.1	52.6	37.5
57.1	38.8	◀ 23 ▶	57.1	41.1		60.6	44.6	◀ 23 ▶	59.4	48.0	34.3

- 700 X 23 / 23 622 tire with 170 mm cranks
- 10-speed 11-12-13-14-15-16-17-19-21-23 cassette
- Roll Out = Distance in inches the rear wheel travels per 1 crank revolution.

- More chain, a longer rear derailleur cage, and wider bottom bracket axle width makes a triple heaviest.

• 700 X 23 / 23 622 tire with 170 mm cranks
 • 10-speed 11-12-13-14-15-16-17-19-21-23 cassette
 • Roll Out = Distance in inches the rear wheel travels per 1 crank revolution.


• More chain, a longer rear derailleur cage, and wider bottom bracket axle width makes a triple heavier.



• CAAD8 Optimo frame • Slice Premium fork • Mavic Ksyrium Elite wheels • TruVativ Rouleur Carbon Compact crank • Shimano Dura Ace 10-speed • Cannondale Wind Carbon seatpost • Fizik Arione saddle • Hutchinson Fusion foldable tires • 48, 50, 52, 54, 56, 58, 60, 63 cm • Charcoal Grey (matte) (GRY); Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU)

R5000 COMPACT DRIVE





TAPERED, DOUBLE-BUTTED SEAT TUBE.

The seat tube on the CAAD8 frame is double-butt and tapered to deliver superior frame efficiency without a weight penalty.

El tubo vertical del cuadro CAAD8 tiene una doble configuración y un grosor variable para mejorar el rendimiento del cuadro sin añadir peso.

CAAD8のシートチューブは先細のダブルバテッド・シートチューブを採用し、重量のハンディを負うことなくすぐれた剛性を確保しています。



• CAAD8 Optimo frame • Slice Premium fork • Mavic Ksyrium Elite wheels • TruVativ Rouleur Carbon crank • Shimano Ultegra 10-speed • FSA SL-K Carbon seatpost • Fi'zi:k Poggio Eco Ti saddle • Hutchinson Top Speed foldable tires • 48, 50, 52, 54, 56, 58, 60, 63 cm • Jet Black (matte) (BBQ); Patriot Blue (gloss) (BLU)




R1000



• CAAD8 Optimo frame • Slice Premium fork • Mavic Ksyrium Elite wheels • TruVativ Rouleur Carbon Triple crank • Shimano Ultegra 10-speed • FSA SL-K Carbon seatpost • Fi'zi:k Poggio Eco Ti saddle • Hutchinson Top Speed foldable tires • 48, 50, 52, 54, 56, 58, 60, 63 cm • Patriot Blue (gloss) (BLU); Jet Black (matte) (BBQ)



R1000 TRIPLE



OPTIMO DUCTILITY.

The Optimo alloy's amazing ductility lets us craft sophisticated tube shapes for maximum performance and minimal weight.

La increíble ductilidad del aluminio Optimo nos permite crear tubos con formas complejas para reducir el peso y mejorar el rendimiento.

パワーピラミッドダウンチューブの上部は、肉厚で極めて高い剛性が確保されています。一方、下部は肉薄となっている分、径を広げて「たわみ」に対する抵抗力を確保しています。



- CAAD8 Optimo frame • Slice Premium fork • Gipiemme Parade wheels
- TruVativ Rouleur crank • Campagnolo Veloce 10-speed • Fizik Poggio Eco saddle • Hutchinson Top Speed foldable tires • FSA SL-K Carbon seatpost • 48, 50, 52, 54, 56, 58, 60, 63 cm • Race Red (gloss) (RED); Blazer Blue (gloss) (BLU)



R900



- CAAD8 Optimo frame • Slice Premium fork • Gipiemme Parade wheels • TruVativ Rouleur Triple crank • Campagnolo Veloce 10-speed • Fizik Poggio Eco saddle • Hutchinson Top Speed foldable tires • FSA SL-K Carbon seatpost • 48, 50, 52, 54, 56, 58, 60, 63 cm • Blazer Blue (gloss) (BLU); Race Red (gloss) (RED)



R900 TRIPLE



CAAD5 FRAME.

The lightweight CAAD5 has a Power Pyramid down tube, CNC-machined head tube and bottom bracket shell, butted chainstays, and hourglass seatstays.

El CAAD5 cuenta con un tubo diagonal Power Pyramid, pipa y caja del eje de pedalier rebajados, tirantes curvos y vainas de grosor variable.

軽量のCAAD5はパワーピラミッドダウンチューブ、精巧なCNC加工を施したヘッドチューブとボトムブラケットシェル、バテッド加工のチェーンステイ、ならびに砂時計型のシートステイを搭載しています。



• CAAD7 Optimo frame • Slice Ultra fork • Shimano WH-R550 wheels • Shimano 105/Ultegra 9-speed • Cannondale Carbon seatpost • 48, 50, 52, 54, 56, 58, 60, 63 cm • Saffron Metallic (gloss) (ORG); Charcoal Grey (matte) (GRY); Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU)

R700 & R700 TRIPLE



• CAAD5 frame • Slice Ultra fork • Gipiemme T3-30S wheels • Shimano Tiagra/105 9-speed shifters & derailleurs • Cannondale Carbon seatpost • Selle Royal Viper saddle • 48, 50, 52, 54, 56, 58, 60, 63 cm • Midnight Blue w/Patriot HyperHighlight (matte) (BLU); Race Red (gloss) (RED)

R500 TRIPLE



Also available in a frame set




SPORT ROAD

Our Sport Road bikes are based on technologies developed for our road racing models, but with extra emphasis on comfort, stable handling, and utility. Ideal for fast-paced fitness rides or for long days in the saddle, Sport Roads are also a smart choice for light touring and charity rides.

Nuestras bicicletas SportRoad cuentan con todos los adelantos técnicos desarrollados para nuestras bicicletas High Performance Road y muchos otros destinados a mejorar la estabilidad, el control y la comodidad en todas las condiciones. Una bicicleta perfecta tanto para el ejercicio esporádico como para los largos paseos, las excursiones y las salidas en grupo.

ロードバイクは安定性が高いハンドリング性能と汎用性などの快適機能に重点をおきつつ、ロードレース用モデルの製造で培った技術を駆使して完成したバイクです。長時間のフィットネスライドやツーリング、あるいはチャリティライドなどに最適なバイクです。



SPORT ROAD FRAMES.

Our Sport Road frames utilize shorter top tubes and longer head tubes to seat the rider in a more comfortable, upright position.

El tubo superior de nuestras Sport Road es más corto de lo habitual mientras la pipa de dirección se alarga para permitir una postura de conducción más erguida.

スポーツロードフレームは短めのトップチューブと長めのヘッドチューブを採用し、アップライトで快適なライディングポジションを可能にしています。



• Optimo Sport Road frame • Slice Ultra All-Conditions fork • Gpiemme Grecale Parade wheels • Continental Ultra GatorSkin tires
• Campagnolo Veloce 10-speed drivetrain • Cannondale B-Levers • TruVativ Rouleur crankset and Giga X Drive bottom bracket • 1-X
Suspension seatpost • Fizik TechnoGel handlebar inserts • P, S, M, L, X • Charcoal Grey w/ Sterling Silver HyperHighlight (gloss) (GRY)

SPORT ROAD 1000



GEL INSERTS.

We use strategically placed Fi'zi:k TechnoGel inserts beneath the handlebar tape to reduce vibration and boost rider comfort.

Bajo la cinta del manillar colocamos estratégicamente inserciones de TechnoGel Fi'zi:k para reducir las vibraciones y elevar la comodidad.

ハンドルバーのテープの下にフィジーク社のテクノジェルを注入し、ハンドルを握る手と腕への振動の緩和をはかる細かい工夫も、キャンノンデールならではのノウハウです。



• CAAD5 Sport Road frame • Slice Ultra All-Conditions fork • Shimano WH-R550 wheels
• Continental Ultra GatorSkin tires • Shimano 105 shifters and Ultegra rear derailleur •
Cannondale B-Levers • Adjustable rise stem • 1-X Suspension seatpost • S, M, L, X •
Charcoal Grey (gloss) (GRY), Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU)

SPORT ROAD 800



• CAAD5 Sport Road frame • Slice Ultra All-Conditions fork • Continental Ultra Sport
tires • Shimano Tiagra shifters and 105 rear derailleur • Cannondale B-Levers • TruVativ
Touro crankset • Adjustable rise stem • 1-X Suspension seatpost • Fi'zi:k TechnoGel
handlebar inserts • S, M, L, X • Platinum (gloss) (PLT); Jet Black (gloss) (BLK)

SPORT ROAD 500



ROAD WARRIOR

Lightweight, high-tech road bikes with flat handlebars, our Road Warriors seat the rider in a confident, yet efficient riding position. Road Warriors combine sensible saddles and accessible controls with road gearing and slick tires, making them capable of conquering just about any road you choose.

El manillar plano de montaña de nuestras ligerísimas y sofisticadas Road Warriors permite una postura de conducción más erguida y familiar. Las Road Warriors están equipadas con cómodos sillines, controles accesibles y marchas y neumáticos de carretera. Una bicicleta capaz de conquistar cualquier ruta.

フラットバー装備の軽量ロードウォリアー・シリーズは、ライダーに極めて高い安心感と無駄のないライディング・ポジションをお届けする本格的なロードバイクです。ロードウォリアーには、快適性のよいサドルや操作性にすぐれたロード用コンポーネントやスリックタイヤを装備し、あらゆる路面を走破する実力を誇ります。



FLAT HANDLEBARS.

Flat handlebars offer easily accessed shift and brake controls, plus we've added bar ends for a secondary hand position.

El manillar plano facilita el cambio de marchas y el acceso a la maneta del freno, mientras los acoples ofrecen una posición de conducción alternativa.

フラットバーの方が、シフト&ブレーキ操作がしやすいというサイクリストのニーズにあわせたモデルもラインアップしました。バーエンドは第2のハンドル・ポジションとしてご活用いただけます。



• Optimo Sport Road frame • Slice Ultra All-Conditions fork • Gpiemme Grecale Parade wheels • Continental CityContact tires • Campagnolo Veloce 10-speed drivetrain and Ergopower FB shifters • TruVativ Rouleur crankset and Giga X Drive bottom bracket • FSA SL-K Carbon seatpost • Paquito bar ends • P, S, M, L, X • Saffron Metallic (gloss) (ORG)

ROAD WARRIOR 1000



RACK AND FENDER MOUNTS.

Our Road Warriors easily accommodate racks and fenders, offering added versatility and improving their foul-weather performance.

Nuestras Road Warriors pueden ser equipadas fácilmente con portaequipajes y guardabarros para aumentar su versatilidad y permitir el uso en climas adversos.

ロードウォリアーのフレームにはラックやフェンダーが簡単に取り付けることができ、悪天候下でのライディングへの対応も万全です。



• CAAD5 Sport Road frame • Slice Ultra All-Conditions fork • Shimano WH-R550 wheels • Continental CityContact tires • Shimano Ultegra rear derailleur • TruVativ Elita SL crankset and ISIS bottom bracket • 1-X Suspension seatpost • Selle Royal Freccia Gel saddle • Paquito bar ends • S, M, L, X • Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU)

ROAD WARRIOR 800



• CAAD4 Sport Road frame • TIG-Welded Chromoly fork • Mach 1 CFX rims with Cannondale Earth hubs and DT Stainless spokes • Continental CityRIDE tires • TruVativ Touro crankset • Adjustable rise stem • Polygon Suspension seatpost • Selle Royal Freccia saddle • S, M, L, X • Mocha Brown (gloss) (BRN); Sterling Silver (gloss) (SLV)

ROAD WARRIOR 400




BAD BOY

The Bad Boys combine our light-yet-rugged mountain bike frames with lightning-quick road tires, adding a generous dose of dark, ominous styling for attitude. Perfect for shredding the urban landscape, the Bad Boys require only a quick wheel swap to make them ready for hard core off-road riding.

Las Bad Boys combinan nuestros ligeros y aguerridos cuadros de montaña con fulgurantes neumáticos de carretera y un estilo discretamente siniestro. Aunque la Bad Boy es el vehículo perfecto para la ciudad un simple cambio de ruedas las convierte en una bicicleta de montaña del más alto nivel.

バッドボーイは軽量で頑丈なMTB用のフレームに、電光石火の速さを誇る細いロード用のタイヤを装備した、クールで少々あやしげなマシンです。街中を疾風のように走りぬける速さが自慢ですが、ホイールをMTB用に交換するだけで、過酷なオフロード走行も可能になる変幻自在なバイクでもあります。



ON-ROAD/OFF-ROAD VERSATILITY.

Equip them with knobby mountain bike wheels, and the versatile Bad Boy models are ready to go from on-road to off-road adventure.

Con la simple adición de unas gruesas ruedas de montaña la Bad Boy estará preparada para dejar la carretera y adentrarse en los senderos más abruptos.

マウンテンバイク用のタイヤを装備すれば即時にオンロードバイクからオフロードバイクに変身するスグレモノです。



- Furio frame • HeadShok Super Fatty Ultra DL fork • Mavic CXP22 rims with Cannondale Fire Disc hubs and DT Champion spokes • Hutchinson Flash tires • TruVativ Firex crankset and ISIS bottom bracket • SRAM X-7 shifters and rear derailleur • Avid BB7 disc brakes • Cannondale Octopus pedals • P, S, M, L, X • Jet Black (matte) (BBQ)

BAD BOY ULTRA



Frank Polfer, Cannondale Europe
Graphic Designer, takes to the streets.
©2008 Cannondale



OCTOPUS PEDAL.

The lightweight Octopus pedal has durable, cartridge bearings, plus a non-slip platform that grips in all conditions without damaging leather dress shoes.

El ligero pedal Octopus cuenta con resistentes rodamientos de la mejor calidad y ofrece una superficie antideslizante que no daña la suela de los zapatos.

ハイエンドの丈夫なベアリングを搭載している軽量のオクトパスペダルには、どのような状況においてもすべりにくく、また、靴の皮底にもやさしいプラットフォームを採用しています。



- Mountain frame • TIG-Welded Chromoly fork • Sun CR18 rims with Cannondale Earth hubs and DT Champion spokes • IRC Metro tires
- SRAM X-7 shifters and 5.0 rear derailleur • TruVativ Five D crankset and ISIS bottom bracket • Cannondale Octopus pedals • P, S, M, L, X
- Jet Black (matte) (BBQ)

BAD BOY

STREET

Street models combine high-tech computer design, meticulous handcraftsmanship and the latest innovative componentry. The ultimate in practical, pedal-powered transportation, our Street bikes are outfitted with an abundance of thoughtful details and sensible, convenient accessories.

Los modelos Street combinan las más avanzadas técnicas de diseño computerizado, una meticulosa manufactura y los más innovadores componentes. Nuestras bicicletas de ciudad pueden ser consideradas el medio de transporte más práctico y avanzado. Todas están equipadas con multitud de detalles y prácticos accesorios.

ハイテクを駆使したコンピュータで設計されているストリートモデルは、最新の技術と匠の技による逸品に仕上がっています。長年の経験を生かした数多くの便利機能を満載、ファッションブルでありながら極めて実用性が高いバイクです。



NEXUS INTERNAL REAR HUB.

Shimano's user-friendly Nexus hub offers the low-maintenance convenience of gears protected by a sealed shell and heavy-duty construction.


El buje Nexus de Shimano simplifica el mantenimiento de la bicicleta y facilita su uso gracias al robusto juego interno de marchas protegido por una carcasa sellada.

操作性やメンテナンス性にすぐれたシマノ社製のネクスは、ギアを保護する丈夫な構造になっています。



• Singlespeed frame • Fatty Ultra R fork • Sun Rhyno Lite rims • IRC Lover's Soul tires • Shimano Nexus Inter-8 Premium rear hub, shifter, and brake levers • TruVativ Firex crankset and ISIS bottom bracket • Cane Creek S-2 headset • Sweep handlebar • SKS fenders • Zefal bell • P, S, M, L, X • Jet Black, Raw (matte) (BBQ)

FIFTY-FIFTY



- Street frame • TIG-Welded Chromoly fork • Continental TopTouring Reflex tires • Adjustable rise stem
- Sweep handlebar • 1-X Suspension seatpost • Cannondale rear rack • SKS fenders • Zefal bell •
- Chainguard • Kickstand • S, M, L, X, J • Jet Black (gloss) (BLK)

STREET



- Street Féminine frame • TIG-Welded Chromoly fork • Continental TopTouring Reflex tires • Adjustable
- rise stem • Sweep handlebar • 1-X Suspension seatpost • Cannondale rear rack • SKS fenders • Zefal bell
- Chainguard • Kickstand • S, L • Jet Black (gloss) (BLK)


STREET FÉMININE

TOURING

Designed for self-contained cycling, our Touring frame's slack head tube angle and long wheelbase make for stable handling when loaded with panniers. Our Touring bikes are also equipped with three sets of bottle mounts, eyelets for front and rear racks, and generous clearance for tires and fenders.

Bicicletas diseñadas para largos viajes a un ritmo contenido. El ángulo de la pipa de dirección y su amplia distancia entre ejes mejora la estabilidad cuando se carga el equipaje. Entre los detalles propios de nuestros modelos Touring están los múltiples portabotellas, sujeciones para alforjas delanteras y traseras y amplios pasos de ruedas para facilitar el acople de los guardabarros.

冒険の相棒となるべく誕生したバイクです。ヘッドチューブの角度を低めに設定し、ホイールベースを長めにとることで、荷物を満載しても極めて安定した走行が可能です。ボトルマウントを3個所に設置し、フロント&リアにラックとフェンダーの装着が可能です。



READY FOR TOURING.

The aluminum tubing in our touring frames' rear triangle is incredibly light, yet flex-resistant, to withstand the stresses of fully-loaded touring.

Los tubos de aluminio del triángulo trasero de nuestros modelos Touring son ligeros y resistentes para soportar las cargas del equipaje.

アルミニウム製のチューブを採用したリアトライアングルは軽量でありながら、リアラックが荷物満載でもまったくモノともしない剛性を確保しています。



- Touring frame • Fatty Ultra R All-Conditions fork • Mavic A719 rims with Cannondale Omega hubs and DT Competition spokes
- Continental TravelContact tires • Shimano Ultegra 9-speed shifters and XT rear derailleur • 1-X Suspension seatpost • Brooks Professional saddle • Fizik TechnoGel handlebar inserts • Cannondale rear rack • S, M, L, X, J • Fairway Green (gloss) (GRN)



Don't analyze it. RIDE IT.

T2000



• Touring frame • High-strength steel fork • Mavic A119 rims with Cannondale Omega hubs and DT Competition spokes • Continental TopTouring tires • Shimano Tiagra 9-speed shifters and XT rear derailleur • TruVativ Blaze crankset and ISIS bottom bracket • Wellgo Dual-Function pedals • Fizik TechnoGel handlebar inserts • Cannondale rear rack • S, M, L, X, J • Midnight Blue (gloss) (BLU)

T800

ADVENTURE

Our Adventure models bring sophisticated cycling technology to recreational riding. Every bike features a lightweight, hand-welded aluminum frame, versatile multi-speed gearing, riser handlebar and adjustable stem for a comfortable upright riding position, plus a cushy, comfy gel saddle.

Nuestros modelos Adventure acercan la tecnología de fabricación más sofisticada al ciclismo recreativo. Su ligero cuadro de aluminio está soldado a mano y sus múltiples marchas, el manillar plano, la potencia inclinada y el cómodo sillín almohadado permiten una conducción relajada y una postura erguida.

アドベンチャーは、レクリエーションにピッタリのハイテクを駆使したシリーズです。手作業によっていねいに仕上げられたアルミニウム製のフレームに、操作性にすぐれたギア、ライザーバー、高さ調節が可能なステム、そしてゲル入りサドルなどの快適装備を満載し、無理がないアップライトな姿勢で快適なサイクリングをお楽しみいただくことができます。



The Adventure 1000 Féminine features the same great component package as the Adventure 1000, but uses our Adventure Féminine frame and our Super Cush Gel Féminine saddle. Sizes are S and L; color is Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU).

ADVENTURE 1000 FÉMININE



• Adventure HS frame • HeadShok Fatty 50 All-Conditions fork with Lockout • Continental CityRIDE tires • Shimano Deore 9-speed shifters and LX rear derailleur • TruVativ Blaze crankset and ISIS bottom bracket • Adjustable rise stem • 1-X Suspension seatpost • Super Cush Gel saddle with Springs • Bell • S, M, L, X, J • Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU)

ADVENTURE 1000



DUAL DRIVE.

SRAM's innovative Dual Drive lets you shift gears using only one hand. It's also easy to maintain and can be shifted even when stopped.

El innovador sistema Dual Drive de SRAM te permite cambiar con una sola mano. Su mantenimiento es sencillo y permanece activo incluso cuando la bicicleta esta parada.

スラムのデュアルドライブは、片手でシフト操作ができます。停車時にもシフト操作ができで、メンテナンス性にもすぐれています。



- Adventure HS frame • HeadShok Fatty 50 All-Conditions fork • SRAM Dual Drive drivetrain
- Mach1 210 rims with DT Stainless spokes • IRC Advantage Pro tires • Adjustable rise stem
- 1-X Suspension seatpost • Super Cush Gel saddle with Springs • Bell • S, M, L, X, J • Jet Black w/Patriot Blue HyperHighlight (gloss) (BLK); Platinum (gloss) (PLT)





ADVENTURE 800



- Adventure HS Féminine frame • HeadShok Fatty 50 All-Conditions fork • SRAM Dual Drive drivetrain
- Mach1 210 rims with DT Stainless spokes • IRC Advantage Pro tires • Adjustable rise stem
- 1-X Suspension seatpost • Super Cush Gel Féminine saddle with Springs • Bell • S, L • Platinum (gloss) (PLT); Jet Black w/Patriot Blue HyperHighlight (gloss) (BLK)



ADVENTURE 800 FÉMININE



Commandale Creative Director, John Lucas and his wife Kathy, Longshore, Westport, CT.
Photos: Muelin/Robert Staffis



• Adventure HS frame • HeadShok Fatty 50 All-Conditions fork • Mach1 210 rims with DT Stainless spokes • IRC Advantage Pro tires • SRAM MRX Pro shifters • Shimano Deore rear derailleur • Adjustable rise stem • 1-X Suspension seatpost • Super Cush Gel saddle with Springs • S, M, L, X, J • Jet Black w/Patriot Blue HyperHighlight (gloss) (BLK); Platinum (gloss) (PLT)



ADVENTURE 600



• Adventure HS Féminine frame • HeadShok Fatty 50 All-Conditions fork • Mach1 210 rims with DT Stainless spokes • IRC Advantage Pro tires • SRAM MRX Pro shifters • Shimano Deore rear derailleur • Adjustable rise stem • 1-X Suspension seatpost • Super Cush Gel Féminine saddle with Springs • S, L • Platinum (gloss) (PLT); Jet Black w/Patriot Blue HyperHighlight (gloss) (BLK)



ADVENTURE 600 FÉMININE

HANDMADE IN USA.

Our Adventure models' lightweight aluminum frame is handmade in the USA by skilled craftsmen (and craftswomen) at our Bedford, PA factory.

Los ligerísimos cuadros de nuestras bicicletas Adventure están fabricados a mano por los artesanos más experimentados en nuestra fábrica de Bedford, Pensilvania.

アドベンチャーのフレームもちろん、すべてペンシルベニア州ベッドフォードの自社工場内で丹念に製造されています。




• Adventure frame • RockShox GPS Metro fork • Mach1 210 rims with DT Stainless spokes • IRC Advantage Pro tires • SRAM 4.0 shifters and 5.0 rear derailleur • Adjustable rise stem • Polygon Suspension seatpost • Selle Royal Gel saddle • S, M, L, X, J • Charcoal Grey w/Sterling Silver HyperHighlight (gloss) (GRY); Fairway Green (gloss) (GRN)



ADVENTURE 400



• Adventure Féminine frame • RockShox GPS Metro fork • Mach1 210 rims with DT Stainless spokes • IRC Advantage Pro tires • SRAM 4.0 shifters and 5.0 rear derailleur • Adjustable rise stem • Polygon Suspension seatpost • Super Cush Gel Féminine saddle with Springs • S, L • Fairway Green (gloss) (GRN); Charcoal Grey w/Sterling Silver HyperHighlight (gloss) (GRY)



ADVENTURE 400 FÉMININE

COMFORT

The plushest way to travel on two wheels, our Comfort models include both conventional bikes and our state-of-the-art recumbents. Built for pleasurable, comfortable pedaling, each model is equipped with a suspension seatpost, gel saddle and shock-absorbing front suspension fork.

Máxima comodidad sobre dos ruedas gracias a nuestra línea Comfort que incluye tanto bicicletas convencionales como bicicletas ergonómicas. Estos modelos, concebidos para permitir un pedaleo sin esfuerzos ni tensiones, están equipados con tijas amortiguadoras, sillines con gel y horquillas con suspensión.

コンフォート・シリーズには、ほとんど芸術の域に入っているといっても過言ではないリカンベントなど、ファッショナブルなバイクがラインアップされています。サイクリングを快適にお楽しみいただくことができるサスペンション付きのシートポスト、ゲル入りサドル、フロントサスペンションなどを各モデルに採用しています。



BENT II

- Recumbent frame • TIG-Welded Chromoly fork • Fox Vanilla rear shock • Sun Rhino Lite rims with DT Stainless spokes • Kenda Kwest tires • SRAM 4.0 shifters and 5.0 rear derailleur • Wellgo Dual-Function pedals • Avid BB5 rear Disc brake • Cannondale rear rack • Kickstand • Mirror • S, L • Patriot Blue (gloss) (BLU)



BENT I

- Recumbent HS frame • HeadShok R-Bone fork • Fox Vanilla rear shock • Sun Rhino Lite rims with DT Stainless spokes • Maxxis Hook Worm tires • SRAM Attack shifters • Shimano LX rear derailleur • Wellgo Dual-Function pedals • Avid BB5 rear Disc brake • Cannondale rear rack • Kickstand • Mirror • S, L • Sterling Silver (gloss) (SLV)



OVERSIZED TIRES.

Our Comfort models smooth your ride in a variety of ways, from shock-absorbing seat posts to oversized tires that soak up vibration.

Nuestros modelos Comfort suavizan el recorrido de varias formas, entre las que destacamos las horquillas con amortiguación y los gruesos neumáticos para absorber las vibraciones.

コンフォートモデルにはショック付きのシートチューブや太めのタイヤを装備するなど、路面からの衝撃を効率よく吸収し、快適性を確保する工夫が満載です。



- Adventure HS frame • HeadShok Fatty 50 All-Conditions fork • SRAM Dual Drive drivetrain
- Mach1 210 rims with DT Stainless spokes • IRC Advantage Pro tires • Adjustable rise stem
- 1-X Suspension seatpost • Super Cush Gel saddle with Springs • Bell • S, M, L, X, J • Jet Black w/Patriot Blue HyperHighlight (gloss) (BLU); Platinum (gloss) (PLT)




COMFORT 800



- Adventure HS Féminine frame • HeadShok Fatty 50 All-Conditions fork • SRAM Dual Drive drivetrain • Mach1 210 rims with DT Stainless spokes • IRC Advantage Pro tires • Adjustable rise stem • 1-X Suspension seatpost • Super Cush Gel Féminine saddle with Springs • Bell • S, L • Platinum (gloss) (PLT); Jet Black w/Patriot Blue HyperHighlight (gloss) (BLU)



COMFORT 800 FÉMININE



• Comfort HS frame • HeadShok Fatty 50 All-Conditions fork • Mach1 210 rims with DT Stainless spokes • IRC Advantage Pro tires • SRAM MRX Pro shifters • Shimano Deore rear derailleur • Adjustable rise stem • 1-X Suspension seatpost • Super Cush Gel saddle with Springs • S, M, L, X, J • Jet Black w/Patriot Blue HyperHighlight (gloss) (BLK); Platinum (gloss) (PLT)


COMFORT 600



• Comfort HS Féminine frame • HeadShok Fatty 50 All-Conditions fork • Mach1 210 rims with DT Stainless spokes • IRC Advantage Pro tires • SRAM MRX Pro shifters • Shimano Deore rear derailleur • Adjustable rise stem • 1-X Suspension seatpost • Super Cush Gel Féminine saddle with Springs • S, L • Platinum (gloss) (PLT); Jet Black w/Patriot Blue HyperHighlight (gloss) (BLK)

COMFORT 600 FÉMININE





LIFETIME WARRANTY.

We're proud of our craftsmanship, and guarantee the frames on our Comfort models for life against defects in materials and workmanship.

Estamos orgullosos de nuestra calidad de fabricación, para demostrarlo garantizamos nuestros modelos Comfort de por vida contra defectos de materiales y mano de obra.

キャノンデールでは製造技術と品質に関する自信の表現方法としてほとんどのモデルに「永久保証制度」を採用しています。コンフォート系モデルも例外ではありません。



- Comfort frame • RockShox GPS Metro fork • Mach1 210 rims with DT Stainless spokes
- IRC Advantage Pro tires • SRAM 4.0 shifters and 5.0 rear derailleur • Adjustable rise stem • Polygon Suspension seatpost • Selle Royal Gel saddle • S, M, L, X, J • Fairway Green (gloss) (GRN); Charcoal Grey w/Sterling Silver HyperHighlight (gloss) (GRY)



COMFORT 400

- Comfort Féminine frame • RockShox GPS Metro fork • Mach1 210 rims with DT Stainless spokes • IRC Advantage Pro tires • SRAM 4.0 shifters and 5.0 rear derailleur • Adjustable rise stem • Polygon Suspension seatpost • Super Cush Gel Féminine saddle with Springs • S, L
- Charcoal Grey w/Sterling Silver HyperHighlight (gloss) (GRY); Fairway Green (gloss) (GRN)



COMFORT 400 FÉMININE

TANDEM

We offer two tandem models with lightweight, high-performance aluminum frames: a drop-handlebar road model for fast street riding, and a flat-handlebar two-seater with wider tires (and a comfortable upright riding position) for fun pedaling on the road or trail.

Ofrecemos dos modelos de tandems con cuadros ligeros de aluminio; uno de carretera para la rápida conducción sobre asfalto, y otro de montaña con manillares planos, neumáticos mas gruesos y una geometría más relajada, para su disfrute sobre cualquier tipo de superficies.

キャノンデールでは2機種の軽量でハイパフォーマンスを誇るタンデムバイクをラインアップしています。一方は、高速走行を得意とするドロップハンドル式のロードモデルで、もう一方は太めのタイヤをはき、フラットバーを採用しアップライトなライディング姿勢が可能なオフロードモデルです。



OVERSIZED ALUMINUM TUBES.

Cannondale tandems are among the lightest and most efficient anywhere, thanks to their lightweight, flex-resistant aluminum tubes.

Los tandems Cannondale se cuentan entre los más ligeros y eficaces del mundo gracias a la ligereza y rigidez de sus tubos de aluminio.

キャノンデールのタンデムはオーバーサイズのアルミニウム製チューブを採用することにより、卓越した「軽さ」と際立つ「剛性」を確保した業界随一のモデルに仕上がっています。



Nadja Allenbach with Mike Cotty.
Cannondale Europe Marketing.
©2008 Cannondale



PATENTED BOTTOM BRACKET ECCENTRIC.


Cannondale tandems come equipped with our patented (#4,808,147) wedge-anchored eccentric that allows quick, easy adjustment of the timing chain.

Todos los tandem Cannondale están equipados con nuestra excéntrica fija patentada (#4,808,147) que permite el fácil y rápido ajuste de la doble cadena.


キャノンデールのタンデムには、チェーンの調整が簡単で素早く行なうことができるウェッジアンカー式（特許#4,808,147）のエクセントリックを採用しています。



• Mountain Tandem frame • Fatty R Tandem fork • Sun Rhyno Lite rims with DT Tandem Disc hubs and Champion spokes • Maxxis High Roller tires • TruVativ Firex crankset with ISIS bottom brackets • Avid BB7 disc brakes • 1-X Suspension seatpost • MS, LS, LM, XS, XM • Mocha Brown to Saffron Metallic to Platinum (gloss) (CCF); Charcoal Grey (matte) (GRY)



MOUNTAIN TANDEM



• Road Tandem frame • Fatty R Tandem fork • Mavic A719 rims with DT Tandem Disc hubs and Champion spokes • Shimano Ultegra 9-speed shifters with XT rear derailleur • TruVativ Elita crankset with ISIS bottom brackets • Avid BB7 disc brakes • 1-X Suspension seatpost • MS, LS, XS, XM, JL • Midnight Blue to Patriot Blue to Blazer Blue (gloss) (BLU); Platinum (gloss) (PLT)



© 2004 Cannondale Inc.



ROAD TANDEM



Also available as a frameset.

FRAMESETS

FRAMESETS

This icon alongside a specific bike model indicates that it's also available as a frameset. For more information, contact your local Cannondale retailer.

Este símbolo junto a la imagen de una bicicleta indica que el cuadro también está disponible por separado. Para obtener más información sobre este tema póngase en contacto con su comercio especializado Cannondale.

このアイコンの記載があるモデルはフレームセットでのお求めが可能です。日本における詳細につきましては、最寄りの正規販売代理店にお問い合わせください。

FRAME EXCHANGE PROGRAM

Our frame exchange program lets you trade-in any Cannondale, regardless of condition, for a sweet discount on a new frame.

Gracias a nuestro programa de sustitución puedes conseguir un atractivo descuento en la compra de un cuadro nuevo entregando tu viejo Cannondale, sea cual sea su estado.

キャノンデールのフレームは、モデルや状態にかかわらず「フレーム交換プログラム」を適用させていただきます。期間限定受付のこのプログラムにつきましては、最寄りの正規販売代理店にお問い合わせください。



• Six13 Si BB frame • Hollowgram Si bottom bracket • Cannondale Slice Premium+ fork • Campagnolo Record Hiddenset carbon integrated headset • The Six13 Si framesets come with our super-light, integrated Hollowgram Si bottom bracket. The dedicated Hollowgram Si crankset is available separately, allowing the rider to choose his or her optimal crankarm length • Saeco Team Replica (gloss) (SAE)

SIX13 TEAM REPLICAFRAMESET



• Optimo Si BB frame • Hollowgram Si bottom bracket • Si integrated headset • The Optimo Si framesets come with our super-light, integrated Hollowgram Si bottom bracket. The dedicated Hollowgram Si crankset is available separately, allowing the rider to choose his or her optimal crankarm length • Siemens Team Replica (gloss) (REP)

OPTIMO TEAM REPLICAFRAMESET



GEMINI DH

Frame	Gemini DH
Fork	Manitou Dorado DH, 180 mm
Rear Shock	Manitou 6-Way
Rims	Mavic EX823 Disc, 36 hole
Hubs	Sun Ringle Abbah Lawwill
Spokes	DT Competition
Tires	Hutchinson Octopus UST, 26 x 2.5"
Pedals	Cannondale Grind Platform
Crank	FSAEI Toro, 42 w/E-13 Chain Guide
Chain	Shimano 9-speed
Rear Cogs	SRAM PG-970, 11-32
Bottom Bracket	TruVativ ISIS DH
Front Derailleur	N/A
Rear Derailleur	SRAM X-9
Shifters	SRAM X-9 Trigger
Handlebar	FSA DH-400, 40 mm rise
Stem	Manitou Integrated 31.8
Headset	FSA ORBIT Z15
Brakes	Magura GustavM
Brake Levers	Magura GustavM
Saddle	Fizik Gobi Team Replica
Seatpost	Cannondale Competition
Sizes	S, M, L
Colors (code)	Siemens Team Replica (gloss) (REP). Mocha Brown w/Saffron Metallic swingarm (matte) (BRN). BRN available with or without Gemini Girls decal.
Extra's	ODI Ruffian



GEMINI 3000

Frame	Gemini DH
Fork	Marzocchi 888, 200 mm
Rear Shock	Manitou SPV 4-Way Coil
Rims	Mavic EX729 Disc, 36 hole
Hubs	Sun Ringle Abbah Lawwill
Spokes	DT Champion
Tires	Maxxis Mobster, 26 x 2.5"
Pedals	Cannondale Grind Platform
Crank	TruVativ Hussefelt, 26/36/PC guard
Chain	Shimano 9-speed
Rear Cogs	Shimano XT, 11-34
Bottom Bracket	TruVativ ISIS DH
Front Derailleur	Shimano LX
Rear Derailleur	SRAM X-9
Shifters	SRAM X-9 Trigger
Handlebar	FSA FR-270, 40 mm rise
Stem	Marzocchi Integrated 31.8
Headset	FSA ORBIT Z15
Brakes	Hayes Mag w/8" rotors
Brake Levers	Hayes Mag
Saddle	WTB Laser Pro V
Seatpost	Cannondale Competition
Sizes	S, M, L
Colors (code)	Mocha Brown w/Saffron Metallic swingarm (matte) (BRN). BRN available with or without Gemini Girls decal. Siemens Team Replica (gloss) (REP).
Extra's	ODI Ruffian



GEMINI 2000

Frame	Gemini Thru 12
Fork	Manitou Breakout Plus w/SPV EVOLVE 1.5", 180-170 mm
Rear Shock	Manitou SPV 4-Way Coil
Rims	Mavic XM321, 32 hole
Hubs	Cannondale Thru Axle front, Formula 12 mm Disc rear
Spokes	DT Champion
Tires	Maxxis High Roller, 26 x 2.5"
Pedals	Cannondale Grind Platform
Crank	TruVativ Hussefelt, 22/32/guard
Chain	Shimano 9-speed
Rear Cogs	SRAM PG-970, 11-34
Bottom Bracket	TruVativ ISIS DH
Front Derailleur	Shimano LX
Rear Derailleur	SRAM X-9
Shifters	SRAM X-7 Trigger
Handlebar	FSA FR-330, 40 mm rise
Stem	Cannondale Holy OnePointFive 31.8
Headset	FSA OnePointFive cartridge
Brakes	Hayes Mag w/8" rotors
Brake Levers	Hayes Mag
Saddle	WTB Laser Pro V
Seatpost	Cannondale Competition
Sizes	S, M, L, X
Colors (code)	Raw w/Black Tinted Clear Hyperlight (gloss) (DTC). Available with or without Gemini Girls decal.
Extra's	ODI Ruffian




GEMINI 900

Frame	Gemini Thru 12
Fork	Manitou Breakout TPC 1.5", 180-170 mm
Rear Shock	Fox Vanilla R
Rims	Mavic XM321, 32 hole
Hubs	Cannondale Thru Axle front, Formula 12 mm Disc rear
Spokes	DT Champion
Tires	Maxxis High Roller, 26 x 2.5"
Pedals	Cannondale Grind EX Platform
Crank	TruVativ Hussefelt, 22/32/guard
Chain	Shimano 9-speed
Rear Cogs	SRAM PG-950, 11-34
Bottom Bracket	TruVativ ISIS DH
Front Derailleur	Shimano LX
Rear Derailleur	SRAM X-7
Shifters	SRAM X-7 Trigger
Handlebar	FSA FR-330, 40 mm rise
Stem	Cannondale Holy OnePointFive 31.8
Headset	FSA OnePointFive cartridge
Brakes	Hayes HIX 9 w/8" rotors
Brake Levers	Hayes HIX 9
Saddle	WTB Laser Pro V
Seatpost	Kalloy SP-248D
Sizes	S, M, L, X
Colors (code)	Saffron Metallic w/Jet Black swingarm (matte) (ORG). Raw w/Jet Black swingarm (matte) (RAW). Both colors available with or without Gemini Girls decal.
Extra's	




CHASE 1

Frame	Chase Hardtail
Fork	Manitou Stance Flow 1.5", 100-130 mm
Rear Shock	N/A
Rims	Sun Single Track, 32 hole
Hubs	Cannondale Thru Axle front, Fire Disc rear
Spokes	DT Champion
Tires	Maxxis Holy Roller, 26 x 2.4"
Pedals	Cannondale Grind Platform
Crank	FSA Nasty Boy, 36/E-13 Bash Guard
Chain	Shimano 9-speed
Rear Cogs	Shimano XT, 11-32
Bottom Bracket	FSA Nasty Boy
Front Derailleur	N/A
Rear Derailleur	SRAM X-9
Shifters	SRAM X-9 Trigger
Handlebar	Cannondale Freeride, 50 mm rise
Stem	Super Innovative Concepts Body Slam Classic
Headset	FSA OnePointFive cartridge
Brakes	Hayes HIX 9 w/8" rotor front/ 6" rotor rear
Brake Levers	Hayes HIX 9
Saddle	SDG i-Fly
Seatpost	SDG i-Beam
Sizes	S, M, L
Colors (code)	Saffron Metallic (matte) (ORG).
Extra's	




CHASE 2

Frame	Chase Hardtail
Fork	Manitou Stance Blunt 1.5", 100 mm
Rear Shock	N/A
Rims	Sun Single Track, 32 hole
Hubs	Cannondale Thru Axle front, Fire Disc rear
Spokes	DT Champion
Tires	Maxxis Holy Roller, 26 x 2.4"
Pedals	Cannondale Grind EX Platform
Crank	TruVativ Hussefelt, 26/36/guard
Chain	SRAM 8-speed
Rear Cogs	SRAM PG-850, 11-32
Bottom Bracket	TruVativ ISIS DH
Front Derailleur	Shimano Alivio
Rear Derailleur	Shimano LX
Shifters	Shimano Alivio
Handlebar	Cannondale Freeride, 50 mm rise
Stem	Super Innovative Concepts Body Slam Classic
Headset	FSA OnePointFive cartridge
Brakes	Avid BB5 w/8" rotor front/ 6" rotor rear
Brake Levers	Cannondale Earth
Saddle	SDG i-FLY
Seatpost	SDG i-Beam
Sizes	S, M, L
Colors (code)	Mocha Brown (matte) (BRN).
Extra's	



CHASE 3

Frame	Chase Hardtail
Fork	Manitou Stance Static 1.5", 100 mm
Rear Shock	N/A
Rims	Sun Blitch Witch, 32 hole
Hubs	Cannondale Fire Disc
Spokes	DT Champion
Tires	Maxxis Holy Roller, 26 x 2.4"
Pedals	Cannondale Grind EX Platform
Crank	TruVativ Hussefelt, 36/guard
Chain	SRAM 8-speed
Rear Cogs	Sunrace M60, 11-32
Bottom Bracket	TruVativ ISIS DH
Front Derailleur	N/A
Rear Derailleur	Shimano Deore
Shifters	Shimano Alivio
Handlebar	FSA FR-330, 40 mm rise
Stem	Cannondale Holy OnePointFive 31.8
Headset	FSA OnePointFive cartridge
Brakes	Avid BB5 w/8" rotor front, Cannondale Fire w/cartridge pad rear
Brake Levers	Cannondale Earth
Saddle	SDG i-FLY
Seatpost	SDG i-Beam
Sizes	S, M, L
Colors (code)	Midnight Blue (matte) (BLU).
Extra's	





TEAM REPLICA 4X

Prophet 4-Cross
Lefty Max Carbon 140 SPV+

Manitou Swinger 4-Way Air

Mavic XM321, 32 hole
Cannondale Lefty front,
Fire Disc rear
DT Champion
Hutchinson Bulldog UST, 26 x 2.35"
Cannondale Grind Platform
FSA El Toro, 38 w/E-13 Chain Guide
Shimano 9-speed
SRAM PG-970, 11-34
TruVativ ISIS DH
N/A
SRAM X-9
SRAM X-9 Trigger
FSA KForce XC Carbon, 25 mm rise
Cannondale Holy HeadShok 31.8

Cannondale HeadShok Si
Magura Louise FR

Magura Louise FR
Fizik Gobi Team Replica
FSA FR230
P, S, M, L, X

Siemens Team Replica (gloss) (REP).



PROPHET 4000

Prophet
Lefty Max Carbon 140 SPV+ Ti

Manitou Swinger 3-Way Air

Mavic CrossMax SL
Mavic CrossMax SL
Mavic CrossMax SL
Maxxis High Roller UST, 26 x 2.35"
Shimano PD-M520
FSA KForce, 22/32/44
Shimano 9-speed
Shimano XTR, 11-34
FSA KForce
Shimano XT
SRAM X-0
SRAM X-9 Trigger
FSA KForce XC Carbon, 25 mm rise
Cannondale Holy HeadShok 31.8

Cannondale HeadShok Si
Magura Marta SL

Magura Marta SL
Fizik Gobi Ti
Cannondale Wind Carbon
P, S, M, L, X
Fairway Green (matte) (GRN).
Galvanized (gloss) (GZD).
Raw w/Black Tinted Clear
HyperHighlight (gloss) (BTC).
HyperHighlight (gloss) (BTC).



PROPHET 2000

Prophet
Lefty Max Carbon 140 SPV+

Manitou Swinger 3-Way Air

Mavic XM819 Disc, 32 hole
Cannondale Lefty front,
Wind Disc rear
DT Competition
Maxxis High Roller UST, 26 x 2.35"
Shimano PD-M520
Shimano XT, 22/32/44
Shimano 9-speed
Shimano XT, 11-34
Shimano XT
Shimano XT
Shimano XTR
Shimano XT Dual Control
FSA XC-190, 25 mm rise
Cannondale Holy HeadShok 31.8

Cannondale HeadShok Si
Shimano XT

Shimano XT Dual Control
Fizik Plateau
Cannondale Wind Carbon
P, S, M, L, X
Galvanized (gloss) (GZD).
Raw w/Black Tinted Clear
HyperHighlight (gloss) (BTC).
Fairway Green (matte) (GRN).



PROPHET 1000 PROPHET 1000Z

Prophet
Lefty Max SPV+

Manitou Swinger 3-Way Air
Z: Manitou Swinger 3-Way Coil
Mavic XM819 Disc, 32 hole
Cannondale Lefty front,
Fire Disc rear
DT Champion
Maxxis High Roller UST, 26 x 2.35"
Shimano PD-M520
TruVativ Style GXP, 22/32/44
Shimano 9-speed
SRAM PG-970, 11-34
TruVativ Giga X Drive
Shimano LX
SRAM X-9
SRAM X-7 Trigger
FSA XC-280, 25 mm rise
Cannondale Holy HeadShok 31.8

Cannondale HeadShok Si
Avid Juicy7

Avid Juicy7
Fizik Plateau
Cannondale Fire
P, S, M, L, X
Mocha Brown (matte) (BRN).
Patriot Blue (gloss) (BLU).



PROPHET 800

Prophet
Lefty Max TPC

Manitou Radium R Air

Mavic XM117 Disc, 32 hole
Cannondale Lefty front,
Fire Disc rear
DT Champion
IRC Trail Bear, 26 x 2.25"
Shimano PD-M520
TruVativ Firex SL, 22/32/44
Shimano 9-speed
SRAM PG-970, 11-34
TruVativ ISIS GigaPipe SL
Shimano LX
Shimano XT
Shimano LX Dual Control
FSA XC-280, 25 mm rise
Cannondale Holy HeadShok 31.8

Cannondale HeadShok Si
Shimano LX

Shimano LX Dual Control
Fizik Plateau
FSA FR270
P, S, M, L, X
Saffron Metallic (matte) (ORG).
Jet Black (gloss) (BLK).



PROPHET 600

Prophet
Lefty Max Fluid-Flow

Manitou Radium R Air

Mavic XM117 Disc, 32 hole
Cannondale Lefty front,
Fire Disc rear
DT Champion
IRC Trail Bear, 26 x 2.25"
Cannondale Clipless
TruVativ Blaze, 22/32/44
Shimano 9-speed
SRAM PG-950, 11-34
TruVativ ISIS GigaPipe SL
Shimano LX
Shimano XT
Shimano Deore
FSA XC-280, 25 mm rise
Cannondale Holy HeadShok 31.8

Cannondale HeadShok Si
Avid BB7 Disc

Cannondale Fire
Fizik Nisene
Kallay SP-2480
P, S, M, L, X
Race Red (gloss) (RED).
Midnight Blue (matte) (BLU).



JEKYLL

Jekyll
Manitou Splice Super 100/130 w/
RTWD
Fox Float RL Pro Pedal

Sun Black Eye Disc, 32 hole
Cannondale Fire Disc

DT Champion
IRC Sesar XC, 26 x 2.1"
Wellgo alloy cage w/clip and strap
TruVativ Isoflow, 22/32/44
Shimano 9-speed
SRAM PG-950, 11-34
Shimano 4-taper
Shimano Deore
SRAM X-7
SRAM X-7 Trigger
Cannondale Earth, 15 mm rise
Cannondale 3-D Forged

FSA Converter
Avid BB5 Disc

Cannondale Earth
Selle Royal Viper
Kallay SP-2638
S, M, L, X
Jet Black w/Sterling Silver
swingarm (gloss) (BLK).
Patriot Blue w/Sterling Silver
swingarm (gloss) (BLU).

- Frame
- Fork
- Rear Shock
- Rims
- Hubs
- Spokes
- Tires
- Pedals
- Crank
- Chain
- Rear Cogs
- Bottom Bracket
- Front Derailleur
- Rear Derailleur
- Shifters
- Handlebar
- Stem
- Headset
- Brakes
- Brake Levers
- Saddle
- Seatpost
- Sizes
- Colors (code)
- Extra's





SCALPEL TEAM REPLICA

Frame	Scalpel Si
Fork	Lefty Speed Carbon Fox Inertia
Rear Shock	DT Swiss SSD210 w/remote
Rims	Mavic CrossMax SL
Hubs	Mavic CrossMax SL
Spokes	Mavic CrossMax SL
Tires	Hutchinson New Python light UST, 26 x 2.0"
Pedals	Shimano PD-M520
Crank	Cannondale Hollowgram SL, 22/32/44
Chain	Shimano 9-speed
Rear Cog	Shimano XTR, 11-34
Bottom Bracket	Cannondale Hollowgram Si
Front Derailleur	Shimano XT
Rear Derailleur	SRAM X-0
Shifters	SRAM X-0 Twist
Handlebar	FSA K-Force XC Carbon
Stem	Cannondale Holy HeadShok 31.8
Headset	Cannondale HeadShok Si
Brakes	Magura Marta SL
Brake Levers	Magura Marta SL
Saddle	Fizik Aliante Team Replica
Seatpost	Thomson Elite
Sizes	S, M, L, X
Colors (code)	Siemens Team Replica (gloss) (REP).

Siemens Team Replica (gloss) (REP).

Extra's



SCALPEL 3000

Scalpel	Lefty Speed Carbon DLR2
Fox Float RP3	
Mavic CrossMax SL	
Mavic CrossMax SL	
Mavic CrossMax SL	
Hutchinson New Python Light UST, 26 x 2.0"	
Shimano PD-M520	
Shimano XTR, 22/32/44	
Shimano 9-speed	
Shimano XTR, 11-34	
Shimano XTR	
Shimano XT	
Shimano XTR	
Shimano XTR Dual Control	
Cannondale Wind Carbon	
Cannondale Holy HeadShok 25.4	
Cannondale HeadShok Si	
Shimano XTR	
Shimano XTR Dual Control	
Fizik Gabi Ti	
Cannondale Wind Carbon	
S, M, L, X	

Jet Black, Charcoal Grey w/Purple accents (gloss) (BLK).
Fairway Green (matte) (GRN).
Midnight Blue, Blazer Blue (gloss) (BLU).

Extra's



SCALPEL 2000

Scalpel	Lefty Speed Carbon DLR2
Fox Float RP3	
Mavic XM819 Disc, 24 hole	
Cannondale Lefty front, Wind Disc Ti rear	
DT Competition	
Hutchinson New Python Light UST, 26 x 2.0"	
Shimano PD-M520	
Shimano XT, 22/32/44	
Shimano 9-speed	
Shimano XT, 11-34	
Shimano XT	
Shimano XT	
Shimano XTR	
Shimano XT Dual Control	
Cannondale Wind Carbon	
Cannondale Holy HeadShok 25.4	
Cannondale HeadShok Si	
Shimano XT	
Shimano XT Dual Control	
Fizik Plateau	
Cannondale Wind Carbon	
S, M, L, X	

Midnight Blue, Blazer Blue (gloss) (BLU).
Yellow Green Metallic, Fairway Green (gloss) (GRN).
Jet Black (matte) (BLK).

Extra's



SCALPEL 1000

Scalpel	Lefty Speed DLR2
Fox Float RP3	
Mavic XM117 Disc, 32 hole	
Cannondale Lefty front, Fire Disc rear	
DT Champion	
Hutchinson Spider, 26 x 2.0"	
Shimano PD-M520	
TruVativ Stylo GXP, 22/32/44	
Shimano 9-speed	
SRAM PG-970, 11-34	
TruVativ Giga X Drive	
Shimano LX	
SRAM X-9	
SRAM X-7 Trigger	
Cannondale Fire	
Cannondale Holy HeadShok 25.4	
Cannondale HeadShok Si	
Avid Juicy7	
Avid Juicy7	
Fizik Plateau	
Cannondale Fire	
S, M, L, X	

Mocha Brown, Saffron Metallic (gloss) (BRN).
Jet Black, Race Red (gloss) (RED).
Midnight Blue (matte) (BLU).

Extra's



F4000 SL

Optimo Si	Lefty Speed Carbon Fox Inertia
N/A	
Mavic CrossMax SL	
Mavic CrossMax SL	
Mavic CrossMax SL	
Hutchinson New Python Light UST, 26 x 2.0"	
Shimano PD-M520	
Cannondale Hollowgram Si, 22/32/44	
Shimano 9-speed	
Shimano XTR, 11-34	
Cannondale Hollowgram Si	
Shimano XT	
SRAM X-0	
SRAM X-0 Twist	
FSA K-Force XC Carbon	
Cannondale Holy HeadShok 31.8	
Cannondale HeadShok Si	
Magura Marta SL	
Magura Marta SL	
Fizik Aliante Team Replica	
Thomson Elite	
P, S, M, L, X	

Siemens Team Replica (gloss) (REP).

Extra's



F2000 SL

Optimo	HeadShok Super Fatty Ultra DL
N/A	
Mavic XM819 Disc, 24 hole	
Cannondale Wind Disc Ti w/CenterLock	
DT Competition	
Hutchinson New Python Light UST, 26 x 2.0"	
Shimano PD-M520	
Shimano XT, 22/32/44	
Shimano 9-speed	
Shimano XT, 11-34	
Shimano XT	
Shimano XT	
Shimano XTR	
Shimano XT Dual Control	
Cannondale Wind Carbon	
Cannondale Holy HeadShok 25.4	
Cannondale HeadShok Si	
Shimano XT	
Shimano XT Dual Control	
Fizik Plateau	
Cannondale Wind Carbon	
P, S, M, L, X	

Jet Black, Charcoal Grey w/Purple accents (gloss) (BLK).
Midnight Blue, Blazer Blue (gloss) (BLU).

Extra's



IFG ULTRA

Singlespeed Headshok	HeadShok Super Fatty Ultra DL
N/A	
Mavic XM117 Disc, 32 hole	
Cannondale Fire front, Single Speed rear	
DT Champion	
Maxxis High Roller, 26 x 2.35"	
N/A	
TruVativ Firex SS, 32	
SRAM 8-speed	
Formula SS, 18	
TruVativ ISIS GigaPipe SL	
N/A	
N/A	
N/A	
Cannondale Fire	
Cannondale Holy HeadShok	
Cannondale HeadShok Si	
Avid BB7 Disc	
Cannondale Fire	
WTB Laser V Pro	
Kalloy SP-2480	
P, S, M, L, X	

Jet Black w/Saffron Flame bottom bracket (gloss) (BLK).

Extra's





F1000

Furio
Lefty Speed DLR2

N/A

Mavic XM819 Disc, 32 hole

Cannondale Lefty front,
Fire Disc rear

DT Champion

Maxxis High Roller UST,
26 x 2.35" front, 26 x 2.1" rear

Shimano PD-M520

TruVativ Stylo, 22/32/44

Shimano 9-speed

SRAM PG-970, 11-34

TruVativ Giga-X Drive

Shimano LX

SRAM X-9

SRAM X-7 Trigger

FSA FR-270, 25 mm rise

Cannondale Holy HeadShok 31.8

Cannondale HeadShok Si

Avid Juicy7

Avid Juicy7

Fizik Plateau

Cannondale Fire

P, S, M, L, X

Jet Black w/ Saffron Flame bottom
bracket (gloss) (BLK).
Charcoal Grey (matte) (GRY).



F800

Furio

Lefty Speed DLR2

N/A

Mavic XM117 Disc, 32 hole

Cannondale Fire Disc

DT Champion

IRC Serac XC, 26 x 2.1"

Shimano PD-M520

TruVativ Firex SL, 22/32/44

Shimano 9-speed

SRAM PG-970, 11-34

TruVativ ISIS GigaPipe SL

Shimano LX

Shimano XT

Shimano LX Dual Control

FSA XC-280, 25 mm rise

Cannondale Holy HeadShok 31.8

Cannondale HeadShok Si

Shimano LX

Shimano LX Dual Control

Fizik Plateau

FSA FR-270

P, S, M, L, X

Fairway Green w/ Yellow Green
Flame bottom bracket (gloss) (GRN).
Jet Black (matte) (BBQ).



F600

Furio

HeadShok Super Fatty Ultra DL

N/A

Mavic XM117 Disc, 32 hole

Cannondale Fire Disc

DT Champion

IRC Serac XC, 26 x 2.1"

Cannondale Clipless

TruVativ Blaze, 22/32/44

Shimano 9-speed

SRAM PG-950, 11-34

TruVativ ISIS GigaPipe SL

Shimano LX

Shimano XT

Shimano Deore

FSA XC-280, 25 mm rise

Cannondale Holy HeadShok 31.8

Cannondale HeadShok Si

Avid BB5 Disc

Cannondale Fire

Fizik Nisene

Kalloy SP-248D

P, S, M, L, X

Raw (matte) (RAW).
Patriot Blue (matte) (BLU).



F400

Furio-X

HeadShok Super Fatty DL

N/A

Sun Black Eye, 32 hole

Cannondale Earth

DT Champion

IRC Serac XC, 26 x 2.1"

Wellgo alloy cage w/ clip and strap

TruVativ IsoFlow, 22/32/44

Shimano 9-speed

SRAM PG-950, 11-34

Shimano 4-taper

Shimano Deore

SRAM X-7

SRAM X-7 Trigger

Cannondale Earth, 15 mm rise

Cannondale Holy HeadShok

Cannondale HeadShok Si

Cannondale Fire w/ cartridge pad

Cannondale Earth

Cannondale Mountain-V

Kalloy SP-2638

P, S, M, L, X

Rare Red (gloss) (RED).
Charcoal Grey (gloss) (GRY).



F300

Furio-X

Manitou Six, 100 mm

N/A

Sun Black Eye, 32 hole

Cannondale Earth

DT Stainless

IRC Serac XC, 26 x 2.1"

Wellgo platform w/ alloy cage

TruVativ IsoFlow, 22/32/42

SRAM 8-speed

Sunrace M60, 11-32

Shimano 4-taper

Shimano Alivio

Shimano Deore

Shimano Alivio

Cannondale Earth, 15 mm rise

Cannondale 3-D Forged

FSA Converter

Cannondale Fire w/ cartridge pad

Shimano Alivio

Cannondale Mountain-V

Kalloy SP-2638

P, S, M, L, X

Patriot Blue (gloss) (BLU).
Jet Black (gloss) (BLK).



POLICE CRUISER

Jekyll

HeadShok Super Fatty DL

Fox Float RL Pro Pedal

Sun Rhyno Lite, 36 hole

Shimano RM-40 front,
Shimano Silent Clutch rear

DT Champion, black

IRC Advantage Pro, 26 x 2.1",
blackwall

Wellgo alloy cage w/ clip and strap

TruVativ Blaze, 22/32/44

9-speed

SRAM PG-950, 11-34

TruVativ ISIS GigaPipe SL

Shimano LX

Shimano XT

Shimano Deore

Cannondale Earth, 15 mm rise

Cannondale Holy HeadShok
adjustable

Cannondale HeadShok Si

Cannondale Fire w/ cartridge pad

Cannondale Earth

Selle Royal Freccia

Kalloy SP-248D

M, L, X

Jet Black (matte) (BBQ).
Lightning White (gloss) (WHT).

Rear Rack, Police Decals (optional)



POLICE INTERCEPTOR

Furio

HeadShok Super Fatty DL

N/A

Sun Rhyno Lite, 36 hole

Shimano RM-40 front,
Shimano Silent Clutch rear

DT Champion, black

IRC Advantage Pro, 26 x 2.1",
blackwall

Wellgo alloy cage w/ clip and strap

TruVativ Blaze, 22/32/44

9-speed

SRAM PG-950, 11-34

TruVativ ISIS GigaPipe SL

Shimano LX

Shimano XT

Shimano Deore

Cannondale Earth, 15 mm rise

Cannondale Holy HeadShok
adjustable

Cannondale HeadShok Si

Cannondale Fire w/ cartridge pad

Cannondale Earth

Selle Royal Freccia

Kalloy SP-248D

P, S, M, L, X

Jet Black (matte) (BBQ).
Lightning White (gloss) (WHT).

Rear Rack, Kickstand;
Police Decals (optional)

- Frame
- Fork
- Rear Shock
- Rims
- Hubs
- Spokes
- Tires
- Pedals
- Crank
- Chain
- Rear Cogs
- Bottom Bracket
- Front Derailleur
- Rear Derailleur
- Shifters
- Handlebar
- Stem
- Headset
- Brakes
- Brake Levers
- Saddle
- Seatpost
- Sizes
- Colors (code)
- Extra's





POLICE PURSUIT

Frame

Fork

Rear Shock

Rims

Hubs

Spokes

Tires

Pedals

Crank

Chain

Rear Cogs

Bottom Bracket

Front Derailleur

Rear Derailleur

Shifters

Handlebar

Stem

Headset

Brakes

Brake Levers

Saddle

Seatpost

Sizes

Colors (code)

Extra's

Furio-X

Manitou Sx, 100 mm

N/A

Sun Black Eye, 32 hole

Cannondale Earth

DT Champion, black

IRC Advantage Pro, 26 x 2.1", blackwall

Wellgo alloy cage w/clip and strap

TruVativ IsoFlow, 22/32/44

SRAM 8-speed

SRAM PG-830, 11-32

Shimano 4-taper

Shimano Alivio

Shimano Deore

Shimano Alivio

Cannondale Earth, 15 mm rise

Adjustable rise

FSA Converter

Cannondale Fire w/cartridge pad

Shimano Alivio

Selle Royal Freccia

Kalloy SP-2638

P, S, M, L, X

Lightning White (gloss) (WHI).
Jet Black (matte) (JBO).

Rear Rack: Kickstand;
Police Decals (optional)



JEKYLL FÉMININE

Jekyll Féminine

Manitou Splice Diva Super 100/130 w/RTWD

Fox Float RL Pro Pedal

Sun Black Eye Disc, 32 hole

Cannondale Fire Disc

DT Champion

IRC Serac XC, 26 x 2.1"

Wellgo alloy cage w/clip and strap

TruVativ IsoFlow, 22/32/44

Shimano 9-speed

SRAM PG-950, 11-34

Shimano 4-taper

Shimano Deore

SRAM X-7

SRAM X-7 Trigger

Cannondale Earth, 15 mm rise

Cannondale 3-D Forged

FSA Converter

Avid BBS Disc

Cannondale Earth Féminine

Terry Butterfly

Kalloy SP-2638

P, S, M

Blazer Blue w/Lightning White
swingarm (gloss) (BLU).
Lightning White w/Sterling Silver
Hyperhighlight (gloss) (WHI).



F400 FÉMININE

Furio-X

HeadShok Super Fatty DL

N/A

Sun Black Eye, 32 hole

Cannondale Earth

DT Champion

IRC Serac XC, 26 x 2.1"

Wellgo alloy cage w/clip and strap

TruVativ IsoFlow, 22/32/44

Shimano 9-speed

SRAM PG-950, 11-34

Shimano 4-taper

Shimano Deore

SRAM X-7

SRAM X-7 Trigger

Cannondale Earth, 15 mm rise

Cannondale Holy HeadShok

Cannondale HeadShok SL

Cannondale Fire w/cartridge pad

Cannondale Earth Féminine

Terry Cite

Kalloy SP-2638

P, S, M

Blazer Blue (gloss) (BLU).
Platinum (gloss) (PLT).



R1000 FÉMININE

Optimo Féminine

Slice Premium

N/A

Mavic Ksyrium Elite

Mavic Ksyrium Elite

Mavic Ksyrium Elite

Hutchinson Fusion foldable,
700/650 x 23c

N/A

TruVativ Rouleur Carbon, 39/53

Shimano Ultegra 10-speed

Shimano Ultegra, 12-25

TruVativ Giga X Drive

Shimano Ultegra

Shimano Ultegra

Shimano Ultegra

3TTT Morphé

Cannondale 3-D Forged

FSA Alloy integrated

Shimano Ultegra

Shimano Ultegra

Fi'zi:k Vitesse CP3

FSA SL-K Carbon w/Nano-
Pro adjustment

650c: 40, 44 cm

700c: 47, 50, 53, 56 cm

Blazer Blue (gloss) (BLU).
Platinum (gloss) (PLT).

Fi'zi:k TechnoGel



R500 FÉMININE TRIPLE

CAADS Féminine

Slice Ultra

N/A

Cipiemme T3

Cipiemme T3

Cipiemme T3

Continental Ultra 3000,
700/650 x 23c

N/A

TruVativ Touro Triple, 30/42/52

Shimano 9-speed

SRAM PG-950, 12-26

Shimano 4-taper

Shimano Tiagra

Shimano 105

Shimano Tiagra

3TTT Morphé

Cannondale 3-D Forged

FSA Alloy integrated

Cannondale Delta

Shimano Tiagra

Terry Cite

Cannondale Carbon

650c: 40, 44 cm

700c: 47, 50, 53, 56 cm

Yellow Green Metallic
(gloss) (GRN).
Blazer Blue (gloss) (BLU).

Fi'zi:k TechnoGel



CYCLOCROSS DISC

Cyclocross Optimo Disc

Fatty Ultra XR Disc

N/A

Mavic Open Pro Race, 32 hole

Cannondale Omega Disc

DT Competition

Hutchinson Pro Series foldable,
700 x 30c

N/A

TruVativ Elita SL Cross, 38/46

Shimano 9-speed

SRAM PG-950, 12-26

TruVativ ISIS GigaPipe SL

Shimano 105

Shimano Ultegra

Shimano 105

Cinelli Altera

Cannondale 3-D Forged

FSA Alloy integrated

Avid B87 Disc

Shimano 105 w/Cannondale
B Levers

Fi'zi:k Poggio Eco

Cannondale Expert

47, 50, 52, 54, 56, 58, 60 cm

47, 50, 52, 54, 56, 58, 60 cm

Race Red (gloss) (RED).



CYCLOCROSS

Cyclocross Optima

Slice Ultra XR Carbon

N/A

Cipiemme T3

Cipiemme T3

Cipiemme T3

Hutchinson Pro Series foldable,
700 x 30c

N/A

TruVativ Elita SL Cross, 38/46

Shimano 9-speed

SRAM PG-950, 12-26

TruVativ ISIS GigaPipe SL

Shimano Tiagra

Shimano 105

Shimano Tiagra

Cinelli Altera

Cannondale 3-D Forged

FSA Alloy integrated

Tektro Oryx

Shimano Tiagra w/Cannondale
B Levers

Fi'zi:k Poggio Eco

Cannondale Expert

47, 50, 52, 54, 56, 58, 60 cm

47, 50, 52, 54, 56, 58, 60 cm

Patriot Blue (gloss) (BLU).





IRONMAN® 6000

Ironman Slice Aero SL BB

Slice Aero Premium

N/A

Zipp 404

Zipp 404

Zipp 404

Michelin Ironman foldable,
700/650 x 23c

N/A

Cannondale Carbon SL, 39/53

Campagnolo Record 10-speed

Campagnolo Record, 12-25

Cannondale Hollowgram SL

Campagnolo Record

Campagnolo Record

Campagnolo bar-end, 10-speed

Profile Airwing w/Carbon Stryke
Ironman Clip-On

Cannondale 3-D Forged

FSA Carbon integrated

Campagnolo Record

Tektro 5.0 w/Carbon Levers

Fi'zi:k Arione Triathlon Ti

Cannondale Wind Carbon

650c: 48, 50, 52 cm
700c: 54, 56, 58, 60, 62 cm

Lightning White, Patriot Blue
(gloss) (BLU).



IRONMAN® 2000

Ironman Slice Aero SL BB

Slice Aero Premium

N/A

Ksyrium Elite

Ksyrium Elite

Ksyrium Elite

Michelin Ironman foldable,
700/650 x 23c

N/A

Cannondale Carbon SL, 39/53

Shimano Ultegra 10-speed

Shimano Ultegra, 12-25

Cannondale Hollowgram SL

Shimano Ultegra

Shimano Ultegra

Shimano Dura Ace bar-end, 10-speed

Profile Airwing w/Carbon Stryke
Ironman Clip-On

Cannondale 3-D Forged

FSA Carbon integrated

Shimano Ultegra

Tektro 4.1

San Marco Asplide Tri Gel Ti

Cannondale Wind Carbon

650c: 48, 50, 52 cm
700c: 54, 56, 58, 60, 62 cm

Race Red (gloss) (RED).
Charcoal Grey (gloss) (GRY).



IRONMAN® 800

Ironman Slice Aero

Slice Aero Carbon

N/A

Gipiemme T3

Gipiemme T3

Gipiemme T3

Michelin Ironman foldable,
700/650 x 23c

N/A

TruVativ Rouleur, 39/53

Shimano 9-speed

SRAM PG-950, 12-26

TruVativ Giga X Drive

Shimano 105

Shimano Ultegra

Shimano Dura Ace bar-end, 9-speed

Profile Airwing w/Carbon Stryke
Ironman Clip-On

Cannondale 3-D Forged

FSA Carbon integrated

Cannondale Omega

Tektro 4.1

San Marco Azoto Tri Gel

Cannondale Carbon

650c: 48, 50, 52 cm
700c: 54, 56, 58, 60, 62 cm

Yellow Green Metallic
(gloss) (GRN).
Blazer Blue (gloss) (BLU).



SIX13 TEAM REPLICA

Six13 SL BB

Slice Premium +

N/A

Mavic Ksyrium SL

Mavic Ksyrium SL

Mavic Ksyrium SL

Hutchinson Fusion Comp foldable,
700 x 23c, Team Edition

N/A

Cannondale Hollowgram SL, 39/53

Campagnolo Record 10-speed

Campagnolo Record, 12-25

Cannondale Hollowgram SL

Campagnolo Record

Campagnolo Record

Campagnolo Record Ergopower

FSA K-Wing Carbon

FSA OS-115 w/Carbon faceplate

Campagnolo Record Hiddenset,
Carbon

Campagnolo Record

Campagnolo Record Ergopower

Fi'zi:k Arione Team Replica Ti

USE Alien

48, 50, 52, 53, 54, 55, 56, 57, 58, 59,
60, 63 cm

Saeco Team Replica (gloss) (SAE).
Patriot Blue w/Blazer Blue
HyperHighlight (gloss) (BLU).
Saeco Team Replica (gloss) (SAE).
Charcoal Grey (matte) (GRY).
Saffron Metallic (gloss) (ORG).
Jet Black w/Race Red Flare
(gloss) (BLK).



SIX13 R5000

Six13 SL BB

Slice Premium +

N/A

Mavic Ksyrium SL

Mavic Ksyrium SL

Mavic Ksyrium SL

Hutchinson Fusion foldable,
700 x 23c

N/A

Cannondale Carbon SL, 39/53

Shimano Dura Ace 10-speed

Shimano Dura Ace, 12-25

Cannondale Hollowgram SL

Shimano Dura Ace

Shimano Dura Ace

Shimano Dura Ace

FSA K-Wing Carbon

FSA OS-115 w/Carbon faceplate

FSA Carbon integrated

Shimano Dura Ace

Shimano Dura Ace

Fi'zi:k Arione Ti

USE Alien

48, 50, 52, 53, 54, 55, 56, 57, 58, 59,
60, 63 cm

Patriot Blue w/Blazer Blue
HyperHighlight (gloss) (BLU).
Saeco Team Replica (gloss) (SAE).
Charcoal Grey (matte) (GRY).
Saffron Metallic (gloss) (ORG).
Jet Black w/Race Red Flare
(gloss) (BLK).



SIX13 R5000 COMPACT DRIVE

Six13 SL BB

Slice Premium +

N/A

Mavic Ksyrium SL

Mavic Ksyrium SL

Mavic Ksyrium SL

Hutchinson Fusion foldable,
700 x 23c

N/A

Cannondale Carbon Compact SL,
36/50, 110 BCD

Shimano Dura Ace 10-speed

Shimano Dura Ace, 12-25

Cannondale Hollowgram SL

Shimano Dura Ace

Shimano Dura Ace

Shimano Dura Ace

FSA K-Wing Carbon

FSA OS-115 w/Carbon faceplate

FSA Carbon integrated

Shimano Dura Ace

Shimano Dura Ace

Fi'zi:k Arione Ti

USE Alien

48, 50, 52, 53, 54, 55, 56, 57, 58, 59,
60, 63 cm

Saffron Metallic (gloss) (ORG).
Saeco Team Replica (gloss) (SAE).
Patriot Blue w/Blazer Blue
HyperHighlight (gloss) (BLU).
Charcoal Grey (matte) (GRY).
Jet Black w/Race Red Flare
(gloss) (BLK).

Fi'zi:k TechnoGel



SIX13 R5000 DURA ACE

Six13

Slice Premium +

N/A

Shimano Dura Ace

Shimano Dura Ace

Shimano Dura Ace

Hutchinson Fusion foldable,
700 x 23c

N/A

Shimano Dura Ace, 39/53

Shimano Dura Ace 10-speed

Shimano Dura Ace, 12-25

Shimano Dura Ace

Shimano Dura Ace

Shimano Dura Ace

Shimano Dura Ace

FSA K-Wing Carbon

FSA OS-115 w/Carbon faceplate

FSA Carbon integrated

Shimano Dura Ace

Shimano Dura Ace



Fi'zi:k Arione Ti

USE Alien

48, 50, 52, 53, 54, 55, 56, 57, 58, 59,
60, 63 cm

Jet Black w/Race Red Flare
(gloss) (BLK).
Saeco Team Replica (gloss) (SAE).
Patriot Blue w/Blazer Blue
HyperHighlight (gloss) (BLU).
Charcoal Grey (matte) (GRY).
Saffron Metallic (gloss) (ORG).


- Frame
- Fork
- Rear Shock
- Rims
- Hubs
- Spokes
- Tires
- Pedals
- Crank
- Chain
- Rear Cogs
- Bottom Bracket
- Front Derailleur
- Rear Derailleur
- Shifters
- Handlebar
- Stem
- Headset
- Brakes
- Brake Levers
- Saddle
- Seatpost
- Sizes
- Colors (code)
- Extra's





SIX13 R3000

Frame	Six13 SL BB
Fork	Slice Premium +
Rear Shock	N/A
Rims	Mavic Ksyrium Elite
Hubs	Mavic Ksyrium Elite
Spokes	Mavic Ksyrium Elite
Tires	Hutchinson Fusion foldable, 700 x 23c
Pedals	N/A
Crank	Cannondale Carbon SL, 39/53
Chain	Shimano Ultegra 10-speed
Rear Cogs	Shimano Ultegra, 12-25
Bottom Bracket	Cannondale Hollowgram SL
Front Derailleur	Shimano Ultegra
Rear Derailleur	Shimano Ultegra
Shifters	Shimano Ultegra
Handlebar	FSA Pro Wing
Stem	FSA OS-140 XTC w/Carbon faceplate
Headset	FSA Carbon integrated
Brakes	Shimano Ultegra
Brake Levers	Shimano Ultegra
Saddle	Fi'zi:k Arione Ti
Seatpost	Cannondale Wind Carbon
Sizes	48, 50, 52, 53, 54, 55, 56, 57, 58, 59, 60, 63 cm
Colors (code)	Charcoal Grey (matte) (GRY), Saeco Team Replica (gloss) (SAE), Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU), Saffron Metallic (gloss) (ORG), Jet Black w/Race Red Flare (gloss) (BLK).
Extra's	



SIX13 R2000

Frame	Six13
Fork	Slice Premium +
Rear Shock	N/A
Rims	Campagnolo Zonda
Hubs	Campagnolo Zonda
Spokes	Campagnolo Zonda
Tires	Hutchinson Fusion foldable, 700 x 23c
Pedals	N/A
Crank	FSA Pro Team Issue Carbon, 39/53
Chain	Campagnolo Record 10-speed
Rear Cogs	Campagnolo Centaur, 12-25
Bottom Bracket	Oversized hollow splined spindle w/sealed bearing
Front Derailleur	Campagnolo Centaur
Rear Derailleur	Campagnolo Centaur
Shifters	Campagnolo Centaur Ergopower
Handlebar	FSA Pro Wing
Stem	FSA OS-140 XTC w/Carbon faceplate
Headset	FSA Carbon integrated
Brakes	Campagnolo Centaur
Brake Levers	Campagnolo Centaur Ergopower
Saddle	Fi'zi:k Arione Ti
Seatpost	Cannondale Wind Carbon
Sizes	48, 50, 52, 53, 54, 55, 56, 57, 58, 59, 60, 63 cm
Colors (code)	Jet Black w/Race Red Flare (gloss) (BLK), Saeco Team Replica (gloss) (SAE), Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU), Charcoal Grey (matte) (GRY), Saffron Metallic (gloss) (ORG).
Extra's	



SIX13 R2000 COMPACT DRIVE

Frame	Six13
Fork	Slice Premium +
Rear Shock	N/A
Rims	Campagnolo Zonda
Hubs	Campagnolo Zonda
Spokes	Campagnolo Zonda
Tires	Hutchinson Fusion foldable, 700 x 23c
Pedals	N/A
Crank	FSA Carbon Pro Road Compact, 34/50, 110 BCD
Chain	Campagnolo Record 10-speed
Rear Cogs	Campagnolo Centaur, 12-25
Bottom Bracket	Oversized hollow splined spindle w/sealed bearing
Front Derailleur	Campagnolo Centaur
Rear Derailleur	Campagnolo Centaur
Shifters	Campagnolo Centaur Ergopower
Handlebar	FSA Pro Wing
Stem	FSA OS-140 XTC w/Carbon faceplate
Headset	FSA Carbon integrated
Brakes	Campagnolo Centaur
Brake Levers	Campagnolo Centaur Ergopower
Saddle	Fi'zi:k Arione Ti
Seatpost	Cannondale Wind Carbon
Sizes	48, 50, 52, 53, 54, 55, 56, 57, 58, 59, 60, 63 cm
Colors (code)	Saeco Team Replica (gloss) (SAE), Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU), Charcoal Grey (matte) (GRY), Saffron Metallic (gloss) (ORG), Jet Black w/Race Red Flare (gloss) (BLK).
Extra's	Fi'zi:k TechnoGel



R5000

Frame	CAAD8 Optimo
Fork	Slice Premium
Rear Shock	N/A
Rims	Mavic Ksyrium Elite
Hubs	Mavic Ksyrium Elite
Spokes	Mavic Ksyrium Elite
Tires	Hutchinson Fusion foldable, 700 x 23c
Pedals	N/A
Crank	TruVativ Rouleur Carbon, 39/53
Chain	Shimano Dura Ace 10-speed
Rear Cogs	Shimano Dura Ace, 12-25
Bottom Bracket	TruVativ Giga X Drive
Front Derailleur	Shimano Dura Ace
Rear Derailleur	Shimano Dura Ace
Shifters	Shimano Dura Ace
Handlebar	FSA RD-250 Anatomic
Stem	FSA OS-140 XTC w/Carbon faceplate
Headset	FSA Alloy integrated
Brakes	Shimano Dura Ace
Brake Levers	Shimano Dura Ace
Saddle	Fi'zi:k Arione Ti
Seatpost	Cannondale Wind Carbon
Sizes	48, 50, 52, 54, 56, 58, 60, 63 cm
Colors (code)	Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU), Charcoal Grey (matte) (GRY).
Extra's	



R5000 COMPACT DRIVE

Frame	CAAD8 Optimo
Fork	Slice Premium
Rear Shock	N/A
Rims	Mavic Ksyrium Elite
Hubs	Mavic Ksyrium Elite
Spokes	Mavic Ksyrium Elite
Tires	Hutchinson Fusion foldable, 700 x 23c
Pedals	N/A
Crank	TruVativ Rouleur Carbon Compact, 36/50, 110 BCD
Chain	Shimano Dura Ace 10-speed
Rear Cogs	Shimano Dura Ace, 12-25
Bottom Bracket	TruVativ Giga X Drive
Front Derailleur	Shimano Dura Ace
Rear Derailleur	Shimano Dura Ace
Shifters	Shimano Dura Ace
Handlebar	FSA RD-250 Anatomic
Stem	FSA OS-140 XTC w/Carbon faceplate
Headset	FSA Alloy integrated
Brakes	Shimano Dura Ace
Brake Levers	Shimano Dura Ace
Saddle	Fi'zi:k Arione Ti
Seatpost	Cannondale Wind Carbon
Sizes	48, 50, 52, 54, 56, 58, 60, 63 cm
Colors (code)	Charcoal Grey (matte) (GRY), Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU).
Extra's	Fi'zi:k TechnoGel



R1000

Frame	CAAD8 Optimo
Fork	Slice Premium
Rear Shock	N/A
Rims	Mavic Ksyrium Elite
Hubs	Mavic Ksyrium Elite
Spokes	Mavic Ksyrium Elite
Tires	Hutchinson Top Speed foldable, 700 x 23c
Pedals	N/A
Crank	TruVativ Rouleur Carbon, 39/53
Chain	Shimano Ultegra 10-speed
Rear Cogs	Shimano Ultegra, 12-25
Bottom Bracket	TruVativ Giga X Drive
Front Derailleur	Shimano Ultegra
Rear Derailleur	Shimano Ultegra
Shifters	Shimano Ultegra
Handlebar	FSA RD-250 Anatomic
Stem	Cannondale 3-D Forged
Headset	FSA Alloy integrated
Brakes	Shimano Ultegra
Brake Levers	Shimano Ultegra
Saddle	Fi'zi:k Poggio Eco Ti
Seatpost	FSA SLK Carbon w/Nano-Pro adjustment
Sizes	48, 50, 52, 54, 56, 58, 60, 63 cm
Colors (code)	Jet Black (matte) (BBQ), Patriot Blue (gloss) (BLU).
Extra's	Fi'zi:k TechnoGel



R1000 TRIPLE

Frame	CAAD8 Optimo
Fork	Slice Premium
Rear Shock	N/A
Rims	Mavic Ksyrium Elite
Hubs	Mavic Ksyrium Elite
Spokes	Mavic Ksyrium Elite
Tires	Hutchinson Top Speed foldable, 700 x 23c
Pedals	N/A
Crank	TruVativ Rouleur Carbon Triple, 30/42/52
Chain	Shimano Ultegra 10-speed
Rear Cogs	Shimano Ultegra, 12-25
Bottom Bracket	TruVativ Giga X Drive
Front Derailleur	Shimano Ultegra
Rear Derailleur	Shimano Ultegra
Shifters	Shimano Ultegra
Handlebar	FSA RD-250 Anatomic
Stem	Cannondale 3-D Forged
Headset	FSA Alloy integrated
Brakes	Shimano Ultegra
Brake Levers	Shimano Ultegra
Saddle	Fi'zi:k Poggio Eco Ti
Seatpost	FSA SLK Carbon w/Nano-Pro adjustment
Sizes	48, 50, 52, 54, 56, 58, 60, 63 cm
Colors (code)	Patriot Blue (gloss) (BLU), Jet Black (matte) (BBQ).
Extra's	Fi'zi:k TechnoGel





R900

CAAD8 Optimo
Slice Premium
N/A
Gipiemme Greca Parade
Gipiemme Greca Parade
Gipiemme Greca Parade
Hutchinson Top Speed foldable,
700 x 23c
N/A
TruVativ Rouleur, 39/53

Campagnolo Record 10-speed
Campagnolo Veloce, 12-25
TruVativ Giga X Drive

Campagnolo Veloce
Campagnolo Veloce
Campagnolo Veloce Ergopower
FSA RD-250 Anatomic
Cannondale 3-D Forged
FSA Alloy Integrated
Cannondale Omega
Campagnolo Veloce Ergopower

Fizik Poggio Eco
FSA SLK Carbon w/Nano-Pro
adjustment
48, 50, 52, 54, 56, 58, 60, 63 cm

Race Red (gloss) (RED).
Blazer Blue (gloss) (BLU).

Fizik TechnoGel



R900 TRIPLE

CAAD8 Optimo
Slice Premium
N/A
Gipiemme Greca Parade
Gipiemme Greca Parade
Gipiemme Greca Parade
Hutchinson Top Speed foldable,
700 x 23c
N/A
TruVativ Rouleur Triple, 30/42/52

Campagnolo Record 10-speed
Campagnolo Veloce, 12-25
TruVativ Giga X Drive

Campagnolo Veloce
Campagnolo Veloce
Campagnolo Veloce Ergopower
FSA RD-250 Anatomic
Cannondale 3-D Forged
FSA Alloy Integrated
Cannondale Omega
Campagnolo Veloce Ergopower

Fizik Poggio Eco
FSA SLK Carbon w/Nano-Pro
adjustment
48, 50, 52, 54, 56, 58, 60, 63 cm

Blazer Blue (gloss) (BLU).
Race Red (gloss) (RED).

Fizik TechnoGel



R700

CAAD7 Optimo
Slice Ultra
N/A
Shimano WH-R550
Shimano WH-R550
Shimano WH-R550
Hutchinson Top Speed foldable,
700 x 23c
N/A
TruVativ Elita SL, 39/53

Shimano 9-speed
SRAM PG-950, 12-26
TruVativ ISIS GigaPipe SL

Shimano 105
Shimano Ultegra
Shimano 105
FSA RD-300 Anatomic
Cannondale 3-D Forged
FSA Alloy Integrated
Cannondale Theta
Shimano 105

Selle Royal Viper
Cannondale Carbon
48, 50, 52, 54, 56, 58, 60, 63 cm

Saffron Metallic (gloss) (ORG).
Charcoal Grey (matte) (GRY).
Patriot Blue w/Blazer Blue
HyperHighlight (gloss) (BLU).

Fizik TechnoGel



R700 TRIPLE

CAAD7 Optimo
Slice Ultra
N/A
Shimano WH-R550
Shimano WH-R550
Shimano WH-R550
Hutchinson Top Speed foldable,
700 x 23c
N/A
TruVativ Elita SL Triple, 30/42/52

Shimano 9-speed
SRAM PG-950, 12-26
TruVativ ISIS GigaPipe SL

Shimano 105
Shimano Ultegra
Shimano 105
FSA RD-300 Anatomic
Cannondale 3-D Forged
FSA Alloy Integrated
Cannondale Theta
Shimano 105

Selle Royal Viper
Cannondale Carbon
48, 50, 52, 54, 56, 58, 60, 63 cm

Charcoal Grey (matte) (GRY).
Saffron Metallic (gloss) (ORG).
Patriot Blue w/Blazer Blue
HyperHighlight (gloss) (BLU).

Fizik TechnoGel



R500 TRIPLE

CAAD5
Slice Ultra
N/A
Gipiemme T3
Gipiemme T3
Gipiemme T3
Continental Ultra 3000, 700 x 23c
N/A
TruVativ Touro Triple, 30/42/52

Shimano 9-speed
SRAM PG-950, 12-26
Shimano 4-taper

Shimano Tiagra
Shimano 105
Shimano Tiagra
FSA RD-300 Anatomic
Cannondale 3-D Forged
FSA Alloy Integrated
Cannondale Delta
Shimano Tiagra

Selle Royal Viper
Cannondale Carbon
48, 50, 52, 54, 56, 58, 60, 63 cm

Midnight Blue w/Patriot Blue
HyperHighlight (matte) (BLU).
Race Red (gloss) (RED).

Fizik TechnoGel



SPORT ROAD 1000

Optimo Sport Road
Slice Ultra All-Conditions
N/A
Gipiemme Greca Parade
Gipiemme Greca Parade
Gipiemme Greca Parade
Continental Ultra GatorSkin,
700 x 25c
N/A
TruVativ Rouleur, 30/42/52

Campagnolo Record 10-speed
Campagnolo Veloce, 12-25
TruVativ Giga X Drive

Campagnolo Veloce
Campagnolo Veloce
Campagnolo Veloce Ergopower
Deda Plega
Cannondale 3-D Forged
FSA Alloy Integrated
Cannondale Theta
Campagnolo Veloce w/Cannondale
B-Levers
Fizik CP Pave Chromoly
1-X Suspension
P, S, M, L, X

Charcoal Grey w/Sterling Silver
HyperHighlight (gloss) (GRY).
Race Red (gloss) (RED).

Fizik TechnoGel



SPORT ROAD 800

CAAD5 Sport Road
Slice Ultra All-Conditions
N/A
Shimano WH-R550
Shimano WH-R550
Shimano WH-R550
Continental Ultra GatorSkin,
700 x 25c
N/A
TruVativ Elita SL, 30/42/52

Shimano 9-speed
SRAM PG-950, 12-26
TruVativ ISIS GigaPipe SL

Shimano 105
Shimano Ultegra
Shimano 105
Deda Plega
Adjustable rise
FSA Alloy Integrated
Cannondale Theta
Shimano 105 w/Cannondale
B-Levers
Fizik Poggio Eco Chromoly
1-X Suspension
S, M, L, X

Charcoal Grey (gloss) (GRY).
Patriot Blue w/Blazer Blue
HyperHighlight (gloss) (BLU).

Fizik TechnoGel

- Frame
- Fork
- Rear Shock
- Rims
- Hubs
- Spokes
- Tires
- Pedals
- Crank
- Chain
- Rear Cogs
- Bottom Bracket
- Front Derailleur
- Rear Derailleur
- Shifters
- Handlebar
- Stem
- Headset
- Brakes
- Brake Levers
- Saddle
- Seatpost
- Sizes
- Colors (code)
- Extra's





SPORT ROAD 500

Frame

CAADS Sport Road

Fork

Slice Ultra All Conditions

Rear Shock

N/A

Rims

Mach1 CFX, 32 hole

Hubs

Cannondale Earth

Spokes

DT Stainless

Tires

Continental Ultra Sport, 700 x 25c

Pedals

Wellgo alloy cage w/clip and strap

Crank

TruVativ Touro, 30/42/52

Chain

Shimano 9-speed

Rear Cogs

SRAM PG-950, 12-26

Bottom Bracket

Shimano 4-taper

Front Derailleur

Shimano Tiagra

Rear Derailleur

Shimano 105

Shifters

Shimano Tiagra

Handlebar

Deda Piega

Stem

Adjustable rise

Headset

FSA Alloy integrated

Brakes

Cannondale Delta

Brake Levers

Shimano Tiagra w/Cannondale B Levers

Saddle

Selle Royal Freccia

Seatpost

1X Suspension

Sizes

S, M, L, X

Colors (code)

Platinum (gloss) (PLT),
Jet Black (gloss) (BLK)

Extra's

Fizik TechnoGel



ROAD WARRIOR 1000

Optimo Sport Road

Slice Ultra All Conditions

N/A

Gipiemme Gresal Parade

Gipiemme Gresal Parade

Gipiemme Gresal Parade

Continental CityContact, 700 x 32c

Wellgo dual function w/alloy cage

TruVativ Touro, 30/42/52

Campagnolo Record 10-speed

Campagnolo Veloce, 12-25

TruVativ Giga X Drive

Campagnolo Veloce

Campagnolo Veloce

Campagnolo Veloce Ergopower FB

Cannondale Fire

Cannondale 3-D Forged

FSA Alloy integrated

Cannondale Theta

Campagnolo Veloce Ergopower FB

Fizik CP Pave Chromoly

FSA SLK Carbon w/Nano Pro
adjustment

P, S, M, L, X

Saffron Metallic (gloss) (ORG),



ROAD WARRIOR 800

CAADS Sport Road

Slice Ultra All Conditions

N/A

Shimano WH-R550

Shimano WH-R550

Shimano WH-R550

Continental CityContact, 700 x 32c

Wellgo alloy cage w/clip and strap

Cannondale Expert, 30/42/52

Shimano 9-speed

SRAM PG-950, 12-26

Shimano 105

Shimano FD-R443-9

Shimano Ultegra

Shimano SL-R440-9

Cannondale Fire

Cannondale 3-D Forged

FSA Alloy integrated

Cannondale Theta

Cannondale 4-Finger Comfort
w/bell

Selle Royal Freccia Gel Chromoly

1X Suspension

S, M, L, X

Patriot Blue w/Blazer Blue
HyperHighlight (gloss) (BLU).

ROAD WARRIOR 400

CAAD4 Sport Road

TiG welded chromoly, 1 1/8"

N/A

Mach1 CFX, 32 hole

Cannondale Earth

DT Stainless

Continental CityRIDE, 700 x 32c

Wellgo alloy cage w/clip and strap

TruVativ Touro, 30/42/52

SRAM 8-speed

SRAM PG-850, 12-26

Shimano 4-taper

Shimano FD-R443-8

Shimano Tiagra

Shimano SL-R440-8

Cannondale Fire

Adjustable rise

Aheadset Intellaset

Cannondale Delta

Cannondale 4-Finger Comfort
w/bell

Selle Royal Freccia

Polygon PM-780 Suspension

S, M, L, X

Mocha Brown (gloss) (BRN),
Sterling Silver (gloss) (SLV).

BAD BOY ULTRA

Furio

HeadShok Super fatty Ultra DL

N/A

Maxic CXP22, 32 hole

Cannondale Fire Disc

DT Champion

Hutchinson Flash, 700 x 23c

Cannondale Octopus

TruVativ Firex SL, 22/32/44

Shimano 9-speed

SRAM PG-950, 11-34

TruVativ ISIS GigaPipe SL

Shimano Deore

SRAM X-7

SRAM X-7 Trigger

Cannondale Earth, 15 mm rise

Cannondale Holy HeadShok

Cannondale HeadShok Si

Avid BB7 Disc

Cannondale Fire

Selle Royal Viper

Kallay SP-248D

P, S, M, L, X

Jet Black (matte) (BBQ).



BAD BOY

Mountain

TiG welded chromoly, 1 1/8"

N/A

Sun CR18, 32 hole

Cannondale Earth

DT Champion

IRC Metro, 26 x 1.0"

Cannondale Octopus

TruVativ Blaze, 22/32/44

Shimano 9-speed

SRAM PG-950, 11-34

TruVativ ISIS GigaPipe SL

Shimano Deore

SRAM 5.0

SRAM X-7 Trigger

Cannondale Earth, 15 mm rise

Cannondale 3-D Forged

Aheadset Intellaset

Cannondale Fire w/cartridge pad

Cannondale Fire

Selle Royal Viper

Kallay SP-263B

P, S, M, L, X

Jet Black (matte) (BBQ).



FIFTY-FIFTY

Singlespeed

Fatty Ultra R

N/A

Sun Rhyno Lite, 36 hole

Cannondale Earth front, Shimano
Nexus Inter-8 Premium rear

DT Champion

IRC Lover's Soul, 26 x 2.25"

Wellgo platform w/alloy cage

TruVativ Firex SS, 32

SRAM 8-speed

Shimano Inter-8, 16

TruVativ ISIS GigaPipe SL

N/A

N/A

N/A

HL-ARC, alloy

Cannondale 3-D Forged

Cane Creek S-2

Cannondale Fire w/cartridge pad

Shimano Nexus Inter-8

Selle Royal Viper

Kallay SP-248D

P, S, M, L, X

Jet Black, Raw (matte) (BBQ).

Fenders, Bell



STREET STREET FÉMININE

Street;
Street Féminine

TIG-welded chromoly, 11/8"

N/A

Mach1 210, 32 hole

Cannondale Earth

DI Stainless

Continental TopTouring,
700 x 37c, Reflective

Wellgo platform w/alloy cage

InuVatV IsoFlow, 22/32/44

SRAM 8 speed

SRAM PG-830, 11-32

Shimano 4-taper

Shimano Alivio

Shimano Deore

Shimano Alivio

Sweep, alloy

Adjustable rise

1 1/8" threaded

Cannondale Fire w/cartridge pad
and modulator

Cannondale Fire

Selle Royal Freccia

1-X Suspension

Street: S, M, L, X, J
Street Féminine: S, L

Jet Black (gloss) (BLK)

Rear Rack; Fenders; Kickstand;
Chainguard; Bell



T2000

Touring

Cannondale Fatty Ultra R All-
Conditions

N/A

Mavic A719, 36 hole

Cannondale Omega

DI Competition

Continental TravelContact,
700 x 37c

Wellgo dual function w/alloy cage

InuVatV Irex SL, 26/36/48

Shimano 9-speed

SRAM PG-970, 11-34

InuVatV ISIS GigaPipe SL

Shimano 105

Shimano XT

Shimano Ultegra 9-speed

Deda Prega

Cannondale 3-D Forged

Cane Creek S-2

Tektro Oryx

Shimano Ultegra

Brooks Professional

1-X Suspension

S, M, L, X, J

Fairway Green (gloss) (GRN)

Rear Rack; Fizik TechnoGel



T800

Touring

High-strength steel, 1 1/8"

N/A

Mavic A119, 36 hole

Cannondale Omega

DI Competition

Continental TopTouring, 700 x 37c

Wellgo platform w/alloy cage

InuVatV Blaze, 26/36/48

Shimano 9-speed

SRAM PG-950, 11-34

InuVatV ISIS GigaPipe SL

Shimano Tiagra

Shimano XT

Shimano Tiagra

Deda Prega

Cannondale 3-D Forged

Cane Creek S-2

Tektro Oryx

Shimano Tiagra

Selle Royal Freccia

Kalloy SP-263B

S, M, L, X, J

Midnight Blue (gloss) (BLU)

Rear Rack; Fizik TechnoGel



ADVENTURE 1000 ADVENTURE 1000 FÉMININE

Adventure HeadShok;
Adventure HeadShok Féminine

HeadShok Fatty DL 50
All-Conditions

N/A

Mavic A119, 32 hole

Cannondale Omega

DI Champion

Continental CityRIDE, 700 x 37c

Wellgo platform w/alloy cage

InuVatV Blaze, 26/36/48

Shimano 9-speed

SRAM PG-950, 11-34

InuVatV ISIS GigaPipe SL

Shimano Deore

Shimano IX

Shimano Deore

Cannondale Adventure, 50 mm rise

Cannondale Holy HeadShok
adjustable

Cannondale HeadShok Si

Lee Chi TX-120 w/cartridge pad and
modulator

Cannondale 4 Finger Comfort
w/bell

Super Cush Gel w/springs;
Super Cush Gel Féminine w/springs

1-X Suspension

Adventure 1000: S, M, L, X, J
Adventure 1000 Féminine: S, L

Patriot Blue w/Blaze Blue
HyperHighlight (gloss) (BLU)



ADVENTURE 800 ADVENTURE 800 FÉMININE

Adventure HeadShok;
Adventure HeadShok Féminine

HeadShok Fatty 50 All-Conditions

N/A

Mach1 210, 32 hole

Cannondale Earth frost,
SRAM Dual Drive rear

DI Champion

IRC Advantage Pro, 700 x 38c

Wellgo platform w/alloy cage

SRAM Dual Drive

SRAM 8-speed

SRAM PG-830, 11-32

Shimano 4-taper

N/A

SRAM Dual Drive

SRAM Dual Drive

Cannondale Adventure, 50 mm rise

Cannondale Holy HeadShok
adjustable

Cannondale HeadShok Si

Lee Chi TX-120 w/modulator

Cannondale 4 Finger Comfort
w/bell

Super Cush Gel w/springs;
Super Cush Gel Féminine w/springs

1-X Suspension

Adventure 800: S, M, L, X, J
Adventure 800 Féminine: S, L

Jet Black w/Patriot Blue
HyperHighlight (gloss) (BLK)
Platinum (gloss) (PLT)



ADVENTURE 600 ADVENTURE 600 FÉMININE

Adventure HeadShok;
Adventure HeadShok Féminine

HeadShok Fatty 50 All-Conditions

N/A

Mach1 210, 32 hole

Cannondale Earth

DI Champion

IRC Advantage Pro, 700 x 38c

Wellgo platform w/alloy cage

InuVatV IsoFlow, 28/38/48

SRAM 8-speed

SRAM PG-830, 11-32

Shimano 4-taper

Shimano Nexave

Shimano Deore

SRAM MXX Pro

Cannondale Adventure, 50 mm rise

Cannondale Holy HeadShok
adjustable

Cannondale HeadShok Si

Lee Chi TX-120 w/modulator

Cannondale 4 Finger Comfort

Super Cush Gel w/springs;
Super Cush Gel Féminine w/springs

1-X Suspension

Adventure 600: S, M, L, X, J
Adventure 600 Féminine: S, L

Jet Black w/Patriot Blue
HyperHighlight (gloss) (BLK)
Platinum (gloss) (PLT)



ADVENTURE 400 ADVENTURE 400 FÉMININE

Adventure;
Adventure Féminine

RockShox GPS Metro

N/A

Mach1 210, 32 hole

Cannondale Earth

DI Stainless

IRC Advantage Pro, 700 x 38c

Wellgo platform w/alloy cage

InuVatV IsoFlow, 28/38/48

SRAM 8-speed

Sunrace M60, 11-32

Shimano 4-taper

Shimano Nexave

SRAM 5.0

SRAM 4.0

Cannondale Adventure, 50 mm rise

Adjustable rise

1 1/8" threaded

Lee Chi TX-120 w/modulator

Cannondale 4 Finger Comfort

Selle Royal Gel;
Super Cush Gel Féminine w/springs

Polygon PM-780 Suspension

Adventure 400: S, M, L, X, J
Adventure 400 Féminine: S, L

Charcoal Grey w/Sterling Silver
HyperHighlight (gloss) (GRY)
Fairway Green (gloss) (GRN)



- Frame
- Fork
- Rear Shock
- Rims
- Hubs
- Spokes
- Tires
- Pedals
- Crank
- Chain
- Rear Cogs
- Bottom Bracket
- Front Derailleur
- Rear Derailleur
- Shifters
- Handlebar
- Stem
- Headset
- Brakes
- Brake Levers
- Saddle
- Seatpost
- Sizes
- Colors (code)
- Extra's



BENT I

Frame	Recumbent HeadShok
Fork	HeadShok R Bone
Rear Shock	Fox Vanilla
Rims	Sun Rhino Lite, 16 hole front, 32 hole rear
Hubs	Cannondale Recumbent
Spokes	DT Stainless
Tires	Maxxis Hook Worm, 16 x 1.95" front, 20 x 1.95" rear
Pedals	Wellgo dual function w/alloy cage
Crank	TruVativ Firex SS, 32
Chain	SRAM 9-speed
Rear Cogs	SRAM PG-950, 11-34
Bottom Bracket	TruVativ ISIS GigaPipe SL
Front Derailleur	Shimano Deore
Rear Derailleur	Shimano LX
Shifters	SRAM Attack
Handlebar	Cannondale EZ riser
Stem	Cannondale custom stem extension
Headset	Cannondale Si
Brakes	Cannondale Fire w/cartridge pad front, Avid BB5 Disc rear
Brake Levers	Cannondale 4-finger comfort
Saddle	Recumbent
Seatpost	N/A
Sizes	S, L
Colors (code)	Sterling Silver (gloss) (SSV).
Extra's	Rear Rack; Kickstand; Mirror



BENT II

Frame	Recumbent HeadShok
Fork	TIG welded chromoly, 1 1/8"
Rear Shock	Fox Vanilla
Rims	Sun Rhino Lite, 16 hole front, 32 hole rear
Hubs	Cannondale Recumbent
Spokes	DT Stainless
Tires	Kenda Kwest, 16 x 1.95" front, 20 x 1.95" rear
Pedals	Wellgo dual function w/alloy cage
Crank	TruVativ Firex SS, 32
Chain	SRAM 8-speed
Rear Cogs	SRAM PG-830, 11-32
Bottom Bracket	TruVativ ISIS GigaPipe SL
Front Derailleur	Shimano Alivio
Rear Derailleur	SRAM 5.0
Shifters	SRAM 4.0
Handlebar	Cannondale EZ riser
Stem	Cannondale custom stem extension
Headset	FSA OnePointFive
Brakes	Cannondale Fire w/cartridge pad front, Avid BB5 Disc rear
Brake Levers	Cannondale 4-finger comfort
Saddle	Recumbent
Seatpost	N/A
Sizes	S, L
Colors (code)	Patriot Blue (gloss) (BLU).
Extra's	Rear Rack; Kickstand; Mirror



COMFORT 800 COMFORT 800 FÉMININE

Frame	Comfort HeadShok; Comfort HeadShok Féminine
Fork	HeadShok Fatty 50 All Conditions
Rear Shock	N/A
Rims	Mach1 210, 32 hole
Hubs	Cannondale Earth front, SRAM Dual Drive rear
Spokes	DT Champion
Tires	IRC Advantage Pro, 26 x 2.0"
Pedals	Wellgo platform w/alloy cage
Crank	SRAM Dual Drive
Chain	SRAM 8-speed
Rear Cogs	SRAM PG-830, 11-32
Bottom Bracket	Shimano 4-taper
Front Derailleur	N/A
Rear Derailleur	SRAM Dual Drive
Shifters	SRAM Dual Drive
Handlebar	Cannondale Adventure, 50 mm rise
Stem	Cannondale Holy HeadShok adjustable
Headset	Cannondale HeadShok Si
Brakes	Lee Chi TX-120 w/modulator
Brake Levers	Cannondale 4-Finger Comfort w/bell
Saddle	Super Cush Gel w/springs; Super Cush Gel Féminine w/springs
Seatpost	1-X Suspension
Sizes	Comfort 800: S, M, L, X, J Comfort 800 Féminine: S, L
Colors (code)	Jet Black w/Patriot Blue HyperHighlight (gloss) (BLK). Platinum (gloss) (PLT).
Extra's	



COMFORT 600 COMFORT 600 FÉMININE

Frame	Comfort HeadShok; Comfort HeadShok Féminine
Fork	HeadShok Fatty 50 All Conditions
Rear Shock	N/A
Rims	Mach1 210, 32 hole
Hubs	Cannondale Earth
Spokes	DT Champion
Tires	IRC Advantage Pro, 26 x 2.0"
Pedals	Wellgo platform w/alloy cage
Crank	TruVativ Isoflow, 28/38/48
Chain	SRAM 8-speed
Rear Cogs	SRAM PG-830, 11-32
Bottom Bracket	Shimano 4-taper
Front Derailleur	Shimano Nexave
Rear Derailleur	Shimano Deore
Shifters	SRAM MEX Pro
Handlebar	Cannondale Adventure, 50 mm rise
Stem	Cannondale Holy HeadShok adjustable
Headset	Cannondale HeadShok Si
Brakes	Lee Chi TX-120 w/modulator
Brake Levers	Cannondale 4-Finger Comfort
Saddle	Super Cush Gel w/springs; Super Cush Gel Féminine w/springs
Seatpost	1-X Suspension
Sizes	Comfort 600: S, M, L, X, J Comfort 600 Féminine: S, L
Colors (code)	Jet Black w/Patriot Blue HyperHighlight (gloss) (BLK). Platinum (gloss) (PLT).
Extra's	



COMFORT 400 COMFORT 400 FÉMININE

Frame	Comfort; Comfort Féminine
Fork	RockShox GPS Metro
Rear Shock	N/A
Rims	Mach1 210, 32 hole
Hubs	Cannondale Earth
Spokes	DT Stainless
Tires	IRC Advantage Pro, 26 x 2.0"
Pedals	Wellgo platform w/alloy cage
Crank	TruVativ Isoflow, 28/38/48
Chain	SRAM 8-speed
Rear Cogs	Sunrace M60, 11-32
Bottom Bracket	Shimano 4-taper
Front Derailleur	Shimano Nexave
Rear Derailleur	SRAM 5.0
Shifters	SRAM 4.0
Handlebar	Cannondale Adventure, 50 mm rise
Stem	Adjustable rise
Headset	1 1/8" Threaded
Brakes	Lee Chi TX-120 w/modulator
Brake Levers	Cannondale 4-Finger Comfort
Saddle	Selle Royal Gel; Super Cush Gel Féminine w/springs
Seatpost	Polygon PM 780 Suspension
Sizes	Comfort 400: S, M, L, X, J Comfort 400 Féminine: S, L
Colors (code)	Fairway Green (gloss) (GRN). Charcoal Grey w/Sterling Silver HyperHighlight (gloss) (GRN).
Extra's	



MOUNTAIN TANDEM

Frame	Mountain Tandem
Fork	Cannondale Fatty R Tandem, 1 1/8"
Rear Shock	N/A
Rims	Sun Rhino Lite, 40 hole
Hubs	DT Tandem Disc
Spokes	DT Champion
Tires	Maxxis High Roller, 26 x 2.35"
Pedals	N/A
Crank	TruVativ Firex Tandem, 22/32/44
Chain	Shimano 9-speed (drive), SRAM 9-speed (timing)
Rear Cogs	SRAM PG-970, 11-34
Bottom Bracket	TruVativ ISIS GigaPipe SL
Front Derailleur	Shimano LX
Rear Derailleur	Shimano XT
Shifters	Shimano Deore
Handlebar	Cannondale Fire, 15 mm rise front, Cannondale Fire rear
Stem	Cannondale 3-D Forged
Headset	Cane Creek C-1
Brakes	Avid BB7 Disc
Brake Levers	Cannondale Fire
Saddle	Fizik Nisene Eco
Seatpost	Kalloy SP-248D front, 1-X Suspension rear
Sizes	MS, LS, LM, XS, XM
Colors (code)	Mocha Brown to Saffron Metallic to Platinum (gloss) (CCP). Charcoal Grey (matte) (GRY).
Extra's	




ROAD TANDEM

Frame	Road Tandem
Fork	Cannondale Fatty R Tandem, 1 1/8"
Rear Shock	N/A
Rims	Mavic A719, 40 hole
Hubs	DT Tandem Disc
Spokes	DT Champion
Tires	IRC Tandem, 700 x 30c
Pedals	N/A
Crank	TruVativ Elita Tandem, 30/42/52
Chain	Shimano 9-speed (drive), SRAM 9-speed (timing)
Rear Cogs	SRAM PG-970, 11-34
Bottom Bracket	TruVativ ISIS GigaPipe SL
Front Derailleur	Shimano 105
Rear Derailleur	Shimano XT
Shifters	Shimano Ultegra 9-speed
Handlebar	FSA RD-250 Anatomic front, Stoker rear
Stem	Cannondale 3-D Forged
Headset	Cane Creek C-1
Brakes	Avid BB7 Disc
Brake Levers	Shimano Ultegra
Saddle	Fizik Poggio Eco
Seatpost	Kalloy SP-248D front, 1-X Suspension rear
Sizes	MS, LS, XS, XM, JL
Colors (code)	Midnight Blue to Patriot Blue to Blazer Blue (gloss) (BLU). Platinum (gloss) (PLT).
Extra's	



GEOMETRY GUIDE:

- (C)** "Size" on road frames is the distance from the center of the bottom bracket to the top of the top tube, measured along the seat tube.
- (B)** "Horizontal Top Tube Length" is measured parallel to the ground and closely approximates a traditional top tube length measurement.
- (C)** "Standover at Top Tube Midpoint" describes the height of the top of the top tube, measured at the mid-point between the seat tube and head tube.



Price and specifications subject to change without notice. Please refer to www.cannondale.com for the most recent specifications.

Precios y especificaciones sujetos a cambios sin previo aviso.
(Por favor visite nuestra pagina web es.cannondale.com para obtener las mas recientes especificaciones.)

仕様と価格は予告なく変更する場合がございます。最新の仕様につきましては弊社ウェブサイト www.cannondale.com をご確認ください。

*Rack Mounts

*Fender Mounts

* Same dimensions for all sizes

GEMINI DH

Gemini DH, Gemini 3000

SIZE	SMALL	MEDIUM	LARGE
Seat Tube Length (cm/in)	40.5/15.9	45.0/17.7	48.0/18.9
Top Tube Horizontal (cm/in)	58.5/23.0	61.0/24.0	63.5/25.0
Top Tube Actual (cm/in)	53.5/21.1	56.3/22.2	59.3/23.3
Head Tube Angle (degree)	66.0	★	★
Seat Tube Angle (degree)	67.5	★	★
Standover (cm/in)	26.5/10.4	27.0/10.6	27.0/10.6
Wheel Base (cm/in)	100.8/39.7	113.4/44.6	116.0/45.7
Front Center Distance (cm/in)	65.5/25.8	68.2/26.9	70.8/27.9
Bottom Bracket Height (cm/in)	30.5/12.0	★	★
Bottom Bracket Drop (cm/in)	-3.2/-1.3	★	★
Chainstay Length (cm/in)	45.4/17.9	★	★
Fork Crown Height (cm/in)	55.9/22.0	★	★
Fork Rake (cm/in)	4.0/1.6	★	★
Fork Trail (cm/in)	10.5/4.1	★	★
Rear Travel (cm/in)	18.0/7.1	★	★
Shock Eye-to-Eye (cm/in)	24.1/9.5	★	★
Shock Stroke (cm/in)	76/3.0	★	★
Recommended Sag	30%	★	★

*All dimensions are given with the bike suspension fully extended.

GEMINI

Gemini 2000, Gemini 900

SIZE	SMALL	MEDIUM	LARGE	X-LARGE
Seat Tube Length (cm/in)	40.5/15.9	43.0/16.9	48.0/18.9	53.0/20.9
Top Tube Horizontal (cm/in)	57.5/22.6	60.0/23.6	62.5/24.6	65.0/25.6
Top Tube Actual (cm/in)	53.1/20.9	55.7/21.9	59.0/23.2	62.8/24.7
Head Tube Angle (degree)	67.0	★	★	★
Seat Tube Angle (degree)	71.0	70.5	70.5	70.0
Standover at Top Tube Midpoint (cm/in)	72.4/28.5	73.0/28.7	73.3/28.8	75.4/29.7
Wheel Base (cm/in)	109.2/43.0	111.5/43.9	114.5/45.1	116.8/46.0
Front Center Distance (cm/in)	66.4/26.1	68.7/27.0	71.5/28.1	73.8/29.1
Bottom Bracket Height (cm/in)	36.3/14.3	★	★	★
Bottom Bracket Drop (cm/in)	-2.0/-0.8	★	★	★
Chainstay Length (cm/in)	43.2/17.0	★	★	★
Fork Crown Height (cm/in)	53.0/20.9	★	★	★
Fork Rake (cm/in)	4.6/1.8	★	★	★
Fork Trail (cm/in)	9.6/3.8	★	★	★
Rear Travel (cm/in)	15.0/5.9	★	★	★
Shock Eye-to-Eye (cm/in)	20.0/7.9	★	★	★
Shock Stroke (cm/in)	5.7/2.2	★	★	★
Recommended Sag	30%	★	★	★

*All dimensions are given with the bike suspension fully extended.

CHASE

Chase 1, Chase 2, Chase 3

SIZE	SMALL	MEDIUM	LARGE
Seat Tube Angle (degree)	74.0	74.0	74.0
Head Tube Angle (degree)	69.0	69.0	69.0
Horizontal Top Tube Length (in/cm)	21.4/54.3	22.6/57.5	24.0/61.0
Seat Tube Overall Length (in/cm)	18.0/45.5	16.6/42.0	16.6/42.0
Chainstay Length (in/cm)	16.7/42.4	16.7/42.4	16.7/42.4
Fork Rake (in/cm)	1.8/4.5	1.8/4.5	1.8/4.5
Bottom Bracket Height (in/cm)	11.7/29.8	11.7/29.8	11.7/29.8
Wheelbase (in/cm)	40.3/103.3	42.0/106.7	43.4/110.2
Trail (in/cm)	3.1/8.0	3.1/8.0	3.1/8.0
Standover Top Tube Midpoint (in/cm)	28.9/73.5	25.4/64.5	26.8/68.0
Bottom Bracket Drop (in/cm)	1.4/3.5	1.4/3.5	1.4/3.5
Front Center Distance (in/cm)	26.1/66.2	25.4/64.5	26.8/68.0
Actual Top Tube Length (in/cm)	20.1/51.1	21.2/53.8	22.4/57.0

PROPHET, PROPHET 4-CROSS

Team Replica 4X, Prophet 4000, Prophet 2000, Prophet 1000, Prophet 800, Prophet 600

SIZE	PETITE	SMALL	MEDIUM	LARGE	X-LARGE
Seat Tube Length (cm/in)	40.5/15.9	40.5/15.9	43.0/16.9	48.0/18.9	53.0/20.9
Top Tube Horizontal (cm/in)	54.5/21.5	57.5/22.6	60.0/23.6	62.5/24.6	65.0/25.6
Top Tube Actual (cm/in)	50.4/19.8	53.7/20.9	55.8/22.0	59.0/23.2	62.8/24.7
Head Tube Angle (degree)	67.5 [69.0]	★	★	★	★
Seat Tube Angle (degree)	73.5 [75.0]	★	★	★	★
Standover at Top Tube Midpoint (cm/in)	74.0/29.1	74.4/29.3	74.5/29.3	75.0/29.5	75.9/29.9
Wheel Base (cm/in)	106.0/41.7	109.0/42.9	111.7/44.0	114.8/45.2	117.9/46.4
Front Center Distance (cm/in)	64.0/25.2	67.0/26.4	69.7/27.4	72.8/28.7	75.9/29.9
Bottom Bracket Height (cm/in)	33.0/13.0 [34.9/13.7]	★	★	★	★
Bottom Bracket Drop (cm/in)	0.0/0.0 [-1.9/-0.7]	★	★	★	★
Chainstay Length (cm/in)	42.0/16.5	★	★	★	★
Head Tube Height (cm/in)	52.0/20.5	★	★	★	★
Fork Rake (cm/in)	4.5/1.8	★	★	★	★
Fork Trail (cm/in)	8.8/3.5	★	★	★	★
Rear Travel (cm/in)	14.0/5.5	★	★	★	★
Shock Eye-to-Eye (cm/in)	20.0/7.9	★	★	★	★
Shock Stroke (cm/in)	5.0/2.0	★	★	★	★
Recommended Sag	25%	★	★	★	★

*All dimensions are given with suspension fully extended in P and (N) position.

JEKYLL 490MM CROWN HEIGHT

Jekyll, Jekyll Feminine, Police Cruiser

SIZE	PETITE*	SMALL	MEDIUM	LARGE	X-LARGE
Seat Tube Length (cm/in)	38/14.9	40.5/15.9	43/16.9	48/18.9	53/20.9
Top Tube Horizontal (cm/in)	54.5/21.5	57.5/22.6	60/23.6	62.5/24.6	65/25.6
Head Tube Angle (degree)	71.6/22.2*	★	★	★	★
Seat Tube Angle (degree)	76.5/24.2*	★	★	★	★
Standover at Top Tube Midpoint (cm/in)	69.5/27.4/26.6	71.2/28.2/27.2	81.6/32.1/31.5	83.9/33.3/32.4	86.2/34.5/33.3
Wheel Base (cm/in)	104.6/41.2/41.4	107.5/42.3/42.6	109.5/43.1/43.3	112.1/44.1/44.3	114.7/45.1/45.4
Front Center Distance (cm/in)	61.6/24.3	66.5/26.2	68.4/26.9	70.8/27.9	73.6/29.0
Bottom Bracket Height (cm/in)	34.2/13.5/13.5	★	★	★	★
Bottom Bracket Drop (cm/in)	-2.0/-0.8	★	★	★	★
Chainstay Length (cm/in)	41.7/16.4/16.7	★	★	★	★
Fork Crown Height (cm/in)	51/20.1	★	★	★	★
Fork Rake (cm/in)	4.6/1.8	★	★	★	★
Fork Trail (cm/in)	6.9/2.7/2.7	★	★	★	★
Rear Travel (cm/in)	13.5/5.3	★	★	★	★
Shock Eye-to-Eye (cm/in)	13.1/5.1/5.1	★	★	★	★
Shock Stroke (cm/in)	4.4/1.7	★	★	★	★
Recommended Sag	25-30%	★	★	★	★

*All dimensions are with suspension fully extended.

*Petite available in Feminine models only.

SCALPEL SI AND SCALPEL

Scalpel Team Replica, Scalpel 3000, Scalpel 2000, Scalpel 900

SIZE	SMALL	MEDIUM	LARGE	X-LARGE
Seat Tube Length (cm/in)	47/18.5	47/18.5	55.9/22	55.9/22
Top Tube Horizontal (cm/in)	55.9/22	51.7/20.3	63.5/25	64.8/25.5
Head Tube Angle (degree)	70°	*	*	*
Seat Tube Angle (degree)	73.5°	*	*	*
Standover at Top Tube Midpoint (cm/in)	71.4/28.1	73.7/29.0	77/30.3	75.2/31.2
Wheelbase (cm/in)	106.2/41.8	110/43.3	113/44.5	116.6/45.5
Front Center Distance (cm/in)	63.5/25	67.1/26.4	70.8/27.9	72.6/28.6
Bottom Bracket Height (cm/in)	31.8/12.5	*	*	*
Bottom Bracket Drop (cm/in)	17/44	*	*	*
Chainstay Length (cm/in)	41.4/16.1	*	*	*
Fork Crown Height (cm/in)	55.9	*	*	*
Fork Rake (cm/in)	4.6/1.8	*	*	*
Fork Trail (cm/in)	5.8/2.3	*	*	*
Rear Travel (cm/in)	6.25/2.46	*	*	*
Shock Eye-to-Eye (cm/in)	14/5.5	*	*	*
Shock Stroke (cm/in)	25.4/1	*	*	*
Recommended Sag	25%	*	*	*

All dimensions are given with suspension fully extended.

OPTIMO SI, OPTIMO AND FURIO^{1,2} MOUNTAIN HEADSHOCK

F4000 SI, F2000 SI, F1000 SI, F800 SI, F600 SI, F3000, F800, F600, Police Interceptor, Bad Boy Ultra

SIZE	PEWEE	SMALL	MEDIUM	LARGE	X-LARGE
Seat Tube Angle (degree)	75.0	73.5	73.5	73.0	72.5
Head Tube Angle (degree)	70.0	70.0	70.0	70.0	70.0
Horizontal Top Tube Length (in/cm)	21.4/54.4	22.3/56.6	23.3/59.2	24.3/61.7	25.0/63.5
Seat Tube Overall Length (in/cm)	14.0/35.6	16.0/40.6	18.0/45.7	19.7/50.0	21.7/55.1
Chainstay Length (in/cm)	16.7/42.4	*	*	*	*
Fork Rake (in/cm)	1.8/4.6	*	*	*	*
Bottom Bracket Height (in/cm)	11.7/29.8	*	*	*	*
Wheelbase (in/cm)	40.7/103.4	41.3/104.9	42.7/108.4	43.6/110.8	44.0/111.8
Trail (in/cm)	2.9/7.3	*	*	*	*
Standover at Top Tube Midpoint (in/cm)	29.1/73.9	30.1/76.4	31.1/78.9	31.8/80.9	32.7/83.1
Bottom Bracket Drop (in/cm)	1.4/3.5	*	*	*	*
Front Center Distance (in/cm)	24.1/61.3	24.7/62.8	26.1/66.3	27.0/68.6	27.4/69.7

¹Rock Mounts²Reader Mounts

* Same dimensions for all sizes

SINGLESPEED^{1,2}

TFG Ultra, Fifty Fifty

SIZE	PEWEE	SMALL	MEDIUM	LARGE	X-LARGE
Seat Tube Angle (degree)	75.0	73.5	73.5	73.0	72.5
Head Tube Angle (degree)	70.0	*	*	*	*
Horizontal Top Tube Length (in/cm)	21.4/54.4	22.3/56.6	23.3/59.2	24.3/61.7	25.0/63.5
Seat Tube Overall Length (in/cm)	14.0/35.6	16.0/40.6	18.0/45.7	19.7/50.0	21.7/55.1
Chainstay Length (in/cm)	16.7/42.4	*	*	*	*
Fork Rake (in/cm)	1.8/4.6	*	*	*	*
Bottom Bracket Height (in/cm)	12.2/31.1	*	*	*	*
Wheelbase (in/cm)	40.9/103.9	41.5/105.4	42.6/108.3	43.6/110.7	44.2/112.3
Trail (in/cm)	2.9/7.3	*	*	*	*
Standover at Top Tube Midpoint (in/cm) Rigid	27.8/70.5	29.1/73.8	30.4/77.2	31.6/80.2	32.4/82.4
Standover at Top Tube Midpoint (in/cm) Headshok	29.3/74.5	30.3/77.1	31.3/79.5	32.1/81.5	33.0/83.8
Bottom Bracket Drop (in/cm)	0.9/2.2	*	*	*	*
Front Center Distance (in/cm)	24.3/61.7	24.9/63.2	26.0/66.0	26.9/68.4	27.6/70.1
Head Tube Length (in/cm) Rigid	4.3/11.0	5.3/13.0	5.9/15.0	6.7/17.0	6.7/17.0
Head Tube Length (in/cm) Headshok	4.5/11.4	*	*	*	*

FURIO-X MOUNTAIN HEADSHOCK

F500, F400, F400 Feminine, Police Pursuit

SIZE	PEWEE	SMALL	MEDIUM	LARGE	X-LARGE
Seat Tube Angle (degree)	75.0	73.5	73.5	73.0	72.5
Head Tube Angle (degree)	70.0	*	*	*	*
Horizontal Top Tube Length (in/cm)	21.4/54.4	22.3/56.6	23.3/59.2	24.3/61.7	25.0/63.5
Seat Tube Overall Length (in/cm)	14.0/35.6	16.0/40.6	18.0/45.7	19.7/50.0	21.7/55.1
Chainstay Length (in/cm)	16.7/42.4	*	*	*	*
Fork Rake (in/cm)	1.8/4.6	*	*	*	*
Bottom Bracket Height (in/cm)	11.7/29.8	*	*	*	*
Wheelbase (in/cm)	40.6/103.2	41.2/104.7	42.6/108.2	43.5/110.6	44.0/111.7
Trail (in/cm)	2.9/7.3	*	*	*	*
Standover at Top Tube Midpoint (in/cm)	28.7/72.8	29.6/75.2	30.6/77.6	31.3/79.6	32.3/81.9
Bottom Bracket Drop (in/cm)	1.4/3.5	*	*	*	*
Front Center Distance (in/cm)	24.0/61.0	24.6/62.6	26.0/66.1	27.0/68.5	27.4/69.5

OPTIMO FÉMININE ROAD

R1000 Féminine

SIZE	40	44	47	50	53	56
Measured Size (cm)*	40	44	45	50	53	55
Seat Tube Angle	75	75	75	74.5	74	73.5
Head Tube Angle	72	72.5	75	72	72.5	73
Horizontal Top Tube Length (cm)	48.5	49	51	51.5	53.0	54.5
Chainstay Length (cm)	38	38	40.5	40.5	40.5	40.5
Fork Rake (cm)	4.0	4.0	4.5	4.5	4.5	4.5
Bottom Bracket Height (cm)	26.1	26.1	26.5	26.5	26.5	26.8
Wheelbase (cm)	91.0	91.3	96.8	96.0	96.8	97.5
Trail (cm)	5.9	5.6	7.2	6.2	5.9	5.6
Standover at Top Tube Midpoint (cm)	68.2	70.1	72.5	75.6	78.3	80.8
Bottom Bracket Drop (cm)	4.9	4.9	7.2	7.2	7.2	6.9
Front Center Distance (cm)	53.5	53.9	57.4	56.5	57.4	58
Head Tube Length (cm)	11.6	11.6	10.5	11.1	11.8	16.5
Wheel size	650c	650c	700c	700c	700c	700c

*For proper fit, some of the 700c sizes have a shortened seat tube for more standover clearance.

CAAD5 FÉMININE ROAD

R500 Féminine

SIZE	40	44	47	50	53	56
Measured Size (cm)*	40	44	45	50	53	55
Seat Tube Angle (degree)	75	75	75	74.5	74	73.5
Head Tube Angle (degree)	72	72.5	70.5	72.5	72.5	73
Horizontal Top Tube Length (cm)	48.5	49	51	51.5	53	54.5
Chainstay Length (cm)	40.5	*	*	*	*	*
Fork Rake (cm)	4.0	4.0	4.3	4.3	4.3	4.3
Bottom Bracket Height (cm)	26.1	26.1	26.5	26.5	26.5	26.8
Wheelbase (cm)	93.6	94.0	96.6	95.7	96.4	97.4
Trail (cm)	5.9	5.6	7.2	6.5	6.2	5.7
Standover at Top Tube Midpoint (cm)	68.1	70.0	72.5	75.7	78.4	80.8
Bottom Bracket Drop (cm)	4.9	4.9	7.2	7.2	7.2	6.9
Front Center Distance (cm)	53.6	53.9	57.2	56.4	57.3	58.0
Wheel size	650c	650c	700c	700c	700c	700c

*For proper fit, some of the 700c sizes have a shortened seat tube for more standover clearance.

CYCLOCROSS OPTIMO DISC AND CYCLOCROSS OPTIMO

Cyclocross Disc, Cyclocross

SIZE	47	50	52	54	56	58	60
Seat Tube Angle (degrees)	74.5	74.5	74.0	73.5	73.0	73.0	73.0
Head Tube Angle (degrees)	70.5	71.0	71.5	72.0	73.0	73.0	73.0
Horizontal Top Tube Length (in/cm)	20.9/52.5	20.9/53.0	21.3/54.0	21.7/55.0	22.4/57.0	23.2/59.0	23.6/60.0
Chainstay Length (in/cm)	17.0/43.2	*	*	*	*	*	*
Fork Rake (in/cm)	1.8/4.5	*	*	*	*	*	*
Bottom Bracket Height (in/cm)	11.4/28.9	*	*	*	*	*	*
Wheelbase (in/cm)	40.0/101.5	40.1/101.8	40.3/101.9	40.2/102.0	40.4/102.5	41.1/104.5	41.5/105.5
Trail (in/cm)	2.8/7.0	2.6/6.7	2.5/6.4	2.4/6.1	2.2/5.5	2.2/5.5	2.2/5.5
Standover at Top Tube Midpoint (in/cm)	30.5/77.6	31.5/80.1	31.9/81.0	32.3/82.0	32.9/83.6	33.7/85.5	34.4/87.4
Bottom Bracket Drop (in/cm)	2.5/6.3	*	*	*	*	*	*
Front Center Distance (in/cm)	23.5/59.1	23.5/59.6	23.5/59.6	23.5/59.6	23.7/60.1	24.4/62.1	24.8/63.1
Head Tube Length (in/cm)	5.1/13.0	5.9/15.0	5.9/15.0	5.9/15.0	6.3/16.0	7.1/18.0	7.9/20.0

If you ride a size 56 cm Cannondale road bike, you should choose a size 54 cm Cyclocross frame. This will give you the same top tube length but more standover height.

IRONMAN® SLICE AERO

Ironman® 6000, Ironman® 2000, Ironman® 800

SIZE	48	50	52	54	56	58	60	62
Wheel Size	650	650	650	700	700	700	700	700
Measured Size (cm)*	470	480	490	510	530	550	570	590
Seat Tube Angle (degrees)	78	78	78	78	77	77	77	77
Head Tube Angle (degrees)	71	71.5	71.5	71.5	72	72	72	72
Horizontal Top Tube Length (cm)	470	490	510	525	540	555	570	580
Head Tube Length	132	142	152	165	180	190	190	190
Chainstay Length (cm)	370	370	370	400	400	400	400	400
Fork Rake (cm)	40	40	40	43	43	43	43	43
Bottom Bracket Height (cm)	26.3	26.3	26.3	26.5	26.5	26.5	26.5	26.5
Wheelbase (cm)	92.4	94	96.1	99.1	100.3	102	103.7	104.9
Trail (cm)	6.4	6.1	6.1	6.7	6.4	6.4	6.4	6.4
Standover at Top Tube Midpoint (cm)	72.2	73.2	74.1	76.1	78.1	80	82.4	83.9
Bottom Bracket Drop (cm)	4.8	4.8	4.8	7.2	7.2	7.2	7.2	7.2
Front Center Distance (cm)	55.8	57.5	59.6	61.1	61.4	63.1	64.8	65.9

* For aerodynamic most sizes of this frame have a top tube lowered by 3 cm with a resulting steeper head tube. The measured size is from the center of the bottom bracket to the top of the top tube at the seat tube axis.

** If you ride a size 56 cm Cannondale road bike, you should choose a size 54 cm aero frame.

SIX13 AND CAAD8 OPTIMO ROAD

Six13 Team Replica, Six13 R5000, Six13 R5000 Compact Drive, Six13 R5000 Dual Acc, Six13 R3000, Six13 R2000, Six13 R2000 Compact Drive, R5000, R5000 Compact Drive, R1000, R1000 Triple, R900, R900 Triple

SIZE	48	50	52	53**	54	55**	56	57**	58	59**	60	63
Measured Size (cm)*	47	49	51	52	53	55	56	57	58	59	60	63
Seat Tube Angle (degrees)	74.5	74.5	74	74	73.5	73.5	73.5	73	73	72.5	72.5	72
Head Tube Angle (degrees)	72	72.5	73	73	73	73	73	73	73.5	73.5	73.5	73.5
Horizontal Top Tube Length (cm)	51.5	52.5	53.5	54.0	54.5	55.3	56.0	56.8	57.5	58.3	59.0	60.0
Chainstay Length (cm)	40.5	40.5	40.5	40.5	40.5	40.5	40.5	40.5	40.5	40.8	40.8	40.8
Fork Rake (cm)	4.5	*	*	*	*	*	*	*	*	*	*	*
Bottom Bracket Height (cm)	26.5	26.5	26.5	26.5	26.8	26.8	26.8	26.8	27.0	27.0	27.0	27.0
Wheelbase (cm)	95.9	96.6	96.8	97.3	97.5	98.3	99.0	99.3	99.6	100.1	100.9	101.2
Trail (cm)	6.2	5.9	5.6	5.6	5.6	5.6	5.6	5.6	5.3	5.3	5.3	5.3
Standover at Top Tube Midpoint (cm)	73.6	74.7	76.5	77.5	78.6	79.5	80.5	81.3	82.5	83.3	84.2	86.9
Bottom Bracket Drop (cm)	7.2	7.2	7.2	7.2	6.9	6.9	6.9	6.9	6.7	6.7	6.7	6.7
Front Center Distance (cm)	56.6	57.2	57.4	57.9	58.0	58.8	59.5	59.8	60.1	60.3	61.0	61.4
Head Tube Length (cm)	11	11.5	12.1	13.1	14.6	16.6	15.4	16.3	17.3	18.2	19.2	21.9

* For proper fit, sizes 48-54 have a seat tube that is lowered 1 cm and a head tube that is raised 1 cm. This results in a slightly sloping top tube. The measured size is from the center of the bottom bracket to the top of the top tube along the seat tube axis.

** Frameset only.

CAAD7 OPTIMO ROAD

R700, R700 Triple

SIZE	48	50	52	53**	54	55**	56	57**	58	59**	60	63
Measured Size (cm)*	47	49	51	52	53	55	56	57	58	59	60	63
Seat Tube Angle (degrees)	74.5	74.5	74	74	73.5	73.5	73.5	73	73	72.5	72.5	72
Head Tube Angle (degrees)	72	72.5	73	73	73	73	73	73	73.5	73.5	73.5	73.5
Horizontal Top Tube Length (cm)	51.5	52.5	53.5	54.0	54.5	55.3	56.0	56.8	57.5	58.3	59.0	60.0
Chainstay Length (cm)	40.5	40.5	40.5	40.5	40.5	40.5	40.5	40.5	40.5	40.8	40.8	40.8
Fork Rake (cm)	4.5	*	*	*	*	*	*	*	*	*	*	*
Bottom Bracket Height (cm)	26.5	26.5	26.5	26.5	26.8	26.8	26.8	26.8	27.0	27.0	27.0	27.0
Wheelbase (cm)	95.9	96.6	96.8	97.3	97.5	98.3	99.0	99.3	99.6	100.1	100.9	101.2
Trail (cm)	6.2	5.9	5.6	5.6	5.6	5.6	5.6	5.6	5.3	5.3	5.3	5.3
Standover at Top Tube Midpoint (cm)	73.6	74.7	76.5	77.5	78.6	79.5	80.5	81.3	82.5	83.3	84.2	86.9
Bottom Bracket Drop (cm)	7.2	7.2	7.2	7.2	6.9	6.9	6.9	6.9	6.7	6.7	6.7	6.7
Front Center Distance (cm)	56.6	57.2	57.4	57.9	58.0	58.8	59.5	59.8	60.1	60.3	61.0	61.4
Head Tube Length (cm)	9.9	10.4	12.1	13.1	14.6	16.6	15.4	16.3	17.3	18.2	19.2	21.9

* For proper fit, sizes 48-54 have a seat tube that is lowered 1 cm and a head tube that is raised 1 cm. This results in a slightly sloping top tube. The measured size is from the center of the bottom bracket to the top of the top tube along the seat tube axis.

** Frameset only.

CAAD5 ROAD

R500 Triple

SIZE	48	50	52	53**	54	55**	56	57**	58	59**	60	63	66**
Seat Tube Angle (degrees)	74.5	74.5	74.0	74.0	74.0	73.5	73.5	73.5	73.5	73	73.0	73.0	73.0
Head Tube Angle (degrees)	72.5	72.5	73.0	73.0	73.0	73.0	73.0	73.0	73.0	73.5	73.5	73.5	73.5
Horizontal Top Tube Length (cm)	51.5	52.5	53.5	54.0	54.5	55.25	56.0	56.75	57.5	58.25	59.0	60.0	61.0
Chainstay Length (cm)	40.5	*	*	*	*	*	*	*	*	*	*	*	*
Fork Rake (cm)	4.3	*	*	*	*	*	*	*	*	*	*	*	*
Bottom Bracket Height (cm)	27.3	*	*	*	*	*	*	*	*	*	*	*	*
Wheelbase (cm)	95.6	96.7	96.9	97.4	97.9	98.2	99.0	99.7	100.5	100.2	100.9	101.9	102.9
Trail (cm)	6.2	6.2	5.9	5.9	5.9	5.9	5.89	5.9	5.89	5.6	5.6	5.6	5.6
Standover at Top Tube Midpoint (cm)	75.4	76.3	77.7	78.3	79.2	80.0	81.0	82.0	82.9	83.7	84.7	87.6	90.4
Bottom Bracket Drop (cm)	6.7	*	*	*	*	*	*	*	*	*	*	*	*
Front Center Distance (cm)	56.0	57.1	57.3	57.8	58.3	58.6	59.3	60.0	60.9	60.6	61.3	62.3	63.3

** Frameset only.

OPTIMO SPORT ROAD^{1,2}

Sport Road 1000, Road Warrior 1000

SIZE	PETITE	SMALL	MEDIUM	LARGE	X-LARGE
Seat Tube Angle	75.5	75	74	73.5	73
Head Tube Angle	70.5	71	72	72.5	73
Horizontal Top Tube Length (cm)	51.5	52.5	54.5	56.5	59
Seat Tube Length (to top of H) (cm)	41	46	50	54	58
Chainstay Length (cm)	41.7	★	★	★	★
Fork Rake (cm)	4.3	★	★	★	★
Bottom Bracket Height (cm)	26.5	26.5	26.5	26.8	26.8
Wheelbase (cm)	98.4	99	99.6	100.0	102.5
Trail (cm)	73.7	70.6	64.3	61.2	58.1
Standover at Top Tube Midpoint (cm)	72.1	75.9	78.8	82.3	85.7
Bottom Bracket Drop (cm)	7.2	7.2	7.2	6.9	6.9
Front Center Distance (cm)	57.8	58.4	59.0	60.2	61.8
Head Tube Length (cm)	12	15	17	20	23
Inseam Range for Proper Fit (cm/in)	72.5/78/28.5/30.7	76.5/81/30.1/31.9	79.5/84/31.3/33.1	83/87/32.7/34.3	86/95/33.9/37.4
Traditional Road Frame Size (cm)	49-50	50-53	53-56	56-59	59-63

CAADS SPORT ROAD^{1,2}

Sport Road 800, Sport Road 500, Road Warrior 800

SIZE	SMALL	MEDIUM	LARGE	X-LARGE
Seat Tube Angle	74.5	74	73.5	73
Head Tube Angle	71.0	71.5	72.0	73.0
Horizontal Top Tube Length (cm)	52.5	54	56	58
Seat Tube Length (to top of H) (cm)	47	50	53	57
Chainstay Length (cm)	41.7	★	★	★
Fork Rake (cm)	4.5	★	★	★
Bottom Bracket Height (cm)	27.3	★	★	★
Wheelbase (cm)	98.8	99.6	100.7	101.4
Trail (cm)	6.9	6.6	6.3	5.7
Standover at Top Tube Midpoint (cm)	75.5	78.5	81.4	84.9
Bottom Bracket Drop (cm)	6.7	★	★	★
Front Center Distance (cm)	58.4	59.2	60.4	61.0
Head Tube Length (cm)	12.6	15.6	18.6	21.6
Inseam Range for Proper Fit (cm/in)	76/82.8/29.9/32.6	79/85.9/31.1/33.8	82/89.9/32.3/35.4	85/94/33.9/37
Traditional Road Frame Size (cm)	48-52	52-56	56-59	59-63

CAAD4 SPORT ROAD^{1,2}

Road Warrior 400

SIZE	SMALL	MEDIUM	LARGE	X-LARGE
Seat Tube Angle (degrees)	74.5	74.0	73.5	73.5
Head Tube Angle (degrees)	72.0	72.5	73.0	73.5
Top Tube Horizontal (cm)	51.5	53.0	55.0	58
Seat Tube Length (to top of H) (cm)	41.0	50.0	53.0	57.0
Chainstay Length (cm)	41.2	★	★	★
Fork Rake (cm)	4.3	★	★	★
Bottom Bracket Height (cm)	22.3	★	★	★
Wheelbase (cm)	96.7	97.4	98.6	100.6
Trail (cm)	6.5	6.2	5.9	5.6
Standover at Top Tube midpoint (cm)	75.7	78.6	81.5	84.9
Bottom Bracket Drop (cm)	6.7	★	★	★
Head Tube Length (cm) rigid	12.0	16.0	18.0	21.0
Head Tube Length (cm) Headshok	11.4	★	★	★

MOUNTAIN^{1,2}

Bad Boy

SIZE	PETITE	SMALL	MEDIUM	LARGE	X-LARGE
Seat Tube Angle (degrees)	75.0	73.5	73.5	73.5	73.5
Head Tube Angle (degrees)	71.0	★	★	★	★
Horizontal Top Tube Length (in/cm)	21.4/54.4	21.7/55.1	22.4/56.9	23.2/58.9	24.2/61.5
Seat Tube Overall Length (in/cm)	13.5/34.3	18/45.7	20/50.8	22/55.9	26/66.0
Chainstay Length (in/cm)	17.0/43.2	16.7/42.4	16.7/42.4	16.7/42.4	16.7/42.4
Fork Rake (in/cm)	1.8/4.6	★	★	★	★
Bottom Bracket Height (in/cm)	11.4/29.0	★	★	★	★
Wheelbase (in/cm)	40.7/103.4	40.5/102.9	41.4/105.2	42.2/107.2	43.3/110.0
Trail (in/cm)	2.6/6.6	★	★	★	★
Standover at Top Tube Midpoint (in/cm)	27.5/69.9	29.3/74.4	30.3/77.0	31.5/80.0	33.3/84.6
Bottom Bracket Drop (in/cm)	1.5/3.8	★	★	★	★ Front Center
Distance (in/cm)	23.8/60.5	23.9/60.7	24.8/63.0	25.6/65.0	26.7/67.8

STREET^{1,2}

Street

SIZE	SMALL	MEDIUM	LARGE	X-LARGE	JUMBO
Seat Tube Angle	75	74	73.5	73.5	73.5
Head Tube Angle	71	★	★	★	★
Horizontal Top Tube Length (in/cm)	22.3/56.6	22.5/57.2	22.7/57.7	23/58.4	23.5/59.7
Seat Tube Overall Length (in/cm)	16/40.6	18/45.7	20/50.8	22/55.9	24/61.0
Chainstay Length (in/cm)	18/45.8	★	★	★	★
Fork Rake (in/cm)	1.8/4.5	★	★	★	★
Bottom Bracket Height (in/cm)	11.4/28.9	★	★	★	★
Wheelbase (in/cm)	42.4/107.8	42.4/107.8	42.6/108.1	43.0/109.3	43.6/110.6
Trail (in/cm)	2.8/7.2	★	★	★	★
Standover at Top Tube Midpoint (in/cm) Rigid	29.2/74.3	30.2/76.7	31.6/80.3	32.6/82.8	34.0/86.4
Standover at Top Tube Midpoint (in/cm) Headshok	29.4/74.7	30.4/77.2	31.4/79.7	32.3/82.8	33.3/85.4
Bottom Bracket Drop (in/cm)	2.3/5.8	★	★	★	★
Front Center Distance (in/cm)	24.3/62.7	24.7/62.7	24.8/63	25.2/64	25.8/65.5
Head Tube Length (in/cm) Rigid	5/12.7	5/12.7	6/15.2	6/15.2	7/17.8
Head Tube Length (in/cm) Headshok	4.5/11.4	★	★	★	★

TOURING^{1,2}

T2000, T800

SIZE	SMALL	MEDIUM	LARGE	X-LARGE	JUMBO
Seat Tube Angle (degrees)	74.5	74.0	73.0	73.0	72.5
Head Tube Angle (degrees)	71.0	71.0	71.5	72.5	73.0
Horizontal Top Tube Length (in/cm)	20.3/51.6	20.8/52.8	21.5/54.6	22.5/57.2	23.5/59.7
Seat Tube Overall Length (in/cm)	17.0/43.2	19.0/48.3	21.0/53.3	23.0/58.4	25.0/63.5
Chainstay Length (in/cm)	18.0/45.7	★	★	★	★
Fork Rake (in/cm)	2.1/5.3	★	★	★	★
Bottom Bracket Height (in/cm)	11.1/28.2	★	★	★	★
Wheelbase (in/cm)	40.6/103.1	41.0/104.1	41.3/104.9	41.9/106.4	42.5/108.0
Trail (in/cm)	2.5/6.4	2.5/6.4	2.3/5.8	2.1/5.3	2.0/5.1
Standover at Top Tube Midpoint (in/cm)	29.2/74.2	30.2/76.7	31.6/80.3	33.3/84.1	34.8/88.4
Bottom Bracket Drop (in/cm)	2.6/6.6	★	★	★	★
Front Center Distance (in/cm)	22.9/58.2	23.4/59.4	23.6/59.9	24.3/61.7	24.8/63.0

¹Rock Mounts²Fender Mounts

★ Same dimensions for all sizes

ADVENTURE HEADSHOK^{1,2} AND ADVENTURE^{1,2}

Adventure 1000, Adventure 800, Adventure 600, Adventure 400

SIZE	SMALL	MEDIUM	LARGE	X-LARGE	JUMBO
Seat Tube Angle (degrees)	75.0	75.0	75.0	75.0	75.0
Head Tube Angle (degrees)	71.0	71.0	71.0	71.0	71.0
Top Tube Horizontal (in/cm)	22.3/56.7	22.9/58.2	23.1/58.7	23.7/60.2	23.7/60.2
Seat Tube Overall Length (in/cm)	16.0/40.6	18.0/45.7	20.0/50.8	22.0/55.9	24.0/61.0
Chainstay Length (in/cm)	18.0/45.7	★	★	★	★
Fork Rake (in/cm)	2.1/5.3	★	★	★	★
Bottom Bracket Height (in/cm)	11.4/29.0	11.4/29.0	11.4/29.0	11.4/29.0	11.4/29.0
Wheelbase (in/cm)	43.2/109.7	43.6/110.7	43.9/111.5	44.7/113.5	44.8/113.8
Trail (in/cm)	2.5/6.4	★	★	★	★
Standover at Top Tube midpoint (in/cm) Suspension	30.0/76.2	31.0/78.7	32.0/81.3	33.0/83.8	34.0/86.4
Standover at Top Tube midpoint (in/cm) Rigid	28.8/73.2	29.8/75.7	30.8/78.2	32.0/81.3	34.2/86.9
Bottom Bracket Drop (in/cm)	2.3/5.8	★	★	★	★
Front-Center Distance (in/cm)	25.4/64.5	25.8/65.5	26.1/66.3	26.9/68.3	27.0/68.6

ADVENTURE FÉMININE^{1,2} AND STREET FÉMININE^{1,2}

Adventure Féminine 1000, 800, 600, 400; Street Féminine

SIZE	SMALL	LARGE
Seat Tube Angle (degrees)	75.0	★
Head Tube Angle (degrees)	71.0	★
Horizontal Top Tube Length (in/cm)	22.0/55.9	22.5/57.2
Seat Tube Overall Length (in/cm)	16.5/41.9	19.0/48.3
Chainstay Length (in/cm)	18.0/45.7	★
Fork Rake (in/cm)	2.1/5.3	★
Bottom Bracket Height (in/cm)	11.4/29.0	★
Wheelbase (in/cm)	42.5/108.0	43.2/109.7
Trail (in/cm)	2.5/6.4	★
Standover at Top Tube Midpoint (in/cm)	27.3/69.3	27.7/70.4
Bottom Bracket Drop (in/cm)	2.3/5.8	★
Front-Center Distance (in/cm)	24.7/62.7	25.5/64.8

*See notes available on Street 600 Féminine and Street 1000 Féminine only

RECUMBENT

Bent I, Bent II

SIZE	STANDARD	LARGE
Head tube angle (degrees)	64	★
Fork rake (in/cm)	1.4/3.6	★
Trail (in/cm)	1.2/3.0	★
Back rest angle (degrees min/max)	70/9.0	★
Bottom Bracket Height (in/cm)*	20.5/52.1	★
Chainstay length (in/cm)	16.6/42.2	★
Wheelbase (in/cm)	50.5/128.3	55.5/141.0
Standover/stepover height (in/cm)*	21.5/54.6	★
Seat Height (in/cm)*	27/68.6	★
Rider Height range (ft/in/meters)	4'8"-6'1"/1.42-1.85	5'7"-6'10"/1.70-2.08
Front wheel size	16"/ISO 305	★
Rear wheel size	20"/ISO 406	★

*With suspension not supported

COMFORT HEADSHOK AND COMFORT

Comfort 800, Comfort 600, Comfort 400

SIZE	SMALL	MEDIUM	LARGE	X-LARGE	JUMBO
Seat Tube Angle (degrees)	75.0	74.0	73.5	73.5	73.5
Head Tube Angle (degrees)	71.0	★	★	★	★
Top Tube Horizontal (in/cm)	21.4/54.4	22.0/55.9	23.0/58.4	24.0/61.0	24.8/63.0
Seat Tube Overall Length (in/cm)	14.0/35.6	15.0/38.1	16.0/40.6	18.0/45.7	21/53.3
Chainstay Length (in/cm)	17.0/43.2	★	★	★	★
Fork Rake (in/cm)	1.8/4.6	★	★	★	★
Bottom Bracket Height (in/cm)	11.4/29.0	★	★	★	★
Wheelbase (in/cm)	40.7/103.4	41.0/104.4	42.1/106.9	43.1/109.5	44.2/112.3
Trail (in/cm)	2.6/6.6	★	★	★	★
Standover at Top Tube midpoint (in/cm)	28.6/72.6	29.1/73.9	30.1/76.5	31.1/79.0	32.1/81.5
Bottom Bracket Drop (in/cm)	1.5/3.8	★	★	★	★
Front-Center Distance (in/cm)	23.8/60.5	24.2/61.5	25.2/64.0	26.3/66.8	27.4/69.6

COMFORT HEADSHOK FÉMININE AND COMFORT FÉMININE

Comfort 800 Féminine, Comfort 600 Féminine, Comfort 400 Féminine

SIZE	SMALL	LARGE
Seat Tube Angle (degrees)	74.0	★
Head Tube Angle (degrees)	71.0	★
Top Tube Horizontal (in)	22.0/55.9	22.6/57.4
Seat Tube Overall Length (in)	14.0/35.6	17.0/43.2
Chainstay Length (in)	17.0/43.2	★
Fork Rake (in)	1.8/4.6	★
Bottom Bracket Height (in)	11.4/29.0	★
Wheelbase (in)	41.1/104.4	41.8/106.2
Trail (in)	2.6/6.6	★
Standover Height (in)	27.0/68.6	27.4/69.6
Bottom Bracket Drop (in)	1.5/3.8	★
Front-Center Distance (in)	24.2/61.5	24.9/63.2

CAAD (Cannondale Advanced Aluminum Design), Cannondale, "C" Logo, Fatty, HeadShok, Lefty, Jekyll, Optimo, PowerPyramid, Scalpel, and Slice are all registered trademarks of Cannondale Corporation.

Chain Gang, Comfort, Gemini, Q-Lab, Optimo, Sport Road, Terrain, Si, and Ultra are all trademarks of Cannondale Corporation.

Saeco is a registered trademark of Saeco International and is used with their permission.

Siemens Mobile is a registered trademark and is used with their permission. Ironman® is a registered trademark of the World Triathlon Association and is used with their permission.

Fox and Fox Racing Shox are registered trademarks of Fox Factory Inc. and are used with their permission.

Answer and Manitou are registered trademarks of Answer Products, Inc. and are used with their permission.

Cannondale frames are Handmade in USA. Cannondale frames and HeadShok forks are covered by one or more of the following U.S. Patents:

4,808,147 5,020,819 5,178,035 5,249,818 5,370,374 5,449,755 5,494,302 5,509,674 5,634,653 5,702,092 5,791,674 6,007,056 6,155,541 6,445,862 6,135,477

D445,364 6,497,427 5,979,924 5,308,099 other patents pending.

Call (800) BIKE USA for more information.

MOUNTAIN TANDEM^{1,2}

Mountain Tandem

SIZE	M/S	L/S	L/M	X/S	X/M
Front Seat Tube Angle (degrees)	73.5	73.5	73.5	73.5	73.5
Rear Seat Tube Angle (degrees)	73.5	73.5	74.0	74.0	74.0
Head Tube Angle (degrees)	71.0	71.0	71.0	71.0	71.0
Horizontal Front Top Tube Length (in)	22.0	23.0	23.0	24.4	24.4
Horizontal Rear Top Tube Length (in)	18.1	18.1	19.1	18.1	19.1
Front Seat Tube Overall Length (in)	18.0	19.1	20.0	20.1	21.1
Rear Seat Tube Overall Length (in)	16.0	16.0	18.0	16.0	18.0
Chainstay Length (in)	17.4	★	★	★	★
Fork Rake (in)	1.8	★	★	★	★
Front Bottom Bracket Height (in)	11.4	★	★	★	★
Rear Bottom Bracket Height (in)	11.4	★	★	★	★
Wheelbase (in)	69.6	70.7	71.7	72.2	73.2
Trail (in)	2.6	2.6	2.6	2.6	2.6
Front Standover at Top Tube midpoint (in)	28.2	30.0	30.3	31.0	31.4
Rear Standover at Top Tube midpoint (in)	26.5	27.0	28.4	27.5	29.0
Front Bottom Bracket Drop (in)	1.5	★	★	★	★
Rear Bottom Bracket Drop (in)	1.5	★	★	★	★
Front-Center Distance (in)	24.2	25.3	25.3	26.8	26.8

ROAD TANDEM^{1,2}

Road Tandem

SIZE	M/S	L/S	X/S	X/M	J/L
Front Seat Tube Angle (degrees)	73.0	73.0	73.0	73.0	73.0
Rear Seat Tube Angle (degrees)	73.0	73.0	73.0	73.0	73.0
Head Tube Angle (degrees)	73.0	73.0	73.0	73.0	73.0
Horizontal Front Top Tube Length (in)	21.5	22.1	23.8	23.8	24.6
Horizontal Rear Top Tube Length (in)	20.1	20.1	20.1	20.1	20.1
Front Seat Tube Overall Length (in)	19.0	20.0	21.0	22.0	24.0
Rear Seat Tube Overall Length (in)	17.0	17.0	17.0	19.0	21.0
Chainstay Length (in)	17.4	★	★	★	★
Fork Rake (in)	2.1	★	★	★	★
Front Bottom Bracket Height (in)	10.8	★	★	★	★
Rear Bottom Bracket Height (in)	10.5	★	★	★	★
Wheelbase (in)	67.0	69.6	69.2	70.2	72.1
Trail (in)	2.0	2.0	2.0	2.0	2.0
Front Standover at Top Tube midpoint (in)	28.3	30.3	31.2	31.6	33.6
Rear Standover at Top Tube midpoint (in)	26.6	27.1	27.6	29.0	30.9
Front Bottom Bracket Drop (in)	2.9	★	★	★	★
Rear Bottom Bracket Drop (in)	3.2	★	★	★	★
Front-Center Distance (in)	23.0	23.6	25.2	25.2	26.0

WARNINGS!

Bicycling has risks of serious injury or death that cannot be completely avoided. Risk can be minimized by: Reading and following all warnings and instructions in owner's manuals and owner's manual supplements. Always wearing a helmet. Practicing and step-by-step learning. Riding in control and within your capabilities.

Visit <http://www.cannondale.com/bikes/tech/safety> for further warnings, technical documents, and safety guidelines.

Warning: Catalog and web site product descriptions are not instructions. You must read and follow written instructions that accompany products.

Warning: Reflectors are not a substitute for proper lights. It is your responsibility to equip your bicycle with all state and locally mandated lights. You must have a white front and red rear light. Cannondale also strongly urges you to use a flashing light or strobe. You must be able to see and others must be able to see you. Riding at dawn, at dusk, at night or at other times of poor visibility without a bicycle lighting system and without reflectors is dangerous and may result in serious injury or death.

Please note: Despite our nagging, members of the Saeco/Cannondale pro road racing team (and other professional sponsored teams) may appear or race without helmets. We don't think it's a good idea, but they are experienced, professional cyclists and they know the risks. They are also adults, so we respect their right to choose. Despite the intransigence of the Saeco/Cannondale team, we strongly advocate the use of helmets on every ride. Wearing a helmet is perhaps your single best defense against a major medical catastrophe while riding, so buckle up!

AUTHORIZED EUROPEAN DISTRIBUTORS

The following lists are subject to change without notice.
* Denotes Apparel and Accessory Distributor only.

EUROPE (GLOBAL): Cannondale B.V., Postbus 5100, Hanzepoort 27, 7570 GC, Oldenzaal, NL, tel: 0031-541-573580, fax: 0031-541-514240, email: servicedesk@europe@cannondale.com

CROATIA: Invid Sport, Veljko Vukobrat, 10000 Zagreb, Croatia, tel: 00385-13708323, fax: 00385-13708324, www.invid-sport.com, email: invid@sport@inet.hr

CZECH REPUBLIC: Vokolek, Režimová 108, 10200 Praha 10, CSK, tel: 00420-241740712, fax: 00420-241740712, www.vokolekimport.cz, email: info@vokolekimport.cz

ESTONIA: Hawaii Express Ltd., Regu 1, SKI-102, EE19 Tallinn, EST, tel: 00372-6198508, fax: 00372-6198566, email: alev@hawaii.ee

ESTONIA: Rattapood OÜ, GUCC, Rummurite 3, Tallin, 11901 EST, tel: 00372-6238776, fax: 00372-6237132, email: evaid@honest.ee

GREECE: Gatsoulis Imports, 8 Thessaloniki Street, 1150342, New Filadelfia Athens, GR2, tel: 0030-2102517778, www.gatsoulis.gr, fax: 0030-2102537900, email: chris@gatsoulis.gr

HUNGARY: Mail Bicycle Technology, Gyepos u. 1, H-1171 Budapest, Hungary, tel: 0036-142-10432, fax: 0036-142-0532, www.maliku, email: mal@mail.hu

ICELAND: G4 Petrusson Ltd., Raufoss 10, 128 Reykjavik, Box 8706, Iceland, IS-108, tel: 354-510-0200, email: magens@gop.is, www.gop.is

LAOS: FANS SIA "supapra", Nijon 17-408, Nijon, LV050, tel: 00371-7626025, fax: 00371-7822053, email: pash@supapra.lv

MALTA: Rediff Power, 56 Triq ta' Stazzjon, B'Yona, BXR 12, Malta, tel: 00356-2127265, fax: 00356-227265

POLAND: Ski Team Sp. z, ul. Syczow 36/38, 02-146 Warsaw, PL2, tel: 0048-22-8465782, fax: 0048-22-8467964, email: remek@skiteam.com.pl

POLAND: Crazy Crank, ul. Pankulowska 112, Zakopane, 34-500 tel: 0048-18-201281, fax: 0048-18-2001206, email: pisto@cannondale-pl.com

RUSSIA: Sportclub / Velomir, Lusinovskaya ul. 53/12, VELOMIR, 125096, Moscow, RU5, tel: 0070952366278, fax: 0070952378463, email: info@velomir.ru, www.velomir.ru

SLOVAKIA: Edmo s.r.o., SNP 365/76-21, SK 01851 Nová Dubnica, Slovakia, tel: 00421-43430034, fax: 00421-434310034, email: edmo@pug.sk

SLOVENIA: Sportbale 2000, Celovska 282, Ljubljana, 1000, tel: 00386-15104940, fax: 00386-15193580, email: jandigubrovski@siol.net, www.fansports.si

TURKEY: Eski les Min. Josh Tic. Ltd. Sti. Kile Sk. 3/19, Kalamis, 81030, Istanbul - TURKEY, TR, tel: 0090-216-3375160, fax: 0090-216-3457750, email: cprub@superonline.com

EUROPEAN DISTRIBUTORS: distributors@cannondale.com, tel: 0031-541-573582, fax: 0031-541-514240

EUROPEAN TOURISM AND RESORTS: distributors@cannondale.com, tel: 0031-541-573582, fax: 0031-541-514240

EUROPEAN APPAREL AND ACCESSORIES DEALERS: distributors@cannondale.com, tel: 0031-541-573582, fax: 0031-541-514240

AUTHORIZED INTERNATIONAL DISTRIBUTORS

INTERNATIONAL SALES (Emerging Markets): 172 Friendship Village Rd., Bedford PA 15522 USA, tel: 814-623-4314, fax: 814-623-2908, michele.burlingame@cannondale.com or carycolledge@cannondale.com or Joe.Aronio@cannondale.com

ARGENTINA: Skitel Trading S.A. Pindas 271 Escribano 101 Montevideo Uruguay, 11000 Phone# 54-11-429-21897 Fax# 54-11-429-21453 Email: cannontikes@yahoo.com

ARGENTINA: (RETAILED) Laura Comptition, Ande San Prudis 572, Buenos Aires Argentina 01406, tel: 4613-8839, fax: 54-11-4612-8885

AUSTRALIA: Cannondale Australia, Unit 6, 4 Prosperity Parade, BLSW, 2101, Australia, tel: 61-2-9979-5851, cannondaleaustralia@cannondale.com

BAHRAIN: Skate Shack, Shop 122, 1st floor, Seef Mall, P.O. Box 11205 Al Seef Dist., Manama, Bahrain, tel: 973-587142, fax: 973-404752

BARBADOS: De Costa Limited, P.O. Box 103, Bridgetown, Barbados, tel: 1-246-4318700, fax: 1-246-426-5510

BELIZE: Santos Ltd., 18 New Road, P.O. Box 648, Belmopan City, Belize, tel: 501-223-2500, fax: 501-223-1275, santos@bel.net

BERMUDA: The New Winners Edge, 34 Church Street, Hamilton HM11, Bermuda, tel: 441-295-6012, fax: 411-292-1904

BOLIVIA: Visual Import & Export, C.Ballivián/Enq. Potosí, Edificio Solvatera, Casilla 551, Santa Cruz, Bolivia, tel: 591-333-47345, fax: 591-333-47345

BORNEO: Cannasia, 101 Frankel Ave., Singapore, 458224, tel: 65-6441-4772, email: cannasia@mboc5.singnet.com.sg, www.cannasia.com

BRAZIL: Anderson Bicycles, Av. Adolfo Pinheiro, 2518, CEP 04777-004, São Paulo, Brazil, tel: 55-11-296-5596, www.andersonbicycles.com.br

BRUNEI: Cannasia, 101 Frankel Ave., Singapore, 458224, tel: 65-6441-4772, email: cannasia@mboc5.singnet.com.sg, www.cannasia.com

CHILE: Inversiones Intercycles Ltda., Av. Nueva Las Condes, 12-270 #101, Santiago, Chile, South America, tel: 562-215-3400, fax: 562-217-3167, email: cycles@cannondale.cl

CHINA: Beijing Express Trading, #9 Xiyuan He Ping Street, Room 219, Parter Bldg., Beijing City, PRC, 100013, tel: 86-108-427-4702, fax: 86-108-427-4702, email: express@631h.com.cn

COLOMBIA: USA Bikes E.L. CIA. 414P 23-50, Medellín, Colombia, tel: 574-262-2020, fax: 574-262-2080, sportbike@qum.net.co

COSTA RICA: Xerosa S.A., San José, Costa Rica, tel: 506-290-5096, fax: 506-290-3402, xerosa@racsa.co.cr

CYPRUS: Polys Pountouris & Sons Ltd, P.O. Box 20093, Strovolos, Cyprus, 02090, tel: 357-225-1088, fax: 357-224-91034, polyp@cytanet.com.cy

DOMINICAN REPUBLIC: Aero & Peda, 27 de febrero #102, Santo Domingo, Dominican Republic, tel: (809) 686-5861, fax: (809) 687-6548, email: ampeda@vnet.net.do

ECUADOR: Deportivestremo S.A., Av. 10 De Agosto 13205 g. Quito, Ecuador, tel: 591-2224-8732, fax: 591-2225-3691

EL SALVADOR: Bike Doctor, Centro Comercial Juan Pablo II, Local 309-B, Prolongacion Alameda Juan Pablo II, San Salvador, El Salvador, C.A. Phone/fax (503) 260-6152, email: bdbikedoctor@netel.net, web: www.bikedoctor.com.w

GUAM: Hornet Bicycles, P.O. Box 8294, Tamuning, Guam 96911, tel: 671-646-9191, fax: 671-646-1900, email: hnbike@guamnet.net

GUATEMALA: Bike Center, S. A., 20 Calle 24-67 Zona 10, Parais Plaza, Local 2-3, Guatemala City Guatemala, tel: 502-333-4888, fax: 502-333-7194, email: bikecenter@vnet.net

HONDURAS: Comin Comercio, 2 Ave. 12 Calle #104, Barrio Las Acacias, San Pedro Sula, Honduras, tel: 504-552-2788, fax: 504-352-4708

HONDURAS: Hondaites, Cal. Huanaja Ar. Sabana, Tegucigalpa, Honduras, tel/fax: 504-239-2792, email: hokes02@hotmail.com

HONG KONG: Flying Bull Bicycle, 201 Tung Cho St., Mong Kok, Kowloon, Hong Kong, tel: 852-238-13661, fax: 852-239-74806, www.flyingbull.com

INDONESIA: Cannasia Pte. Ltd., 101 Frankel Ave., Singapore, 458224, tel: 65-6441-4772, email: cannasia@mboc5.singnet.com.sg, www.cannasia.com

ISRAEL: DAA Sport Marketing LP, 107 Hisharonim Street, Tel Aviv, Israel, 61131, tel: 972-03-562-9004, daa@daa.co.il, www.daa.co.il

JAPAN: Cannondale Japan, 5-12-5, Harayamadai, Sakai City, Osaka, Japan, 590-0132, tel: 072-299-9389, cjuribem@cannondale.com

KAZAKHASTAN: Doctor Gan, 158 Makatayev Street, 16 app. Rep. Of Kazakhstan, 480090, tel: 7-3272-338943

KOREA: Samba Sports 2F Kim Kun Wha Bldg., 35-2, Nonghyun Dong, Kangnam-GU Seoul, Korea, tel: 822-543-6390, fax: 822-3442-6791, email: sambasports@unitel.co.kr

KUWAIT: Silver Valley Group, P.O. Box 666, Safat, 13607 Kuwait, tel: 965-243-3495, fax: 965-241-9644

LEBANON: V02 MAX, Auto Center, Jassine, Beirut, Lebanon, tel: 961-532-6811, fax: 961-532-8666, www.v02max.com

MALAYSIA: Cannasia Pte. Ltd., 101 Frankel Avenue, Singapore, 458224, tel: 65-6441-4772, cannasia@singnet.com.sg & www.cannasia.com

MAURITIUS: Emor Ltd, Old Moira Road, Bell Village, Republic of Mauritius, tel: 230-208-6395, fax: (230) 212-5952

MEXICO: Wami Triathlon Boutique, Av. Division Del Norte #2952, Col. Rosedal Coyacan, Mexico 04330, D.F., tel: 525-5549-5291, fax: 525-5549-5291, wami_bike@infocinet.mx, www.wamiamex.com

NETHERLAND ANTILLES: Tri-Sport N.V., KMB Airport Blvd Simpsonweg, St. Maarten, Netherlands Antilles, tel: (599) 545-4384, fax: (599) 545-4385, triport@stmaarten.net

NEW CALEDONIA: Royal Motors SA, 9, route de la Baie des Dames, Nouméa, New Caledonia, 98800, tel: 687-285-912, fax: 687-286-320, emotor@guypenlang.nc

PANAMA: Distribuidora Rall, Via Tocumen, Apartado 87-052, Zona 7, Panama, tel: 507-220-3844, fax: 507-220-5303, drrall@sinfonet

PERU: Cycling S.A., Av. Tomas Manana 2851, Higuereta Santa, Lima, Peru, tel/fax: 511-271-0242, cycling@tema.com.pe

PHILIPPINES: Newlon Multi Sales, 71 Kardinian, Cor. Ayala St., SFDM, Quizon City, Philippines, 1103, tel: (0632) 3725127-28 & 3717231, fax: (0632) 3715419, wash@pacific.net.ph

PUERTO RICO: Teammount Corporation, 1316 Parana St., San Juan, Puerto Rico, 00936, tel: 1-787-763-4369, fax: 1-787-763-6320, info@ekdomando.com

SINGAPORE: Cannasia Pte. Ltd., 101 Frankel Avenue, Singapore 458224, tel: 65-6441-4772, cannasia@singnet.com.sg, www.cannasia.com

SOUTH AFRICA: Cape Cycle Systems (Pty) Ltd., 10 Argo Road, Winton, South Africa, 7808, tel: 27-21-761-3578, fax: 27-21-761-5994, capecycles@intekom.co.za

TAIPEI: Pacific Cycles, 49 Rue Cardella, P.O. Box 1533, French Polynesia, Papeete Tahiti, 98713, tel: 689-450-451, fax: 689-835-600, pacificcycles@mail.tpf

TAIWAN: Cash Crest LTD, 41st Floor, #299 Sanhsiang Rd., Chungli City, Tao Yuan Hsien, Taiwan, tel: 886-349-15050, fax: 886-349-11051

THAILAND: ThaiCannasia/Star Bikes, 73/1 Sukhumvit Soi 3, North Nana, Klong Toey, Bangkok, Thailand 10710, tel: 662-332-8682, fax: 662-253-3464, thakanna@businessnet.th, www.thaicannasia.com

TRINIDAD: Motorcycles Etc., 89 Eastern Main Road, Bavalonia, Trinidad and Tobago, tel: 868-675-2152, fax: 868-675-2836, kerry@www.net

TRINIDAD: Sport and Games Limited, 47 Tissue Drive, Trintity, Trinidad, tel: 662-567-8886

UNITED ARAB EMIRATES: Gules Co., NO. 403 White Crown Building Sheikh Zayed RD PO BOX 30908, Dubai UAE, tel: 971-4332-5550, fax: 971-4332-8040

URUGUAY: Skitel Trading S.A. Pindas 271 Escribano 101 Montevideo Uruguay, 11000, Phone# 54-11-429-21897, Fax# 54-11-429-21453 Email: cannontikes@yahoo.com

VENEZUELA: Bici Bikes, 2A Av. Ed. Artella local 5 (WINDCTA) Las Palas Grandes, Caracas, Venezuela 1041, tel: 58-212-286-0285, fax: 58-212-283-7866

VENEZUELA: Bicimania C.A., C.C. M. Ave. Bolívar, Pockmar, Margarita Island, Venezuela, tel/fax: 58-295-262-9106, bicimania@vnet.net

VENEZUELA: Bike Sports/Venezuela Centro Comercial Ibama, Local 34, Calle Gacilera, Colinas de Arco Monte, Caracas, Venezuela, tel: 58-202-751-9730, fax: 58-212-753-5071

WORLD WIDE MILITARY SALES: tel: 814-623-4391, fax: 814-623-2968, carycolledge@cannondale.com

WORLD WIDE TOURISM & RESORTS: tel: 814-623-4314, fax: 814-623-2968, michele.burlingame@cannondale.com

UNITED STATES

Cannondale USA, 172 Friendship Village Road, Bedford PA 15522-6600, USA
tel: 1-800-BIKE-USA
custserv@cannondale.com

JAPAN

Cannondale Japan, 5-12-5, Harayamadai, Sakai City, Osaka, Japan, 590-0132
tel: 072-299-9399,
cjcustserv@cannondale.com

EUROPE

Cannondale B.V., Postbus 5100, Hanzepoort 27, 7570 GC, Oldenzaal, NL
tel: 0031-541-573580, fax: 0031-541-514240
servicedesk@europe@cannondale.com

AUSTRALIA

Cannondale Australia, Unit 6, 4 Prosperity Parade, Warriewood N.S.W. 2102, Australia
tel: 61-2-9979-5851
cannondaleaustralia@cannondale.com



Race Red
(Gloss)



Saffron Metallic
(Gloss)



Saffron Metallic
(Matte)



Platinum
(Gloss)



Yellow Green
(Gloss)



Fairway Green
(Gloss)



Fairway Green
(Matte)



Blazer Blue
(Gloss)



Blazer Blue
(Matte)



Patriot Blue
(Gloss)



Patriot Blue
(Matte)



Midnight Blue
(Gloss)



Midnight Blue
(Matte)



Mocha Brown
(Gloss)



Mocha Brown
(Matte)



Charcoal Grey
(Gloss)



Charcoal Grey
(Matte)



Jet Black
(Gloss)



Jet Black
(Matte)



Sterling Silver
(Gloss)



Lightning White
(Gloss)



Ball Burnished
Aluminum
(Gloss)



Raw Aluminum
(Gloss)



Galvanized
Aluminum
(Gloss)



Jet Black w/White Pearl
HyperHighlight
(Gloss)



Jet Black w/Patriot
Blue HyperHighlight
(Gloss)



Charcoal Grey
w/Sterling Silver
HyperHighlight (Gloss)



Midnight Blue
w/Patriot Blue
HyperHighlight (Matte)



Patriot Blue
w/Blazer Blue
HyperHighlight (Gloss)



Patriot Blue
w/Midnight Blue
HyperHighlight (Gloss)



Platinum
w/Sterling Silver
HyperHighlight (Gloss)



Raw Aluminum
w/Black-Tinted Clear
HyperHighlight (Gloss)




Lightning White
w/Sterling Silver
HyperHighlight (Gloss)



Jet Black/
Raw Aluminum
(Matte)



Jet Black/
Sterling Silver
(Gloss)



Jet Black/
Charcoal Grey
(Gloss)



Jet Black/
Race Red
(Gloss)




Jet Black/
Saffron Metallic
(Gloss)



Mocha/
Saffron Metallic
(Gloss)



Mocha/
Saffron Metallic
(Matte)



Midnight Blue/
Blazer Blue
(Gloss)



Patriot Blue/
Lightning White
(Gloss)



Patriot Blue/
Sterling Silver
(Gloss)



Blazer Blue/
Lightning White
(Gloss)



Fairway Green
w/Platinum
HyperHighlight (Gloss)



Fairway Green/
Yellow Green
(Gloss)



Yellow Green/
Fairway Green
(Gloss)



Saffron Metallic/
Jet Black
(Matte)



Triple Blue Fade
(Gloss)



Candy Corn Fade
(Gloss)



cannondale feel it

WWW.CANNONDALE.COM