

DIA-COMPE

2016-2017



www.diacompe.com.tw





P4 . . .  ENE CICLO
P12 . . . *Gran Compe*[®]
P17 . . . **DIA-COMPE**[®]



ENE CICLO C-2 FRAME SET

- 700C
- CrMo4130 Double-Butted tube
- 1" Threaded fork
- Original Lugs
- Two water bottles bracket
- Down tube shifter studs
- Fender & Carrier adapters
- 1" Threaded Headset
- Color : Dark Red,Dark Blue
- Weight : 11.5kg(535)

Head Angle	Seat angle	Top tube length	Fork rake	F.C.	BB Drop	Seat tube	R.C
71°	73°	533mm	48mm	583mm	75mm	535mm (C-T)	435mm
71.5°	72.5°	550mm	48mm	590mm	75mm	555mm (C-T)	435mm
72°	72.5°	570mm	48mm	606mm	75mm	575mm (C-T)	435mm
72°	72°	590mm	48mm	621mm	75mm	595mm (C-T)	435mm

※ Welded Front derailleur bracket
Weight : 3.5kg with fork (555mm)



Dark Red Dark Blue



FLAT-1 FRAME SET



Rear Chain Stay Bridge

ENE CICLO FLAT-1	
Material	4130 Cr-mo
Head Set	DIATECH
Seat Clamp	Gran Compe
C-T	460mm
HeadAngle	74°
Top Tube	529mm
R.C	380mm
F.C	572mm




Pink



White



Black



Uni Crown Straight Fork




Stay

**ENE FENDER FR-32**



- For Road Bikes
- Aluminum
- High polished
- Width : 32mm Depth : 13mm
- Length: F 735mm / R 1140mm
- For 700x23C Tire

**ENE CICLO MUD FLAP**


- Compatible with ENE FENDER F-1/F-2/F-3
- Australian cowhide
- Color: Brown only
- With Stainless steel bolts & nuts
- Width: 116mm
- Length: 115mm
- Hole: $\Phi 6$ mm (width: 28.5mm)

**ENE FENDER F-3 COPPER**


- Aluminum
- Color : Copper anodized
- Width : 47mm Depth : 20mm
- Length : F 735mm / R 1140mm
- For 650X35C~650X38C Tire

**ENE CICLO FENDER STAY ADAPTER**

- Stainless Steel(SUS304) made stay adapter
- Especially designed for frames without end tabs
- ID 6mm

**ENE FENDER F-3**

- Aluminum
- High polished
- Width : 47mm Depth : 20mm
- Length : F 735mm / R 1140mm
- For 650X35C~650X38C Tire





ENE FENDER F-2 COPPER

- Aluminum
- Copper anodized
- Width : 36mm Depth : 20mm
- Length : F 735mm / R 1140mm
- For 700X23C~700X28C Tire


ENE FENDER F-2 BLACK

- Aluminum
- Black anodized
- Width : 36mm Depth : 20mm
- Length: F 735mm / R 1140mm
- For 700x23C~700x28C Tire


ENE FENDER F-2

- Aluminum
- High polished
- Width : 36mm Depth : 20mm
- Length : F 735mm / R 1140mm
- For 700X23C~700X28C Tire


ENE FENDER F-1

- Aluminum
- High polished
- Width : 36mm Depth : 20mm
- Length : F 735mm / R 1140mm
- For 700X23C~700X28C Tire


ENE FENDER F-1 BLACK

- Aluminum
- Black anodized
- Width : 36mm Depth : 20mm
- Length: F 735mm / R 1140mm
- For 700x23C~700x28C Tire

**ENE CICLO CHAIN WHEEL TRIPLE**

- Cold Forged aluminum crank arm.
- Polished Silver finish.
- Chainring: 46T/38T/30T.
- Length: 165mm/170mm.
- PCD: 96mm.
- Square Taper BB.
- Weight : 700g wo/BB

ENE CICLO CHAIN WHEEL DOUBLE


- Cold Forged aluminum crank arm
- Polished Silver Finish
- Chainring : 48T/36T,46T/34T
- Length : 165mm/170mm
- PCD : 96mm
- Square Taper BB(68x116)
- Weight : 688g wo/BB

**ENE CICLO CHAIN RING**

- 30T,34T,36T,38T,46T,48T

ENE STEM


- Aluminum Cold Forged
- Angle 70°
- Bar bore Ø25.4mm or Ø26mm
- Post Length 130mm : Extension 60L (Silver only) or 80L or 100L
- Post Length 180mm (Silver only): Extension 80L or 100L
- Color : Buffed Anodized (Silver, Black, Gold, or Blue)
- Weight : 268g (Ø25.4/80L/Post Length 130mm)
290g (Ø25.4/100L/Post Length 130mm)

**ENE BOTTOM BRACKET**

- JIS BC1.37x24T (68mm) 116mm, Front Double Crank, weight: 270g
- ITA BC M36x24T (70mm) 116mm, Front Double Crank, weight: 260g
- JIS BC1.37x24T (68mm) 122.5mm, Front Triple Crank, weight: 280g
- JIS BC1.37x24T (68mm) 103mm, Front Single Crank, weight: 256g
- JIS Taper

**ENE STEM HOLE-IN**

- CNC hole for light Weight
- Aluminum Cold Forged
- Angle 70°
- Bar bore Ø25.4mm or Ø26mm x 80L or 100L
- Post Length 130mm
- Color : Buffed Anodized (Silver, Black, Gold, or Blue)
- Weight : 248g (Ø25.4/80L/Post Length 130mm)
270g (Ø25.4/100L/Post Length 130mm)


ENE STEM MOUNT SHIFTER


- Shifter on stem column
- Clamp : $\Phi 22.2\text{mm}$, Aluminum CNC, silver anodized
- 8.9.10 speed compatible
- weight : 110g/pc


ENE DOWN TUBE SHIFTER


- ENE Shifter with Clamp $\Phi 28.6\text{mm}$
- Down tube use
- 8.9.10 Speed compatible
- Silver anodized clamp
- Weight: 94g/pc


ENE 11S SHIFTER

- 11 speed compatible
- Down Tube use
- Weight : 100g/pair


ENE THUMB SHIFTER

- Clamp : Aluminum CNC, Silver or Black anodized.
 $\Phi 26.0\text{mm}$ standard diameter
 $\Phi 23.8\text{mm}$ or $\Phi 22.2\text{mm}$ with shims
- Weight : 116g/pair complete
- 8, 9, 10 Speed Compatible
- Cable Adjuster


ENE W-SHIFT LEVER

- 8, 9, 10 Speed Compatible
- Down Tube use
- Weight : 64g/pair


ENE BAR END CONTROL

- Power Ratchet Shifting Lever
- Silver clear finish
- Weight : 162g/pair



ENE SEAT POST

- Aluminum 2014 T6
- $\Phi 27.2\text{mm} \times 250\text{mm}$
- Color : silver anodized or powder white
- Weight : 240g



ENE TOURING HUB(CASSETTE)

- Hub Shell : A6061 Aluminum
- Bearing : Sealed bearing
- Front : 32H or 36H, O.L.D 100mm, Silver anodized with QR
- Rear : 32H or 36H, O.L.D 130mm, Silver anodized with QR
- Cassette : "NEW" S-type/11speed, C-type/11speed
- S Cassette body : Aluminum
- C Cassette body : Aluminum
- S-type for Shimano Cassette free
- C-type for Campagnolo Cassette free
- Weight : 266g(Front) 382g(Rear/S-type) 372g(Rear/C-type)



"NEW" S-type



C-type

ENE TOURING HUB(BOSS FREE)

- Hub Shell : A6061 Aluminum
- Bearing : Sealed bearing
- Front : 32H or 36H, O.L.D 100mm, Silver anodized with QR
- Rear : 32H or 36H, O.L.D 126mm or 130mm, Silver anodized with QR
- Boss Free : 6S or 7S
- Weight : 270g(Front) 320g(Rear)



ENE FRONT CARRIER

- Steel CP
- Designed only for GC610, GC700 & DC750 Brakes
- Light weight bag carrier
- Carrier only (without brake)
- 4 Light brackets



ENE BOTTLE CAGE(T2)

- Stainless steel Ø 4 pipe
- Weight : 36g
- High polished finish



ENE BOTTLE CAGE(R1)

- Stainless steel Ø 4 pipe
- Weight : 46g
- High polished finish



ENE CLASSIC RACING BAR

- Classic Road Bike use.
- Size : Ø26mmX360mm, 380mm, 400mm or 420mm
- Drop : 125mm(360mm, 380mm)
145mm(400mm, 420mm)
- Aluminum.
- Color : Silver anodized.
- Weight : 280g(Ø26mmX400mm)



ENE TOURING BAR

- Touring Bike use.
- Special designed for DC139 Lever and DC138 Hand Rest.
- Size : Ø26mmX390mm or 410mm
- Aluminum.
- Color : Silver anodized.
- Weight : 288g(Ø26mmX390mm) 294g(Ø26mmX410mm)

ENE TOURING SADDLE

- Touring Bike use
- Width:170mm
- Length:285mm
- Material:Australia cowhide
- Color:Dark Brown,Light Brown,Black, Natural Beige
- Weight:588g

Light Brown



Dark Brown



Black



Natural Beige



ENE FRONT BAG

- Special designed for ENE Front Carrier
- Size : 120x160x115mm
- Material : canvas
- Volume : 1.7L
- Weight : 138g

ENE WIRE

- 1.5mm stainless slick cable.
- Road Brake or Mountain Brake use.
- Front : 800°C670°C, Rear : 1400°C1250°C.
- Color : Brown, White, Black.



ENE CICLO PASSAGE TIRE

- 700x32C
- Open Tubular Tire
- Wire bead
- Top Dark Brown with natural rubber color on side walls
- Weight:350g

ENE CICLO TOURER TIRE

- 700 x 28C
- Open Tubular Tire
- Wire bead
- Top Light Brown with side Natural Material color
- New modified tread design reduces rolling resistance and increases its mud shedding ability
- Weight:370g

ENE CICLO TIRE

- 700X28C
- Open Tubular Tire
- Wire bead
- Top Brown with side Beige color
- Weight : 460g



GRAN COMPE CR-X TIRE

- 700 x 32C
- Open Tubular Tire
- Aramid Bead
- Top Black with side Blue color
- Weight : 296g (Ava)

GranCompe®

TRACK

GRAN COMPE PRO

- KEIRIN Race
- NJS approved
- Angular contact Ball Bearing
- Front : 36H Rear : 36H Fixed/Fixed
- O.L.D : 100mm(Front) 120mm(Rear)
- Cold forged aluminum hub body
- Color : silver anodized
- Weight : 270g(Front) 310g(Rear)



GRAN COMPE HUB

- Single Speed use
- Cold forged aluminum hub body
- Sealed bearing
- Front : 32H or 36H
- Rear : Fixed/Fixed 32H or 36H
Fixed/Free 32H or 36H
- O.L.D : 100mm (Front) 120mm (Rear)
- Color : Silver, Black and Powder White
- 280g (Front) 340g (Rear)



GRAN COMPE SF HUB

- Single Speed Bike use
- Cold forged aluminum hub body
- Sealed bearing
- Front : 20H 24H or 32H
- Rear : Fixed/Fixed 24H or 32H
- O.L.D : 100mm(Front) 120mm(Rear)
- Color : Silver, Black
- 176g (Front) 224g(Rear)



GRAN COMPE HUB QR KIT

- Front : 100mm
- Rear : 120mm



COG

- 15T, 16T, 17T, 18T
- Steel (Black, Silver, White, Blue, Red, Pink, Green, Gold)



LOCK RING

- CrMo steel CNC (Black, Silver, White, Red, Blue, Pink, Green, Gold)



TRACK



GRAN COMPE 700 TIRE

- Open Tubular Tire
- Aramid Bead
- Weight : 220g (Ava)
- Color : Black, White, Pink, Green, Orange, Yellow, Red, Blue, purple, Brown
- Size : 700X23C




GRAN COMPE 650 TIRE

- Open Tubular Tire
- Aramid Bead
- Weight : 290g (Ava)
- Color : White
- Size : 650X26C



GRAN COMPE SIDE WAVE TIRE

- Open Tubular Tire
- Wire Bead
- Weight : 500g (Ava)
- Color : White, Pink, Grey
- Size : 700X28C




GRAN COMPE WHEEL

- Gran Compe Wheel Assembled.
- DIA-COMPE Original Rim
- 32H/2.0mm Spoke
- O.L.D : 100mm (Front)/120mm (Rear)
- Color : Anodized Black or Silver
- Weight : 1100g (Front)/1150g (Rear)



GRAN COMPE MH-1

- Multi-mount holder with shock Absorber
- Suitable for cell phone, GPS, car video recorder, ect
- Body : Aluminum
- Color : Red Anodized
- Limit Loading 300g (Attached spring limit loading : 450g)



GRAN COMPE SADDLE

- ① GCLS-01 : Leather, Dark Brown
 - ② GCLS-02 : Leather, Black
 - ③ GCLS-03 : Leather, White
 - ④ GCLS-04 : Leather, Pink
 - ⑤ GCLS-05 : Leather, Red
- Weight : 560g



GRAN COMPE SADDLE BAG

- Leather
- Color : Brown, Black, White, Red, Pink
- Weight : 250g

GranCompe®

TRACK




GRAN COMPE SINGLE SPEED CRANK SET

- Cold Forged aluminum crank arm
- High polished Silver anodized finish.
- Length : 165mm only
- PCD : 130mm, Square Taper BB (68X103)
- Torx bolt : 5 Pieces T30 (Gran Compe Original)
- Original CNC Gear. 46T Black anodized
- Weight : 630g



GRAN COMPE CLASSICO CRANK SET

- Cold Forged aluminum crank arm
- High polished Silver finish.
- Length : 165mm only
- PCD : 130mm, Square Taper BB (68X103)
- Torx bolt : 5 Pieces T30 (Gran Compe Original)
- Original CNC Gear. 46T Silver anodized
- Weight : 630g



GRAN COMPE CHAINWHEEL

- PCD 130mm 46T
- Color : Black, Silver, Red, Gold or Blue anodized
- Weight : 100g



TORX BOLT & NUT

- Aluminum
- Torx (T30) bolt
- Single Speed bike use
- Color : Black, Red, Gold or Blue anodized



FLAT 20

- Single speed Bike use
- Ø25.4mm X 500mm
- Material : Aluminum
- Color : Buffed Silver anodized
- Weight : 220g



TRACK BAR

- Single Speed Bike Use.
- Size : Ø25.4mm or Ø26mm X 380mm
Ø25.4mm or Ø26mm X 400mm
- Aluminum
- Color : Powder Black, Powder White, Powder Pink, Buffed Silver anodized
- Weight : 316g (Ø25.4mm/380mm)
336g (Ø25.4mm/400mm)



GRAN COMPE SEAT POST

- 6061 aluminum.
- Ray Back Type Seat Post
- Length 250mm. OD 27.2mm
- Color : Silver anodized, Black anodized, Powder white.
- Weight : 240g

TRACK



GRAN COMPE SHOT LEVER

- Drop Bar use
- Hinged clamp diameter : 25.4mm (22.2mm with reducers)
- One clamp with two side Lever Handle for one Cable.
- Assembly with flexie adjustable lead pipe
- Weight : 110g
- Color : Silver, Black, Gold, Green, Red, Pink or Blue anodized



CASING CLIPS

- Stainless steel
- Single Speed Bike Use.
- Item&Size : 1501 (25.4mm)
1501M-1 (28.6mm)
1501M-2 (31.8mm)
- Color : Black, Silver, White, Blue, Red, Pink, Orange, Gold or Purple



FRAME PAD (BLACK)



FRAME PAD (WHITE)



GRAN COMPE 9000 Ti

- Light Weight Cold Forged Aluminum Arm
- BRS Index Quick Release
- Titanium Hardwears
- Cartridge Type Brake Pads
- Buff anodized Finish
- Dimension : 39-51mm
- 125g/Wheel

GRAN COMPE 8000Ti

- Cold Forged Aluminum Lever Handle
- Diecast Aluminum Bracket.
- BRS return Spring
- 2mm Reach Adjuster
- Titanium Bolts
- Buff Anodized Finish Lever Handle.
- Silver or Black painting Bracket
- 145g/pair

GranCompe[®]

TRACK BRAKE & PARTS



TRACK BRAKE SET FOR FRONT

- On road assist brake set for Track race bikes with front brake, adapter, lever and cable
- Oval, circle or aerofork clamp

For aerofork

TRACK BRAKE CLAMP

- Oval, circle or aerofork
- Suggest not use on carbon or Aluminum fork



Oval

Circle

Aerofork

TRACK BRAKE SET FOR REAR

- On road assist brake set for track race bikes
- With rear brake, adapter, lever, cable and assembly kits



HEADSET



CLASSIC 1"

- ITA Ø26.4mmXØ30.2mm
- Material : Steel Cup. Cone and Race
- Especially designed for Track bike
- Color : Black, Silver, Gold, Blue, Red or Pink ED
- Weight : 110g

ENE CICLO CLA1"

- A6061 aluminum Cups
- ITA φ26.4mmxφ30.2mm Threaded steerer tube
- Cartridge bearing
- Silver anodized
- Weight:95g



IB

- Sealed bearing (41mm or 41.8mm)
- Integrated Headset
- Size : 1-1/8"
- Color : Anodized (Black, Gold, Green, Blue, Red, Purple, Pink); Powder white
- Weight : 90g



CB-2

- Aluminum Headset
- Cartridge bearing
- Size : 1-1/8"
- Color : Silver, Black, Gold, Pewter, Pink, Red, Green, Blue or Purple anodized, Powder White
- Weight : 110g



PFITZINGER(Semi Integrated)

- For tapered 50mm/61mm OD headtube
- For tapered fork steerer 1.5" to 1-1/8"
- Cup(Upper&Lower):Alloy CNC
- Weight : 190g



PFITZINGER(std)

- For tapered 50mm/57mm OD headtube
- For tapered fork steerer 1.5" to 1-1/8"
- Forged alloy deeper cup and lower cup
- Sealed Bearings
- Weight : 190g



STAR NUT

- Steel
- 1", 1-1/8", 1-1/4"



PRESSURE PLUG

- Adjust tolerance 22-24mm
- Topcap : Black or Silver

SBN

- 1-1/8"
- Steel bearing cup
- Basic adjusting clamp
- Non threaded steerer cup
- Color : Black
- Weight : 160g



DIA-COMPE®

HEADSET

D-1 D-1FS

- Material : Steel Cup, Cone and race
- Special : "Heavy duty" lower cup design (D-Cup)
- Especially designed for BMX. Freestyle, Jumping and ATB bikes.
- Optional parts : Adjusting plug set with STD bolt (D-1) or Hollow bolt (D-1 FS).
- Size : 1-1/8"
- Color : Black, Red or Blue ED
- Weight : 180g(D-1)/194g(D-1FS)

D-1FS

D-1



RB-1

- Aluminum Headset
- Ball retainers bearing
- Size : 1-1/8"
- Color : Silver or Black anodized
- Weight : 100g



NB-1

- ITA Ø26.4mmXØ30.2mm
- Aluminum Headset
- Cartridge bearing
- Color : Silver or Black anodized
- Weight : 100g



ROAD/RACING



505Q

- Cold forged aluminum arms
- Color : Anodized
- Twist quick release
- Dimension : 45-57mm
- 146g/wheel



BRS200

- Light weight Side pull Caliper Brake for Road Racing & Triathlon Bike
- Cold forged aluminum arms (Silver or Black anodized)
- BRS index quick release
- New Cartridge type brake pads
- Dimension : 39-51mm
- 136g/wheel



BRS202

- Dual-Pivot Design
- Cold forged aluminum arms
- Quick release
- With adjustable pad
- Dimension : 57-75mm
- Color : Silver or Black anodized
- 200g/Wheel



ROAD/RACING

BRS101

- Dual-Pivot design
- Cold forged aluminum arms
- Quick release
- Color : Anodized(Silver, Black, Pink, Green, Blue, Gold, or Red)
- 101-pad
- Dimension : 43-57mm
- 188g/Wheel



GC450

- A6066 forged aluminum body
- Buffed and Silver anodized
- Brake shoes:GC450 PAD(Cartridge type pad)
- 1245 pulley guide cable bridge
- 1273-100 Straddle Cable
- Dimension:40-52mm
- 180g/wheel



BRS101 CARTRIDGE

- BRS101 with Cartridge pad
- Color : High polished with clear coating. powder white
- 190g/wheel



BRS100 CARTRIDGE

- BRS100 with Cartridge pad
- Color : Powder White
- 180g/wheel



BRS100

- Dual-Pivot Design
- Cold forged aluminum arms
- Quick release
- Color : Anodized(Silver, Black, Pink, Green, Blue, Gold, or Red)
- 101-pad
- Dimension : 39-49mm
- 178g/Wheel



DIA-COMPE®

ROAD/RACING



EVO-V

- Designed for long arm Canti Brakes
- Forged aluminum lever in buffed silver or black anodized finish
- 2mm Allen-key reach adjustment system
- BRS return spring mechanism
- Brown and Black rubber hoods are available
- 308g/pair



EVO

- For ATB & Cross Bikes(for Canti Brakes)
- Forged aluminum lever in buffed silver or black anodized finish
- 2mm Allen-key reach adjustment system
- BRS return spring mechanism
- Brown and Black rubber hoods are available
- 300g/pair



287V COVER

- 287V, EVO-V and EVO use
- Color : Black, Brown



287V

- Designed for long arm Canti Brakes
- Diecast aluminum bracket
- Aluminum plate lever handle (Silver anodized)
- Anatomically designed rubber hood (Bracket)
- BRS return spring
- Cable travel 20mm
- 270g/pair



GRAN COMPE RD801

- Cold forged alloy body
- Carbon derailleur plate
- 10-Speed compatible
- CNC machined pulley gage
- Sealed bearing included pulley
- Light weight CNC pulley (Black anodized)
- Shimano compatible
- 192g/pc



GRAN COMPE ZERO ISL800

- (Independent Shifting Lever)
- Independent Shifting Lever (Shift up & down)
- Carbon Lever Handle
- 10-Speed compatible
- Anatomic Bracket cover
- Shimano compatible
- 404g/pair




GRAN COMPE FD800

- Cold forged alloy bracket & clamp
- Brazed on type only
- 10-Speed compatible
- Compact drive compatible
- Double holding links
- 98g/pc

ROAD/RACING

DC165

- For Dropbar with extension lever.
- Designed for Side-pull, Cantilever & Center-pull brakes use
- A6061 forged aluminum extension lever handle
- Silver finish
- Rubber hoods: Black, Brown
- 280g/pair



BL100 WHITE

- BL100 with white painting lever handle



144.7

- DC165 Lever use
- Color : Brown, Black



BL100

- Resin bracket.
- Aluminum plate lever handle (silver anodized)
- Return spring
- 220g/pair

BL07

- Diecast aluminum Bracket
- Aluminum plate lever handle (Silver anodized)
- Brown, Black and White rubber hoods are available.
- BRS return spring
- 244g/pair



HR07

- HAND REST for Tandem bike
- Diecast aluminum bracket
- Resin lever (black)
- Anatomically designed bracket cover
- 204g/pair



GC07H

- BL07 with CNC Hole Lever handle (Buffed silver anodized)
- Brown, Black and White rubber hoods are available.
- With stainless clamp
- 248g/pair



BL07 COVER

- GC07H and BL07 use
- Color: White, Black, Brown

DIA-COMPE®

TOURING



GC202

- For Touring Bike (For Side-pull & Canti Brakes)
- Diecast aluminum bracket.
- Aluminum plate lever handle (Buffed Silver anodized)
- Brown, Black and White rubber hoods are available.
- With cable adjuster
- Without quick release
- 220g/pair



GC202H

- GC202 with CNC Hole Lever handle
- 216g/pair

GC202Q

- Aluminum high polished lever in silver anodized with cast bracket and cable adjuster.
- Brown, Black and White rubber hoods are available.
- With quick release
- 240g/pair



DC204QC COVER

- GC202H, GC202, GC202Q and DC204QC use
- Color : White, Black, Brown

DC204QC

- For Touring Bike (For Side-pull & Canti Brakes)
- Diecast aluminum bracket.
- Aluminum plate lever handle. (Silver anodized)
- Brown, Black and White rubber hoods are available.
- With quick release
- 200g/pair



TOURING



GC610

- Aluminum CNC Machined arms
- Dimension 47-61mm
- Silver anodized
- 190g/wheel
- 1242 pulley guide cable brid
- 1270-110 Straddle Cable



GC700

- Aluminum CNC Machined arms
- Dimension 53-70mm
- Silver anodized
- 234g/wheel
- 1242 pulley guide cable brid
- 1270-110 Straddle Cable



DC750

- Cold forged aluminum arms (Silver finish/Black anodized)
- Designed for Comfort bike
- dimension 60-78mm
- 192g/wheel
- 1242 pulley guide cable brid
- 1270-110 Straddle Cable

"SILVER" W-SHIFT LEVER

- 8, 9, 10 Speed Compatible
- Down Tube use
- weight : 64g/pair



BAR END CONTROL "SILVER"

- Power Ratchet Shifting Lever
- Silver clear finish
- Bar end control shifting lever use
- weight : 162g/pair



GC 999

- Forged aluminum Arms(Anodized)
- Adjustable for Rim, Brake pad, Spring & Straddle wire
- OPC-12 Brown pad
- weight : 167g/wheel



MX806

- Forged aluminum arms (Silver finish/Black anodized)
- Power reinforcement with dual-pivot device.
- Dimension 57-75mm
- 210g/wheel

CENTER PULL PIVOT

- Material : steel
- Brazed on pivot for center pull caliber brakes



CABLE ADJUST BOLT

- GC202H, GC202, GC202Q and DC204QC use



CENTER PULL CALIPER ASSEMBLY KITS

- Spring and aluminum plate
- For assembly of caliper (GC610, GC700 & DC750) with Front fork or Back fork



GC450 CENTER PULL CALIPER ASSEMBLY KITS

- Spring and aluminum plate
- For assembly of GC450 caliper with Front fork or Back fork



GC450 CENTER PULL PIVOT

- Material : steel
- Brazed on pivot for GC450 center pull caliber brakes

DIA-COMPE®


TOURING

DC139

- Aluminum Lever Handle and Bracket
(Silver, Black Gold or Copper anodized)
- Stainless clamp Ø23.8mm
- Guidonnet lever
- 128g/pair


DC135


- Aluminum Lever Handle and Bracket
(Silver, Black Gold or Copper anodized)
- Stainless clamp Ø 22.2mm
- 120g/pair


DC138

- Hand rest
- Clamp Ø23.8mm
- Color : Brown or Black
- 110g/pair


DC139 & DC138 & ENE TOURNG BAR

CITY



DC188

- Cold forged aluminum lever handle (Silver finish / Black anodized)
- Cable system Build in type/Handle bar
- Handle Bar Diameter ID20mm or ID18mm
- Bracket : Brown, Black
- Weight 140g/pair



DC188 ID16

- Cold forged aluminum lever handle (Silver finish / Black anodized)
- Cable system Build in type/Handle bar
- Handle Bar Diameter ID16mm
- Bracket : Brown
- Weight 140g/pair



DC188 GRIP

- Color : Brown, Black



CLASSIC DC810

- Cold forged aluminum arms
- Silver Anodized
- Dimension : 61mm-79mm
- MX1000 PAD
- 168g/wheel



MLB-50

- Multi Condition metal link brake system.
- Passed BAA (Bicycle Association Approved)
- Non asbest
- Weight 512g



CLASSIC DC730

- Cold forged aluminum arms
- Silver Anodized
- Dimension : 53mm-71mm
- MX1000 PAD
- 164g/wheel



128S-II

- Aluminum bracket (Silver finish/Black anodized)
- Cold forged aluminum lever handle (Silver finish/Black anodized)
- Thumb-lock stopper
- 120g/pair



DC808

- Cold forged aluminum arms
- Better stopping power with long caliper arms
- Designed for comfort bike & electrical assist bikes
- Diameter 61-79mm
- OPC-30 pads
- Silver finished
- 190g/wheel



DC131

- Aluminum bracket (Silver finish/Black anodized)
- Cold forged aluminum lever handle (Silver/Black anodized)
- 100g/pair

DIA-COMPE®

BMX/FREE STYLE



BOX-U

- Aluminum full CNC
- Dual Spring tension adjustment (Super Low Profile green tension adjuster)
- Stainless steel spring & Ultra small cable anchor unit
- Hombre-pads green
- 160g/Wheel
- BOX-U Straight : Straight type
- BOX-U Angle : Angle type (15 degrees)
- Color : Anodized; Powder pink or white
- Weight : 190g/wheel



BOX-U ANGLE

- Angle type (15 degree) of BOX-U



AD MIL

- Cold forged aluminum arms (anodized)
- Rear wheel use
- dual spring tension adjustment (Super low profile green tension adjuster)
- Stainless steel spring & ultra small cable anchor unit
- Green pads
- 200g/wheel



AD990

- Cold forged aluminum arms (Silver finish/Black anodized)
- Dual spring tension adjustment
- K-pads
- 280g/Wheel



AD990TW

- Dual cable pull version of AD990



FS990HB

- Cold forged aluminum arms (Silver finish/Black anodized)
- Dual spring tension adjustment
- K-pads
- Reverse pull for left crank side
- 290g/Wheel



AD997TW "MAGIC"

- Melt forged aluminum arms (Black ED/Powder white)
- Dual Cable Pull for rear wheel w/anchor bolts
- Dual spring tension adjustment
- V-type brake shoe can accommodate rim width of 22-32mm
- Hombre pads
- 215g/wheel

BMX/FREE STYLE

FS996 "HOMBRE"

- Cold forged aluminum arms
- Freestyle use
- Dual Spring tension adjustment
- W/anchor bolt parts
- V-type Brake shoe can accommodate rim width between 22-32mm
- Hombre-Pads
- Color , Silver finish, Anodized; powder white or pink
- 208g/wheel



AD996 "HOMBRE"

- Cold forged aluminum arms
- Dual Spring tension adjustment
- W/Anchor bolt parts
- Available double cable control (add anchor bolt assy)
- V-type brake shoe can accommodate rim width between 22-32mm
- Hombre-pads
- Color , Silver finish, Anodized; powder white or pink
- 216g/wheel



AD996TW ANGLE "HOMBRE"

- Angle type (15 degree) of AD996TW "HOMBRE"



AD996 "FIESTA" & FS996 "FIESTA"

- Cold forged aluminum arms
- Dual Spring tension adjustment (Super low Profile green Tension Adjuster)
- Stainless steel Spring & Ultra small cable anchor unit.
- Hombre-pads green
- V-type brake shoe can accommodate rim width between 22-32mm
- Color, Silver finish, Anodized; powder white or pink
- 216g/wheel (AD996 "FIESTA")
- 208g/Wheel (FS996 "FIESTA")



AD996TW "HOMBRE"

- Dual cable pull version of AD996



884Q

- Quick release
- Cold forged aluminum arms (Silver finish/ anodized)
- Dimension 68-86 mm • OPC30/31 pads
- 210g/Wheel



884L

- Cold forged aluminum arms (Silver finish/ anodized)
- Dimension 68-86 mm • OPC30/31 pads
- Reverse pull
- 200g/Wheel



884QL

- Cold forged aluminum arms (Silver finish/ anodized)
- Dimension 68-86 mm
- OPC30/31 Pads
- Quick release, reverse pull
- 210g/Wheel



884

- Cold forged aluminum arms (Silver finish/ anodized)
- Dimension 68-86 mm • OPC30/31 pads
- 200g/wheel



883QL

- Cold forged aluminum arms (Silver finish/ anodized)
- Dimension 68-86 mm • OPC30/31 Pads
- Quick release, reverse pull
- 210g/Wheel



883Q

- Cold forged aluminum arms (Silver finish/ anodized)
- Dimension 68-86 mm • OPC30/31 pads
- Quick release
- 210g/Wheel

DIA-COMPE®

BMX/FREE STYLE



MX 1000

- Color : Anodized, Powder white
- Adjust/Quick Release
- Dimension 73-92 mm
- Cold forged aluminum arms
- 210g/wheel



MX 890

- Color : Anodized, Powder white
- Dimension 68-86 mm
- Cold forged aluminum arms
- 160g/wheel



28.6

NEW


25.4



MX1500N

- Hinged seat post clamp
- Diameter 25.4 mm or 28.6mm
- Anodized (Silver,Black,Gold, Red, Blue), Powder white.
- Weight : 58 g



MX1500

- Two Bolts Seat Post Clamp.
- Diameter 25.4mm.
- Anodized (Silver,Black,Gold, Red, Blue), Powder white.
- Weight: 60g.



BMX/FREE STYLE



MX123/TECH-4

- Aluminum bracket (Anodized, Powder white)
- Cold forged aluminum lever handle (Anodized, Powder white)
- Clamp 22.2mm or 23.8mm
- 80g/pair



MX121/TECH-3

- Aluminum Bracket (Anodized, Powder white)
- Cold forged aluminum lever handle (Anodized, Powder white)
- Clamp 22.2 mm or 23.8 mm
- 100g/pair



MX 122

- Aluminum Bracket (Silver finish, Anodized, Powder white)
- Cold forged Aluminum lever Handle (Silver finish, Anodized, Powder white)
- Clamp 22.2 mm or 23.8 mm (Silver finish, Anodized, Powder white)
- Clamp 26 mm (Silver finish or Black anodized only)
- 88g/pair



MX120

- Aluminum bracket (Anodized, Powder white)
- Cold forged aluminum lever handle (Anodized, Powder white)
- Clamp 22.2mm or 23.8mm
- 112g/pair

DIA-COMPE®

BMX/FREE STYLE

TECH99DS "GOLD FINGER"

- Forged aluminum bracket (Anodized)
- Forged aluminum Lever handle (Anodized)
- Double bent lever handle for Dirt jump
- Hinged clamp
- Clamp 25.4mm standard or w/sleeve for 22.2mm handle bar.
- Usable on curve position (Short handle bar)
- Freestyle use.
- 240g/pair



TECH99D "DIRT HARRY"

- Forged aluminum bracket (Anodized)
- Forged aluminum lever handle (Anodized)
- Double bent lever handle for Dirt Jump
- Hinged clamp
- Clamp 25.4mm standard or w/sleeve for 22.2mm handle bar
- Usable on curve position (Short handle bar)
- Freestyle use.
- 248g/pair



GOLD FINGER 318

- Forged aluminum bracket (Anodized)
- Forged aluminum Lever handle (Anodized)
- Double bent lever handle for Dirt jump
- Hinged clamp
- Clamp 31.8 mm
- Usable on curve position (Short handle bar)
- Freestyle use.
- 260g/pair



DIRT HARRY 318

- Forged aluminum bracket (Anodized)
- Forged aluminum Lever handle (Anodized)
- Double bent lever handle for Dirt jump
- Hinged clamp
- Clamp 31.8 mm
- Usable on curve position (Short handle bar)
- Freestyle use.
- 268g/pair



TECH99DS-H "GOLD FINGER"

- GOLD FINGER with CNC Hole Lever handle
- 238g/pair



MX-2 BL200

- Designed for long arm canti brakes and caliper brake
- Aluminum diecast bracket. (Powder black, red or white)
- Cold forged aluminum handle (Silver finish/Black anodized)
- 2mm reach adjustable leverage
- Cable travel : 23.8mm (V type brake)
15.0mm (For caliper brake)
- "V" Position for V type brake
- "N" Position for caliper brake
- 168g/pair



BMX/FREE STYLE

282SW

- Double cable pull of 282S
- Weight: 142g/pc



NEW

282

- TECH77 with 20mm Longer Lever handle
- Weight: 228g/pair



NEW



TECH-77W

- Double cable pull
- Diecast aluminum bracket (Black finish)
- Cold forged aluminum lever handle (Silver finish)
- Hinged clamp
- 136 g/pc

282S

- 20mm Longer lever handle than 182S-II
- 240g/pair



TECH99

- Design for freestyle
- Forged aluminum bracket (Anodized)
- Forged aluminum lever handle (Anodized)
- Hinged clamp
- Clamp 25.4mm standard or w/sleeve for 22.2mm handle bar
- Freestyle use
- 248g/pair



182S-II

- Tech77 with thumb-lock stopper



TECH-77 DJ

- Diecast aluminum bracket (Black finish)
- Cold forged aluminum lever handle (Silver finish)
- Double bent lever handle for dirt jump & Freestyle
- Hinged Clamp
- 214g/pair



TECH-77

- Diecast aluminum bracket (Black finish, Powder White or Pink)
- Cold forged aluminum lever handle (Silver finish, Anodized, Powder white or pink)
- Hinged clamp
- Freestyle use
- 228g/pair



DIA-COMPE®

BMX/FREE STYLE

MX-2 BA733

- V type brake
- Cold forged aluminum arms (Silver or Black anodized/ Powder red)
- ⊕ Dual spring tension adjustment
- Linear springs
- S-pads
- 186g/Wheel



MX-1 BL330 WIN

- Diecast aluminum bracket (Black finish)
- Cold forged aluminum lever handle (Silver finish)
- Design for Short arm V-type brake & Side pull caliper (Freestyle & BMX)
- 22.2mm clamp
- 162g/Pair



MX-99

- Diecast aluminum bracket (Black finish)
- Forged aluminum lever handle (Silver anodized/ Black finish)
- 2mm reach adjuster
- BRS return spring
- 176g/Pair




MX110

- Melt forged aluminum bracket (Black ED)/ handle (Black ED)
- Two finger designed
- 152g/Pair



DISC BRAKE ACCESSORIES



ATB/MTB L.A.C.B & CANTI LEVERS

CR-X

- Forged aluminum Arms (Anodized)
- Adjustable for Rim, Brake pad, Spring & Staddle Wire
- CR-X black cartridge pad
- Weight : 149g/wheel



SS6

- High power out put design
- Diecast aluminum bracket (Black or Silver finish)
- Cold forged aluminum lever handle (Silver finish)
- 2mm reach adjuster
- BRS return spring
- 160g/Pair



DP7PLUS

- 2-Position V type brake leverage adjustment
- Diecast aluminum bracket (Black finish)
- Cold forged aluminum lever handle (Silver finish)
- 2mm reach Adjuster
- BRS return spring
- 180g/Pair



VC733

- Long arm canti brake
- Cold forged aluminum arms (Silver anodized)
- ⊕ Dual spring tension adjustment
- Linear springs
- S-pads
- 186g/Wheel



DC988

- Cold forged aluminum arms. (Silver anodized)
- Dual spring tension adjustment
- OPC12 Brown Pad
- Weight : 198g/wheel



DIA-COMPE®

ACCESSORIES

LEAD PIPES

- Stainless steel
- 90° 105° 135°



LEAD PIPE FOR SKID CONTROL
• 135°



OPEN LEAD PIPE
• 135°



1260E-40

- 6mm ID hole
- 40mm opening
- 50mm Pitch



1260ES

- 6mm ID hole
- 30mm opening
- 36mm pitch



1260ES-40

- 6mm ID hole
- 40mm opening
- 38mm pitch


NEW


DOWN TUBE CABLE HOUSING STOPS

- Braze-on down tube adjuster for shifter
- Include barrel adjuster and mounting bolts



SHORT FLEXIE

FLEXIE

- Extra flexible casing with cable adjuster
- Additional length to the cable : 125mm
- Stainless steel casing & aluminum adjuster
- Color : Silver, Black, Gold, Green, Red, Blue

FLEXIE-V

- Extra flexible lead pipe with cable adjuster
- Additional length to the cable : 125mm
- Stainless steel casing & aluminum adjuster
- Color : Silver, Black, Gold, Green, Red, Blue
- For long arm Canti Brake use

SHORT FLEXIE

- Extra flexible casing with cable adjuster
- Additional length to the cable : 95mm
- Stainless steel casing & aluminum adjuster
- Color : Silver



BOOT

ACCESSORIES



1254

- 1"
- Steel. CP
- With QR



1252

- 1"
- Steel. CP
- Without QR



1255

- 1"
- Steel. CP
- Without QR



1267-2

- Cold forged aluminum with cable angle adjuster and ferrule.
- 8mm ID hole
- 25mm pitch



1268-2

- 6mm ID hole
- 20mm pitch



1245

- GC450 use
- Aluminum body
- Buffed and Silver anodized
- Cable bridge with pulley guide



1268-3

- 8mm ID hole
- 20mm pitch



2001

- Aluminum body
- Free positioning
- Color : Silver



2001G

- Aluminum body
- Free positioning
- Color : Green anodized



2001BL

- Aluminum body
- Free positioning
- Color : Black anodized



1242

- Aluminum body
- Color : Silver



1242G

- Aluminum body.
- Color : Green anodized



1707

- cable hanger for AHEADSET fork
- 1 1/8"
- Cable drop : 34mm
- Cold forged aluminum
- Color : Silver or Black anodized
- with short flexie 95mm



94A

- Material : A 6061
- Color : Silver, Black, Red, Blue, Gold, Green and Purple
- For DC131, DC133, DC135, DC139, MX121, MX122 and 128S-II



99A

- Material : A 6061 CNC
- Color : Silver, Black, Red, Blue, Gold, Green and Purple



1281-F

- Front cable hanger
- for Cantilever brake



ALUMINUM SPACER

- Size : 1", 1-1/8", Thickness : 2, 5, 10, 15, 20mm
- Color : Silver, Black, Red, Green, Gold, Blue, Pink or Pewter anodized, Powder white




CARBON SPACER

- Size : 1", 1-1/8", 1.5", Thickness : 3, 5, 10, 15, 20mm

DIA-COMPE®

ACCESSORIES


GC450 PAD

- Cartridge type pad for GC450 brake
- $\Phi 7\text{mm} \times 22\text{mm}$ length post mount
- Silver anodized holder/Black pad


CR-X-PAD

- Cartridge type pad for CR-X Canti brake use
- Black holder/Black pad


CARBON RIM PAD

- Especially designed for carbon rim use
- Cartridge type pad for Racing brakes
- Silver anodized holder/Red pad


CTM-PAD

- Cartridge type pad for LACB with adjustable hardware
- 2 color pad


ARC-PAD

- Adjustable cartridge type pad for Racing brakes
- Silver anodized holder/Black pad


CT-PAD

- Cartridge type pad for L.C.A.B. with adjustable hardware
- For ceramic coating rim
- Satin anodized holder / Black pad


RC-PAD

- Cartridge type pad for Racing brakes
- Silver anodized holder/Black pad


S-PAD

- Color : Black with toe-in dots
- New compound for LACB with adjustable hardware


CTR-PAD

- Cartridge type pad for Racing brakes
- 3 color Pad


101-PAD

- Color : Black
- New compound for Racing brakes with adjustable hardwares

ACCESSORIES

FIESTA PACK

- Green Hombre-pads
- Low-profile aluminum spring tension adjuster.
- Stainless steel spring
- Aluminum end cap and wire stopper.



76BK-S

- Color : Black
- 10 degree brake pad for side pull brakes
- 20 pcs/sheet



HOMBRE-PAD

- Color : Black or Green
- Designed for freestyle bike
- New Compound with adjustable hardware



K-PAD

- Color : Black or Gray with toe-in dots
- Aluminum and steel post with measuring lines



DEKKA-PAD

- Color : Black or Green
- Especially designed for Freestyle & BMX high wall rims
- 18mm high & special compound
- Threaded post & Canti brake post



OPC-30

- Color : Black
- 0° tapered angle for side pull brakes



OPC-31

- Color : Black
- 10° tapered angle for side pull brakes



F-1 PAD

- Color : Black
- 0° or 10° tapered angle for side pull brakes
- New compound
- Long type pad



OPC-33

- Color : Gray
- 0° tapered angle for side-pull brakes
- Passed BAA (Bicycle Association Approved)



OPC-34

- Color : Gray
- 10° tapered angle for side-pull brakes
- Passed BAA (Bicycle Association Approved)



OPC-12 PAD

- GC999 or DC988 brake use
- Color : Brown

DIA-COMPE®

ACCESSORIES


1274-380

- 380mm Straddle cable


1276-300EZR

- 300mm Straddle cable w/easy release


1273-100

- For GC450
- ø1.2 x 100mm


GC60.4

- t 2.5mm


1270-110

- For GC610, GC700 & DC750 center pull brake


100.2/G

- Aluminum end cap with green color


100.2-RP

- Aluminum cable end cap for ø1.6mm
- 700Pcs/bottle


COLOR CHIPS

- Aluminum cable end cap for ø1.8mm
- 500 pcs (Black, Silver, Gold, Green, Purple each 100pcs)/bottle


100.2M-RP

- Aluminum cable end cap for ø1.8mm
- 500 pcs/bottle


CARBON PROTECTOR

- Carbon Chain Guard, carbon frame protector.



SEAT CLAMP

- Size : ID 27.2mm for OD 31.8mm seat tube.


UNIVERSAL OUTER GUIDE

- For front suspension fork use.

Description	Reach & Rim Width (mm)	REACH								SUITABLE RIM WIDTH			
		30	40	50	60	70	80	90		20	25	30	
BRS100			39-49							—●—			
GC9000Ti BRS200			39-51							—●—			
GC450			40-52								—●—		
BRS101				43-57							—●—		
505Q				45-57							—●—		
GC610				47-61							—●—		
GC700					53-70						—●—		
CLASSIC DC730					53-71							—●—	
BRS202 MX806					57-75							—●—	
DC750					60-78						—●—		
CLASSIC DC810 DC808					61-79							—●—	
883 884						68-86							—●—
MX 1000						73-92						—●—	
890						68-86					—●—		



DIA-COMPE

- 1930 YOSHIGAI Industry was established to manufacture bicycle rim brakes.
- 1949 YOSHIGAI KIKAI KINZOKU Co., Ltd. was established.
- 1956 Produced Bicycle caliper brakes.
- 1957 Got JIS certification for Bicycle Rim Brake & caliper brakes.
- 1963 Technically jointed with WEINMANN SWISS to manufacture aluminum brakes.
- 1975 DIA-COMPE USA Inc. was established at North Carolina, USA.
- 1987 DIA-COMPE TAIWAN Co., Ltd. was established in Taichung.
- 1996 YOSHIGAI Corporation, a new organization of "DIA-COMPE Japan" , was established.
- 2001 KUNSHAN DIA-COMPE Co., Ltd. was established at Jiang Su, China.
- 2005 YOSHIGAI Corporation' s Head Quarters was moved to Kadoma city, Osaka, Japan.
- 2010 New brand "ENE CICLO" started.



DIA-COMPE TAIWAN CO., LTD.

No.62, 35th RD, Taichung Industrial Park. Taichung, Taiwan R.O.C

TEL:886-4-2359-1117 FAX:886-4-2359-3188

E-mail:diatech@ms15.hinet.net

www.diacompe.com.tw

DIA-COMPE GROUPS

- YOSHIGAI CORPORATION

OSAKA, JAPAN www.diacompe.co.jp

- KUNSHAN DIA-COMPE CO., LTD.

JIANG-SU, CHINA www.diacompe.com.cn