

GAARY FISHER

2005

BIKES

THE 1ST AND LAST NAME IN MOUNTAIN BIKING





Light meets all-mountain. We bake each Cake from scratch using Genesis Geometry, a low-maintenance single-pivot design, and the Manitou Swinger SPV Shock for an efficient pedaling platform. That's why Cake is irresistible. That's also why it's the lightest and most efficient all-mountain bike available.

CAKE DLX bikes feature 5" front and 5" rear wheel travel for incredibly light and efficient, yet slightly more burly, all-mountain performance.



↑ CAKE 1 DLX

Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 5" travel | **WHEELS** Bontrager Race Lite disc-specific wheelsystem w/24mm thru-axle and OSB rear | Bontrager ACX 26x2.2 folding tires | **SUSPENSION** Maverick SC 32, 80mm-125mm adjustable travel | Manitou Swinger 3-Way Air w/SPV **COMPONENTRY** Shimano XT rear derailleur + shifters + front derailleur | Shimano XT 44/32/22 crank w/integral BB | Shimano XT hydraulic disc brakes, 8" front/6" rear, w/Shimano XT levers | **SIZES** SM (16") | MD (17.5") | LG (19") | XL (21") | **COLOR** Matte Black + Matte Blue | **ALSO AVAILABLE AS A FRAMESET**

CAKE DLX = 5x5
CAKE = 4x4

CAKE bikes feature 4" front and 4" rear wheel travel for all-mountain performance with race-ready versatility.



↑ CAKE 1

FRAME Platinum Series ZR9000 double-butted aluminum | **Genesis** Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 4" travel **WHEELS** Bontrager Race Lite disc-specific wheelsystem w/OSB rear | Bontrager ACX 26x2.2 folding tires **SUSPENSION** Fox FRL Air w/Lock-Out, 100mm travel | Manitou Swinger 3-Way Air w/SPV **COMPONENTRY** Shimano XTR rear derailleur + XT shifters + front derailleur | Shimano XT 44/32/22 crank w/integral BB | Shimano XT 6" hydraulic disc brakes w/Shimano XT levers **SIZES** SM (16") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Green + Metallic Silver

↓ CAKE 2 DLX

FRAME Platinum Series ZR9000 double-butt aluminum | Genesis Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 5" travel **WHEELS** Bontrager Race disc-specific wheelsystem w/OSB rear | Bontrager ACX 26x2.2 folding tires **SUSPENSION** Fox Float R Air, 130mm travel | Manitou Swinger 3-Way Air w/SPV **COMPONENTRY** Shimano XT SGS rear derailleur + LX shifters + front derailleur | Bontrager Race 44/32/22 crank | Hayes HFX-9 HD hydraulic disc brakes, 8" front/6" rear, w/Hayes levers | Shimano M520 clipless pedals **SIZES** SM (16") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Warm Silver + Matte Silver



↑ CAKE 2

FRAME Platinum Series ZR9000 double-butt aluminum | Genesis Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 4" travel **WHEELS** Bontrager Select disc-compatible wheelsystem w/OSB rear | Bontrager ACX 26x2.2 folding tires **SUSPENSION** Manitou Black Super Air, 100mm travel | Manitou Swinger 3-Way Air w/SPV **COMPONENTRY** Shimano XT rear derailleur + shifters + LX front derailleur | Bontrager Race 44/32/22 crank | Hayes HFX-9 6" hydraulic disc brakes w/Hayes levers | Shimano M520 clipless pedals **SIZES** SM (16") | MD (17.5") | LG (19") | XL (21") **COLOR** Matte Black + Matte Khaki



↑ CAKE 3 DLX

Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 5" travel **WHEELS** Bontrager Select disc-compatible wheelsystem w/OSB rear | Bontrager ACX 26x2.2 folding tires **SUSPENSION** Manitou Black Elite, 120mm travel | Manitou Swinger 3-Way Air w/SPV **COMPONENTRY** Shimano LX SGS rear derailleur + LX shifters + front derailleur | Bontrager Select 44/32/22 crank | Hayes HFX-9 HD hydraulic disc brakes, 8" front/6" rear, w/Hayes levers | Shimano M520 clipless pedals **SIZES** SM (16") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Silver + Metallic Black

↓ CAKE 3

FRAME Platinum Series ZR9000 double-butt aluminum | Genesis Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 4" travel **WHEELS** Bontrager Superstock disc-compatible wheelsystem w/OSB rear | Bontrager ACX 26x2.2 folding tires **SUSPENSION** Manitou Skareb Elite, 100mm travel | Manitou Swinger 3-Way Air w/SPV **COMPONENTRY** Shimano LX SGS rear derailleur + LX shifters + front derailleur | Bontrager Select 44/32/22 crank | Hayes HFX-9.6" hydraulic disc brakes w/Hayes levers | Shimano M520 clipless pedals **SIZES** SM (16") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Matte Black + Metallic Matte Silver

Cake



↓ CAKE 4 DLX

FRAME Platinum Series ZR9000 double-butted aluminum | Genesis

Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 5" travel **WHEELS** Bontrager Superstock disc-compatible wheelsystem w/OSB rear | Bontrager ACX 26x2.2 folding tires **SUSPENSION** Manitou Black Comp, 120mm travel | Manitou Swinger 3-Way Air w/SPV **COMPONENTRY** Shimano Deore SGS rear derailleur + Deore shifters + front derailleur | Bontrager Select 44/32/22 crank | Hayes HFX-9 HD hydraulic disc brakes, 8" front/6" rear, w/Hayes levers | Shimano M505 clipless pedals **SIZES** SM (16") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Black + Metallic Red



Cake



↑ CAKE 4

FRAME Platinum Series ZR9000 double-butt aluminum | Genesis Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Sealed cartridge bearings | 4" travel **WHEELS** Bontrager Superstock disc-compatible wheelsystem w/OSB rear | Bontrager ACX 26x2.2 tires **SUSPENSION** Manitou Splice Comp w/Lock-Out, 100mm travel | Manitou Swinger 3-Way Air w/SPV **COMPONENTRY** Shimano Deore SGS rear derailleur + Deore shifters + front derailleur | Bontrager Select 44/32/22 crank | Shimano M430 cartridge V brakes w/Avid FR5 levers | Shimano M505 clipless pedals **SIZES** SM (16") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Silver + Metallic Blue

Free
ride

START>



Built to go down. Built to go off. Fisher Freeride — efficient and evil-genius tough. Built for anyone who insists on riding stuff that has no good business being ridden.

Gary's fascination with gravity began the moment he pointed his first Klunker down a fire road on Mt. Tam. Before mountain biking became so structured with start lines and gold medals there was nothing but freeriding. Gary is probably lucky he didn't have big suspension back in those days, he might not be the old man of mountain biking if he did.



↑ KING FISHER ↓

downtube | 1.5" externally reinforced headtube | 6061 T6 aluminum asymmetric swingarm | Cartridge bearings | Replaceable dropouts **WHEELS** Bontrager Big Earl freeride wheelsystem w/20mm thru-axle and OSB rear | Bontrager Big Earl 26x2.7 front/2.5 rear tires **SUSPENSION** Manitou Sherman Breakout Plus, 170mm travel, 20mm thru-axle | Fox DHX 4.0, coil over, adjustable ProPedal, tuning range and rebound **COMPONENTRY** SRAM X.D 1:1 rear derailleur + X-9 Trigger 1:1 shifters + Shimano Deore XT front derailleur | Shimano Saint 32/22 crank | Hayes HFX-MAG HD 8" hydraulic disc brakes w/Hayes HFX-MAG levers | 6061 CNC platform pedals w/cartridge bearings & cromoly spindles **SIZES** SM (15.5") | MD (17.5") | LG (19") **COLOR** Gloss Gray

FRAME King Fisher 6061 T6 aluminum | Hydroformed top and



↑ KING FISHER 2

FRAME King Fisher 6061 T6 aluminum | Hydroformed top and downtube | 1.5" externally reinforced headtube | 6061 T6 aluminum asymmetric swingarm | Cartridge bearings | Replaceable dropouts **WHEELS** Bontrager Earl freeride wheelsystem w/20mm thru-axle and OSB rear | Bontrager Big Earl 26x2.5 tires **SUSPENSION** Manitou Stance Flow, 170mm travel, 20mm thru-axle | Fox DHX 4.0, coil over, adjustable ProPedal, tuning range, and rebound **COMPONENTRY** SRAM X.9 1:1 rear derailleur + X-7 Trigger 1:1 shifters + Shimano Deore LX front derailleur | Bontrager Big Earl 32/22 crank w/Rock Ring | Hayes HFX-MAG HD 8" hydraulic disc brakes w/Hayes HFX-MAG levers | 6061 CNC platform pedals w/cartridge bearings & cromoly spindles **SIZES** SM (15.5") | MD (17.5") | LG (19") **COLOR** Matte Black

BIGG'NS STORY

It's a beautiful thing to see the tangents the world of mountain bikes has taken over the years. Dirt, vert, urban, trail, free. Gary's Bigg'ns hardtails are meant to be the Jack-of-all-trades bike for the hardcore. Designed to do everything well. You name it, Bigg'ns rides it.


Extreme box section of top and down tubes disperses forces for optimum ride quality.

Reinforced headtube, externally butted for maximum strength (and safety) when landing jumps.

Top tube and seat tube are gusseted for rock-solid strength when landing.

Compact rear maximizes maneuverability for going over and around obstacles.

Frame geometry is aggressively sloped to make the bike easier to move under the rider during tricks and jumps.



Free
ride



Box section top and downtubes | Manipulated chain and seatstays | Cold-forged dropouts **WHEELS** Shimano M525 Disc hubs | Sun Ryno Lite rims | Bontrager Big Earl K 26x2.5 tires **SUSPENSION** Marzocchi Drop Off | 130mm travel **COMPONENTRY** Shimano LX rear derailleur + Deore shifters + front derailleur | Bontrager Earl 32/22 crank w/Rock Ring | Hayes HFX-9 hydraulic disc brakes, 8" front/6" rear, w/Hayes levers | Alloy BMX pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19.5") | XL (21.5") **COLOR** Metallic Black



↓ **BITTER**

Box section top and downtubes | Manipulated chain and seatstays | Cold-forged dropouts **WHEELS** Shimano M475 Disc hubs | Sun Ditchwitch rims | Bontrager Earl 26x tires **SUSPENSION** Manitou Stance Static | 100mm travel **COMPONENTRY** Shimano Deore rear derailleur + Alivio shifters + front derailleur | Bontrager Earl 32/22 w/Rock Ring crank | Hayes Sole XC hydraulic disc brakes, 8" front/6" rear, w/Hayes levers | Alloy BMX pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19.5") | XL (21") **COLOR** Metallic Silver



↓ MULLET

FRAME Bigg's 6061 straight gauge aluminum | Reinforced headtube | Box section top and downtubes | Manipulated chain and seatstays | Cold-forged dropouts **WHEELS** Shimano M475 Disc hubs | WTB Speed Disc rims | Bontrager Earl 26x2.4 tires **SUSPENSION** Manitou Splice comp | 100mm travel **COMPONENTRY** Shimano Alivio rear derailleur + EF29 shifters + Acera front derailleur | Shimano MC08 42/32/22 crank | Hayes Linx-2 mechanical disc brakes, 8" front/6" rear, w/alloy levers | Alloy BMX pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19.5") | XL (21") **COLOR** Candy Blue




↑ OPIE

FRAME Bigg's 6061 straight gauge aluminum | Reinforced headtube | Box section top and downtubes | Manipulated chain and seatstays | Cold-forged dropouts **WHEELS** Alloy QR front hub w/ Shimano RM30 rear hub | WTB Dual Duty rims | Bontrager Earl 26x2.4 tires **SUSPENSION** InSync Edge 4 | 100mm travel **COMPONENTRY** Shimano Acera rear derailleur + EF29 shifters + C050 front derailleur | SR XCC-150 42/34/24 crank | Tektro V brakes w/alloy levers | Nylon BMX pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19.5") | XL (21") **COLOR** Red

Free
ride

Sugar

START>



Sugar is the ultimate performance enhancer. When Gary introduced Sugar, he had no idea it would change the cross-country racing world. Or did he? Sugar full-suspension bikes are efficient, lightweight, and wicked fast. They nail a pure, hardtail-like connection to the trail without the hard edge.



↑ SUGAR 292

FRAME Platinum Series ZR9000 double-butted aluminum | full-suspension | Genesis 29" Geometry **WHEELS** Bontrager Race Lite 29" disc-specific wheelsystem w/OSB rear | Bontrager ACX 29x2.2 folding tires **SUSPENSION** RockShox Team 29", 100mm travel | Fox Float R **COMPONENTRY** SRAM X.0 1:1 alloy rear derailleur + X-9 Trigger 1:1 alloy shifters + Shimano XT front derailleur | Bontrager Race 44/32/22 crank | Hayes HFX-9 hydraulic disc brakes w/Hayes levers | Shimano M520 clipless pedals **SIZES** SM (16") | MD (17.5") | LG (19") | XL (21") **COLOR** Red



↓ SUGAR 293

FRAME Platinum Series ZR9000 double-butted aluminum | **b-link suspension** | Genesis 29" Geometry **WHEELS** Bontrager Race 29" disc-specific wheelsystem w/OSB rear | Bontrager ACX 29x2.2 folding tires **SUSPENSION** RockShox Reba Race 29", 100mm travel | Fox Float R **COMPONENTRY** SRAM X.9 rear derailleur + X-7 Trigger 1:1 shifters + Shimano Deore front derailleur | Bontrager Race 44/32/22 crank | Avid BB7 mechanical disc brakes w/Avid FR5 levers | Shimano M520 clipless pedals **SIZES** SM (16") | MD (17.5") | LG (19") | XL (21") **COLOR** Black




↑ SUGAR 4+

FRAME Gold Series 6061 T6 double-butted aluminum | **sybil-link suspension** | Genesis Geometry **WHEELS** Shimano M525 Disc hubs | WTB Dual Duty rims | Bontrager Jones XR 26x2.25 front/2.2 rear tires **SUSPENSION** Manitou Splice Super, 70-100mm adjustable travel | RockShox BAR Adjust **COMPONENTRY** Shimano LX SGS rear derailleur + Deore shifters + LX front derailleur | Bontrager Select 44/32/22 crank | Shimano V brakes w/Avid FR5 levers | Shimano M505 clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Orange + Metallic Black

29ER STORY

Gary Fisher is wise about size. Once upon a time he realized that increasing the size of a wheel effectively decreases the size of all obstacles. The 29er was born. By increasing wheels by three inches, Gary created bikes that are less affected by dips, bumps, and soft terrain. They also help maintain speed and lower the rider's center of gravity in relation to the wheels, making for an exceptionally stable ride. And a study by Pepperdine University found that 29" wheels ride 6% faster on uphill courses and 3% faster on cross-country courses than their 26" cousins. All things considered, Fisher 29ers are pretty cool. Pretty cool, indeed.

29" wheels are versatile. Dirt. Asphalt. It really doesn't matter. Fisher 29ers let you turn a great mountain bike into a great city/path bike by simply swapping 700c road tires onto the 29er wheels. Yep — standard road tires fit like a glove. Or like a tire should.



29" wheels decrease your angle of attack. Why should you care? Decreasing the angle of attack lets you roll over obstacles faster, smoother, and easier than you can with smaller wheels.



29" wheels create a longer tire contact patch. To make a longer-contact-patch story short, this helps you float through mud, sand, and snow. Not getting bogged down helps you maintain your momentum. Which is a good thing.

PARAGON →

FRAME Platinum Series 789000 internally and externally butted aluminum | **Disc specific** | **Geometry** 29" wheels | **WHEELS** Bontager Race 29" disc-specific wheelsystem w/OSS rear | **Bontager** ACX 29x2.2 folding tires | **SUSPENSION** RockShox Reba Race 29" | 80mm travel | **COMPONENTRY** SRAM X9 rear derailleur + X9 Trigger 1.1 alloy shifters + Shimano LX front derailleur | **Bontager** Race 44/32/22 crank | Hayes HFX-9 hydraulic disc brakes w/Hayes levers | Shimano M520 clipless pedals | **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") | **COLOR** Ice Red



Genesis
START

↓ X-CALIBER

FRAME Platinum Series ZR9000 internally and externally butted aluminum | Disc specific | Genesis 29" Geometry **WHEELS** Bontrager Super stock 29" disc-specific wheelsystem w/OSB rear | Bontrager ACX 29x2.2 folding tires **SUSPENSION** RockShox Reba SL 29" | 80mm travel **COMPONENTRY** SRAM X.7 rear derailleur + X-7 Trigger 1:1 shifters + Shimano Deore front derailleur | Bontrager Select 44/32/22 crank | Avid BB7 mechanical disc brakes w/Avid FR5 levers | Shimano M505 clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Black




↑ RIG

FRAME Platinum Series SS internally and externally butted aluminum w/eccentric bottom bracket | Genesis 29" Geometry **WHEELS** Bontrager Race Disc front hub w/ Bontrager Race Disc SS rear hub | Bontrager Mustang 29" disc rims | Bontrager Jones ACX K 29x2.2 tires **SUSPENSION** RockShox Reba SL 29" | 80mm travel **COMPONENTRY** Bontrager Race Lite SS 32T crank | Avid BB7 mechanical disc brakes w/Avid Speed Dial 7 levers | Shimano M505 clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Pearl Purple



Gen-e
sis



Engineered for those who demand an honest, undiluted connection to the trail, these bikes are the ultimate evolution of a beautifully simple design. All new for 2005, Fisher Hardtails improve on perfection with two platforms: Platinum Series Aluminum and Aluminum Carbon Damping Composite (AC/DC) frames.




↑ ZIGGURAT

main frame w/carbon composite seat and chainstays | Genesis Geometry **WHEELS** Bontrager Race disc-compatible wheelsystem w/OSB rear | Bontrager Jones XR 26x2.25 front/26x2.2 rear tubeless-ready tires **SUSPENSION** Fox FRL w/Lock-Out | 100mm travel **COMPONENTRY** SRAM X.0 1:1 alloy rear derailleur + X-9 Trigger 1:1 alloy shifters + Shimano XT front derailleur | Bontrager Race Lite 44/32/22 crank | Avid SD-SL cartridge V brakes w/Avid FR5 levers | Shimano M520 clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Silver + Metallic Black

FRAME AC/DC ZR9000 internally and externally butted aluminum

AC/DC STORY

AC/DC? Yep. Aluminum Carbon Damping Composite. When Ryder Hesjedal (runner up in the 2003 Elite World Championships!) of the Subaru Gary Fisher Mountain Bike Team came to Gary and said "Hey, any chance I could get a little more relief for these long World Cup races, yet stay on a hardtail?" Gary said, "Hmmm." Next thing you know, we're introducing Genesis AC/DC technology. By combining an aluminum front end with a full carbon composite back end, we built a hardtail that's light, stiff, efficient, and offers saintly forgiveness from the abuse of the trail.



Front end based on Gary's all-new Platinum Series ZR9000 aluminum frame. It's got a reinforced head tube and highly manipulated main tubes that have been internally and externally butted for optimum weight and premium ride quality.

27.2mm seat post diameter allows a more forgiving ride than more rigid, larger-diameter posts.

Full carbon composite rear end dampens vibration and tunes out the small stuff that wears a rider down.

Disc-specific dropouts have been scalloped and optimized for weight savings and stiffness.



NON-DISC MODEL ALSO AVAILABLE.
SEE PAGE 45 FOR DETAILS.

↑ BIG SUR DISC

FRAME AC/DC ZR9000 internally and externally butted aluminum main frame w/carbon composite seat and chainstays | Genesis Geometry **WHEELS** Bontrager Superstock disc-compatible wheelsystem w/OSB rear | Bontrager Jones XR 26x2.2 tires **SUSPENSION** Manitou Skareb Super w/TPC Lock-Out | 100mm travel **COMPONENTRY** Shimano XT rear derailleur + LX shifters + front derailleur | Bontrager Race 44/32/22 crank | Hayes HFX-9 hydraulic disc brakes w/Hayes levers | Shimano M505 clipless pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Ice Purple

GENESIS GEOMETRY

It's what makes a Fisher a Fisher. It's what creates the unmistakable "Fisher Feel." If you've ridden one, you know exactly what we're talking about: the feeling of being in control, comfortable, and confident. Of course, as any Boston fan knows, it's more than a feeling — it's about placing the rider's center of gravity in a better position for better climbing and more confident descending. Genesis Geometry can actually help make a beginning rider good, and a good rider great.



CLIMB.

By shortening the chainstays, Genesis Geometry concentrates more of your weight on the rear wheel, aiding traction.



DESCEND.

Genesis Geometry moves your center of gravity further behind the front wheel so you're less likely to go over the handlebars.



STEER.

A shorter stem requires less hand movement to steer, creating more precise maneuvering.



MAINTAIN.

Your normal riding position is maintained to keep you comfortable.

HOO KOO E KOO →

FRAME: Platinum Series Z75000 internally and externally butted aluminum | Genesis Geometry
WHEELS: Alloy Disc QR hubs | Bontrager Maverick rims | Bontrager ACR 26x2.2 folding tires
SUSPENSION: RockShox Pilot SL | 100mm travel | COMPONENTS: Shimano LX SGS rear
derailleur + LX shifters + front derailleur | Bontrager Select 44/32/22 crank | Shimano 420 V
brakes w/avid HF10 levers | Shimano M505 clipless pedals | sizes XS (13.7) | SM (15.5) |
MD (17.5) | LG (19) | XL (21) | COLOR: Ice Blue



↓ TASSAJARA DISC

externally butted aluminum | Genesis Geometry **WHEELS** Shimano M525 Disc hubs | WTB Speed Disc rims | Bontrager Jones XR 26x2.25 front/2.2 rear tires **SUSPENSION** Manitou Axel Elite w/TPC Lock-Out | 100mm travel **COMPONENTRY** Shimano LX rear derailleur + Deore shifters + front derailleur | Bontrager Select 44/32/22 crank | Hayes Sole XC hydraulic disc brakes w/alloy levers | Shimano M505 clipless pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Black



↑ TASSAJARA

Geometry **WHEELS** Shimano M525 hubs | WTB Dual Duty rims | Bontrager Jones XR 26x2.25 front/2.2 rear tires **SUSPENSION** Manitou Axel Elite w/TPC Lock-Out | 100mm travel **COMPONENTRY** Shimano LX rear derailleur + Deore shifters + front derailleur | Bontrager Select 44/32/22 crank | Promax V brakes w/alloy levers | Alloy platform pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19") | XL (21.5") **COLOR** Metallic Black + Metallic Red



↑↑ MARLIN

FRAME Gold Series butted aluminum | Genesis

Geometry **WHEELS** Alloy QR front hub w/ Shimano RM60 rear hub | WTB Dual Duty rims | Bontrager Jones XR 26x2.25 front/2.2 rear tires **SUSPENSION** Manitou Axel Comp w/TPC Lock-Out | 100mm travel **COMPONENTRY** Shimano Deore rear derailleur + Shimano Alivio shifters + Alivio front derailleur | Bontrager Sport 42/32/22 crank | Promax V brakes w/alloy levers | Alloy platform pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLORS** Green | Candy Blue + Silver

↓↓ WAHOO

FRAME Gold Series 6061 T6 internally and externally butted aluminum | **Genesis Geometry** **WHEELS** Alloy QR front hub w/Shimano RM60 rear hub | WTB Dual Duty rims | Bontrager Jones XR 26X2.25 front/2.2 rear tires **SUSPENSION** RS Judy | 100mm travel **COMPONENTRY** Shimano Alivio rear derailleur + EF29 shifters + C050 front derailleur | Shimano MC08 42/32/22 crank | Tektro V brakes w/alloy levers | Nylon platform pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLORS** Blue | Black + Metallic Dark Gray





Bikes designed for women that fit right and build on a woman's strengths. Genesisters bikes refine Fisher's famous Genesis Geometry, taking advantage of a woman's lower center of gravity. Properly positioned, a rider's center of gravity is key to improved climbing and safer, more confident descents.



↑ CAKE 3 ■ LX GS

FRAME Platinum Series ZR9000 double-butted aluminum | **Genesisters Geometry** | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 5" travel **WHEELS** Bontrager Select disc-compatible wheelsystem w/OSB rear | Bontrager ACX 26x2.2 folding tires **SUSPENSION** Manitou Black Elite Diva | 120mm travel | Manitou Swinger 3-Way Air w/SPV **COMPONENTRY** Shimano LX SGS rear derailleur + LX shifters + front derailleur | Bontrager Select 44/32/23 crank | Hayes HFX-9 HD hydraulic disc brakes, 8" front/6" rear, w/Hayes levers | Shimano M520 clipless pedals **SIZES** XS (13") | MD (17") **COLOR** Metallic Black + Metallic Green



↑ CAKE 3 GS

FRAME Platinum Series ZR9000 double-butted aluminum | Genesis Geometry | 6061 T6 aluminum swingarm | Carbon fiber seatstays | Disc specific | Sealed cartridge bearings | 4" travel **WHEELS** Bontrager Superstock disc-compatible wheelsystem w/OSB rear | Bontrager ACX 26x2.2 folding tires **SUSPENSION** Manitou Skareb Elite Diva | 100mm travel | Manitou Swinger 3-Way Air w/SPV **COMPONENTRY** Shimano LX SGS rear derailleur + LX shifters + front derailleur | Bontrager Select 44/32/22 crank | Hayes HFX-9 WSD hydraulic disc brakes w/Hayes WSD levers | Shimano M520 clipless pedals **SIZES** XS (13") | MD (17") **COLOR** Metallic Light Blue + Metallic Silver


↓ BIG SUR GS

aluminum main frame w/carbon composite seat and chainstays | Genesis Geometry **FRAME** AC/DC ZR9000 internally and externally butted wheelsystem | Bontrager Jones XR 26x2.2 tires **WHEELS** Bontrager Superstock disc-compatible Shimano XT rear derailleur + LX shifters + front derailleur | Bontrager Race 44/32/22 crank | Hayes HFX-9 hydraulic disc brakes w/Hayes levers | Shimano M505 clipless pedals **COMPONENTRY** **SIZES** XS (13") | SM (15.5") | MD (17.5") **COLOR** Moritz Sky Blue



↑ TASSAJARA GS

butted aluminum | Genesis Geometry **FRAME** Gold Series 6061 T6 internally and externally Shimano M525 Disc hubs | WTB Dual Duty rims | Bontrager Jones XR 26x2.25 front/2.2 rear tires **WHEELS** **SUSPENSION** Manitou Axel Elite w/TPC Lock-Out | 100mm travel **COMPONENTRY** Shimano LX rear derailleur + Deore shifters + front derailleur | Bontrager Select 44/32/22 crank | Promax V brakes w/alloy levers | Alloy platform pedals **SIZES** XS (13") | SM (15.5") | MD (17.5") **COLOR** Metallic Silver



Classic

START>

Simple, reliable mountain bikes. But they are Fishers through and through. Durable. Fun to ride. Easy to maintain. Loaded with the features and technology that have made Gary a bike-building legend. And they're priced to be budget friendly.





← ↑ **ADVANCE**

FRAME Silver Series aluminum ATB **WHEELS** Alloy QR front hub w/Shimano RM30 rear hub | Matrix 550 rims | Bontrager Connection Trail 26x2.0 tires **SUSPENSION** RST Capa T5 | 75mm travel **COMPONENTRY** Shimano Alivio rear derailleur + EF29 shifters + C050 front derailleur | SR XCC-150 42/34/24 crank | Tektro V brakes w/alloy levers | Nylon platform pedals **SIZES** XS (13") | SM (16") | MD (18") | LG (19.5") | XL (21.5") | Stepthrough SM (16") | Stepthrough MD (18") **COLORS** Metallic Black + Metallic Blue | Metallic Orange



hubs | Matrix 550 rims | Bontrager Connection Trail 26x2.0 tires **SUSPENSION** RST 191C5 | 63mm travel **COMPONENTRY** Shimano Acera rear derailleur + EF29 shifters + C051 front derailleur | SR XCC-100 48/38/28 crank | Tektro V brakes w/alloy levers | Nylon platform pedals **SIZES** XS (13") | SM (16") | MD (18") | LG (19.5") | XL (21.5") | Stepthrough SM (16") | Stepthrough MD (18") **COLORS** Metallic Black | Metallic Light Silver + Metallic Medium Silver

FRAME Silver Series aluminum ATB **WHEELS** Alloy OR






↑↑ **MAKO**

FRAME Silver Series aluminum ATB **WHEELS** Alloy QR hubs | Matrix 550 rims | Bontrager Connection Trail 26x2.0 tires **FORK** Hiten ATB **COMPONENTRY** Shimano TX50 rear derailleur + EF29 shifters + C051 front derailleur | SR XCC-100 48/38/28 crank | Tektro V brakes w/alloy levers | Nylon platform pedals **SIZES** XS (13") | SM (16") | MD (18") | LG (19.5") | XL (21.5") | Stepthrough SM (16") | Stepthrough MD (18") **COLOR** Metallic Red | Metallic Light Silver + Metallic Blue

Classic





Road bike fast and mountain bike durable. Fisher Dual Sport bikes are a lot like the man who created them. Just like Gary, they love to wander — off road, or on. Featuring fast 700c wheels, Dual Sport bikes are light, efficient, and oh so very versatile. If you had to have only one bike, this would be the one.

MONTARE →

FRAME Platinum Series ZR9000, internally butted aluminum | **Genesis** 29" Geometry
WHEELS Bontrager Superstock 29" disc specific wheelsystem w/OSB rear | **JPC**
COMPONENTS Shimano XT 700x42c tires **SUSPENSION** Manitou South Elite 1" 75mm travel
 derailleur | Bontrager Select 48/38/26 crank | Avid BB7 mechanical disc brakes
 w/Avid FHS levers | Shimano M505 clipless pedals **SIZES** SM (15.5") | MD (17.5") |
 LG (19") | XL (21") **COLOR** Metallic Silver



UTOPIA →

FRAME Gold Series 6061 T6 internally butted aluminum | **Genesis** 29" Geometry
WHEELS Shimano M525 Disc hubs | **WTB** Speed Disc rims | **Mythos** CX Slick
 700x42c tires **SUSPENSION** RS Metro GPS 1" 50mm travel **COMPONENTS**
 Shimano XT rear derailleur + Deore shifters + front derailleur | Bontrager Select
 48/38/26 crank | Avid BB5 mechanical disc brakes w/Alloy levers | Alloy ATB
 pedals **SIZES** SM (15.5") | MD (17.5") | LG (19") | XL (21") **COLOR** Metallic Blue



NIRVANA S →

FRAME Silver Series aluminum hybrid **WHEELS** Alloy QR front hub w/Shimano RM60 rear hub | WTB Dual Duty rims | Mythos CX Slick 700x42c tires **SUSPENSION** RS Metro GPS | 50mm travel **COMPONENTRY** Shimano Deore rear derailleur + Alivio shifters + C102 front derailleur | Shimano T303 48/38/28 crank w/CG | Shimano M420 V brakes w/alloy levers | Alloy ATB pedals **SIZES** SM (15") | MD (17.5") | LG (20") | XL (22.5") | Stepthrough SM (15") | Stepthrough MD (17.5") | Stepthrough LG (20") **COLOR** Metallic Light Silver + Metallic Red



ZEBRANO S →

FRAME Silver Series aluminum hybrid **WHEELS** Alloy QR front hub w/Shimano RM60 rear hub | WTB Dual Duty rims | Mythos CX Slick 700x42c tires **SUSPENSION** RST CT FREE T5 | 50mm travel **COMPONENTRY** Shimano Alivio rear derailleur + EF29 shifters + C102 front derailleur | Shimano TX71 48/38/28 crank w/CG | Tektro V brakes w/alloy levers | Dual-density platform pedals **SIZES** SM (15") | MD (17.5") | LG (20") | XL (22.5") | XXL (25") | Stepthrough SM (15") | Stepthrough MD (17.5") | Stepthrough LG (20") **COLOR** Metallic Warm Silver + Metallic Black



TIBURON S →

FRAME Silver Series aluminum hybrid **WHEELS** Alloy QR hubs | Matrix 750 rims | Mythos CX Slick 700x42c tires **SUSPENSION** RST CT FREE C5 | 50mm travel **COMPONENTRY** Shimano Acera rear derailleur + EF29 shifters + C102 front derailleur | SR XCC-100 48/38/28 crank w/CG | Tektro V brakes w/alloy levers | Dual-density platform pedals **SIZES** SM (15") | MD (17.5") | LG (20") | XL (22.5") | Stepthrough SM (15") | Stepthrough MD (17.5") | Stepthrough LG (20") **COLOR** Metallic Warm Silver + Metallic Blue



NIRVANA AND ZEBRANO
ARE ALSO AVAILABLE WITH A RIGID FORK.
SEE PAGE 47 FOR DETAILS.



Take the easy way out. Fisher Sport Utility Bikes are just the thing for folks who crave comfort, convenience, and extra utility. They're mountain bikes ready for the urban assault, featuring softer saddles, an upright riding position and the coolest slick tires on the planet. Add in our user-friendly Accessories Port™ and Quick Attach Mount for kid trailers and you'll realize that Gary has thought of everything.



↑ CRONUS

FRAME Gold Series 6061 T6 internally and externally butted aluminum | **WHEELS** Shimano M475 Disc hubs | WTB Speed Disc rims | Bontrager Hank Semi-Slick 26x2.2 tires | **FORK** Bontrager Switchblade 26" | **COMPONENTRY** SRAM X.7 rear derailleur + X-7 Trigger shifter | Bontrager 3BT crank | Avid BB7 mechanical disc brakes w/Avid FR5 levers | Alloy platform pedals | **SIZES** XS (13") | SM (15.5") | MD (17.5") | LG (19") | XL (21") | **COLOR** Gloss Black

↓ NAPA


FRAME Silver Series aluminum SUB WHEELS Alloy QR front hub
w/Shimano RM60 rear hub | Matrix 550 rims | Bontrager Comfort 26x1.95 tires **SUSPENSION** RST Gila T5 | 63mm travel **COMPONENTRY** Shimano Alivio rear derailleur +
EF29 shifters + C102 front derailleur | Shimano TX71 48/38/28 crank w/CG | Tektro V brakes w/alloy levers | Dual-density platform pedals **SIZES** SM (14.5") | MD (16.5") |
LG (18.5") | XL (21") | Stepthrough SM (14.5") | Stepthrough MD (16.5") | Stepthrough LG (18.5") **COLOR** Metallic Silver + Brushed Aluminum



↑ CAPITOLA

FRAME Silver Series aluminum SUB WHEELS Alloy QR hubs |
Matrix 550 rims | Bontrager Comfort 26x1.95 tires **SUSPENSION** RST Capa C5 | 63mm travel **COMPONENTRY** Shimano Acera rear derailleur + SRAM MRX Plus shifters +
Shimano C051 front derailleur | SR XCC-100 48/38/28 crank w/CG | Tektro V brakes w/alloy levers & bell | Dual-density platform pedals **SIZES** SM (14.5") | MD (16.5") |
LG (18.5") | XL (21") | Stepthrough SM (14.5") | Stepthrough MD (16.5") | Stepthrough LG (18.5") **COLOR** Metallic Warm Silver + Red





Gary knows kids ('cause he still is one). Gary knows parents ('cause he still is one). He knows kids want fun and function. Parents want durability, safety, and value. Gary's kids' bikes are high performance, yet built to last, built to grow, and most important, built to be safe. With features like adjustable components, shorter-reach brakes, and a lower standover height, these bikes aren't just super fun, they're super smart too. Kids' stuff? We think not.



↑↑ TYRO

FRAME Fisher Great Fit aluminum **WHEELS** 24" alloy rims + hubs | Shimano 7-speed freewheel | Bontrager Connection multitrack tires **SUSPENSION** Great Fit suspension fork | 50mm travel **COMPONENTRY** Great Fit over-adjustable stem + padded O-zone saddle + pedals | SRAM 3.0 rear derailleur + 21-speed shifters | Great Fit adjustable alloy crank | Cartridge BB | Linear pull brakes w/Great Fit levers **COLORS** Metallic Blue (boys') | Purple Metallic (girls')



↓ ↓ COSMO

FRAME Fisher Great Fit aluminum **WHEELS** 20" alloy rims + hubs | 6-speed freewheel | Bontrager Connection multitrack tires **SUSPENSION** Great Fit suspension fork | 50mm travel **COMPONENTRY** Great Fit over-adjustable stem + padded O-zone saddle + pedals | Shimano TY-23 rear derailleur + SRAM MRX 6-speed shifters | Great Fit adjustable crank | Sealed BB | Linear pull brakes w/Great Fit levers **COLORS** Metallic Red (boys') | Dark Metallic Pink (girls')



↑ ↑ ASTRO

FRAME Fisher Great Fit aluminum **WHEELS** 20" alloy rims | Coaster brake & rear hand brake | Multitrack tires **COMPONENTRY** Great Fit adjustable saddle + pedals + grips + handlebar | Painted steel chainguard | Stem & handlebar pads | Moto fender on boys' | Basket & tassels on girls' **COLORS** Metallic Blue (boys') | Pink Metallic (girls')



↑↑ GAMMA RAY

brake | Multitrack tires **COMPONENTRY** Great Fit adjustable saddle + pedals + grips + handlebar | Great Fit Super Strong training wheels | Painted steel chainguard | Stem & handlebar pads | Moto fender on boys' | Basket & tassels on girls' **COLORS** Metallic Red (boys') | Pink Metallic (girls')



↑↑ SUN SPOT


Multitrack tires **COMPONENTRY** Great Fit adjustable saddle + pedals + grips + handlebar | Great Fit Super Strong training wheels | Plastic fully enclosed chainguard | Stem & handlebar pads | Basket & tassels on girls' | Moto fender on boys' **COLORS** Pink Metallic (girls') | Metallic Black (boys')



↑↑ STAR FISH

steel rims | Coaster brake | Balloon cruiser tires **COMPONENTRY** Great Fit adjustable saddle + pedals + grips + handlebar | Great Fit Super Strong training wheels | Plastic fully enclosed chainguard | Cruiser fenders **COLORS** Metallic Blue + Metallic Silver (boys') | Pink Metallic + Pearl White (girls')

Geometry Tables



TERM	ABBR.	UNIT	GEOMETRY GLOSSARY
STANDOVER	SO	"	The vertical distance from the ground to the point on the top tube where you straddle the bike.
EFFECTIVE TOP TUBE	TT	"	The horizontal measure from the center of the headset to the center of the seatpost. The most important measurement when buying a bike, because it cannot be changed.
COCKPIT LENGTH	CP	"	The horizontal measure from the center of the handlebar to the center of the seatpost. (The next two measurements show how it can be adjusted.)
MINIMUM COCKPIT	minCP	"	The shortest the cockpit can be made by changing the stem to the shortest one available.
MAXIMUM COCKPIT	maxCP	"	The longest the cockpit can be made by changing the stem to one which is 30mm longer than original—the maximum recommended to retain optimum handling.
STEM LENGTH	SL	mm	The original stem, measured from the center of the steerer tube to the center of the handlebar.
CRANK LENGTH	CL	mm	The distance from the center of the bottom bracket to the center of the pedal axle. A rider with long legs can benefit from longer cranks.
HEADTUBE LENGTH	HTL	mm	The distance between the upper and lower headset. Affects how high your handlebar is relative to your saddle.
HEAD ANGLE	HA	°	The angle of headtube to the ground. Tailored to optimize steering precision on each frame size.
SEATTUBE ANGLE	STA	°	The angle of seattube to the ground. Tailored to optimize power transmission on each frame size.
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	The distance from the center of the bottom bracket to the center of the rear axle.
BOTTOM BRACKET HEIGHT	BSH	mm	The vertical distance from the center of the bottom bracket to the ground. Expresses clearance of the frame over obstacles.
BOTTOM BRACKET DROP	BBD	mm	The vertical distance the bottom bracket is below an imaginary horizontal line drawn through the axles. The greater the bottom bracket drop, the lower the rider's center of gravity.
WHEELBASE	WB	mm	The distance between the axles. Tailored to optimize weight distribution on each frame size.

All sizing and geometry specifications are calculated with a standard wheel size and fork axle to race. Larger air volume tires as well as different fork lengths will change the dimensions in these charts.

MODELS	SIZES	CAKE 1 DLX CAKE 2 DLX CAKE 3 DLX CAKE 4 DLX				CAKE 3 DLX GS		CAKE 1 CAKE 2 CAKE 3 CAKE 4				CAKE 3 GS	
		SM (15")	MO (17.5")	LG (19")	XL (21")	XS (13")	MO (17.5")	SM (15")	MO (17.5")	LG (19")	XL (21")	XS (13")	MO (17.5")
STANDOVER	SO	29.2	30.4	31.6	33.1	27.2	30.1	28.4	29.6	30.8	32.3	26.4	29.3
EFFECTIVE TOP TUBE	TT	22.9	23.9	24.7	25.5	22.3	23.4	22.9	23.9	24.7	25.5	22.3	23.4
COCKPIT LENGTH	CP	24.8	25.5	27.9	28.9	24.4	25.4	24.8	25.5	27.9	28.9	24.4	25.4
MINIMUM COCKPIT	minCP	24.6	26.2	27.7	28.7	24.2	25.2	24.6	26.2	27.7	28.7	24.2	25.2
MAXIMUM COCKPIT	maxCP	25.4	27.0	28.4	29.4	25.0	26.4	25.4	27.0	28.4	29.4	25.0	26.4
STEM LENGTH	SL	75	90	105	105	75	75	75	90	105	105	75	75
CRANK LENGTH	CL	170	175	175	175	170	175	170	175	175	175	170	175
HEADTUBE LENGTH	HTL	90	105	125	145	90	105	90	105	125	145	90	105
HEAD ANGLE	HA	70	70.5	70.5	70.5	70.0	70.5	70	70.5	70.5	70.5	70.0	70.5
SEATTUBE ANGLE	STA	72.5	72.5	72.5	72.5	72.5	72.5	72.5	72.5	72.5	72.5	72.5	72.5
EFFECTIVE CHAINSTAY LENGTH	CSL	417	417	417	417	417	417	417	417	417	417	417	417
BOTTOM BRACKET HEIGHT*	BSH	343.2	343.2	343.2	343.2	343.2	343.2	322.5	322.5	322.5	322.5	322.5	322.5
BOTTOM BRACKET DROP*	BBD	-13	-13	-13	-13	-13	-13	8	8	8	8	8	8
WHEELBASE	WB	1070.2	1090.5	1112.2	1132.7	1054.6	1078.5	1070.2	1090.5	1112.2	1132.7	1054.6	1078.5

*Before recommended 25-30% sag-in

MODELS	SIZES	KING FISHER 1 KING FISHER 2		
		SM (15.5")	MO (17.5")	LG (19")
STANDOVER	SO	29.5	30.5	31.5
EFFECTIVE TOP TUBE	TT	22.4	23.0	24.3
COCKPIT LENGTH	CP	24.4	24.9	27.1
MINIMUM COCKPIT	minCP	24.4	24.9	26.3
MAXIMUM COCKPIT	maxCP	25.2	25.7	27.1
STEM LENGTH	SL	50	50	70
CRANK LENGTH	CL	170	175	175
HEADTUBE LENGTH	HTL	115	115	125
HEAD ANGLE	HA	67	67	67
SEATTUBE ANGLE	STA	73	73	73
EFFECTIVE CHAINSTAY LENGTH	CSL	431	434	434
BOTTOM BRACKET HEIGHT	BSH	354.5	354.5	354.5
BOTTOM BRACKET DROP	BBD	24.5	24.5	24.5
WHEELBASE	WB	1128.1	1140.3	1173.2

Geometry Tables continued

MODELS		GED BITTER OPIE MULLET				
SIZES		XS (13')	SM (15.5')	MD (17.5')	LG (19.5')	XL (21.5')
STANDOVER	SO	26.3	27.5	28.7	29.6	30.8
EFFECTIVE TOP TUBE	TT	21.4	22.5	23.6	24.4	25.1
COCKPIT LENGTH	CP	23.4	24.8	26.4	27.2	27.8
MINIMUM COCKPIT	minCP	23.4	24.8	25.6	26.4	27.1
MAXIMUM COCKPIT	maxCP	25.0	26.0	26.4	27.2	28.8
STEM LENGTH	SL	50	50	70	70	70
CRANK LENGTH	CL	170	170	175	175	170
HEADTUBE LENGTH	HTL	90	105	117.5	130	145
HEAD ANGLE	HA	70	70	70	70	70
SEATTUBE ANGLE	STA	71	71	71	71	71
EFFECTIVE CHAINSTAY LENGTH	CSL	413	413	413	413	413
BOTTOM BRACKET HEIGHT	BBH	317.5	317.5	317.5	317.5	317.5
BOTTOM BRACKET DROP	BBD	28	28	28	28	28
WHEELBASE	WB	1004.9	1034.6	1061.3	1081.3	1100.6

MODELS		SUGAR 292 SUGAR 293				SUGAR4+			
SIZES		SM (15.5')	MD (17.5')	LG (19.5')	XL (21.5')	SM (15.5')	MD (17.5')	LG (19.5')	XL (21.5')
STANDOVER	SO	26.9	27.9	29	29.2	28.1	28.7	29.4	30.0
EFFECTIVE TOP TUBE	TT	23.2	23.9	24.7	25.5	22.7	23.9	24.7	25.5
COCKPIT LENGTH	CP	25.1	26.5	28.0	28.7	24.6	26.7	28.0	28.7
MINIMUM COCKPIT	minCP	24.9	26.4	27.7	28.5	24.4	26.4	27.7	28.5
MAXIMUM COCKPIT	maxCP	25.6	27.2	28.5	29.3	25.2	27.2	28.5	29.2
STEM LENGTH	SL	75	90	105	105	75	90	105	105
CRANK LENGTH	CL	170	175	175	175	170	175	175	175
HEADTUBE LENGTH	HTL	80	80	90	110	90	105	125	145
HEAD ANGLE	HA	71.5	71.5	71.5	71.5	71	71.5	71.5	71.5
SEATTUBE ANGLE	STA	73.5	73.5	73.5	73.5	73.5	73.5	73.5	73.5
EFFECTIVE CHAINSTAY LENGTH	CSL	450	460	460	450	417	417	417	417
BOTTOM BRACKET HEIGHT	BBH	315	315	315	315	312.4	312.4	312.4	312.4
BOTTOM BRACKET DROP	BBD	50	50	50	50	20.6	20.6	20.6	20.6
WHEELBASE	WB	1092.3	1110.4	1130.55	1150	1056.8	1082.8	1103.3	1122.9

MODELS		PARAGON X-CALIBER RIG MONTANA UTOPIA			
SIZES		SM (15.5')	MD (17.5')	LG (19.5')	XL (21.5')
STANDOVER	SO	28.9	29.9	30.8	31.2
EFFECTIVE TOP TUBE	TT	23.2	24	24.7	25.5
COCKPIT LENGTH	CP	26.2	26.9	28.8	29.6
MINIMUM COCKPIT	minCP	25.5	27.5	28.3	29
MAXIMUM COCKPIT	maxCP	26.8	28.1	29.4	30.2
STEM LENGTH	SL	75	90	105	105
CRANK LENGTH	CL	170	175	175	175
HEADTUBE LENGTH	HTL	90	90	90	105
HEAD ANGLE	HA	70.5	71.0	71.5	71.5
SEATTUBE ANGLE	STA	74.0	74.0	73.5	73.0
EFFECTIVE CHAINSTAY LENGTH	CSL	440	440	440	440
BOTTOM BRACKET HEIGHT	BBH	315	315	315	315
BOTTOM BRACKET DROP	BBD	50	50	50	50
WHEELBASE	WB	1038.2	1103.2	1110.4	1124.4

MODELS		ZIGGURAT BIG SUR & DISC HOO KOO E KOO TASSAJARA & DISC MARLIN WAHOO CRONUS					BIG SUR_GS TASSAJARA_GS	
SIZES		XS (13')	SM (15.5')	MD (17.5')	LG (19.5')	XL (21.5')	SM (13')	MD (17.5')
STANDOVER	SO	26.6	27.8	29.0	30.1	31.6	26.6	27.8
EFFECTIVE TOP TUBE	TT	21.7	22.9	23.9	24.7	25.5	21.7	22.3
COCKPIT LENGTH	CP	24.1	25.8	27.4	28.8	29.6	24.1	25.2
MINIMUM COCKPIT	minCP	23.5	25.3	26.8	28.3	29.0	23.5	24.6
MAXIMUM COCKPIT	maxCP	24.7	26.4	28.0	29.4	30.2	24.7	25.8
STEM LENGTH	SL	60	75	90	105	105	60	75
CRANK LENGTH	CL	170	170	175	175	175	170	170
HEADTUBE LENGTH	HTL	90	90	105	125	145	90	90
HEAD ANGLE	HA	70.0	70.5	71.0	71.0	71.0	70.0	70.5
SEATTUBE ANGLE	STA	74.0	73.5	73.5	73.0	72.5	74.0	73.5
EFFECTIVE CHAINSTAY LENGTH	CSL	413	413	413	413	413	413	413
BOTTOM BRACKET HEIGHT	BBH	312	317	317	317	323	312	317
BOTTOM BRACKET DROP	BBD	35	30	30	30	25	35	30
WHEELBASE	WB	1032.7	1054.1	1076.2	1091.6	1107.6	1032.7	1058.9

MODELS	SIZES		ADVANCE TARPON MAKO					WOMEN'S STEPTHROUGH FRAMES	
			XS (13')	SM (15')	MD (16')	LG (18.5')	XL (21.5')	SM (15')	MD (16')
STANDOVER	SO	"	25.4	27.6	29.3	30.4	31.9	23.8	23.9
EFFECTIVE TOP TUBE	TT	"	21.5	22.4	23.1	23.8	24.5	21.8	23.0
COCKPIT LENGTH	CP	"	23.0	24.2	25.6	26.3	27.5	24.0	25.3
MINIMUM COCKPIT	minCP	"	23.1	24.3	25.6	26.3	27.6	23.4	24.7
MAXIMUM COCKPIT	maxCP	"	23.4	24.7	26.0	26.7	28.0	24.6	25.9
STEM LENGTH	SL	mm	90	90	110	110	130	55	60
CRANK LENGTH	CL	mm	170	170	175	175	175	170	170
HEADTUBE LENGTH	HTL	mm	105	125	145	165	185	125	165
HEAD ANGLE	HA	°	70.5	71	71.5	71.5	71.5	71	71.5
SEATTUBE ANGLE	STA	°	74.5	74	74	73.5	73.5	74	74
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	412	412	412	412	412	420	415
BOTTOM BRACKET HEIGHT	BBH	mm	258	251	255	255	255	231	255
BOTTOM BRACKET DROP	BBD	mm	45.0	42.0	38.0	38.0	38.0	42.0	38.0
WHEELBASE	WB	mm	1021.5	1037.3	1052.9	1066.5	1085.2	1028.4	1052.9

MODELS	SIZES		NIRVANA & S ZEBRANO & S TIBURON & S				WOMEN'S STEPTHROUGH FRAMES		
			SM (15')	MD (17.5')	LG (20')	XL (22.5')	XS (15')	MD (17.5')	LG (20')
STANDOVER	SO	"	27.0	28.6	30.3	32.2	23.5	23.7	23.8
EFFECTIVE TOP TUBE	TT	"	21.4	21.6	22.2	22.9	21.4	21.5	22.2
COCKPIT LENGTH	CP	"	23.1	23.3	23.9	24.7	22.3	23.2	23.0
MINIMUM COCKPIT	minCP	"	23.3	23.5	24.1	24.8	22.3	23.4	23.5
MAXIMUM COCKPIT	maxCP	"	23.4	23.6	24.3	25.0	22.6	23.6	23.3
STEM LENGTH	SL	mm	105	105	105	105	90	105	110
CRANK LENGTH	CL	mm	170	170	170	170	170	170	170
HEADTUBE LENGTH	HTL	mm	90	105	105	125	105	125	145
HEAD ANGLE	HA	°	70	70.5	70.5	71.5	70	70.5	70.5
SEATTUBE ANGLE	STA	°	74	74	73	73	74	74	73
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	440	440	440	440	440	440	440
BOTTOM BRACKET HEIGHT	BBH	mm	280.9	280.9	280.9	280.9	280.9	280.9	281
BOTTOM BRACKET DROP	BBD	mm	65.0	65.0	65.0	65.0	65.0	65.0	64.9
WHEELBASE	WB	mm	1055.8	1056.3	1061.9	1063.4	1055.8	1056.3	1061.9

MODELS	SIZES		NAPA CAPITOLA				WOMEN'S STEPTHROUGH FRAMES		
			SM (14.5')	MD (16.5')	LG (18.5')	XL (21')	SM (14.5')	MD (16.5')	LG (18.5')
STANDOVER	SO	"	25.8	27.4	29.1	30.3	23.2	23.2	23.4
EFFECTIVE TOP TUBE	TT	"	20.9	21.7	22.8	23.4	20.9	21.7	22.4
COCKPIT LENGTH	CP	"	25.0	25.8	27.7	28.3	25.0	25.8	27.7
MINIMUM COCKPIT	minCP	"	22.8	23.6	24.8	25.5	22.9	23.2	24.5
MAXIMUM COCKPIT	maxCP	"	25.8	26.6	28.0	28.7	25.8	26.6	28.0
STEM LENGTH	SL	mm	105	105	125	125	105	105	125
CRANK LENGTH	CL	mm	170	170	170	170	170	170	170
HEADTUBE LENGTH	HTL	mm	135	155	215	235	135	155	215
HEAD ANGLE	HA	°	70.5	70.5	70.5	70.5	70.5	70.5	70.5
SEATTUBE ANGLE	STA	°	72.5	72.5	72.5	72.5	72.5	72.5	72.5
EFFECTIVE CHAINSTAY LENGTH	CSL	mm	423	423	423	423	423	423	423
BOTTOM BRACKET HEIGHT	BBH	mm	287	287	287	287	283	283	283
BOTTOM BRACKET DROP	BBD	mm	45.0	45.0	45.0	45.0	50.0	50.0	50.0
WHEELBASE	WB	mm	1010.9	1031.7	1058.9	1079.6	1010.9	1031.7	1058.9

GARY FISHER LIMITED LIFETIME WARRANTY

Gary Fisher Bicycles provides each original retail purchaser of the bicycle a lifetime warranty against defects in materials and workmanship in the bicycle frame and rigid fork when purchased from an authorized Gary Fisher dealer. Gary Fisher Bicycles likewise warrants all original parts on the bicycle, excluding suspension forks and rear shock absorbers, for a period of one year from the date of purchase. Suspension forks and rear shock absorbers shall be covered by the stated warranty of their original manufacturers. Paint and decals are warranted for one year. This warranty is expressly limited to the repair or replacement of a defective frame, fork, or defective part and is the sole remedy of the warranty. This warranty applies only to the original owner and is not transferable. Claims under this warranty must be made through an authorized Gary Fisher dealer. Proof of purchase is required. A warranty registration card must be completed and received by Gary Fisher Bicycles before a warranty claim may be processed. This warranty covers bicycles and components outside the United States only if purchased through an authorized international Gary Fisher distributor or Gary Fisher dealer within the country of purchase.

The warranty does not cover normal wear and tear, improper assembly or follow-up maintenance, installation of parts or accessories not originally intended or compatible with the bicycle as sold, damage or failure due to accident, misuse, or neglect, or modification of the frame, fork, or components. Gary Fisher Bicycles shall not be responsible for incidental or consequential damages. Some states do not allow the exclusion of incidental or consequential damages, so the above exclusion may not apply to you. This warranty gives the consumer specific legal rights, and those rights may vary from place to place. This warranty does not affect the statutory rights of the consumer.

All photos, illustrations, colors, weights, and specifications contained in this catalog are based on the latest production information at the time of publication. Gary Fisher reserves the right to make changes at any time, without notice, in colors, materials, equipment, specifications, and models. Any variations in colors shown may be due to the reproductive variations of the printing process. Photos may include non-U.S. equipment. Some models may be shown with optional equipment.

All Gary Fisher bikes are sold exclusively through our network of Authorized Dealers who we entrust with professional assembly and service of your bicycle. Gary Fisher Bicycles extends a Limited Lifetime Warranty on every frame. Warranty duration and detail may differ by frame type and/or by country.

All specifications are subject to change without notice. Gary Fisher Mountain Bikes, Gary Fisher, the double mountain logo, Caké, Sugar, Genesis, OCLV, slyll-link, b-link, Accessories Port, Caké 1, Caké 2, Caké 3, Caké 4, King Fisher, King Fisher 1, King Fisher 2, Biggins, Ged, Bitter, Opie, Mullet, Sugar 4, Sugar 292, Sugar 293, Rig, Dual Sport, Montare, Ziggurat, Big Sur, Hoo Koo E Koo, Tassajara, Marlin, Wahoo, Advance, Tarpon, Utopia, Nirvana, Zebano, Tiburon, Cronus, Napa, Capitola, Tyro, Cosmo, Astro, Gamma Ray, and Sun Spot are trademarks of Trek Bicycle Corporation. All rights reserved. ©2004 Trek Bicycle Corporation. Copyright 2004 Trek Bicycle Corporation. All Rights Reserved. Fisher is a Registered Trademark of Trek Bicycle Corporation. US Patent Numbers: 5,445,439; 5,624,519; 5,931,544; 6,270,104; 6,497,042 and others pending.

The following riding practices increase your risk of injury: jumping your bicycle, performing bicycle stunts, severe off-road riding, downhill riding and any abnormal bike riding. Each of these conditions increases the stress on every part of your bicycle. Frames or parts under high stress may fatigue prematurely, causing them to fail and increasing the risk of injury to the rider. Avoid these riding practices to decrease your risk of injury.

MODEL	HUB K00 E K00	TASSAJARA DISC	TASSAJARA	MARLIN	WAHOO	CAKE 3 BLX GS	CAKE 3 GS	BIG SUR GS	TASSAJARA GS	ADVANCE	TARPON
PAGE	72	73	73	74	75	76	77	79	79	30-31	32
COLORS	Ice Blue	Metallic Black	Metallic Black - Silver / Green	Black + Metallic Dark Gray	Black + Metallic Dark Gray	Metallic Black + Metallic Green	Metallic Light Blue + Metallic Silver	Matt Silver Blue	Metallic Silver	Metallic Black + Metallic Blue / Metallic Orange	Metallic L. Silver + Metallic Med. Silver / Metallic Black
SIZES	XS (121) SM (155) MD (175) LG (191) XL (211)	XS (121) SM (155) MD (175) LG (191) XL (211)	XS (121) SM (155) MD (175) LG (191) XL (211)	XS (121) SM (155) MD (175) LG (191) XL (211)	XS (121) SM (155) MD (175) LG (191) XL (211)	XS (121) SM (155) MD (175) LG (191) XL (211)	XS (121) MD (175)	XS (121) SM (155) MD (175)	XS (121) SM (155) MD (175)	XS (121) SM (155) MD (175) LG (191) XL (211) S (231) XL (251)	XS (121) SM (155) MD (175) LG (191) XL (211) S (231) XL (251)
DETAIL FRAME	Platinum Series 25000 intensity and extremely built aluminum Genes Geometry	Gold Series 6061 T6 intensity and extremely built aluminum Genes Geometry	Gold Series 6061 T6 intensity and extremely built aluminum Genes Geometry	Gold Series 6061 T6 intensity and extremely built aluminum Genes Geometry	Gold Series 6061 T6 intensity and extremely built aluminum Genes Geometry	Platinum Series 25000 intensity and extremely built aluminum Genes Geometry	Platinum Series 25000 intensity and extremely built aluminum Genes Geometry	ACCC 25000 intensity and extremely built aluminum Genes Geometry	Gold Series 6061 T6 intensity and extremely built aluminum Genes Geometry	Silver Series aluminum ATB	Silver Series aluminum ATB
SHOCK	N/A	N/A	N/A	N/A	N/A	6061 T6 aluminum swingarm Carbon fiber seatstays Disc specific Sealed cartridge bearings 1" x 1" travel	6061 T6 aluminum swingarm Carbon fiber seatstays Disc specific Sealed cartridge bearings 1" x 1" travel	N/A	N/A	N/A	N/A
FORK	RockShox Maxon control 100mm travel	Maxima Axel Elite w/TPC Lock-Out 100mm travel	Maxima Axel Elite w/TPC Lock-Out 100mm travel	Maxima Axel Elite w/TPC Lock-Out 100mm travel	Maxima Axel Elite w/TPC Lock-Out 100mm travel	Maxima Axel Elite w/TPC Lock-Out 100mm travel	Maxima Axel Elite w/TPC Lock-Out 100mm travel	Maxima Axel Elite w/TPC Lock-Out 100mm travel	Maxima Axel Elite w/TPC Lock-Out 100mm travel	Maxima Axel Elite w/TPC Lock-Out 100mm travel	Maxima Axel Elite w/TPC Lock-Out 100mm travel
REAR SHOCK	N/A	N/A	N/A	N/A	N/A	Maxima Swinger 2-Way Air w/SPV	Maxima Swinger 2-Way Air w/SPV	N/A	N/A	N/A	N/A
HEADSET	Advanced, semi-cartridge, sealed	Advanced, semi-cartridge, sealed	Advanced, semi-cartridge, sealed	Advanced, semi-cartridge, sealed	Advanced, semi-cartridge, sealed	Advanced, semi-cartridge, sealed	Advanced, semi-cartridge, sealed	Advanced, semi-cartridge, sealed	Advanced, semi-cartridge, sealed	Advanced, semi-cartridge, sealed	Advanced, semi-cartridge, sealed
BOTTOM BRACKET	Shimano spline	Shimano spline	Shimano spline	Shimano spline	Shimano spline	Shimano spline	Shimano spline	Shimano spline	Shimano spline	Shimano spline	Shimano spline
CRANK	Bontrager Select 44/22/22	Bontrager Select 44/22/22	Bontrager Select 44/22/22	Bontrager Select 44/22/22	Bontrager Select 44/22/22	Bontrager Select 44/22/22	Bontrager Select 44/22/22	Bontrager Select 44/22/22	Bontrager Select 44/22/22	Bontrager Select 44/22/22	Bontrager Select 44/22/22
PEDALS	Shimano M525 clipless	Shimano M525 clipless	Shimano M525 clipless	Shimano M525 clipless	Shimano M525 clipless	Shimano M525 clipless	Shimano M525 clipless	Shimano M525 clipless	Shimano M525 clipless	Shimano M525 clipless	Shimano M525 clipless
FRONT DERAILLEUR	Shimano LX	Shimano LX	Shimano LX	Shimano LX	Shimano LX	Shimano LX	Shimano LX	Shimano LX	Shimano LX	Shimano LX	Shimano LX
REAR DERAILLEUR	Shimano LX	Shimano LX	Shimano LX	Shimano LX	Shimano LX	Shimano LX	Shimano LX	Shimano LX	Shimano LX	Shimano LX	Shimano LX
SHIFTERS	Shimano LX	Shimano LX	Shimano LX	Shimano LX	Shimano LX	Shimano LX	Shimano LX	Shimano LX	Shimano LX	Shimano LX	Shimano LX
CASSETTE	SRAM PG950 11-34 9 speed	SRAM PG950 11-34 9 speed	SRAM PG950 11-34 9 speed	SRAM PG950 11-34 9 speed	SRAM PG950 11-34 9 speed	SRAM PG950 11-34 9 speed	SRAM PG950 11-34 9 speed	SRAM PG950 11-34 9 speed	SRAM PG950 11-34 9 speed	SRAM PG950 11-34 9 speed	SRAM PG950 11-34 9 speed
CHAIN	Shimano HG53	Shimano HG73	Shimano HG73	Shimano HG73	Shimano HG73	Shimano HG53	Shimano HG53	Shimano HG53	Shimano HG73	Shimano HG53	Shimano HG53
FRONT WHEEL						Bontrager Select disc-compatible wheelsystem	Bontrager Superstock disc-compatible wheelsystem	Bontrager Superstock disc-compatible wheelsystem			
FRONT HUB	Alloy Disc DR	Shimano M525 Disc	Shimano M525 Disc	Alloy DR	Alloy DR				Shimano M525 Disc	Alloy DR	Alloy DR
FRONT RIM	Bontrager Maxxair	WTB Speed Disc	WTB Dual Duty	WTB Dual Duty	WTB Dual Duty				WTB Dual Duty	WTB Dual Duty	WTB Dual Duty
FRONT SPOKES	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel				14G stainless steel	14G stainless steel	14G stainless steel
REAR WHEEL											
REAR HUB	Alloy Disc DR	Shimano M525 Disc	Shimano M525 Disc	Shimano M525 Disc	Shimano M525 Disc				Shimano M525 Disc	Shimano M525 Disc	Shimano M525 Disc
REAR RIM	Bontrager Maxxair CSB	WTB Speed Disc	WTB Dual Duty	WTB Dual Duty	WTB Dual Duty				WTB Dual Duty	WTB Dual Duty	WTB Dual Duty
REAR SPOKES	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel				14G stainless steel	14G stainless steel	14G stainless steel
FRONT TIRE	Bontrager ACX 26x2.2, folding	Bontrager ACX 26x2.2, folding	Bontrager ACX 26x2.2, folding	Bontrager ACX 26x2.2, folding	Bontrager ACX 26x2.2, folding				Bontrager ACX 26x2.2, folding	Bontrager ACX 26x2.2, folding	Bontrager ACX 26x2.2, folding
REAR TIRE	Bontrager ACX 26x2.2, folding	Bontrager ACX 26x2.2, folding	Bontrager ACX 26x2.2, folding	Bontrager ACX 26x2.2, folding	Bontrager ACX 26x2.2, folding				Bontrager ACX 26x2.2, folding	Bontrager ACX 26x2.2, folding	Bontrager ACX 26x2.2, folding
FRONT BRAKE	Shimano 420 V	Hydra Solo XC hydraulic disc	Hydra Solo XC hydraulic disc	Hydra Solo XC hydraulic disc	Hydra Solo XC hydraulic disc				Hydra Solo XC hydraulic disc	Hydra Solo XC hydraulic disc	Hydra Solo XC hydraulic disc
REAR BRAKE	Shimano 420 V	Hydra Solo XC hydraulic disc	Hydra Solo XC hydraulic disc	Hydra Solo XC hydraulic disc	Hydra Solo XC hydraulic disc				Hydra Solo XC hydraulic disc	Hydra Solo XC hydraulic disc	Hydra Solo XC hydraulic disc
BRAKE LEVERS	Avail FRS	Alloy	Alloy	Alloy	Alloy				Alloy	Alloy	Alloy
HANDLEBAR	Bontrager Select 31.8mm clamp 630mm W 75mm rise	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport				Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport
STEM	Bontrager Select OS 31.8mm clamp 7 deg. rise	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport				Bontrager Sport	Bontrager Sport	Bontrager Sport
GRIP	Bontrager DD	Bontrager Select	Bontrager Select	Bontrager Select	Bontrager Select				Bontrager Select	Bontrager Select	Bontrager Select
SADDLE	Bontrager Race Luxe	Bontrager Select	Bontrager Select	Bontrager Select	Bontrager Select				Bontrager Select	Bontrager Select	Bontrager Select
SEATPOST	Bontrager Select 27.2mm	Bontrager Sport 27.2mm	Bontrager Sport 27.2mm	Bontrager Sport 27.2mm	Bontrager Sport 27.2mm				Bontrager Sport 27.2mm	Bontrager Sport 27.2mm	Bontrager Sport 27.2mm

MODEL	MAKO	MONTARE	UTOPIA	NIRVANA	NIRVANA S	ZEBRANO	ZEBRANO S	TIBURON S	CHRONUS	NAPA	CAPITOLA
PAGE	34	34	34	35	35	35	35	35	36	37	37
COLORS	Metallic Light Silver + Metallic Blue / Metallic Red	Metallic Silver	Metallic Blue	Metallic Light Silver + Metallic Red	Metallic Light Silver + Metallic Red	Metallic Black	Metallic Warm Silver + Metallic Blue	Metallic Warm Silver + Metallic Blue	Gloss Black	Metallic Silver + Brushed Aluminum	Metallic Warm Silver + Red
SIZES	XS (13) SM (16) MD (18) LG (19.5) XL (21) Supplegraph SM (14.5) Supplegraph SM (16) MD (18) LG (19.5) XL (21)	SM (15) MD (17.5) LG (20) XL (22.5) Supplegraph SM (15) MD (17.5) LG (20) XL (22.5)	SM (15) MD (17.5) LG (20) XL (22.5) Supplegraph SM (15) MD (17.5) LG (20) XL (22.5)	SM (15) MD (17.5) LG (20) XL (22.5) Supplegraph SM (15) MD (17.5) LG (20) XL (22.5)	SM (15) MD (17.5) LG (20) XL (22.5) Supplegraph SM (15) MD (17.5) LG (20) XL (22.5)	SM (15) MD (17.5) LG (20) XL (22.5) Supplegraph SM (15) MD (17.5) LG (20) XL (22.5)	SM (14.5) MD (16.5) LG (18.5) XL (21) Supplegraph SM (14.5) MD (16.5) LG (18.5) XL (21)	SM (14.5) MD (16.5) LG (18.5) XL (21) Supplegraph SM (14.5) MD (16.5) LG (18.5) XL (21)	SM (14.5) MD (16.5) LG (18.5) XL (21) Supplegraph SM (14.5) MD (16.5) LG (18.5) XL (21)	SM (14.5) MD (16.5) LG (18.5) XL (21) Supplegraph SM (14.5) MD (16.5) LG (18.5) XL (21)	SM (14.5) MD (16.5) LG (18.5) XL (21) Supplegraph SM (14.5) MD (16.5) LG (18.5) XL (21)
DETAIL FRAME	Silver Series aluminum ATB	Premium Series 280000 intensity and externally ballasted aluminum Genesis 28" Geometry	Gold Series D61 T5 intensity and externally ballasted aluminum Genesis 28" Geometry	Silver Series aluminum hybrid	Silver Series aluminum hybrid	Silver Series aluminum hybrid	Silver Series aluminum hybrid	Silver Series aluminum hybrid	Gold Series D61 T5 intensity and externally ballasted aluminum Genesis Geometry	Silver Series aluminum SUB	Silver Series aluminum SUB
SURVIGARE	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FORK	Hiun ATB	Hiun Sprint Elite 75mm travel	R5 Motor GP5 150mm travel	Cremity ATB	R5 Motor GP5 150mm travel	R5 Motor GP5 150mm travel	R5 Motor GP5 150mm travel	R5 Motor GP5 150mm travel	Bontager Switchblade 28"	R5 Motor GP5 150mm travel	R5 Motor GP5 150mm travel
REAR SHOCK	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
HEADSET	Aluodest, semi-cartridge, sealed	Aluodest, semi-cartridge, sealed	Aluodest, semi-cartridge, sealed	Aluodest, semi-cartridge, sealed	Aluodest, semi-cartridge, sealed	Aluodest, semi-cartridge, sealed	Aluodest, semi-cartridge, sealed	Aluodest, semi-cartridge, sealed	Aluodest, semi-cartridge, sealed	Aluodest, semi-cartridge, sealed	Aluodest, semi-cartridge, sealed
BOTTOM BRACKET	Cartridge	ISIS Up/Up	ISIS Up/Up	Cartridge	Cartridge	Cartridge	Cartridge	Cartridge	Cartridge	Cartridge	Cartridge
CRANK	SPX XC2-100 40/28/28 w/CS	Bontager Select 40/28/26	Bontager Select 40/28/26	Shimano T303 40/28/28 w/CS	Shimano T303 40/28/28 w/CS	Shimano T303 40/28/28 w/CS	Shimano T303 40/28/28 w/CS	Shimano T303 40/28/28 w/CS	Bontager 38T w/CS	Shimano T303 40/28/28 w/CS	SPX XC2-100 40/28/28 w/CS
PEDALE	Nylon platform	Shimano 450B splices	Alloy ATB	Alloy ATB	Alloy ATB	Alloy ATB	Alloy ATB	Alloy ATB	Alloy platform	Alloy platform	Alloy platform
FRONT DERAILLEUR	Shimano D15	Shimano D15	Shimano D15	Shimano C102	Shimano C102	Shimano C102	Shimano C102	Shimano C102	N/A	Shimano C102	Shimano D15
REAR DERAILLEUR	Shimano X50	Shimano XT SCS	Shimano XT	Shimano D15	Shimano D15	Shimano D15	Shimano D15	Shimano D15	SHAM X7	Shimano Alivio	Shimano Alivio
SHIFTERS	Shimano EF29	Shimano XT	Shimano D15	Shimano D15	Shimano D15	Shimano D15	Shimano D15	Shimano D15	SHAM X7 Trigger	Shimano EF29	SHAM MKR Plus
CASSETTE	SPX XC2-100 11-34 7 speed	SPAM P8000 11-34 9 speed	SPAM P8000 11-34 9 speed	SPAM P8000 11-34 9 speed	SPAM P8000 11-34 9 speed	SPAM P8000 11-34 9 speed	SPAM P8000 11-34 9 speed	SPAM P8000 11-34 9 speed	SPAM P8000 11-34 9 speed	SPAM P8000 11-34 9 speed	SPX XC2-100 11-34 7 speed
CHAIN	KMC Z51	Shimano HG53	Shimano HG53	Shimano D15	Shimano D15	Shimano D15	Shimano D15	KMC Z51	Shimano HG53	Shimano D15	KMC Z51
FRONT WHEEL	Bontager Superstick 29" disc-specific wheel system										
FRONT HUB	Alloy OR		Shimano M525 Disc	Alloy OR	Alloy OR	Alloy OR	Alloy OR	Alloy OR	Shimano M525 Disc	Alloy OR	Alloy OR
FRONT RIM	Matrix 550		WTB Speed Disc	WTB Dual Duty	WTB Dual Duty	WTB Dual Duty	WTB Dual Duty	Matrix 750	WTB Speed Disc	Matrix 550	Matrix 550
FRONT SPOKES	14G		14G Stainless Steel	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G
REAR WHEEL	Bontager Superstick 29" disc-specific wheel system										
REAR HUB	Alloy OR		Shimano M525 Disc	Shimano RM40	Shimano RM40	Shimano RM40	Shimano RM40	Alloy OR	Shimano M525 Disc	Shimano RM40	Alloy OR
REAR RIM	Matrix 550		WTB Speed Disc	WTB Dual Duty	WTB Dual Duty	WTB Dual Duty	WTB Dual Duty	Matrix 750	WTB Speed Disc	Matrix 550	Matrix 550
REAR SPOKES	14G		14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G
FRONT TIRE	Bontager Connection Trail 26x2.0	IRC Mythos CX Slick 700x42c	IRC Mythos CX Slick 700x42c	Bontager Invert HC 700x35	IRC Mythos CX Slick 700x42c	IRC Mythos CX Slick 700x42c	IRC Mythos CX Slick 700x42c	IRC Mythos CX Slick 700x42c	Bontager Hank Stem-Slick 26x2.2	Bontager Hank Stem-Slick 26x2.2	Bontager Hank Stem-Slick 26x2.2
REAR TIRE	Bontager Connection Trail 26x2.0	IRC Mythos CX Slick 700x42c	IRC Mythos CX Slick 700x42c	Bontager Invert HC 700x35	IRC Mythos CX Slick 700x42c	IRC Mythos CX Slick 700x42c	IRC Mythos CX Slick 700x42c	IRC Mythos CX Slick 700x42c	Bontager Hank Stem-Slick 26x2.2	Bontager Hank Stem-Slick 26x2.2	Bontager Hank Stem-Slick 26x2.2
FRONT BRAKE	Tektro V	Avid BB7 mechanical disc	Avid BB5 mechanical disc	Shimano M420 V	Shimano M420 V	Tektro V	Tektro V	Tektro V	Avid BB7 mechanical disc	Tektro V	Tektro V
REAR BRAKE	Tektro V	Avid BB7 mechanical disc	Avid BB5 mechanical disc	Shimano M420 V	Shimano M420 V	Tektro V	Tektro V	Tektro V	Avid BB7 mechanical disc	Tektro V	Tektro V
BIKES LEVER	Alloy	Avid F15	Alloy	Alloy	Alloy	Alloy	Alloy	Alloy	Avid F15	Alloy	Alloy
HANDLEBAR	Hiun	Bontager Select 25.4mm clamp 100mm W 7 deg. bend	Bontager Crowbar Select	Bontager Crowbar Sport	Bontager Crowbar Sport	Bontager Crowbar Sport	Bontager Crowbar Sport	Hiun	Bontager Crowbar Sport	Hiun	Hiun
STEM	Hiun 25.4mm, 100	Bontager Select 10 deg, 100	AHS alloy adjustable rise	AHS alloy adjustable rise	AHS alloy adjustable rise	AHS alloy adjustable rise	AHS alloy adjustable rise	Alloy adjustable rise	Bontager Sport 25 deg, 100	Alloy adjustable rise	Alloy adjustable rise
GRIP											
SADDLE	Bontager Sport	Bontager Race Luxe Hollow carbon rails	Bontager Race Luxe	Bontager D12+	Bontager D12+	Bontager D12+	Bontager D12+	Bontager Wideswing Comfort	Bontager Sport	Bontager Wideswing Comfort	Bontager Wideswing Comfort
SEATPOST	Bontager	Bontager Sport	Bontager Select	Alloy suspension	Alloy suspension	Alloy suspension	Alloy suspension	Alloy suspension	Bontager Sport	Alloy suspension	Alloy suspension