

F U J I

No. 7 Edition

Exclusive Importer:

FUJI AMERICA

a Division of

Toshoku America, Inc.

Room 520, 551 Fifth Ave.

New York, N.Y. 10017

Telephone: 212-661-5421



World's Finest Bike Since 1899



PROFESSIONAL Page 2



NEWEST Page 3



FINEST Page 4



FUJI AMERICA Page 5



S10-S Page 6



S10-SL Page 6



DYNAMIC 12 Page 7



GRAN TOURER Page 8



GRAN TOURER L Page 8



SPORTS 10 Page 9



SPORTS 10L Page 9



SPORTS 5 Page 10




SPORTS 5L Page 10



JUNIOR Page 11

FUJI WORLD'S FINEST BIKE SINCE 1899



1. Parkerising plant (Rust-proof process)
2. Automatic painting & drying plant
3. Automatic rim assembling machine
4. Assembling plant
5. Hand brazing of chro-moly frame
6. Hand filing of Pro frame
7. Warehouse



FUJI PROFESSIONAL

The ultimate state of the art bicycle is represented by the Fuji Professional. Featuring a completely hand crafted and meticulously assembled machine, with the primary function of providing for the most direct transmission of power in the most efficient manner possible. The Fuji pro is composed of 74° x 75° double butted chrome-moly tubing, equipped with the unsurpassed, elegant Superbe line of components.

Total weight. 20 ½ lbs.

Size availability. 20 ½" to 25" in every half inches.




Silver Mink



FUJI NEWEST

The top choice of the discriminating cyclist. This is the perfect all around machine, suitable both for long distance touring and racing. Featuring a completely hand made 74° x 75°, double butted chrome-moly frame, equipped with some of the most exclusive and choice components parts that assure you clock-like precision and handling.

Sizes available. 21 $\frac{1}{4}$ " , 22 $\frac{3}{4}$ " , 24"



Silver



FUJI FINEST

The perfect touring bike. This light weight 22 ½ lbs. double butted chrome-moly bicycle features a 39 ¾" wheelbase, and a generous fork rake to provide for the most comfortable ride possible, with no compromise on performance. It comes equipped with the highest quality alloy components with tubular tires, and a 12 speed gearing system.

Sizes available. 21 ¼" , 22 ½" , 24"



Rainbow Blue



FUJI AMERICA

This bicycle is designed especially for the long distance tourer or cycle camper with an eye on the budget, but wishes no compromise on quality or performance. Frame is constructed of double butted chrome-moly set at 73° parallel angles, sporting a 5-pin cotterless crank, bar-end shifters, leather, copper riveted saddle, alloy pedals, the exclusive 12 speed system, and a frame fitted pump.

Sizes available. 21" , 23" , 25"



Burgundy



FUJI S10-S

This top rated and overwhelmingly popular model, continues to provide the best value for the money, and no wonder. The frame is composed of double butted high tension steel, equipped with all alloy quality components, low flange hubs, 85 psi tires, a plastic frame fitted pump, and incorporates the new 12 speed system. Definitely unbeatable.

Sizes available. 21", 23", 25", Mixte 19", 21½"



Ebony



Jade



Platinum



Victory Blue



FUJI S10-SL




FUJI DYNAMIC 12

A completely redesigned model, made of high tension steel tubing, with specially designed lugs. Featuring top choice alloy components, quick release, 5-pin cotterless crank, H.P. tires mounted on light weight anodized alloy rims. This model also incorporates the new 12 speed gearing system. All in all an ideally suited bicycle for the commuter and recreational cyclist.


Sizes available. 21" , 23" , 25"



Blue



Red



Brown



FUJI GRAN TOURER

This is the standard that all bicycles will be judged against. It is unsurpassed in both outstanding performance and affordability incorporating features found in models costing twice its price, 73° parallel high tension frame, contoured precision drop-outs, light alloy 5-pin cotterless cranks, alloy hubs, and also featuring the exclusive and new 12 speed gearing system.

Sizes available. 19", 21", 23", 25", Mixte 19", 21"



Silver



Champagne



Burgundy



FUJI GRAN TOURER L



FUJI SPORTS 10

A distinctively appointed and attractively priced model, providing even the most budget minded the affordability and quality for which Fuji is so well renowned. Featuring a high tension steel frame, a cotterless steel crank, recessed stem, and high pressure tires. This is the ideal model for the novice cyclist.

Sizes available. 19", 21", 23", 25", Lady 20"



FUJI SPORTS 10L



Blue



Red



Green



Cream White



FUJI SPORTS 5


Basic reliable transportation for those who are looking for a bike in the more traditional sense. This model incorporates all of the fine features and high quality that is standard in all Fujis. Equipped with a lugged frame, fenders, and side pull brakes. Sizes available. 21" , 23" , Lady 20"



Blue



Red



Cream White



FUJI SPORTS 5L




FUJI JUNIOR

The same high quality and dependable performance for which all adult Fuji models have become ever so popular, is available for the younger set. Featuring an 18" high tension steel frame, fitted with top line components, and mounted on 24" wheels.

Size available. 18"



Blue



Red

SPECIFICATIONS

Model	PROFESSIONAL Page 2	NEWEST Page 3	FINEST Page 4	FUJI AMERICA Page 5
Frame Size	20 1/2" to 25" (every half inch available) Angle 74° x 75°	21 1/4", 22 3/4", 24" Angle 74° x 75°	21 1/4", 22 1/2", 24" Angle 73° x 73°	21", 23", 25" Angle 73° x 73°
Frame Material	FUJI double butted chrome molybdenum steel tubing 331 with SUN TOUR ends	FUJI double butted chrome molybdenum steel tubing 331 with SUN TOUR ends	FUJI double butted chrome molybdenum steel tubing 331 with SUN TOUR ends	FUJI double butted chrome molybdenum steel tubing 331 with SUN TOUR ends
Front Fork	Chrome molybdenum steel tubing with SUN TOUR ends	Chrome molybdenum steel tubing with SUN TOUR ends	Chrome molybdenum steel tubing with SUN TOUR ends	Chrome molybdenum steel tubing with SUN TOUR ends
Handlebars	NITTO #165 alloy	NITTO #165 alloy	NITTO Universiade B105 alloy	NITTO Olympiade B115 alloy
Stem	NITTO Crystem forged alloy	NITTO Pearl G forged alloy	NITTO Pearl forged alloy	NITTO Pearl forged alloy
Brakes	SUN TOUR Superbe side pull	SUN TOUR Superbe side pull	DIA COMPE #500G side pull	GRAN COMPE #GC610 center pull
Crank Set	SUN TOUR Superbe 47 x 52T. 170 mm cranks	SUGINO Mighty Victory 47 x 52T. 171 mm cranks	SUGINO Mighty Compe 44 x 52T. 171 mm cranks	SUGINO New Maxy 2AL8 42 x 52T. 171 mm cranks
Derailleur Set	SUN TOUR Front—Superbe Rear—Superbe Shifter—Superbe	SUN TOUR Front—Cyclone Rear—Cyclone Shifter—Cyclone	SUN TOUR Front—SL Rear—VX-S Shifter—Bar-Con	SUN TOUR Front—SL Rear—VX-L Shifter—Bar-Con
Rear Cluster	SUN TOUR Pro-Compe 6-speed 13-22T.	SUN TOUR Pro-Compe 6-speed 13-22T.	SUN TOUR Mighty-6 14-24T. (6 cogs)	SUN TOUR Mighty-6 14-30T. Gold(6 cogs)
Chain	HKK Blue Sky 1/2" x 3/32" Gold	HKK Blue Sky 1/2" x 3/32" Gold	HKK 1/2" x 3/32" Special chain	HKK 1/2" x 3/32" Gold Special chain
Pedals	SUN TOUR Superbe Road forged alloy with reflectors	MKS Unique Custom Road forged alloy with reflectors	MKS Quill-2K alloy frame with reflectors	MKS Quill-2K alloy frame with reflectors
Rims	UKAI tubular alloy 27" x 1 1/8"	UKAI tubular alloy 27" x 1 1/8"	UKAI tubular alloy 27" x 1 1/8"	UKAI alloy 700 x 28C
Hubs	SUN TOUR Superbe small flange with quick release	SUNSHINE Professional small flange with quick release	SUNSHINE Gyro-Master small flange with quick release	SUNSHINE Gyro-Master small flange with quick release
Spokes	# 14/15 swaged steel	# 14/15 swaged steel	# 14/15 steel swaged	# 14 steel
Tires	SOYO Special 300 tubular 27" x 1 1/8"	SOYO Special 300 tubular 27" x 1 1/8"	SOYO #90 tubular 27" x 1 1/8"	SILVER STAR 700 x 28C W/O high pressure
Saddle	FUJITA Professional Seamless King	FUJITA Professional Seamless King	FUJITA Professional Seamless Super	FUJITA F-17 Professional leather
Seat Pillar	Forged alloy	Forged alloy	Forged alloy	Forged alloy
Accessories Equipment	PRIMUS TL frame pump, Water bottle, Toe clips and straps, Spoke disc-Alloy, Reflectors-CAT EYE	PRIMUS TL frame pump, Water bottle, Toe clips and straps, Spoke disc-Alloy, Reflectors-CAT EYE	PRIMUS TL frame pump, Toe clips and straps, Spoks disc-Alloy, Reflectors-CAT EYE	PRIMUS TL frame pump, Toe clips and straps, Spoke disc-Alloy, Reflectors-CAT EYE
Color	Silver Mink	Silver	Rainbow Blue	Burgundy
Weight Approx.	20 1/2 lbs.	22 lbs.	22 1/2 lbs.	24 1/2 lbs.

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

S10-S Page 6	S10-SL Page 6	DYNAMIC 12 Page 7	GRAN TOURER Page 8	GRAN TOURER L Page 8
21", 23", 25" Angle 73° x 73°	19", 21 1/2" Angle 73° x 73°	21", 23", 25" Angle 73° x 73°	19", 21", 23", 25" Angle 73° x 73°	19", 21" Angle 73° x 73°
FUJI double butted high tension steel tubing 881 with SUN TOUR ends	FUJI double butted high tension steel tubing 881 with SUN TOUR ends	FUJI high tension steel tubing 661	FUJI high tension steel tubing 661	FUJI high tension steel tubing 661
High tension steel tubing with SUN TOUR ends	High tension steel tubing with SUN TOUR ends	High tension steel tubing	High tension steel tubing	High tension steel tubing
NITTO Olympiade B115 alloy	NITTO Olympiade B115 alloy	NITTO Olympiade B114 alloy	NITTO Olympiade B112 steel	NITTO Olympiade B112 steel
NITTO Neo Dynamic forged alloy recessed bolt	NITTO Neo Dynamic forged alloy recessed bolt	DIA COMPE G forged alloy recessed bolt	DIA COMPE G forged alloy recessed bolt	DIA COMPE G forged alloy recessed bolt
DIA COMPE #610 center pull	DIA COMPE #610 center pull with dual levers	DIA COMPE #610 center pull	DIA COMPE #610 center pull with dual levers	DIA COMPE #610 center pull with dual levers
SUGINO New Maxy 2AL 42 x 52T. 171 mm cranks	SUGINO New Maxy 2AL 42 x 52T. 171 mm cranks	SUGINO New Maxy 1 42 x 52T. 171 mm cranks	SUGINO New Maxy 1 42 x 52T. 171 mm cranks	SUGINO New Maxy 1 42 x 52T. 171 mm cranks
SUN TOUR Front—SL Rear—VX-L Shifter—PDL-M	SUN TOUR Front—SL Rear—VX-L Shifter—PUB-10	SUN TOUR Front—Compe V Rear—VGT Shifter—DLW	SUN TOUR Front—Spirt Rear—Seven GT Shifter—UB-10	SUN TOUR Front—Spirt Rear—Seven GT Shifter—UB-10
SUN TOUR Mighty-6 14-30T. (6 cogs)	SUN TOUR Mighty-6 14-30T. (6 cogs)	SUN TOUR Mighty-6 14-30T. (6 cogs)	SUN TOUR Mighty-6 14-30T. (6 cogs)	SUN TOUR Mighty-6 14-30T. (6 cogs)
HKK 1/2" x 3/32" Special chain	HKK 1/2" x 3/32" Special chain	HKK 1/2" x 3/32" Special chain	HKK 1/2" x 3/32" Special chain	HKK 1/2" x 3/32" Special chain
MKS Quill-2K alloy frame with reflectors	MKS Quill-2K alloy frame with reflectors	MKS #11 steel frame	MKS #11 steel frame	MKS #11 steel frame
UKAI alloy 27" x 1 1/4"	UKAI alloy 27" x 1 1/4"	UKAI alloy 27" x 1 1/4"	UKAI steel 27" x 1 1/4" high pressure	UKAI steel 27" x 1 1/4" high pressure
SUNSHINE Gyro-Master small flange with quick release	SUNSHINE Gyro-Master small flange with quick release	SUNSHINE large flange forged alloy with quick release	SUNSHINE semi large flange forged alloy with front quick release	SUNSHINE semi large flange forged alloy with front quick release
#14 steel	#14 steel	#14 steel	#14 steel	#14 steel
SILVER STAR 27" x 1 1/4" W/O high pressure	SILVER STAR 27" x 1 1/4" W/O high pressure	SILVER STAR 27" x 1 1/4" W/O high pressure	SILVER STAR 27" x 1 1/4" W/O high pressure	SILVER STAR 27" x 1 1/4" W/O high pressure
FUJITA F-17 leather	FUJITA DL-17 vinyl padded	FUJITA F-17 Feather leather	FUJITA D-17 vinyl padded	FUJITA DL-17 vinyl padded
Steel	Steel	Steel	Steel	Steel
PRIMUS TL frame pump, Spoke disc-Steel Reflectors-CAT EYE	PRIMUS TL frame pump Spoke disc-Steel Reflectors-CAT EYE	Spoke disc-Steel, Reflectors-CAT EYE	Spoke disc-Steel, Reflectors-CAT EYE	Spoke disc-Steel, Reflectors-CAT EYE
Ebony, Jade, Platinum, Victory Blue	Ebony, Victory Blue	Blue, Red, Brown	Silver, Champagne, Burgundy	Silver, Burgundy
26 lbs.	28 lbs.	29 lbs.	30 lbs.	31 lbs.

SPORTS 10 Page 9	SPORTS 10L Page 9	SPORTS 5 Page 10	SPORTS 5L Page 10	JUNIOR Page 11	
19", 21", 23", 25" Angle 73° x 73°	20" Angle 73° x 73°	21", 23" Angle 73° x 73°	20" Angle 73° x 73°	18" Angle 73° x 73°	
FUJI high tension steel tubing 661	FUJI high tension steel tubing 661	Best quality steel tubing	Best quality steel tubing	FUJI high tension steel tubing 661	Steel
High tension steel tubing	High tension steel tubing	High tension steel tubing	High tension steel tubing	High tension steel tubing	
NITTO Olympiade B111 steel	NITTO All-Rounder B206 steel	NITTO North-Road B303 steel	NITTO North-Road B303 steel	NITTO Olympiade B111 steel	
NITTO Postern steel recessed bolt	NITTO Postern steel recessed bolt	NITTO Postern steel	NITTO Postern steel	NITTO Postern steel recessed bolt	
DIA COMPE #610 center pull with dual levers	DIA COMPE #730 side pull	DIA COMPE #730 side pull	DIA COMPE #730 side pull	DIA COMPE #500 side pull with dual levers	
SUGINO 42 x 52T. 165 mm steel cotterless cranks	SUGINO 42 x 52T. 165 mm steel cotterless cranks	SUGINO 48T. 165 mm steel cottered cranks	SUGINO 48T. 165 mm steel cottered cranks	SUGINO 40 x 48T. 152 mm steel cottered cranks	
SUN TOUR Front—Spirt Rear—Seven GT Shifter—UB-10	SUN TOUR Front—Spirt Rear—Seven GT Shifter—UB-10	SUN TOUR Rear—Seven GT Shifter—PUB-5	SUN TOUR Rear—Seven GT Shifter—PUB-5	SUN TOUR Front—Spirt Rear—Seven Shifter—UB-10	
SUN TOUR 14-28T.	SUN TOUR 14-28T.	SUN TOUR 14-28T.	SUN TOUR 14-28T.	SUN TOUR 14-26T.	
HKK 1/2" x 3/32"	HKK 1/2" x 3/32"	HKK 1/2" x 3/32"	HKK 1/2" x 3/32"	HKK 1/2" x 3/32"	
MKS #11 steel frame	MKS #11 steel frame	MKS #60 white vinyl blocks	MKS #60 white vinyl blocks	MKS #90 steel frame	
UKAI steel 27" x 1 1/4" high pressure	UKAI steel 27" x 1 1/4" high pressure	UKAI steel 27" x 1 1/4" high pressure	UKAI steel 27" x 1 1/4" high pressure	UKAI steel 24" x 1 1/4" high pressure	
SUNSHINE semi large flange steel	SUNSHINE semi large flange steel	SUNSHINE semi large flange steel	SUNSHINE semi large flange steel	SUNSHINE semi large flange steel	
#14 steel	#14 steel	#14 steel	#14 steel	#14 steel	
SILVER STAR 27" x 1 1/4" W/O high pressure	SILVER STAR 27" x 1 1/4" W/O high pressure	SILVER STAR 27" x 1 1/4" W/O high pressure	SILVER STAR 27" x 1 1/4" W/O high pressure	SILVER STAR 27" x 1 1/4" W/O high pressure	
FUJITA DL-17 vinyl padded	FUJITA DL-17 vinyl padded	Vinyl padded	Vinyl padded	FUJITA DJ-17 vinyl padded	
Steel	Steel	Steel	Steel	Steel	
Stand-Alloy, Chain case-Round steel, Spoke disc-Steel, Reflectors-CAT EYE	Fenders-Stainless steel, Stand-Alloy, Chain case-Round steel, Spoke disc-Steel, Reflectors-CAT EYE	Fenders-Stainless steel, Stand-Alloy, Chain case-Round steel, Spoke disc-Steel, Reflectors-CAT EYE	Fenders-Stainless steel, Stand-Alloy, Chain case-Round steel, Spoke disc-Steel, Reflectors-CAT EYE	Chain case-Round steel, Spoke disc-Steel, Reflectors-CAT EYE	
Blue, Red, Green	Blue, Cream White	Red, Blue	Blue, Cream White	Blue, Red	
31 lbs.	31 lbs.	32 1/2 lbs.	33 1/2 lbs.	30 lbs.	

World's Finest Bike Since 1899



FUJI AMERICA

a Division of

Toshoku America, Inc.

Room 520, 551 Fifth Ave.
New York, N.Y. 10017

Telephone: 212-661-5421

FUJI AMERICA WEST

a Division of

Toshoku America, Inc.

465 California Street,
San Francisco, Calif. 94104

Telephone: 415-986-7797-8

Regional Distributors

BIKE RACK, INC.

1595 Ocean Ave.
Bohemia, L.I., N.Y. 11716
Telephone: 516-567-6600

**FUJI CYCLE CENTER
of New Jersey**

215 Route 17,
Rochelle Park, N.J. 07662
Telephone: 201-843-6409

GULF CYCLE SALES, INC.

2900 Chartres Street,
Corner Press
New Orleans, Louisiana 70117
Telephone: 504-945-2132

INTERWHEEL

2660 28th Street, S.E.
Grand Rapids, Michigan 49508
Telephone: 616-949-7788

LIFE CYCLE COMPANY

1013 Massachusetts Avenue
Cambridge, Massachusetts 02138
Telephone: 617-354-8595

**NORTHWEST BICYCLE
SUPPLY COMPANY**

473 Harding Street, N.E.
Minneapolis, Minnesota 55440
Telephone: 612-331-6534

Your authorized FUJI dealer



Hayim Kato



NICHIBEI FUJI CYCLE COMPANY, LTD.

2-36, 2-chome Morino, Machida-shi, Tokyo 194, Japan

Printed in Japan