

The background of the entire page is a dark, almost black, surface with several bright red, diagonal streaks that create a sense of motion and speed. Two identical red spider silhouettes are positioned on the left and right sides of the page. Each spider has a rounded body and eight long, thin legs. The legs of the spiders are aligned with the red streaks, making it appear as though they are running or crawling along them. The overall aesthetic is high-contrast and dynamic.

INTENSE CYCLES
PRODUCT CATALOG 212

THE BIKES

Carbine	6
Carbine SL	8
Carbine 275	10
Spider 29 Comp	12
Hard Eddie	14
M9 Fro	16
951	18
UZZI	20
Tracer 2	22
Tracer 275	24
Tracer 29	26
Spider 29	28
Build Kits	30



INTENTSE CYCLES OFFERS A COMPLETE LINE OF MOUNTAIN BIKES WITH AN AUTHENTIC HERITAGE AND EXCEPTIONAL FIT, FORM & FUNCTION.

In 1991, Intense Cycles Founder/Designer, Jeff Steber set out to design a mountain bike that would offer unmatched performance and would look and feel like a work of art. He succeeded, and in 1995 the bike gained worldwide attention when Shaun Palmer came from nowhere to win the silver medal at the UCI Downhill World Championships on his Intense M-1.

Since then, many of the world's top racers have ridden Intense frames to National and World Championship titles, and in the process helped to elevate the brand - not only in the cycling industry but as a cultural icon.

From early on, Intense was a leader in innovation. We were among the first to feature advanced technology on all our frames. Sealed bearing pivots, adjustable travel, replaceable dropout systems and hydro-formed tubing became signature throughout the line. Later, we incorporated patented VPP suspension, collet bolt/angular contact bearings and made countless refinements and upgrades.

Today, we stay true to our roots and continue to evolve as a brand. We were proud last year to add state of the art carbon fiber to accompany our aluminum product line, which now includes a complete range of bikes in XC, All Mountain and Downhill, and offers 29" and 27.5" wheel models.


We believe that what we make has made us what we are: An Iconic American Mountain Bike brand, since 1991.



INTENSE
CYCLES USA

VPP SUSPENSION designs balance different forces to eliminate unwanted compression without limited bump absorption. The downward force on the pedals pushes most full suspension bikes down, resulting in unwanted suspension compression. VPP bikes use a patented link configuration and axle path to apply some of the pulling force from the chain to counteract the motion caused by pedaling.

Because the forces are balanced, VPP bikes remain able to absorb bumps when pedaling, unlike other designs that effectively lock out the rear suspension by applying too much chain-pulling force. The result is plush travel with no pedal-induced compression or lock-out, and no need for manual lockouts or other compromises.



**MADE IN THE
USA**

ALL OUR ALUMINUM FRAMES ARE MADE IN THE USA IN OUR FACTORY IN TEMECULA, CA.

If we don't do it ourselves we use all local vendors, stimulating local economy. Carbon Fiber Frames are designed, all hardware, links & assembly in USA in our factory.

INTENSE TECHNOLOGY



G3 Replaceable / Adjustable dropout system offers options for QR 135mm//135x12//142x12//150x12, as well as Geometry adjust for Chainstay/Wheelbase Bottom Bracket Height and Head Angle.



Fox Factory CTD trail adjust Kashima rear shocks are STANDARD on most of our frames.



G-1 Replaceable drop out system offers upgraded technology and options including Qr 135mm, 142 x 12, Carbine 27.5" and single speed for Hard Eddie and if something new comes along we got you covered.



Collet Bolt / Angular contact Bearings with replaceable grease ports for easy Maintenance and long bearing life.



Adjustable Travel Shock Links, all our frames feature two travel setting that give each model a dual personality, set it up tight and light or super plush – the choice is yours.



Intense proprietary hydroformed tubing and monoque mainframes are a signature design that adds strength, reduces weight and creates a unique appearance to all our frames produced in our factory.

CARBINE



State of the art composite engineering and technology, along with the vision and design of Jeff Steber, has resulted in our most exciting mountain bike design to date. The first carbon fiber offering from Intense, the Carbine, is the result of a two-and-a-half year collaboration with German engineering firm: SEED.

AVAILABLE COLORS

Naked Carbon and Intense Red



TO CREATE THE CARBINE, WE TOOK THE DNA OF OUR PROVEN TRACER VP AND RE-DESIGNED IT USING CARBON FIBER CONSTRUCTION. The result is remarkable: a do-it-all trail bike with a dual personality. The Carbine's slightly slacker geometry feels and acts like an all-mountain/enduro bike but its weight and agility suggest a bona fide cross-country frame.

It features all the standard Intense technology, plus a few more tricks up its sleeve: dropper post cable routing, direct-mount front derailleur and Fox factory Kashima Float CTD with a custom Carbine tune all come stock. We even threw in our FLK GRD down tube & chain stay protection system for good measure.

AVAILABLE AS A COMPLETE BIKE OR FRAME ONLY

KEY FEATURES

Intended Use: Trail/AM/Enduro

Patented VPP Suspension

Fox Factory Kashima Custom Carbine Tune Float CTD-ADJ. w/Boost Value

Tapered Head Tube 1.5/1-1/8" (44mm/49.61mm)

Composite BB92 Bottom Bracket

Replaceable "G1" Drop Out System (QR 135, Syntace 142x12, Shimano 142 QR12)

Adjustable Travel 5.5" to 6", 140 to 152mm

Dropper Post Cable Routing


H2O Bottle Mounts

Direct Mount Front Derailleur

Intense "FLK-GRD" Down Tube and Chainstay Protection System
Angular Contact

Bearing/Collet Axle System with Replaceable Zirk Fittings

GEOMETRY



150MM FORK AC 529MM

		SMALL	MEDIUM	LARGE
A	WHEELBASE	42.6"	43.6	44.7"
B	TOP TUBE	22"	23"	24"
C	CHAINSTAY	16.75"	16.75"	16.75"
D	HEAD TUBE	4.2"	4.5"	4.8"
E	HEAD ANGLE	68	68	68
F	REACH	15.25"	16.25"	17.5"
G	STACK	22.5"	23"	23.5"
H	BB HEIGHT	13.25"	13.25"	13.25"
I	SEAT ANGLE (EFFECTIVE)	73	73	73
J	SEAT ANGLE (ACTUAL)	71.5	71.5	71.5
K	SEAT TUBE	15.5"	17.5"	19.5"

160MM FORK AC 545MM

		SMALL	MEDIUM	LARGE
A	WHEELBASE	43"	44"	45.25"
E	HEAD ANGLE	67	67	67
I	SEAT ANGLE (EFFECTIVE)	69.5	69.5	69.5
J	SEAT ANGLE (ACTUAL)	72	72	72
H	BB HEIGHT	13.5"	13.5"	13.5"

CARBINE SL



Introducing the Carbine SL: the second offering in Intense Cycles' exciting line of carbon fiber frames. "SL" stands for "super light" and the frame lives up to its name, weighing in around the 5 lb. mark. Less really is more.

AVAILABLE COLORS

Naked / Red



A LIGHTER-WEIGHT VERSION OF OUR INCREDIBLY POPULAR CARBINE, THE SL WAS DESIGNED FOR SERIOUS CROSS-COUNTRY RACERS AND HARD-CORE LIGHT TRAIL RIDERS. It features state of the art technology and is built from high-modulus carbon fiber to save weight and retain strength. Combined with our patented VPP suspension, the SL offers unmatched pedaling efficiency, an ultra-lightweight chassis and an unbelievably smooth ride.

Cool added features like titanium bolts and a carbon fiber shock link come stock on the SL, reminding you that it's a serious XC bike – And the dedicated 135 QR dropouts and adjustable 4.75 – 5.25 travel remind you it's an Intense.

AVAILABLE AS A COMPLETE BIKE OR FRAME ONLY

KEY FEATURES

Intended Use: XC / LT Trail

Patented VPP Suspension

Fox Factory Float CTD Kashima

Tapered Head Tube 1-1/8"/1.5" (44mm/49.6mm)

Press Fit BB92 Bottom Bracket

Quick release seat clamp

Adjustable Travel 4.75" to 5.25", 120mm to 135mm

Carbon Fiber Shock Link

Dropper Seat Post Cable Routing

Direct Mount Front Derailier

FLK-GRD Protection on Downtube and Chainstay

Angular Contact Bearing/Collet 15mm Axle System with Replaceable Grease Zirks


GEOMETRY

CARBINE SL GEOMETRY CHART WITH 150MM FORK AC 529MM

		SMALL	MEDIUM	LARGE
A	WHEELBASE	42.6"	43.6	44.7"
B	TOP TUBE	22"	23"	24"
C	CHAINSTAY	16.75"	16.75"	16.75"
D	HEAD TUBE	4.2"	4.5"	4.8"
E	HEAD ANGLE	68	68	68
F	REACH	15.25"	16.25"	17.5"
G	STACK	22.5"	23"	23.5"
H	BB HEIGHT	13.25"	13.25"	13.25"
I	SEAT ANGLE (EFFECTIVE)	73	73	73
J	SEAT ANGLE (ACTUAL)	71.5	71.5	71.5
K	SEAT TUBE	15.5"	17.5"	19.5"

CARBINE SL GEOMETRY CHART WITH 120MM FORK AC 490

		SMALL	MEDIUM	LARGE
A	WHEELBASE	42"	43"	44.1"
E	HEAD ANGLE	69	69	69
I	SEAT ANGLE (EFFECTIVE)	72.5	72.5	72.5
J	SEAT ANGLE (ACTUAL)	74	74	74
H	BB HEIGHT	13.1"	13.1"	13.1"



CARBINE 275



Even before the 650b buzz began, Intense had started working on ideas for the new wheel size. When the trend hit, we were ready with not one, but two options: a brand new aluminum model, and an ingenious modification of our incredibly popular carbon fiber frame – the Carbine. Introducing the Carbine 275.

AVAILABLE COLORS

Naked Carbon and Intense Red





WHEN WE DECIDED TO VENTURE FORTH INTO 650B TERRITORY, DESIGNER, JEFF STEBER QUICKLY FIGURED OUT THAT, THANKS TO OUR G1 REPLACEABLE DROPOUT SYSTEM, A SIMPLE DROPOUT CHANGE COULD MORPH THE CARBINE INTO A CARBON FIBER 27.5 FRAME. He simply needed to design and create a new part that would do the job. A few weeks later, new dropout in hand, samples were built and handed over for testing.

After months of refinements, the Carbine 275 was born. With adjustable 5 1/2 to 6 inches of adjustable travel, patented VPP rear suspension, and all the signature extras that come on all Intense frames, the Carbine 275 is unbelievably light and agile while still delivering a smooth, balanced ride.

AVAILABLE AS A COMPLETE BIKE OR FRAME ONLY

KEY FEATURES

Intended Use: Trail/AM/Enduro

27.5 (650B) Wheel Size

Adjustable Travel 5.5" to 6"

Patented VPP Suspension

Fox Factory Float CTD Kashima

Tapered Head Tube 1.5"/1.125"

Composite BB92

Replaceable G1 Drop Out System (QR 135, 142 x 12, 142 x 12 x 27.5)


Dropper Post Cable Routing

Direct Mount Front Derailleur

INTENSE "FLK-GRD" downtube & chain stay protectors

Angular Contact Bearing, 15mm Collet axle system with replaceable grease zirks

GEOMETRY



CARBINE 275 GEOMETRY CHART WITH FOX 150MM 650B- 34- FORK AC 545MM

		SMALL	MEDIUM	LARGE
A	WHEELBASE	43.2"	44.2	45.2
B	TOP TUBE	22"	23	24
C	CHAINSTAY	7"	17	17
D	HEAD TUBE	4.2"	4.5	4.8"
E	HEAD ANGLE	67	67	67
F	REACH	15.25"	16.25	17.25
G	STACK	22.5"	23	23.5
H	BB HEIGHT	13.7"	13.7	13.7
I	SEAT ANGLE (EFFECTIVE)	70.5	70.5	70.5
J	SEAT ANGLE (ACTUAL)	72.5"	72.5	72.5
K	SEAT TUBE	15.5"	17.5"	19.5"

THE SPIDER 29 COMP



The fourth in Intense's line of carbon fiber mountain bike frames, the Spider 29 Comp was designed for the XC/ light-trail segment and offers all of our signature features, as well as some new surprises.

AVAILABLE COLORS

Naked Carbon/Gold and Gloss Naked Carbon/Red



THE SPIDER 29 COMP (SHORT FOR "COMPOSITE") IS THE CULMINATION OF A YEAR AND A HALF OF DESIGN AND ENGINEERING WORK WITH OUR PARTNERS AT SEED AND IS ONE OF OUR MOST REWARDING PROJECTS TO DATE. It features modern trail geometry while the combination of patented VPP suspension and 29" wheels are magical ingredients for maintaining rolling momentum through the rough stuff and on the climbs.

The Spider 29 Comp delivers all the signature features Intense is known for and some new ones as well, like internal cable routing, tapered head tube, special internal cable routing for the Rock Shox Reverb Stealth dropper post, and comes stock with the Fox Float CTD Kashima coat rear shock. All this and still weighs in at 5 ½ pounds.

AVAILABLE AS A COMPLETE BIKE OR FRAME ONLY

KEY FEATURES

Intensed Use – XC, Trail, Enduro

Adjustable Travel – 4.5" to 5"

G1 replaceable drop out system QR 135, 142 X 12

Patented VPP suspension

5.5 lbs frame weight (medium naked)

Fox Factory Float CTD Kashima

ISCG 05 mounts

Internal Cable Routing

Routing for Rock Shox Reverb Stealth

H2O bottle fitment

FLK-GRD downtube & chainstay protection

Tapered Headtube

Direct mount front derailleur

Angular contact / collet bearing system with replaceable grease zirks

Quick release seat clamp


GEOMETRY

SPIDER 29COMP GEOMETRY CHART WITH 120MM FORK

		SMALL	MEDIUM	LARGE
A	WHEELBASE	44"	45	46
B	TOP TUBE	22.5"	23.5	24.5
C	CHAINSTAY	17.5"	17.5	17.5
D	HEAD TUBE	3.7"	4	4.5
E	HEAD ANGLE	68.5°	68.5	68.5
F	REACH	—	—	—
G	STACK	—	—	—
H	BB HEIGHT	3.2"	13.2	13.2
I	SEAT ANGLE (EFFECTIVE)	73.5°	73.5	73.5
J	SEAT ANGLE (ACTUAL)	—	—	—
K	SEAT TUBE	16"	18	19.5

SPIDER 29COMP GEOMETRY CHART WITH 140MM FORK

		SMALL	MEDIUM	LARGE
A	WHEELBASE	44.5"	45.5	26.5
E	HEAD ANGLE	67.5°	67.5	67.5
H	BB HEIGHT	13.5"	13.5"	13.5"



HARD EDDIE



When we started the Hard Eddie project, we knew that introducing the first hard-tail to the line would be tricky. The bike would be held to particular standard. It had to look amazing and perform even better. Intense had always been known for our suspension designs, so we were particularly excited at the prospect of the Hard Eddie: a race-ready XC bike with a laid-back attitude.

AVAILABLE COLORS

Naked Carbon and Naked / Red





MEET HARD EDDIE: WEIGHING IN AT JUST OVER 2LB 7OZ, EDDIE DELIVERS AN EXCEPTIONAL RIDE AND STUNNING CURB APPEAL.

Available dropout options are 135mm, 142mm and single speed (available this winter). The ride quality comes from the refined Intense geometry and high-modulus carbon fiber construction of the frame. Sticking to the successful formula used in the creation of the popular Carbine and Carbine SL, we worked in cooperation with SEED Engineering and the results are spectacular.

Hard Eddie is available in 2 color options, Naked Red, and Naked. We offer a matching rigid carbon fork option. With 100mm fork Hard Eddie runs a 70 degree steering angle and 72 degree seat angle. The PF30 BB and integrated headset offers a great platform for a light rigid frame.

AVAILABLE AS A COMPLETE BIKE OR FRAME ONLY

KEY FEATURES

Intended Use: XC / LT Trail

Tapered Headtube 1.5 / 1.125"

Internal Cable Routing

G1 Replaceable Dropout System, QR 135,
142x12, Single Speed

Press Fit PF 30 Bottom Bracket

H2O Bottle Mount


Optional Matching Carbon Rigid Fork

FLK-GRD Chainstay & Downtube Protection

Red/Naked Carbon & Naked Carbon Colorways

2.4 to 2.6 LBS. Frame Weight (Depending on Color & Dropout)

GEOMETRY



HARD EDDIE GEOMETRY CHART WITH FORK AC 500.8MM

		SMALL	MEDIUM	LARGE
A	WHEELBASE	43"	44"	45"
B	TOP TUBE	23.2"	24	24.8
C	CHAINSTAY	—	—	—
D	HEAD TUBE	3.7"	4.2	4.6
E	HEAD ANGLE	70.5°	70.5°	70.5°
F	REACH	—	—	—
G	STACK	—	—	—
H	BB HEIGHT	12.2"	12.2"	12.2"
I	SEAT ANGLE (EFFECTIVE)	—	—	—
J	SEAT ANGLE (ACTUAL)	72°	72°	72°
K	SEAT TUBE	16"	18"	20"

M9 FRO



The M9 is the legacy of our brand. It exemplifies our company and represents our heritage. It shows us who we are and how far we've come.

AVAILABLE COLORS

Chrome Black, Intense Red, Factory Works, Flo Green, or Custom





THE M-9 IS THE LATEST EDITION IN INTENSE'S RENOWNED M-SERIES LINE OF WORLD-CUP DOWNHILL CHASSIS. It's earliest predecessor, the M-1 achieved iconic status in the mid-90's and served as a launch pad for the Intense brand.

The M-9 is the culmination of over 15 years of racer feedback, R&D and evolution in technology. It holds true to the original DNA of the first M-series bikes and offers adjustable suspension and geometry that can be tweaked and tuned to tame any track. It will make you a faster, smoother, more confident rider. Period. The bike that has defined our brand for so many years just keeps getting better.

AVAILABLE AS A COMPLETE BIKE OR FRAME ONLY

KEY FEATURES

Intensed Use – Pro Level Downhill Racing

Modern World Cup Winning Geometry

Adjustable travel , 8.5" , 9" , 9.5"

Adjustable Shock rate

Adjustable geometry , Head angle , BB height & wheelbase via G3 system

G3 , adjustable / replaceable dropout system

Full 1.5" pinch bolt head tube for angle set compatibility

ISCG 05 mounts


Fox Factory DHX RC4 Kashima rear shock standard

15mm Collet bolt with angular contact bearing system with replaceable grease zirks

Made in U.S.A. in our factory in California

Formed mono shell main triangle & Butted / hydroformed Tubing

GEOMETRY



		SMALL	MEDIUM	LARGE
A	WHEELBASE	45.5"-46.5"	46.5"-47.5"	47.5"-48.5"
B	TOP TUBE	22"	23"	24"
C	CHAINSTAY	7.25"/17.5"/17.75"	7.25/17.5/17.75	7.25/17.5/17.75
D	HEAD TUBE	4.5"	5"	5"
E	HEAD ANGLE	64(+/- .5/1.0/1.5)	64(+/- .5/1.0/1.5)	64(+/- .5/1.0/1.5)
F	REACH	15.5"	16.25"	17.25"
G	STACK	22.5"	23"	23.5"
H	BB HEIGHT	13.7-14.2"	13.7-14.2"	13.7-14.2"
I	SEAT ANGLE (EFFECTIVE)	—	—	—
J	SEAT ANGLE (ACTUAL)	—	—	—
K	SEAT TUBE	—	—	—

951



If the M-9 evokes our heritage, then the 951 represents our home. Namesake of our area code, the 951 delivers all the style and ass-kicking attitude you'd expect from a bike born in Southern California.

AVAILABLE COLORS

Chrome Black, Intense Red, Factory Works, Flo Green, or Custom





ORIGINALLY CONCEIVED OF AS A NATIONAL-LEVEL DH RACE BIKE, THE 951 FAST-BECAME THE CHOICE OF SERIOUS PARK RIDERS AND SHUTTLE RUN DEVOTEES THE WORLD OVER. The combination of its long travel, aggressive geometry and progressive VPP-patented suspension result in a perfect balance of downhill capability and easy maneuverability.

It's moto-influenced graphics pay homage to the widespread motorsports industry that dominates our neck of the woods, and the numerous custom color options allow each rider to create a look as unique and extraordinary as the bike itself. Made in the USA from 6061-T6 aluminum, the 951 features adjustable 8 to 8 1/2 inches of travel, an aggressive 65 degree head angle that navigates steep pitches with ease, and a 17.375" chainstay for ultimate stability at high speeds.

AVAILABLE AS A COMPLETE BIKE OR FRAME ONLY

KEY FEATURES

Intended Use: Downhill, Freeride

Patented VPP Suspension

Modern World Cup winning geometry

Adjustable Travel , 8" or 8.5"

Full 1.5" head tube for angleset compatibility


Fox DHX RC2 rear shock

Made in U.S.A. in our factory in California

Formed mono shell main triangle & butted / hydroformed tubing

ISCG 05 mounts

GEOMETRY



		SMALL	MEDIUM	LARGE
A	WHEELBASE	45.5"/1156	43.6/1181	47.5/1207
B	TOP TUBE	22.5"/572	23.5/597	24.5/622
C	CHAINSTAY	17.375"/441	17.375/441	17.375/441
D	HEAD TUBE	4.5"/114	5/127	5/127
E	HEAD ANGLE	65°	65°	65°
F	REACH	—	—	—
G	STACK	—	—	—
H	BB HEIGHT	13.75"/349.25	13.75/349.25	13.75/349.25
I	SEAT ANGLE (EFFECTIVE)	65°	65°	65°
J	SEAT ANGLE (ACTUAL)	—	—	—
K	SEAT TUBE	15.25"/387	15.25/387	15.25/387

UZZI



The weapon of choice for the most die-hard big-mountain riders, the Uzzi delivers all the fundamental elements to make climbs less grueling and descents more rewarding.

AVAILABLE COLORS

Chrome Black, Intense Red, Factory Works, Flo Green, and Custom.





IF YOU ENJOY EPIC RIDES AND DON'T WANT TO TRADE RIPPING THE DOWNHILLS FOR GREATER COMPETENCE ON THE CLIMBS, MEET YOUR NEW FRIEND – THE 2013 UZZI. New & Improved for 2013, the Uzzi features 6 ½ to 7 inches of adjustable travel, adjustable G3 dropouts and ISCG 05 and direct mount front derailleur.

The new hydro-formed tubing makes the frame lighter, stronger and more rigid while the , asymmetrical swingarm configuration allows more front derailleur and tire clearance. The Uzzi's patented VPP suspension and frame rigidity help retain climbing efficiency while the aggressive geometry and longer travel make it a forceful downhill.

AVAILABLE AS A COMPLETE BIKE OR FRAME ONLY

KEY FEATURES

Intended Use: All mountain / Freeride

Patented VPP Suspension

Fox Van RC rear shock

Adjustable travel 6.5" or 7"

Full 1.5" headtube for angleset compatibility

Dropper seat post cable routing


G3 replaceable / adjustable dropout system

Direct mount front FD

Quick release seat clamp

Angular contact bearing / Collet 15mm axle system with replaceable grease zirks

GEOMETRY



UZZI GEOMETRY CHART WITH 180MM FORK AC 575MM

		SMALL	MEDIUM	LARGE
A	WHEELBASE	43.75-45"	44.75-46	45.75-47
B	TOP TUBE	22"	23	24
C	CHAINSTAY	17-17.5"	17-17.5	17-17.5
D	HEAD TUBE	4.5"	4.5	5
E	HEAD ANGLE	65-66.5"	65-66.5	65-66.5
F	REACH	–	–	–
G	STACK	–	–	–
H	BB HEIGHT	13.7-14.3"	13.7-14.3	13.7-14.3
I	SEAT ANGLE (EFFECTIVE)	71.5-73"	71.5-73	71.5-73
J	SEAT ANGLE (ACTUAL)	72.5-74"	72.5-74	72.5-74
K	SEAT TUBE	16"	17.5"	18.5"

TRACER 2



The Tracer 2 is the core of our trail bike segment. It is the source of inspiration behind every other short-mid travel bike in the Intense line.

AVAILABLE COLORS

Works Raw, Intense Red, Flo Green, Black Chrome or Custom.





WITH SLEEK LINES, ADJUSTABLE TRAVEL, AND AGGRESSIVE MODERN TRAIL GEOMETRY, THE TRACER 2 IS A REFLECTION OF THE INTENSE BRAND: IT IS PRACTICAL, BEAUTIFUL AND DYNAMIC. But don't be taken in by its good looks — the ride is the real story. Light and agile on the climbs — fast and forgiving on the descents, the Tracer 2 is a remarkable all-around trail bike.

Featuring all the extras you expect from Intense plus a giant selection of optional custom color upgrades, the Tracer 2 looks as good as it feels.

AVAILABLE AS A COMPLETE BIKE OR FRAME ONLY

KEY FEATURES

Intended Use: Trail/AM
Patented VPP Suspension
Fox Factory Float CTD Kashima
Adjustable Travel 5.75" or 6.25"
Dropper seat post cable routing

G1 Replaceable drop out system
Direct Mount FD
Quick release seat clamp
Angular contact bearings / Collet 15mm Axle System with replaceable grease zirks
Full 1.5" head tube


GEOMETRY

TRACER 2 GEOMETRY CHART WITH 150MM FORK AC 529MM

		SMALL	MEDIUM	LARGE	XLARGE
A	WHEELBASE	43"/1092	44/1143	45/1143	26/1168
B	TOP TUBE	22"/559	23/584	24/610	25/635
C	CHAINSTAY	16.9"/429	16.9/429	16.9/429	16.9/429
D	HEAD TUBE	4"/102	4.5/114	5/127	5.5/140
E	HEAD ANGLE	68	68	68	68
F	REACH				
G	STACK				
H	BB HEIGHT	13.5"/343	13.5/343	13.5/343	13.5/343
I	SEAT ANGLE ^(EFFECTIVE)	72	72	72	72
J	SEAT ANGLE ^(ACTUAL)	73	73	73	73
K	SEAT TUBE	16.5"/419	17.5/451	19/482	20.5/521

TRACER 2 GEOMETRY CHART WITH 160 FORK AC 545MM

		SMALL	MEDIUM	LARGE	XLARGE
A	WHEELBASE	43.2"/1097	44.2 /1123	45.2 /1148	46.2 /1173
E	HEAD ANGLE	67	67	67	67
I	SEAT ANGLE ^(EFFECTIVE)	71	71	71	71
J	SEAT ANGLE ^(ACTUAL)	72	72	72	72
H	SEAT TUBE	13.7"/349	13.7/349	13.7/349	13.7/349



TRACER 275



Made in our factory in Southern California, the Tracer 275 is the latest progeny of the creative mind of Jeff Steber. The idea to do the 275 was a natural progression of our popular Tracer 2, and with momentum gaining in the 650b segment, the timing was right.

AVAILABLE COLORS

Chrome Black, Intense Red, Factory Works, Fluorescent Green, and Custom.





THE RESPONSE TO THE 275 HAS BEEN ENORMOUS. NOT SINCE THE M9 HAVE WE EXPERIENCED SUCH ENTHUSIASM FOR A NEW MODEL. What's so great about the 275? For starters, it combines the best qualities of 26" & 29" wheels. It has all the precision and efficiency of the 26" wheel and the added power and stability offered by 29ers.

But it's not just the wheel size that makes the Tracer 275 such an amazing ride - it's the DNA. Offspring of the Tracer 2, the 275 comes stock with our signature technology, and like all Intense bikes, the 275 looks as good as it feels - combining form & function for the ultimate trail ride.

AVAILABLE AS A COMPLETE BIKE OR FRAME ONLY

KEY FEATURES

New 27.5/650B wheel size

Intended Use: Trail/AM/Enduro

Adjustable Travel 5.5" to 6"

Patented VPP Suspension

Fox Factory Kashima Float CTD

Tapered head tube

G1 Replaceable drop out system 135mm, 142x12mm

Custom Butted Hydro Formed Tubeset


Dropper Seat Post Routing

Internal Routing for RS Reverb Stealth

Direct mount front derailleurs

Angular contact bearing/ Collet 15mm axle system with replaceable grease zirks

GEOMETRY



GEOMETRY CHART WITH 150MM FORK AC 545MM

		SMALL	MEDIUM	LARGE
A	WHEELBASE	44"	45"	46"
B	TOP TUBE	22"	23"	24"
C	CHAINSTAY	17"	17"	17"
D	HEAD TUBE	4"	4.5"	5"
E	HEAD ANGLE	67.5°	67.5°	67.5°
F	REACH	15.5"	16.25"	17.25"
G	STACK	—	—	—
H	BB HEIGHT	13.3"	13.3"	13.3"
I	SEAT ANGLE (EFFECTIVE)	71°	71°	71°
J	SEAT ANGLE (ACTUAL)	—	—	—
K	SEAT TUBE	16"	18"	19"

TRACER 29



As the longest travel 29'er in the Intense fleet, this bike is known for tearing single track to shreds and easily holding speed through technical descents. For 2013, bigger has definitely become better.

AVAILABLE COLORS

Factory Works, Intense Red, Flo Green, Black Chrome or Custom.





WITH TRAVEL ADJUSTABLE BETWEEN 5"- 5.5" THIS IS OUR MOST AGGRESSIVE ALUMINUM 29'ER TO DATE. The frame implements our G1 dropout system and allows for 135mm or 142mm rear spacing, keeping the rear stiff and stable at high speeds (to be expected on a bike this quick). The Tracer 29 will devour technical terrain and gracefully get you to the top of your local climb.

Handmade in California, this beautifully designed steed is the bike that will get you those KOM's on your Strava app, and with a wide range of color options you can look good doing it. Get ready to go fast aboard the 2013 Tracer 29.

AVAILABLE AS A COMPLETE BIKE OR FRAME ONLY

KEY FEATURES

Intensed Use - Trail / All Mountain 29er

29" wheel size

Adjustable travel 5" to 5.5"

G1, replaceable Drop Out System

Patented VPP suspension

Fox Factory Float CTD Kashima

ISCG 05 Mounts

Full 1.5" Head Tube


Direct mount Front Derailuer

Angular Contact / Collet bearing system with replaceable grease zirks

Quick release seat clamp

Dropper Seat post cable routing

GEOMETRY



TRACER 29 GEOMETRY CHART WITH 150MM FORK AC 565MM

		SMALL	MEDIUM	LARGE	XLARGE
A	WHEELBASE	1143MM/45"	1168-1181MM	1194-1206.5MM	1219-1232MM
B	TOP TUBE	22.5"/559	23.5/584	24.5/610	25.5/635
C	CHAINSTAY	17.7"-18.2	17.7"-18.2	17.7"-18.2	17.7"-18.2
D	HEAD TUBE	-	-	-	-
E	HEAD ANGLE	70°	70°	70°	70°
F	REACH	-	-	-	-
G	STACK	-	-	-	-
H	BB HEIGHT	13.5"-13.7	13.5"-13.7	13.5"-13.7	13.5"-13.7
I	SEAT ANGLE ^(EFFECTIVE)	72°	73°	73°	73°
J	SEAT ANGLE ^(ACTUAL)	-	-	-	-
K	SEAT TUBE	17.5"	18.5	20	22

SPIDER29



As the aluminum precursor to our long-awaited Spider 29 Comp, this is the bike that set the standard for XC and light trail 29'ers in our lineup. With adjustable travel from 4.25" – 4.75" and QR 135mm or 142 x 12mm drop out options, this beast will leave your buddies in the dust and keep you begging for more.

AVAILABLE COLORS

Chrome Black, Intense Red, Factory Works, Flo Green, or Custom





AN ARTFULLY CRAFTED BLEND OF FORM AND FUNCTION, THE SPIDER 29 IS BACK AND BETTER THAN EVER FOR 2013. Patented Virtual Pivot Point technology keeps the pedaling extremely efficient while adding a lively and progressive feel to the bike's suspension.

While it may be the "little brother" of the longer travel Tracer 29, don't count the Spider 29 out as an ultra-capable machine. Whether it's a quick spin after a long day or a grueling XC ride, it won't take long for you to realize that this is the Intense your fleet has been missing.

AVAILABLE AS A COMPLETE BIKE OR FRAME ONLY

KEY FEATURES

4.25"-4.75" Adjustable travel

Designed around 100mm-120mm Forks

Replaceable Rear Dropout System

QR Seatpost Clamp


135 QR/142x12 QR Rear wheel compatibility

Tapered Headtube (1 1/8" to 1.5" lower)

Fox Performance Float CTD

Cable guides for dropper seatpost

GEOMETRY



		SMALL	MEDIUM	LARGE	XLARGE
A	WHEELBASE	43.6"/1107	44.6/1133	45.6/1158	46.6/1184
B	TOP TUBE	22.5"/571.5	23.5/597	24.5/622	25.5/648
C	CHAINSTAY	17.7"/450	17.7/450	17.7/450	17.7/450
D	HEAD TUBE	3.8"/96.5	4.2/107	4.5/114	5/127
E	HEAD ANGLE	70.5°	70.5°	70.5°	70.5°
F	REACH				
G	STACK				
H	BB HEIGHT	13.2"/335	13.2"/335	13.2"/335	13.2"/335
I	SEAT ANGLE (EFFECTIVE)				
J	SEAT ANGLE (ACTUAL)				
K	SEAT TUBE	17.5"/444.5	18.5/470	20/508	21.5/546

BUILD KITS

Carbine - Expert/XT

Brake Disc	Shimano SM-RT76, DEORE XT 160MM
Brake Disc	Shimano SM-RT76, DEORE XT M 180MM
Brake Front	Shimano DEORE XT M 785 Black
Brake Rear	Shimano DEORE XT M 785 Black
Bottom Bracket	Shimano XT
Cassette	Shimano CS-HG81, SLX, 10SP 11-36T
Chain	Shimano CN-HG74 10SP
Crankset	Shimano FC-M780 DEORE XT 175MM 10SP 42X32X24T BLACK
Derailleur Front	Shimano FD-M781D-L, DEORE XT, DIRECT MOUNT TYPE, BLACK
Derailleur Rear	Shimano RD-M786, DEORE XT, SGS 10-SP SHADOW+ BLACK
Fork	Fox 2013, 34-Kashima Talas 160mm CTD-Adj, FIT, Black, Gold Logo, 15QR, 1.5 Tapered
Grips	Intense
Handlebar	FSA SLK Carbon 740mm x 18mm
Headset	Cane Creek 40 Series Z544 Top / EC49 Bottom
Seat	Intense
Seatpost	FSA SL-K Carbon 20mm Offset, 31.6 x 350mm
Stem	FSA Afterburner Stem, 31.8 x +/-6 x 70mm Black
Shifter Left	Shimano SL-M780, DEORE XT LEFT 3-SP
Shifter Right	Shimano SL-M780, DEORE XT RIGHT 10-SP
Tires	Tire Kenda Nevegal 26x2.35 120tpi/DTC/Folding Bead
Wheel Set	Shimano M-788 142x12 Rear & 15mm Front, Black, Tubeless Ready
Wheel Set Axle	DT 142 X 12

Carbine SL - Expert/XT

Brake Disc	Shimano SM-RT76, DEORE XT 160MM
Brake Disc	Shimano SM-RT76, DEORE XT M 180MM
Brake Front	Shimano DEORE XT M785 BLACK
Brake Rear	Shimano DEORE XT M785 BLACK
Bottom Bracket	Shimano XT
Cassette	Shimano CS-HG81, SLX, 10SP 11-36T
Chain	Shimano CN-HG74 10SP
Crankset	Shimano FC-M780 DEORE XT 175MM 10SP 42X32X24T BLACK
Derailleur Front	Shimano FD-M781D-L, DEORE XT, DIRECT MOUNT TYPE, BLACK
Derailleur Rear	Shimano RD-M786, DEORE XT, SGS 10-SP SHADOW+ BLACK
Fork	Fox 2013, 32-Kashima Float 150mm CTD-Adj, FIT, Black, Gold Logo, 15QR, 1.5 Tapered
Grips	Intense
Handlebar	FSA SLK Carbon 740mm x 18mm
Headset	Cane Creek 40 Series Z544 Top / EC49 Bottom
Seat	Intense
Seatpost	FSA SL-K Carbon 20mm Offset, 31.6 x 350mm
Stem	FSA Afterburner Stem, 31.8 x +/-6 x 70mm Black
Shifter Left	Shimano SL-M780, DEORE XT LEFT 3-SP
Shifter Right	Shimano SL-M780, DEORE XT LEFT 3-SP
Tires	Tire Kenda Nevegal 26x2.35 120tpi/DTC/Folding Bead
Wheel Set Axle	Shimano M-785 135 Rear & 15mm Front, Black, Tubeless Ready

Carbine 275 // Tracer 275 - Rally/SLX

Brake Disc	Avid HS1 180mm
Brake Disc	Avid HS1 160mm
Brake Front	Avid Elixir 5 Black
Brake Rear	Avid Elixir 5 Black
Bottom Bracket	Shimano XT
Cassette	Shimano CS-HG81, SLX, 10SP 11-36T
Chain	Shimano CN-HG74 10SP
Crankset	Shimano FC-M670, SLX, 175MM 10-SP, 42X32X24T
Derailleur Front	Shimano FD-M781D-L, DEORE XT, DIRECT MOUNT TYPE BLACK
Derailleur Rear	Shimano RD-M786, DEORE XT, SGS 10-SP SHADOW+ BLACK
Fork	Rock Shox Revelation RL Solo Air, 150mm, Black, 1.5 Tapered, 15QR
Grips	Intense
Handlebar	TruVativ Stylo T-30 700mm x 20mm Black
Headset	Cane Creek 40 Series Z544 Top / EC49 Bottom
Seat	Intense
Seatpost	TruVativ STYLO T-30 25mm OFFSET 31.6mm / 400mm Black
Stem	Sram STYLO T-30 31.8mm +/-5 75mm Black
Shifter Left	Shimano SL-M670, SLX, LEFT 3-SP
Shifter Right	Shimano SL-M670, SLX, RIGHT 10-SP
Tires	Tire Kenda Nevegal 650B x 2.35 120tpi/DTC/Folding Bead
Wheel Set	Novatec Demon 275, 142x12 Rear & 15mm Front, Black w/ Red Hubs, Tubeless Ready
Wheel Set Axle	DT 142 X 12

Carbine 275 // Tracer 275 - Expert/XT

Brake Disc	Shimano SM-RT76, DEORE XT 160MM 6-BOLT
Brake Disc	Shimano SM-RT76, DEORE XT M 180MM 6-BOLT
Brake Front	Shimano DEORE XT M785 BLACK
Brake Rear	Shimano DEORE XT M785 BLACK
Bottom Bracket	Shimano XT
Cassette	Shimano CS-HG81, SLX, 10SP 11-36T
Chain	Shimano CN-HG74 10SP
Crankset	Shimano FC-M780 DEORE XT 175MM 10SP 42X32X24T BLACK
Derailleur Front	Shimano FD-M781D-L, DEORE XT, DIRECT MOUNT TYPE, BLACK
Derailleur Rear	Shimano RD-M786, DEORE XT, SGS 10-SP SHADOW+ BLACK
Fork	Fox 2013, 34-Kashima Float 650b 150mm CTD-Adj, FIT, Black, Gold Logo, 15QR, 1.5 Tapered
Grips	Intense
Handlebar	FSA SLK Carbon 740mm x 18mm
Headset	Cane Creek 40 Series Z544 Top / EC49 Bottom
Seat	Intense
Seatpost	FSA SL-K Carbon 20mm Offset, 31.6 x 350mm
Stem	FSA Afterburner Stem, 31.8 x +/-6 x 70mm Black
Shifter Left	Shimano SL-M780, DEORE XT LEFT 3-SP
Shifter Right	Shimano SL-M780, DEORE XT RIGHT 10-SP
Tires	Tire Kenda Nevegal 650B x 2.35 120tpi/DTC/Folding Bead
Wheel Set	Novatec Demon 275, 142x12 Rear & 15mm Front, Black w/ Red Hubs, Tubeless Ready
Wheel Set Axle	DT 142 X 12

Hard Eddie - Expert/XT

Brake Disc	Shimano SM-RT76, DEORE XT 160MM 6-BOLT
Brake Disc	Shimano SM-RT76, DEORE XT M 180MM 6-BOLT
Brake Front	Shimano DEORE XT M785 BLACK
Brake Rear	Shimano DEORE XT M785 BLACK
Bottom Bracket	FSA PF30 Bottom Bracket
Cassette	Shimano CS-HG81, SLX, 10SP 11-36T
Chain	Shimano CN-HG74 10SP
Crankset	FSA SLK Carbon ATB BB30 386 Crankset, White, 175mm 28/40t
Derailleur Front	Shimano FD-M786-L, DEORE XT, DOWN-SWING DUAL-PULL BAND TYPE(34.9MM) BLACK
Derailleur Rear	Shimano RD-M786, DEORE XT, SGS 10-SP SHADOW+ BLACK
Fork	Fox 2013 32-Kashima Float 29 100mm CTD-Adj, FIT, Black, Gold Logo, 1.5 Tapered
Grips	Intense
Handlebar	FSA SLK Carbon 740mm x 0mm
Headset	FSA Orbit C-40 8.7mm Alloy TC, 1-1/8 ACB / 1.5 ACB
Seat	Intense
Seatpost	FSA SL-K Carbon 20mm Offset 31.6 x 400mm
Stem	FSA Afterburner Stem, 31.8 x +/-6 x 70mm Black
Shifter Left	Shimano SL-M780, DEORE XT LEFT 2-SP
Shifter Right	Shimano SL-M780, DEORE XT RIGHT 10-SP
Tires	Tire Kenda Small Block-8 29 x 2.10
Wheel Set	Sun/Ringle Black Flag Expert 29er BLK/BLK 15mm Front / 142x12 Rear / Stans tubeless
Wheel Set Axle	DT 142 X 12

M9 FRO - Velocity/X9

Axle	Intense M12 x 1.25 x 150
Bottom Bracket	TruVativ HOWITZER TEAM 56CL /83MM
Brake Disc	Avid HS1 200mm
Brake Disc	Avid HS1 180mm
Brake Disc Front	Avid Elixir 9 Black Ano
Brake Rear	Avid Elixir 9 Black Ano
Cassette	Sram PG-1050 CASSETTE 10SP 11-28
Chain	Sram PC1031 114LI W/ PWR.LCK 10SP
Chain Guide	Sram X0 GUIDE ISCG05 36TO40 BLK
Crankset	TruVativ HOLZFELLER 1.1 165mm BLK w/ 38t ring
Derailleur Rear	Sram X9 TYPE 2 SHORT CAGE 10SPD GRY
Fork	Rock Shox Boxxer R2C2 200mm Black
Grips	Intense
Handlebar	TruVativ BOOBAR 780mm x 20mm Black
Headset	Cane Creek 40 Series Z549 Top / Z549 Bottom
Seat	Intense
Seatpost	TruVativ HOLZFELLER 31.6mm 0 offset 350mm Black
Shifter Right	Sram TRIGGER X9 RR 10SP GRY
Stem	TruVativ 50mm Direct Mount Black
Tires	Tire Kenda Nevegal 26 x 2.5 60tpi Cap Ply Stick-e/
Wheel Set	Sun/Ringle A.D.D Expert Blk/BLK 20mm Front / 12x150 Rear / Stans tubeless

BUILD KITS

Spider29 - Rally 29/X9

Brake Disc	Avid HS1 180mm
Brake Front	Avid Elixir 9 Black Ano
Brake Rear	Avid Elixir 9 Black Ano
Cassette	Sram PG-1030 CASSETTE 10SP 11-36
Chain	Sram PC1031 114LI W/ PWR.LCK 10SP
Crankset	Sram X9 GXP 3.3 10S 175 GRY 44x32x22
Derailleur Front	Sram X9 HIGH DIRECT MOUNT, 3x10, DUAL PULL
Derailleur Rear	Sram X9 TYPE 2 LONG CAGE 10SPD GRY
Fork	Fox 2013 32-Kashima Float 29 120mm CTD-Adj, FIT, Black, Gold Logo, 1.5 Tapered
Grips	Intense
Handlebar	TruVativ Stylo T-30 700mm x 20mm Black
Headset	Cane Creek 40 Series ZS44 Top / ZS49 Bottom
Seat	Intense
Seatpost	TruVativ STYLO T-30 25mm OFFSET 31.6mm / 400mm Black
Shifter Left	Sram TRIGGER X9 FR 3SP GRY
Shifter Right	Sram TRIGGER X9 RR 10SP GRY
Tires	Tire Kenda Small Block-8 29 x 2.10
Wheel Set	Sun/Ringle Black Flag Expert 29er BLK/BLK 15mm Front / 142x12 Rear / Stans tubeless
Wheel Set Axle	DT 142 X 12

Spider29 Comp - Expert/XT

Brake Disc	Shimano SM-RT76, DEORE XT 160MM 6-BOLT
Brake Disc	Shimano SM-RT76, DEORE XT M 180MM 6-BOLT
Brake Front	Shimano DEORE XT M785 BLACK
Brake Rear	Shimano DEORE XT M785 BLACK
Bottom Bracket	Shimano XT
Cassette	Shimano CS-HG81, SLX, 10SP 11-36T
Chain	Shimano CN-HG74 10SP
Crankset	Shimano FC-M780 DEORE XT 175MM 10SP 42X32X24T BLACK
Derailleur Front	Shimano FD-M781D-L, DEORE XT, DIRECT MOUNT TYPE, BLACK
Derailleur Rear	Shimano RD-M786, DEORE XT, SGS 10-SP SHADOW+ BLACK
Fork	Fox 2013, 32-Kashima Float 130mm CTD-Adj, FIT, Black, Gold Logo, 1.5QR, 1.5 Tapered
Grips	Intense
Handlebar	FSA SLK Carbon 740mm x 0mm
Headset	Cane Creek 40 Series ZS44 Top / EC49 Bottom
Seat	Intense
Seatpost	FSA SL-K Carbon 20mm Offset 31.6 x 400mm
Stem	FSA Afterburner Stem, 31.8 x +/-6 x 70mm Black
Shifter Left	Shimano SL-M780, DEORE XT LEFT 3-SP
Shifter Right	Shimano SL-M780, DEORE XT RIGHT 10-SP
Tires	Tire Kenda Small Block-8 29 x 2.10
Wheel Set	Sun/Ringle Black Flag Expert 29er BLK/BLK 15mm Front / 142x12 Rear / Stans tubeless
Wheel Set Axle	DT 142 X 12

Tracer 2 - Rally/X9

Brake Disc	Avid HS1 180mm
Brake Front	Avid Elixir 9 Black Ano
Brake Rear	Avid Elixir 9 Black Ano
Cassette	Sram PG-1030 CASSETTE 10SP 11-36
Chain	Sram PC1031 114LI W/ PWR.LCK 10SP
Crankset	Sram X9 GXP 3.3 10S 175 GRY 44x32x22
Derailleur Front	Sram X9 HIGH DIRECT MOUNT, 3x10, DUAL PULL
Derailleur Rear	Sram X9 TYPE 2 LONG CAGE 10SPD GRY
Fork	Fox 2013 36-Kashima Talas 160mm RC2, FIT, Black, Gold Logo, 1.5 Tapered
Grips	Intense
Handlebar	TruVativ Stylo T-30 700mm x 20mm Black
Headset	Cane Creek 40 Series ZS49 Top / EC49 Bottom
Seat	Intense
Seatpost	TruVativ STYLO T-30 25mm OFFSET 31.6mm / 400mm Black
Shifter Left	Sram TRIGGER X9 FR 3SP GRY
Shifter Right	Sram TRIGGER X9 RR 10SP GRY
Stem	Sram STYLO T-30 31.8mm +/-5 75mm Black
Tires	Tire Kenda Nevegal 26x2.35
Wheel Set	Sun/Ringle Charger Expert BLK/BLK 15mm Front / 142x12 Rear / Stans tubeless
Wheel Set Axle	DT 142 X 12

Tracer 29 - Rally 29/X9

Brake Disc	Avid HS1 180mm
Brake Front	Avid Elixir 9 Black Ano
Brake Rear	Avid Elixir 9 Black Ano
Cassette	Sram PG-1030 CASSETTE 10SP 11-36
Chain	Sram PC1031 114LI W/ PWR.LCK 10SP
Crankset	Sram X9 GXP 3.3 10S 175 GRY 44x32x22
Derailleur Front	Sram X9 HIGH DIRECT MOUNT, 3x10, DUAL PULL
Derailleur Rear	Sram X9 TYPE 2 LONG CAGE 10SPD GRY
Fork	Fox 2013 34-Kashima Float 29 150mm CTD-Adj, FIT, Black, Gold Logo, 1.5 Tapered
Grips	Intense
Handlebar	TruVativ Stylo T-30 700mm x 20mm Black
Headset	Cane Creek 40 Series ZS49 Top / EC49 Bottom
Seat	Intense
Seatpost	TruVativ STYLO T-30 25mm OFFSET 31.6mm / 400mm Black
Shifter Left	Sram TRIGGER X9 FR 3SP GRY
Shifter Right	Sram TRIGGER X9 RR 10SP GRY
Stem	Sram STYLO T-30 31.8mm +/-5 75mm Black
Tires	Tire Kenda Nevegal 29 x 2.20
Wheel Set	Sun/Ringle Black Flag Expert 29er BLK/BLK 15mm Front / 142x12 Rear / Stans tubeless
Wheel Set Axle	DT 142 X 12

Uzzi- Rally/X9

Brake Disc	Avid HS1 180mm
Brake Disc	Avid HS1 160mm
Brake Front	Avid Elixir 9 Black Ano
Brake Rear	Avid Elixir 9 Black Ano
Cassette	Sram PG-1030 CASSETTE 10SP 11-36
Chain	Sram PC1031 114LI W/ PWR.LCK 10SP
Crankset	Sram X9 GXP 3.3 10S 175 GRY 44x32x22
Derailleur Front	Sram X9 HIGH DIRECT MOUNT, 3x10, DUAL PULL
Derailleur Rear	Sram X9 TYPE 2 LONG CAGE 10SPD GRY
Fork	Fox 2013, 36-Kashima Van, 180mm RC2, FIT, Black, Gold Logo, 20QR, 1.5 Tapered
Grips	Intense
Handlebar	TruVativ HOLZFELLER 730mm x 20mm Black
Headset	Cane Creek 40 Series ZS49 Top / EC49 Bottom
Seat	Intense
Seatpost	TruVativ STYLO T-30 25mm OFFSET 31.6mm / 400mm Black
Stem	Sram STYLO T-30 31.8mm +/-5 75mm Black
Shifter Left	Sram TRIGGER X9 FR 3SP GRY
Shifter Right	Sram TRIGGER X9 RR 10SP GRY
Stem	Sram HOLZFELLER 31.8mm 60mm Black
Tires	Tire Kenda Nevegal 26 x 2.35
Wheel Set	Sun/Ringle Charger Expert BLK/BLK 15mm Front / 142x12 Rear / Stans tubeless
Wheel Set Axle	DT 142 X 12

951 - Velocity/X9

Axle	Intense M12 x 1.25 x 150
Bottom Bracket	TruVativ HOWITZER TEAM 56CL / 83MM
Brake Disc	Avid HS1 200mm
Brake Disc	Avid HS1 180mm
Brake Disc Front	Avid Elixir 9 Black Ano
Brake Rear	Avid Elixir 9 Black Ano
Cassette	Sram PG-1050 CASSETTE 10SP 11-28
Chain	Sram PC1031 114LI W/ PWR.LCK 10SP
Chain Guide	Sram X0 GUIDE ISCG05 36TO40 BLK
Crankset	TruVativ HOLZFELLER 1.1 165mm BLK w/ 38t ring
Derailleur Rear	Sram X9 TYPE 2 SHORT CAGE 10SPD GRY
Fork	Rock Shox Boxxer R2C2 200mm Black
Grips	Intense
Handlebar	TruVativ BOOBAR 780mm x 20mm Black
Headset	Cane Creek 40 Series ZS49 Top / ZS49 Bottom
Seat	Intense
Seatpost	TruVativ HOLZFELLER 31.6mm 0 offset 350mm Black
Shifter Right	Sram TRIGGER X9 RR 10SP GRY
Stem	TruVativ 50mm Direct Mount Black
Tires	Tire Kenda Nevegal 26 x 2.5 60tpi Cap Ply Stick-e/
Wheel Set	Sun/Ringle A.D.D Expert Blk/BLK 20mm Front / 12x150 Rear / Stans tubeless



INTENSE
CYCLES . U S A

(951) 296-9596

intensecycles.com

42380 Rio Nedo
Temecula, CA 92590

 facebook.com/intensecycles

 twitter.com/intensecycles

INTENSE FOR LIFE | WWW.INTENSECYCLES.COM