

2006 K2 Bike

CREATING BIKES FOR THE OUTDOOR ENTHUSIAST

NEWS FROM VASHON ISLAND, WA



K2 T:NINE ALLIANCE TEAM POWERS WOMEN'S LINE TO HUGE SUCCESS

[continued on page 05](#)

K2 DREAMLINER® DESIGN REVOLUTIONIZES THE COMFORT CATEGORY



[continued on page 02](#)

NO MONKEY BUSINESS! NEW APACHE LAUNCHES ATTACK ON RAZORBACK



[continued on page 04](#)

K2 BRAND HAS THE RIGHT STUFF TO KEEP YOU AT THE TOP OF YOUR GAME

The K2 brand has earned its place as an American icon in the exciting world of lifestyle sports activities. K2's secret is the combination of space age manufacturing technology and good old American know-how. K2 produces a complete range of absolutely authentic, bullet proof, high performance, ski, snowboard, inline skate, and biking products designed to keep you at the top of your game.

[continued on page 02](#)

CARBON WHERE IT COUNTS!

K2's Dynamic Carbon Damping technology uses modular carbon fiber composite materials in frames and forks to deliver lightweight bicycles that significantly reduce road vibrations transmitted to the rider, even on affordable, entry-level models.

[continued on page 03](#)

ACHIEVE YOUR PERSONAL BEST

K2'S NEW TRIATHLON BIKES FEATURE PRO RIDER TECHNOLOGY AT ENTRY LEVEL PRICING

Heather Fuhr has always finished on the podium on her K2 T:Nine Aero bike over the last 2 years competing at the International Ironman Pro level. Now, this same frame technology is available as a complete bike, ready to ride in local events.

[continued on page 02](#)

JUST IN - July 24th 2005 - Heather Fuhr wins Ironman Lake Placid!



INSIDE

**ZED HARDTAILS
MORE POPULAR
THAN EVER**

[see page 06](#)

SIZING MYSTERY SOLVED



K2 COMPUTERIZED DATABASE RESEARCH YIELDS ONE SIMPLE SIZING SYSTEM TO FIT ALL

What could be easier to understand than a decal on the bike indicating the ideal rider heights and comparable frame sizes for reference?

[learn more on page 05](#)

K2'S COMMITMENT TO EXCELLENCE

K2 DNA - The K2 brand means many things to many people. K2 products speak louder than words when it comes to the K2 tradition of creating and building kick ass sports products that define the K2 brand.

K2 Means Outdoors - An established leader recognized by enthusiasts in a number of outdoor activities for its technology-driven product, K2 has the right bike for you. Whether you're trying to tame the road, mountain, or just cruising along the boardwalk, you'll find a quality bike to make your going easier and more fun! K2 is a year-round brand.

Something for Everyone - From our technological suspension designs to our performance-driven women's T:Nine series, K2 bikes have been garnering the attention of many in the media. You'll find

our bikes reviewed or featured in a diverse range of publications such as Outside Magazine, Dirt Rag, Backpacker, Prevention, Dandelion, City Sports, Sierra Club magazine, NW Outdoors, Running, Her Sports, and Women's Health & Fitness.

Product Development - Our goal is to build the best value and technology into every bike we make. We will also make sure that each category and model has a specific technical reason for being that either improves or solves a problem for the intended user group. The T:Nine Alliance program has taught us many important lessons, resulting in bikes that are built and designed around the specific needs of the women who ride them. The unique features and benefits created an entire new category of bikes and solved problems for women riders.

New, Affordable Tri Bikes Feature Pro Class Technology



No Smoke and Mirrors - We studied the market and determined that there was no need for another smoke and mirror \$5,000 tri bike... it already has plenty of those.

Affordable, Fast, and Cool - What we wanted to create was an affordable entry level or age group bike that had the most up to date rider positioning technology, aero frame technology, and carbon damping technology.

Race Proven - Heather Fuhr rode her T:Nine Aero Bike to 2nd place at the Ironman World Championships in Kona, earning the title of Fastest North American Woman in the process.



Affordable Technology - Check out the Red Zone and the T:Nine Jetstream for the latest in affordable, high performance triathlon bike technology.

K2 Dreamliner® Design

A Revolution In Comfort - Conventional comfort bikes, including our previous models, use traditional mountain bike frame geometry. The key to our Dreamliner Design philosophy is placing the rider closer to the ground and further towards the back of the bike than previous designs. This position lowers the center of gravity, increases stability and allows riders to more easily reach the ground while sitting on the saddle.

The Dreamliner Frame Of Mind - The Easy Street, Easy Street Deuce and T:Nine Breeze bicycles may appear similar to traditional comfort bikes, but upon closer examination you'll notice that the seat tubes of their frames have been curved backwards above the front derailleur. This relaxed seat angle results in a rider position that's significantly closer to the ground than conventional designs.

Stretching The Dreamliner Advantage - Our Big Easy models, as well as our women's specific T:Nine Tailwind, use an even more stretched-out version of the



Dreamliner Design which places riders even lower and further back. This more relaxed position makes mounting and dismounting easier, and allows most riders to place their feet flat on the ground when stopping and starting, even when the seat post is at an efficient extension.

All Controls Within Easy Reach - Simply designing frames that position the rider lower and further back wasn't enough to complete our Dreamliner Design. Our custom, swept-back handlebar is more than just an eye-catcher. Its graceful arc brings the shifters and brake levers closer to the rider, allowing comfortable, confident control of the bike without having to bend over to reach the handlebars.

Ride In Style - Of course, we've made sure that bikes this enjoyable to ride are fun to look at, too. The curved frame tubes, cool colors, and color-matched components create bikes that evoke retro-coolness, but have their own, unique, timeless style that appeals to both the young and young-at-heart.

"I Felt Like I Was Part Of The Bike, Not Riding On Top Of It" - Comments like this one highlight the difference between our new Dreamliners and other comfort bikes, which becomes clear after only a short test ride. In addition to being comfortable and easy to ride, these are the most fun bikes that we've ever made, and ones that riders will surely enjoy!



Carbon Where It Counts!

Carbon, Carbon, and More Carbon - Carbon is the buzz word that actually takes the buzz out of road vibration. K2 is no stranger to carbon fiber construction, offering many products that take advantage of the material's properties across many sporting goods categories including skis, ski poles, in-line skate soles, and snowboards.

Carbon Fiber Basics - Carbon fiber construction offers two main advantages over other materials when used in bike frames: weight savings and vibration reduction. Other advantages include longer fatigue life, corrosion resistance, the ability to be molded in almost any conceivable shape, and it looks cool. The downside is the raw material costs are high, and the cost of making molds can limit sizing options and product changes.

In a Perfect World - The ideal road frame would be light-weight, yet torsionally stiff to maximize power transfer. The frame would also be vertically compliant and dampen high frequency, low amplitude vibrations to keep the rider comfortable and efficient, and should be available in a variety of different sizes to fit a range of rider dimensions. Finally, it should be affordable enough that its benefits could be offered as part of complete bikes that

don't require a gold card credit limit to purchase.

The Right Ingredients - Our testing showed that adding a flat-oval shaped, carbon fiber top tube to our existing Mod frame design achieved the goals of reducing weight, keeping torsional stiffness, and increasing vertical compliance and vibration damping.

The Best Ride Ever - The new Mod frame with carbon Reflex tubing, allows us to create lighter, more efficient, more comfortable road bikes. This makes it possible to use Ultegra and Dura-Ace drivetrains in conjunction with FSA and American Classic components at great retail prices. Increased carbon fiber frame content with the same quality components would cost hundreds, if not thousands more. Our new Mod 5.0 and Mod 6.0 offer the best overall riding experience of any K2 road bikes ever, and are priced to make this unprecedented level of performance available to a broad range of riders.



New Apache!



Simply The Best - K2 Bike has introduced a number of memorable full-suspension models over the years, so why is everyone so excited about the new Apache series? Because it defies categorization, and is simply the best riding, all-around mountain bike we've ever produced. Apaches are light-weight and efficient, while at the same time offering four inches of travel – all due to our Linear Link technology.

Keeping Quality, Increasing Quantity - Our legendary Razorback bicycles have won over many riders through out the years with their efficient, yet smooth suspension and sharp handling. One of the main reasons that the Razorback suspension design performs so well is that the seat stay strut compresses the shock in a straight line. In listening to our customers, we learned that many riders hoped that we could retain these characteristics and provide more travel, without any weight penalty.

Linear Link Technology Explained - Our development team came up with a way to retain the linear nature of the Razorback suspension system, while adding more travel than previously possible. Linear Link technology refers to the ability of

the strut to stay in line with the shock throughout the entire range of travel. This is achieved through specific placement of each pivot point on the frame, resulting in a low leverage ratio suspension design.

Why Low Leverage Works Better - The low leverage ratio design reduces loads that are transmitted through the frame, which subsequently allows for the use of lighter frame parts to support the suspension. Also, suspension motion with a low leverage ratio is easier for a rear shock to control, and requires lower spring rates/air pressures, contributing to longer shock life.


Lower Placement Also Helps - Another advantage to our Linear Link technology is that the suspension components are carried lower in the frame than in many other designs. This reduction in the center of gravity makes the bike feel lighter and more responsive. In addition, the more compact suspension design has allowed us to create the first women's-specific K2 full-suspension bike available in our XS size – the T:Nine Summit.

Get Less (Weight) For Less (Money) -


As a result of our Linear Link technology and careful component selection, the Apache 5.0 weighs in at 28.4 pounds, and the top-of-the line Apache 6.0 tips the scales at an impressive 26.4 pounds. What's even more impressive are the reasonable retail prices. The Apache series brings our best mountain bikes within reach of more riders than ever before, whether they are everyday cyclists or outdoor enthusiasts looking to have more fun on the trails.

Linear Link Technology


No Compression



Half Compression



Full Compression



The pivot points (circled) stay in line throughout the range of travel



K2 T:Nine Women's Line Takes Off

More - This is a must have for women! With more colors, more models, and more price points than last year, K2 is light years ahead of the competition. Our ski division has been working with their Women's Alliance Team for over 5 years, making it the single biggest and fastest growing category in the company. We adopted this formula for success and applied it to the bike market.

K2 Bike Alliance Team - We rounded up 5 of the most unique, bike-loving women, each from a different walk of life, and created our own K2 Bike Women's Alliance Team.

Giving Something Back - We contacted the BCRF (Breast Cancer Research Foundation) and had them expand K2's fund raising contract to include bikes. As a company, we now contribute over \$100,000 each year to fight breast cancer.

Designed By Women For Women - The K2 Bike Alliance Team works with our product group to identify the key issues for women riders, and helped us drive changes in frame geometry, components, and graphics.

Testing - Alliance Team members test the products as part of the development process.

Advertising And PR - Beyond product, the Alliance Team helps us ensure that our women's marketing and PR efforts are on target.

SIZING... DE-MYSTIFIED

One Simple Sizing System - For years mankind has dreamed of a simple easy-to-use and understandable bike sizing system. The K2 Fit System is all of that and more because it works for men, women, and now also for kids.

Data Based - The K2 Fit System was developed by K2 engineers measuring hundreds of different riders. Using a computer model we compared our existing bike sizing to the ideal sizing requirements of the test population.

Size Matters - We then went back to the drawing board and adjusted our bike frame and component sizing so each 2006 K2 bike is sized to ideally fit a known rider size range.

Look For The Icon The suggested rider height range is then shown on the bike seat tube along with an icon to indicate men, women, or youth riders.





ZED SPORT(black)

Frame	Zed Mountain, 6061 aluminum with gusset and replaceable hanger
Fork	SR Suntour M2000, 63mm travel, with aluminum crown
Front Derailleur	Shimano FD-C050
Rear Derailleur	SRAM 3.0
Shifter	SRAM 3.0 twist shifters, indexed front and rear
Freewheel/Cassette	DNP 13-34T, seven speed freewheel
Crankset	SR Suntour XR-170, 24/34/42T
Bottom Bracket	Semi-cartridge with bolted spindle
Chain	KMC Z-51, for seven speed
Wheelset	Alex alloy rims, alloy double-sealed hubs and 32 spokes / wheel
Tires	Kenda Klaw XT, 26x2.1", with front and rear specific tread designs
Brakes	Alloy linear pull
Brake Levers	Alloy MTB levers
Headset	1 1/8" threadless
Stem	Alloy threadless
Handlebar	Steel riser bar, with satin finish
Grips	Single density MTB design
Seatclamp	Quick-release, aluminum
Seatpost	Aluminum microadjust, 350mm
Saddle	K2 Recreational MTB, with dual material cover and scuff guards
Pedals	Resin MTB
Extras	CPSC reflectors and K2 owner's manual
Colors	Black and Red
Sizes	SM (14-15"), fits 5'3" to 5'6" MD (16-17"), fits 5'6" to 5'10" LG (18-19"), fits 5'10" to 6'1" XL (20-21"), fits 6'1" to 6'4"
Weight	30.5 lbs



ZED 1.0

Frame	Zed Mountain, 6061 aluminum with gusset and replaceable hanger
Fork	SR Suntour XCT, 75mm travel, with preload adjusters, aluminum crown and lowers
Front Derailleur	Shimano FD-C050
Rear Derailleur	Shimano Acera
Shifters	Shimano EZ-Fire eight speed shifters
Freewheel/Cassette	SunRace cassette, 11-32T, eight speed
Crankset	SR Suntour XR-170, 24/34/42T
Bottom Bracket	Sealed Cartridge
Chain	KMC IG31, for eight speed
Wheelset	Alex alloy rims, alloy double-sealed hubs and 32 black stainless spokes per wheel
Tires	Kenda Klaw XT, 26x2.1", with front and rear specific tread designs
Brakes	Alloy linear pull
Brake Levers	Shimano EZ-Fire
Headset	1 1/8" threadless
Stem	Alloy threadless
Handlebar	Steel riser bar
Grips	Dual Density MTB design
Seatclamp	Quick-release, aluminum
Seatpost	Aluminum microadjust, 350mm
Saddle	K2 Sport MTB, with dual material cover and scuff guards
Pedals	Resin MTB
Extras	CPSC reflectors and K2 owner's manual
Available Colors	Blue
Sizes	SM (14-15"), fits 5'3" to 5'6" MD (16-17"), fits 5'6" to 5'10" LG (18-19"), fits 5'10" to 6'1" XL (20-21"), fits 6'1" to 6'4"
Weight	31.5 lbs



ZED SPORT(red)

Frame	Zed Mountain, 6061 aluminum with gusset and replaceable hanger
Fork	SR Suntour M2000, 63mm travel, with aluminum crown
Front Derailleur	Shimano FD-C050
Rear Derailleur	SRAM 3.0
Shifter	SRAM 3.0 twist shifters, indexed front and rear
Freewheel/Cassette	DNP 13-34T, seven speed freewheel
Crankset	SR Suntour XR-170, 24/34/42T
Bottom Bracket	Semi-cartridge with bolted spindle
Chain	KMC Z-51, for seven speed
Wheelset	Alex alloy rims, alloy double-sealed hubs and 32 spokes / wheel
Tires	Kenda Klaw XT, 26x2.1", with front and rear specific tread designs
Brakes	Alloy linear pull
Brake Levers	Alloy MTB levers
Headset	1 1/8" threadless
Stem	Alloy threadless
Handlebar	Steel riser bar, with satin finish
Grips	Single density MTB design
Seatclamp	Quick-release, aluminum
Seatpost	Aluminum microadjust, 350mm
Saddle	K2 Recreational MTB, with dual material cover and scuff guards
Pedals	Resin MTB
Extras	CPSC reflectors and K2 owner's manual
Colors	Black and Red
Sizes	SM (14-15"), fits 5'3" to 5'6" MD (16-17"), fits 5'6" to 5'10" LG (18-19"), fits 5'10" to 6'1" XL (20-21"), fits 6'1" to 6'4"
Weight	30.5 lbs



ZED 2.0

Frame	Reflex Mountain, 6061 aluminum, replaceable hanger and disc brake mount
Fork	SR Suntour XCM, 100mm Travel, with preload adjusters, aluminum crown and lowers
Front Derailleur	Shimano Alivio
Rear Derailleur	SRAM SX5
Shifters	SRAM SX4 Trigger
Freewheel/Cassette	SRAM PG-830 cassette, 11-32T, eight speed
Crankset	SR Suntour XCC-250, 22/32/42T
Bottom Bracket	Sealed Cartridge
Chain	KMC IG31, for eight speed
Wheelset	Alex ID19 double-wall rims, disc-specific hubs and 32 black stainless spokes per wheel
Tires	Kenda Klaw XT, 26x2.1", with front and rear specific tread designs
Brakes	ProMax DSK-400 mechanical disc
Brake Levers	Alloy MTB levers
Headset	1 1/8" threadless
Stem	Alloy threadless
Handlebar	Steel riser bar
Grips	Dual Density MTB design
Seatclamp	Quick-release, aluminum
Seatpost	Aluminum microadjust, 350mm
Saddle	K2 Trail MTB, with dual material cover and scuff guards
Pedals	Resin MTB
Extras	CPSC reflectors and K2 owner's manual
Available Colors	Bronze
Sizes	SM (14-15"), fits 5'3" to 5'6" MD (16-17"), fits 5'6" to 5'10" LG (18-19"), fits 5'10" to 6'1" XL (20-21"), fits 6'1" to 6'4"
Weight	32.0 lbs



Frame	Reflex Mountain, 6061 aluminum, replaceable hanger and disc brake mount
Fork	Rock Shox J1, 100mm Travel, with adjustable preload, aluminum crown and lowers
Front Derailleur	Shimano Deore
Rear Derailleur	Shimano Deore
Shifters	Shimano Deore Rapidfire Plus
Freewheel/Cassette	SunRace cassette, 11-32T, nine speed
Crankset	Truvativ Isoflow, 22/32/44T
Bottom Bracket	Sealed Cartridge
Chain	KMC Z9000, for nine speed
Wheelset	Alex ID19 double-wall rims, disc-specific hubs and 32 black stainless spokes per wheel
Tires	WTB Mutano Raptor 26x2.14"
Brakes	Tektro 10 disc brake
Brake Levers	Tektro RS-360
Headset	1 1/8" threadless
Stem	Alloy threadless
Handlebar	Alloy riser bar
Grips	WTB Moto
Seatclamp	Quick-release, aluminum
Seatpost	Aluminum microadjust, 350mm
Saddle	WTB Speed V Sport
Pedals	Resin MTB, with steel cage
Extras	CPSC reflectors and K2 owner's manual
Available Colors	Blue
Sizes	SM (14-15"), fits 5'3" to 5'6" MD (16-17"), fits 5'6" to 5'10" LG (18-19"), fits 5'10" to 6'1" XL (20-21"), fits 6'1" to 6'4"
Weight	32.3 lbs



Frame	7000 series Al, with K2 Active Link suspension supplying up to 4" of travel
Rear Shock	Coil-over, oil damped with preload adjust
Fork	SR Suntour XCM, 100mm Travel, with preload adjusters, aluminum crown and lowers
Front Derailleur	Shimano MC21 (Alivio)
Rear Derailleur	SRAM SX5
Shifters	SRAM SX4 Trigger
Freewheel/Cassette	SRAM PG-830 cassette, 11-32T, eight speed
Crankset	SR Suntour XCC-250, 22/32/42T
Bottom Bracket	Sealed Cartridge
Chain	KMC 1G31, for eight speed
Wheelset	Jalco SM20 rims, disc-specific hubs and 32 black stainless spokes per wheel
Tires	Kenda Klaw XT, 26x2.1", with front and rear specific tread designs
Brakes	ProMax DSK-400 mechanical disc
Brake Levers	Alloy MTB levers
Headset	1 1/8" Zero Stack, threadless
Stem	Alloy threadless
Handlebar	Steel riser bar
Grips	Dual Density MTB design
Seatclamp	Quick-release, aluminum
Seatpost	Aluminum microadjust, 350mm
Saddle	K2 Trail MTB, with dual material cover and scuff guards
Pedals	Resin MTB
Extras	CPSC reflectors and K2 owner's manual
Available Colors	Blue
Sizes	SM (14-15"), fits 5'3" to 5'6" MD (16-17"), fits 5'6" to 5'10" LG (18-19"), fits 5'10" to 6'1" XL (20-21"), fits 6'1" to 6'4"
Weight	35.3 lbs



Frame	Reflex Mountain, butted 6061 aluminum, replaceable hanger and disc brake mount
Fork	Answer Manitou Axel Super FFD-R, 100mm travel, with oil damping and rebound adjuster
Front Derailleur	SRAM X-Gen
Rear Derailleur	SRAM X-7
Shifters	SRAM X-7 trigger, nine speed
Freewheel/Cassette	SRAM PG-950 cassette, 11-32T, nine speed
Crankset	Truvativ 5D, Powerspline, 22/32/44T
Bottom Bracket	Truvativ Powerspline, Sealed Cartridge
Chain	KMC Z9000, for nine speed
Wheelset	Sun CR-18 double-wall rims, Shimano disc-specific hubs and 32 black stainless spokes / wheel
Tires	WTB Mutano Raptor 26x2.14"
Brakes	Hayes Sole hydraulic disc
Brake Levers	Hayes Sole
Headset	1 1/8" Intellaset threadless
Stem	Alloy threadless
Handlebar	Butted alloy riser bar
Grips	WTB Moto
Seatclamp	Quick-release, aluminum
Seatpost	Aluminum microadjust, 350mm
Saddle	WTB Pure V Comp
Pedals	Alloy MTB
Extras	CPSC reflectors and K2 owner's manual
Available Colors	Smoke
Sizes	SM (14-15"), fits 5'3" to 5'6" MD (16-17"), fits 5'6" to 5'10" LG (18-19"), fits 5'10" to 6'1" XL (20-21"), fits 6'1" to 6'4"
Weight	30.6 lbs



Frame	7000 series Al, with K2 Active Link suspension supplying up to 4" of travel
Rear Shock	Coil-over, oil damped with preload and rebound damping adjustments
Fork	Answer Manitou Trace Super, 100mm Travel with oil damping and rebound adjuster
Front Derailleur	Shimano Deore
Rear Derailleur	Shimano Deore
Shifters	Shimano Deore Rapidfire Plus
Freewheel/Cassette	SunRace cassette, 11-32T, nine speed
Crankset	Truvativ Isoflow, 22/32/44T
Bottom Bracket	Sealed Cartridge
Chain	KMC Z9000, for nine speed
Wheelset	Alex ID19 double-wall rims, disc-specific hubs and 32 black stainless spokes per wheel
Tires	WTB Mutano Raptor 26x2.14"
Brakes	Tektro 10 disc brake
Brake Levers	Tektro RS-360
Headset	1 1/8" Zero Stack, threadless
Stem	Alloy threadless
Handlebar	Alloy riser bar
Grips	WTB Moto
Seatclamp	Quick-release, aluminum
Seatpost	Aluminum microadjust, 350mm
Saddle	WTB Speed V Sport
Pedals	Resin MTB, with steel cage
Extras	CPSC reflectors and K2 owner's manual
Available Colors	Black
Sizes	SM (14-15"), fits 5'3" to 5'6" MD (16-17"), fits 5'6" to 5'10" LG (18-19"), fits 5'10" to 6'1" XL (20-21"), fits 6'1" to 6'4"
Weight	35.7 lbs



LITHIUM 3.0

Frame	.7000 series Al, with K2 Four Bar Link suspension supplying up to 5" of travel
Rear Shock	.Rock Shox Bar 2.1, with adjustable rebound and air pressure
Fork	.Rock Shox Tora 302 Solo Air, 130mm travel, with adjustable rebound and air pressure
Front Derailleur	.SRAM X-Gen
Rear Derailleur	.SRAM X-7
Shifters	.SRAM X-7
Freewheel/Cassette	.SRAM PG-950 cassette, 11-32T, nine speed
Crankset	.Truvativ Blaze, Powerspline, 22/32/42T
Bottom Bracket	.Truvativ Powerspline, Sealed Cartridge
Chain	.KMC Z9000, for nine speed
Wheelset	.Sun CR-18 double-wall rims, Shimano disc-specific hubs and 32 black stainless spokes per wheel
Tires	.WTB Mutano Raptor 26x2.14"
Brakes	.Hayes Sole hydraulic disc
Brake Levers	.Hayes Sole
Headset	.1 1/8" threadless
Stem	.Alloy threadless
Handlebar	.Alloy riser bar
Grips	.WTB Moto
Seatclamp	.Quick-release, aluminum
Seatpost	.Aluminum microadjust, 350mm
Saddle	.WTB Pure V Comp
Pedals	.Alloy MTB
Extras	.CPSC reflectors and K2 owner's manual
Available Colors	.Grey
Sizes	.SM (14-15"), fits 5'3" to 5'6" .MD (16-17"), fits 5'6" to 5'10" .LG (18-19"), fits 5'10" to 6'1" .XL (20-21"), fits 6'1" to 6'4"
Weight	.33.8 lbs



APACHE 5.0

Frame	.7000 series Al, with K2 Linear Link suspension supplying 4" of travel
Rear Shock	.Answer Manitou Radium R with adjustable rebound and air pressure
Fork	.Answer Manitou R7 Comp Air, 100mm travel with adjustable rebound and air pressure
Front Derailleur	.SRAM X-Gen
Rear Derailleur	.SRAM X-9
Shifters	.SRAM X-7
Freewheel/Cassette	.SRAM PG-950 cassette, 11-32T, nine speed
Crankset	.Truvativ Firex Giga X Pipe
Bottom Bracket	.Truvativ Giga X Pipe, with external bearings
Chain	.KMC Z9000, for nine speed
Wheelset	.Sun DS2-XC double-wall rims, Shimano disc-specific hubs and 32 black stainless spokes per wheel
Tires	.Kenda Nevegal 26x1.95"
Brakes	.Hayes Sole hydraulic disc
Brake Levers	.Hayes Sole
Headset	.1 1/8" IS-3 integrated
Stem	.Truvativ XR
Handlebar	.Truvativ LE riser bar
Grips	.Dual Density MTB design
Seatclamp	.Aluminum with bolt
Seatpost	.Truvativ XR, 350mm
Saddle	.K2 Performance
Pedals	.Crank Brothers Eggbeater C
Extras	.CPSC reflectors and K2 owner's manual
Available Colors	.Red
Sizes	.SM (14-15"), fits 5'3" to 5'6" .MD (16-17"), fits 5'6" to 5'10" .LG (18-19"), fits 5'10" to 6'1" .XL (20-21"), fits 6'1" to 6'4"
Weight	.28.6 lbs



LITHIUM 4.0

Frame	.7000 series Al, with K2 Four Bar Link suspension supplying up to 5" of travel
Rear Shock	.Rock Shox MC 3.1 Air, with adjustable rebound, compression and air pressure
Fork	.Rock Shox Tora 318 Solo Air, 130mm travel, with adjustable rebound, compression and air pressure
Front Derailleur	.SRAM X-Gen
Rear Derailleur	.SRAM X-9
Shifters	.SRAM X-7
Freewheel/Cassette	.SRAM PG-950 cassette, 11-32T, nine speed
Crankset	.Truvativ Firex Giga X Pipe
Bottom Bracket	.Truvativ Giga X Pipe, with external bearings
Chain	.KMC Z9000, for nine speed
Wheelset	.Sun DS2-XC double-wall rims, Shimano disc-specific hubs and 32 black stainless spokes per wheel
Tires	.WTB Mutano Raptor 26x2.14"
Brakes	.Hayes HFX-9 hydraulic disc
Brake Levers	.Hayes HFX-9
Headset	.1 1/8" threadless
Stem	.Truvativ XR
Handlebar	.Truvativ LE riser bar
Grips	.WTB Moto
Seatclamp	.Quick-release, aluminum
Seatpost	.Truvativ XR Double Clamp, 350mm
Saddle	.WTB Pure V Comp
Pedals	.Crank Brothers Candy C
Extras	.CPSC reflectors and K2 owner's manual
Available Colors	.Orange
Sizes	.SM (14-15"), fits 5'3" to 5'6" .MD (16-17"), fits 5'6" to 5'10" .LG (18-19"), fits 5'10" to 6'1" .XL (20-21"), fits 6'1" to 6'4"
Weight	.32.6 lbs



APACHE 6.0

Frame	.7000 series Al, with K2 Linear Link suspension supplying 4" of travel
Rear Shock	.Answer Manitou S-Type, with adjustable rebound, air pressure and lockout
Fork	.Answer Manitou R7 Super Air, 100mm travel, with adjustable rebound, air pressure and lockout
Front Derailleur	.SRAM X-Gen
Rear Derailleur	.SRAM X-0
Shifters	.SRAM X-9
Freewheel/Cassette	.SRAM PG-980 cassette, 11-32T, nine speed
Crankset	.Truvativ Stylo Giga X Pipe
Bottom Bracket	.Truvativ Giga X Pipe, with external bearings
Chain	.SRAM PC-951, for nine speed
Wheelset	.American Classic MTB 350 Disc
Tires	.Kenda Nevegal Lite 26x1.95"
Brakes	.Avid Juicy Seven hydraulic disc
Brake Levers	.Avid Juicy seven
Headset	.1 1/8" IS-3 integrated
Stem	.Truvativ Team
Handlebar	.Truvativ Team flat bar, 580mm wide
Grips	.Dual Density MTB design
Seatclamp	.Aluminum with bolt
Seatpost	.Truvativ Team, 350mm
Saddle	.K2 Elite
Pedals	.Crank Brothers Eggbeater C
Extras	.CPSC reflectors and K2 owner's manual
Available Colors	.Blue
Sizes	.SM (14-15"), fits 5'3" to 5'6" .MD (16-17"), fits 5'6" to 5'10" .LG (18-19"), fits 5'10" to 6'1" .XL (20-21"), fits 6'1" to 6'4"
Weight	.26.4 lbs



ALTURAS 2.0

Frame	Reflex Road, 6061 aluminum with flat oval top tube and replaceable hanger
Fork	InSync Odesa ACS, 63mm travel, with aluminum crown and lowers, adjustable preload
Front Derailleur	Shimano C051
Rear Derailleur	SRAM 3.0
Shifter	SRAM 3.0 twist shifters, indexed front and rear
Freewheel/Cassette	DNP 14-34T, seven speed
Crankset	SR Suntour CW-NEXT10 with chain guard, 28/38/48T
Bottom Bracket	Semi-cartridge with bolted spindle
Chain	KMC Z51, for seven speed
Wheelset	Alex alloy rims, alloy double-sealed hubs and 36 spokes / wheel
Tires	Kenda Eurotrek, 700Cx35mm
Brakes	Alloy linear pull
Brake Levers	Alloy comfort levers
Headset	1 1/8" threaded, internal style
Stem	Alloy, adjustable rise
Handlebar	Steel riser bar, satin finish
Seatclamp	Quick-release, aluminum
Seatpost	Suspension, aluminum with microadjust head, 300mm
Saddle	K2 Fitness Comfort, with coil springs and dual material cover
Pedals	Comfort platform, with shock-absorbing, non-slip TPE insert
Extras	CPSC reflectors and K2 owner's manual
Color	Blue
Sizes	SM (49-51cm), fits 5'3" to 5'6" MD (52-54cm), fits 5'6" to 5'10" LG (55-57cm), fits 5'10" to 6'1" XL (58-60cm), fits 6'1" to 6'4"
Weight	30.8 lbs



ASTRAL 4.0

Frame	Reflex Road, butted 6061 aluminum, with flat oval top tube and replaceable hanger
Fork	Aluminum straight blades with chromoly steerer tube
Front Derailleur	Shimano FD-R443, for flat bar road bikes
Rear Derailleur	Shimano Sora
Shifters	Shimano R-440-8 Rapidfire Plus, for flat bar road bikes
Freewheel/Cassette	SRAM 12-26, eight speed
Crankset	Truvativ Isoflow Road, 28/38/48T
Bottom Bracket	Sealed Cartridge
Chain	KMC 1G31, for eight speed
Wheelset	Jalco DRX 2000 double-wall rims, alloy double-sealed hubs and 32 stainless spokes / wheel
Tires	Kenda Kwest, 700Cx28mm
Brakes	Alloy linear pull
Brake Levers	Alloy MTB levers
Headset	TH, 1 1/8" Intellaset threadless
Stem	Alloy threadless
Handlebar	Alloy flat bar with ergonomic alloy bar ends
Seatclamp	Aluminum with bolt
Seatpost	Aluminum microadjust, 300mm
Saddle	K2 Road Sport, with dual material cover
Pedals	Road with steel rear cage, toe clips and straps
Extras	CPSC reflectors and K2 owner's manual
Available Colors	Blue
Sizes	SM (49-51cm), fits 5'3" to 5'6" MD (52-54cm), fits 5'6" to 5'10" LG (55-57cm), fits 5'10" to 6'1" XL (58-60cm), fits 6'1" to 6'4"
Weight	25.0 lbs



ALTURAS 3.0

Frame	Reflex Road, 6061 aluminum with flat oval top tube and replaceable hanger
Fork	InSync Odesa ACS, 63mm travel, with aluminum crown and lowers, adjustable preload
Front Derailleur	Shimano Nexave T301
Rear Derailleur	SRAM SX4
Shifters	SRAM 3.0 Comp twist shifters, indexed
Freewheel/Cassette	SRAM PG-830 cassette, 11-32T, eight speed
Crankset	SR Suntour CW-NCX410 with chain guard, 28/38/48T
Bottom Bracket	Sealed Cartridge
Chain	KMC 1G31, for eight speed
Wheelset	Alex 1019 double-wall rims, alloy double-sealed hubs and 32 stainless spokes per wheel
Tires	Kenda Eurotrek, 700Cx32mm
Brakes	Alloy linear pull
Brake Levers	Alloy comfort levers
Headset	1 1/8" threadless, internal style
Stem	Alloy adjustable rise
Handlebar	Alloy flat bar, 580mm wide, with ergonomic alloy bar ends
Seatclamp	Quick-release, aluminum
Seatpost	Deluxe suspension, aluminum, 350mm
Saddle	K2 Sport Fitness with gel padding and dual material cover
Pedals	Comfort platform, with shock-absorbing, non-slip TPE insert
Extras	CPSC reflectors and K2 owner's manual
Available Colors	Grey
Sizes	SM (49-51cm), fits 5'3" to 5'6" MD (52-54cm), fits 5'6" to 5'10" LG (55-57cm), fits 5'10" to 6'1" XL (58-60cm), fits 6'1" to 6'4"
Weight	28.7 lbs



ASTRAL 5.0

Frame	Reflex Road, butted 6061 aluminum, with flat oval top tube and replaceable hanger
Fork	Dynamic Carbon Damping carbon fiber straight blades with chromoly steerer tube
Front Derailleur	Shimano FD-R443, for flat bar road bikes
Rear Derailleur	Shimano Tiagra
Shifters	Shimano R-440 Rapidfire Plus, for flat bar road bikes
Freewheel/Cassette	SRAM 12-26, nine speed
Crankset	Truvativ Isoflow Road, 30/42/52T
Bottom Bracket	Truvativ Powerspline, sealed cartridge
Chain	KMC Z9000, for nine speed
Wheelset	Jalco DRX 2000 double-wall rims, alloy double-sealed hubs and 32 stainless spokes / wheel
Tires	Kenda Kwest, 700Cx28mm
Brakes	Alloy mini linear pull
Brake Levers	Alloy MTB levers
Headset	TH, 1 1/8" Intellaset threadless
Stem	Alloy threadless
Handlebar	Alloy flat bar with ergonomic alloy bar ends
Seatclamp	Aluminum with bolt
Seatpost	Aluminum microadjust, 300mm
Saddle	K2 Road Sport, with gel padding and dual material cover
Pedals	Road with steel rear cage, toe clips and straps
Extras	CPSC reflectors and K2 owner's manual
Available Colors	Charcoal
Sizes	SM (49-51cm), fits 5'3" to 5'6" MD (52-54cm), fits 5'6" to 5'10" LG (55-57cm), fits 5'10" to 6'1" XL (58-60cm), fits 6'1" to 6'4"
Weight	24.8 lbs

ROAD-MACH



MACH 1.0

- Frame Reflex Road, 6061 aluminum, with flat oval top tube and replaceable hanger
- Fork Dynamic Carbon Damping carbon fiber blades with chromoly steerer tube
- Front Derailleur . . . Shimano Sora
- Rear Derailleur . . . Shimano Sora
- Shifter Shimano Sora STI
- Freewheel/Cassette . . SRAM PG-850 cassette, 12-26T eight speed
- Crankset Truvativ Isoflow Road, 30/42/52T
- Bottom Bracket Sealed cartridge
- Chain KMC HG50, for eight speed
- Wheelset Jalco DRX-2000 double-wall rims, alloy double-sealed hubs and stainless spokes
- Tires Kenda 700Cx25mm
- Brakes Tektro alloy dual-pivot with extra fender/tire clearance
- Brake Levers . . . Shimano Sora STI
- Headset TH, 1 1/8" Intellaset threadless
- Stem Forged alloy threadless
- Handlebar Aluminum drop bar
- Seatclamp Aluminum with bolt
- Seatpost Alloy microadjust, 350mm
- Saddle K2 Sport Road
- Pedals Road with resin body, steel rear cage and toe clips/straps
- Extras CPSC reflectors and K2 owner's manual
- Color Black
- Sizes SM (49-51cm), fits 5'3" to 5'6"
MD (52-54cm), fits 5'6" to 5'10"
LG (55-57cm), fits 5'10" to 6'1"
XL (58-60cm), fits 6'1" to 6'4"
- Weight 24.8 lbs

ROAD-MOD



MOD 3.0

- Frame K2 Reflex Mod - 7005 Butted Al w/flat oval top tube and carbon seatstays
- Fork Dynamic Carbon Damping carbon fiber blades with chromoly steerer tube
- Front Derailleur . . . Shimano 105
- Rear Derailleur . . . Shimano 105
- Shifters Shimano 105 STI
- Freewheel/Cassette . . Shimano 105, 12-25T, ten speed
- Crankset FSA CFM Road, 170/172.5mm, 30/39/50T
- Bottom Bracket TH Isis Drive
- Chain Shimano 105, for ten speed
- Wheelset Alex R-500 double-wall rims, with alloy double-sealed hubs and stainless spokes
- Tires Kenda Kontender 700Cx23mm
- Brakes Tektro alloy dual-pivot, with cartridge pads
- Brake Levers . . . Shimano 105 STI
- Headset TH, 1 1/8" IS-3
- Stem Kalloy forged alloy threadless
- Handlebar Kalloy aluminum drop bar
- Seatclamp Aluminum with bolt
- Seatpost Kalloy alloy microadjust, 350mm
- Saddle K2 Performance
- Pedals Wellgo W-41, single-sided clipless
- Extras CPSC reflectors and K2 owner's manual
- Available Colors . . . Red
- Sizes SM (49-51cm), fits 5'3" to 5'6"
MD (52-54cm), fits 5'6" to 5'10"
LG (55-57cm), fits 5'10" to 6'1"
XL (58-60cm), fits 6'1" to 6'4"
- Weight 20.9 lbs*

*Weight does not include pedals



MACH 2.0

- Frame Reflex Road, 6061 aluminum, with flat oval top tube and replaceable hanger
- Fork Dynamic Carbon Damping carbon fiber blades with chromoly steerer tube
- Front Derailleur . . . Shimano Tiagra
- Rear Derailleur . . . Shimano 105
- Shifters Shimano Tiagra
- Freewheel/Cassette . . SRAM PG-950, 12-26T, nine speed
- Crankset Truvativ Isoflow Road A1, 30/42/52T
- Bottom Bracket Truvativ Powerspline, sealed cartridge
- Chain KMC Z9000, for nine speed
- Wheelset Jalco DRX-2000 double-wall rims, alloy double-sealed hubs and stainless spokes.
- Tires Kenda 700Cx25mm
- Brakes Tektro alloy dual-pivot with extra fender/tire clearance
- Brake Levers . . . Shimano Tiagra
- Headset TH, 1 1/8" Intellaset threadless
- Stem Kalloy alloy threadless
- Handlebar Kalloy aluminum drop bar
- Seatclamp Aluminum with bolt
- Seatpost Kalloy alloy microadjust, 350mm
- Saddle K2 Sport Road
- Pedals Road with resin body, steel rear cage and toe clips/straps
- Extras CPSC reflectors and K2 owner's manual
- Available Colors . . . Silver
- Sizes SM (49-51cm), fits 5'3" to 5'6"
MD (52-54cm), fits 5'6" to 5'10"
LG (55-57cm), fits 5'10" to 6'1"
XL (58-60cm), fits 6'1" to 6'4"
- Weight 24.3 lbs



MOD 4.0

- Frame K2 Reflex Mod - 7005 Butted Al w/flat oval top tube and carbon seatstays
- Fork Dynamic Carbon Damping carbon fiber blades with aluminum steerer tube
- Front Derailleur . . . Shimano 105
- Rear Derailleur . . . Shimano Ultegra
- Shifters Shimano 105 STI
- Freewheel/Cassette . . Shimano 105, 12-25T, ten speed
- Crankset FSA Gossamer Compact Mega Exo, 34/50T
- Bottom Bracket FSA Mega Exo, with external bearings
- Chain Shimano 105, for ten speed
- Wheelset Alex ALX-220 wheelset
- Tires Kenda Kontender 700Cx23mm
- Brakes Shimano 105 dual pivot
- Brake Levers . . . Shimano 105 STI
- Headset TH, 1 1/8" Integrated
- Stem FSA OS-170LX
- Handlebar FSA RD-300
- Seatclamp Aluminum with bolt
- Seatpost Carbon microadjust, 350mm
- Saddle K2 Performance
- Pedals Wellgo W-41, single-sided clipless
- Extras CPSC reflectors and K2 owner's manual
- Available Colors . . . Silver
- Sizes SM (49-51cm), fits 5'3" to 5'6"
MD (52-54cm), fits 5'6" to 5'10"
LG (55-57cm), fits 5'10" to 6'1"
XL (58-60cm), fits 6'1" to 6'4"
- Weight 19.6 lbs*

*Weight does not include pedals

ROAD-MOD



MOD 5.0

Frame	K2 Reflex Mod - 7005 Butted Al w/flat oval carbon top tube and carbon seatstays
Fork	Dynamic Carbon Damping carbon fiber blades with aluminum steerer tube
Front Derailleur	Shimano Ultegra
Rear Derailleur	Shimano Dura Ace
Shifters	Shimano Ultegra STI
Freewheel/Cassette	Shimano 105, 12-25T, ten speed
Crankset	FSA Energy Mega Exo Compact, 50/34T
Bottom Bracket	FSA Mega Exo, with external bearings
Chain	Shimano 105, for ten speed
Wheelset	FSA RD-88 wheelset
Tires	Kenda Kaliente 700c x 23mm
Brakes	Shimano Ultegra dual-pivot
Brake Levers	Shimano Ultegra STI
Headset	TH, 1 1/8" Integrated
Stem	FSA OS-150LX
Handlebar	FSA RD-300
Seatclamp	Aluminum with bolt
Seatpost	FSA SLK Carbon 350mm
Saddle	K2 Elite
Pedals	Test ride platform pedals
Extras	CPSC reflectors and K2 owner's manual
Available Colors	White/Blue
Sizes	SM (49-51cm), fits 5'3" to 5'6" MD (52-54cm), fits 5'6" to 5'10" LG (55-57cm), fits 5'10" to 6'1" XL (58-60cm), fits 6'1" to 6'4"
Weight	18.7 lbs*

*Weight does not include pedals

ROAD-SPECIALTY



RED ZONE

Frame	K2 Mod Aero, with butted, shaped, aero aluminum tubing and carbon fiber seat stays
Fork	Dynamic Carbon Damping aero-shaped carbon fiber blades and chromoly steerer tube
Front Derailleur	Shimano 105
Rear Derailleur	Shimano 105
Shifters	Shimano Dura-Ace bar end shifters
Freewheel/Cassette	Shimano 105 ten speed, 12-25T
Crankset	FSA compact double, 34/50T, for Isis Drive
Bottom Bracket	TH, Isis Drive
Chain	Shimano 105, for ten speed
Wheelset	Alex R-500 rims, alloy double-sealed hubs and stainless spokes
Tires	Kenda Konzept, 700c x 23c
Brakes	Tektro dual pivot calipers, with cartridge brake pads
Brake Levers	Tektro aero bar-end brake levers
Headset	FSA IS-3, integrated style
Stem	FSA/Vision Tech SizeMore
Handlebar	FSA/Vision Tech Base Bar with FSA/Vision Tech TT Clip-On aero bars
Seatclamp	Integral with the frame
Seatpost	Kalloy micro-adjust, 300mm
Saddle	K2 Triathlon, with extra gel padding and lycra cover on the nose
Pedals	Test ride platform pedals
Extras	CPSC reflectors and K2 owner's manual
Sizes	SM (49-51cm), fits 5'3" to 5'6" MD (52-54cm), fits 5'6" to 5'10" LG (55-57cm), fits 5'10" to 6'1" XL (58-60cm), fits 6'1" to 6'4"
Weight	21.1 lbs



MOD 6.0

Frame	K2 Reflex Mod - 7005 Butted Al w/flat oval carbon top tube and carbon seatstays
Fork	Dynamic Carbon Damping carbon fiber blades and steerer tube
Front Derailleur	Shimano Dura Ace
Rear Derailleur	Shimano Dura Ace
Shifters	Shimano Dura Ace STI
Freewheel/Cassette	Shimano Ultegra, 12-23T, ten speed
Crankset	FSA SLK Compact Carbon Mega Exo, 34/50T
Bottom Bracket	FSA Mega Exo, with external bearings
Chain	Shimano Ultegra, for ten speed
Wheelset	American Classic Sprint 350
Tires	Kenda Kaliente 700c x 23mm, with folding beads and 120tpi casing
Brakes	Shimano Ultegra dual-pivot
Brake Levers	Shimano Dura Ace STI
Headset	TH, 1 1/8" Integrated
Stem	FSA OS-150XT
Handlebar	FSA RD-250
Seatclamp	Aluminum with bolt
Seatpost	FSA SLK Carbon, 350mm
Saddle	K2 Elite
Pedals	Test ride platform pedals
Extras	CPSC reflectors and K2 owner's manual
Available Colors	White/Red
Sizes	SM (49-51cm), fits 5'3" to 5'6" MD (52-54cm), fits 5'6" to 5'10" LG (55-57cm), fits 5'10" to 6'1" XL (58-60cm), fits 6'1" to 6'4"
Weight	16.9 lbs*

*Weight does not include pedals



ENEMY

Frame	Enemy Cyclocross, butted 7005 aluminum
Fork	Dynamic Carbon Damping carbon fiber blades, with cr-mo steerer and brake bosses
Front Derailleur	Shimano Tiagra
Rear Derailleur	Shimano 105
Shifters	Shimano 105 STI
Freewheel/Cassette	SRAM PG-950 cassette, 12-26T, nine speed
Crankset	Truvativ Elita GXP Cyclocross, 39/48T
Bottom Bracket	Truvativ GXP, with external bearings
Chain	KMC Z9000, for nine speed
Wheelset	Alex AKX-1.0 wheelset
Tires	WTB Cross Wolf Comp
Brakes	Avid Shorty 4 cantilevers
Brake Levers	Shimano 105 STI
Headset	FSA IS-3
Stem	Kalloy, forged aluminum
Handlebar	Kalloy, butted aluminum
Seatclamp	Aluminum with bolt
Seatpost	Kalloy, with carbon fiber shaft
Saddle	WTB Rocket V Comp
Pedals	Crank Brothers Egg Beater C
Extras	CPSC reflectors and K2 owner's manual
Available Colors	Black
Sizes	SM (49-51cm), fits 5'3" to 5'6" MD (52-54cm), fits 5'6" to 5'10" LG (55-57cm), fits 5'10" to 6'1" XL (58-60cm), fits 6'1" to 6'4"
Weight	22.6 lbs

DREAMLINER®-EASY STREET



EASY STREET

- Frame K2 Dreamliner Design, 6061 aluminum, with replaceable derailleur hanger
- Fork Comfort suspension, with aluminum crown
- Front Derailleur Shimano C050
- Rear Derailleur SRAM 3.0
- Shifters SRAM 3.0 twist shifters, indexed front and rear
- Freewheel/Cassette DNP 14-34T, seven speed
- Crankset SR Suntour XR-170 with chainguard, 170mm, 24/34/42T
- Bottom Bracket Semi-cartridge with bolted spindle
- Chain KMC Z-51, for seven speed
- Wheelset Alex alloy rims, alloy double-sealed quick-release hubs and 36 spokes per wheel
- Tires Kenda Komfort, 26x2.125"
- Brakes Alloy linear pull
- Brake Levers Alloy comfort levers
- Headset 1 1/8" threaded
- Stem Alloy, 80mm length
- Handlebar K2 Dreamliner Design, w/custom bend, rise & sweep
- Grips Dual-density comfort design
- Seatclamp Quick-release, aluminum
- Seatpost Suspension, aluminum 300mm
- Saddle K2 Easy Comfort with coil springs and multi-material cover
- Pedals Comfort platform, w/non-slip TPE insert
- Extras Kickstand, CPSC reflectors and K2 owner's manual
- Available Colors Gray
- Sizes SM (14-15"), fits 5'3" to 5'6"
MD (16-17"), fits 5'6" to 5'10"
LG (18-19"), fits 5'10" to 6'1"
XL (20-21"), fits 6'1" to 6'4"
- Weight 32.6 lbs

DREAMLINER®-BIG EASY



BIG EASY

- Frame Dreamliner Stretch Design, 6061 aluminum with replaceable derailleur hanger
- Fork High tensile steel unicrown with brake bosses
- Front Derailleur N/A
- Rear Derailleur SRAM 3.0
- Shifter SRAM 3.0 twist shifters, indexed rear
- Freewheel/Cassette DNP 13-34T, seven speed
- Crankset Prowheel with aluminum arms and double chainguard, 170mm, 38T
- Bottom Bracket Semi-cartridge with bolted spindle
- Chain KMC Z-51, for seven speed
- Wheelset Alex alloy rims, alloy double-sealed quick-release hubs and 36 spokes per wheel
- Tires Kenda Komfort, 26x2.125"
- Brakes Alloy linear pull
- Brake Levers Alloy comfort levers
- Headset 1 1/8" threaded
- Stem Alloy
- Handlebar K2 Dreamliner Design, w/custom bend, rise & sweep
- Grips Single-density comfort design
- Seatclamp Quick-release, aluminum
- Seatpost Suspension, aluminum 300mm
- Saddle K2 Easy Wide with coil springs and single material cover
- Pedals Comfort platform
- Extras Kickstand, CPSC reflectors and K2 owner's manual
- Color Blue
- Sizes (standard) SM/MD (14-17"), fits 5'3 to 5'10"
LG/XL (18-21"), fits 5'10" to 6'4"
- Sizes (step-through) XS/SM (12-15"), fits 5' to 5'6"
MD (16-17"), fits 5'6" to 5'10"
- Weight 30.1 lbs



EASY STREET DEUCE

- Frame K2 Dreamliner Design, 6061 aluminum, with replaceable derailleur hanger
- Fork Spinner Odesa AC, with preload adjusters and aluminum crown and lowers
- Front Derailleur Shimano Acera
- Rear Derailleur SRAM SX4
- Shifters SRAM SX4 trigger, eight speed
- Freewheel/Cassette SRAM PG-830 cassette, 11-32T, eight speed
- Crankset SR Suntour CW-NCX with chainguard, 170mm, 22/32/42T
- Bottom Bracket Sealed Cartridge
- Chain KMC 1631, for eight speed
- Wheelset Jalco alloy rims, alloy double-sealed quick-release hubs and 32 stainless spokes / wheel
- Tires Kenda Komfort, 26x2.125"
- Brakes Tektro linear pull
- Brake Levers Tektro deluxe alloy comfort levers
- Headset 1 1/8" threaded
- Stem Alloy, adjustable rise
- Handlebar K2 Dreamliner Design, w/custom bend, rise & sweep
- Grips Dual-density comfort design, with chrome end plugs
- Seatclamp Quick-release, aluminum
- Seatpost SR Suntour parallelogram suspension post, aluminum, 350mm
- Saddle K2 Easy Comfort with dual-density base, elastomer springs, supersoft foam and chrome accents
- Pedals Comfort platform, w/non-slip TPE insert
- Extras Kickstand, CPSC reflectors and K2 owner's manual
- Available Colors Brass
- Sizes SM (14-15"), fits 5'3" to 5'6"
MD (16-17"), fits 5'6" to 5'10"
LG (18-19"), fits 5'10" to 6'1"
XL (20-21"), fits 6'1" to 6'4"
- Weight 33.3 lbs



BIG EASY DEUCE

- Frame Dreamliner Stretch Design, 6061 aluminum with replaceable derailleur hanger
- Fork Spinner Odesa AC, with preload adjusters and aluminum crown and lowers
- Front Derailleur Shimano C050
- Rear Derailleur SRAM 3.0
- Shifters SRAM 3.0 twist shifters, indexed front and rear
- Freewheel/Cassette DNP 14-34T, seven speed, nickel finish
- Crankset SR Suntour XR-170 with chainguard, 24/34/42T
- Bottom Bracket Sealed Cartridge
- Chain KMC Z-51, for seven speed
- Wheelset Alex alloy rims, alloy double-sealed quick-release hubs and 36 stainless spokes per wheel
- Tires Kenda Komfort, 26x2.125"
- Brakes Alloy linear pull
- Brake Levers Alloy comfort levers
- Headset 1 1/8" threaded
- Stem Alloy
- Handlebar K2 Dreamliner Design, w/custom bend, rise & sweep
- Grips Dual-density comfort design
- Seatclamp Quick-release, aluminum
- Seatpost Suspension, aluminum 300mm
- Saddle K2 Easy Wide with coil springs and multi-material cover
- Pedals Comfort platform, w/non-slip TPE insert
- Extras Kickstand, CPSC reflectors and K2 owner's manual
- Available Colors Black
- Sizes SM/MD (14-17"), fits 5'3 to 5'10"
LG/XL (18-21"), fits 5'10" to 6'4"
- Weight 34.1 lbs

T:NINE-MOUNTAIN



T:NINE SUMMIT

Frame	7000 series Al, K2 Linear Link suspension, with women's specific geometry and tubing sizes
Rear Shock	Answer Manitou Radium R Air shock with rebound adjuster
Fork	Answer Manitou R7 Comp Air, 100mm Travel with rebound adjuster
Front Derailleur	SRAM X-Gen
Rear Derailleur	SRAM X-9
Shifters	SRAM X-7
Freewheel/Cassette	SRAM PG-980 11-32T nine speed cassette with alloy carrier
Crankset	Truvativ Firex Giga X Pipe
Bottom Bracket	Truvativ Giga X Pipe, with external bearings
Chain	KMC Z9000
Wheelset	Sun DS2-XC rims, Shimano Deore Disc hubs and 32 spokes / wheel
Tires	Kenda Nevegal, 26x1.95"
Brakes	Hayes Sole hydraulic disc
Brake Levers	Hayes Sole, with short reach lever for women
Headset	1 1/8" IS-3 integrated
Stem	Kalloy threadless, 7 degree rise and T:Nine specific extensions
Handlebar	Kalloy butted riser bar, T:Nine specific size
Grips	Small diameter, dual-density grips with color-matching T:Nine end plugs
Seatclamp	Kalloy, aluminum with bolt
Seatpost	Kalloy, aluminum with zero set-back design
Saddle	T:Nine Performance with women's specific shape and cover materials
Pedals	Crank Brothers Eggbeater C
Extras	CPSC reflectors and K2 owner's manual
Available Colors	Blue-Silver two-tone
Sizes	XS (12-13"), fits 5'0" to 5'3" S (14-15"), fits 5'3" to 5'6" M (16-17"), fits 5'6" to 5'10"
Weight	28.6 lbs

T:NINE-ROAD



T:NINE BREEZE

Frame	Dreamliner Design, 6061 Al, with women's specific geometry and tubing sizes
Fork	Comfort suspension, with aluminum crown
Front Derailleur	Shimano FD-C050
Rear Derailleur	SRAM 3.0
Shifters	SRAM 3.0 twist shifters, indexed front and rear
Freewheel/Cassette	DNP 13-34T seven speed freewheel, nickel finish
Crankset	SR Suntour XR-170 with chainguard, 24/34/42T
Bottom Bracket	Semi-cartridge with bolted spindle
Chain	Semi-cartridge with bolted spindle
Wheelset	Alex alloy rims, alloy double-sealed quick-release hubs and 32 stainless spokes per wheel
Tires	Kenda Komfort, 26x2.125", with silver stripes
Brakes	Tektro alloy linear pull
Brake Levers	Tektro alloy levers with ergonomic, women's specific shape and shorter reach
Headset	1 1/8" threaded
Stem	Alloy, 80mm length
Handlebar	K2 Dreamliner Design, w/custom bend, rise & sweep
Grips	Small diameter, dual-density grips with color-matching T:Nine end plugs
Seatclamp	Quick-release, aluminum
Seatpost	Suspension, aluminum, 300mm
Saddle	T:Nine Learning Comfort with coil springs, women's specific shape and cover materials
Pedals	Comfort platform, with shock-absorbing, non-slip TPE insert
Extras	Kickstand, CPSC reflectors and K2 owner's manual
Available Colors	Blue two-tone
Sizes	XS (12-13"), fits 5' to 5'3" SM (14-15"), fits 5'3" to 5'6" MD (16-17"), fits 5'6" to 5'10"
Weight	31.8 lbs



T:NINE TAILWIND

Frame	Dreamliner Stretch Design, 6061 Al, with women's specific geometry and tubing sizes
Fork	High tensile steel unicrown, with brake bosses
Front Derailleur	Shimano FD-C050
Rear Derailleur	SRAM 3.0
Shifters	SRAM 3.0 twist shifters, indexed front and rear
Freewheel/Cassette	DNP 13-34T seven speed freewheel, nickel finish
Crankset	SR Suntour XR-170 with chainguard, 24/34/42T
Bottom Bracket	Sealed Cartridge
Chain	KMC Z-51, for seven speed
Wheelset	Alex alloy rims, alloy double-sealed quick-release hubs and 32 stainless spokes per wheel
Tires	Kenda Komfort, 26x2.125", with silver stripes
Brakes	Tektro alloy linear pull
Brake Levers	Tektro alloy levers with ergonomic, women's specific shape and shorter reach
Headset	1 1/8" threaded
Stem	Alloy, 80mm length
Handlebar	K2 Dreamliner Design, w/custom bend, rise & sweep
Grips	Small diameter, dual-density grips with color-matching T:Nine end plugs
Seatclamp	Quick-release, aluminum
Seatpost	Suspension, aluminum, 300mm
Saddle	T:Nine Learning Comfort Wide with coil springs, women's specific shape and cover materials
Pedals	Comfort platform, w/non-slip TPE insert
Extras	Kickstand, CPSC reflectors and K2 owner's manual
Available Colors	Silver two-tone
Sizes	XS/SM (12-15"), fits 5' to 5'6" MD (16-17"), fits 5'6" to 5'10"
Weight	31.5 lbs



T:NINE TRADEWIND

Frame	6061 aluminum, with women's specific geometry and tubing sizes
Fork	Kinesis aluminum, with cr-mo steerer and custom, T:Nine tuned offset
Front Derailleur	Shimano FD-T301
Rear Derailleur	SRAM SX4
Shifters	SRAM 3.0 Comp twist shifters, indexed
Freewheel/Cassette	SRAM PG-850, 12-26T, eight speed
Crankset	Truvativ Isoflow with chainguard, 28/38/48T
Bottom Bracket	Sealed Cartridge
Chain	KMC 1G31, for eight speed
Wheelset	DRX-2000 double-wall rims, alloy double-sealed hubs and 32 stainless spokes per wheel
Tires	Kenda Kwest, 700Cx28mm, with silver stripes
Brakes	Tektro alloy linear pull
Brake Levers	Tektro alloy levers with ergonomic, women's specific shape and shorter reach
Headset	1 1/8" threadless
Stem	Alloy threadless
Handlebar	Aluminum, with ergonomic alloy bar ends
Grips	Small diameter, dual-density grips with color-matching T:Nine end plugs
Seatclamp	Quick-release, aluminum
Seatpost	Aluminum microadjust, 300mm
Saddle	T:Nine Aspiring Road, with gel padding, women's specific shape and cover materials
Pedals	Comfort platform, w/non-slip TPE insert
Extras	Kickstand, CPSC reflectors and K2 owner's manual
Available Colors	Grey two-tone
Sizes	XS (46-48cm), fits 5' to 5'3" SM (49-51cm), fits 5'3" to 5'6" MD (52-54cm), fits 5'6" to 5'10"
Weight	24.8 lbs



T:NINE WHIRLWIND

Frame	.6061 aluminum, with women's specific geometry and tubing sizes
Fork	.Kinesis carbon fiber, with cr-mo steerer and custom, T:Nine tuned offset
Front Derailleur	.Shimano Sora
Rear Derailleur	.Shimano Sora
Shifters	.Shimano Sora STI
Freewheel/Cassette	.SRAM PG-850, 12-26T, eight speed
Crankset	.Truvativ Isoflow Road, 30/42/52T
Bottom Bracket	.Sealed cartridge
Chain	.KMC HG50, for eight speed
Wheelset	.DRX-2000 double-wall rims, alloy double-sealed hubs and 32 stainless spokes per wheel
Tires	.Kenda, 700Cx23mm, with silver stripes
Brakes	.Tektro alloy dual-pivot
Brake Levers	.Shimano Sora STI, with adjustable reach for women's smaller hands
Headset	.1 1/8" Intellaset threadless
Stem	.Kallo forged alloy threadless
Handlebar	.Kallo aluminum drop bar, with women's specific shape and sizing
Bar Tape	.Thin, lightly padded tape, tested by the T:Nine Alliance Team, with color-matched stitching
Seatclamp	.Aluminum with bolt
Seatpost	.Alloy microadjust, 300mm, with generous offset for proper women's fit
Saddle	.T:Nine Advancing, with gel padding, women's specific shape and cover materials
Pedals	.Road with alloy/resin body and toe clips/straps
Extras	.CPSC reflectors and K2 owner's manual
Available Colors	.Red two-tone
Sizes	.XS (46-48cm), fits 5' to 5'3" SM (49-51cm), fits 5'3" to 5'6" MD (52-54cm), fits 5'6" to 5'10"
Weight	.22.7 lbs



T:NINE TEMPEST

Frame	.Butted 6061 aluminum with carbon fiber seat stays, women's specific geometry and tubing
Fork	.Kinesis carbon fiber, with alloy steerer and custom, T:Nine tuned offset
Front Derailleur	.Shimano Ultegra
Rear Derailleur	.Shimano Ultegra
Shifters	.Shimano R700 STI (Ultegra level)
Freewheel/Cassette	.Shimano Ultegra, 12-25T, ten speed
Crankset	.FSA Idea Mega Exo Compact, 50/34T
Bottom Bracket	.FSA Mega Exo, with external bearings
Chain	.Shimano CN-5600, for ten speed
Wheelset	.American Classic Sprint 350
Tires	.Kenda Kaliente, 700x23c, with folding beads and 120tpi casing
Brakes	.Tektro RX20G, with cartridge pads
Brake Levers	.Shimano R700 STI (Ultegra level), with short reach for small hands
Headset	.FSA IS-3, 1 1/8"
Stem	.Ritchey Pro V2
Handlebar	.Ritchey Biomax Pro
Bar Tape	.Thin lightly padded T:Nine tape
Seatclamp	.Aluminum with bolt
Seatpost	.Carbon fiber microadjust, 350mm, with generous offset for proper women's fit
Saddle	.T:Nine Performance with women's specific shape and cover materials
Pedals	.Test ride platform pedals
Extras	.CPSC reflectors and K2 owner's manual
Available Colors	.Silver-Blue two-tone
Sizes	.XS (46-48cm), fits 5' to 5'3" SM (49-51cm), fits 5'3" to 5'6" MD (52-54cm), fits 5'6" to 5'10"
Weight	.17.8 lbs*

*Weight does not include pedals



T:NINE TWISTER

Frame	.Butted 6061 aluminum with carbon fiber seat stays, women's specific geometry and tubing
Fork	.Kinesis carbon fiber, with cr-mo steerer and custom, T:Nine tuned offset
Front Derailleur	.Shimano Tiagra
Rear Derailleur	.Shimano 105
Shifters	.Shimano R600 STI (Ultegra level)
Freewheel/Cassette	.SRAM PG-950, 12-26T, nine speed
Crankset	.FSA Energy Mega Exo Compact, 50/34T
Bottom Bracket	.TH RPM Isis Drive
Chain	.KMC Z9000, for nine speed
Wheelset	.Alex R500, with double-sealed road hubs and butted stainless spokes, 28H front, 32H rear
Tires	.Kenda Konzept, 700x23c
Brakes	.Tektro alloy dual-pivot, with cartridge pads
Brake Levers	.Shimano R600 STI (Ultegra level), with short reach for small hands
Headset	.FSA IS-3, 1 1/8"
Stem	.Kallo forged alloy threadless
Handlebar	.Kallo drop bar, with women's specific shape
Bar Tape	.Thin lightly padded T:Nine tape
Seatclamp	.Aluminum with bolt
Seatpost	.Alloy microadjust, 300mm, with generous offset for proper women's fit
Saddle	.T:Nine Performance with women's specific shape and cover materials
Pedals	.Wellgo single-sided road clipless, SPD compatible
Extras	.CPSC reflectors and K2 owner's manual
Available Colors	.Champagne two-tone
Sizes	.XS (46-48cm), fits 5' to 5'3" SM (49-51cm), fits 5'3" to 5'6" MD (52-54cm), fits 5'6" to 5'10"
Weight	.21.2 lbs



T:NINE JETSTREAM

Frame	.Butted, shaped, aero 7005 aluminum tubing, carbon fiber seat stays and women's specific geometry
Fork	.Kinesis, with carbon fiber blades and chromoly steerer tube, in T:Nine specific offset
Front Derailleur	.Shimano 105
Rear Derailleur	.Shimano 105
Shifters	.Shimano Dura-Ace bar end shifters
Freewheel/Cassette	.Shimano 105 ten speed, 12-25T
Crankset	.FSA compact double, 34/50T, for Isis Drive
Bottom Bracket	.TH, Isis Drive
Chain	.Shimano 105, for ten speed
Wheelset	.Alex R-500 rims, Joytech hubs and double-butted spokes, 28 hole radial front, 32 hole 3X rear
Tires	.Kenda Konzept, 700x23c
Brakes	.Tektro dual pivot calipers, with cartridge brake pads
Brake Levers	.Tektro aero bar-end brake levers, with reach adjusters for small hands
Headset	.FSA IS-3, integrated style
Stem	.FSA/Vision Tech SizeMore, with T:Nine specific extensions
Handlebar	.FSA/Vision Tech Base Bar with FSA/Vision Tech TT Clip-On aero bars, in T:Nine specific sizes
Bar Tape	.Thin lightly padded T:Nine tape
Seatclamp	.Integral with the frame
Seatpost	.Kallo micro-adjust, 300mm
Saddle	.T:Nine Triathlon design, with extra gel padding and lycra cover on the nose
Pedals	.Test ride platform pedals
Extras	.CPSC reflectors and K2 owner's manual
Sizes	.XS (46-48cm), fits 5' to 5'3" SM (49-51cm), fits 5'3" to 5'6" MD (52-54cm), fits 5'6" to 5'10"
Weight	.20.5 lbs



DEBIT

Frame	High tensile steel freestyle frame, sized for smaller riders
Fork	High tensile steel freestyle fork, 1 1/8" threadless steerer
Freewheel/Cassette	.16T freewheel
Crankset	Chromoly one piece crank, 165mm with K2 steel 39T
Bottom Bracket	.9 piece, with ball bearings in retainers
Chain	KMC Z410
Wheelset	Alex C-303 aluminum alloy rims, 36 hole 3/8" axle hubs with UPC spokes
Tires	Kenda Kontact, 20x2.125" front, 20x1.95" rear
Brakes	Tektro aluminum alloy front caliper and rear U-brake with SST Oryg detangler
Brake Levers	Tektro melt-forged aluminum alloy
Headset	1-1/8" Threadless
Stem	Aluminum alloy
Handlebar	Steel 7 3/4" rise by 27" wide
Grips	ATI Schwartz BMX
Seatclamp	Aluminum alloy
Seatpost	Steel pillar
Saddle	K2 BMX, with custom graphics
Pedals	Wellgo resin platform with boron axle
Extras	2 pair of threadless axle pegs for 3/8", CPSC reflectors, chainguard and K2 owner's manual
Available Colors	Blue
Sizes	Single Jr. BMX



SESH

Frame	Full chromoly, with 6mm dropouts and mono chainstay
Fork	Full chromoly, with 1 1/8" threadless steerer
Freewheel/Cassette	.14T freewheel
Crankset	Three piece tubular chromoly crank, 175mm with steel 39T
Bottom Bracket	Splined chromoly spindle with ball bearings in retainers
Chain	KMC Z510
Wheelset	Sun ZX-25 aluminum alloy rims, 36 hole 14mm axles hubs with UPC spokes
Tires	Kenda K-Rad, 20x2.125" front and Kontact 20x1.95" rear
Brakes	Tektro aluminum alloy front and rear U-brakes with SST Oryg detangler
Brake Levers	Tektro melt-forged Aluminum alloy, right hand only
Headset	1-1/8" Threadless
Stem	Aluminum alloy four bolt
Handlebar	Steel 7 3/4" rise by 27" wide
Grips	ATI Schwartz BMX
Seatclamp	Aluminum alloy
Seatpost	Steel pillar
Saddle	K2 BMX, with 8mm rails and custom graphics
Pedals	Wellgo Aluminum alloy platform with pressed-in pins, chromoly axle and K2 badges
Extras	1 pair of threadless axle pegs for 14mm, CPSC reflectors, chainguard and K2 owner's manual
Available Colors	Grey
Sizes	Single full size BMX



MIXER

Frame	High tensile steel freestyle frame, sized for smaller riders
Fork	High tensile steel freestyle fork with 1 1/8" threadless steerer and U-brake posts
Freewheel/Cassette	.14T freewheel
Crankset	Forged chromoly three piece crank, 165mm with steel 39T
Bottom Bracket	Chromoly spindle with ball bearings in retainers
Chain	KMC Z410
Wheelset	Sun ZX-25 aluminum alloy rims, 36 hole 14mm axles hubs with UPC spokes
Tires	Kenda Kontact, 20x2.125" front, 20x1.95" rear
Brakes	Tektro aluminum alloy front and rear U-brakes with SST Oryg detangler
Brake Levers	Tektro melt-forged Aluminum alloy
Headset	1-1/8" Threadless
Stem	Aluminum alloy four bolt
Handlebar	Steel 7 3/4" rise by 27" wide
Grips	ATI Schwartz BMX
Seatclamp	Aluminum alloy
Seatpost	Steel pillar
Saddle	K2 BMX, with custom graphics
Pedals	Wellgo Aluminum alloy platform with chromoly axle
Extras	2 pair of threadless axle pegs for 14mm, CPSC reflectors, chainguard and K2 owner's manual
Available Colors	Red
Sizes	Single Jr. BMX



STRIP

Frame	Full chromoly, with 6mm dropouts, Euro BB shell and mono chainstay
Fork	Full chromoly, with 1 1/8" threadless steerer
Freewheel/Cassette	.14T freewheel
Crankset	Three piece tubular chromoly crank, 175mm with aluminum alloy forged and machined 36T
Bottom Bracket	Splined chromoly spindle with sealed bearings
Chain	KMC Z510
Wheelset	Sun Ditch Witch double-wall aluminum alloy rims, 36 hole aluminum alloy, 14mm axles hubs with UPC spokes
Tires	Kenda K-Rad, 20x2.125" front and Kontact 20x1.95" rear
Brakes	Tektro FX-11 aluminum alloy rear U-brake SST Oryg detangler
Brake Levers	Tektro melt-forged Aluminum alloy, right hand only
Headset	Cane Creek Dozer, with oversized 5/32" bearings
Stem	Aluminum alloy four bolt with laser etched graphics
Handlebar	Full chromoly with stainless K2 badge
Grips	ATI Schwartz BMX
Seatclamp	Aluminum alloy
Seatpost	Steel micro-adjusting post
Saddle	K2 BMX, with 8mm rails and custom graphics
Pedals	Wellgo Aluminum alloy platform with pressed-in pins, chromoly axle and K2 badges
Extras	1 pair of threadless axle pegs for 14mm, CPSC reflectors, chainguard and K2 owner's manual
Available Colors	Black
Sizes	Single full size BMX



Z-12

Frame	High-tensile steel, with low-standover height and separate boy's and girl's designs
Fork	High-tensile steel, with oversized legs
Freewheel/Cassette	.18T cog
Crankset	Steel one-piece crank, with 28T chainwheel
Bottom Bracket	Loose ball
Chain	KMC Z-410
Wheelset	Aluminum rims, steel hubs with coaster brake rear and 16 spokes per wheel
Tires	Kenda, 12 x 2.125"
Brakes	Rear coaster brake
Headset	Steel, threaded
Stem	Quill
Handlebar	Steel, 2 piece BMX style
Seatclamp	Aluminum quick release binder
Seatpost	Steel, integrated with saddle
Saddle	K2 Kids saddle with custom, color-matched materials
Pedals	Youth resin pedals
Extras	Chainguard, heavy-duty training wheels and pad set, with streamers and handlebar bag on girl's, fenders on boy's
Available Colors	Boy's - Red, Girl's - White



Z-20 (BOYS)

Frame	High-tensile steel, with low-standover height and separate boy's and girl's designs
Fork	High-tensile steel, with oversized legs
Freewheel/Cassette	.18T cog
Crankset	Steel one-piece crank, with 36T chainwheel
Bottom Bracket	Loose ball
Chain	KMC Z-410
Wheelset	Aluminum rims, steel hubs with coaster brake rear and 36 spokes per wheel
Tires	Kenda, 20 x 1.95"
Brakes	Rear coaster and linear pull caliper brakes
Brake Levers	Junior sized aluminum lever with resin bracket
Headset	Steel, threaded
Stem	Quill
Handlebar	Steel, 2 piece BMX style
Seatclamp	Aluminum quick release binder
Seatpost	Steel, integrated with saddle
Saddle	K2 Kids saddle with custom, color-matched materials
Pedals	Youth resin pedals
Extras	Chainguard and pad set
Available Colors	Dark Blue



Z-16

Frame	High-tensile steel, with low-standover height and separate boy's and girl's designs
Fork	High-tensile steel, with oversized legs
Freewheel/Cassette	.18T cog
Crankset	Steel one-piece crank, with 36T chainwheel
Bottom Bracket	Loose ball
Chain	KMC Z-410
Wheelset	Aluminum rims, steel hubs with coaster brake rear and 28 spokes per wheel
Tires	Kenda, 16 x 2.125"
Brakes	Rear coaster brake
Headset	Steel, threaded
Stem	Quill
Handlebar	Steel, 2 piece BMX style
Seatclamp	Aluminum quick release binder
Seatpost	Steel, integrated with saddle
Saddle	K2 Kids saddle with custom, color-matched materials
Pedals	Youth resin pedals
Extras	Chainguard, heavy-duty training wheels and pad set, with streamers and handlebar bag on girl's, fenders on boy's
Available Colors	Boy's - Red, Girl's - White



Z-20 (GIRLS)

Frame	High-tensile steel, with low-standover height and separate boy's and girl's designs
Fork	High-tensile steel, with oversized legs
Freewheel/Cassette	.18T cog
Crankset	Steel one-piece crank, with 36T chainwheel
Bottom Bracket	Loose ball
Chain	KMC Z-410
Wheelset	Aluminum rims, steel hubs with coaster brake rear and 36 spokes per wheel
Tires	Kenda, 20 x 1.95"
Brakes	Rear coaster and linear pull caliper brakes
Brake Levers	Junior sized aluminum lever with resin bracket
Headset	Steel, threaded
Stem	Quill
Handlebar	Steel, 2 piece BMX style
Seatclamp	Aluminum quick release binder
Seatpost	Steel, integrated with saddle
Saddle	K2 Kids saddle with custom, color-matched materials
Pedals	Youth resin pedals
Extras	Chainguard and pad set
Available Colors	Light Blue



ZED-20 (BOYS)

Frame	.6061 aluminum, with low standover height and separate boy's and girl's designs
Fork	SR M2000 suspension fork with alloy crown, 40mm travel
Rear Derailleur	Shimano TX30
Shifters	Shimano Revo twist shifter
Freewheel/Cassette	Shimano TZ07, 14-28, seven speed
Crankset	Three piece steel with double chainguard
Bottom Bracket	Six-piece with bolted spindle
Chain	KMC Z-51, for seven speed
Wheelset	Aluminum rims, steel bolt-on hubs and 36 spokes per wheel
Tires	Kenda, 20 x 1.95"
Brakes	Alloy linear pull
Brake Levers	Junior sized aluminum levers with resin bracket
Headset	1 1/8" threaded
Stem	Quill
Handlebar	Steel riser bar
Seatclamp	Aluminum quick release binder
Seatpost	Steel pillar
Saddle	K2 Jr. MTB, with custom, color-matched materials
Pedals	Resin Jr. MTB
Extras	Rear derailleur guard, CPSC reflectors
Available Colors	Silver



ZED-24 (BOYS)

Frame	.6061 aluminum, with low standover height and separate boy's and girl's designs
Fork	SR M2000 suspension fork with alloy crown, 50mm travel
Front Derailleur	Shimano TY32
Rear Derailleur	Shimano TX30
Shifters	Shimano Revo twist shifters
Freewheel/Cassette	Shimano TZ07, 14-28, seven speed
Crankset	SR Suntour with aluminum arms, 28/38/48T
Bottom Bracket	Six-piece with bolted spindle
Chain	KMC Z-51, for seven speed
Wheelset	Aluminum rims, steel hubs with front quick release and 36 spokes per wheel
Tires	Kenda, 24 x 1.95"
Brakes	Alloy linear pull
Brake Levers	Junior sized aluminum levers with resin bracket
Headset	1 1/8" threadless
Stem	Aluminum threadless
Handlebar	Steel riser bar
Seatclamp	Aluminum quick release binder
Seatpost	Steel pillar
Saddle	K2 Jr. MTB, with custom, color-matched materials
Pedals	Resin Jr. MTB
Extras	Rear derailleur guard, CPSC reflectors
Available Colors	Black




ZED-20 (GIRLS)

Frame	.6061 aluminum, with low standover height and separate boy's and girl's designs
Fork	SR M2000 suspension fork with alloy crown, 40mm travel
Rear Derailleur	Shimano TX30
Shifters	Shimano Revo twist shifter
Freewheel/Cassette	Shimano TZ07, 14-28, seven speed
Crankset	Three piece steel with double chainguard
Bottom Bracket	Six-piece with bolted spindle
Chain	KMC Z-51, for seven speed
Wheelset	Aluminum rims, steel bolt-on hubs and 36 spokes per wheel
Tires	Kenda, 20 x 1.95"
Brakes	Alloy linear pull
Brake Levers	Junior sized aluminum levers with resin bracket
Headset	1 1/8" threaded
Stem	Quill
Handlebar	Steel riser bar
Seatclamp	Aluminum quick release binder
Seatpost	Steel pillar
Saddle	K2 Jr. MTB, with custom, color-matched materials
Pedals	Resin Jr. MTB
Extras	Rear derailleur guard, CPSC reflectors
Available Colors	Green



ZED-24 (GIRLS)

Frame	.6061 aluminum, with low standover height and separate boy's and girl's designs
Fork	SR M2000 suspension fork with alloy crown, 50mm travel
Front Derailleur	Shimano TY32
Rear Derailleur	Shimano TX30
Shifters	Shimano Revo twist shifters
Freewheel/Cassette	Shimano TZ07, 14-28, seven speed
Crankset	SR Suntour with aluminum arms, 28/38/48T
Bottom Bracket	Six-piece with bolted spindle
Chain	KMC Z-51, for seven speed
Wheelset	Aluminum rims, steel hubs with front quick release and 36 spokes per wheel
Tires	Kenda, 24 x 1.95"
Brakes	Alloy linear pull
Brake Levers	Junior sized aluminum levers with resin bracket
Headset	1 1/8" threadless
Stem	Aluminum threadless
Handlebar	Steel riser bar
Seatclamp	Aluminum quick release binder
Seatpost	Steel pillar
Saddle	K2 Jr. MTB, with custom, color-matched materials
Pedals	Resin Jr. MTB
Extras	Rear derailleur guard, CPSC reflectors
Available Colors	Light Blue



- A Effective Top TubeHorizontal measurement from center head tube/top tube intersection to center of seat post.
- B Seat Tube (C-T)Total length measurement of seat tube from center of bottom bracket to top of seat clamp.
- C Stand-Over HeightVertical measurement from top tube to floor, measured from center of top tube.
- D Head TubeTotal length measurement of head tube from outside to outside.
- E Chain StayTotal length measurement of chain stay from center of bottom bracket to center of rear axle.
- F BB DropVertical measurement from center of bottom bracket to wheel axle centerline
- G Wheel BaseHorizontal measurement from front wheel axle to rear wheel axle.
- H Seat Tube AngleAngle measurement between wheel axle centerline and seat tube centerline
- I Head Tube Angle.....Angle measurement between wheel axle centerline and head tube centerline
- J Fork LengthTotal length measurement of fork from crown to front axle
- K Fork Offset.....Aligned measurement from head tube centerline to center of front axle.
- L Trail.....Horizontal measurement from steering axis/ground intersection to tire patch contact.

Zed Sport, 1.0

Size	Effective Top Tube mm inch	Seat Tube (C-T) mm inch	Standover mm inch	Head Tube mm inch	Chain Stay mm inch	BB Drop mm inch	Wheel Base mm inch	Seat Angle	Head Angle	Fork Length mm inch	Offset mm inch	Trail mm inch
SML	565 22.2	380 15.0	715 28.1	120 4.7	425 16.7	40 1.6	1028 40.5	72.5°	71.0°	455 17.9	40 1.6	71 2.8
MED	585 23.0	430 16.9	745 29.3	130 5.1	425 16.7	40 1.6	1048 41.3	72.5°	71.0°	455 17.9	40 1.6	71 2.8
LRG	600 23.6	480 18.9	785 30.9	160 6.3	425 16.7	40 1.6	1064 41.9	72.5°	71.0°	455 17.9	40 1.6	71 2.8
XLG	615 24.2	530 20.9	835 32.9	210 8.3	425 16.7	40 1.6	1080 42.5	72.5°	71.0°	455 17.9	40 1.6	71 2.8

Zed 2.0, 3.0, 4.0

Size	Effective Top Tube mm inch	Seat Tube (C-T) mm inch	Standover mm inch	Head Tube mm inch	Chain Stay mm inch	BB Drop mm inch	Wheel Base mm inch	Seat Angle	Head Angle	Fork Length mm inch	Offset mm inch	Trail mm inch
SML	565 22.2	380 15.0	720 28.3	120 4.7	425 16.7	30 1.2	1024 40.3	72.5°	71.0°	475 18.7	38 1.5	73 2.9
MED	585 23.0	430 16.9	750 29.5	120 4.7	425 16.7	30 1.2	1044 41.1	72.5°	71.0°	475 18.7	38 1.5	73 2.9
LRG	600 23.6	480 18.9	790 31.1	150 5.9	425 16.7	30 1.2	1060 41.7	72.5°	71.0°	475 18.7	38 1.5	73 2.9
XLG	615 24.2	530 20.9	840 33.1	200 7.9	425 16.7	30 1.2	1075 42.3	72.5°	71.0°	475 18.7	38 1.5	73 2.9

Attack 1.0, 2.0

Size	Effective Top Tube mm inch	Seat Tube (C-T) mm inch	Standover mm inch	Head Tube mm inch	Chain Stay mm inch	BB Drop mm inch	Wheel Base mm inch	Seat Angle	Head Angle	Fork Length mm inch	Offset mm inch	Trail mm inch
SML	550 21.7	420 16.5	760 29.9	110 4.3	432 17.0	0 0.0	1047 41.2	72.5°	70.0°	472 18.6	38 1.5	78 3.1
MED	585 23.0	440 17.3	760 29.9	130 5.1	432 17.0	0 0.0	1083 42.6	72.5°	70.0°	472 18.6	38 1.5	78 3.1
LRG	610 24.0	490 19.3	795 31.3	150 5.9	432 17.0	0 0.0	1109 43.7	72.5°	70.0°	472 18.6	38 1.5	78 3.1
XLG	635 25.0	520 20.5	805 31.7	170 6.7	432 17.0	0 0.0	1135 44.7	72.5°	70.0°	472 18.6	38 1.5	78 3.1

Lithium 3.0, 4.0

Size	Effective Top Tube mm inch	Seat Tube (C-T) mm inch	Standover mm inch	Head Tube mm inch	Chain Stay mm inch	BB Drop mm inch	Wheel Base mm inch	Seat Angle	Head Angle	Fork Length mm inch	Offset mm inch	Trail mm inch
SML	555 21.9	405 15.9	750 29.5	110 4.3	430 16.9	-4 -0.2	1047 41.2	72.5°	70.5	502 19.8	40 1.6	75 3.0
MED	585 23.0	435 17.1	755 29.7	120 4.7	430 16.9	-4 -0.2	1079 42.5	72.5°	70.5	502 19.8	40 1.6	75 3.0
LRG	610 24.0	485 19.1	785 30.9	130 5.1	430 16.9	-4 -0.2	1105 43.5	72.5°	70.5	502 19.8	40 1.6	75 3.0
XLG	635 25.0	530 20.9	800 31.5	150 5.9	430 16.9	-4 -0.2	1131 44.5	72.5°	70.5	502 19.8	40 1.6	75 3.0

Apache 5.0, 6.0

Size	Effective Top Tube mm inch	Seat Tube (C-T) mm inch	Standover mm inch	Head Tube mm inch	Chain Stay mm inch	BB Drop mm inch	Wheel Base mm inch	Seat Angle	Head Angle	Fork Length mm inch	Offset mm inch	Trail mm inch
SML	570 22.4	380 15.0	725 28.5	110 4.3	429 16.9	5 0.2	1058 41.7	72.5°	70.5	475 18.7	38 1.5	75 3.0
MED	590 23.2	430 16.9	730 28.7	110 4.3	429 16.9	5 0.2	1078 42.4	72.5°	70.5	475 18.7	38 1.5	75 3.0
LRG	610 24.0	480 18.9	760 29.9	130 5.1	429 16.9	5 0.2	1099 43.3	72.5°	70.5	475 18.7	38 1.5	75 3.0
XLG	625 24.6	530 20.9	785 30.9	160 6.3	429 16.9	5 0.2	1115 43.9	72.5°	70.5	475 18.7	38 1.5	75 3.0

Alturas 2.0, 3.0

Size	Effective Top Tube mm inch	Seat Tube (C-T) mm inch	Standover mm inch	Head Tube mm inch	Chain Stay mm inch	BB Drop mm inch	Wheel Base mm inch	Seat Angle	Head Angle	Fork Length mm inch	Offset mm inch	Trail mm inch
SML	540 21.3	450 17.7	765 30.1	120 4.7	435 17.1	65 2.6	1005 39.6	72.0°	71.0°	455 17.9	43 1.7	71 2.8
MED	560 22.0	480 18.9	775 30.5	120 4.7	435 17.1	65 2.6	1025 40.4	72.0°	71.0°	455 17.9	43 1.7	71 2.8
LRG	585 23.0	510 20.1	810 31.9	150 5.9	435 17.1	65 2.6	1053 41.5	72.0°	71.0°	455 17.9	43 1.7	71 2.8
XLG	610 24.0	540 21.3	845 33.3	200 7.9	435 17.1	65 2.6	1076 42.4	72.0°	71.0°	455 17.9	43 1.7	71 2.8

Astral 4.0, 5.0

Size	Effective Top Tube mm inch	Seat Tube (C-T) mm inch	Standover mm inch	Head Tube mm inch	Chain Stay mm inch	BB Drop mm inch	Wheel Base mm inch	Seat Angle	Head Angle	Fork Length mm inch	Offset mm inch	Trail mm inch
SML	525 20.7	450 17.7	740 29.1	110 4.3	430 16.9	70 2.8	1012 39.8	75.0°	71.0°	405 15.9	45 1.8	68 2.7
MED	545 21.5	480 18.9	770 30.3	140 5.5	430 16.9	70 2.8	1014 39.9	74.0°	72.0°	405 15.9	45 1.8	63 2.5
LRG	565 22.2	510 20.1	800 31.5	170 6.7	430 16.9	70 2.8	1019 40.1	73.0°	73.0°	405 15.9	45 1.8	57 2.2
XLG	585 23.0	550 21.7	835 32.9	200 7.9	430 16.9	70 2.8	1040 40.9	73.0°	73.0°	405 15.9	45 1.8	57 2.2

Mach 1.0, 2.0

Size	Effective Top Tube mm inch	Seat Tube (C-T) mm inch	Standover mm inch	Head Tube mm inch	Chain Stay mm inch	BB Drop mm inch	Wheel Base mm inch	Seat Angle	Head Angle	Fork Length mm inch	Offset mm inch	Trail mm inch
SML	520 20.5	450 17.7	735 28.9	125 4.9	410 16.1	70 2.8	987 38.9	75.0°	71.0°	388 15.3	45 1.8	67 2.6
MED	535 21.1	480 18.9	760 29.9	150 5.9	410 16.1	70 2.8	989 38.9	74.0°	71.5°	388 15.3	45 1.8	65 2.6
LRG	555 21.9	510 20.1	795 31.3	180 7.1	410 16.1	70 2.8	990 39.0	73.0°	72.5°	388 15.3	45 1.8	58 2.3
XLG	575 22.6	550 21.7	830 32.7	210 8.3	410 16.1	70 2.8	1005 39.6	73.0°	73.0°	388 15.3	45 1.8	56 2.2

Mod 3.0, 4.0, 5.0, 6.0

Size	Effective Top Tube mm inch	Seat Tube (C-T) mm inch	Standover mm inch	Head Tube mm inch	Chain Stay mm inch	BB Drop mm inch	Wheel Base mm inch	Seat Angle	Head Angle	Fork Length mm inch	Offset mm inch	Trail mm inch
SML	525 20.7	450 17.7	730 28.7	135 5.3	410 16.1	70 2.8	987 38.9	75.0°	71.5°	370 14.6	45 1.8	63 2.5
MED	540 21.3	480 18.9	760 29.9	160 6.3	410 16.1	70 2.8	989 38.9	74.0°	72.0°	370 14.6	45 1.8	61 2.4
LRG	560 22.0	510 20.1	790 31.1	190 7.5	410 16.1	70 2.8	989 38.9	73.0°	73.0°	370 14.6	45 1.8	55 2.2
XLG	580 22.8	540 21.3	815 32.1	220 8.7	410 16.1	70 2.8	1009 39.7	73.0°	73.0°	370 14.6	45 1.8	55 2.2

Red Zone

Size	Effective Top Tube mm inch	Seat Tube (C-T) mm inch	Standover mm inch	Head Tube mm inch	Chain Stay mm inch	BB Drop mm inch	Wheel Base mm inch	Seat Angle	Head Angle	Fork Length mm inch	Offset mm inch	Trail mm inch
SML	515 20.3	480 18.9	725 28.5	105 4.1	400 15.7	70 2.8	952 37.5	75.0°	72.5°	370 14.6	40 1.6	62 2.4
MED	535 21.1	510 20.1	750 29.5	130 5.1	400 15.7	70 2.8	978 38.5	75.0°	72.5°	370 14.6	40 1.6	62 2.4
LRG	555 21.9	540 21.3	780 30.7	160 6.3	400 15.7	70 2.8	999 39.3	75.0°	72.5°	370 14.6	40 1.6	62 2.4
XLG	575 22.6	570 22.4	810 31.9	190 7.5	400 15.7	70 2.8	1021 40.2	75.0°	72.5°	370 14.6	40 1.6	62 2.4

Enemy

Size	Effective Top Tube mm inch	Seat Tube (C-T) mm inch	Standover mm inch	Head Tube mm inch	Chain Stay mm inch	BB Drop mm inch	Wheel Base mm inch	Seat Angle	Head Angle	Fork Length mm inch	Offset mm inch	Trail mm inch
SML	525 20.7	500 19.7	755 29.7	110 4.3	430 16.9	70 2.8	1002 39.4	74.0°	71.0°	395 15.6	45 1.8	70 2.8
MED	540 21.3	530 20.9	780 30.7	135 5.3	430 16.9	70 2.8	1009 39.7	74.0°	72.0°	395 15.6	45 1.8	64 2.5
LRG	560 22.0	560 22.0	810 31.9	170 6.7	430 16.9	70 2.8	1020 40.2	73.5°	72.5°	395 15.6	45 1.8	61 2.4
XLG	580 22.8	590 23.2	840 33.1	200 7.9	430 16.9	70 2.8	1036 40.8	73.5°	73.0°	395 15.6	45 1.8	58 2.3



T:Nine Trailhead

Size	Effective Top Tube mm inch	Seat Tube (C-T) mm inch	Standover mm inch	Head Tube mm inch	Chain Stay mm inch	BB Drop mm inch	Wheel Base mm inch	Seat Angle	Head Angle	Fork Length mm inch	Offset mm inch	Trail mm inch
XSM	520 20.5	360 14.2	695 27.4	110 4.3	425 16.7	40 1.6	1002 39.4	73.0°	70.0°	455 17.9	40 1.6	76 3.0
SML	545 21.5	380 15.0	710 28.0	110 4.3	425 16.7	40 1.6	1027 40.4	73.0°	70.0°	455 17.9	40 1.6	76 3.0
MED	560 22.0	420 16.5	735 28.9	120 4.7	425 16.7	40 1.6	1042 41.0	73.0°	70.0°	455 17.9	40 1.6	76 3.0

T:Nine Vista

Size	Effective Top Tube mm inch	Seat Tube (C-T) mm inch	Standover mm inch	Head Tube mm inch	Chain Stay mm inch	BB Drop mm inch	Wheel Base mm inch	Seat Angle	Head Angle	Fork Length mm inch	Offset mm inch	Trail mm inch
XSM	520 20.5	360 14.2	695 27.4	110 4.3	425 16.7	40 1.6	992 39.1	73.0°	70.5°	475 18.7	40 1.6	73 2.9
SML	545 21.5	380 15.0	710 28.0	110 4.3	425 16.7	40 1.6	1017 40.0	73.0°	70.5°	475 18.7	40 1.6	73 2.9
MED	560 22.0	420 16.5	735 28.9	120 4.7	425 16.7	40 1.6	1033 40.7	73.0°	70.5°	475 18.7	40 1.6	73 2.9

T:Nine Ridgeline

Size	Effective Top Tube mm inch	Seat Tube (C-T) mm inch	Standover mm inch	Head Tube mm inch	Chain Stay mm inch	BB Drop mm inch	Wheel Base mm inch	Seat Angle	Head Angle	Fork Length mm inch	Offset mm inch	Trail mm inch
SML	525 20.7	400 15.7	760 29.9	110 4.3	432 17.0	0 0.0	1022 40.2	72.5°	70.0°	475 18.7	40 1.6	76 3.0
MED	565 22.2	435 17.1	775 30.5	120 4.7	432 17.0	0 0.0	1062 41.8	72.5°	70.0°	475 18.7	40 1.6	76 3.0

T:Nine Summit

Size	Effective Top Tube mm inch	Seat Tube (C-T) mm inch	Standover mm inch	Head Tube mm inch	Chain Stay mm inch	BB Drop mm inch	Wheel Base mm inch	Seat Angle	Head Angle	Fork Length mm inch	Offset mm inch	Trail mm inch
XSM	535 21.1	360 14.2	705 27.8	100 3.9	429 16.9	5 0.2	1024 40.3	72.5°	70.5°	475 18.7	38 1.5	75 3.0
SML	555 21.9	380 15.0	720 28.3	100 3.9	429 16.9	5 0.2	1044 41.1	72.5°	70.5°	475 18.7	38 1.5	75 3.0
MED	575 22.6	430 16.9	725 28.5	120 4.7	429 16.9	5 0.2	1065 41.9	72.5°	70.5°	475 18.7	38 1.5	75 3.0

T:Nine Tradewind

Size	Effective Top Tube mm inch	Seat Tube (C-T) mm inch	Standover mm inch	Head Tube mm inch	Chain Stay mm inch	BB Drop mm inch	Wheel Base mm inch	Seat Angle	Head Angle	Fork Length mm inch	Offset mm inch	Trail mm inch
XSM	500 19.7	420 16.5	715 28.1	100 3.9	430 16.9	70 2.8	1000 39.4	75.0°	70.0°	395 15.6	50 2.0	69 2.7
SML	515 20.3	450 17.7	735 28.9	100 3.9	430 16.9	70 2.8	1001 39.4	74.0°	70.5°	395 15.6	50 2.0	67 2.6
MED	535 21.1	480 18.9	760 29.9	130 5.1	430 16.9	70 2.8	1013 39.9	73.0°	70.5°	395 15.6	50 2.0	67 2.6

T:Nine Whirlwind

Size	Effective Top Tube mm inch	Seat Tube (C-T) mm inch	Standover mm inch	Head Tube mm inch	Chain Stay mm inch	BB Drop mm inch	Wheel Base mm inch	Seat Angle	Head Angle	Fork Length mm inch	Offset mm inch	Trail mm inch
XSM	500 19.7	430 16.9	700 27.6	100 3.9	405 15.9	70 2.8	977 38.5	75.0°	70.0°	375 14.8	55 2.2	62 2.4
SML	515 20.3	460 18.1	735 28.9	130 5.1	405 15.9	70 2.8	977 38.5	74.0°	71.0°	375 14.8	55 2.2	56 2.2
MED	530 20.9	490 19.3	760 29.9	160 6.3	410 16.1	70 2.8	984 38.7	73.0°	71.5°	375 14.8	55 2.2	54 2.1

T:Nine Twister/T:Nine Tempest

Size	Effective Top Tube mm inch	Seat Tube (C-T) mm inch	Standover mm inch	Head Tube mm inch	Chain Stay mm inch	BB Drop mm inch	Wheel Base mm inch	Seat Angle	Head Angle	Fork Length mm inch	Offset mm inch	Trail mm inch
XSM	500 19.7	430 16.9	695 27.4	100 3.9	405 15.9	70 2.8	977 38.5	75.0°	70.0°	370 14.6	55 2.2	62 2.4
SML	515 20.3	460 18.1	730 28.7	130 5.1	405 15.9	70 2.8	977 38.5	74.0°	71.0°	370 14.6	55 2.2	56 2.2
MED	530 20.9	490 19.3	755 29.7	160 6.3	410 16.1	70 2.8	984 38.7	73.0°	71.5°	370 14.6	55 2.2	54 2.1

T:Nine Jetstream

Size	Effective Top Tube mm inch	Seat Tube (C-T) mm inch	Standover mm inch	Head Tube mm inch	Chain Stay mm inch	BB Drop mm inch	Wheel Base mm inch	Seat Angle	Head Angle	Fork Length mm inch	Offset mm inch	Trail mm inch
XSM	495 19.5	450 17.7	705 27.8	105 4.1	400 15.7	70 2.8	948 37.3	75.0°	72.0°	370 14.6	50 2.0	57 2.2
SML	510 20.1	480 18.9	725 28.5	105 4.1	400 15.7	70 2.8	963 37.9	75.0°	72.0°	370 14.6	50 2.0	57 2.2
MED	525 20.7	510 20.1	750 29.5	130 5.1	400 15.7	70 2.8	979 38.5	75.0°	72.0°	370 14.6	50 2.0	57 2.2

K2 Bike presents

Dreamliner



Dealer List

ANDORRA	SPAIN	GUMERSPORT C/ AMADEU VIVES,15 08440 CARDEDEU BARCELONA SPAIN TEL: +34.93.844.4396 FAX: +34.93.844.4193 bikes@gumersport.com	DENMARK	INTERSURF FORMERVEJ 2 DK-6800 VARDE DENMARK TEL: +45.75.220212 FAX: +45.75.225138 OLE KLEMMENSON okl@intersurf.dk web: www.intersurf.dk	LEBANON	SPORTS EXPERTS P.C. 278 ZOUK MIKAEL FARAYA, KESROUAN LEBANON FAX: +961.09.321.312 CELL: +961.03.722.5555 CHARBEL SALAMEH csalameh@dm.net.lb
MEXICO	PORTUGAL	CT MOTORSPORTS 21213 BISCAYNE BLVD AVENTURA, FL 33180 TEL: 305.938.1888 FAX: 305.792.4687 JORGE TABUSH jtabush@ct-motorsports.com	ESTONIA	DELTA SPORTS LTD KARITIE 9 01530 VANTAA FINLAND TEL: +358.9.586.0060 FAX: +358.9.586.00666 TIMO TALVITIE timo.talvitie@deltasports.fi web: www.deltasports.fi	NEW ZEALAND	SPORTIVE NZ LTD 23 ANCHORAGE ROAD HORNBY, CHRISTCHURCH NEW ZEALAND TEL: +643-348-9725 FAX: +643-348-9719 KEV MAIR info@sportive.co.nz
AUSTRALIA	LATIN AMERICA	BENTLEY SPORTS PO Box 2685 Fitzroy 3065 AUSTRALIA TEL: +61-3-9417-6977 FAX: +61-3-9417-5166 MIKE BALFE/CHUCK WARNER info@bsports.com.au	FINLAND	ROTOBIKE 475 ULLOI UT. 1181 BUDAPEST HUNGARY TEL: +36.70.339.3637 ROBERT NEUBAUER robi@k2bike.hu	POLAND	OUTDOOR SPORTS S.P. Z.O.O 165 Brzezcie PL-3208 Zabierzow POLAND TEL: +48.12.285.3727 FAX: +48.12.285.3728 MAREK RADWANSKI outdoor@maks.pl
CANADA	CHILE	K2 CANADA 1 WESTSIDE DRIVE UNIT #7 TORONTO, ONT M9C 1B2 CANADA PHONE: 416-679-1212 FAX: 416-679-1217 DOMINIC MCKENNA k2@k2canada.com	HUNGARY	MOTOFAN SAHAR LTD 30 HAMELACHA STREET NETANYA 42502 ISRAEL TEL: +972.9.885.6602 FAX: +972.9.885.6641 NISSIM ANAVY motofan@zahav.net.il	RUSSIA	PERFORMANCE SPORT OLIMPIYSKI PROSPECT 18 ENTRANCE 7, SECTOR 8 RU-129090 MOSKAU RUSSIA TEL: +7095.288.4727 FAX: +7095.288.6466 JULIA SOROKOLETOVA julia@trial-sport.ru web: www.trial-sport.ru
CROATIA/BOSNIA-HERZOGOVINA	CANADA	PEAK PERFORMANCE AV NUEVA COSTANERA 4044 VITACURA SANTIAGO DE CHILE CHILE TEL: +56.2.228.5210/9479 FAX: +56.2.207.5705 PABLO ZUNINO pablozunino@123.cl	ISRAEL	K2 JAPAN A-4F, NISHISANDO-YAMAKI BLDG 3-28-6 YOYOGI, SHIBUYA-KU TOKYO 151-0055 JAPAN TEL: +81-3-3320-7824 FAX: +81-3-3320-8773 HORIE KAZU kazu@k2japan.com	SINGAPORE	SPORTSVANTAGE HUDSON TECHNO CENTRE UNIT02-02 16 NEW INDUSTRIAL ROAD SINGAPORE 534204 TEL: +65.6488.4022 FAX: +65.6488.4024 FELIX YEO info@sportsvantage.com.sg
CZECH REPUBLIC	CHILE	MERCES D.O.O. VIDIKOVAC 26D 1000 ZAGREB, CROATIA PHONE: +385.1.605.5655 FAX: +385.1.377.0015 DAVOR KRALJEVIC merces@zg.tel.hr	JAPAN	SANBADA SPORTS NO. 502 NAMYOUING BLDG, 284-49 SUNGSU 2 GA 3 DONG, SUNG DONG GU SEOUL KOREA TEL: +822.466.7686 FAX: +822.466.6395 MR. LEE SUK JUN sanbada1@unitel.co.kr	SOUTH AFRICA	MORNINGSIDE CYCLES CORNER OF RIVONIA AND OUTSPAN RDS MORNINGSIDE JOHANNESBURG OR PO BOX 76041 WENDYWOOD 2144 JOHANNESBURG SOUTH AFRICA TEL: +27.011.784.2154 FAX: +27.011.784.3337 COLIN MEYER msc@gal.co.za

K2 Bike
85M Hoffman Lane • Islandia, NY 11749 • USA
web: www.k2bike.com

K2 word mark and design marks are registered trademarks of K2 Sports in the U.S. and/or other countries worldwide.
Such marks are used herein under license. ©K2 Sports 2005. All rights reserved.
Specifications subject to change without notice.