


FujiTM

Edition No.19



\$1.00



Cycling is rapidly becoming one of America's most popular recreational activities.
Fuji bicycles have been there every step of the way.
We build bikes for not only the most demanding cyclist, but for transportation use,
off-road riding, racing, or just plain fun.
So join us today for a ride and find yourself on a Fuji.



FIND YOURSELF ON A FUJI

FUJI BICYCLES: A BRIEF HISTORY

In the beginning there was the wheel. . . Soon after Fuji built the bicycle. Far fetched?? perhaps! Nonetheless Fuji has been building bicycles since 1899. As a matter of fact Fuji was one of the first Japanese bicycle companies to export quality bicycles to the U.S.

Many technological and aesthetic attributes insured a worldwide reputation, unparalleled to none. This unrelenting quest for excellence does not stop. Outlined below is a brief history of Fuji America's technological innovations.



1971: First company to import a brand-name bicycle specifically designed for the U.S. market.

1975: First to develop and market double-buttetted Cromoly and Hi-Ten tubings.

1977: First to introduce twelve-speed gearing on production bikes.

1978: First to use sealed bearing hubs on popular priced bikes.

1980: Introduced first commuter bicycle designed specifically for the needs of the urban cyclist.

1982: Introduced Quad-buttetted Valite and Cromoly tubing.

1983: Developed and produced SCCR all-weather tires.

1985: First to develop 24/27 inch wheel combination model designed specifically for the smaller adult cyclist.

1987: Introduced 100% Titanium tubing bicycles at marketable price points.

1988: First to market an indexed 6 speed city bike designed with fashion and function as its primary attributes.

Today, Fuji America continues to pioneer in areas of cycling technology where no one else has dared to tread. Our new Feather triple and quad buttetted channeled tubing is our latest step in developing the most beneficial yet reliable bicycle tubing possible. Innovation is sought not merely for the sake of innovation, but rather for its functional merit. To that end, we continue our quest for excellence which is not only reflected in the diverse range of products, but also in the personnel associated with Fuji America. From research and design, sales and distribution, and most importantly our dealer network, Fuji strives to bring you the highest quality product available today.

WHAT MAKES A BICYCLE A FUJI?

FRAME MATERIALS

TITANIUM TUBING

The tubing of the future is here! Fuji engineers, under the direction of Dr. Shoichiro Sugihara, have been working jointly with our titanium tubing manufacturer to develop this space-age bicycle frame material.

In 1989, Fuji offers two titanium models with characteristics overshadowing other racing machines of comparable value. Among the benefits of titanium tubing are:

- **Strength-to-weight ratio**—Titanium has a yield strength three to four times stronger than steel, yet is over 40% lighter.
- **Corrosion-resistance**—In its natural polished form, Fuji Titanium tubing is corrosion-proof. Standing water or perspiration won't faze our tubing at all!
- **Endurance (strength) limit**—This is the level of stress a tube is able to tolerate. The endurance limit of Fuji Titanium tubing is at least double that of any other tubing available today!

FEATHER TUBING

Feather is another step closer to its goal of producing the optimum bicycle tubing. Fuji Feather tubing, a combination of chromium, manganese, and molybdenum, assures superior strength-to-weight stiffness properties. Because of its unique composition, Fuji Feather tubing can be produced in many different wall thicknesses, including channeling, in order to best suit the needs and constraints of a wide spectrum of bicycles.

BUTTED AND CHANNELED TUBING

BUTTED TUBING

Wall thickness of bicycle tubing greatly affects the weight, stiffness, and strength of a frame. In double-buttet tubing, the ends of the tube are thicker, than the middle, reducing weight while retaining strength and stiffness. Fuji's SI35 triple and SI45 quadruple butted tubing varies for the

ultimate strength-to-weight ratio, thereby addressing the complexity of varying stresses throughout the frame.



Quad-Butted Tubing



Triple-Butted Tubing




Double-Butted Tubing

CHANNELED TUBING

Both Fuji SI35 triple and SI45 quadruple butted Feather Cromoly tubing are available with a new design feature. Precision-drawn channels are formed into both ends of the inner walls of the main tubes of the frame. As result, the channeled tube weighs less, but retains all of its original strength and stiffness.

This combination of our exclusive tubings and technical innovations clearly establishes Fuji as a frontrunner in bicycle technology.



TITANIUM

DURA-ACE

SIS

SLR

"Fuji" Titanium Tubing
"Shimano Dura Ace" Components
"Araya 16B" Hard Anodized rims
Space-age frame material



Natural polished finish

OPUS V

DURA-ACE

SIS

SLR

"Feather Si45" Q/B Cromoly Tubing
"Shimano Dura Ace" Components
"Araya R50" Hard Anodized Rims
16 Speed Cassette



Black Sand

TEAM FUJI

ULTEGRA
biopace-HP

SIS 

SLR

"Feather Si45" 0.1B Cromoly Tubing

"Shimano Ultegra" Components

"Ukai" Hard Anodized Rims

"SOFlex" Saddle



White Contents

ROUBAIX

GPX

ACCUSHIFT

"Feather Si45" 0.18 Cromoly Tubing

"SunTour GPX" Components

"Accushift" 14 Speed

"SDFlex" Saddle



Black Sand White

CLUB FUJI

EXAGE
sport-LX

biopace

SIS 

SLR

"Feather Si35" T/B Cromoly Tubing

"Shimano Sport LX" Components

"S.J.S." 14 Speed Cassette

"SOFlex" Saddle



Winner Red/White

ACE

BLAZE

ACCUSHIFT

"Feather Si35" T/B Cromoly Tubing

"SunTour Blaze" Components

"Araya" Alloy Rims

"Avocet" Saddle

Gold Anodized Detailing

Nero

Candy Red



Nero

MT. FUJI LTD.

SHIMANO
DEORE XT II

HYPERGLIDE

biopace-HP

TANGE PRESTIGE

SIS

SLR

"Tange Prestige MTB" D/B Cromoly tubing

"Shimano Deore XT II" Components

"Hyperglide" 21 Speed Cassette

"Araya RM-20" Hard 32 Hole Rims

"Avocet Leather" Saddle



Mt. Fuji

SHIMANO
DEORE II
HYPERGLIDE
biopace-HP
TANGE MTB
SIS
SLR

"Tange MTB" D/B Cromoly Tubing
"Shimano Deore II" Components
"Hyperglide" 21 Speed Cassette
"Araya RM-20" Hard 32 Hole Rims
"Avocet Gelflex" Saddle

Black Conetti



SUNDANCE

Stormy Grey

Metallic Tomatoe

XCD

TANGE MTB

ACCUSHIFT

"Tange MTB" D/B Cromoly Tubing
"SunTour XCD 6000" Components
"Accushift" 21 Speed Cassette
"Wolber AT20" Hard Anodized Rims
"Avocet GelFlex" Saddle



Stormy Grey

SUNCREST

EXAGE
mountain-LX
HYPERGLIDE
biopace-HP

SIS
SLR

"Tange MTB" D/B Cromoly Tubing
"Shimano Mountain LX" Components
"Hyperglide" 21 Speed Cassette
"Shimano Biopace" Chainrings
"Avocet GelFlex" Saddle



Metallic Slate
White Content

White Content

CADENZA

EXAGE
trail

biopace

SIS

SLR

"Tange MTB" DiB Cromoly Tubing
"Shimano Exage Trail" Components
"Cromoly Unicrown" Fork
"Quick Release" Wheels
"Avocet GelFlex" Saddle



Rainbow Blue/White

TAHOE

XCM

ACCUSHIFT

"Fuji Cromoly" Tubing
"SunTour XCM" Components
"Dia-Compe" Advantage
"Oval Tech" Chainrings
"SOFlex" Saddle

Nero

Chrome Plated

Titanium Blue



Nero

THRILL

EXAGE
COUNTRY

biopace

SIS

SLR

"Fuji Cromoly" Tubing

"Shimano Exage Country" Components

"Biopace" 15 Speed Drivetrain

"Araya" Alloy Rims

"SOFlex" Saddle

24" Wheel Size Available



Olympic Red

Glorious Blue

Metallic Flake
Beryl Green

Olympic Red

ODESSA

Metallic Tomatoe

Wine Mist

Star Silver

SUNTOUR ACCUSHIFT α-1500

"SunTour Accushift" 12 Speed

"Araya" Alloy Rims

"Sakae" Alloy Crankset

Cantilever Brakes



Star Silver

VANTAGE

SIS 

"Shimano SIS" 10 Speed

"SCCR 250" Tires

Upright Riding Position



Metallic Slate

Winner Red

Metallic Slate

BOULEVARD

"Shimano" 10 Speed
"SCCR 250" Tires
Upright Riding Position
24" Wheel Size Available

Metallic Black

Electric Blue

Gloss Blue



Metallic Black

↑ UP ↔ BEAT

Glacier White

Blue Wave

ACCUSHIFT

"Fuji Cromoly" Tubing

"SunTour Accushift" 6 Speed

"Araya" Alloy Rims

Optional Coordinated Fenders



Blue Wave

CROSS↔TOWN

SIS 

"Shimano SIS" 5 Speed
Upright Riding Position
Optional Coordinated Fenders

Rainbow Blue

Metallic Cranberry



Rainbow Blue

SARATOGA

XCE

ACCUSHIFT

"Feather Si35" T/B Cromoly Tubing
"SunTour XCE" Components
"Accushift" Bar End Shifters
"Dia-Compe BRS Advantage" Brakes
"Avocet GelFlex" Saddle

Rainbow Blue



Bicycle pictured is not Rainbow Blue.

del REY

EDGE

ACCUSHIFT

"Feather Si35" TiB Cromoly Tubing

"SunTour Edge" Components

"Oval Tech" Chainrings

"SOFlex" Saddle

Easily Converts to 18 Speed



Star Silver

PALISADE

Glory Blue

Olympic Red

EXAGE
ACTION

biopace

SIS

SLR

"Feather Si35" T/B Cromoly Tubing

"Shimano Action" Components

"Biopace" 12 Chainrings

"Avocet" Anatomical Saddle



Glory Blue

ABSOLUTE

SUNTOUR
ACCUSHIFT
α-1500

"Fuji Cromoly" Tubing
"SunTour Accushift" 12 Speed
"Sakae" Alloy Cranks
"Avocet" Anatomical Saddle
SE Size Also Available



Wine Mist

ARCADIA

SIS 

"Shimano SIS" 10 Speed
"Araya" Alloy Rims
"Avocet" Anatomical Saddle
"SCCR" Tires

Metallic Black
Winner Red



Metallic Black

FEATURES



•Fuji SOFlex saddles (Lycra covered, light but comfortable)



•Iishiwata SI35 & SI45 tubing (Triple or quad butted tubing of cromoly with precision drawn channels)



•Uni-brazed seatlug. (durable, but a graceful design)



•Shimano Hyperglide (even under load; fast shifts every time)



•Shimano S.I.S. (Race proven, now with Hyperglide)



•Suntour Accushift. (Crisp shifting in 5, 6 or 7 speed)



•Avocet Gelflex saddles (With a patented gel by Spenco, the utmost in comfort)



•Suntour B.R.S. brake systems (Sure stops with a silky smooth feel)

LADIES

Off-road, around town or cross country, Fuji has always built durable, yet lightweight ladies models in many different colors and price points.

ODESSA



VANTAGE



BOULEVARD



UP↔BEAT



CROSS↔TOWN

5




ABSOLUTE

6



ARCADIA

7



THRILL ladies model available. (Olympic Red, Glory Blue)

Racing

Model Name	Titanium Dura Ace	Titanium Sante	Opus V	Team Fuji	Roubaix	Club Fuji
Frame Sizes	49, 52, 55, 58, 61cm	52, 55, 58, 61 cm	49, 52, 54, 56, 58, 61, 64 cm	49, 52, 54, 56, 58, 61, 64 cm	49, 52, 54, 56, 58, 61, 64 cm	49, 52, 54, 56, 58, 61, 64 cm
Frame	Fuji Titanium tubing	Fuji Titanium tubing	Feather Si45 Quad butted channeled cromoly tubing	Feather Si45 Quad butted channeled cromoly tubing	Feather Si35 Triple butted channeled cromoly tubing Lost wax seat lug and specially finished lugs	Feather Si35 Triple butted channeled cromoly tubing
Fork	Fuji Titanium tubing Shimano Dura Ace headset	Ishiwata cromoly tubing Shimano 600 headset	Ishiwata cromoly with investment cast fork crown	Ishiwata unicrown cromoly tubing Shimano Ultegra headset	Spinner SPT 829 Aero unicrown cromoly tubing	Spinner SPT 829 Aero unicrown cromoly tubing
Handlebar	Nitto Mod 155	Nitto B115	Nitto Mod 155	Sakae CMB 200 modolo type alloy	Sakae CMB 200 modolo type alloy	Sakae CMB 200 modolo type alloy
Stem & Wrap	Nitto NTC-A Sugino 75 tape	Nitto Feather OGK # 10 tape	Nitto NTC-A black OGK padded tape	Sakae FXS 100 alloy Pelaton padded tape	Sakae CTS 100 alloy Pelaton padded tape	Sakae CTS 100 alloy Pelaton padded tape
Brakes	Shimano Dura Ace with Dura Ace aero levers	Shimano 600EX sidepulls with 600EX aero levers	Shimano Dura Ace recessed with Dura Ace aero "SLR" levers	Shimano Ultegra sidepull recessed with Q/R and GP00 aero levers	Suntour GPX GP00S sidepull recessed with Q/R and GP00 aero levers	Shimano Sport LX A450 sidepull recessed with Q/R and A451 aero SLR levers
Crank	Shimano Dura Ace 42/53T with Dura Ace B/B	Shimano 600EX 42 x 53T with 600EX B/B	Shimano Dura Ace 42/53T with Shimano Dura Ace B/B	Shimano Ultegra 42/53T Biopace HP 170mm Shimano Ultegra B/B	Suntour GPX GP00 42 x 52T alloy 165/170mm	Shimano Sport LX A452 42 x 52T Biopace 165/170mm Shimano A450 B/B
Derrailleur	Shimano Dura Ace/Dura Ace SIS	Shimano Sante/Sante' SIS	Shimano Dura Ace 7402/ 7400 SIS	Shimano Ultegra 6400/ 6400S SIS	Suntour GPX GP00/GP00S Accushift	Shimano Sport LX A452/A452S SIS Hyperglide
Shifters	Shimano Dura Ace SIS downtube braze-on	Shimano Sante' SIS downtube braze-on	Shimano Dura Ace SIS downtube braze-on	Shimano Ultegra SIS downtube braze-on	Suntour GPX GP00 IFC downtube braze-on	Shimano Sport LX A453 SIS downtube braze-on
Cluster	Shimano Dura Ace Cassette 12/21T 7 speed	Shimano Sante' 12/21T 7 speed	Shimano Dura Ace CS7400 12/21T 8 speed cassette silver	Shimano C56400 13/21T 7 speed cassette silver	Suntour AL00 13/23T 7 speed silver	Shimano CS1000 13/24T 7 speed silver cassette
Chain	Shimano Dura Ace	Shimano 600EX silver	Shimano Dura Ace CN 7402 silver	Shimano CN 6208 Ultegra silver	Suntour GP00 silver	Shimano CN M732 silver
Pedals	Shimano Dura Ace with toe-clips and straps	Shimano 600EX with toe-clips and straps	Shimano Dura Ace	Shimano Ultegra with toe-clips and straps	VP 333 alloy with nylon toe-clips and straps	VP 389 alloy with nylon toe-clips and straps
Rims	Araya # 16B tubular Super hard anodized 32 hole	Ukai LA-3 700 x 25C 32 hole	Araya R50 Super hard 32 hole tubular	Ukai 20A Super hard anodized 700 x 25C 32 hole	Wolber GTX hard anodized 700 x 25C 32 hole	Wolber GTA alloy 700 x 25C 32 hole
Hubs	Shimano Dura Ace Cassette 32 hole Stainless steel oval spokes	Shimano 600EX Quick Release cassette Stainless steel spokes	Shimano Dura Ace 32 hole cassette Stainless steel spokes	Shimano Ultegra Quick Release cassette 32 hole Stainless steel spokes	Suntour GPX GP00 Quick Release cassette 32 hole front and rear Stainless steel spokes	Shimano Sport LX A450 alloy Quick Release cassette 32 hole front and rear Stainless steel spokes
Tires	D'Alessandro tubular	SOCCR CTX 700 x 19C	D'Alessandro tubular	SOCCR CTX 700 x 25C skinwall	SOCCR Tri-Max 700 x 23C	SOCCR Tri-Max 700 x 23C
Saddle	San Marco Rols	Sella Italia Mundialita	Avocet racing leather	Viscount SOFlex racing black lycra	Viscount SOFlex racing black lycra	Viscount SOFlex racing black lycra
Seat Pillar	Shimano Dura Ace	Sugino SP-KD	Shimano Dura Ace	Sakae CTP5 micro-adjust with alien key seat pin	Sakae CLE-100 micro-adjust with alien key seat pin	Sakae CLE-100 micro-adjust with alien key seat pin
Accessories	Toe-clips and nylon straps, water bottle and cage	Toe-clips and nylon straps, water bottle and cage	Spoke disc, reflectors, water bottle and cage toe-clips and straps	Spoke disc, reflectors, toe-clips and straps	Spoke disc, reflectors, nylon toe-clips and straps	Spoke disc, reflectors, nylon toe-clips and straps
Braze-ons	Water bottle bosses, chainhook, shifter bosses, cable guides	Water bottle bosses, chainhook, shifter bosses, cable guides	Two water bottle bosses, pump peg, chainhook, shifter bosses, cable guides	Two water bottle bosses, pump peg, chainhook, shifter bosses, cable guides	Two water bottle bosses, pump peg, chainhook, shifter bosses, cable guides	Two water bottle bosses, pump peg, chainhook, shifter bosses, cable guides
Colors	Natural polished finish	Titanium Blue	Black Sand	White Confetti	Black Sand/White	Jade Blue, Winner Red/White
Weight Approx.	19.0 lbs	20.2 lbs	21.5 lbs	22.0 lbs	23.0 lbs	24.0 lbs

Ace	Mt. Fuji Ltd	Mt. Fuji	Sundance	Suncrest	Cadenza	Model Name
49, 52, 54, 56, 58, 61, 64 cm	44, 48, 52, 56 cm 17.5, 19, 20.5, 22 inch	44, 48, 52, 56 cm 17.5, 19, 20.5, 22 inch	44, 48, 52, 56 cm 17.5, 19, 20.5, 22 inch	44, 48, 52, 56 cm 17.5, 19, 20.5, 22 inch	44, 48, 52, 56 cm 17.5, 19, 20.5, 22 inch	Frame Size
Feather S135 Triple butted cromoly lugless cromoly tubing	Tange Prestige MTB double butted cromoly lugless tubing Uni-brazed seat lug, vertical dropouts	Tange MTB double butted cromoly lugless tubing Special cut and finish tubes, vertical dropouts	Tange MTB double butted cromoly lugless tubing Uni-brazed seat lug, Special finish, vertical dropouts	Tange MTB double butted cromoly lugless tubing Uni-brazed seat lug, special finish, vertical dropouts	Tange MTB double butted cromoly lugless tubing Uni-brazed seat lug, special frame finish	Frame
Spinner SPT 829 Aero unicrown Hi-Ten tubing	Spinner 777SA unicrown cromoly with lost wax dropouts Shimano Deore XT M-730 headset	Spinner 777SA unicrown cromoly with lost wax dropouts Shimano M450 headset	Spinner 777S unicrown cromoly with lost wax dropouts TH-305 sealed tech headset	Spinner 767L unicrown cromoly tubing Shimano M450 headset	Spinner 767X unicrown cromoly tubing TH-305 sealed tech headset	Fork
Sakae CMB 300 modolo type alloy center	MTB AL-110 tapered alloy black	MTB AL-110 tapered alloy black	MTB AL-110 tapered alloy black	MTB 110 bulge type painted	MTB 110 bulge type black	Handlebar
Sakae CTS 100 alloy black Peloton padded tape	MTS 128-1 cromoly with concealed guide painted Rubber double fister	MTS 128-1 cromoly with concealed guide painted Rubber double fister	MTS 128-1 cromoly with concealed guide painted Rubber double fister	MTS 128-1 cromoly with concealed guide painted Rubber double fister	MTS 115G cromoly salsa style black Rubber double fister	Stem & Wrap
Dia Compe 505 sidepull recessed with Q/R and BL-07 aero levers	Shimano Deore XT II M-732 cantilevers with M-732 SLR two finger levers	Shimano Deore II MT-62 cantilevers with MT-63 SLR two finger levers	Suntour XD-10 cantilevers grey with Suntour XCD 6000 combination brake levers	Shimano Mountain LX M-454 cantilever with Exage LX SLR four finger levers	Shimano Exage Trail cantilever with Exage Trail SLR levers	Brakes
Suntour Edge alloy 42 x 52T Oval black 165/170mm	Shimano Deore XT M-730 48/38/28T Biopace HP 170/175mm Shimano Deore XT M-730 sealed B/B	Shimano Deore MT-60 48/38/28T Biopace HP 170/175mm Shimano Deore MT-60 sealed B/B	Suntour XCD 6000 48T round 38/28T oval black 170/175mm TH-530 BB	Shimano Mountain LX M452 48/38/28T Biopace HP 170/175mm Exage sealed B/B	Shimano Exage M250 48/38/28T Biopace 170/175mm Exage sealed B/B	Cranks
Suntour blaze RE34/RE34SS Accushift black	Shimano Deore XT II M-732M-732GS SIS Hyperglide	Shimano Deore II MT-62/MT-62GS SIS Hyperglide	Suntour XCD 6000 XD00/XD00GX Accushift	Shimano Mountain LX M452/M452SGS SIS	Shimano Exage Trail M351/M350GS SIS	Derrailleur
Suntour Blaze 3040 IFC downtube braze-on	Shimano Deore XT II M-732 SIS Hyperglide	Shimano Deore II MT-62 SIS Hyperglide	Suntour XCD 6000 XD02 U7 IFC mounted on brake levers	Shimano Mountain LX M453 SIS thumbshifters	Shimano Exage Trail SIS bar mount thumbshifters	Shifters
Suntour AL00 13/26T 6 speed gold	Shimano Deore XT II M-732 cassette 12/28T 7 speed	Shimano Deore II MT-62 cassette 12/28T 7 speed	Suntour FH XD01 cassette 13/30T 7 speed	Shimano CS MT62 Hyperglide 13/30T 7 speed	Shimano MFZ-012 14/30T 6 speed	Cluster
KMC Z black	Shimano Deore XT II M-732 silver	Shimano Deore II MT-62	Suntour XCD 6000 silver	Shimano CN MT62 HG narrow silver	KMC UG black	Chain
VP 389 alloy with nylon toe-clips and straps	Shimano M-731 alloy with nylon toe-clips and straps	Sakae MT-126 alloy with nylon toe-clips and straps	VP 330 alloy with nylon toe-clips and straps	VP B66 alloy with cromoly spindle	VP 872 black	Pedals
Araya SS-45 alloy 700 x 25C black 32 hole front 36 hole rear	Araya RM-20 Hard Anodized 26 x 1.5" 32 hole	Araya RM-20 Hard Anodized 26 x 1.5" 32 hole	Wolber AT20 Hard Anodized 26 x 1.5"	7S alloy black 26 x 1.5"	Araya MP-22 alloy 26 x 1.5"	Rims
KK 336 U-Type Quick Release black 32 hole front 36 hole rear	Shimano Deore XT II M-732 Quick Release Cassette 32 hole Stainless steel spokes	Shimano Deore II MT-62 Quick Release Cassette 32 hole Stainless steel spokes	Suntour XCD 6000 XD00 Quick Release grey front Suntour XCD 6000 XD10 Cassette Quick Release grey rear	Shimano Mountain LX M451 Quick Release front Shimano Exage LX M452 Cassette Quick Release rear	KK 336 U-Type Quick Release black front and rear	Hubs
SCCR Tri-max 700 x 25C skinwall	SCCR ATX 40C	SCCR ATX 40C	SCCR ATX 40C	SCCR ATX 40C	SCCR ATX 40C	Tires
Avocet Racing vinyl	Avocet Racing Leather	Avocet R-20 GelFlex black lycra	Avocet R-20 GelFlex black lycra	Avocet R-20 GelFlex black lycra	Avocet R-20 GelFlex black lycra	Saddle
Alloy 230mm black with Allen key seat pin gold	Shimano Deore XT M-730 micro-adjust with Shimano Deore XT Q/R seat pin	Sakae MTE-300 micro-adjust 300mm with Q/R seat pin	Sakae CLE-100 micro-adjust black 300mm with Q/R seat pin	Sakae CLE-100 micro-adjust black 300mm with Q/R seat pin	SP-251 alloy micro-adjust with Q/R seat pin	Seat Pillar
Spoke disc, reflectors, nylon toe-clips and straps	Spoke disc, reflectors, Water bottle and cage, Shimano shark fin, nylon toe-clips and straps	Spoke disc, reflectors, Water bottle and cage, Shimano shark fin, nylon toe-clips and straps	Spoke disc, reflectors, Right Guard, Water bottle and cage	Spoke disc, reflectors, Right Guard	Spoke disc, reflectors, Right Guard	Accessories
Two water bottle bosses, pump peg, chainhook, shifter bosses, cable guides	Two water bottle bosses, slotted gear cable stops, rear rack mounts	Two water bottle bosses, slotted gear cable stops, rear rack mounts	Two water bottle bosses, slotted brake and gear cable stops, rear rack mounts, nylon toe-clips and straps	Two water bottle bosses, slotted brake and gear cable stops, rear rack mounts	Two water bottle bosses, slotted brake and gear cable stops, rear rack mounts	Braze-ons
Nero, Candy Red	Black Sand	Black Confetti	Stormy Grey, Metallic Tomatoe	Metallic Slate, White Confetti	Jade Blue, Rainbow Blue/White	Colors
25.5 lbs	26.5 lbs	28.0 lbs	28.5 lbs	28.5 lbs	29.5 lbs	Weight Approx.

Specifications subject to change without notice.

	A T B				City Bike	
Model Name	Tahoe	Thrill	Odessa	Vantage	Boulevard	Up-Beat
Frame Sizes	44, 48, 52, 56, 60 cm 17.5, 19, 20.5, 22, 23.5 inch	44, 48, 52, 56, 44L, 48L cm 24" wheel mens style also	44, 48, 52, 56, 60, 44L, 48L cm 17.5, 19, 20.5, 22, 23.5, 17.5L, 19L inch	44, 48, 52, 56, 44L, 48L cm 17.5, 19, 20.5, 22, 17.5L, 19L inch	44, 48, 52, 56, 44L, 48L cm 24" wheel Mens and Ladies model available also	19, 21, 23, 17L, 19L inch
Frame	Fuji special cut cromoly lugless tubing	Fuji special cut cromoly lugless tubing	Fuji special cut Hi-Ten lugless tubing	Fuji special cut Hi-Ten lugless tubing	Fuji Hi-Ten lugless tubing	Fuji Cromoly lugless tubing
Fork	Fuji unicrown Hi-Ten tubing	Fuji unicrown Hi-Ten tubing	Fuji unicrown Hi-Ten tubing	Fuji unicrown Hi-Ten tubing	Fuji Hi-Ten tubing	Fuji unicrown lugged tubing with Tange headset
Handlebar	B802 style 60mm rise black	B802 style 60mm rise black	B808 style steel 104mm rise	B808 style steel 104mm rise	B808 style steel 104mm rise	Upright style painted
Stem & Wrap	Upright recessed black Foam grip	Upright recessed black Foam grip	Upright recessed black Foam grip	Upright style Mushroom grip	Upright style Mushroom grip	Attached to bar 225mm high. Foam grip grey
Brakes	Diaclone Advantage XCM cantilever with XCM levers	Shimano Exage Country cantilever with SLR brake levers	Lee Chi 700 alloy cantilever with 208P mountain levers	Alloy 910 sidepull with mountain brake levers and shoes	Alloy 910 sidepull with mountain brake levers and shoes	Alloy 910 sidepull painted with touring levers
Cranks	Suntour XCM alloy 48T round 38/28T Oval 170/175mm	Shimano Exage Country alloy 28/38/48T Biopace black	Sakae CTC-626 black alloy with 40 x 48T 170mm	Sakae TCC 532 40 x 48T 170mm	Sakae TC-532 40 x 52T 165/175mm	Sakae CTC-626 alloy 46T 170mm
Derrailleur	Suntour XCM 3040/XCM 3040GX Accushift	Shimano Exage Country M250/M250GS SIS	Suntour AT10/RD1500 GX Accushift	Shimano Ax-50/R552 SIS	Shimano Ax 50/Ty 10SS	Suntour 1500GX Accushift rear only
Shifters	Suntour XCM 3040 IFC Accushift thumbshifters	Shimano M250 Exage Country SIS thumbshifters	Suntour SL 2000 IFC thumbshifters	Shimano MS52 SIS thumbshifters	Shimano M32 thumbshifters	Suntour SL 2000 IFC thumbshifters
Cluster	Suntour AL00 13/30T 6 speed	Shimano MFZ-012S 14/28T 5 speed	Suntour AL00 13/28T 6 speed	Shimano MFZ-012 14/28T 5 speed	Shimano MFZ-012 14/28T 5 speed	Suntour AL00 13/28T 6 speed
Chain	KMC Z black	KMC UG black	KMC Z black	KMC UG black	KMC black	KMC Z black
Pedals	VP 872 black	VP 870 platform type	VP 870 platform type	VP 870 platform type	VP 870 platform type	VP 391 platform type
Rims	Araya MP-22 alloy 26 x 1.5"	Araya MP-22 alloy 26 x 1.5" 24" = 24 x 1.5"	Araya MP-22 alloy 26 x 1.5"	26 x 1.5" chrome plated	26 x 1.5" chrome plated 24" = 24 x 1.75"	Araya MP-22 alloy 26 x 1.5"
Hubs	KK 336 U-type Quick-Release black front KK 336 U-type bolt-on black rear	KK 336 U-type Quick-Release front black KK 106 bolt-on rear black	Small flange Quick-Release front bolt-on rear	Small flange bolt-on	Small flange bolt-on	Small flange Quick-Release front black bolt-on rear black
Tires	SOCCR ATX 40C	SOCCR ATX 40C 24" = 24 x 1.5"	SOCCR 250 26 x 1.5" Gumwall	SOCCR 250 26 x 1.5" Gumwall	SOCCR 250 26 x 1.5" Gumwall 24" = 24 x 1.75"	SOCCR 100 26 x 1.5" Gumwall
Saddle	Viscount SOFlex mountain black lycra	Viscount SOFlex mountain black lycra 24" = Viscount 2296 vinyl	Viscount 2216 wide padded	Viscount 2216 wide padded	Viscount 2216 wide padded	Viscount 2325 wide padded
Seat Pillar	Satin finish 10" with Q/R seat pin	Chrome plated with allen key seat pin	Chrome plated with allen key seat pin	Chrome plated with allen key seat pin	Chrome plated with hex head seat pin	Chrome plated with allen key seat pin
Accessories	Spoke disc, reflectors, Right Guard	Spoke disc, reflectors, Right Guard	Spoke disc, reflectors	Spoke disc, reflectors	Spoke disc, reflectors	Spoke disc, reflectors
Braze-ons	Two water bottle bosses, cable guides	Water bottle bosses, cable guides	Water bottle bosses, cable guides	Water bottle bosses, cable guides	Water bottle bosses, cable guides	Water bottle bosses, rear rack bosses, cable guides
Colors	Nero, Chrome Plated, Titanium Blue	Olympic Red, Glory Blue, Metallic Beryl Green (mens only)	Metallic Tomatoe, Wine Mist, Star Silver	Metallic Slate, Winner Red, Metallic Cranberry (ladies only)	Metallic Black, Electric Blue, Glory Blue (24" only)	Glacier White, Blue Wave
Weight Approx.	30.0 lbs	30.0 lbs	31.0 lbs	32.5 lbs	33.0 lbs	28.5 lbs

<i>City Bike</i>	<i>Touring</i>	<i>Sport Recreation</i>				
Cross-town	Saratoga	Del Rey	Palisade	Absolute	Arcadia	Model Name
19, 21, 23, 17L, 19L inch	49, 52, 54, 56, 58, 61, 64 cm	19, 21, 23, 25 inch	19, 21, 23, 25 inch	19, 21, 23, 25, 19M inch	19, 21, 23, 25, 19L(D), 19L(N) inch	Frame Sizes
Fuji Hi-Ten lugged tubing	Feather Si35 Triple butted channeled cromoly tubing	Feather Si35 Triple butted c ^h -anneled cromoly tubing	Feather Si35 Triple butted channeled cromoly tubing	Fuji Cromoly lugged tubing	Fuji Hi-Ten lugled tubing	Frame
Fuji Hi-Ten tubing	Spinner SPT-829 Unicrown cromoly with indented dropout	Fuji Cromoly tubing with indented dropout	Fuji Hi-Ten tubing with indented dropout	Fuji Hi-Ten tubing with indented dropout	Fuji Hi-Ten tubing with indented dropout	Fork
MTB-5 chrome 60mm rise	Sakae CMB-200 alloy modolo type	Racing type with alloy center	Racing type with alloy center	Racing type with alloy center	Racing type steel	Handlebar
Upright recessed painted fearn grip grey	Sakae CTS-100 alloy Pelaton padded tape	Delta alloy black Pelaton padded tape	Delta alloy Pelaton padded tape	Delta alloy Thick foam grip	Drop style recessed black Thick foam grip	Stem & Wrap
Alloy 910 sidepull with touring levers grey	Dia Compe Advantage II 983D cantilever with BL-154 BRS levers	Suntour BE34 sidepull recessed with Q/R and RE34 aero BRS levers	Shimano A250 sidepull with Q/R and A251 aero SLR levers	Dia Compe 505 alloy sidepull with front Q/R and dual levers	Alloy 500 sidepull with dual levers	Brakes
Tracer Y-280 alloy 46T with double chainguard painted	Suntour XCE alloy 48T round 38/28T Oval black 170/175mm	Suntour Edge alloy 42/52T Oval black 165/170mm drilled for triple	Shimano Motion A250 alloy 42 x 52T Biopace black 165/170mm	Sakae SXC-310 alloy 40/52T 165/170mm	Sakae CTC-532 alloy 42 x 52T 170mm	Cranks
Shimano 552GS SIS rear only	Suntour XM34/XE45GX XCE Accushift	Suntour Edge ED45/ED45SS Accushift	Shimano A250/A350SS Action SIS	Suntour Allegro/1500SS Accushift	Shimano Ax-50/R552 SIS	Derrailleur
Shimano MS52 SIS thumbshifters	Suntour BC00 Barcon Accushift	Suntour Edge 4050 Accushift downtube braze-on	Shimano Action A452 SIS downtube braze-on	Suntour 1500 IC Accushift stemshifters	Shimano S452 SIS stemshifters	Shifters
Shimano MFZ-012 14/28T 6 speed	Suntour AL00 13/28T 6 speed	Suntour AL00 13/28T 6 speed	Shimano MFZ-012 14/28T 6 speed	Suntour AL00 13/28T 6 speed	Shimano MFZ-012 14/28T 5 speed	Cluster
KMC UG black	KMC Z black	KMC Z black	KMC UG black	KMC Z black	KMC UG black	Chain
VP 391 platform type grey	VP 389 alloy black with nylon toe-clips and straps	VP 389 alloy black with nylon toe-clips and straps	HTI A15 alloy with cromoly spindle	VP 870 platform type	VP 870 platform type	Pedals
Araya MP-22 alloy 26 x 1.5"	Wolber M-58 alloy 27 x 1 1/8"	Araya SP-30 alloy 27 x 1 1/8"	Araya SP-30 alloy 27 x 1 1/8"	Araya SP-20 alloy 27 x 1 1/4"	Araya SP-20 alloy 27 x 1 1/4"	Rims
KK 336 U-type bolt-on front KK 106 bolt-on rear	Sansin CE-60 Sealed Q/R 36 hole front Sansin CE-60 Sealed Q/R 40 hole rear	KK 200 alloy Quick Release	KK 336 U-type Quick Release front and rear black	KK 336 U-type Quick Release front black KK106 bolt-on rear black	Small flange bolt-on	Hubs
SCCR 100 26 x 1.5" Gumwall	SCCR 850 27 x 1 1/8" Gumwall	SCCR 850 27 x 1 1/8" Skimwall	SCCR 850 27 x 1 1/8" Gumwall	SCCR 850 27 x 1 1/8" Gumwall	SCCR 850 27 x 1 1/8" Gumwall	Tires
Viscount 2325 wide padded	Avocet GelFlex touring black lycra	Viscount SOFlex touring black lycra	Avocet touring anatomical	Avocet touring anatomical	Avocet touring anatomical	Saddle
Chrome plated with Hex head seat pin	Sakae CLE-100 micro-adjust with allen key seat pin	Sakae CLE-100 micro-adjust with allen key seat pin	Alloy 230mm with cromoly allen key seat pin	Chrome plated with hex head seat pin	Chrome plated with hex head seat pin	Seat Pillar
Spoke disc, reflectors	Spoke disc, reflectors, water bottle and cage, nylon toe-clips and straps	Spoke disc, reflectors, nylon toe-clips and straps	Spoke disc, reflectors	Spoke disc, reflectors	Spoke disc, reflectors	Accessories
Water bottle bosses, cable guides, rear rack bosses	Three water bottle bosses, pump peg, chainhook, rear rack bosses, spoke holder	Water bottle bosses, cable guides	Water bottle bosses, cable guides	Water bottle bosses, cable guides	Water bottle bosses, cable guides	Braze-ons
Rainbow Blue, Metallic Cranberry (ladies only)	Rainbow Blue	Star Silver	Glory Blue, Olympic Red	Metallic Slate, Wine Mist	Metallic Black, Winner Red	Colors
30.5 lbs	26.5 lbs	25.5 lbs	27.0 lbs	28.5 lbs	29.5 lbs	Weight Approx.

Specifications subject to change without notice.

FRAME GEOMETRY

FRAME GEOMETRY

The geometry of the bicycle frame is established by eight critical dimensions which, when matched to the engineering characteristics of the tubing material used, determine the handling characteristics of a bike. These eight critical dimensions and how they most directly affect the bike are:

- Seat Tube Length** governs the size of the frame and influences the other critical dimensions. Seat tube length, bottom bracket drop and wheel diameter together determine the overall size of the bike. Generally, you should select the *smallest* frame size you can ride comfortably, and in no case should you select a bike that you cannot straddle with both feet flat on the ground.
All Fuji bicycles are measured from the center of the B/B to the top of the seat tube.
- Top Tube Length** influences riding position and wheelbase. Its minimum dimension is restricted by the need for clearance between the front wheel and the pedals.
- Chainstay Length** positions the rear wheel and controls clearance for fenders or clearance between the rider's heel and the panniers on a touring bike.
- Seat Tube Angle** is the determining factor in positioning the rider's center of gravity, and thereby controls the bike's center of gravity and the riding position. To some degree, it also affects road shock absorption, in that a shallower angle allows the tube to absorb more road shock.
- Head Tube Angle** influences steering response, handling characteristics and front wheel road shock absorption, and affects some of the other critical dimensions.
- Fork Rake or Offset** works with the head tube angle to determine steering characteristics and responsiveness to directional change.
- Bottom Bracket Height** is the distance between the center of the bottom bracket and the ground. It determines the bicycle's center of gravity as well as the clearance of the crankset during cornering and from debris.

h. **Wheelbase** influences the bike's ride characteristics. A long wheelbase tends to be more comfortable and have better straight running characteristics. A short wheelbase tends to make a stiffer bike with quicker response to directional change.

	mm							
	a	b	c	d°	e°	f	g	h
Titanium 58cm	580	575	413	74	73	45	70	1,003
Opus V 58cm	580	566	415	73.5	74	45	70	996
Team Fuji 58cm	580	566	415	73.5	74	45	70	996
Roubaix 58cm	580	566	415	73.5	74	45	70	996
Club Fuji 58cm	580	566	410	73	73.5	45	69	992
Ace 58cm	580	566	410	73	73.5	45	69	992
Saratoga 58cm	580	565	440	73	73	55	63	1,037
del Rey 23 inch	584	564	430	73	73	55	63	1,025
Mt. Fuji Ltd 48cm	480	550	420	73	71	45	32	1,028
Mt. Fuji 48cm	480	550	420	73	71	45	32	1,028
Sundance 48cm	480	554	425	73	70	45	32	1,044
Suncrest 48cm	480	554	425	73	70	45	32	1,044
Cadenza 48cm	480	536	438	72	70	50	38	1,040
Tahoe 48cm	480	536	438	72	70	50	38	1,040
Thrill 48cm	480	536	438	72	70	50	38	1,040
Up-beat 52cm	520	553	438	73	70	45	30	1,055

Fuji matches handlebar width and length of stem, crank arms, and toe clips to frame size.


FRAME SIZING CONVERSION CHART

17"	18"	19"	20"	21"	22"	23"	24"	25"	26"	27"		
44cm	46cm	48cm	50cm	52cm	54cm	56cm	58cm	60cm	62cm	64cm	66cm	68cm

Specifications subject to change without notice.

THE FUJI WAY

As you can see, for almost a century, Fuji bicycles have not only been the leaders in innovative design, but first in offering a broad selection of models for any style of riding. Our commitment doesn't stop here. Each Fuji bicycle is professionally assembled by an expert at a Fuji authorized dealer for the highest standards of performance. Each Fuji is backed by a limited life-time frame warranty and a one year parts warranty. Innovation, quality and tradition, we've been building bikes for years this way. That's the Fuji way.





Members of our Fuji/Sundance Cycling Team model our attractive line of cycling and sports clothing. Cycling shorts in both mens and womens styles and sizes are matched to jerseys made of lycra and polycotton Tee-shirts, sweatshirts and our staff shirts for sportswear or just for looking great. All of our clothing is made with the kind of quality you would expect from the Fuji name.



FUJI ACCESSORIES



•Helmets by Etto and L.T. are the finest in protection and comfort.



•Carrera sunglasses, Fuji cycling caps and gloves, complete our clothing line-up.



•Colorful water bottles and seatbags will surely come in handy and add that extra bit of dash to your bicycle.



•Technomic long neck stems, cyclo-computers, tools, locks and lubricants are just a few of our most popular accessories.



FUJI AMERICA

a Division of
Toshoku America, Inc.
118 Bauer Drive
Oakland, New Jersey 07436
Phone: 201-337-1700 212-661-5421

FUJI AMERICA CENTRAL

1840 Northwestern Avenue,
Gurnee, Illinois 60031
Phone: 312-336-0450

FUJI AMERICA SOUTH

3638, 131st Avenue North,
Clearwater, Florida 34622
Phone: 813-573-7790

FUJI AMERICA WEST

a Division of
Toshoku America, Inc.
2801 East 208 Street
Carson, California, 90810
Phone: 213-605-5461