



**Fuji**™

Edition No.20

# The Fuji Feeling.

*It's the fusion of engineering, artistry and an unyielding drive for perfection.*


*It's an uncompromising quest for precision in even the most seemingly insignificant detail. It's an appreciation for the calibre of performance a rider demands that comes from designers who are, first and foremost, demanding cyclists themselves.*

*And, ultimately, it's the pride of possessing the best. Precision. Performance. Pride.*

*There's no feeling like a Fuji.*

**FRAME GEOMETRY :** The geometry of the bicycle frame is established by eight critical dimensions which, when matched to the engineering characteristics of the tubing material used, determine the handling characteristics of a bike. These eight critical dimensions and how they most directly affect the bike are:

- Seat Tube Length** governs the size of the frame and influences the other critical dimensions. Seat tube length, bottom bracket drop and wheel diameter together determine the overall size of the bike. Generally, you should select the smallest frame size you can ride comfortably, and in no case should you select a bike that you cannot straddle with both feet flat on the ground. All Fuji bicycles are measured from the center of the B/B to the top of the seat tube.
- Top Tube Length** influences riding position and wheelbase. Its minimum dimension is restricted by the need for clearance between the front wheel and the pedals.
- Chainstay Length** position the rear wheel and controls clearance for fenders or clearance between the rider's heel and the panniers on a touring bike.
- Seat Tube Angle** is the determining factor in positioning the rider's center of gravity, and thereby controls the bike's center of gravity and the riding position. To some degree, it also affects road shock absorption, in that a shallower angle allows the tube to absorb more road shock.
- Head Tube Angle** influences steering response, handling characteristics and front wheel road shock absorption, and affects some of the other critical dimensions.



- Fork Rake or Offset** works with the head tube angle to determine steering characteristics and responsiveness to directional change.
- Bottom Bracket Height** is the distance between the center of the bottom bracket and the ground. It determines the clearance of the crankset during cornering and from debris.
- Wheelbase** influences the bike's ride characteristics. A long wheelbase tends to be more comfortable and have better straight running characteristics. A short wheelbase tends to make a stiffer bike with quicker response to directional change.

|                  | a   | b   | c   | d°   | e°   | f  | g  | h     | mm |
|------------------|-----|-----|-----|------|------|----|----|-------|----|
| TITANIUM ROAD    | 580 | 566 | 415 | 73.5 | 74.0 | 45 | 70 | 997   |    |
| ROUBAIX          | 580 | 566 | 415 | 73.5 | 74.0 | 45 | 70 | 997   |    |
| ACE              | 580 | 566 | 415 | 73.5 | 74.0 | 45 | 70 | 997   |    |
| SARATOGA (23")   | 584 | 565 | 440 | 73.0 | 73.0 | 55 | 63 | 1,037 |    |
| DEL REY CX (23") | 584 | 605 | 430 | 73.0 | 72.0 | 45 | 38 | 1,074 |    |
| VANTAGE CX (23") | 584 | 605 | 432 | 73.0 | 72.0 | 45 | 38 | 1,074 |    |
| TITANIUM ATB     | 520 | 590 | 420 | 74.0 | 71.0 | 45 | 31 | 1,072 |    |
| MT. FUJI LTD     | 520 | 590 | 420 | 74.0 | 71.0 | 45 | 31 | 1,072 |    |
| MT. FUJI         | 520 | 590 | 420 | 74.0 | 71.0 | 45 | 31 | 1,072 |    |
| SUMCREST         | 520 | 590 | 420 | 74.0 | 71.0 | 45 | 31 | 1,072 |    |
| TAHOE            | 520 | 580 | 425 | 73.0 | 70.0 | 45 | 32 | 1,068 |    |
| THRILL           | 520 | 580 | 425 | 73.0 | 70.0 | 45 | 32 | 1,068 |    |
| SAND BLASTER     | 520 | 585 | 438 | 72.0 | 70.0 | 50 | 38 | 1,060 |    |

Fig. matches handlebar width and length of stem, crank arms, and tire sizes to frame size.

## FRAME SIZING CONVERSION CHART

| 17"  | 18"  | 19"  | 20"  | 21"  | 22"  | 23"  | 24"  | 25"  | 26"  | 27"  |
|------|------|------|------|------|------|------|------|------|------|------|
| 44cm | 46cm | 48cm | 50cm | 52cm | 54cm | 56cm | 58cm | 60cm | 64cm | 68cm |

Specifications subject to change without notice.

# TITANIUM A7B



Natural polished finish



Natural polished finish

# M7. FUJI LTD.



Black Moss

574 MUIWANT



Black Moss

# M7. FUJI

Nero/Black Sand



# SUNCREST



Gray Neon Splatter

Winner Red/White



Gray Neon Splatter

TAHOE



Nero

Red Conforti



# THRILL



Cobalt Blue

Olympic Red



Chrome



Cobalt Blue

# SAND BLASTER



White Neon

Star Silver



Candy Red



# BLVD XC



Metallic Black

Metallic Tomatoe



Metallic Tomatoe

# CROSS-TOWN



Metallic Tomatoe

Glory Blue



Glory Blue

# DEL REY CX



Olympic Red



Olympic Red

# VANTAGE CX



Glory Blue



Glory Blue

# TITANIUM ROAD



Natural polished  
finish



Natural polished finish

# ROUBAIX



Metallic Violet /  
Alpine White

615



ACE

ALUM ROAD



Nero



Alpine White

XIABUC



Nero

37.5  
**SARATOGA**



Star Silver



Star Silver

# PALISADE



Glory Blue

Olympic Red

28L

ADOTAFRA



Glory Blue

# ABSOLUTE



Candy Red

Rainbow Blue

250



# ARCADIA



Metallic Black

Metallic Tomatoe

200



Metallic

|                | A T B                                                             |                                                                                                           |                                                                                                           |                                                                                              |                                                                                      |                                                                  |
|----------------|-------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|------------------------------------------------------------------|
| Model Name     | Titanium ATB                                                      | Mt. Fuji Ltd                                                                                              | Mt. Fuji                                                                                                  | Suncrest                                                                                     | Tahoe                                                                                | Thrill                                                           |
| Frame Sizes    | 44, 48, 52, 56 cm.                                                | 44, 48, 52, 56 cm.                                                                                        | 44, 48, 52, 56 cm.                                                                                        | 38, 44, 48, 52, 56cm.                                                                        | 38, 44, 48, 52, 56, 60 cm.                                                           | 44, 48, 52, 56, 44L, 48L.                                        |
| Frame          | Fuji Titanium, including drop-outs and braze-on.                  | Tange Prestige MTB Double Butted Tubing. Unbraized Seat Cap. Vertical forged drop-outs. Double clearcoat. | Tange Prestige MTB Double Butted Tubing. Unbraized Seat Cap. Vertical forged drop-outs. Double clearcoat. | 4130 MTB Composite Cromoly, ovalized seat tube, vertical forged drop-outs. Double clearcoat. | 4130 MTB Composite Cromoly Double clearcoat.                                         | 4130 Fuji Composite Cromoly Double clearcoat.                    |
| Fork           | Tange Switchblade with oversized steerer tube.                    | Tange Prestige with oversized blades and steerer tube. Lost-wax drop-outs.                                | Spinner Unicrown cromoly with oversized blades and steerer tube. Lost wax drop-outs.                      | Spinner Unicrown cromoly with forged drop-outs and oversized steerer tube.                   | Spinner Unicrown cromoly with forged drop-outs.                                      | Spinner Unicrown Hi-ten                                          |
| Handlebar      | Ritchey Force Directional, butted Tange Prestige                  | Alloy tapered MTB 580 mm flat                                                                             | Alloy tapered MTB 580mm flat                                                                              | Tapered MTB 580mm flat.                                                                      | MTB 580mm, flat.                                                                     | MTB 580mm, flat.                                                 |
| Stem           | Ritchey Force "Comp".                                             | Ritchey "Force", oversized, cromoly.                                                                      | Ritchey "Force", oversized cromoly.                                                                       | The Wedge II, oversized, cromoly.                                                            | The Wedge.                                                                           | Tig welded MTB.                                                  |
| Grips          | Ritchey "True".                                                   | Ritchey "True".                                                                                           | Ritchey "True".                                                                                           | Fuji Kraton rubber.                                                                          | Fuji Kraton rubber.                                                                  | Black Foam.                                                      |
| Brakes         | Shimano Deore XT SLR cantilevers front and rear.                  | Shimano Deore XT SLR cantilevers front and rear.                                                          | Shimano Deore LX SLR cantilevers front and rear.                                                          | Shimano Exage SLR cantilevers front and rear (38cm uses rear U-brake). XCT BRS levers.       | SunTour XCT BRS cantilevers front and rear (38cm uses rear U-brake). XCT BRS levers. | Shimano 200GS SLR cantilevers front and rear with 200GS levers.  |
| Crankset       | Shimano Deore XT with 48/38/28T round Superglide chainrings.      | Shimano Deore XT with 48/38/28T round Superglide chainrings.                                              | Shimano Deore LX with 48/38/28T round Superglide chainrings.                                              | Shimano Exage 500 LX with 48/38/28T round Superglide chainrings.                             | SunTour XCT with 48/38/28T round Powering chainrings.                                | Shimano 200GS with 48/38/28T Biopace Superglide chainrings.      |
| Derailleur     | Shimano Deore XT with STI/Hyperglide.                             | Shimano Deore XT with STI/Hyperglide.                                                                     | Shimano Deore LX with STI/Hyperglide.                                                                     | Shimano 500/300LX with STI/Hyperglide.                                                       | SunTour XCT Accushift PLUS.                                                          | Shimano 200GS with STI/Hyperglide.                               |
| Shifters       | Shimano Deore XT STI Rapid Fire integral two-finger brake levers. | Shimano Deore XT STI Rapid Fire integral two-finger brake levers.                                         | Shimano Deore LX STI Rapid Fire integral two-finger brake levers.                                         | Shimano Exage 500LX STI Rapid Fire with integral brake levers.                               | SunTour XCT Express.                                                                 | Shimano 200GS STI Rapid Fire.                                    |
| Cluster        | Shimano Deore XT STI/Hyperglide 12-28T 7-speed cassette.          | Shimano Deore XT STI/Hyperglide, 12-28T 7-speed cassette.                                                 | Shimano Deore LX STI/Hyperglide, 12-28T 7-speed cassette.                                                 | Shimano Exage LX STI/Hyperglide 12-28T 7-speed cassette.                                     | SunTour XCT Accushift PLUS 13-28T 7-speed.                                           | Shimano 200GS STI/Hyperglide 12-28T 7-speed, cassette.           |
| Chain          | Shimano Deore XT STI/Hyperglide.                                  | Shimano Deore XT STI/Hyperglide.                                                                          | Shimano Deore LX STI/Hyperglide.                                                                          | Shimano Exage LX STI/Hyperglide.                                                             | SunTour XCT Accushift PLUS.                                                          | Shimano 200GS STI/Hyperglide.                                    |
| Pedals         | Shimano Deore XT "Comp" with toe-clips and straps.                | Shimano Deore XT "Comp" with toe-clips and straps.                                                        | HTI "Comp" with toe-clips and straps.                                                                     | SR "Lowlat"                                                                                  | Victor MTB                                                                           | Victor MTB.                                                      |
| Rims           | Ritchey Vantage Comp, Duranomic finish, 32 hole.                  | Araya RM-17, 32 hole.                                                                                     | Araya RX-7, 32-hole.                                                                                      | Araya RX-7, silver polished, 36 hole.                                                        | Alesa #421, black anodized, 36 hole.                                                 | Alesa #421 silver polished, 36 hole.                             |
| Hubs           | Shimano Deore XT, quick-release 32 hole front and rear.           | Shimano Deore XT, quick-release 32 hole front and rear.                                                   | Shimano Deore LX, quick-release 32 hole front and rear.                                                   | Shimano Exage LX 500 cassette and Fuji sealed system front. Quick release front and rear.    | Joy Yu Alloy with front and rear quick release.                                      | Shimano 200GS cassette rear with Fuji alloy front quick release. |
| Tires          | Ritchey Force Racing K, with presta valve tubes.                  | Ritchey "Megabite Hard Drives" 26 x 2.1 with presta valves.                                               | SCCR MTX "Comp" 26 x 1.95 skinnall with presta valves.                                                    | SCCR MTX "Comp" 26 x 1.95 Skinnall.                                                          | SCCR MTX "Comp" 26 x 1.95 Skinnall.                                                  | SCCR ATX 26 x 1.55 Gurnwall.                                     |
| Saddle         | Sella Italia Turbo.                                               | Avocet Racing Leather.                                                                                    | Fuji SOFlex PLUS MTB.                                                                                     | Fuji SOFlex MTB.                                                                             | Fuji SOFlex MTB.                                                                     | Fuji SOFlex MTB.                                                 |
| Seatpost       | Ritchey Force Directional heat-treated butted alloy.              | SR MTE-300mm Black anodized. Quick release seatpin.                                                       | SR CLE-300mm. Quick release seatpin.                                                                      | Fuji "Spike" 300mm forged alloy with micro adjust. Quick release seatpin.                    | Fuji Alloy 300mm with quick release seatpin.                                         | Fuji alloy 300mm with quick release seatpin.                     |
| Accessories    | Shimano Shark Fin. Toe-clips and straps.                          | Shimano Shark Fin. Toe-clips and straps.                                                                  | Fuji Rite Guard chainstay protector. Toe-clips and straps.                                                | Fuji Rite Guard chainstay protector. Toe-clips and straps.                                   | Fuji Rite Guard chainstay protector.                                                 | Fuji Rite Guard chainstay protector.                             |
| Color          | Natural polished finish.                                          | Black Moss.                                                                                               | Nero/Black Sand                                                                                           | Grey Neon Splatter or Winner Red/White.                                                      | Nero or Red Contetti.                                                                | Cobalt Blue, Olympic Red or Chrome (Ladies Blue and Red only).   |
| Weight Approx. | 24.5 lbs.                                                         | 26.0 lbs.                                                                                                 | 27.0 lbs.                                                                                                 | 29.0 lbs.                                                                                    | 30.0 lbs.                                                                            | 30.0 lbs.                                                        |

|                | ATB                                                                             |                                                  | City                                  | Cross Bike                                                                             |                                                                          | Racing                                            |
|----------------|---------------------------------------------------------------------------------|--------------------------------------------------|---------------------------------------|----------------------------------------------------------------------------------------|--------------------------------------------------------------------------|---------------------------------------------------|
| Model Name     | Sandblaster                                                                     | BLVD XC                                          | Cross-town                            | Del Rey CX                                                                             | Vantage CX                                                               | Titanium Road                                     |
| Frame Sizes    | 44, 48, 52, 56, 60, 44L, 48L, 52L, 56Lcm, 24"                                   | 44, 48, 52, 56, 60, 44L, 48Lcm, 24" Boys & Girls | 19, 21, 23, 17L, 19L, 21L"            | 19, 21, 23, 25"                                                                        | 19, 21, 23, 25, 17L, 19L"                                                | 49, 52, 54, 56, 58, 61 cm                         |
| Frame          | Fuji Composite Cromoly. Double clearcoat.                                       | Fuji Hi-Ten                                      | Fuji Hi-Ten                           | Lugged 4130 Composite Cromoly. Proportional sloping top tube. Double clearcoat.        | 4130 Composite Cromoly. Proportional sloping top tube. Double clearcoat. | FUJI Titanium, including drop-outs and brazed-on. |
| Fork           | Spinner Unicrown Hi-Ten.                                                        | Spinner Hi-Ten.                                  | Spinner Hi-Ten.                       | Spinner Unicrown "Cross Tech". Cromoly                                                 | Spinner Unicrown "Cross Tech". Hi-Ten.                                   | FUJI Titanium.                                    |
| Handlebar      | MTB 60mm rise                                                                   | MTB 105mm rise.                                  | City 64mm rise                        | MTB 580mm, flat.                                                                       | MTB 580mm, flat.                                                         | Cinelli #64                                       |
| Stem           | MTB tig welded.                                                                 | City tig welded.                                 | City alloy.                           | The Wedge with 50 degree angle.                                                        | The Wedge with 50 degree angle.                                          | Cinelli XA.                                       |
| Grips          | Fuji Mushroom.                                                                  | Fuji Mushroom.                                   | Dia Compe City.                       | Fuji Kraton rubber.                                                                    | Fuji Mushroom.                                                           | Bike Ribbon                                       |
| Brakes         | Shimano M200 cantilevers front and rear with M200 levers.                       | Sidepull, with MTB levers.                       | Sidepull, with Dia Compe City levers. | Shimano Exage 300LX SLR cantilevers front and rear.                                    | Lee Chi cantilevers front and rear with Lee Chi MTB levers.              | Shimano Dura Ace                                  |
| Crankset       | Shimano M200 with 48/38/28T Bopace Superglide chainrings.                       | SR 52/42T with alloy arms.                       | Sugino, 48T with guard.               | Shimano Exage 300LX 48/38/28T Bopace Superglide chainrings.                            | SR Triple 48/38/28T round chainrings.                                    | Shimano Dura Ace with 42/53T Superglide.          |
| Derailleur     | Shimano SISHyperglide.                                                          | Shimano SISHyperglide.                           | Shimano SISHyperglide 6-speed.        | Shimano Exage 300LX STI Hyperglide                                                     | SunTour AC-1000 Accushift PLUS.                                          | Shimano Dura Ace                                  |
| Shifters       | Shimano Thumb-Type SISHyperglide.                                               | Shimano Thumb-Type SISHyperglide.                | Shimano Thumb-Type SISHyperglide      | Shimano Exage 500LX STI Rapid Fire with integral brake levers.                         | SunTour AC-1000 Thumb-type Accushift PLUS.                               | Shimano Dura Ace                                  |
| Cluster        | Shimano 14-28T 6-speed Hyperglide.                                              | Shimano 14/28T 6-speed Hyperglide.               | Shimano 14-28T 6-speed Hyperglide.    | Shimano Exage 300LX STI Hyperglide 12-28 7-speed cassette.                             | SunTour AC-1000 14-28T 6-speed Accushift PLUS.                           | Shimano Dura Ace Cassette 12-21T 8-speed.         |
| Chain          | KMC "UG" 50.                                                                    | KMC "UG" 50.                                     | KMC "UG" 50                           | Shimano Exage 300LX STI Hyperglide                                                     | KMC "Z" for Accushift PLUS.                                              | Shimano Dura Ace Hyperglide.                      |
| Pedals         | Victor MTB.                                                                     | Fuji City.                                       | Fuji City.                            | Fuji "Cross", with Toe-clips and straps.                                               | Fuji Cross.                                                              | Shimano Dura Ace Clipless.                        |
| Rims           | Alesa #421 silver polished, 36 hole.                                            | Steel 26 x 1.5                                   | Alesa #421 alloy 26 x 1.50.           | Araya SP-30 700 x 32C, 36 hole                                                         | Araya SP-20 700 x 32C, 36 hole                                           | Super Hard tubular. 32 hole.                      |
| Hubs           | Joy Yu with front quick release.                                                | Joy Yu Bolt-on.                                  | Joy Yu bolt-on.                       | Shimano Exage 300LX cassette rear with Fuji alloy front. Quick release front and rear. | Joy Yu with front Quick release.                                         | Shimano Dura Ace, 32 hole front and rear.         |
| Tires          | SOCCR ATX 26 x 1.55.                                                            | Fuji 26 x 1.50 Gumwall.                          | Fuji 26 x 1.50 Gumwall.               | SOCCR CX 700 x 35C Skinwall.                                                           | SOCCR CX 700 x 35C Skinwall.                                             | Vittoria Criterium Super Kevlar.                  |
| Saddle         | Viscount Vinyl.                                                                 | Viscount Vinyl.                                  | Viscount Vinyl.                       | Fuji SOFlex "Cross".                                                                   | Viscount Vinyl.                                                          | Sella Italia Turbo.                               |
| Seatpost       | Fuji steel with Quick release seatpin.                                          | Fuji steel.                                      | Fuji steel.                           | Fuji "Spike" 300mm forged alloy with micro adjust. Quick-release seatpin.              | Fuji steel, with Quick release seatpin.                                  | Shimano Dura Ace                                  |
| Accessories    |                                                                                 |                                                  |                                       | Fuji Rite Guard chainstay protector. Toe-clips and straps.                             |                                                                          |                                                   |
| Color          | White Neon, Star Silver or Candy Red. (24" and Ladies White Neon or Candy Red). | Metallic Black or Metallic Tomatoe               | Metallic Tomatoe or Glory Blue.       | Olympic Red                                                                            | Glory Blue.                                                              | Natural polished finished.                        |
| Weight Approx. | 31.0 lbs.                                                                       | 33.0 lbs.                                        | 30.0 lbs                              | 29.5 lbs.                                                                              | 30.0 lbs.                                                                | 19.0 lbs.                                         |

| Racing                                                                       |                                                                              | Touring                                                                          |                                                                              | Sports Recreational                                                      |                                                         |                |
|------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------------------------------------------------------------------------|------------------------------------------------------------------------------|--------------------------------------------------------------------------|---------------------------------------------------------|----------------|
| Roubaix                                                                      | Ace                                                                          | Saratoga                                                                         | Palisade                                                                     | Absolute                                                                 | Arcadia                                                 | Model Name     |
| 49, 52, 54, 56, 58, 61, 64 cm.                                               | 49, 52, 54, 56, 58, 61, 64 cm.                                               | 19, 21, 23, 25"                                                                  | 19, 21, 23, 25"                                                              | 19, 21, 23, 25, 19M".                                                    | 19, 21, 23, 25, 19L".                                   | Frame Sizes    |
| Ishiwata S35 triple butted<br>channeled cromoly tubing.<br>Double clearcoat. | Ishiwata S35 triple butted<br>channeled cromoly tubing.<br>Double clearcoat. | Ishiwata S35 triple butted<br>channeled cromoly tubing.<br>Double clearcoat.     | Ishiwata S35 triple butted<br>channeled cromoly tubing.<br>Double clearcoat. | 4130 Composite Cromoly.<br>Double clearcoat.                             | Fuji Hi-Ten.                                            | Frame          |
| Spinner Unicrown cromoly.                                                    | Spinner semi-sloping Hi-Ten.                                                 | Spinner Unicrown cromoly.                                                        | Spinner semi-sloping Hi-Ten.                                                 | Spinner Hi-Ten.                                                          | Spinner Hi-Ten.                                         | Fork           |
| SR Alloy with anatomic bend.                                                 | SR alloy center with anatomic<br>bend.                                       | SR Alloy with anatomic bend.                                                     | Alloy center drop style.                                                     | Drop style with alloy center.                                            | Drop style steel.                                       | Handlebar      |
| SR Aero alloy.                                                               | SR Aero alloy.                                                               | SR alloy.                                                                        | Aero alloy                                                                   | Aero alloy for drop bar.                                                 | Fuji Aero for drop bars.                                | Stem           |
| Peleton padded tape.                                                         | Peleton padded tape.                                                         | Peleton padded tape.                                                             | Peleton padded tape.                                                         | Thick foam.                                                              | Plastic tape.                                           | Grips          |
| New Shimano 105 Super SLR<br>calipers and levers.                            | Dia Compe alloy sidepull with<br>aero levers.                                | SunTour XCM BRS cantilevers<br>front and rear. Dia Compe<br>hooded alloy levers. | Shimano alloy SLR sidepull with<br>aero levers.                              | Alloy sidepull with Quick<br>release. Alloy levers and safety<br>levers. | Alloy side-pull with alloy levers<br>and safety levers. | Brakes         |
| New Shimano 105 with 42/52T<br>Spider Hyperglide chainrings.                 | SunTour Edge with 42/52T<br>Powering chainrings.                             | SunTour XCE with 48/36/26T<br>Powering chainrings.                               | Shimano forged alloy with<br>42/52T Biopace chainrings.                      | Sugino forged alloy, 42/52T.                                             | SR 42/52T, with alloy arms and<br>chainguard.           | Crankset       |
| New Shimano 105<br>SiS/Hyperglide.                                           | SunTour Blaze Accushift PLUS.                                                | SunTour XCE/XCM Accushift<br>PLUS.                                               | Shimano SiS.                                                                 | Shimano SiS/Hyperglide.                                                  | Shimano SiS/Hyperglide.                                 | Derailleur     |
| New Shimano 105 SiS/<br>Hyperglide downtube brazed-on.                       | SunTour Blaze Downtube<br>Accushift PLUS.                                    | SunTour Baron<br>Accushift PLUS.                                                 | Shimano downtube SiS<br>brazed-on.                                           | Shimano SiS/Hyperglide stem<br>mount.                                    | Shimano SiS/Hyperglide stem<br>mount.                   | Shifters       |
| Shimano 13-23T 7-speed<br>cassette.                                          | SunTour 13-26T 7-speed<br>Accushift PLUS.                                    | SunTour Accushift PLUS<br>cassette 12-26T 7-speed.                               | Shimano 14/28T 6-speed SiS.                                                  | Shimano 14-28T 6-speed<br>Hyperglide.                                    | Shimano 14/28T 6-speed<br>Hyperglide.                   | Cluster        |
| KMC "UG" 50 for<br>SiS/Hyperglide.                                           | SunTour Blaze Accushift PLUS.                                                | SunTour XCE Accushift PLUS.                                                      | KMC "UG" 20.                                                                 | KMC "UG" 50 for<br>SiS/Hyperglide.                                       | KMC "UG" 50 for<br>SiS/Hyperglide.                      | Chain          |
| New Shimano 105 Clipless.                                                    | Victor alloy.                                                                | Victor alloy "Touring" with toe<br>clips and straps.                             | HTI Alloy Sport.                                                             | Fuji Sport.                                                              | Fuji Sport.                                             | Pedals         |
| Wolber GTX 32 hole hard<br>anodized.                                         | Araya SS45 700 x 25C. 36 hole<br>rear and 32 hole front.                     | Aless # 716 700 x 28C silver<br>polished, 36 hole front, 40 Hole rear            | Araya SP-20 alloy 27 x 1-1/8.                                                | Aless # 116 alloy.                                                       | Aless # 116 alloy.                                      | Rims           |
| Shimano New 105, 32 hole<br>front and rear.                                  | Fuji alloy front and rear.<br>Quick release front and rear.                  | SunTour XCE cassette with Fuji<br>alloy front. Sealed system<br>bearings.        | KK-U-Type with front and rear<br>quick release.                              | Joy Yu with front quick release.                                         | Joy Yu with front quick release.                        | Hubs           |
| SOCCR Tri-Max 700 x 23C<br>skinwall.                                         | SOCCR Tri-Max 700 x 25C<br>skinwall.                                         | SOCCR TCX 700 x 32C skinwall.                                                    | SOCCR 850, 27 x 1-1/8 90 lb.<br>gumwall.                                     | SOCCR 850, 27 x 1-1/8 90 lb.<br>gumwall.                                 | SOCCR 850, 27 x 1-1/8 90 lb.<br>gumwall.                | Tires          |
| Fuji SOFlex Racing                                                           | Viscount Emerald.                                                            | Fuji SOFlex PLUS Touring.                                                        | Avocet Sport.                                                                | Avocet Sport.                                                            | Avocet Sport.                                           | Saddle         |
| SR CLE 220mm.                                                                | Fuji Alloy 220mm.                                                            | SR CLE-220mm.                                                                    | Fuji Alloy 220mm.                                                            | Fuji steel.                                                              | Fuji steel.                                             | Seatpost       |
|                                                                              | Toe clips and Straps.                                                        | Toe clips and Straps.                                                            |                                                                              |                                                                          |                                                         | Accessories    |
| Metallic Violet/Alpine White.                                                | Nero or Alpine White.                                                        | Sar Silver.                                                                      | Glory Blue or Olympic Red.                                                   | Candy Red or Rainbow Blue.                                               | Metallic Black or Metallic<br>Tomatoe.                  | Color          |
| 23.5 lbs.                                                                    | 26.5 lbs.                                                                    | 27.0 lbs.                                                                        | 27.0 lbs.                                                                    | 27.0 lbs.                                                                | 27.5 lbs.                                               | Weight Approx. |



**FUJI AMERICA**

a Division of  
Toshoku America, Inc.  
118 Bauer Drive  
Oakland, New Jersey 07436  
Phone: 201-337-1700 212-661-5421

**FUJI AMERICA WEST**

2801 East 208 Street  
Carson, California, 90810  
Phone: 213-605-5461

**FUJI AMERICA CENTRAL**

1840 Northwestern Avenue,  
Gurnee, Illinois 60031  
Phone: 708-336-0450