2019 BICYCLE COLLECTION

HEAD®

EACH
BIKE
DIFFERENT
STORY

OUR PASSION - BICYCLES

We strive to incorporate this fact as best as possible into the production and assembly of HEAD bicycles. We have been manufacturing bicycles for 25 years already, and this long-term experience has enabled us to turn dreams into reality when applying new technology and fulfilling the cycling public's demands. The production of HEAD bicycles is based on quality which is guaranteed by manual assembly of bicycles. This is very important for us because we always put quality first.
The route taken on a bicycle is never direct, and neither is it during bicycle production. At the beginning of the development of each bicycle, we focus thoroughly on the technology of new frames, alignment and design. This is followed by selection of the correct components and additions, and of course we always try to keep up with trends when choosing colors as well.

TECHNOLOGIES 6

FULL SUSPENSION 8
ADAPT EDGE II 10
ADAPT EDGE I 12

MTB - CARBON 14
TRENTON V 16
TRENTON IV 18
TRENTON III 20
TRENTON II 22
TRENTON I 23

MTB - ALLOY 24
X-RUBI V 26
X-RUBI IV 27
X-RUBI III 28
X-RUBI II 30
X-RUBI I 32
GRANGER 36
TROY II 38
TROY I 40

MTB LADY 42
TRENTON LADY 44
X-RUBI LADY 46
GRANGER LADY 47
TACOMA II 48
TACOMA I 50

E-BIKE SHIMANO 52
MURET 56
DURANGO 58
LAGOS 59
TERNI MEN 60
TERNI LADY 62
DAVIS 64
GRANBY 66
GRANBY LADY 67
E I-PEAK E6100 68
E REVELO E6100 69

E-BIKE BAFANG 70
GRANBY BAFANG 72
DAYTON 73
TRIVOR 74
E I-PEAK RM 75
E REVELO RM 76
E CITY RM 77

ROAD 78
I-SPEED V 80
I-SPEED IV 82
I-SPEED III 84
I-SPEED II 85
I-SPEED I 86

GRAVEL 88
PICTON II 90
PICTON I 91

CROSS 92
X-RUBI CROSS 94
I-PEAK II 95
I-PEAK I 96

TREKKING 98
REVELO II 100
REVELO I 101

CITY 102
CITY 7G 104
CITY 7G 105

KID 106
RIDOTT III 26" 108
RIDOTT II 26" 109
RIDOTT I 26" 110
RIDOTT III 24" 112
RIDOTT II 24" 113
RIDOTT I 24" 114
LAUREN II 24" 116
LAUREN I 24" 117
RIDOTT II 20" 118
RIDOTT I 20" 119
LAUREN 20" 120
JUNIOR 16" 121

ACCESSORIES 122
BIKE WEAR 124
HELMETS 128
BOTTLES, T-SHIRTS 131
GLOVES 132

EXTRA
GEOMETRY 136
HEAD PRO TEAM 140
HEAD BIKE OPAVA 142

The frames made with this technology are monolithic constructions carbon fiber constructions with fibers placed alongside each other. The classic shape of the tubes, in conjunction with their large diameters, resulted with a very low weight and high durability.

Frames made of 6061 alloy are stiff and resistant to breakages, while retaining the light mass typical for aluminum. They are also heat-threaten after the welding, that also improves frames durability.

Butting is the process, which decreases the frame weight, while the overall durability is on the same level or is even improved. HEAD alloy frames are double or triple butted, type of butting depends on the frame model.

Hydroforming is an industrial technique wherein special liquids are injected into the frame tubes using tremendous pressure. Hydroforming offers several advantages such as: complex shapes, improved bicycle frame aesthetics and others.

Tapered head tube with increased diameter from 1 1/8" to 1.5" improves the overall stiffness which increases strength of the front of the bicycle. This leads into better precision of the bicycle control.

Post-mount brake system eliminates the unnecessary adapters, which improves the stiffness of the connection between the frame and the brake caliper.



Bearings are placed inside cups and the cups are pressed into the frame to increase pedaling efficiency. These cups reduces bearing wear out and creates a better transfer of the driving force to the wheel.

Direct mount of the front derailleur allows us to increase the stability of the connection between the derailleur and the frame.

Inner cable routing reduces wear out of cables and shells, it protects them from mud, rain and sand. It also improves the overall appearance of the bike design.

Thru axle system helps us to stiff the connectivity of the fork and the wheel. The rear thru axle allows us to improve stiffness of the connectivity between the rear wheel and the rear triangle. In overall the thru axle system adds very important stability and precision during the riding

Boost standard hubs - the wider hub flange with 148 mm on the rear hub and 110 mm on the front hub and the stronger spoke-bracing increases the overall stiffness of the wheel.

dualPWR - it means combining a classic bicycle with electric drive. We use two variants of motor placing - middle motor and rear hub motor. Drive unit can provide up to 80Nm of torque.

THE FULL SUSPENSION RACES

HEAD 2019 full suspension line consists of two carbon cross country bicycles with 100mm travel. We have kept the same frame shape as in our last collection, but we have made some crucial improvements.

The new Adapt Edge is ready to handle boost wheels, which will certainly have a positive effect on the precision and stability during the riding. New frames are finished with glossy painting, that gives them fresh and unique look. The suspension system is very sensitive when you are going downhill, and it stiffens significantly when you are traveling uphill. If you lock your rear shock you can go uphill and feel like you are riding on a hardtail.

Two different specifications - choose the best for yourself and try it out.

adapt edge II

- frame: **carbon monocoque TPR**
- travel: **100mm front/100mm rear**
- drivetrain: **1x12 SRAM X01 EAGLE**
- sizes: **45, 48, 52 cm**
- colour: **black glossy**
- weight: **11.2 kg**

29"

CARBON · TAPERED HEAD TUBE · 12x148MM · 15x110MM · INTERNAL CABLE ROUTING · PRESS FIT · POSTMOUNT

- Rock Shox SID RL 100mm + OneLoc Full Sprint
- Rock Shox Delux RLR 170x35mm + Full Lock
- Neco H373
- Controltech SLA 70-90/31.8mm
- Controltech SLA 750/31.8mm
- Kind Shock Eteni 440/31.6mm – travel 125mm
- Sram X01 Eagle 1x12
- Sram X01 Eagle 12 speed
- Truvativ Descendant Carbon 175mm 32T
- Sram XG 1295 Eagle 10-50T
- Shimano XT M8000 180/160mm
- HBC Pro 28h Straight 15x110mm
- HBC Pro 28h Straight 12x148mm XD
- RRX CB29 28h 29" – Carbon
- Schwalbe Rocket Ron 29x2.25" TLE Snake Skin
- HEAD – VL1481 CrN-Ti

CODE: 19000

adapt edge I

- frame: **carbon monocoque TPR**
- travel: **100mm front/100mm rear**
- drivetrain: **1x12 SRAM NX EAGLE**
- sizes: **45, 48, 52 cm**
- colour: **orange glossy**
- weight: **12.5 kg**

29"

CARBON | TAPERED HEAD TUBE | 12x148MM | 15x110MM | INTERNAL CABLE ROUTING | PRESS FIT | POSTMOUNT

Suntour Raidon Air XC RLR DS 100mm + TwinLock	HBC Pro R-Film Flat 720/35mm	Sram PG 1230 Eagle 11-50T	Schwalbe Rocket Ron 29x2.25" Evo, T-Ready
Suntour UNAIR LOR 165x38mm + TwinLock	HBC Pro R-Film 400/31.6mm	Shimano MT400 180/160mm	HEAD – VL3381 Cr-Mo
Neco H373	Sram NX Eagle 1x12	HBC Pro 32h 15x110mm	
HBC Pro R-Film 70-90/35mm	Sram NX Eagle 12 speed	HBC Pro 32h 12x148mm	
	Sram NX Eagle 175mm 32T	Remerx XCO Rio 32h 29"	

CODE: 19001

THE MOUNTAIN BIKE ADVENTURES

MTB line is one of the most important product lines in the HEAD Bike collection. We attach great importance to the quality, weight and design of our bicycles. New season will bring wide range of new models.

In the new collection we upgraded our Trenton frame. The new Trenton is made of new carbon, that allowed us to make it lighter and stiffer. Very important is, that we have changed the hub spacing. Now you can find boost hubs on our top carbon models.

You can choose one of five different specifications, including the new Shimano XTR 1x12 and Sram XX1 Eagle drivetrains.
Let's go through our carbon mountain bike adventure, choose your HEAD bike and go to ride it.

TRENTON V

frame: **carbon monocoque TPR**
travel: **100mm**
drivetrain: **1x12 Shimano XTR**
sizes: **43, 48, 53 cm**
colour: **black/yellow glossy**
weight: **9.3 kg**

29"

CARBON | TAPERED HEAD TUBE | 12x148MM | 15x110MM | INTERNAL CABLE ROUTING | POST MOUNT

- Rock Shox Sid World Cup 100mm + Oneloc Sprint
- Neco H373
- Controltech EXL 70-90/31.8mm
- Controltech EXL Flat 700/31.8mm
- Controltech EXL 350-400/31.6mm
- Shimano XTR SLM9100 1x12
- Shimano XTR RDM9100 12 speed
- Shimano XTR FCM9100 175 mm 34T
- Shimano XTR CSM9100 10-51T
- Shimano XTR M9100 160mm/160mm CL
- Shimano XTR HB M9110 28h Straight 15x110mm
- Shimano XTR FH M9110 28h Straight 12x148mm
- RRX CB29 28h 29" – Carbon
- Schwalbe Rocket Ron 29x2.25" TLE
- HEAD – VL1481 Carbon

CODE: 19100

TRENTON iV

frame: **carbon monocoque TPR**
travel: **100mm**
drivetrain: **1x12 SRAM XX1**
sizes: **43, 48, 53 cm**
colour: **black/gold glossy**
cweight: **9.4 kg**
29"

CARBON | TAPERED HEAD TUBE | 12x148MM | 15x110MM | INTERNAL CABLE ROUTING | POST MOUNT

- Rock Shox SID World Cup 100mm + Oneloc Sprint
- Neco H373M
- Controltech EXL 70-90/31.8mm
- Controltech EXL Flat 700/31.8mm
- Controltech EXL 350-400/31.6mm
- Sram XX1 Eagle Gold 1x12
- Sram XX1 Eagle Gold 12 speed
- Sram XX1 Gold 175mm 34T
- Sram XX1 XG 1299 Eagle 10-50T
- SHIMANO XTR M9100 160/160mm
- HBC Pro 28h Straight 15x110mm
- HBC Pro 28h Straight 12x148mm XD
- RRX CB29 28h 29" – Carbon
- Schwalbe Rocket Ron 29x2.25" TLE
- HEAD – VL1481 Carbon

CODE: 19101

TRENTON III

frame: **carbon monocoque TPR**
travel: **100mm**
drivetrain: **1x12 SRAM X01**
sizes: **43, 48, 53 cm**
colour: **black/green glossy**
weight: **10.4 kg**
29"

CARBON | TAPERED HEAD TUBE | 12x148MM | 15x110MM | INTERNAL CABLE ROUTING | POST MOUNT

- Rock Shox Reba RL 100mm + Oneloc Sprint
- Neco H373M
- Controltech CLS 70-90/31.8mm
- Controltech CLS Flat 700/31.8mm
- Controltech CLS 400/31.6mm
- Sram X01 Eagle 1x12
- Sram X01 Eagle 12 speed
- Truvativ Descendant Carbon 175mm 34T
- Sram XG 1275 Eagle 10-50T
- Shimano MT501 160/160mm
- DT Swiss SPLINE X1900 15x110mm
- DT Swiss SPLINE X1900 12x148mm XD
- DT Swiss SPLINE X1900 29"
- Schwalbe Rocket Ron 29x2.25" TLE
- HEAD – VL1481 CrN-Ti

CODE: 19102

TRENTON ii

frame: **carbon monocoque TPR**
travel: **100mm**
drivetrain: **1x12 SRAM GX**
sizes: **43, 48, 53 cm**
colour: **orange/blue glossy**
weight: **11.1 kg**
29"

CARBON | TAPERED HEAD TUBE | 12x148MM | 15x110MM | INTERNAL CABLE ROUTING | POSTMOUNT

- Suntour Axon 32 RLRC DS 100mm + remote lock
- Neco H373M
- HBC Pro R-Film 70-90/35mm
- HBC Pro R-Film Flat 720/35mm
- HBC Pro R-Film 350-400/31.6mm
- Sram GX Eagle 1x12
- Sram GX Eagle 12 speed
- Truvativ Descendant 6k 175mm 34T
- Sram PG 1230 Eagle 11-50T
- Shimano MT400 180/160mm
- HBC Pro 32h 15x110mm
- HBC Pro 32h 12x148mm
- Remerx RRX Light 32h 29"
- Schwalbe Rocket Ron 29x2.25" TLE
- HEAD – VL1481 Cr-Mo

CODE: 19103

TRENTON i

frame: **carbon monocoque TPR**
travel: **100mm front**
drivetrain: **1x12 SRAM NX**
sizes: **40, 46, 51 cm**
colour: **black matt/grey**
weight: **11.3 kg**
29"

CARBON | TAPERED HEAD TUBE | INTERNAL CABLE ROUTING | POSTMOUNT

- Suntour Raidon XC RLR 100mm + remote lock
- Neco H373M
- HBC Pro R-Film 70-90/35mm
- HBC Pro R-Film Flat 720/35mm
- HBC Pro R-Film 350-400/27.2mm
- Sram NX Eagle 1x12
- Sram NX Eagle 12 speed
- Sram NX Eagle 175mm 34T
- Sram PG 1230 Eagle 11-50T
- Shimano MT400 180mm/160mm
- HBC Pro 32h QR9/100mm
- HBC Pro 32h QR9/135mm
- Remerx RRX 32h 29"
- Schwalbe Rocket Ron 29x2.1"
- HEAD – VL1481 Cr-Mo

CODE: 19104

The MTB ALLOY line consist of three different models:
- X-Rubi
- Granger
- Troy

All X-Rubi frames are made of 6061 alloy. They are double butted and heat-threated after the welding. These processes helps us to make it light and strong. Our mountain bikes look agressive due to hydroforming on our top models. In top models you can find tapered forks, thru axles and 1x12 drivetrains.

The Granger and Troy models have new fresh designs and improved cable routing inside the frame.

XRUBI V

frame: **alloy 6061 TPR DB HT**
travel: **100mm**
drivetrain: **1x12 SRAM GX**
sizes: **44, 48, 52, 56 cm**
colour: **black matt/grey**
weight: **12.2 kg**

29"

ALLOY 6061 · DOUBLE BUTTED · HYDROFORMED TUBE · TAPERED HEAD TUBE · 12x142MM · 15x100MM · INTERNAL CABLE ROUTING · POSTMOUNT

- Suntour Axon RLR DS Air 100mm + remote lock
- Neco H385E
- HBC Pro R-Film 70-100/35mm
- HBC Pro R-Film Flat 720/35mm
- HBC Pro R-Film 350-400/31.6mm
- Sram GX Eagle 1x12
- Sram GX Eagle 12 speed
- Truvativ Descendant 6k 175mm 34T
- Sram PG 1230 Eagle 11-50T
- Shimano MT501 180/160mm
- HBC Pro 32h 15x100mm
- HBC Pro 32h 12x142mm
- Remerx XCO Rio 32h 29"
- Schwalbe Rocket Ron 29x2.25" TLE
- HEAD - VL3381
- Wellgo M272T DU

CODE: 19105

XRUBI IV

frame: **alloy 6061 TPR DB HT**
travel: **100mm**
drivetrain: **1x12 SRAM NX**
sizes: **44, 48, 52, 56 cm**
colour: **black matt/green**
weight: **12.8 kg**

29"

ALLOY 6061 · DOUBLE BUTTED · HYDROFORMED TUBE · TAPERED HEAD TUBE · INTERNAL CABLE ROUTING · POSTMOUNT

- Suntour Raidon XC RLR 100mm Air + remote lock
- Neco H385E
- HBC Pro R-Film 70-100/35mm
- HBC Pro R-Film Flat 720/35mm
- HBC Pro R-Film 400/31.6mm
- Sram NX Eagle 1x12
- Sram NX Eagle 12 speed
- Sram NX Eagle 175mm 34T
- Sram PG 1230 Eagle 11-50T
- Shimano MT400 180mm/160mm
- HBC Pro 32h QR9/100mm
- HBC Pro 32h QR9/135mm
- Remerx XCO Rio 32h 29"
- Schwalbe Rapid Rob 29x2.25"
- HEAD - VL3381
- Wellgo M272T DU

CODE: 19106

XRUBI III

frame: **alloy 6061 TPR DB HT**
travel: **100mm**
drivetrain: **2x10 SLX/DEORE**
sizes 29": **44, 48, 52, 56 cm**
27.5": **41, 46, 51, 55 cm**
colour: **black matt/red**
weight: **13.6 kg**

29" 27.5"

ALLOY 6061 · DOUBLE BUTTED · HYDROFORMED TUBE · TAPERED HEAD TUBE · INTERNAL CABLE ROUTING · DIRECT MOUNT · POST MOUNT

- Suntour XCR32 Air RLR DS 100mm + remote lock
- Neco H385E
- HBC Pro 70-100/31.8mm
- HBC Pro MTB 720/31.8mm
- HBC Pro 350-400/31.6mm

- Shimano SLX RDM670 10 speed
- Shimano Deore FDM6020
- Shimano Deore SLM610 2x10
- Shimano Deore FCM617 175mm 36-22
- Shimano HG50 11-36T

- Tektro Gemini M500 180/160mm
- HBC Pro 32h QR9/100mm
- HBC Pro 32h QR9/135mm
- Remerx NB Disc 32h
- Schwalbe Rapid Rob 2.1"

- HEAD - VL3381
- Wellgo M272T DU

CODE: 27.5" - 19107
29" - 19108

XRUBI II

frame: **alloy 6061 DB HT**
travel: **100mm**
drivetrain: **2x10 DEORE**
sizes 29": **44, 48, 52, 56 cm**
27.5": **41, 46, 51, 55 cm**
colour: **black matt/green**
weight: **14.1 kg**

29" 27.5"

ALL ALLOY 6061 · 2B DOUBLE BUTTED · HO HYDROFORMED TUBE · IC INTERNAL CABLE ROUTING · PM POST MOUNT

- Suntour XCM RL DS 100mm + remote lock
- Neco H398
- HBC Pro 70-100/31.8mm
- HBC Pro MTB 720/31.8mm
- HBC Pro 350-400/31.6mm

- Shimano Deore RDM610 10 speed
- Shimano Deore FDM6025
- Shimano Deore SLM6000 2x10
- Suntour XCM D 175mm 38-24/36-22
- Shimano HG50 11-36T

- Tektro Gemini M500 180/160mm
- HBC 32h QR9/100mm
- HBC 32h QR9/135mm
- Remerx NB Disc 32h
- Schwalbe Smart Sam 2.1"

- HEAD - VL3381
- Wellgo M272T DU

CODE: 27.5" - 19109
29" - 19110

XRUBI II

frame: **alloy 6061 DB HT**
travel: **100mm**
drivetrain: **2x10 DEORE**
sizes 29": **44, 48, 52, 56 cm**
27.5": **41, 46, 51, 55 cm**
colour: **yellow matt**
weight: **14.1 kg**

29" 27.5"

ALL ALLOY 6061 · 2B DOUBLE BUTTED · HO HYDROFORMED TUBE · IC INTERNAL CABLE ROUTING · PM POST MOUNT

- Suntour XCM RL DS 100mm + remote lock
- Neco H398
- HBC Pro 70-100/31.8mm
- HBC Pro MTB 720/31.8mm
- HBC Pro 350-400/31.6mm

- Shimano Deore RDM610 10 speed
- Shimano Deore FDM6025
- Shimano Deore SLM6000 2x10
- Suntour XCM D 175mm 38-24/36-22
- Shimano HG50 11-36T

- Tektro Gemini M500 180/160mm
- HBC 32h QR9/100mm
- HBC 32h QR9/135mm
- Remerx NB Disc 32h
- Schwalbe Smart Sam 2.1"

- HEAD - VL3381
- Wellgo M272T DU

CODE: 27.5" - 19109
29" - 19110

XRUBI I

frame: **alloy 6061 DB HT**
travel: **100mm**
drivetrain: **3x9 ALIVIO/ACERA**
sizes 29": **44, 48, 52, 56 cm**
27.5": **41, 46, 51, 55 cm**
colour: **black matt/orange**
weight: **14.2 kg**

29" 27.5"

AL. ALLOY 6061 · 2B DOUBLE BUTTED · HO HYDROFORMED TUBE · IC INTERNAL CABLE ROUTING · PM POSTMOUNT

- Suntour XCT HLO 100mm
- Neco H398
- HBC Pro 70-100/31.8mm
- HBC Pro MTB 720/31.8mm
- HBC Pro 350-400/31.6mm

- Shimano Alivio RDM4000 9 speed
- Shimano Acera FDM3000
- Shimano Altus SLM2000 3x9
- Suntour XCM T410 175mm 40-30-22
- Shimano HG200 11-34T

- Shimano MT200 180/160mm
- HBC 32h QR9/100mm
- HBC 32h QR9/135mm
- Remerx Master Disc 32h
- Schwalbe Smart Sam 2.1"

- HEAD - VL3381
- Wellgo M272T DU

CODE: 27.5" - 19111
29" - 19112

XRUBI I

frame: **alloy 6061 DB HT**
travel: **100mm**
drivetrain: **3x9 ALIVIO/ACERA**
sizes 29": **44, 48, 52, 56 cm**
27.5" **41, 46, 51, 55 cm**
colour: **black matt/yellow**
weight: **14.2 kg**

29" 27.5"

AL. ALLOY 6061 · 2B DOUBLE BUTTED · HO HYDROFORMED TUBE · IC INTERNAL CABLE ROUTING · PM POSTMOUNT

- Suntour XCT HLO 100mm
- Neco H398
- HBC Pro 70-100/31.8mm
- HBC Pro MTB 720/31.8mm
- HBC Pro 350-400/31.6mm

- Shimano Alivio RDM4000 9 speed
- Shimano Acera FDM3000
- Shimano Altus SLM2000 3x9
- Suntour XCM T410 175mm 40-30-22
- Shimano HG200 11-34T

- Shimano MT200 180/160mm
- HBC 32h QR9/100mm
- HBC 32h QR9/135mm
- Remerx Master Disc 32h
- Schwalbe Smart Sam 2.1"

- HEAD - VL3381
- Wellgo M272T DU

CODE: 27.5" - 19111
29" - 19112

XRUBII

frame: **alloy 6061 DB HT**
travel: **100mm**
drivetrain: **3x9 ALIVIO/ACERA**
sizes 29": **44, 48, 52, 56 cm**
27.5": **41, 46, 51, 55 cm**
colour: **green matt**
weight: **14.2 kg**

29" 27.5"

ALLOY 6061 · DOUBLE BUTTED · HYDROFORMED TUBE · INTERNAL CABLE ROUTING · POST MOUNT

- Suntour XCT HLO 100mm
- Neco H398
- HBC Pro 70-100/31.8mm
- HBC Pro MTB 720/31.8mm
- HBC Pro 350-400/31.6mm

- Shimano Alivio RDM4000 9 speed
- Shimano Acera FDM3000
- Shimano Altus SLM2000 3x9
- Suntour XCM T410 175mm 40-30-22
- Shimano HG200 11-34T

- Shimano MT200 180/160mm
- HBC 32h QR9/100mm
- HBC 32h QR9/135mm
- Remerx Master Disc 32h
- Schwalbe Smart Sam 2.1"

- HEAD - VL3381
- Wellgo M272T DU

CODE: 27.5" - 19111
29" - 19112

GRANGER

frame: **alloy 6061 DB HT**
travel: **100mm**
drivetrain: **3x9 ALTUS**
sizes: **42, 47, 52, 56 cm**
colour: **black matt/red**
weight: **14.8 kg**

29"

MTB - alloy

AL. ALLOY 6061 | 2B DOUBLE BUTTED | HO HYDROFORMED TUBE | IC INTERNAL CABLE ROUTING | PM POSTMOUNT

- Suntour XCT HLO 100mm
- Neco H148M
- HBC 70-100/31.8mm
- HBC MTB 720/31.8mm
- HBC 350-400/31.6mm
- Shimano Altus RDM370 9 speed
- Shimano Altus FDM370
- Shimano Altus SLM2000 3x9
- Suntour XCT T414 175mm 44-32-22
- Shimano HG200 11-34T
- Tektro HDM285 180/160mm
- HBC 32h QR9/100mm
- HBC 32h QR9/135mm
- Remerx Master Disc 32h 29"
- Impac Smartpac 29x2.1"
- HEAD - VL1831
- Wellgo C127DU

CODE: 19113

GRANGER

frame: **alloy 6061 DB HT**
travel: **100mm**
drivetrain: **3x9 ALTUS**
sizes: **42, 47, 52, 56 cm**
colour: **black matt/green**
weight: **14.8 kg**

29"

MTB - alloy

AL. ALLOY 6061 | 2B DOUBLE BUTTED | HO HYDROFORMED TUBE | IC INTERNAL CABLE ROUTING | PM POSTMOUNT

- Suntour XCT HLO 100mm
- Neco H148M
- HBC 70-100/31.8mm
- HBC MTB 720/31.8mm
- HBC 350-400/31.6mm
- Shimano Altus RDM370 9 speed
- Shimano Altus FDM370
- Shimano Altus SLM2000 3x9
- Suntour XCT T414 175mm 44-32-22
- Shimano HG200 11-34T
- Tektro HDM285 180/160mm
- HBC 32h QR9/100mm
- HBC 32h QR9/135mm
- Remerx Master Disc 32h 29"
- Impac Smartpac 29x2.1"
- HEAD - VL1831
- Wellgo C127DU

CODE: 19113

TROY II

frame: **alloy 6061 HT**
travel: **100mm**
drivetrain: **3x8 TX800/TY700**
sizes: **41, 46, 51 cm**
colour: **black matt/orange**
weight: **14.2 kg**

27.5"

ALLOY 6061 | INTERNAL CABLE ROUTING | POSTMOUNT

- Zoom HL CH-565D 100mm
- Neco H148M
- HBC 70-90/31.8mm
- HBC MTB 700/31.8mm
- HBC 350/31.6mm
- Shimano RDTX800 8 speed
- Shimano FDTY700
- Shimano EF505 3x8
- Suntour XCC T102 175mm 42-34-24
- Shimano HG31 11-34T
- Shimano EF505 180/160mm
- Formula DC-20 32h QR9/100mm
- Formula DC-22 32h QR9/135mm
- Remerx Dragon 32h 27.5"
- Impac Smartpac 27.5x2.1"
- HEAD - VL1831
- Wellgo LU 895T DU

CODE: 19114

TROY II

frame: **alloy 6061 HT**
travel: **100mm**
drivetrain: **3x8 TX800/TY700**
sizes: **41, 46, 51 cm**
colour: **black matt/yellow**
weight: **14.2 kg**

27.5"

ALLOY 6061 | INTERNAL CABLE ROUTING | POSTMOUNT

- Zoom HL CH-565D 100mm
- Neco H148M
- HBC 70-90/31.8mm
- HBC MTB 700/31.8mm
- HBC – 350/31.6mm
- Shimano RDTX800 8 speed
- Shimano FDTY700
- Shimano EF505 3x8
- Suntour XCC T102 175mm 42-34-24
- Shimano HG31 11-34T
- Shimano EF505 180/160mm
- Formula DC-20 32h QR9/100mm
- Formula DC-22 32h QR9/135mm
- Remerx Dragon 32h 27.5"
- Impac Smartpac 27.5x2.1"
- HEAD - VL1831
- Wellgo LU 895T DU

CODE: 19114

TROY I

frame: **alloy 6061 HT**
travel: **100mm**
drivetrain: **3x8 TX800/TY700**
sizes: **41, 46, 51 cm**
colour: **black matt/blue**
weight: **14.3 kg**

27.5"

ALLOY 6061 · INTERNAL CABLE ROUTING · POST MOUNT

Zoom HL CH-565D 100mm	Shimano RDTX800 8 speed	Tektro MDM280 160/160mm	HEAD - VL1831
Neco H148M	Shimano FDTY700	Formula DC-20 32h QR9/100mm	Wellgo LU 895T DU
HBC 70-90/31.8mm	Shimano TX800 3x8	Formula DC-22 32h QR9/135mm	
HBC MTB 700/31.8mm	Suntour XCC T102 175mm 42-34-24	Remerx Dragon 32h 27.5"	
HBC 350/31.6mm	Shimano HG31 11-34T	Impac Smartpac 27.5x2.1"	

CODE: 19115

TROY I

frame: **alloy 6061 HT**
travel: **100mm**
drivetrain: **3x8 TX800/TY700**
sizes: **41, 46, 51 cm**
colour: **orange matt**
weight: **14.3 kg**

27.5"

ALLOY 6061 · INTERNAL CABLE ROUTING · POST MOUNT

Zoom HL CH-565D 100mm	Shimano RDTX800 8 speed	Tektro MDM280 160/160mm	HEAD - VL1831
Neco H148M	Shimano FDTY700	Formula DC-20 32h QR9/100mm	Wellgo LU 895T DU
HBC 70-90/31.8mm	Shimano TX800 3x8	Formula DC-22 32h QR9/135mm	
HBC MTB 700/31.8mm	Suntour XCC T102 175mm 42-34-24	Remerx Dragon 32h 27.5"	
HBC 350/31.6mm	Shimano HG31 11-34T 8speed	Impac Smartpac 27.5x2.1"	

CODE: 19115

THE JOY LINE

JOY line is a special bicycle line orientated on ladies. Bicycles have to fit them properly.

We have been focused on adjusting the geometry, length of the top tube and standover to make Tacoma perfect for ladies. Design, profile of the saddle, length of stem are selected to meet the expectations of the most demanding users.

Choose your bike and have JOY of it.

TRENTON LADY

frame: **carbon monocoque TPR**
travel: **100mm**
drivetrain: **1x12 SRAM NX**
sizes: **43, 48, 53 cm**
colour: **grey/pink glossy**
weight: **11.3 kg**

29"

CARBON | TAPERED HEAD TUBE | INTERNAL CABLE ROUTING | POSTMOUNT

- Suntour Raidon XC RLR 100mm + remote lock
- Neco H373M
- HBC Pro R-Film 70-90/35mm
- HBC Pro R-Film Flat 720/35mm
- HBC Pro R-Film 350-400/31.6mm
- Sram NX Eagle 12 speed
- Sram NX Eagle 1x12
- Sram NX Eagle 175mm 34T
- Sram PG 1230 Eagle 11-50T
- Shimano MT400 180mm/160mm
- HBC Pro 32h QR9/100mm
- HBC Pro 32h QR9/135mm
- Remerx RRX 32h 29"
- Schwalbe Rocket Ron 29x2.1"
- HEAD – VL1481 Cr-Mo

CODE: 19200

XRUBI lady

frame: **alloy 6061 TPR DB HT**
travel: **100mm**
drivetrain: **2x10 DEORE**
sizes 29": **44, 48, 52 cm**
27.5": **41, 46, 51 cm**
colour: **mint matt**
weight: **13.9 kg**

29" 27.5"

ALLOY 6061 · DOUBLE BUTTED · HYDROFORMED TUBE · INTERNAL CABLE ROUTING · POST MOUNT

Suntour XCM RL DS 100mm + remote lock	Shimano Deore RDM610 10 speed	Shimano MT200 180/160mm	HEAD – VL4125
Neco H398	Shimano Deore FDM6025	HBC 32h QR9/100mm	Wellgo M272T DU
HBC Pro 70-100/31.8mm	Shimano Deore SLM6000 2x10	HBC 32h QR9/135mm	
HBC Pro MTB 720/31.8mm	Suntour XCM D 175mm 38-24	Remerx Master Disc 32h	
HBC Pro 350-400/31.6mm	Shimano HG50 11-36T	Schwalbe Smart Sam 2.1"	

CODE: 27.5" - 19201
29" - 19202

GRANGER

frame: **alloy 6061 DB HT**
travel: **100mm**
drivetrain: **3x9 ALTUS**
sizes: **42, 47, 52, 56 cm**
colour: **black matt/pink**
weight: **14.8 kg**

29"

ALLOY 6061 · DOUBLE BUTTED · HYDROFORMED TUBE · INTERNAL CABLE ROUTING · POST MOUNT

Suntour XCT HLO 100mm	Shimano Altus RDM370 9 speed	Tektro HDM285 180/160mm	HEAD – VL4125
Neco H148M	Shimano Altus FDM370	HBC 32h QR9/100mm	Wellgo C127DU
HBC 70-100/31.8mm	Shimano Altus SLM2000 3x9	HBC 32h QR9/135mm	
HBC MTB 720/31.8mm	Suntour XCT T414 175mm 44-32-22	Remerx Master Disc 32h 29"	
HBC 350-400/31.6mm	Shimano HG200 11-34T	Impac Smartpac 29x2.1"	

CODE: 19203

TACOMA II

frame: **alloy 6061 HT**
travel: **100mm**
drivetrain: **3x9 ACERA/ALTUS**
sizes: **39, 44, 48 cm**
colour: **grey matt/pink**
weight: **13.8 kg**

27.5"

ALLOY 6061 · INTERNAL CABLE ROUTING · POST MOUNT

- Suntour XCT HLO DS 100mm
- Neco H148M
- HBC 70-100/31.8mm
- HBC MTB 680/31.8mm
- HBC 350/31.6mm

- Shimano Acera RDM3000 9 speed
- Shimano Altus FDM370
- Shimano EF505 3x9
- Suntour XCM T414 175mm 44-32-22
- Shimano HG200 11-34T

- Shimano EF505 180/160mm
- Formula DC-20 32h QR9/100mm
- Formula DC-22 32h QR9/135mm
- Remerx Master Disc 32h 27.5"
- Schwalbe Rocket Ron 27.5x2.1"

- HEAD – VL4125
- Wellgo M272T DU

CODE: 19204

TACOMA II

frame: **alloy 6061 HT**
travel: **100mm**
drivetrain: **3x9 ACERA/ALTUS**
sizes: **39, 44, 48 cm**
colour: **lime**
weight: **13.8 kg**

27.5"

ALLOY 6061 · INTERNAL CABLE ROUTING · POST MOUNT

- Suntour XCT HLO DS 100mm
- Neco H148M
- HBC 70-100/31.8mm
- HBC MTB 680/31.8mm
- HBC 350/31.6mm

- Shimano Acera RDM3000 9 speed
- Shimano Altus FDM370
- Shimano EF505 3x9
- Suntour XCM T414 175mm 44-32-22
- Shimano HG200 11-34T

- Shimano EF505 180/160mm
- Formula DC-20 32h QR9/100mm
- Formula DC-22 32h QR9/135mm
- Remerx Master Disc 32h 27.5"
- Schwalbe Rocket Ron 27.5x2.1"

- HEAD – VL4125
- Wellgo M272T DU

CODE: 19204

TACOMA I

- frame: **alloy 6061 HT**
- travel: **100mm**
- drivetrain: **3x8 TX800/TY700**
- sizes: **39, 44, 48 cm**
- colour: **neon pink matt**
- weight: **13.9 kg**

27.5"

ALLOY 6061

INTERNAL CABLE ROUTING

Zoom HL CH-565D 100mm	Shimano RDTX800 8 speed	Tektro C310	HEAD – VL4125
Neco H148M	Shimano FDTY700	Formula OV-31 36h QR9/100mm	Wellgo LU 895T DU
HBC 70-100/31.8mm	Shimano TX800 3x8	Formula OV-32 36h QR9/135mm	
HBC MTB 680/31.8mm	Suntour XCC T102 175mm 42-34-24	Remerx Dragon 36h 27.5"	
HBC 350/31.6mm	Shimano HG31 11-34T	Impac Smartpac 27.5x2.1"	

CODE: 19205

THE dualPWR

dualPWR means more possibilities, more goals to reach. With no uphill and downhill limits. With our ebikes you can go wherever you want.

The 2019 year gives a lot of changes in the HEAD ebikes range. The new collection has been completely refreshed. There you can find new carbon full suspension bikes (Muret), long travel FS alloy bikes (Durango, Terni) and alloy hardtails (Lagos, Granby). In some models we have decided to have a fully integrated battery in the frame for a clean, fresh design.

This year you can choose one of two ebike systems:
- Shimano STePS
- Bafang

We believe that everyone will find the perfect ebike for themselves.

SHIMANO STEPS

On our bikes you can find three different models of Shimano STePS motors. Type of the motor depends on the category of bicycle use.

We are using these three Shimano models:
- STePS e8000 - for enduro and top mountain bikes hardtails
- STePS e7000 - for mountain bikes hardtails
- STePS e6100 - for trekking and cross bicycles.

In the table you can find technical specification about each set of motor + battery.

	E-8000	E-7000	E-6100
Type of motor	middle motor	middle motor	middle motor
Power	250W	250W	250W
Assist modes	boost trail eco walk	boost trail eco walk	high normal eco walk
Max Torque	70Nm	60Nm	50Nm
Battery	504Wh	504Wh	504Wh
Range on full charge*	boost - 50 km trail - 75 km eco - 100 km	boost - 50 km trail - 75 km eco - 100 km	high - 85 km normal - 120 km eco - 170 km

*Power-assist mode and capacity / travel distance (based on combined rider/bike weight of 100 kg, traveling on flat roads at 23 km/h

MURET

frame: **carbon TPR**
travel: **120mm front/100mm rear**
drivetrain: **1x11 SRAM GX**
sizes: **41, 46, 51 cm**
colour: **black matt/orange**
weight: **19.7 kg**

27+ SHIMANO STEPS

CARBON | TAPERED HEAD TUBE | 12x148MM | 15x110MM | INTERNAL CABLE ROUTING | POSTMOUNT | 500Wh

Motor:
- Shimano STePS e8000, 70Nm
- Shimano STePS e8010, 14Ah, 504Wh
- Shimano STePS SCE8000

- Rock Shox Revelation RL 120mm +Oneloc
- Rock Shox Monarch RL 184x44
- Neco H373M
- Controltech CLS 70-90/31.8mm
- Controltech CLS Flat 700/31.8mm

- Controltech CLS 400/31.6mm
- Sram GX 11 speed
- Sram GX eTrigger 1x11
- Shimano STePS FCE8000 175mm 34T
- Sram XG 1150 10-42T

- Shimano MT501 180/180mm
- HBC Pro 32h 15x110mm
- HBC Pro 32h 12x148mm XD
- Remerx WSR 538 32h 27.5"
- Schwalbe Nobby Nic 27.5x2.6" TLE

- HEAD – VL1481 CrN-Ti
- Wellgo M272T DU

CODE: 19300

DURANGO

frame: **alloy 6061 TPR**
travel: **150mm front/150mm rear**
drivetrain: **1x11 SRAM GX**
sizes: **44, 47, 51 cm**
colour: **black matt/red**
weight: **22.9 kg**

27+ SHIMANO STEPS

E-BIKE

ALUMINIUM 6061 | TAPERED HEAD TUBE | 12x148mm | 15x110mm | INTERNAL CABLE ROUTING | POSTMOUNT | 500Wh

Motor:
- Shimano STePS e8000, 70Nm
- Shimano STePS e8020, 14Ah, 504Wh
- Shimano STePS SCE8000

- Suntour Aion RLR 150mm + remote lock
- Suntour DUair LoR 216x63mm
- Neco H373M
- HBC Pro R-Film 70-90/35mm
- HBC Pro R-Film Flat 720/35mm

- Kind Shock Eteni 30.9/100-125mm travel
- Sram GX 11 speed
- Sram NX Trigger 1x11
- Shimano STePS FCE8000 175mm 34T
- Sram PG 1130 11-42T

- Shimano MT501 180/180mm
- HBC Pro 32h 15x110mm
- HBC Pro 32h 12x148mm
- Remerx WSR 538 32h 27.5"
- Schwalbe Nobby Nic 27.5x2.6 TLE

- HEAD – VL3381
- Wellgo M272T DU

CODE: 19302

LAGOS

frame: **alloy 6061 TPR HT**
travel: **120mm**
drivetrain: **1x11 SRAM NX**
sizes: **43, 48, 53 cm**
colour: **yellow**
weight: **22.9 kg**

SHIMANO STEPS 27+

E-BIKE

ALUMINIUM 6061 | TAPERED HEAD TUBE | 12x148mm | 15x110mm | INTERNAL CABLE ROUTING | POSTMOUNT | 500Wh

Motor:
- Shimano STePS e8000, 70Nm
- Shimano STePS e8020, 14Ah, 504Wh
- Shimano STePS SCE8000

- Suntour Raidon RLR 120mm + remote lock
- Neco H373M
- HBC Pro R-Film 70-90/35mm
- HBC Pro R-Film Flat 720/35mm

- Kind Shock Eteni 30.9/100-125mm travel
- Sram NX 11 speed
- Sram NX Trigger 1x11
- Shimano STePS FCE8000 175mm 34T
- Sram PG 1130 11-42T

- Shimano MT400 180/180mm
- HBC Pro 32h 15x110mm
- HBC Pro 32h 12x148mm
- RRX J35S 32h 27.5"
- Schwalbe Nobby Nic 27.5x2.6 TLE

- HEAD – VL3381
- Wellgo M272T DU

CODE: 19303

TERNI

- frame: **alloy 6061 TPR**
- travel: **150mm front/150mm rear**
- drivetrain: **1x11 SRAM NX**
- sizes: **44, 47, 51 cm**
- colour: **grey matt/green**
- weight: **23.1 kg**

27+ SHIMANO STEPS

ALLOY 6061 | TAPERED HEAD TUBE | 12x148MM | 15x110MM | INTERNAL CABLE ROUTING | POST MOUNT | 500WH

Motor:
- Shimano STePS e7000, 60Nm
- Shimano STePS e8020, 14Ah, 504Wh
- Shimano STePS SCE7000

- Suntour Aion RLR 150mm + remote lock
- Suntour DUair LoR 216x63mm
- Neco H373M
- HBC Pro R-Film 70-90/35mm
- HBC Pro R-Film Flat 720/35mm

- Kind Shock Eteni 30.9/100-125mm travel
- Sram NX 11 speed
- Sram NX Trigger 1x11
- Shimano STePS FCE8000 175mm 34T
- Sram PG 1130 11-42T

- Shimano MT400 180/180mm
- HBC Pro 32h 15x110mm
- HBC Pro 32h 12x148mm
- RRX J35S 32h 27.5"
- Schwalbe Nobby Nic 27.5x2.6 TL-Easy

- HEAD – VL3381
- Wellgo M272T DU

CODE: 19304

TERNI lady

frame: **alloy 6061 TPR**
travel: **150mm front/150mm rear**
drivetrain: **1x11 SRAM NX**
sizes: **44, 47, 51 cm**
colour: **mint matt/pink**
weight: **23.1 kg**

27.5+ SHIMANO STEPS

ALLOY 6061 | TAPERED HEAD TUBE | 12x148MM | 15x110MM | INTERNAL CABLE ROUTING | POSTMOUNT | 500WH

Motor:
- Shimano STePS e7000, 60Nm
- Shimano STePS e8020, 14Ah, 504Wh
- Shimano STePS SCE7000

- Suntour Aion RLR 150mm + remote lock
- Suntour DUair LoR 216x63mm
- Neco H373M
- HBC Pro R-Film 70-90/35mm
- HBC Pro R-Film Flat 720/35mm

- Kind Shock Eteni 30.9/100-125mm travel
- Sram NX 11 speed
- Sram NX Trigger 1x11
- Shimano STePS FCE8000 175mm 34T
- Sram PG 1130 11-42T

- Shimano MT400 180/180mm
- HBC Pro 32h 15x110mm
- HBC Pro 32h 12x148mm
- RRX J35S 32h 27.5"
- Schwalbe Nobby Nic 27.5x2.6 TL-Easy

- HEAD – VL3381
- Wellgo M272T DU

CODE: 19305

DAVIS

frame: **alloy 6061 HT TPR**
travel: **100mm**
drivetrain: **1x11 SRAM NX**
sizes: **46, 50 cm**
colour: **black matt/orange**
weight: **21.1 kg**

27+ SHIMANO STEPS

E-BIKE

ALUMINIUM 6061 | TAPERED HEAD TUBE | 12x148mm | 15x110mm | INTERNAL CABLE ROUTING | POSTMOUNT | 500Wh

Motor:
- Shimano STePS e7000, 60Nm
- Shimano STePS e8010, 14Ah, 504Wh
- Shimano STePS SCE7000

- Suntour XCR34 Air RLR 100mm +remote lock
- Neco H373M
- HBC Pro R-Film 80-90/35mm
- HBC Pro R-Film Flat 720/35mm

- HBC Pro R-Film 400/31.6mm
- Sram NX 11 speed
- Sram NX Trigger 1x11
- Shimano STePS FCE8000 175mm 34T
- Sram PG 1130 11-42T

- Shimano MT400 180/180mm
- HBC Pro 32h 15x110mm
- HBC Pro 32h 12x148mm
- RRX J35S 32h 27.5"
- Schwalbe Nobby Nic 27.5x2.6 TLE

- HEAD – VL3381
- Wellgo M272T DU

CODE: 19306

DAVIS

frame: **alloy 6061 HT TPR**
travel: **100mm**
drivetrain: **1x11 SRAM NX**
sizes: **46, 50 cm**
colour: **black matt/green**
black matt/yellow
weight: **21.1 kg**

SHIMANO STEPS 27+

E-BIKE

ALUMINIUM 6061 | TAPERED HEAD TUBE | 12x148mm | 15x110mm | INTERNAL CABLE ROUTING | POSTMOUNT | 500Wh

Motor:
- Shimano STePS e7000, 60Nm
- Shimano STePS e8010, 14Ah, 504Wh
- Shimano STePS SCE7000

- Suntour XCR34 Air RLR 100mm +remote lock
- Neco H373M
- HBC Pro R-Film 80-90/35mm
- HBC Pro R-Film Flat 720/35mm

- HBC Pro R-Film 400/31.6mm
- Sram NX 11 speed
- Sram NX Trigger 1x11
- Shimano STePS FCE8000 175mm 34T
- Sram PG 1130 11-42T

- Shimano MT400 180/180mm
- HBC Pro 32h 15x110mm
- HBC Pro 32h 12x148mm
- RRX J35S 32h 27.5"
- Schwalbe Nobby Nic 27.5x2.6 TLE

- HEAD – VL3381
- Wellgo M272T DU

CODE: 19306

GRANBY E7000

- frame: **alloy 6061 HT TPR**
- travel: **100mm**
- drivetrain: **1x10 DEORE**
- sizes: **46, 51, 55 cm**
- colour: **orange matt**
- **black matt/grey**
- weight: **20.4 kg**

27+ SHIMANO STEPS

E-BIKE

ALLOY 6061 | TAPERED HEAD TUBE | 12x148MM | 15x110MM | INTERNAL CABLE ROUTING | POSTMOUNT | 500WH

Motor:
- Shimano STePS e7000, 60Nm
- Shimano STePS e8010, 14Ah, 504Wh
- Shimano STePS SCE7000

- Suntour XCR34 Air RLR 100mm +remote lock
- Neco H385E
- HBC 70-90/31.8mm
- HBC MTB 720/31.8mm

- HBC 400/31.6mm
- Shimano Deore RDM610 10 speed
- Shimano Deore SLM6000 1x10
- Shimano STePS FCE8000 175mm 34T
- Shimano HG50 11-36T

- Shimano MT200 180/180mm
- HBC Pro 32h 15x110mm
- HBC Pro 32h 12x148mm
- RRX J35S 32h 27.5"
- Schwalbe Nobby Nic 27.5x2.6"

- HEAD – VL3381
- Wellgo M272T DU

CODE: 19307

GRANBY lady E7000

- frame: **alloy 6061 HT TPR**
- travel: **100mm**
- drivetrain: **1x10 DEORE**
- sizes: **46, 51, 55 cm**
- colour: **black matt/pink**
- weight: **20.4 kg**

SHIMANO STEPS 29"

E-BIKE

ALLOY 6061 | TAPERED HEAD TUBE | 12x148MM | 15x110MM | INTERNAL CABLE ROUTING | POSTMOUNT | 500WH

Motor:
- Shimano STePS e7000, 60Nm
- Shimano STePS e8010, 14Ah, 504Wh
- Shimano STePS SCE7000

- Suntour XCR34 Air RLR 100mm +remote lock
- Neco H385E
- HBC 70-90/31.8mm
- HBC MTB 720/31.8mm

- HBC 400/31.6mm
- Shimano Deore RDM610 10 speed
- Shimano Deore SLM6000 1x10
- Shimano STePS FCE8000 175mm 34T
- Shimano HG50 11-36T

- Shimano MT200 180/180mm
- HBC Pro 32h 15x110mm
- HBC Pro 32h 12x148mm
- Remerx NB Disc 32h 29"
- Schwalbe Smart Sam 29x2.25"

- HEAD – VL4125
- Wellgo M272T DU

CODE: 19308

eiPEAK E6100

- frame: **alloy 6061 HT**
- travel: **63mm**
- drivetrain: **1x9 Alivio**
- sizes: **men 50, 55, 59 cm**
  women 46, 50, 54 cm
- colour: **men - black matt/green**
  women - black matt/pink
- weight: **20.5 kg**

28" SHIMANO STEPS

ALLOY 6061 · HYDROFORMED TUBE · INTERNAL CABLE ROUTING · 500Wh

E-BIKE

Motor:

- Shimano STePS e6100, 50Nm
- Shimano STePS e8010, 14Ah, 504Wh
- Shimano STePS SCE6100

- Suntour NEX-E25 HLO 63mm
- Neco H113
- HBC 100/31.8mm - adjustable
- HBC 660/31.8mm

- HBC 350/27.2mm
- Shimano Alivio RDT4000 9 speed
- Shimano Altus SLM2000 1x9
- Shimano FCE6100 175mm 44T
- Shimano HG200 11-32T

- Shimano MT200 160/160mm
- Formula DC-20 32h QR9/100mm
- Formula DC-22 32h QR9/135mm
- Remerx Dragon 719 32h 28"
- Schwalbe Smart Sam 28x1.6"

- HEAD – VL4333/VL3389
- Wellgo C169T 2DU

CODE: MEN - 19309
WOMEN - 19310

eREVELO E6100

- frame: **alloy 6061 HT**
- travel: **63mm**
- drivetrain: **1x9 Alivio**
- sizes: **men 50, 55, 59 cm**
  women 46, 50, 54 cm
- colour: **men - black matt/grey**
  women - black matt/grey
- weight: **22.6 kg**

SHIMANO STEPS 28"

ALLOY 6061 · HYDROFORMED TUBE · INTERNAL CABLE ROUTING · 500Wh

E-BIKE

Motor:

- Shimano STePS e6100, 50Nm
- Shimano STePS e8010, 14Ah, 504Wh
- Shimano STePS SCE6100

- Suntour Nex-E25 HLO 63mm
- Neco H113
- HBC 100/31.8mm - adjustable
- HBC 660/31.8mm

- HBC – 350/27.2mm
- Shimano Alivio RDT4000 9 speed
- Shimano Altus SLM2000 1x9
- Shimano FCE6100 175mm 44T
- Shimano HG200 11-32T

- Shimano MT200 160/160mm
- Formula DC-20 32h QR9/100mm
- Formula DC-22 32h QR9/135mm
- Remerx Dragon 719 32h 28"
- Schwalbe Citizen + RT 28x1.6"

- HEAD – VL4333/VL6309
- Wellgo C169T 2DU
- Axa Blueline 30
- Axa Blueline

CODE: MEN - 19311
WOMEN - 19312

BAFANG

The Bafang units are fitted in well known Granby, Trivor, Dayton and the new models of the RM series: I-Peak, Revelo and City.

The RM series is something new in our collection. These bikes have a motor that is placed in the rear hub of the bike and battery is fitted either on the down tube or carrier. The engine in the rear wheel gives you more grip.

On the ebikes with Bafang motor we are using these two motors:
- MM G330
- RM G020

Close specification of each variant is presented in the table below.

	MM G330	RM G020
Type of motor	middle motor	rear hub motor
Power	250W	250W
Assist modes	assist mode 1-5 walk	assist mode 1-5 walk
Type of sensor	speed and torque integrated	
Max Torque	80Nm	45Nm
Battery	500Wh	500Wh
Range on full charge*	110 km (Dorado ID-1)	80 km (Greenway ZZ98)

*Power-assist mode and capacity / travel distance (based on combined rider/bike weight of 100 kg, traveling on flat roads at 23 km/h

GRANBY BAFANG

frame: **alloy 6061 HT TPR**
travel: **100mm**
drivetrain: **1x9 Shimano ALTUS**
sizes: **46, 51, 55 cm**
colour: **black matt/yellow**
weight: **22.4 kg**

27+ BAFANG

ALLOY 6061 | TAPERED HEAD TUBE | 12x148MM | 15x110MM | INTERNAL CABLE ROUTING | POSTMOUNT | 500WH

Motor:
- Bafang G330.250, 80Nm
- Dorado ID-1, 500Wh 36V, 14.5Ah
- Bafang DP C07

- Suntour XCM 34 RL 100mm + remote lock
- Neco H385E
- HBC 80-100/31.8mm
- HBC MTB 720/31.8mm

- HBC 400/31.6mm
- Shimano Altus RDM2000 9 speed
- Shimano Altus SLM2000 1x9
- Bafang Boost 170mm 38T
- Shimano HG200 11-36T

- Tektro HDM285 180/160mm
- HBC Pro 32h 15x110mm
- HBC Pro 32h 12x148mm
- RRX J35S 32h 27.5"
- Schwalbe Nobby Nic 27.5x2.6 TLE

- HEAD – VL1831
- Wellgo M272T DU

CODE: 19315

DAYTON

frame: **alloy 6061 HT**
travel: **63mm**
drivetrain: **1x9 Shimano Deore**
sizes: **men 50, 55, 59 cm**
women 46, 50, 54 cm
colour: **men - black matt/green**
women - black matt/green
weight: **22.4 kg**

28" BAFANG

ALLOY 6061 | HYDROFORMED TUBE | INTERNAL CABLE ROUTING | 500WH

Motor:
- Bafang G330.250, 80Nm
- Dorado ID-1, 500Wh 36V, 14.5Ah
- Bafang DP C07

- Suntour NEX E25 HLO 63mm
- Neco H113
- HBC 90-100/31.8mm - adjustable
- HBC 660/31.8mm

- HBC – 350/27.2mm
- Shimano Deore RDM591 9 speed
- Shimano Altus SLM2000 1x9
- Bafang 170mm 38T
- Shimano HG200 11-32T

- Tektro HDM285 160/160mm
- Formula DC-20 32h QR9/100mm
- Formula DC-22 32h QR9/135mm
- Remerx Dragon 719 32h 28"
- Schwalbe Smart Sam 28x1.6"

- HEAD – VL4333/VL3389
- Wellgo C169T 2DU

CODE: MEN - 19316
WOMEN - 19317

TRIVOR

frame: **alloy 6061 HT**
travel: **63mm**
drivetrain: **1x9 Shimano DEORE**
sizes: **men 50, 55, 59 cm**
women 46, 50, 54 cm
colour: **men - black matt/grey**
women - black matt/red
weight: **23.6 kg**

28" BAFANG

ALUMINUM ALLOY 6061 · HYDROFORMED TUBE · INTERNAL CABLE ROUTING · 500Wh

E-BIKE

Motor:
- Bafang G330.250, 80Nm
- Dorado ID-1, 500Wh 36V, 14.5Ah
- Bafang DP C07

- Suntour NEX E25 HLO 63mm
- Neco H113
- HBC 100/31.8mm - adjustable
- HBC 660/31.8mm

- HBC – 350/27.2mm
- Shimano Deore RDM591 9 speed
- Shimano Altus SLM2000 1x9
- Bafang 170mm 38T
- Shimano HG200 11-32T

- Tektro HDM285 160/160mm
- Formula DC-20 32h QR9/100mm
- Formula DC-22 32h QR9/135mm
- Remerx Dragon 719 32h 28"
- Schwalbe Citizen + RT 28x1.6"

- HEAD – VL4333/VL6309
- Wellgo C169T 2DU
- Axa Blueline 30
- Axa Blueline

CODE: MEN - 19318
WOMEN - 19319

eiPEAK RM

frame: **alloy 6061 HT**
travel: **63mm**
drivetrain: **3x8 ALTUS/TY710**
sizes: **men 50, 55, 59 cm**
women 46, 50, 54 cm
colour: **men - black matt/blue**
women - grey matt/lime
weight: **20.7 kg**

28" BAFANG

ALUMINUM ALLOY 6061 · HYDROFORMED TUBE · INTERNAL CABLE ROUTING · 500Wh

E-BIKE

Motor:
- Bafang G020, 45Nm - rear
- Greenway ZZ98, 500Wh 36V, 14Ah
- Bafang DP C10

- Suntour Nex-E25 HLO 63mm
- Neco H113
- HBC 100/31.8mm - adjustable
- HBC 660/31.8mm
- HBC350/27.2mm

- Shimano Altus RDM310 8 speed
- Shimano RDTY710
- Shimano Altus SLM310 3x8
- Prowheel TYCM-02 48-38-28
- Shimano HG31 11-32T

- Shimano MT200 160/160mm
- Formula DC-20H 36h QR9/100mm
- Rear Motor RM G020 250D 36h
- Remerx Dragon 719 36H 28"
- Schwalbe Smart Sam 28x1.6"

- HEAD – VL4333/VL6309
- Wellgo C127 DU

CODE: MEN - 19320
WOMEN - 19321

eREVELO RM

frame: **alloy 6061 HT**
travel: **63mm**
drivetrain: **3x8 ALTUS/TY710**
sizes: **men 50, 55, 59 cm**
women 46, 50, 54 cm
colour: **men - black matt/red**
women - black matt/red
weight: **22.4 kg**

28" BAFANG

ALL ALLOY 6061 · HQ HYDROFORMED TUBE · IC INTERNAL CABLE ROUTING · 500Wh

E-BIKE

Motor:
- Bafang G020, 45Nm - rear
- Greenway ZZ98, 500Wh 36V, 14Ah
- Bafang DP C10

- Suntour NEX E25 HLO 63mm
- Neco H113
- HBC 100/31.8mm - adjustable
- HBC 660/31.8mm
- HBC 350/27.2mm

- Shimano Altus RDM310 8 speed
- Shimano RDTY710
- Shimano Altus SLM310 3x8
- Prowheel TYCM-02 48-38-28
- Shimano HG31 11-32T

- Shimano MT200 160/160mm
- Formula DC-20H 36h QR9/100mm
- Rear Motor RM G020 250D 36h
- Remerx Dragon 719 36h 28"
- Schwalbe Citizen + RT 28x1.6"

- HEAD – VL3389
- Wellgo C169T 2DU
- Axa Blueline 30
- Axa Blueline

CODE: MEN - 19322
WOMEN - 19323

eCITY RM

frame: **alloy 6061 HT**
travel: **45mm**
drivetrain: **1x7 TY300**
sizes: **28" - 46 cm, 26" - 44 cm**
colour: **black matt/orange**
grey matt/green
weight: **22.6 kg**

BAFANG 28" 26"

ALL ALLOY 6061 · HQ HYDROFORMED TUBE · IC INTERNAL CABLE ROUTING · 500Wh

E-BIKE

Motor:
- Bafang G020, 45Nm - rear
- Greenway YJ98, 500Wh 36V, 14Ah
- Bafang DP C10

- Zoom HL 141 45mm
- Neco H113
- HBC 100/31.8mm - adjustable
- HBC 660/31.8mm
- HBC 350/27.2mm

- Shimano RDTY300 7 speed
- Shimano SLRS36 1x7
- Prowell Pro A38 170mm
- Shimano FTZ500 14-28T
- Tektro C310

- Formula OV-31 36h QR9/100mm
- Rear Motor RM G020 250D 36h
- Remerx Dragon 719 36h
- Schwalbe Citizen + RT 1.6"
- HEAD – VL3389

- Wellgo C169T 2DU
- Axa Blueline 30
- Axa Blueline

CODE: 26" - 19324
28" - 19325

THE ISPEED LINE

The I-Speed line is something special for every road bike fan, but not only for them. The new season brings changes in the entire road bike collection: new designs, new shapes of the frames, better materials.

You can choose from five different specifications. The top model - I-Speed V has Shimano Ultegra Di2 drivetrain and HBC RRX Fourty5 full carbon wheels. This is the lightest road bike that we ever made.

iSPEED V

- frame: **carbon aero TPR**
- fork: **carbon dual chamber**
- drivetrain: **2x11 Ultegra Di2**
- sizes: **57, 59, 61 cm**
- colour: **black matt/grey**
- weight: **7.5 kg**

28"

CARBON | TAPERED HEAD TUBE | DIRECT MOUNT | INTERNAL CABLE ROUTING | PRESS FIT

- Dual chamber carbon
- Neco H373M
- Controltech EXL 90-110/31.8mm
- Controltech Cougar 440/31.8mm
- HBC Carbon

- Shimano Ultegra RDR8050 Di2 11 speed
- Shimano Ultegra FDR8050 Di2
- Shimano Ultegra STR8050 2x11
- Shimano Ultegra FCR8000 172.5mm 50-34
- Shimano Ultegra CSR8000 11-32T

- Shimano Ultegra BRR8000
- HBC Pro 20h Straight QR9/100mm
- HBC Pro 24h Straight QR9/130mm
- RRX Fourty5 28h Carbon 28"
- Schwalbe One 700x23c

- HEAD – VL1799 Carbon

CODE: 19400

iSPEED IV

frame: **carbon aero TPR**
fork: **carbon dual chamber**
drivetrain: **2x11 Ultegra**
sizes: **57, 59, 61 cm**
colour: **black matt/green**
weight: **7.7 kg**

28"

CARBON | TAPERED HEAD TUBE | DIRECT MOUNT | INTERNAL CABLE ROUTING | PRESS FIT

- Dual chamber carbon
- Neco H373M
- Controltech CLS 90-110/31.8mm
- Controtlech One Road 440/31.8mm
- HBC Carbon

- Shimano Ultegra RDR8000 11 speed
- Shimano Ultegra FDR8000
- Shimano Ultegra STR8000 2x11
- Shimano Ultegra FCR8000 172.5mm 50-34
- Shimano Ultegra CSR8000 11-32T

- Shimano Ultegra BRR8000
- DT Swiss SPLINE P1800 QR9/100mm
- DT Swiss SPLINE P1800 QR9/130mm
- DT Swiss SPLINE P1800 28"
- Schwalbe One 700x23c

- HEAD – VL1799 CrN-Ti

CODE: 19401

iSPEED III

frame: **carbon aero TPR**
fork: **carbon**
drivetrain: **2x11 105**
sizes: **52 cm**
colour: **black matt/yellow**
weight: **8.2 kg**

28"

ROAD

CARBON | TAPERED HEAD TUBE | 12x142MM | 12x100MM | INTERNAL CABLE ROUTING | DIRECT MOUNT | PRESS FIT

- Full Carbon
- Neco H373M
- Controltech CLS 90-100/31.8mm
- Controtlech One Road 440/31.8mm
- HBC Carbon

- Shimano 105 RDR7000 11 speed
- Shimano 105 FDR7000
- Shimano 105 STRS505 2x11
- Shimano 105 FCR7000 172.5mm 50-34
- Shimano 105 CSR7000 11-32T

- Shimano 105 BRRS505 140/140mm CL
- DT Swiss SPLINE P1800 12x100mm CL
- DT Swiss SPLINE P1800 12x142mm CL
- DT Swiss SPLINE P1800 28"
- Schwalbe One 700x23c

- HEAD – VL1799 CrN-Ti

CODE: 19402

iSPEED II

frame: **carbon TPR**
fork: **carbon**
drivetrain: **2x11 105**
sizes: **54, 56, 59 cm**
colour: **black matt/silver**
weight: **8.9 kg**

28"

ROAD

CARBON | TAPERED HEAD TUBE | DIRECT MOUNT | INTERNAL CABLE ROUTING

- Full Carbon
- Neco H373M
- HBC Pro 80-110/31.8mm
- HBC Pro Road 440/31.8mm
- HBC Carbon 400mm

- Shimano 105 RDR7000 11 speed
- Shimano 105 FDR7000
- Shimano 105 STR7000 2x11
- Shimano 105 FCR7000 172.5mm 50-34
- Shimano 105 CSR7000 11-32T

- Shimano 105 BRR7000
- Shimano 105 HBR7000 32h QR9/100mm
- Shimano 105 FHR7000 32h QR9/130mm
- Remerx Rapid 32h 28"
- Schwalbe One 700x23c

- HEAD – VL1799 CrN-Ti

CODE: 19403

iSPEED I

- frame: **alloy 6061 TB TPR HT**
- fork: **carbon**
- drivetrain: **2x9 Sora**
- sizes: **52, 56, 59, 61 cm**
- colour: **black matt/yellow**
- weight: **9.8 kg**

28"

ALLOY 6061 · TAPERED HEAD TUBE · TRIPPLE BUTTED · INTERNAL CABLE ROUTING

Full Carbon	Shimano Sora RDR3000 9 speed	Shimano Sora BRR3000	HEAD – VL1799 Cr-Mo
Neco H373M	Shimano Sora FDR3000	Shimano Sora HBRS300 32h QR9/100mm	
HBC Pro 80-100/31.8mm	Shimano Sora STR3000 2x9	Shimano Sora FHRS300 32h QR9/130mm	
HBC Pro Road 440/31.8mm	Shimano Sora FCR3000 175mm 50-34	Remerx Rapid 32h 28"	
HBC Pro 400/31.6mm	Shimano HG400 11-32T	Schwalbe Lugano 700x23c	

CODE: 19404

THE GRAVEL ROADS

When the asphalt road ends, you need a bike that will be able to take you to the forest path and back on tarmac, Picton is the bike that will be able to meet this challenge. It is all about the adventures that you can make on your bike and HEAD Picton Gravel bike is waiting for it.

You can choose one of two specification variants with Shimano Tiagra 2x10 and Sram Apex 1x11 drivetrains. No matter the terrain, weather or location, our gravel bikes are ready to give you as much fun as possible on your every adventure.

When the asphalt road ends the adventure on a gravel bike starts.t

PICTON II

frame: **alloy 6061 TPR DB HT**
fork: **carbon**
drivetrain: **1x11 SRAM APEX**
sizes: **50, 54, 58, 61 cm**
colour: **green matt**
weight: **10.2 kg**

28"

ALLOY 6061 · DOUBLE BUTTED · TAPERED HEAD TUBE · 12x142MM · 15x100MM · INTERNAL CABLE ROUTING

- Carbon Fork 15x100mm
- Neco H373M
- HBC 90-120/31.8mm
- HBC 440/31.8mm
- HBC Pro 350/31.6mm
- Sram Apex 1 1x11
- Sram Apex 1 11 speed
- Sram Apex 1 175mm 44T
- Sram PG 1130 11-42T
- Sram Apex 1 160/160mm
- HBC Pro 32h 15x100mm
- HBC Pro 32h 12x142mm
- Weinmann - Impulse 32h 28"
- Schwalbe G-One 622-40
- HEAD – VL1782

CODE: 19500

PICTON I

frame: **alloy 6061 TPR DB HT**
fork: **carbon**
drivetrain: **2x10 Tiagra**
sizes: **50, 54, 58, 61 cm**
colour: **orange matt**
weight: **10.5 kg**

28"

ALLOY 6061 · DOUBLE BUTTED · TAPERED HEAD TUBE · INTERNAL CABLE ROUTING

- Carbon Fork QR9
- Neco H373M
- HBC 90-120/31.8mm
- HBC 440/31.8mm
- HBC 350/31.6mm
- Shimano Tiagra RD4700 10 speed
- Shimano FDCX70
- Shimano Tiagra ST4700 2x10
- Shimano FCCX50 175mm 46-36
- Shimano HG500 11-34T
- Tektro Mira MD-C400 160/160mm
- HBC 32h QR9/100mm
- HBC 32h QR9/135mm
- Weinmann - Impulse 32h 28"
- Schwalbe G-One 622-35
- HEAD – VL1782

CODE: 19501

THE CROSS JOURNEY

The HEAD cross bike line consists of well known X-Rubi Cross and I-Peak models. The new collection has brought new designs and upgraded frames. All frames are made of high quality 6061 alloy, with hydroformed tubes, what gives the bike a unique look. All cables are routed inside the frame tubes, so they look very nice and clean.

Various of specifications and durable components making HEAD cross bikes a great choice for a town-to-forest journeys.

XRUBI CROSS

- frame: **alloy 6061 TPR DB HT**
- travel: **100mm**
- drivetrain: **3x10 DEORE**
- sizes: **48, 52, 56 cm**
- colour: **black matt/red**
- weight: **13.9 kg**

28"

ALLOY 6061 · DOUBLE BUTTED · HYDROFORMED TUBE · TAPERED HEAD TUBE · INTERNAL CABLE ROUTING · DIRECT MOUNT

- Suntour XCM RL DS 100mm + remote lock
- Neco H398
- HBC 80-100/31.8mm
- HBC Cross 660/31.8mm
- HBC 400/31.6mm

- Shimano Deore RDM610 10 speed
- Shimano Deore FDT6000
- Shimano Deore SLM6000 3x10
- Suntour XCM T424 175mm 44-32-22
- Shimano HG50 11-36T

- Shimano MT200 180/160mm
- HBC 32h QR9/100mm
- HBC 32h QR9/135mm
- Remerx NB Disc 32h 28"
- Schwalbe Smart Sam 28x1.6"

- HEAD – VL3389
- Wellgo M272T DU

CODE: 19600

iPEAK II

- frame: **alloy 6061 HT**
- travel: **63mm**
- drivetrain: **3x9 ACERA/ALTUS**
- sizes: **men 50, 55, 59 cm**
  women 46, 50, 54 cm
- colour: **men - black matt/green**
  women - grey matt/lime
- weight: **13.7 kg**

28"

ALLOY 6061 · HYDROFORMED TUBE · INTERNAL CABLE ROUTING

- Suntour NEX HLO DS 63mm
- Neco H113
- HBC 90-100/31.8mm - adjustable
- HBC Cross 660/31.8mm
- HBC – 350/27.2mm

- Shimano Acera RDM3000 9 speed
- Shimano Altus FDM370
- Shimano EF505 3x9
- Suntour XCM T418 175mm 48-36-26
- Shimano HG200 11-32T

- Shimano EF505 160/160mm
- Formula DC-20 32h QR9/100mm
- Formula DC-22 32h QR9/135mm
- Remerx Dragon 719 32h 28"
- Schwalbe Smart Sam 28x1.6"

- HEAD – VL3389/VL4333
- Wellgo C127DU

CODE: MEN - 19601
WOMEN - 19602

iPEAK I

frame: **alloy 6061 HT**
travel: **63mm**
drivetrain: **3x8 TX800/TY710**
sizes: **men 50, 55, 59 cm**
women 46, 50, 54 cm
colour: **men - black matt/blue**
women - grey matt/pink
weight: **14.5 kg**

28"

ALLOY 6061 · HYDROFORMED TUBE · INTERNAL CABLE ROUTING

- Zoom CH-189 AMS 63mm
- Neco H113
- HBC 85-105/25.4mm - adjustable
- HBC Cross 660/25.4mm
- HBC 350/27.2mm

- Shimano RDTX800 8 speed
- Shimano Tourney FDTY710
- Shimano TX800 3x8
- Suntour XCE T318 175mm 48-38-28
- Shimano HG31 11-32T

- Tektro MDM280 160/160mm
- Formula DC-20 32h QR9/100mm
- Formula DC-22 32h QR9/135mm
- Remerx Dragon 719 32h 28"
- Kenda 700x40c + RT

- HEAD – VL3389/VL4333
- Wellgo LU 895T DU

CODE: MEN - 19603
WOMEN - 19604

THE TREKKING PATHS

The Revelo trekking bicycles are also known as long-distance bicycles - they are perfect for long, demanding trips and excursions. Thanks to the universal and comfortable construction, they can be successfully used for asphalt rides as well as for rides on unpaved paths and off-road tracks.

Due to the fact that trekking bikes are designed for long distance travels all models have been equipped with functional accessories, such as: dynamo and electric lamp, mudguards or carrier. The carriers on trekking bikes are adapted to the installation of special bicycle bags in which you can carry equipment necessary for longer trips.

REVELO II

frame: **alloy 6061 HT**
travel: **63mm**
drivetrain: **3x9 DEORE/ALTUS**
sizes: **men 50, 55, 59 cm**
women 46, 50, 54 cm
colour: **men - black matt/green**
women - black matt/green
weight: **15.9 kg**

28"

ALLOY 6061 · HYDROFORMED TUBE · INTERNAL CABLE ROUTING

TREKKING

- Suntour Nex HLO DS 63mm
- Neco H113
- HBC 100/31.8MM - adjustable
- HBC Trekking – 660/31.8mm
- HBC 350/27.2mm

- Shimano Deore RDM591 9 speed
- Shimano Altus FDM370
- Shimano EF505 3x9
- Suntour XCM T418 175mm 48-36-26
- Shimano HG200 11-32T

- Shimano EF505 160/160mm
- Dynamo Shimano DH3 32h 100mm
- Formula DC-22 32h QR9/135mm
- Remerx Dragon 719 32h 28"
- Schwalbe Citizen + RT 28x1.4"

- HEAD – VL4333/VL6309
- Wellgo C169T 2DU
- Axa Echo 15
- Axa slim

CODE: MEN - 19700
WOMEN - 19701

REVELO I

frame: **alloy 6061 HT**
travel: **63mm**
drivetrain: **3x8 ALTUS/TY710**
sizes: **men 50, 55, 59 cm**
women 46, 50, 54 cm
colour: **men - black matt/blue**
women - black matt/blue
weight: **15.9 kg**

28"

ALLOY 6061 · HYDROFORMED TUBE · INTERNAL CABLE ROUTING

TREKKING

- Suntour Nex HLO P 63mm
- Neco H113
- HBC 90-100/31.8mm - adjustable
- HBC Trekking 660/31.8mm
- HBC 350/27.2mm

- Shimano Altus RDM310 8 speed
- Shimano FDTY710
- Shimano STEF500 3x8
- Suntour XCE T318 48-38-28 175mm
- Shimano HG31 11-32T

- Tektro C310
- Dynamo Shimano DH3 36h 100mm
- Formula OV-32-RQR 36h QR9/135mm
- Remerx Dragon 719 36h 28"
- Schwalbe Citizen + RT 28x1.4"

- HEAD – VL4333/VL6309
- Wellgo LUC157
- Axa Echo 15
- Axa slim

CODE: MEN - 19702
WOMEN - 19703

THE CITY CRUISING

Free movement around the city is one of the most pleasant moments you can afford by choosing city bikes as a possibility of transport. HEAD City line is adapted for comfortable asphalt driving among trees. While riding a bike, you can find the real charms of the city avoiding stressful traffic jams.

Comfortable and safe driving around the city streets brings a lot of relaxation and sports activity at the same time

Say goodbye to traffic jams on the streets and enjoy free movement around every corner of your city!

103
CITY

frame: **alloy 6061 HT**
travel: **40mm**
drivetrain: **Nexus 7G**
sizes: **28" - 46 cm, 26" - 44 cm**
colour: **black matt/orange**
grey matt/green
weight: **28"-16.1 kg**
26"-15.9 kg

28" 26"

ALLOY 6061 INTERNAL CABLE ROUTING

- Suntour CR7 40mm
- Neco H113
- HBC 90-100/31.8mm - adjustable
- HBC City 660/31.8mm
- HBC Pro 350/31.6mm
- Shimano Nexus 7G
- Nexus 7 Speed
- Prowell Pro A38-170mm
- Steel 22T
- Tektro C310
- Dynamo Shimano DHC3000 36h 100mm
- Shimano SGC3001 36h 135mm
- Remerx Dragon 719 36h
- Schwalbe Citizen 1.75"
- HEAD – VL6310
- Wellgo C169T 2DU
- Axa Echo 15
- Axa Slim

CODE: 26" - 19800
28" - 19801

frame: **alloy 6061 HT**
travel: **40mm**
drivetrain: **Nexus 7G**
sizes: **28" - 46 cm, 26" - 44 cm**
colour: **black matt/orange**
grey matt/green
weight: **28"-16.1 kg**
26"-15.9 kg

28" 26"

ALLOY 6061 INTERNAL CABLE ROUTING

- Suntour CR7 40mm
- Neco H113
- HBC 90-100/31.8mm - adjustable
- HBC City 660/31.8mm
- HBC Pro 350/31.6mm
- Shimano Nexus 7G
- Nexus 7 Speed
- Prowell Pro A38-170mm
- Steel 22T
- Tektro C310
- Dynamo Shimano DHC3000 36h 100mm
- Shimano SGC3001 36h 135mm
- Remerx Dragon 719 36h
- Schwalbe Citizen 1.75"
- HEAD – VL6310
- Wellgo C169T 2DU
- Axa Echo 15
- Axa Slim

CODE: 26" - 19800
28" - 19801

THE KID'S FUN

HEAD Kid's bicycle line is a great first step for young riders looking forward to start mountain biking. All bikes have 6061 alloy frames, that helps us to make them light. Designs are colorful and they are inspired by the adult X-Rubi and JOY lines. Even the youngest kids will find something special for themselves, the smallest bike in our offer is built on 16" wheels.

Your kid will never get bored of his HEAD bike.

RIDOTT III 26

- frame: **alloy 6061 HT**
- travel: **100mm**
- drivetrain: **3x8 TX800/TY700**
- size: **36 cm**
- colour: **black matt/orange**
- weight: **13.3 kg**

26"

ALLOY 6061 INTERNAL CABLE ROUTING

KID 26"

Zoom HL CH-565D 100mm	Shimano RDTX800 8 speed	Shimano EF505 160/160mm	HEAD – VL7040
Neco H142	Shimano FDTY700	Formula DC-20 32h QR9/100mm	Wellgo LU 895T DU
HBC 70/25.4mm	Shimano EF505 3x8	Formula DC-22 32h QR9/135mm	
HBC MTB 560/25.4mm	Suntour XCC T102 175mm 42-34-24	Remerx Dragon 32h 26"	
HBC 300/27.2mm	Shimano HG31 11-34T	Kenda 26x1.95"	

CODE: 19900

RIDOTT II 26

- frame: **alloy 6061 HT**
- travel: **100mm**
- drivetrain: **3x8 TX700/TY800**
- size: **36 cm**
- colour: **black matt/yellow**
- weight: **13.6g**

26"

ALLOY 6061 INTERNAL CABLE ROUTING

KID 26"

Zoom HL CH-565D 100mm	Shimano RDTX800 8 speed	Tektro MDM280 160/160mm	HEAD – VL7040
Neco H142	Shimano FDTY700	Formula DC-20 32h QR9/100mm	Wellgo LU 895T DU
HBC 70/25.4mm	Shimano TX800 3x8	Formula DC-22 32h QR9/135mm	
HBC MTB 560/25.4mm	Suntour XCC T102 175mm 42-34-24	Remerx Dragon 32h 26"	
HBC 300/27.2mm	Shimano HG31 11-34T	Kenda 26x1.95"	

CODE: 19901

RIDOTT | 26

- frame: **alloy 6061 HT**
- travel: **100mm**
- drivetrain: **3x8 TX800/TY700**
- size: **36 cm**
- colour: **orange matt**
- weight: **12.9 kg**

26"

ALLOY 6061

INTERNAL CABLE ROUTING

Zoom HL CH-565 100mm	Shimano RDTX800 8 speed	Tektro C310	HEAD – VL7040
Neco H142	Shimano FDTY700	Formula OV-31 36h QR9/100mm	Wellgo LU 895T DU
HBC 70/25.4mm	Shimano TX800 3x8	Formula OV-32 36h QR9/135mm	
HBC MTB 560/25.4mm	Suntour XCC T102 175mm 42-34-24	Remerx Dragon 36h 26"	
HBC 300/27.2mm	Shimano HG31 11-34T	Kenda 26x1.95"	

CODE: 19902

RIDOTT III 24

frame: **alloy 6061 HT**
travel: **50mm**
drivetrain: **3x8 TX800/TY700**
size: **34 cm**
colour: **black matt/blue**
weight: **12.4 kg**

24"

ALLOY 6061 INTERNAL CABLE ROUTING

Zoom HL CH-565D 50mm	Shimano RDTX800 8 speed	Shimano EF505 160/160mm	HEAD – VL7040
Neco H142	Shimano FDTY700	Formula DC-20 32h QR9/100mm	Wellgo LU 895T DU
HBC 70/25.4mm	Shimano EF505 3x8	Formula DC-22 32h QR9/135mm	
HBC MTB 560/25.4mm	Suntour XCE Jr312 152 mm 42-34-24	Remerx Dragon 32h 24"	
HBC – 300/27.2mm	Shimano HG31 11-34T	Schwalbe Black Jack 24x1.9"	

CODE: 19903

RIDOTT II 24

frame: **alloy 6061 HT**
travel: **50mm**
drivetrain: **3x7 TY300/TY300**
size: **34 cm**
colour: **black matt/green**
weight: **12.9g**

24"

ALLOY 6061 INTERNAL CABLE ROUTING

Zoom HL CH-565D 50mm	Shimano RDTY300 7 speed	Tektro MDM280 160/160mm	HEAD – VL7040
Neco H142	Shimano FDTY300	Formula DC-20 32h QR9/100mm	Wellgo LU 895T DU
HBC 70/25.4mm	Shimano STEF41 3x7	Formula DC-31 32h QR9/135mm	
HBC MTB 560/25.4mm	Suntour XCE Jr312 152mm 42-34-24	Remerx Dragon 32h 24"	
HBC 300/27.2mm	Shimano FTZ500 14-28T	Kenda 24x1.95"	

CODE: 19904

RIDOTT I 24

- frame: **alloy 6061 HT**
- travel: **50mm**
- drivetrain: **3x7 TY300/TY300**
- size: **34 cm**
- colour: **orange matt**
- weight: **12.2 kg**

24"

ALLOY 6061

INTERNAL CABLE ROUTING

Zoom HL CH-565 50mm	Shimano RDTY300 7 speed	Tektro C310	HEAD – VL7040
Neco H142	Shimano FDTY300	Formula OV-31 36h QR9/100mm	Wellgo LU 895T DU
HBC 70/25.4mm	Shimano STEF41 3x7	Formula OV-32 36h QR9/135mm	
HBC MTB 560/25.4mm	Suntour XCE Jr312 152mm 42-34-24	Remerx RMX 219-L 36h 24"	
HBC 300/27.2mm	Shimano FTZ500 14-28T	Kenda 24x1.95"	

CODE: 19905

LAUREN II 24

frame: **alloy 6061 HT**
travel: **50mm**
drivetrain: **3x7 TY300/TY300**
size: **34 cm**
colour: **pink matt**
weight: **12.9 kg**

24"

ALUMINIUM ALLOY 6061 — INTERNAL CABLE ROUTING

KID 24"

Zoom HL CH-565D 50mm	Shimano RDTY300 7 speed	Tektro MDM280 160/160mm	HEAD – VL7040
Neco H142	Shimano FDTY300	Formula DC-20 32h QR9/100mm	Wellgo LU 895T DU
HBC 70/25.4mm	Shimano STEF41 3x7	Formula DC-31 32h QR9/135mm	
HBC MTB 560/25.4mm	Suntour XCE Jr312 152mm 42-34-24	Remerx Dragon 719 32h 24"	
HBC 300/27.2mm	Shimano FTZ500 14-28T	Kenda 24x1.95"	

CODE: 19906

LAUREN I 24

frame: **alloy 6061 HT**
drivetrain: **3x7 TY300/TY300**
size: **34 cm**
colour: **lime matt**
pink matt
weight: **11.6 kg**

24"

ALUMINIUM ALLOY 6061 — INTERNAL CABLE ROUTING

KID 24"

Rigid Hi-Ten	Shimano RDTY300 7 speed	Tektro C310	HEAD – VL7040
Neco H142	Shimano FDTY300	Formula OV-31 FQR 36h QR9/100mm	Wellgo LU 895T DU
HBC 70/25.4mm	Shimano SLRS36 3x7	Formula OV-31 RQR 36h QR9/135mm	
HBC MTB 560/25.4mm	Suntour XCE Jr312 152mm 42-34-24	Remerx RMX 219-L 36h 24"	
HBC 300/27.2mm	Shimano FTZ500 14-28T	Kenda 24x1.95"	

CODE: 19907

RIDOTT II 20

frame: **alloy 6061 HT**
travel: **40mm**
drivetrain: **1x7 TY300**
size: **29 cm**
colour: **black matt**
weight: **9.9 kg**

20"

KID 20"

ALLOY 6061 INTERNAL CABLE ROUTING

Zoom HL CH-565 40mm	Shimano RDTY300 7 speed	Formula OV-31 FQR 36h QR9/100mm	Wellgo LU 892T DU
Neco H142	Shimano SLRS36 1x7	Formula OV-31 RQR 36h QR9/135mm	
HBC 60/25.4mm	Prowhell PRO-W-36PP 127mm	Remerx RMX 219-L 36h 20"	
HBC MTB 560/25.4mm	Shimano FTZ500 14-28T	Kenda 20x1.75"	
HBC 300/27.2mm	Tektro C310	HEAD - VL5073	

CODE: 19908

RIDOTT I 20

frame: **alloy 6061 HT**
drivetrain: **1x7 TY300**
size: **29 cm**
colour: **black matt**
yelow matt
weight: **9.9 kg**

20"

KID 20"

ALLOY 6061 INTERNAL CABLE ROUTING

Rigid Hi-Ten	Shimano RDTY300 7 speed	Formula OV-31 FQR 36h QR9/100mm	Wellgo LU 892T DU
Neco H142	Shimano SLRS36 1x7	Formula OV-31 RQR 36h QR9/135mm	
HBC 60/25.4mm	Prowhell PRO-W-36PP 127mm	Remerx RMX 219-L 36h 20"	
HBC MTB 520/25.4mm	Shimano FTZ500 14-28T	Kenda 20x1.75"	
HBC 300/27.2mm	Tektro C310	HEAD – VL5073	

CODE: 19909

LAUREN 20

frame: **alloy 6061 HT**
drivetrain: **1x7 TY300**
size: **29 cm**
colour: **pink matt**
mint matt
weight: **9.9 kg**

20"

ALLOY 6061 INTERNAL CABLE ROUTING

KID 20"

Rigid Hi-Ten	Shimano RDTY300 7 speed	Formula OV-31 36h QR9/100mm	Wellgo LU 892T DU
Neco H142	Shimano SLRS36 1x7	Formula OV-31 36h QR9/135mm	
HBC 60/25.4mm	Prowhell PRO-W-36PP 127mm	Remerx RMX 219-L 36h 20"	
HBC MTB 560/25.4mm	Shimano FTZ500 14-28T	Kenda 20x1.75"	
HBC 300/27.2mm	Tektro C310	HEAD - VL5073	

CODE: 19910

JUNIOR

frame: **alloy 6061 HT**
size: **13 cm**
colour: **black matt**
neon pink matt
weight: **8.9 kg**

16"

ALLOY 6061

KID 16"

Rigid Hi-Ten	Well CT 28T	Remerx 16"
Neco	Steel	Rubena
HBC 32mm	V-break + rear hub brake	HEAD
HBC MTB 500mm	Fh206	Marwi
HBC 200/27.2mm	Hub with brake	

CODE: 19911

HEAD
HEAD
BIKEBAVA

HEAD

HEAD
HEAD

Men Jersey Team

Material: Spin - 100% Polyester, 125g/m²
Extras: silicone stripe on arm ends, pockets, waterproof bag for valuables
Sizes: S, M, L, XL, XXL, XXXL
Colors: black/grey black/neon yellow
ID: E100

Men Cycle Shorts Team

Material: 75% Polyamid, 25% LYCRA POWER, 225 g/m²
Extras: net suspenders, silicone stripe on leg ends, ZOOM X padding
Sizes: S, M, L, XL, XXL, XXXL
Colors: black/grey black/neon yellow
ID: E101

Men Waistcoat

Material: Microfiber - 100% Polyester, 77 g/m²
Extras: on rear part netting for better ventilation
Sizes: S, M, L, XL, XXL, XXXL
Colors: black/grey black/neon yellow
ID: E102

Men Anorak

Material: Microfiber - 100% Polyester, 77 g/m²
Extras: lightweight
Sizes: S, M, L, XL, XXL, XXXL
Colors: black/grey black/neon yellow
ID: E103

Long Sleeve Jersey

Material: 100% Polyester, 200 g/m²
Extras: pockets on rear part, waterproof bag for valuables
Sizes: S, M, L, XL, XXL, XXXL
Color: black/yellow
ID: E104

Membrane Jacket (2 in 1)

Material: Membrane material (>10.000 mm, > 11.000 g/m²/24 h.) + Lycra Power
Extras: removable sleeves with zipper (to make a vest from it)
Sizes: S, M, L, XL, XXL, XXXL
Color: black/yellow
ID: E105

Long Cycle Pants

Material: Roubaix - 85% Polyamid, 15% Elasthan, 250 g/m²
Extras: net suspenders, without padding
Sizes: S, M, L, XL, XXL, XXXL
Color: black/yellow
ID: E106

Long Cycle Pants Warm

Material: Membrane material (>10.000 mm, > 11.000mm/m²/24h) + Roubaix - 85% Polyamid, 15% Elasthan, 250 g/m²
Extras: Without cycle pad, flat seams, short reflective zipper, very warm
Sizes: S, M, L, XL, XXL, XXXL
Color: black/yellow
ID: E107

BIKE WEAR TEAM LADY

Lady Jersey Team

Material: Spinn - 100% Polyester, 125g/m²
Extras: silicone stripe on arm ends, pockets, waterproof bag for valuables
Sizes: XS, S, M, L, XL
Colors: grey/pink
black/neon yellow + pink
ID: E200

Lady Cycle Shorts Team

Material: 75% Polyamid, 25% LYCRA POWER, 225 g/m²
Extras: silicone stripe on leg ends
Sizes: XS, S, M, L, XL
Colors: grey/pink
black/neon yellow + pink
ID: E201

Lady Waistcoat

Material: Microfiber - 100% Polyester, 77 g/m²
Extras: on rear part netting for better ventalation
Sizes: XS, S, M, L, XL
Colors: black/ neon yellow + pink
ID: E202

Lady Anorak

Material: Microfiber - 100% Polyester, 77 g/m²
Extras: lightweight
Sizes: XS, S, M, L, XL
Colors: black/neon yellow + pink
ID: E203

Men Jersey Classic

Material: 100% Polyester, 140g/m²
Extras: pockets on rear part, 1 pocket with zipper
Sizes: S, M, L, XL, XXL, XXXL
Colors: black/neon green
black
ID: E108

Men Cycle Shorts Classic

Material: 80% Polyamid, 20% Lycra, 190g/m²
Extras: with padding, small silicone for better comfort
Sizes: S, M, L, XL, XXL, XXXL
Colors: black/neon green
black
ID: E109

Lady Jersey Classic

Material: 100% Polyester, 140g/m²
Extras: pockets on rear part, 1 pocket with zipper
Sizes: XS, S, M, L, XL
Colors: black/peach
black/mint
pink/grey
ID: E204

Lady Cycle Shorts Classic

Material: 80% Polyamid, 20% Lycra, 190g/m²
Extras: with padding
Sizes: XS, S, M, L, XL
Colors: black/peach
black/mint
pink/grey
ID: E205

HELMETS

Kevlar skeleton

iN MOULD

Helmet MTB - W11

Extra	In-Mould
Size + weight	S/M (54-58 cm) - 245 g M/L (57-61 cm) - 265 g L/XL (59-63 cm) - 275 g
Color:	black matt/green black/yellow black/pink grey/mint
ID:	E300

iN MOULD

Helmet MTB - W19

Extra	In-Mould
Size + weight	S/M (54-58 cm) - 240 g M/L (57-61 cm) - 250 g
Color:	black matt/grey blue matt/yellow white matt/pink yellow matt/black
ID:	E302

iN MOULD

Helmet MTB - W07

Extra	In-Mould
Size + weight	S/M (54-58 cm) - 245 g M/L (56-60 cm) - 260 g L/XL (59-63 cm) - 265 g
Color:	black matt/green black matt/grey black matt/orange black matt/white pink matt black matt/pink
ID:	E303

iN MOULD

Helmet Enduro - CT03

Extra	In-Mould
Sizes + weight:	S/M (55-59 cm) - 365 g M/L (57-61 cm) - 405 g
Color:	blue matt/yellow
ID:	E304

iN MOULD

Helmet MTB - W21

Extra	In-Mould
Sizes	M/L (57-61 cm) - 250g
Color:	black matt/grey black matt/yellow
ID:	E301

iN MOULD

Helmet Road - EC01

Extra	In-Mould
Sizes + weight:	S/M (55-59 cm) - 250 g M/L (57-61 cm) - 255 g
Color:	black matt/green black matt/blue
ID:	E305

REAR LIGHT IN ADJUSTMENT IN MOULD

Helmet Kid - Y11

Extra	In-Mould rear light in adjustment system
Sizes	S/M (52-56 cm) - 265g
Color:	blue matt/orange lime matt/peach
ID:	E306

REAR LIGHT IN ADJUSTMENT IN MOULD

Helmet Kid - Y11

Extra	In-Mould rear light in adjustment system
Sizes	XS/S (47-52 cm) - 250g
Color:	mint green
ID:	E307

Helmet Kid - Y11

Extra	Out-Mould
Sizes	S/M (52-56 cm) - 230g
Color:	green matt/black pink matt/yellow
ID:	E308



Helmet Kid - Y11

Extra	Out-Mould
Sizes	XS/S (47-52 cm) - 215g
Color:	pink blue
ID:	E309

Bottle 500ml

Material:	PVC, ergonomic design, screw-on cap, lockable spout
Sizes:	500 ml
Color:	pink transparent yellow
ID:	E400

Bottle 750ml

Material:	PVC, ergonomic design, screw-on cap, lockable spout
Sizes:	750 ml
Color:	transparent yellow
ID:	E401

T-Shirt Men

Material:	100% Cotton
Sizes:	S, M, L, XL
Color:	black
ID:	E500

T-Shirt Lady

Material:	100% Cotton
Sizes:	S, M, L
Color:	black
ID:	E501

Glove Men 9904
Material: comfortable padding, towel on thumb, silicone for better grip control
Sizes: S, M, L, XL, XXL
Color: black
ID: E600

Glove Men 7101
Material: comfortable gel padding with foam, D-Grip, air comfort sytem, towel on thumb, pull-off system on fingers
Sizes: S, M, L, XL, XXL
Color: blue/orange
ID: E601

Glove Men 7045
Material: comfortable gel padding Silicon for better grip control, towel on thumb, pull-off system on fingers
Sizes: S, M, L, XL, XXL
Color: black/neon green
ID: E602

Glove Men 7011
Material: superlight glove, micro ventilation, gel padding, towel on thumb, pull-off system on fingers
Sizes: S, M, L, XL, XXL
Color: black/neon yellow
ID: E603

Glove Men 2804
Material: gel padding, towel on thumb, pull-off system on fingers
Sizes: S, M, L, XL, XXL
Color: black/white
ID: E604

Glove ROAD 7129
Material: comfortable gel padding, road glove with D-Grip, very airy material, comfort with longer wrist protection
Sizes: S, M, L, XL, XXL
Color: black/yellow
ID: E605

Glove Long Finger 9515
Material: comfortable gel padding, well ventilated, towel on thumb, silicone on finger ends, TOUCH
Sizes: S, M, L, XL, XXL
Color: black
ID: E606

Glove Long Finger 9600
Material: lightweight, very well ventilated, silicone on finger for better grip on the handlebar
Sizes: S, M, L, XL, XXL
Color: black/neon yellow
ID: E607

Glove Long Finger 3004
Material: comfortable warmer glove, silicone for better grip control, smart touch
Sizes: S, M, L, XL, XXL
Color: black/neon yellow
black/pink
ID: E609

Glove Long Warm 1516
Material: membrane glove with gel padding, TOUCH
Sizes: S, M, L, XL, XXL
Color: black/neon yellow
ID: E610

Glove Long Finger Lady 4713
Material: very well ventilated, comfortable gel padding, towel on thumb, 3D foam, antislip system, smart touch
Sizes: S, M, L, XL, XXL
Color: black/pink
ID: E608

Glove Lady 8516
Material: gel padding, towel on thumb, pull-off system on fingers
Sizes: S, M, L, XL
Color: grey/pink
ID: E612

Glove Lady 8506
Material: comfortable gel padding, well ventilated, towel on thumb, pull-off system on fingers
Sizes: S, M, L, XL
Color: black/pink
black/white
ID: E611

GLOVES KIDS

Glove Kid 7045

Material: soft foam padding, towel on thumbs
Sizes: S, M, L, XL
Color: black/blue
black/green
black/pink
ID: E613

Glove Kid 8820

Material: printed Lycra, foam padding
Sizes: S, M, L, XL
Color: black/pink
blue/green
ID: E614



MURET

	Size	41	46	51	
A	Top tube (horizontal)	568	611	633	mm
B	Seat tube	406	457	508	mm
C	Head tube length	110	120	130	mm
D	Well base	1176	1220	1244	mm
E	Chain stays	478	478	478	mm
F	Bottom bracked drop	56	56	56	mm
G	Seat tube angle	74	74	74	°
H	Head tube angle	67	67	67	°
I	Fork length	533	533	533	mm

DURANGO

	Size	44	47	51	
A	Top tube (horizontal)	595	615	635	mm
B	Seat tube	435	470	510	mm
C	Head tube length	110	125	140	mm
D	Well base	1153	1174	1192	mm
E	Chain stays	439	439	439	mm
F	Bottom bracked drop	20	20	20	mm
G	Seat tube angle	74	74	74	°
H	Head tube angle	67.5	67.5	67.5	°
I	Fork length	546	546	546	mm

LAGOS

	Size	44	47	51	
A	Top tube (horizontal)	575	600	614	mm
B	Seat tube	432	482	533	mm
C	Head tube length	115	115	125	mm
D	Well base	1071	1096	1111	mm
E	Chain stays	440	440	440	mm
F	Bottom bracked drop	60	60	60	mm
G	Seat tube angle	72.5	72.5	72.5	°
H	Head tube angle	70	70	70	°
I	Fork length	501	501	501	mm

TERNI MEN E7000

	Size	44	47	51	
A	Top tube (horizontal)	595	615	635	mm
B	Seat tube	435	470	510	mm
C	Head tube length	110	125	140	mm
D	Well base	1153	1174	1192	mm
E	Chain stays	439	439	439	mm
F	Bottom bracked drop	20	20	20	mm
G	Seat tube angle	74	74	74	°
H	Head tube angle	67.5	67.5	67.5	°
I	Fork length	546	546	546	mm

TERNI LADY E7000

	Size	39	44	47	51	
A	Top tube (horizontal)	570	595	615	635	mm
B	Seat tube	390	435	470	510	mm
C	Head tube length	110	110	125	140	mm
D	Well base	1123	1153	1174	1192	mm
E	Chain stays	439	439	439	439	mm
F	Bottom bracked drop	20	20	20	20	mm
G	Seat tube angle	74	74	74	74	°
H	Head tube angle	67.5	67.5	67.5	67.5	°
I	Fork length	546	546	546	546	mm

GRANBY E7000/GRANBY LADY

	Size	46	51	55	
A	Top tube (horizontal)	595	605	615	mm
B	Seat tube	460	510	550	mm
C	Head tube length	140	140	140	mm
D	Well base	1125	1135	1145	mm
E	Chain stays	465	465	465	mm
F	Bottom bracked drop	50	50	50	mm
G	Seat tube angle	73	73	73	°
H	Head tube angle	70	70	70	°
I	Fork length	515	515	515	mm

DAVIS E7000

	Size	46	50	
A	Top tube (horizontal)	595	620	mm
B	Seat tube	460	500	mm
C	Head tube length	120	130	mm
D	Well base	1123	1149	mm
E	Chain stays	450	450	mm
F	Bottom bracked drop	56	56	mm
G	Seat tube angle	73	73	°
H	Head tube angle	69	69	°
I	Fork lenght	511	511	mm

e I-PEAK WOMEN E6100/e-REVELO WOMEN E6100

	Size	46	50	54	
A	Top tube (horizontal)	569	579	594	mm
B	Seat tube	460	500	540	mm
C	Head tube length	155	155	155	mm
D	Well base	1075	1085	1100	mm
E	Chain stays	457	457	457	mm
F	Bottom bracked drop	55	55	55	mm
G	Seat tube angle	73	73	73	°
H	Head tube angle	71	71	71	°
I	Fork length	450	450	450	mm

e I-PEAK MEN E6100/e-REVELO MEN E6100

	Size	50	55	59	
A	Top tube (horizontal)	589	600	610	mm
B	Seat tube	500	550	590	mm
C	Head tube length	155	155	174	mm
D	Well base	1095	1106	1116	mm
E	Chain stays	457	457	457	mm
F	Bottom bracked drop	55	55	55	mm
G	Seat tube angle	73	73	73	°
H	Head tube angle	71	71	71	°
I	Fork length	450	450	450	mm

e-CITY 26"/e-CITY 28"

	Size	26"	28"	
A	Top tube (horizontal)	580	630	mm
B	Seat tube	440	460	mm
C	Head tube length	180	180	mm
D	Well base	1071	1132	mm
E	Chain stays	440	455	mm
F	Bottom bracked drop	40	55	mm
G	Seat tube angle	72	72	°
H	Head tube angle	71	71	°
I	Fork lenght	435	460	mm

GRANBY BAFANG

	Size	46	51	55	
A	Top tube (horizontal)	560	596	616	mm
B	Seat tube	460	510	550	mm
C	Head tube length	140	140	140	mm
D	Well base	1145	1155	1165	mm
E	Chain stays	485	485	485	mm
F	Bottom bracked drop	50	50	50	mm
G	Seat tube angle	73	73	73	°
H	Head tube angle	70	70	70	°
I	Fork lenght	515	515	515	mm

DAYTON/TRIVOR MEN

	Size	50	55	59	
A	Top tube (horizontal)	597	606	616	mm
B	Seat tube	500	550	590	mm
C	Head tube length	160	160	174	mm
D	Well base	1105	1114	1124	mm
E	Chain stays	461	461	461	mm
F	Bottom bracked drop	60	60	60	mm
G	Seat tube angle	73	73	73	°
H	Head tube angle	71	71	71	°
I	Fork length	450	450	450	mm

DAYTON/TRIVOR WOMEN

	Size	46	50	54	
A	Top tube (horizontal)	576	587	596	mm
B	Seat tube	460	500	540	mm
C	Head tube length	160	160	160	mm
D	Well base	1088	1099	1104	mm
E	Chain stays	465	465	461	mm
F	Bottom bracked drop	60	60	60	mm
G	Seat tube angle	73	73	73	°
H	Head tube angle	71	71	71	°
I	Fork length	450	450	450	mm

e I-PEAK MEN/e REVELO MEN BAFANG

	Size	50	55	59	
A	Top tube (horizontal)	590	599	613	mm
B	Seat tube	500	550	590	mm
C	Head tube length	137	155	174	mm
D	Well base	1090	1100	1124	mm
E	Chain stays	452	452	452	mm
F	Bottom bracked drop	55	55	55	mm
G	Seat tube angle	73	73	73	°
H	Head tube angle	71	71	71	°
I	Fork length	450	450	450	mm

e I-PEAK WOMEN/e REVELO WOMEN BAFANG

	Size	46	50	54	
A	Top tube (horizontal)	570	580	595	mm
B	Seat tube	460	500	540	mm
C	Head tube length	120	137	155	mm
D	Well base	1069	1080	1095	mm
E	Chain stays	452	452	452	mm
F	Bottom bracked drop	55	55	55	mm
G	Seat tube angle	73	73	73	°
H	Head tube angle	71	71	71	°
I	Fork length	450	450	450	mm



ADAPT EDGE I/II

	Size	45	48	52	
A	Top tube (horizontal)	600	630	638	mm
B	Seat tube	448	487	533	mm
C	Head tube length	95	105	115	mm
D	Well base	1128	1158	1167	mm
E	Chain stays	435	435	435	mm
F	Bottom bracked drop	50.5	50.5	50.5	mm
G	Seat tube angle	73.8	73.8	73.8	°
H	Head tube angle	68.5	68.5	68.5	°
I	Fork length	500	500	500	mm

TRENTON II/III/IV/V

	Size	43	48	53	
A	Top tube (horizontal)	590	610	630	mm
B	Seat tube	432	482	532	mm
C	Head tube length	110	120	130	mm
D	Well base	1085	1106	1120	mm
E	Chain stays	438	438	438	mm
F	Bottom bracked drop	63	63	63	mm
G	Seat tube angle	73	73	73	°
H	Head tube angle	71	71	71	°
I	Fork length	490	490	490	mm

TRENTON I

	Size	40	46	51	
A	Top tube (horizontal)	575	630	625	mm
B	Seat tube	406	452	508	mm
C	Head tube length	95	105	110	mm
D	Well base	1057	1087	1107	mm
E	Chain stays	437	437	437	mm
F	Bottom bracked drop	63	63	63	mm
G	Seat tube angle	73	73	73	°
H	Head tube angle	61	61	61	°
I	Fork length	490	490	490	mm

X-RUBI III/IV/V 29"

	Size	44	48	52	56	
A	Top tube (horizontal)	583	606	616	625	mm
B	Seat tube	440	480	520	560	mm
C	Head tube length	110	120	130	140	mm
D	Well base	1080	1105	1115	1125	mm
E	Chain stays	440	440	440	440	mm
F	Bottom bracked drop	65	65	65	65	mm
G	Seat tube angle	72	72	72	72	°
H	Head tube angle	70	70	70	70	°
I	Fork length	515	515	515	515	mm

X-RUBI I/II 29"

	Size	44	48	52	56	
A	Top tube (horizontal)	568	607	617	626	mm
B	Seat tube	440	480	520	560	mm
C	Head tube length	110	120	130	150	mm
D	Well base	1077	1118	1127	1136	mm
E	Chain stays	450	450	450	450	mm
F	Bottom bracked drop	65	65	65	65	mm
G	Seat tube angle	72	72	72	72	°
H	Head tube angle	70	70	70	70	°
I	Fork length	515	515	515	515	mm

GRANGER/GRANGER LADY

	Size	42	47	52	56	
A	Top tube (horizontal)	568	610	618	627	mm
B	Seat tube	420	470	520	560	mm
C	Head tube length	95	110	120	130	mm
D	Well base	1076	1118	1127	1136	mm
E	Chain stays	450	450	450	450	mm
F	Bottom bracked drop	65	65	65	65	mm
G	Seat tube angle	72	72	72	72	°
H	Head tube angle	70	70	70	70	°
I	Fork length	515	515	515	515	mm

X-RUBI III 27.5"

	Size	41	46	51	55	
A	Top tube (horizontal)	580	599	612	623	mm
B	Seat tube	410	460	510	550	mm
C	Head tube length	110	120	130	150	mm
D	Well base	1075	1094	1108	1120	mm
E	Chain stays	430	430	430	430	mm
F	Bottom bracked drop	40	40	40	40	mm
G	Seat tube angle	73	73	73	73	°
H	Head tube angle	70	70	70	70	°
I	Fork length	495	495	495	495	mm

X-RUBI I/II 27.5"

	Size	41	46	51	55	
A	Top tube (horizontal)	575	594	607	618	mm
B	Seat tube	410	460	510	550	mm
C	Head tube length	110	120	130	150	mm
D	Well base	1075	1094	1108	1120	mm
E	Chain stays	435	435	430	430	mm
F	Bottom bracked drop	40	40	40	40	mm
G	Seat tube angle	73	73	73	73	°
H	Head tube angle	70	70	70	70	°
I	Fork length	495	495	495	495	mm

TROY I/II 27.5"

	Size	41	46	51	
A	Top tube (horizontal)	593	602	610	mm
B	Seat tube	410	460	510	mm
C	Head tube length	110	125	135	mm
D	Well base	1095	1095	1102	mm
E	Chain stays	440	440	440	mm
F	Bottom bracked drop	35	35	35	mm
G	Seat tube angle	72.5	72.5	72.5	°
H	Head tube angle	71	71	71	°
I	Fork length	495	495	495	mm

TRENTON LADY

	Size	43	48	53	
A	Top tube (horizontal)	590	610	630	mm
B	Seat tube	432	482	532	mm
C	Head tube length	110	120	130	mm
D	Well base	1085	1106	1120	mm
E	Chain stays	438	438	438	mm
F	Bottom bracked drop	63	63	63	mm
G	Seat tube angle	73	73	73	°
H	Head tube angle	71	71	71	°
I	Fork length	490	490	490	mm

X-RUBI LADY 29"

	Size	44	48	52	
A	Top tube (horizontal)	568	601	617	mm
B	Seat tube	440	480	520	mm
C	Head tube length	110	120	130	mm
D	Well base	1077	1118	1127	mm
E	Chain stays	450	450	450	mm
F	Bottom bracked drop	65	65	65	mm
G	Seat tube angle	72	72	72	°
H	Head tube angle	70	70	70	°
I	Fork length	515	515	515	mm

X-RUBI LADY 27.5"

	Size	41	46	51	
A	Top tube (horizontal)	575	593	607	mm
B	Seat tube	410	460	510	mm
C	Head tube length	110	120	130	mm
D	Well base	1075	1094	1108	mm
E	Chain stays	435	435	435	mm
F	Bottom bracked drop	40	40	40	mm
G	Seat tube angle	73	73	73	°
H	Head tube angle	70	70	70	°
I	Fork length	495	495	495	mm

TACOMA II 27.5"

	Size	39	44	48	
A	Top tube (horizontal)	564	577	589	mm
B	Seat tube	390	440	480	mm
C	Head tube length	115	125	130	mm
D	Well base	1062	1075	1087	mm
E	Chain stays	435	435	435	mm
F	Bottom bracked drop	35	35	35	mm
G	Seat tube angle	73	73	73	°
H	Head tube angle	70.5	70.5	70.5	°
I	Fork length	495	495	495	mm

TACOMA I 27.5"

	Size	39	44	48	
A	Top tube (horizontal)	562	571	581	mm
B	Seat tube	390	440	480	mm
C	Head tube length	115	125	130	mm
D	Well base	1065	1075	1085	mm
E	Chain stays	435	435	435	mm
F	Bottom bracked drop	35	35	35	mm
G	Seat tube angle	73	73	73	°
H	Head tube angle	70	70	70	°
I	Fork length	495	495	495	mm

GEOMETRY



PICTON I/II

	Size	50	54	58	61	
A	Top tube (horizontal)	509	545	569	586	mm
B	Seat tube	500	540	580	610	mm
C	Head tube length	125	140	170	190	mm
D	Well base	1014	1021	1030	1036	mm
E	Chain stays	430	430	430	430	mm
F	Bottom bracked drop	69	69	69	69	mm
G	Seat tube angle	75.5	73.5	73	72.5	°
H	Head tube angle	70.5	71.5	72.5	73	°
I	Fork length	395	395	395	395	mm

I-SPEED I

	Size	52	56	59	61	
A	Top tube (horizontal)	535	559	580	606	mm
B	Seat tube	490	530	560	590	mm
C	Head tube length	125	155	175	195	mm
D	Well base	975	990	1005	1020	mm
E	Chain stays	410	410	410	410	mm
F	Bottom bracked drop	69	69	69	69	mm
G	Seat tube angle	74	73.5	73	72.5	°
H	Head tube angle	73	73.5	73.5	74	°
I	Fork length	370	370	370	370	mm

I-SPEED II

	Size	54	56	59	
A	Top tube (horizontal)	515	535	505	mm
B	Seat tube	480	523	557	mm
C	Head tube length	145	145	168	mm
D	Well base	981	992	1005	mm
E	Chain stays	408	408	411	mm
F	Bottom bracked drop	69	69	69	mm
G	Seat tube angle	74.9	73.6	69	°
H	Head tube angle	71.3	72.1	72.3	°
I	Fork length	368	368	368	mm

I-SPEED IV/V

	Size	57	59	61	
A	Top tube (horizontal)	530	550	565	mm
B	Seat tube	480	510	540	mm
C	Head tube length	145	160	175	mm
D	Well base	973	978	989	mm
E	Chain stays	403	403	403	mm
F	Bottom bracked drop	68	68	68	mm
G	Seat tube angle	74	73.5	73.5	°
H	Head tube angle	72	73	73.5	°
I	Fork length	370	370	370	mm

I-SPEED III

	Size	52	
A	Top tube (horizontal)	535	mm
B	Seat tube	520	mm
C	Head tube length	180	mm
D	Well base	980	mm
E	Chain stays	405	mm
F	Bottom bracked drop	68	mm
G	Seat tube angle	73.5	°
H	Head tube angle	71.5	°
I	Fork length	370	mm

I-PEAK MEN/REVELO MEN

	Size	50	55	59	
A	Top tube (horizontal)	590	599	613	mm
B	Seat tube	500	550	590	mm
C	Head tube length	137	155	174	mm
D	Well base	1090	1100	1124	mm
E	Chain stays	452	452	452	mm
F	Bottom bracked drop	55	55	55	mm
G	Seat tube angle	73	73	73	°
H	Head tube angle	71	71	71	°
I	Fork length	450	450	450	mm

I-PEAK WOMEN/REVELO WOMEN

	Size	46	50	54	
A	Top tube (horizontal)	570	580	595	mm
B	Seat tube	460	500	540	mm
C	Head tube length	120	137	155	mm
D	Well base	1069	1080	1095	mm
E	Chain stays	452	452	452	mm
F	Bottom bracked drop	55	55	55	mm
G	Seat tube angle	73	73	73	°
H	Head tube angle	71	71	71	°
I	Fork length	450	450	450	mm

X-RUBI CROSS

	Size	44	48	52	56	
A	Top tube (horizontal)	568	607	617	626	mm
B	Seat tube	440	480	520	560	mm
C	Head tube length	110	120	130	150	mm
D	Well base	1077	1118	1127	1136	mm
E	Chain stays	450	450	450	450	mm
F	Bottom bracked drop	65	65	65	65	mm
G	Seat tube angle	72	72	72	72	°
H	Head tube angle	70	70	70	70	°
I	Fork length	515	515	515	515	mm

CITY 26"

	Size	44	
A	Top tube (horizontal)	580	mm
B	Seat tube	440	mm
C	Head tube length	180	mm
D	Well base	1072	mm
E	Chain stays	440	mm
F	Bottom bracked drop	40	mm
G	Seat tube angle	65.7	°
H	Head tube angle	71	°
I	Fork lenght	435	mm

CITY 28"

	Size	46	
A	Top tube (horizontal)	630	mm
B	Seat tube	460	mm
C	Head tube length	180	mm
D	Well base	1132	mm
E	Chain stays	455	mm
F	Bottom bracked drop	55	mm
G	Seat tube angle	63.7	°
H	Head tube angle	71	°
I	Fork length	460	mm

RIDOTT I/II/III 26"

	Size	36	
A	Top tube (horizontal)	533	mm
B	Seat tube	360	mm
C	Head tube length	100	mm
D	Well base	1010	mm
E	Chain stays	423	mm
F	Bottom bracked drop	35	mm
G	Seat tube angle	73.5	°
H	Head tube angle	71	°
I	Fork length	460	mm

RIDOTT I/II/III 24"

	Size	34	
A	Top tube (horizontal)	534	mm
B	Seat tube	340	mm
C	Head tube length	110	mm
D	Well base	1000	mm
E	Chain stays	410	mm
F	Bottom bracked drop	30	mm
G	Seat tube angle	73	°
H	Head tube angle	71	°
I	Fork length	410	mm

LAUREN I/II 24"

	Size	34	
A	Top tube (horizontal)	490	mm
B	Seat tube	340	mm
C	Head tube length	110	mm
D	Well base	960	mm
E	Chain stays	410	mm
F	Bottom bracked drop	26	mm
G	Seat tube angle	73	°
H	Head tube angle	70	°
I	Fork length	418	mm

RIDOTT I/II 20"

	Size	29	
A	Top tube (horizontal)	456	mm
B	Seat tube	290	mm
C	Head tube length	110	mm
D	Well base	865	mm
E	Chain stays	360	mm
F	Bottom bracked drop	15	mm
G	Seat tube angle	73	°
H	Head tube angle	71	°
I	Fork length	360	mm

LAUREN 20"

	Size	29	
A	Top tube (horizontal)	455	mm
B	Seat tube	290	mm
C	Head tube length	110	mm
D	Well base	831	mm
E	Chain stays	365	mm
F	Bottom bracked drop	16	mm
G	Seat tube angle	68	°
H	Head tube angle	70.5	°
I	Fork length	363	mm

JUNIOR 16"

	Size	BOY	GIRL	
A	Top tube (horizontal)	361	374	mm
B	Seat tube	235	235	mm
C	Head tube length	100	100	mm
D	Well base	699	699	mm
E	Chain stays	265	265	mm
F	Bottom bracked drop	10	10	mm
G	Seat tube angle	75.4	75.4	°
H	Head tube angle	71	71	°
I	Fork length	235	229	mm

HEAD

UCI MTB TEAM PRO TEAM

HEAD
BIKE OPAVA
HEADPROTEAM



WWW.HEAD-BIKE.COM

WWW.FACEBOOK.COM/HEADBIKE

WWW.INSTAGRAM.COM/HEADBIKES_FACTORY

COVER PICTURE:
ADAM GLOSOWIC

INNER PICTURES:
HOSHI YOSHIDA
ADAM GLOSOWIC
RADIM PŘIBYLA

PRINTED BY
WWW.GRAFICO.CZ

Dictionary / Lexikon / Slovník

>>	Front fork	Gabel	Vidlice
>>	Rear shock	Dämpfer	Zadní tlumič
>>	Head set	Steuersatz	Hlavové složení
>>	Shift levers	Schalthebel	Řazení
>>	Rear derailleur	Schaltwerk	Přehazovačka
>>	Front derailleur	Umwerfer	Přesmyk
>>	Crank set	Kurbel	Převodník
>>	Cassette	Kassette	Kazeta

>>	Brakes	Bremsen	Brzdy
>>	Front hub	Nabe vorne	Přední náboj
>>	Rear hub	Nabe hinten	Zadní náboj
>>	Battery	Batterie	Baterie
>>	Display	Bildschirm	Zobrazení
>>	Motor	Motor	Motor
>>	Weight	Gewicht	Váha
>>	Tires	Reifen	Pláště

>>	Rims	Felgen	Ráfky
>>	Saddle	Sattel	Sedlo
>>	Pedals	Pedale	Pedály
>>	Headlight	Scheinwerfer	Přední světlo
>>	Rearlight	Rücklicht	Zadní světlo
>>	Stem	Vorbau	Představec
>>	Handlebar	Lenker	Řídítka
>>	Seatpost	Sattelstütze	Sedlovka

Shortcuts / Abkürzungen / Zkratky

TB - Triple Butted / Triple Butted / Triple Butted
HH15 - 15mm Thru Axle / Steckachse 15mm / Protahovací osa 15mm
HLO - Hydraulic Lock Out / Hydraulischer Lock Out / Hydraulické zamykání

Boost - 15x110mm front and/or 12x148mm rear hub / 15x110mm vordere und/ oder 12x148mm hintere Nabe /15x110mm přední a/nebo 12x148mm zadní náboj
TPR - Tapered steerer fork (1 1/8"-1.5") / Tapered Gabel / Tapered vidlice

SA - Solo Air / Solo Air / Solo Air
RL - Remote Lock / Remote Lock / Dálkové zamykání

PRODUCER AND MAIN DISTRIBUTOR FOR AUSTRIA, CZECH REPUBLIC, GERMANY, AND SLOVAKIA
Novus Bike s.r.o.
Vančurova 2985/20
746 01 Opava
Tel. No.:+420 606 178 065
info@head-bike.com

BULGARIA
VELOZONA
Burgas
Tel. No.: +0359 887 800 104
www.velozona-bg.com
velozona@mail.bg
velozona@abv.bg

BELGIUM, LUXEMBOURG, NETHERLANDS
GLOCKNER SPORTS
1e Tochtweg 76
2913 LP Nieuwerkerk aan den IJssel
Zuid-Holland (Netherlands)
Tel. No.: Jack +31634279082
Tel. No.: Mark +31639761570
info@glocknersports.com
www.head-bikes.nl

FINLAND
PowerFactory
Kaskimäenkatu 7, 33900 Tampere
Tel. No.: +358-20-122 2555
asiakaspalvelu@uimonen.fi
www.powerfactory.fi

FRANCE
GOES EUROPE
105 Bd de Chanzy
93 100 Montreuil
France
Tel. No.: +33 1 41 58 62 65
www.headcycles.com
welcome@headcycles.com

GREECE
ACTION-BIKES
48 Pentelis Avenue
15234 Halandri - Athens
Tel. No.: 2106846632
Tel. No.: 2106834471
www.headbikes.gr
info@action-bikes.gr

HUNGARY
Wintersport Co. Ltd.
Csillaghegyi út 36.
H-1037 Budapest
Tel. No.: +36 30 9481404
or +36 70 376 0640
www.headbike.hu
wintersport@wintersport.hu

ICELAND
Útivera ehf
Skeifunni 6
108 Reykjavík
www.everest.is
everest@everest.is

ITALY
HEAD BIKE ITALY
39100 Bolzano
Tel. No.: +39 366 4072215
info@head-bike.it
www.head-bike.it

POLAND
PRO SPORT
Kwiatowa 40
45-569 Opole
Tel. No.: +48 (0) 77 453 7008
www.head-bikes.pl
info@head-pikes.pl

ROMANIA
Explosiv Group SRL.
Kosstuh Lajos 186/C
535500 Gheorgeni
Tel. No.: +40 745 250 740
www.head.ro/ciclism
explosivski@gmail.com

REPUBLIC OF SOUTH AFRICA
HEAD Bikes SA (Pty) Ltd
2 Regency Drive, Route 21 Corporate Park
Irene, Pretoria, 0157
Gauteng
Tel. No: +27 60 989 2871
www.head-bike.co.za
info@head-bike.co.za

SPAIN, PORTUGAL, ANDORRA
Jets Marivent
CERRO DE LA BUTRERA 3
28223, POZUELO DE ALARCON,
MADRID, ESPAÑA
Tel. No.: +34 91 357 92 92
www.jetsmarivent.com
info@jetsmarivent.com
www.head-bike.es
www.head-bike.pt

SLOVENIA, CROATIA
INTERSPORT ISI d.o.o.
Cesta na Okroglo 3
4202 Naklo pri Krajnu
Slovenija
Tel. No.: 04/ 256-84-29
informacie@intersport.si

SWEDEN, DENMARK, NORWAY
HEAD BIKE SVERIGE
Lillebovägen 10
352 62 VÄXJO
Tel. No.: +46 73 845 00 58
www.headbike.se
dan@headbike.se

UKRAINE
STAR GROUP
Kiev
Kazimir Malevich st., 86P
Tel. No.: +46 73 845 00 58
www.head-bike.com.ua
headbike.ua@gmail.com

NOVUS BIKE s.r.o. is an official licensee of Head UK Group.

HEAD®

Barevné odchylky a technické změny vyhrazeny.
Neonové barvy mohou v průběhu času změnit svůj odstín. Neručíme za tiskové chyby.
Farbabweichungen und Technische Änderungen vorbehalten.
Neonfarben können im Laufe der Zeit ihre Tönung ändern. Keine Gewähr für Druckfehler.
Color deviations and technical changes reserved.
Neon colors may change shade during time. No guarantee for printing errors.