



JAMIS BICYCLES
2014 PRODUCT LINE


JAMIS
THE POWER OF DESIGN



President & CEO Carine Joannou
VP of Product Development Greg Webber

JAMIS BICYCLES

Real Impact

Blame it on the economy and the accompanying back to basics mentality. Or praise public awareness of green issues and the value of low-impact lifestyles. But all of a sudden bicycles are a Very Big Deal. Everyday people--folks who haven't been on a bicycle in years, if not decades--have suddenly rediscovered the thrill of cycling. For us, passionate cyclists who strive daily to deliver products that get people of all ages, abilities and aspirations to love bikes and biking just as much as we do, it doesn't get any better than that.

The bicycle is a marvelous invention, with an impact that is almost completely, one hundred percent positive. For individuals (exercise!) as well as for the environment (reduced carbon footprint). A bike is one of the world's most powerful instruments for change. We know because cycling forever changed our lives, and we've seen it change the lives of so many others. That's why we want to make cycling converts out of everyone, and that's why there's a Jamis for nearly every cycling arena, for almost any rider.

It's that passion for cycling and everything cycling can do that fuels and sustains our efforts to build the best possible bikes. It's why we build category-defining superbikes that put professionals atop podiums at road races and mountain bike events. It's why our computers are humming day and night crunching FEA data and carbon fiber lay-up simulations. It's why we devote precious R & D resources to making even our kids bikes and cruisers as light and easy to ride as possible. And why our 2014 lineup is clearly the best we've ever produced.

But we're at this not just to build better bikes. We're in this to build better lives, to make YOU better. That's pretty heavy. It's a lot to carry on two wheels. But that's how powerful a bicycle can be. And that's why we're so committed to building the best bikes possible.

When people ride bikes, good things happen. Experience it yourself, on a Jamis.

MTB 29	4
DAKAR XCR 29	6
DAKOTA D29	10
DRAGON 29	14
DURANGO 29	16

MTB 650	18
WHAT WOULD YOU DO WITH A FIVE YEAR HEAD START?	20
DAKAR XCT 650	22
DAKAR AMT 650	26
DRAGON 650	28
NEMESIS 650	30
TRAIL X650	33

MTB 26	34
DAKAR XC	36
KOMODO	38
TRAIL X	40

ROAD	44
[RE]DESIGNED. [RE]ENGINEERED, [RE]IGNITED	46
XENITH	48
ICON	54
XENITH T-SERIES	56
NOVA SERIES	60
XENITH ENDURA	64
VENTURA	68
ECLIPSE & QUEST	72
AURORA & BOSANOVA	76
SONIK	80
SPUTNIK & BEATNIK	82

STREET	84
COMMUTER	86
CODA	90
ALLEGRO	94
DXT	98

RECREATION	102
CITIZEN	104
HUDSON	108
EXPLORER	112
EARTH CRUISER	114
BOSS CRUISER & TAXI	118

YOUTH	122
XC HARDTAIL	124
SPORT COMFORT	125
COASTER BRAKE	126
SIDEWALK	128

GEOMETRY	130
----------	-----

* Please note, the specifications outlined in this catalog are subject to change without notice. Visit our website at www.jamisbikes.com for the most up to date details of our bicycles.



MTB 29

Big Wheels. Big Deals

Nothing rides like a 29er—more momentum rolling over obstacles, more comfort, less rolling resistance once you're up to speed. And nothing feels like one either—you're less on top of the wheels, sitting more in-between. 29ers literally put you more into the machine. The result is more stability, more confident lines over tricky terrain, more speed and momentum. It's a terrific platform, done right—and that's all we do.

Nothing soaks up trail faster and better than our Dakar XCR 29 short-travel dualies. Tapered head tubes, 15mm thru-axle forks, hyper-refined frames with new, lighter weight shock mounts, 12 x 142mm thru-axle dropouts and 25% larger chainstays bring our XCR 29 up to a whole new level, and turns up the heat on the competition. And, as always, our component spec does more than just hold its own when compared head to head—we dominate on paper, because that's what leads to domination on the trail.

And we positively own it, when it comes to our Dakota D29 hardtails. What makes a stellar hardtail is pedaling stiffness with ride suppleness and flickably quick, confident handling. There are no magic bullets here—it comes down to smart engineering and wickedly good geometry, and that's been our gig since the first Jamis MTB appeared back in 1982. Perfect weight distribution that splits the difference between climbing traction and track-on-rails descending capability, torsional rigidity that harnesses every milliwatt you put through the pedals—it's all here.

Brand new for 2014: meet the Durango 29 Comp and Sport. These may be the most affordable 29'ers in our stable, but there's nothing entry-level about their performance. We've taken the frame styling of our popular Trail X bikes and married it to our proven Dakota D29 geo. Best-In-Class performance and Big Hoops doesn't have to mean Big Bucks and the new Durango 29 series proves it.

Nothing rides like a 29er. And no 29er rides like a Jamis, because nobody sweats the details and flogs the design more than we do.



DAKAR **XCR 29**

XC Full Suspension

Bigger wheels roll easier over stuff and nothing soaks up more trail with more efficiency than our new XCR's. The XCR 29's tapered head tube and steerer, 15mm thru-axle fork, 12 x 142mm thru-axle rear, asymmetrical stays and over-sized BB shell all contribute to a firm, responsive pedaling platform that doesn't waste a watt of climbing energy or hold you back when the going's fast.



DAKAR **XCR 29 TEAM**

Carbon & Victory Red
25.00 lbs

FRAME	FORK	WHEELS	DRIVETRAIN	COCKPIT
High modulus Omniad M30 carbon fiber,100mm travel mp4 suspension, tapered headtube, PressFit30, 12x142 dropout, Rock Shox Monarch XX hydraulic Full Sprint Xloc remote shock	Rock Shox SID XX 29, 15mm axle, tapered steerer, rebound adjust, hydraulic Full Sprint Xloc remote lock-out, solo air spring, motion control damp-ing,100mm travel	Stan's NoTubes ZTR Crest 29 tubeless disc wheels, 3.30 Series 15mm thru-axle front and 12x142mm rear hubs, DT Swiss Competition spokes, Geax Saguaro, 29 x 2.2", folding tires	SRAM XO 2x10 shifters and derailleurs, SRAM XO 38/24T crankset with PF30 BB, SRAM PG-1070 11-36 cassette, Avid XO hydraulic disc brakes with 180mm front & 160mm rear HS1 rotors	Ritchey WCS Riser bar, 1-bolt seat-post & 4-Axis stem, WTB Volt Comp saddle, Jamis Lock-On grips

DAKAR **XCR 29 PRO**

Carbon & Pure White
27.75 lbs

FRAME
High modulus Omniad M30 carbon fiber,100mm travel mp4 suspension, tapered headtube, PressFit30, 12x142 dropout, Fox Float CTD Performance Series shock with Boost Valve

FORK
Fox 32 Float 29 CTD Evolution Series w/ 3-position compression, 15mm axle, tapered alloy steerer, external rebound, 32mm stanchions, 100mm travel

WHEELS
WTB Frequency Race i19 29" TCS tubeless rims with Shimano SLX centerlock 15mm front & 12x142 rear hubs, stainless spokes, Geax Saguaro, 29 x 2.2", folding tires

DRIVETRAIN
Shimano XT Shadow rear & SLX front derailleurs, SLX 2x10 shifters, Shimano SLX M675 38/24T crankset with PF30 BB, Shimano HG62 11-36 cassette, Shimano M615 hydraulic disc brakes with 180mm front & 160mm rear RT54 centerlock rotors

COCKPIT
Ritchey Pro Riser bar, seatpost & 4-Axis stem, WTB Volt Comp saddle, Jamis Lock-On grips



DAKAR **XCR 29 RACE**

Victory Red
28.50 lbs

FRAME
Kinesium triple-buttled alloy, 100mm travel mp4 suspension, tapered headtube,12x142 dropouts, Fox Float CTD Performance Series shock with Boost Valve

FORK
Fox 32 Float 29 CTD Evolution Series w/ 3-position compression, 15mm axle, tapered alloy steerer, external rebound, 32mm stanchions, 100mm travel

WHEELS
WTB Frequency Race i19 29" TCS tubeless rims with Shimano SLX centerlock 15mm front & 12x142 rear hubs, stainless spokes, Geax Saguaro, 29 x 2.2", folding tires

DRIVETRAIN
Shimano XT Shadow rear & XT front derailleurs, XT 2x10 shifters, Shimano XT M785 38/24T crankset, Shimano HG81 11-36 cassette, Shimano SLX M675 hydraulic disc brakes with 180mm front & 160mm rear RT54 centerlock rotors

COCKPIT
Ritchey Comp Riser bar, seatpost & 4-Axis stem, WTB Volt Sport saddle, Jamis Lock-On grips



DAKAR **XCR 29 COMP**

Pure White & Victory Blue
29.75 lbs

FRAME
Kinesium triple-buttled alloy, 100mm travel mp4 suspension, tapered headtube, 12x142 dropouts, X-Fusion O2 RL shock

FORK
X-Fusion Slide 29 RL, 15mm axle, lever actuated lockout, air spring, rebound adjust, tapered alloy steerer, 100mm travel

WHEELS
Mavic Crossside 29, 15mm front, 12x142mm rear, straight-pull bladed spokes, Geax Saguaro, 29 x 2.2", folding tires

DRIVETRAIN
SRAM X9 rear & X7 front derailleurs, X7 2x10 shifters, SRAM S1000 GXP 38/24T crankset, SRAM PG1030 11-36 cassette, Avid Elixir 5 hydraulic disc brakes with 180mm front & 160mm rear HS1 rotors

COCKPIT
Ritchey Comp Riser bar, seatpost & 4-Axis stem, WTB Volt Sport saddle, Jamis Lock-On grips



DAKAR **XCR 29 SPORT**

Gloss Black
32.25 lbs

FRAME
Kinesium triple-buttled alloy, 100mm travel mp4 suspension, tapered headtube, 12x142 dropouts, Rock Shox Monarch R shock

FORK
Rock Shox XC32 TK 29 Solo Air, 15mm thru axle, lever-actuated lockout, air spring, rebound adjust, alloy steerer, 100mm travel

WHEELS
Mavic TN119 rims, 32H, Formula sealed bearing disc hubs, stainless steel spokes, Geax Saguaro, 29 x 2.2", folding tires

DRIVETRAIN
Shimano Deore rear & Alivio front derailleurs, Alivio Rapidfire 3x9 shifters, Shimano M430 Octalink crankset 42/32/22, Shimano HG30 11-34 cassette, Shimano M445 hydraulic disc brakes with 180mm front & 160mm rear RT56 rear rotors

COCKPIT
Ritchey Mountain Riser bar, Ritchey 4-Bolt stem, Ritchey 2-Bolt seatpost, WTB Volt saddle, Jamis Lock-On grips





DAKOTA **D29**

XC Hardtail

The Dakota D29 series is the hardtail standard for high-speed racing or long, epic days on the trail. For the Team, Elite and Pro, we've taken our years of experience manufacturing carbon fiber Dakar XCR dual suspension frames and Xenith road racing frames and applied it to the big-wheeled world of 29'ers. For the Race, Comp and Sport, it's the same race-inspired geo welded up from triple-buttressed 6061.

DAKOTA **D29 TEAM**

Carbon & Victory Red
20.00 lbs

- FRAME

High modulus Dyad Supreme carbon fiber, tapered head tube, PressFit30 BB shell, post mount disc brakes & 12x142 drop-outs
- FORK

Rock Shox SID XX 29, hydraulic Xloc remote lock-out, external rebound, tapered alloy steerer, 15mm Maxle lite, 100mm travel
- WHEELS

American Classic MTB Race, tubeless, 15mm front & 12x142 rear hub, AC butted spokes & alloy nipples, Geax AKA, 29 x 2.2", folding tires
- DRIVETRAIN

SRAM XX1 11-speed rear derailleur, SRAM XX1 shifter, SRAM XX1 PF30 crankset 34T, SRAM XG1199 10-42 cassette, Avid XX hydraulic disc brakes with 160mm front & 140mm rear HSX rotors
- COCKPIT

Ritchey WCS flat carbon bar, Ritchey WCS 4-Axis stem, Ritchey WCS Carbon 1-bolt seatpost, WTB Silverado Team saddle, Jamis lock-on grips



Available as frameset

DAKOTA **D29 ELITE**

Carbon & Palladium
24.00 lbs

- FRAME

High modulus Dyad Elite carbon fiber, tapered head tube, PressFit30 BB shell, post mount disc brakes & 12x142 drop-outs
- FORK

Fox 32 Float 29 CTD Evolution Series, 3-position compression & lock-out, 15mm axle, air spring, rebound adjust, tapered alloy steerer, 100mm travel
- WHEELS

Shimano XT 29", Tubeless, 15mm front & 12x142mm rear center-lock hubs, straight-pull spokes, Geax AKA, 29 x 2.2", folding tires
- DRIVETRAIN

Shimano XT Shadow rear and XT front derailleurs, Shimano XT 2x10 shifters, XT crankset 38/24T, Shimano HG62 11-36 cassette, Shimano XT M785 hydraulic disc brakes with Ice-Tech pads & 180mm front/160mm rear RT81 Ice-Tech centerlock rotors
- COCKPIT

Ritchey Pro flat bar, seatpost & 4-Axis stem, WTB Silverado Comp saddle, Jamis Lock-On grips



DAKOTA **D29 PRO**

Carbon & Victory Blue
25.00 lbs

FRAME
Mid-modulus Dyad Plus carbon fiber, tapered head tube, PressFit30 BB shell, post mount disc brakes & 12x142 drop-outs

FORK
Fox 32 Float 29 CTD Evolution Series, 3-position compression & lock-out, 15mm axle, air spring, rebound adjust, tapered alloy steerer, 100mm travel

WHEELS
WTB Frequency Race i19 29" TCS tubeless rims, Formula hubs w/sealed cartridge bearings, stainless spokes, Geax AKA, 29 x 2.2", folding tires

DRIVETRAIN
SRAM X9 front & X7 rear derailleurs, X7 2x10 shifters, SRAM S1000 PF30 crankset 38/24T, SRAM 11-36 cassette, Avid Elixir 7 hydraulic disc brakes with 180mm front & 160mm rear HS1 rotors

COCKPIT
Ritchey Pro flat bar, seatpost & 4-Axis stem, WTB Silverado Comp saddle, Jamis Lock-On grips



DAKOTA **D29 RACE**

Ano Palladium
27.00 lbs

FRAME
Kinesis 6061 triple-buttressed aluminum, tapered headtube, PressFit30 BB shell, replaceable derailleur hanger

FORK
X-Fusion Slide 29 RL, Air spring, external rebound & lock-out adjust, 15mm axle, 32mm stanchions, tapered alloy steerer, 100mm travel

WHEELS
Mavic Crossride 29, 15mm front, straight-pull bladed spokes, Geax AKA, 29 x 2.2", folding tires

DRIVETRAIN
Shimano SLX front & Deore rear derailleurs, Deore 2x10 shifters, Shimano Deore crankset 38/24T, Shimano HG62 11-36 cassette, Shimano Deore hydraulic disc brakes with 180mm front & 160mm rear RT56 rotors

COCKPIT
Ritchey Comp flat bar, seatpost & 4-Axis stem, WTB Silverado saddle, Jamis Lock-On grips



DAKOTA **D29 COMP**

Pearl White
29.00 lbs

FRAME
Kinesis 6061 triple-buttressed aluminum, tapered headtube, replaceable derailleur hanger

FORK
Rock Shox XC32 TK, Solo Air spring, external rebound, TurnKey lockout adjust, 32mm stanchions, aluminum steerer, 100mm travel

WHEELS
WTB Speed Disc i19 rims, 32H, Formula Hi-Lo flanged sealed bearing hubs, stainless steel spokes, Geax AKA, 29 x 2.2" tires

DRIVETRAIN
SRAM X7 rear & front derailleurs, SRAM X7 2x10 shifters, SRAM S1000 GXP 38/24T crankset, SRAM PG-1030 11-36 cassette, Avid DB1 hydraulic disc brakes with 180mm front & 160mm rear rotors

COCKPIT
Ritchey Comp flat bar, Ritchey 2-bolt seatpost & 4-Axis stem, WTB Silverado saddle



DAKOTA **D29 SPORT**

Gloss Black
31.50 lbs

FRAME
Kinesis 6061 triple-buttressed aluminum, tapered headtube, replaceable derailleur hanger

FORK
Rock Shox XC30 29 TK, coil spring with Turn Key lock-out, external preload adjustor, 30mm stanchions, 100mm travel

WHEELS
Alex XD Elite 29" rims, 32H, Formula alloy 6-bolt disc hubs, stainless steel spokes, Geax AKA, 29 x 2.2" tires

DRIVETRAIN
Shimano Alivio rear and Acera front derailleurs, Acera 3x9 shifters, Shimano M391 Octalink crankset 42/32/22T, SRAM 11-34 cassette, Tektro HDC-300 hydraulic disc brakes with 180mm front & 160mm rear rotors

COCKPIT
Jamis Flat Top handlebar, Jamis XC stem, Jamis alloy micro-adjust seatpost, Jamis ATB Comp saddle



DRAGON **29**

XC Hardtail

Mate a 29'ers roll-over-everything momentum with steel's trail-taming ride and it's a can't-lose proposition. This is the rig that built our reputation in mountain biking's early years and it's a legend that's still going strong. In two complete bike versions: the Reynolds air-hardened/heat-treated 853 Race and the Reynolds 520 Sport. There's even a Reynolds 853 frame-only single-speed version.



DRAGON **29 PRO**

Polished
28.00 lbs

- FRAME**
Reynolds 853 seamless air-hardened chromoly main tubes, 44mm head tube, curved crown-clearing down tube, double-buttetted cromoly stays, Jamis lost wax dropouts
- FORK**
Rock Shox Reba RL, lever actuated lockout, tapered steerer, 15mm axle, Solo Air spring adjust, rebound adjust, 100mm travel
- WHEELS**
American Classic Terrain 29, tubeless, 15mm axle front and QR rear hubs, Geax Saguaro 29 x 2.2", folding tires
- DRIVETRAIN**
SRAM X9 rear & front derailleurs, SRAM X9 2X10 shifters, SRAM S1000 GXP crankset 38/24T, SRAM PG1050 11-36 cassette, Avid Elixir 5 hydraulic disc brakes with 180mm front & 160mm rear HS1 rotors
- COCKPIT**
Ritchey Pro flat bar, seatpost & 4-axis stem, WTB Silverado Comp saddle, Jamis Lock-On grips



DRAGON **29 SPORT**

Ano Grey
30.00 lbs

- FRAME**
Reynolds 520 chromoly main tubes and stays, reinforced head tube collars, gusseted down tube, forged dropouts
- FORK**
Rock Shox XC32 TK, Solo Air spring, external rebound, TurnKey lockout adjust, 32mm stanchions, aluminum steerer, 100mm travel
- WHEELS**
WTB Speed Disc i19 double-wall eyeleted disc rims, 32H, Formula Hi-Lo flange 6-bolt disc hubs, stainless steel spokes, Geax Saguaro 29 x 2.2", folding tires
- DRIVETRAIN**
Shimano Deore Shadow rear & Deore front derailleurs, Shimano Deore 2X10 shifters, Shimano Deore M615 crankset 38/24T, Shimano HG62 11-36 cassette, Shimano M445 hydraulic disc brakes with 180mm front & 160mm rear rotors
- COCKPIT**
Ritchey Comp flat bar, Ritchey 4-bolt OS forged stem, Ritchey 2-Bolt seatpost, WTB Silverado Comp saddle, Jamis Lock-On grips





DURANGO **29**

XC Hardtail

These may be the most affordable 29'er in our stable, but there's nothing entry-level about the performance of these bikes. We've taken the frame styling of our popular Trail X-series bikes and married it to our proven Dakota D29 geo. Best-in-Class performance and Big Hoops doesn't have to mean Big Bucks and the new Durango 29 Comp and Sport prove it.

DURANGO **29 COMP**

Ano Palladium
32.75 lbs

- FRAME
- 6061 aluminum main tubes, over-sized seat tube, zero-stack head tube, over-sized stays, replaceable derailleur hanger
- FORK
- RST Omega 29 TNL, coil spring with Turn-n-Lock lock-out, magnesium lowers, 32mm stanchions, 100mm travel
- WHEELS
- Alex DP20 29" rims, 32H, alloy disc hubs, stainless steel spokes, Jamis TX, 29 x 2.1" tires
- DRIVETRAIN
- Shimano Acera rear and front derailleurs, Acera 3x9 shifters, Shimano M371 crankset 44/32/22T, Shimano 11-34 cassette, Tektro HDC 300 hydraulic disc brakes with 160mm front & rear rotors
- COCKPIT
- Jamis Flat handlebar, Jamis XC stem, Jamis alloy micro-adjust seatpost, Jamis ATB Sport saddle



DURANGO **29 SPORT**

Ano Black
33.00 lbs

- FRAME
- 6061 aluminum main tubes, over-sized seat tube, zero-stack head tube, over-sized stays, replaceable derailleur hanger
- FORK
- RST Blaze 29 MLO, coil spring with mechanical lock-out, aluminum lowers, 30mm stanchions, 100mm travel
- WHEELS
- Alex DP20 29" rims, 32H, alloy disc hubs, stainless steel spokes, Jamis TX, 29 x 2.1" tires
- DRIVETRAIN
- Shimano Acera rear and M190 front derailleurs, Acera 3x8 shifters, SR Suntour XCC crankset 42/34/24T, Shimano 11-32 cassette, Tektro Novela mechanical disc brakes with 160mm front & rear rotors
- COCKPIT
- Jamis Flat handlebar, Jamis XC stem, Jamis alloy micro-adjust seatpost, Jamis ATB Sport saddle





MTB 650

650 Perfected

The 'tweener wheel size has been in our stable for five years already, while most of the other brands are just jumping on board. Being first out of the gate is an advantage for a reason: it's called the lead. 650b believers from the beginning, we don't have to play catch-up. We can use our five-year, first-hand, real-world experience to refine and perfect. And that's exactly what we did for 2014. With ten new models in carbon fiber, aluminum and Reynolds steel, including our most affordable version ever -- the Trail X650.

The new 150mm travel Dakar AMT is where the 650b wheel size really shines. Based on our proven XCT 650 trail bike but bulked up for bigger hits at higher speeds, with progressively tuned mp4 suspension for surprisingly efficient pedaling uphill and aggressive descents. In two blends: Pro and Comp.

Dakar XCT's proven mp4 suspension and smartly engineered frame makes for one of the most efficient pedaling platforms in the dualie realm. No less than Mountain Bike Action had this to say: "This is not a bike to add to your current 26'er and 29'er trailbikes -- it's a bike that replaces them." Making this platform in carbon fiber for 2014 (Team and Race) is simply going to blow them away.

Introduced in 2012, Nemesis has proven itself to be the perfect XC and 12-hour marathon race weapon. Now available in two incredibly light carbon fiber packages, Team and Pro. And three triple-buttled, SPF-formed aluminum models: Race, Comp and Sport.

Our Dragon is the industry's standard-bearer for steel hardtails. Page through the last couple decades of any mountain bike magazine, and you'll find a plethora of reviews that aren't just favorable, but out-and-out gushing. Add 650b wheels to the mix and you've got the perfect trailbike.

As the whole world now finally knows, with the 650b wheel size, you get the best of both the 26" and 29" wheel worlds without the negatives of each. With a Jamis 650, you're simply getting the best.



THE 650 ADVANTAGE

650b wheels first popped up on French touring and randonneuring bikes in the 40's and 50's. Their smaller-than-700c diameter and fatter 35 – 42c footprint made them perfect for meandering the less-than-perfect roads of Europe with loads. They were also used on some of the first mountain bikes built by Tom Ritchey and Joe Breeze more than 30 years ago.




But it was 26" wheels that took hold and dominated MTB diameters for 20-something years until Gary Fisher rolled out his big 29" wheels more than a decade ago. Those first 29'ers were tall, heavy, with huge wheelbases and sluggish steering. Like how Gary musta felt the morning after. And that was the hardtails! Trying to package those over-sized wheels in a mid-travel, dual suspension frame that was worth owning just wasn't happening. But there was no discounting that the roll-over-anything attributes of this wheel size and their low-BB-height-to-wheel-axle position held promise.

All of which was the catalyst for Kirk Pacenti in 2007 to polish up and re-pioneer the slightly-smaller-than-29"-but-larger-than-26" 650b wheel size for mountain bikes. We were on it immediately and after testing a 5" travel Dakar XAM with Kirk's 650b wheels later that year, were absolutely smitten with the ride qualities and went all-out to get to market with our 5" travel Dakar 650b in 2009.


So there's your wheel-size history lesson for the day. Here's your wheel-size physics lesson.

It shouldn't take too much brow furrowing to recognize that for any given size obstacle, it's the larger size wheel that's going to roll-over that bump with the least energy expended. Think Monster truck versus Tonka truck.

It also shouldn't take much cognitive wavelength to surmise that a larger diameter wheel, weighing more, is going to require more energy to get up to speed than smaller wheels. But once up to speed bigger wheels are going to roll and roll without much gas. Until you've got to slow it all down and change direction, then get it all back up to speed again. Lots of trade-offs going on here depending on wheel size: acceleration, deceleration, inertia, maneuverability, momentum, weight.



JAMIS XC HARDTAIL GEOMETRY COMPARISON FOR 17" SIZE FRAME



Less obvious is the benefit of lowering BB height relative to the wheel axles. Though the BB heights of most 26", 650b and 29" bikes are about the same from the ground, their relation to the wheel axle centerline is substantially different. The crank centerline on a Dakota D29" bike is 25mm lower relative to the wheel axles than on a 26" Trail X. The 650b Nemesis is 13mm lower. Getting the rider's weight further below the axles of rotating wheels is like pedaling with a stabilizing ball: you're riding between the wheels, not on top of them.

So where does that leave us on the various wheels sizes? Bigger wheels are clearly the way to go. There are way too many advantages over the traditional 26" wheel to ignore. And though we're fully behind the benefits of a 29-inch wheeled bike (and we've got a lot of those in this catalog), the reason we love the 650b wheels size so much is illustrated in all the charts on this page. Superior roll-over to that of a 26" wheels, standover that's virtually identical to ta 26" bike, faster acceleration, lighter weith and greater maneuverability than a 29". Being in-between really is an advantage.

DAKAR **XCT 650**

Trail Full Suspension

This is the bike that teed it up and kicked it off way back in 2009. After all the nay-saying and “it’s not really exactly between 26 and 29”, the world is now clearly ready (finally) to fully embrace 650B. And there’s no better place to start the group hug than on the rig that believed from the beginning and now has over 5 years of PD and real-world riding and refinement to ensure it IS Best in Class. Expanded in 2014 to include four versions: 2 carbon fiber and 2 aluminum. What are you waiting for? See you at the races.



Available as frameset

DAKAR **XCT 650 TEAM**

Carbon & Monterey Red
26.00 lbs

FRAME	FORK	WHEELS	DRIVETRAIN	COCKPIT
High modulus Omniad M30 carbon fiber, 130mm travel mp4 suspension, PressFit 30, 12x142 dropouts, tapered head tube, Rock Shox Monarch RT3 High Volume shock	Rock Shox Revelation 650B RCT3 w/15mm axle, 32mm stanchions, tapered alloy steerer, 3-position compression adjust, rebound adjust, 130mm travel	Stan's NoTubes ZTR Arch EX 650B tubeless wheels, 3.30 Series 15mm thru-axle front and 12x142mm rear hubs, DT Swiss Competition spokes, Geax Goma, 650B x 2.25, folding tires	SRAM XO Type 2 rear & XO front derailleurs, SRAM XO 2x10 shifters, SRAM XO crankset 38/24T, SRAM PG1070 11-36 cassette, Avid XO hydraulic disc brakes, 180mm front and 160mm rear HS1 rotors	Crank Brothers Iodine 2 stem & handlebars, Crank Brothers Cobalt 2 seatpost, WTB Volt Comp saddle, Jamis Lock-On grips



DAKAR **XCT 650 PRO**

FRAME

Kinesium triple-buttled alloy, 130mm travel mp4 suspension, tapered headtube, 12x142 dropouts, dropper post routing, ISCG05, Fox Float CTD Factory Series LV high volume shock with Trail Adjust, Boost Valve & Kashima coating

FORK

Fox 32 Float 650B FIT CTD Factory Series w/3-position compression, Trail Adjust & Kashima coating, 15mm axle, air spring, rebound adjust, tapered steerer, 130mm travel

WHEELS

Shimano XT 650B, Tubeless, 15mm front & 12x142mm rear center-lock hubs, straight-pull spokes, Geax Goma, 650B x 2.25, folding tires

DRIVETRAIN

Shimano XT Shadow Plus & XT front derailleurs, Shimano XT 2x10 shifters, Shimano XT crankset 38/24T, Shimano HG81 11-36 cassette, Shimano XT M785 hydraulic disc brakes with Ice-Tech pads & 180mm front/160mm rear RT81 Ice-Tech centerlock rotors

COCKPIT

Crank Brothers Iodine 2 stem & handlebars, Crank Brothers Cobalt 2 seatpost, WTB Volt Comp saddle, Jamis Lock-On grips

Phantom Red & Pearl White
28.50 lbs

DAKAR **XCT 650 RACE**

Caron & Rally Blue
29.00 lbs

FRAME

High modulus Dyad Elite carbon fiber, 130mm travel mp4 suspension, PressFit 30, 12x142 dropouts, tapered head tube, Rock Shox Monarch RL High Volume shock

FORK

Rock Shox Sektor Silver TK 650B, 15mm axle, air spring, lock-out, tapered alloy steerer, rebound adjust, 130mm travel

WHEELS

WTB ST i19 650B TCS tubeless with Formula 15mm front and 12x142mm rear sealed bearing hubs, stainless spokes, Geax Goma, 650B x 2.25, folding tires

DRIVETRAIN

SRAM X7 rear & X7 HDM front derailleurs, SRAM X7 2x10 shifters, SRAM S1000 PF30 crankset 38/24T, SRAM PG1030 11-36 cassette, Avid Elixir 5 hydraulic disc brakes, 180mm front and 160mm rear HS1 rotors

COCKPIT

Crank Brothers Iodine 1 stem & handlebars, Crank Brothers Cobalt 1 seatpost, WTB Volt Sport saddle, Jamis Lock-On grips



DAKAR **XCT 650 COMP**

Ano Palladium
30.00 lbs

FRAME

Kinesium triple-buttled alloy, 130mm travel mp4 suspension, tapered head tube, 12x142 dropouts, dropper post routing, ISCG05, X-Fusion O2 RL high volume shock

FORK

X-Fusion Velvet RL 650B, 15mm axle, 32mm stanchions, tapered alloy steerer, lock-out, rebound adjust, 130mm travel

WHEELS

WTB SX19 650B, 32H, eyeleted, Formula 15mm front and 12x142mm rear sealed bearing 6-bolt disc hubs, stainless spokes, Geax Goma, 650B x 2.25, folding tires

DRIVETRAIN

Shimano Deore Shadow rear & Deore front derailleurs, Shimano Deore 2x10 shifters, Shimano Deore crankset 38/24T, Shimano HG62 11-36 cassette, Shimano M445 hydraulic disc brakes with 180mm front and 160mm rear RT56 rotors

COCKPIT

Crank Brothers Iodine 1 stem & handlebars, Crank Brothers Cobalt 1 seatpost, WTB Volt saddle, Jamis Lock-On grips





DAKAR **AMT 650**

All Mountain Full Suspension

This is where the 650B wheel size really shines: on a 150mm travel all-mountain dualie. Meet the new Dakar AMT 650 Pro and Comp. Based on our proven XCT trail bike, but bulked up for bigger hits at higher speeds, with mp4 suspension for efficient pedaling uphill and aggressive descents, 12 x 142mm rear thru-axle, ISCG05 chainguide mounts, beefy asymmetrical chain stays and a progressive suspension design with excellent climbing capabilities that delivers plush rear wheel traction. If you want to do it all, fast, this is the bike.

DAKAR **AMT 650 PRO**

Raw
27.75 lbs

FRAME
Triple-butt 7005 alloy, 150mm travel mp4 suspension, tapered headtube, 12x142mm dropouts, dropper post routing, ISCG05, Rock Shox Monarch Plus RC3 High Volume shock

FORK
Rock Shox Pike RCT3 650B, 3-position compression, lock-out, Charger damper, external rebound, low speed compression adjust, 15mm axle, 35mm stanchions, magnesium lowers, 150mm travel

WHEELS
American Classic All Mountain 650B, tubeless, 15mm front and 12 x 142mm rear hubs, Geax Goma, 650B x 2.4 front & 2.25 rear, folding tires

DRIVETRAIN
SRAM XO 11-speed rear derailleur, SRAM XO 11-speed shifter, SRAM XO 34T crankset, SRAM XG1195 10-42 cassette, Avid XO Trail 4-piston with 180mm front and 160mm rear HS1 rotors

COCKPIT
Crank Brothers Iodine 2 stem & handlebars, Crank Brothers Cobalt 2 seatpost, WTB Volt Comp saddle, Jamis Lock-On grips



DAKAR **AMT 650 COMP**

Phantom Blue & Pearl White
31.25 lbs

FRAME
Triple-butt 7005 alloy, 150mm travel mp4 suspension, tapered headtube, 12x142mm dropouts, dropper post routing, ISCG05, Fox Float CTD High Volume LV shock

FORK
Fox 34 Float 650B CTD Evolution Series, 3-position compression, lock-out, 15mm axle, air spring, rebound adjust, tapered alloy steerer, 150mm travel

WHEELS
WTB SX23 650B rims, Formula hubs w/sealed cartridge bearings, stainless spokes, Geax Goma, 650B x 2.4 front & 2.25 rear, folding tires

DRIVETRAIN
Shimano Deore Shadow rear & Deore front derailleurs, Shimano Deore 2x10 shifters, Shimano Deore crankset 38/24T, Shimano HG62 11-36 cassette, Shimano Deore M615 hydraulic disc brakes w/180mm front & 160mm rear RT56 rotors

COCKPIT
Crank Brothers Iodine 1 stem & handlebars, Crank Brothers Cobalt 1 seatpost, WTB Volt saddle, Jamis Lock-On grips



DRAGON **650**

Trail Hardtail

We wrote the book on off-road steel. Over 30 years of it. These two Dragons might look like retro rigs, but there's nothing outdated or outmoded about the way these bikes ride with those 650B wheels and new 120mm travel 650 forks from Fox and Rock Shox. The Dragon frame gives as much as it gets: the harder you push it, the better it feels.



DRAGON **650 PRO**

Root Beer
26.50 lbs

FRAME
Reynolds 853 seamless air-hardened chromoly main tubes, 44mm head tube, 31.6 I.D. seat tube, dropper post routing, curved crown-clearing down tube, double-buttet crommo stays, Jamis lost wax dropouts

FORK
Fox 32 Float 650B CTD Evolution Series, 3-position compression & lock-out, 15mm axle, air spring, rebound adjust, tapered alloy steerer, 120mm travel

WHEELS
American Classic Terrain 650B, tubeless, AC 15mm axle front and AC QR rear hubs, Geax Saguardo 650B x 2.2", folding bead tires

DRIVETRAIN
SRAM X9 rear & X9 front derailleurs, X9 2x10 shifters, SRAM S1000 GXP crankset 38/24T, SRAM 1050 11-36 cassette, Avid Elixir 5 hydraulic disc brakes with 180mm front & 160mm rear HS1 rotors

COCKPIT
Ritchey WCS Trail stem, handlebars & seatpost, WTB Volt Comp saddle, Jamis Lock-On grips



DRAGON **650 SPORT**

Ano Palladium
30.25 lbs

FRAME
Reynolds 520 chromoly main tubes and stays, reinforced head tube collars, gusseted down tube, forged dropouts

FORK
Rock Shox XC30 650B TK, Solo Air spring, external rebound, TurnKey lockout, 30mm stanchions, aluminum steerer, 120mm travel

WHEELS
WTB Speed Disc i19 650B double-wall eyeleted disc rims, Formula Hi-Lo flange sealed bearing 6-bolt disc hubs, stainless steel spokes, Geax Saguardo 650B x 2.2", folding tires

DRIVETRAIN
Shimano Deore Shadow rear & Deore front derailleurs, Shimano Deore 2x10 shifters, Shimano Deore M615 crankset 38/24T, Shimano HG62 11-36 cassette, Shimano M445 hydraulic disc brakes with 180mm front & 160mm rear rotors

COCKPIT
Ritchey Trail Riser bar, stem & 2-Bolt seatpost, WTB Volt Sport saddle, Jamis Lock-On grips





NEMESIS **650**

XC Hardtail

Want a bike more capable than you are? This is the one. Nemesis is the perfect XC race weapon or 12-hour marathon bike. The 650B wheel size is not a compromise between 26" or 29": it's the best of both worlds. It rails singletrack, sticks to the trail on descents and climbs, excels on hardpack and in loose stuff, floats over trail chatter, you name it. It's the bike you never knew you always wanted. Available in FIVE models for 2014, including 2 carbon fiber versions.

NEMESIS **650 TEAM**

Caron & Victory Red
19.75 lbs

- FRAME
- High-modulus Dyad Supreme carbon fiber, tapered head tube, PressFit30 BB shell, internal cable routing, over-sized stays with post mount disc brakes & 12x142mm drop-outs
- FORK
- Rock Shox SID XX 650B, 15mm Maxle Lite, remote hydraulic Xloc lockout, external rebound, tapered alloy steerer, 100mm travel
- WHEELS
- American Classic MTB Race, tubeless, 15mm axle front & 12x142 rear hub, AC butted spokes & alloy nipples, Geax AKA, 650B x 2.2", folding tires
- DRIVETRAIN
- SRAM XX1 11-speed rear derailleur, SRAM XX1 shifter, SRAM XX1 PF30 crankset 34T, SRAM XG1199 10-42 cassette, Avid XX hydraulic disc brakes with 160mm front & 140mm rear HSX rotors
- COCKPIT
- Ritchey WCS Riser carbon bar, 4-Axis stem & carbon 1-bolt seatpost, WTB Silverado Team saddle, Jamis lock-on grips



NEMESIS **650 PRO**

Caron & Victory Blue
24.50 lbs

- FRAME
- Mid-modulus Dyad Plus carbon fiber, tapered head tube, PressFit30 BB shell, internal cable routing, over-sized stays with post mount disc brakes & 12x142mm drop-outs
- FORK
- Fox 32 Float 650B CTD Evolution Series, 3-position compression & lock-out, 15mm axle, air spring, rebound adjust, tapered alloy steerer, 100mm travel
- WHEELS
- WTB Frequency Race i19 650B TCS tubeless rims, Formula hubs w/ sealed cartridge bearings, stainless spokes, Geax AKA, 650B x 2.2", folding tires
- DRIVETRAIN
- SRAM X9 rear and X7 HDM front derailleurs, SRAM X7 2x10 shifters, SRAM S1000 PF30 crankset 38/24T, SRAM PG1030 11-36 cassette, Avid Elixir 7 hydraulic disc brakes with 160 mm front & rear HS1 rotors
- COCKPIT
- Ritchey Pro Riser bar, 4-Axis stem & 2-bolt seatpost, WTB Silverado Comp saddle, Jamis lock-on grips

NEMESIS 650 RACE

Ano Black & Victory Yellow
26.00 lbs

FRAME
Kinesis 6061 triple-buttressed air formed SPF tubing, PressFit30 BB, tapered headtube, over-sized stays with post mount disc brakes & 12x142mm drop-outs

FORK
X-Fusion Velvet RL 650B, 32mm stanchions, 15mm axle, tapered alloy steerer, air spring, rebound & lockout adjust, magnesium lower legs, 100mm travel

WHEELS
Mavic Crossride 650B, 15mm front & 142mm rear hubs, straight-pull bladed spokes, Geax AKA, 650B x 2.2", folding tires

DRIVETRAIN
Shimano SLX Shadow rear & Deore front derailleurs, Deore 2x10 shifters, Deore crankset 38/24T, Shimano HG62 11-36 cassette, Shimano Deore hydraulic disc brakes with 160mm RT56 rotors

COCKPIT
Ritchey Comp Riser bar, stem & seatpost, WTB Silverado Comp saddle, Jamis lock-on grips



NEMESIS 650 COMP

Black Forest
28.75 lbs

FRAME
Kinesis 6061 triple-buttressed air formed SPF tubing, tapered head tube, over-sized stays with post mount disc brakes, replaceable derailleur hanger

FORK
Rock Shox XC30 650B TK, coil spring, external rebound, TurnKey lockout, 30mm stanchions, tapered aluminum steerer, 100mm travel

WHEELS
WTB Speed Disc i19 650B double-wall eyeleted disc rims, Formula Hi-Lo flange sealed bearing 6-bolt disc hubs, stainless steel spokes, Geax AKA, 650B x 2.2" tires

DRIVETRAIN
SRAM X7 rear & X5 front derailleurs, SRAM X5 3x9 shifters, SRAM S800 power spline crankset 44/32/22T, SRAM 11-34 cassette, Avid DB1 hydraulic with 160mm rotors

COCKPIT
Ritchey Mountain Riser bar, Ritchey 4-bolt OS stem, Ritchey 2-Bolt seatpost, WTB Silverado Comp saddle



NEMESIS 650 SPORT

Pearl White & Victory Blue
31.00 lbs

FRAME
Kinesis 6061 triple-buttressed air formed SPF tubing, tapered head tube, over-sized stays with post mount disc brakes, replaceable derailleur hanger

FORK
RST Blaze 650B TNL, coil spring with MCU with Turn-n-Lock lock-out, external preload adjuster, 30mm stanchions, 100mm travel

WHEELS
Alex MD19 650B double-wall disc-specific rims, 32H, Formula alloy 6-bolt disc hubs, stainless steel spokes, Geax AKA, 650B x 2.2" tires

DRIVETRAIN
Shimano Alivio rear & M190 front derailleurs, Shimano Acera M310 3x8 shifters, Shimano M311 crankset 42/32/22T, SRAM 11-32 cassette, Tektro HDC 300 hydraulic disc brakes with 160mm rotors

COCKPIT
Jamis Riser handlebar, Jamis XC stem, Jamis alloy micro-adjust seatpost, Jamis ATB Comp saddle



TRAIL X650

Ano Silver
31.50 lbs

FRAME
6061 aluminum main tubes, over-sized seat tube, zero-stack head tube, over-sized stays, replaceable derailleur hanger

FORK
RST Blaze 650 MLO, MCU/coil spring with mechanical lock-out, external preload adjuster, 30mm stanchions, 100mm travel

WHEELS
Alex TD26 650B double wall rims, 32H, alloy 6-bolt disc hubs, stainless steel spokes, Jamis TX, 650B x 2.1" tires

DRIVETRAIN
Shimano Acera rear & M190 front derailleurs, Acera 3x8 shifters, SR Suntour XCC alloy crankset 42/34/24T, Shimano 11-32 cassette, Tektro Novela mechanical disc brakes with 160mm rotors and Shimano levers

COCKPIT
Jamis XC riser handlebar, Jamis XC alloy threadless stem, Jamis alloy micro-adjust seatpost, Jamis ATB Sport saddle





MTB 26

The Original Wheel

29ers and 650b wheels might be making a lot of noise in the MTB landscape, but guess what—with decades of design momentum behind them, 26" bikes still have tons to offer, when done right. Here's the proof.

At the Trail X level, a 26" design simply kicks butt over big-wheelers. Larger hoops need more—more aluminum in the rims, more rubber on the outside, more stainless in the spokes. Factor in larger frames and forks to accommodate those big wheels, also requiring more material in turn, and at this price a 26" MTB comes out costing less, weighing less, and simply performing better. But it's not just the lighter weight and more-bang-for your-buck attributes that make a difference here. That smaller wheel size really comes through with snappy acceleration and flickability that can't be matched by 29ers or even 650b rigs.

Get up into 26" full-suspension, and our Dakar XC dualie is simply unbeatable. Same price as a 29" hardtail, maybe even the same weight, but with the stick-to-the-trail handling and ride of our incredibly refined mp2 suspension. This is a real multi-link chassis that offers all the benefits of near-vertical wheel travel, suspension that remains supple and active under power and braking, and a solidly planted rear footprint when the going gets steep and you've gotta throw the power down.

And then there's the Komodo. If you thrive on connection to the trail, if you live for big air and the flow of a screaming descent — Komodo will take you there, without the added weight and complexity of dual suspension. This is an all-mountain, all-the-time hardtail with slacker head and seat angles for high-speed handling, robust frame tubes and yokes for big-landing durability and 26" wheels for agility and flickability.

We used every trick in our playbook to design these bikes and the results speak for themselves. These are the best 26" MTBs we've ever made. And with all the awards and accolades we've won in the past, that's really saying something.



DAKAR **XC**

XC Full Suspension

Full suspension opens up a whole new world of speed and control off-road. This is the frame platform that's won us numerous industry accolades and Bike of the Year awards since we first introduced our Dakar dualies back in 1994. The suspension system is time and race proven and very similar to the design of our new-gen mp4 XCR's, with performance not that far removed from XCR-level.



DAKAR **XC**

FRAME 6061 aluminum, 90mm rear travel, Rock Shox Bar R air shock with rebound damping	FORK Rock Shox XC30 TK, Coil spring, external rebound, TurnKey lockout, 30mm stanchions, 100mm travel	WHEELS Alex TD25 double-wall disc-specific rims w/reinforced spoke bed, 32H, Formula alloy disc hubs, stainless steel spokes, Geax AKA, 26 x 2.2" tires	DRIVETRAIN Shimano Alivio rear & M311 front derailleurs, Shimano M310 3x8 shifters, Shimano M361 crankset 44/32/22T, SRAM 11-32 cassette, Tektro HDC-300 hydraulic disc brakes w/160mm rotors	COCKPIT Jamis XC alloy riser handlebar, Jamis XC alloy stem, Jamis alloy micro-adjust seatpost, Jamis ATB Comp saddle
---	---	---	---	---

Ano Black
32.00 lbs



KOMODO

All Mountain Hardtail

If you thrive on connection to the trail, if you live for big air and the flow of a screaming descent -- Komodo will take you there without the added weight and complexity of dual suspension. This is an all-mountain, all-the-time hardtail with slacker head and seat angles for high-speed handling, robust frame tubes and yokes for big landing durability, and 26" wheels for agility and flickability.



Ano Black & Gloss Black

KOMODO

Gang Green & Pure White
33.00 lbs

FRAME

6061 aluminum main tubes, tapered head tube, heavy-duty stays, ISCG05 tabs, dropper post routing & replaceable derailleur hanger

FORK

RST DIRT, external preload adjustor, coil/MCU spring, 32mm steel stanchions, 130mm travel

WHEELS

WTB SX23 double-wall disc-specific rims, Formula alloy 6-bolt disc hubs, 14g stainless steel spokes, Geax Goma, 26 x 2.25" tires

DRIVETRAIN

SRAM X4 rear & Shimano M190 front derailleurs, SRAM X4 shifters, TruVativ Blaze 2.0 AM crankset 36/24 with alloy bash guard, SRAM 11-32 cassette, Tektro Novela cable-actuated disc brakes with 160mm rotors and Tektro ML-330 levers

COCKPIT

Funn Flat Out riser handlebar, Funn Crossfire stem, Funn Crossfire micro-adjust seatpost, Funn Solace saddle, Jamis Lock-on grips

TRAIL X

XC Hardtail

Building great recreational-level bikes that ride much like (and look a lot like) our hi-end bikes is a passion at Jamis. And no bikes showcase our commitment to do just that better than these bikes. The Trail X chassis emphasizes all-day performance so the ride position isn't as extreme as on our racing ATBs, the handling's quick and sure without being overly darty. But make no mistake, if you want to throw down, the Trail X is more than able to keep up with precise shifting drivetrains and incredibly powerful disc or linear pull brakes.



Ano Black & MX Green



TRAIL X3

Pure White & Victory Blue
31.50 lbs

FRAME

6061 aluminum main tubes, radiused top tube, 34.9mm over-sized seat tube, replaceable derailleur hanger

FORK

RST Blaze TNL, coil spring with MCU with Tum-n-Lock lock-out, external preload adjustor, 30mm stanchions, 80mm travel (13") 100mm travel (15"-21")

WHEELS

Alex TD-25 double-wall disc-specific rims, 32H, alloy 6-bolt disc hubs, stainless steel spokes, Jamis TX, 26" x 1.95" tires

DRIVETRAIN

Shimano Acera rear & front derailleurs, Acera 3x8 shifters, Shimano forged alloy crankset 42/32/22T, Shimano 11-32 cassette, Tektro HDC 900 hydraulic disc brakes with 160mm rotors

COCKPIT

Jamis XC riser handlebar, Jamis XC alloy threadless stem, Jamis alloy micro-adjust seatpost, Jamis ATB Sport saddle

TRAIL **X2**

Grenade & Pure White
30.75 lbs

FRAME

6061 aluminum main tubes, radiused top tube, 34.9mm over-sized seat tube, replaceable derailleur hanger

FORK

RST Gila MLO, alloy crown & lowers, coil spring with mechanical lock-out, external preload adjustor, 28mm stanchions, 80mm travel (12/13") 100mm travel (15"-21")

WHEELS

Alex TD25 double-wall disco-specific rims with reinforced spoke bed, 32H, 6-bolt disc hubs, electro-plated spokes, Jamis TX, 26" x 1.95" tires

DRIVETRAIN

Shimano Acera rear & M190 front derailleurs, Acera 3x8 shifters, SR Suntour XCC alloy crankset 42/34/24T, Shimano 11-32 cassette, Tekro Novela mechanical disc brakes with 160mm rotors and Shimano levers

COCKPIT

Jamis XC riser handlebar, Jamis XC alloy threadless stem, Jamis alloy micro-adjust seatpost, Jamis ATB Sport saddle



Gloss Black & Blue

TRAIL **X2**

Stainless & Monterey Red
30.25 lbs

FRAME

6061 aluminum main tubes, radiused top tube, 34.9mm over-sized seat tube, replaceable derailleur hanger

FORK

RST Gila, alloy crown & lowers, MCU/coil spring with external preload adjustor, 28mm stanchions, 80mm travel (12/13") 100mm travel (15"-21")

WHEELS

Alex C1000 alloy rims, 36H, heavy-duty ATB hubs, electro-plated spokes, Jamis TX, 26" x 1.95" tires

DRIVETRAIN

Shimano Tourney TX-55 rear & TX51 front derailleurs, Acera 3x7 shifters, forged alloy crankset, 42/34/24T, Shimano TZ31 14-34 freewheel, Alloy linear pull type with Shimano alloy levers

COCKPIT

Jamis XC riser handlebar, Jamis XC alloy threadless stem, Jamis alloy micro-adjust seatpost, Jamis ATB Sport saddle



Gloss Black & Monterey Red

TRAIL **XR**

Stainless & Monterey Red
31.75 lbs

FRAME

Hi-tensile carbon steel tubes

FORK

Unicrown, hi-tensile steel, with over-sized radiused blades

WHEELS

Alloy 26 x 1.50" 36H rims, heavy-duty ATB hubs with QR, electro-plated spokes, Jamis TX, 26" x 1.95" tires

DRIVETRAIN

SRAM X3 rear & Shimano TX30 front derailleurs, SRAM 3.0 Grip Shift 3x7 shifters, forged alloy crankset, 42/34/24T, Indexed 13-28 freewheel, Alloy linear pull type with Shimano alloy levers

COCKPIT

Jamis XC riser handlebar, Jamis alloy stem, Jamis alloy micro-adjust seatpost, Jamis ATB Sport saddle



Ano Black

TRAIL **X2** *Femine*
Midnight Violet



TRAIL **X1** *Femine*
Pearl White & Alpine Blue



TRAIL **XR** *Femine*
Ocean Mist





ROAD

Podium Proven

Pro cyclists like Janier Acevedo, JJ Haedo, Matt Cooke, Ben Jacques-Maynes, Luis Amaran and Tyler Wren of Team Jamis/Hagens-Berman presented by Sutter Home have a will to win that's without parallel. It's what it takes to win stages, wear yellow or KoM polka dots and earn GC podium positions in America's premier road races. But without a WAY to win, simply having the will is not always enough. Which is where we come in.

Designing a path to victory is all about the persistent pursuit of details, painstakingly reworking carbon fiber layups, firing up the wind tunnel again and again, pushing every available technology to eke out a tiny bit more. Do it often enough, and you've engineered an advantage. That's our goal. Every day.

This year's road bikes continue our tradition of relentless refinement and breakthrough innovation. Though our current Xenith platform was already delivering podiums in the toughest races in North and South America, "as good as it gets" wasn't going to be good enough for 2014. The development effort on the all-new Xenith wasn't about simply tweaking the race and award-winning platform we already had: it was about starting completely over from scratch to create what we could. The result? A radically new frame and fork design constructed from an entirely new manufacturing process, delivering the lightest, stiffest, fastest bike we've ever produced.

That same attitude, that same capability, that same determined drive for best-in-class pushes all the way down the line. We tune every dimension of every bike for optimal weight distribution, so you can sprint without tire-skip, descend with confidence and rail every corner. We tweak every radius, obsess over wall thicknesses and tube miters, welding temperatures and carbon molding methods so you'll have a bike you can sprint with 100% commitment, throw yourself into corners with confidence, push those tires to their frictional limits and still enjoy smoothly forgiving ride quality.

The result is a road bike line without peer, without compromise. And without excuses. We pull out the stops; we push the limits of engineering possibility and production reality. We keep the pressure on all the time. Because that's what it takes to stay out front.



[re]designed. [re]engineered. [re]ignited.

NEAR NET SPV: We've taken our revolutionary Near Net dual-molding manufacturing process, that utilizes both silicone and polystyrene internal cores to support the frame shape while it is being pressurized within the steel mold, and added a vacuum purge procedure before molding that compresses and eliminates all air between carbon plies. Compaction is absolutely optimized. Not only is weight reduced while stiffness and strength are increased, but over-reliance on fragile and harsh-riding super-high modulus fiber is minimized. The result is a lighter, faster, stiffer, stronger frame that simply rides better.

RIDE TUNED SEATSTAYS: Having direct-mount/dual-pivot calipers bolted to the chainstays frees the seatstays from their traditional role as a brake system reinforcement. So we can focus on designing and tuning the seatstays for their primary purpose: ride compliance and torsional stability.

BB386 EVO: The BB386 EVO bottom bracket design amplifies the benefits of the proven BB30 and PF30 system. It takes the lighter, stiffer 30mm alloy spindle from the BB30 design, incorporates press-fit bearing cups from the PF30 system and marries both to a wider 86.5mm BB shell (which is the same width as on a standard 68mm shell with external bearings). All without changing Q-factor. Why a wider shell? It allows us to increase the diameter of our seat and down tubes at the BB shell a full 30%, for increased stiffness where you really need it. We can also optimize chainstay design with an increased diameter that doesn't crowd the rear tire.



ACE: Before electronic shifting was a commercial reality, we were torn on the benefits of internal cable routing. The advantages – stunningly clean aesthetics, no cable stops to chip, ostensibly cleaner cabling systems – were counter-balanced by its chief disadvantages – the extra weight and friction of full-length housing or interior guide tubes and the labor-intensive challenges of installation and replacement. Given our engineering emphasis on performance-first design, we previously outfitted our road-racing Xeniths with externally routed gear and brake cabling. It was light. It was simple. It was easy to maintain.

But with electronic shifting, it makes much more sense to run everything inside. Attaching and affixing wiring and harnesses externally is every bit as laborious (think cable ties, adhesives and external mounts) as running them internally, where they are much more protected as well. Not to mention, running this stuff inside just looks right.

Which is why every 2014 Xenith is equipped with our new Adaptive Cable Entry system. ACE allows our frames to elegantly and easily manage the internal routing of brake and derailleur cable housing OR electronic Di2 wiring. Xenith models specified with standard cable-actuated drivetrains will be outfitted with ACE plates with integrated cable stops. But we also include with every bike an extra set of ACE plates for Di2 wiring should you ever wish to make the jump to electronic shifting.

WINDSHIELD II: The advantages of our original Windshield fork, which shrouds the rear-facing front brake on our T2 time trial bike within the fork blades, has been proven time after time in the wind tunnel and on the racecourse. That project and experience led us to develop a lighter version for use on the new Xenith SL, Team and Pro. Our new Windshield II fork design with trailing direct-mount brake reduces drag by nearly 4% compared to last year's fork with leading caliper brake. An advantage you're sure to appreciate the next time you're pulling a breakaway or closing the gap solo.





XENITH

Competition Road

“As good as it gets” is never good enough at Jamis. And our all-new, totally redesigned Xenith proves it. The Xenith was already a multiple awards-winning, race-vanquishing powerhouse that many on Jamis/Hagens Berman p/b Sutter Home didn't want us to tamper with. But our engineers and designers weren't content with today's accolades and podiums when tomorrow's beckoned. The development effort on this bike wasn't just about tweaking what we had; it was about starting from scratch to create what we could. The result? A radically new frame and fork design and wholly new manufacturing process that has delivered the lightest, stiffest, most aero road bike we've ever produced.



XENITH SL

FRAME	FORK	WHEELS	DRIVETRAIN	COCKPIT
Dyad Supreme M40/M30 carbon fiber monocoque, FEA optimized Near Net SPV molding process, carbon tapered head tube, EVO386 carbon BB shell, asymmetrical chainstays with direct mount brakes and SST tubing diameters	Jamis WindShield II Aero full carbon composite fork, FEA optimized Near Net SPV molding process, 1.5" hollow formed crown, monocoque one-piece forming technology, carbon dropouts with stainless axle interfaces	Shimano Dura Ace C35 tubular wheelset, 16/20H, 35mm aero full carbon rims, Dura Ace front & rear hubset, bladed spokes, Vittoria Corsa Evo CX, 700 x 21c, tubular tires	Full Shimano Dura-Ace 11-speed derailleurs, Dura-Ace STI levers, Dura-Ace 53/39 crankset with Dura-Ace 11-25T, Dura Ace BR-9010 direct mount Super SLR dual pivot brake calipers and TRP TTV linear pull direct mount front brake with cartridge pads	Ritchey WCS Logic Curve carbon bars, Superlogic C-260 carbon stem & SuperLogic carbon seatpost, Selle San Marco Concor Racing Team saddle

Caron & Victory Red
13.75 lbs



XENITH **TEAM**

FRAME

Dyad Supreme M40/M30 carbon fiber monocoque, FEA optimized Near Net SPV molding process, carbon tapered head tube, EVO386 carbon BB shell, asymmetrical chainstays with direct mount brakes and SST tubing

FORK

Jamis WindShield II Aero full carbon composite fork, FEA optimized Near Net SPV molding process, 1.5" hollow formed crown, monocoque one-piece forming technology, carbon dropouts with stainless axle interfaces

WHEELS

American Classic Argent Tubeless 11-Speed wheelset, 18/24H, 30mm rim height with 23x19mm width, stainless steel bearing hubs, bladed stainless spokes, Hutchinson Fusion 3 Dual Compound Tubeless, 700 x 23c, folding tires

DRIVETRAIN

SRAM RED22 11-Speed derailleurs with YAW technology, shifters, RED22 crankset 53/39 and XG1190 11-26T, Tektro T740R direct mount caliper rear brake and TRP TTV linear pull direct mount front with cartridge pads

COCKPIT

Ritchey WCS Logic Curve carbon bars, Ritchey WCS 4-Axis stem, Ritchey Pro 31.6mm carbon seatpost, Selle San Marco Concor saddle

Caron & Pure White
14.50 lbs

XENITH **PRO**

Carbon & Victory Blue / [Victory Red](#)
15.75 lbs

FRAME

Dyad Elite M30/T700 carbon fiber monocoque, FEA optimized Near Net SPV molding process, carbon tapered head tube, EVO386 carbon BB shell, asymmetrical chainstays with direct mount brakes and SST tubing diameters

FORK

Jamis WindShield II Aero full carbon composite fork, FEA optimized Near Net SPV molding process, 1.5" hollow formed crown, monocoque one-piece forming technology, carbon dropouts with stainless axle interfaces

WHEELS

American Classic 420 Aero 11-Speed wheelset, 34mm aero rims, 18/24H, stainless steel bearing hubs, bladed stainless spokes, Vittoria Rubino Pro Slick, 700 x 23c, folding tires

DRIVETRAIN

SRAM Force22 11-Speed derailleurs with YAW technology, shifters, Force22 crankset 53/39 and PG1170 11-26T, Tektro T740R direct mount caliper rear brake and TRP TTV linear pull direct mount front with cartridge pads

COCKPIT

Ritchey Pro EVO Curve handlebar, Ritchey Pro 4-Axis stem, Ritchey Pro 31.6mm carbon fiber seatpost, Selle San Marco Concor saddle / [Selle San Marco SPID Open Glamor saddle](#)



Available as frameset



XENITH **RACE**

Ano Palladium / [Ano Palladium](#)
17.25 lbs

FRAME

Dyad Elite M30/T700 carbon fiber monocoque, FEA optimized Near Net SPV molding process, carbon tapered head tube, EVO386 carbon BB shell, asymmetrical chainstays with direct mount brakes and SST tubing diameters

FORK

Jamis Road full carbon composite fork, FEA optimized Near Net SPV molding process, 1.5" hollow formed crown, monocoque one-piece forming technology, carbon dropouts with stainless axle interfaces

WHEELS

Mavic Aksium Race 11-Speed wheelset, 20H, QRM bearing hubs with FTS-L freehub, H2 spoke holes, straight pull stainless spokes, Vittoria Zaffiro Pro slick, 700 x 23c, folding tires

DRIVETRAIN

Shimano Ultegra 6800 11-Speed derailleurs and shifters, 52/36 crankset with 11-28 cassette, Tektro T740R direct mount rear brake and Tektro R540 dual-pivot front calipers with Swiss Stop pads

COCKPIT

Ritchey Comp Logic Curve bars, Ritchey Logic Comp 4-Axis stem, Jamis carbon seatpost and Selle San Marco SPID Open saddle / [Selle San Marco SPID Glamour Open saddle](#)

XENITH **COMP**

Carbon & Pure Lime / [Ocean Mist](#)
18.75.00 lbs

FRAME

Omnia+ Plus T700 carbon fiber monocoque, FEA optimized Near Net SPV molding process, carbon tapered head tube, EVO386 carbon BB shell, asymmetrical chainstays with direct mount brakes and SST tubing diameters

FORK

Jamis Road full carbon composite fork, FEA optimized Near Net SPV molding process, 1.5" hollow formed crown, monocoque one-piece forming technology, carbon dropouts with stainless axle interfaces

WHEELS

Mavic CXP-22 rims with CNC sidewalls, 28/32H, Formula alloy hubs, 14g black stainless steel spokes, Vittoria Zaffiro Slick, 700 x 23c tires

DRIVETRAIN

Shimano 105 derailleurs and shifters, Shimano FC-R565 50/34 crankset with Shimano 11-25T, Tektro T740R direct mount rear and Tektro R540 forged alloy dual pivot front calipers with cartridge pads

COCKPIT

Ritchey Logic bars, Ritchey Road 3D forged stem, Jamis carbon seatpost, Selle San Marco SPID Open saddle / [SPID Glamour Open saddle](#)



ICON

Competition Road

We knew the Icon was a winner when we introduced it last year, and an Editor's Choice award from Bicycling Magazine against some pretty stiff competition from the likes of Cannondale and Specialized proved it. It's not too hard to figure out why. With an alloy frame that is just as light as our carbon fiber Xenith Comp and a frame geo inspired by our peleton-proven Xenith SL, the Icon sprints like a missile with a "connected" road feel that inspires confidence.



ICON ELITE

Black Anodized
16.50 lbs

FRAME

Synthesis manufactured 6061 double-buttet aluminum, 1 1/8-1.5" tapered head tube, Press Fit 30 BB and SST tubing diameters

FORK

Jamis Road carbon fork, 1.5" hollow formed crown, monocoque one-piece forming technology, carbon dropouts with stainless axle interfaces

WHEELS


American Classic Victory 30 11-Speed wheelset, 30mm rim profile, AC alloy hubs with 18/24H aerodynamic spokes, Vittoria Rubino Pro Slick, 700 x 23c, folding tires

DRIVETRAIN

Shimano Ultegra 11- Speed derailleurs & shifters, Shimano Ultegra 52/36 crankset with Shimano 11-28T, Shimano Ultegra BR-6800 SLR dual pivot caliper brakes with cartridge pads

COCKPIT

Ritchey Comp Logic Curve bars, Ritchey WCS 4-Axis stem, Jamis carbon seatpost, Selle San Marco Concor saddle



ICON PRO

Ano Palladium
18.75 lbs

FRAME

Synthesis manufactured 6061 double-buttet aluminum, 1 1/8-1.5" tapered head tube, Press Fit 30 BB and SST tubing diameters

FORK

Jamis Road carbon composite fork, 1.5" hollow formed crown, monocoque one-piece forming technology, carbon dropouts with stainless axle interfaces

WHEELS

Mavic Aksium Race wheelset, 20H, 24mm rims, QRM bearings and FTS-L freehub and Self Locking straight pull aerodynamic spokes, Vittoria Zifiro Slick, 700 x 23c, folding tires

DRIVETRAIN

Shimano 105 derailleurs and shifters, Shimano FC-R565 50/34 crankset with Shimano 11-25T, Tektro R540 dual pivot caliper brakes with cartridge pads

COCKPIT

Ritchey Comp Logic Curve bars, Ritchey Road 3D forged stem, Jamis carbon seatpost, Selle San Marco SPID Open saddle





XENITH T-SERIES

Time Trial / Triathlon

We've poured over every millimeter of our Xenith time trial bikes to help you squeeze every bit of speed from every milliwatt you can muster against the clock. The Windshield aero fork with shrouded rear-facing brakes increases aerodynamic efficiency a full 10%. 78 degree seat tube angles and 46mm bore PF30 BB system maximize pedal power, with head angles and fork offsets specifically designed for straight-line stability in an aero tuck on TT extensions. This is what TT performance is all about.



Available as frameset

XENITH T2 Di2

Victory Red & Gloss Carbon
17.25 lbs

FRAME

Dyad Supreme M40/M30 carbon fiber monocoque, chainstay mounted rear brake, internal cable routing, Press Fit 30 BB, rear-entry dropouts

FORK

Jamis WindShield carbon, 1 1/8" with shrouded brake

WHEELS

American Classic carbon 58mm Series 3 11-Speed clincher, 18/24H, 58mm aero profile carbon rim, AC hi-lo flange Micro 58 hubs, Vittoria Open Corsa EVO Slick, 700 x 23c, folding tires

DRIVETRAIN

Shimano Ultegra Di2 11-Speed derailleurs, Di2 base bar and 2 button bar-end shifters, Ultegra 53/39 crankset, Shimano 11-25T, Tektro R725 aero TT brakes with Swiss Stop dual compound cartridge shoes

COCKPIT

Profile T3+ Drop-bend carbon extensions, Profile SVET ZERO carbon bar, Profile Aris stem, Cobb Cycling V-Flow Plus saddle



XENITH **T1**

Black Coal & Rally Blue
17.50 lbs

FRAME	FORK	WHEELS	DRIVETRAIN	COCKPIT
Dyad Supreme M40/M30 carbon fiber monocoque, chainstay mounted rear brake, internal cable routing, Press Fit 30 BB, rear-entry dropouts	Jamis WindShield carbon, 1 1/8" with shrouded brake	American Classic 420 Aero 3 wheelset, 18/24H 34mm aero rims, RD-205/Micro 58 hubs, stainless steel bladed spokes, Vittoria Rubino Pro Slick, 700x23c, (Vittoria Rubino 650 x 23c for XS), folding tires	SRAM Force22 derailleurs with YAW technology, SRAM 1090 R2C Aero TT 11-speed bar end levers, Vision Trimax 52/38 PF30 crankset, SRAM 11-25T, Tektro R725 aero TT brakes with Swiss Stop dual compound cartridge shoes and Tektro TL-720 aero levers	Profile T3+ Drop-bend carbon extensions, Profile SVET ZERO carbon bar, Profile Aris stem, Cobb Cycling V-Flow Plus saddle

XENITH **T**

Pure White & Victory Red
19.75 lbs

FRAME
Dyad Supreme M40/M30 carbon fiber monocoque, chainstay mounted rear brake, internal cable routing, Press Fit 30 BB, rear-entry dropouts
FORK
Jamis WindShield carbon, 1 1/8" with shrouded brake
WHEELS
Alex RA30 aero rims with 30mm rim profile, 20/24H, Formula alloy hubs with QR, Formula bladed stainless steel spokes, Vittoria Zaffiro Slick, 700x23c, (Vittoria Rubino 650 x 23c for 47) tires
DRIVETRAIN
Shimano 105 derailleurs, microSHIFT 10-speed bar-end shifters, FSA Gossamer 53/39 PF30 crankset, Shimano 11-25T, Tektro R725 aero TT brakes with Swiss Stop dual compound cartridge shoes and Tektro RX 4.1 aero levers
COCKPIT
Profile T3+ Drop-bend extensions, Profile Air Wing base bar, Profile Aris stem, Selle San Marco ERA TT saddle



COMET

Gloss Black & Race Yellow
20.25 lbs

FRAME
Aero 7005 butted frame with airfoil shaped tubes, hydroformed seat tube with wheel cut-out, chainstay brake mounting
FORK
Jamis WindShield carbon, 1 1/8" with shrouded brake
WHEELS
Alex RA30 aero rims with 30mm rim profile, 20/24H, Formula alloy hubs with QR, Formula bladed stainless steel spokes, Vittoria Zaffiro 700 x 23c (Vittoria Rubino 650 x 23c for 47cm) tires
DRIVETRAIN
Shimano Ultegra rear & 105 front derailleurs, microSHIFT 10-speed bar-end shifters, FSA Gossamer 53/39 PF30 crankset, Shimano 11-25T, Tektro R725 aero TT brake with Swiss Stop dual compound cartridge shoes and Tektro RX 4.1 aero levers
COCKPIT
Profile T3+ Drop-bend extensions, Profile Air Wing base bar, Jamis road stem, Selle San Marco ERA TT saddle



NOVA SERIES

Cyclocross

Over the barriers, through the mud, to the podium we go. On a Supernova of course. The carbon fiber Team and Elite versions of this perennial CX winner are guaranteed to have you reigning in the wet and muddy stuff. Then there's our aluminum Nova Pro, Race and Sport, possibly some of the most versatile bikes we've ever built. They're as ready for Monday morning's asphalt commute as they were at the local gravel race last Saturday. And they're just as ready to be loaded up with panniers for next month's adventure tour.



SUPERNOVA TEAM

Carbon & Victory Red
17.50 lbs

FRAME

Jamis CX.Dyad Elite M30/T700 carbon fiber monocoque, FEA optimized Near Net molding process, carbon tapered head tube, EVO386 carbon BB shell, SST tubing diameters

FORK

Jamis CX carbon fiber fork, FEA optimized Near Net SPV molding process, 1.5" hollow formed crown, monocoque one-piece forming technology, post disc brake mounts with integrated carbon cable cradle with stainless axle interfaces

WHEELS

American Classic Argent Tubeless wheelset, 32H, 19mmID x 30mm aero rim profile, AC disc hubs with sealed bearings and AC round spokes, Clement Crusade PDX, 700 x 33c, 120TPI, folding kevlar bead tires

DRIVETRAIN

SRAM Force22 derailleurs, RED22 Hydraulic disc brake shifters, FSA SLK 46/36 EVO crankset, SRAM 11-28T, SRAM RED22 Hydraulic disc brakes, 19mm front and 18mm rear piston, 160mm front/140mm rear rotors

COCKPIT

Ritchey Pro EVO Curve handlebar, Ritchey Pro 4-Axis stem, Ritchey Pro Carbon seatpost, Selle San Marco Concor saddle

SUPERNOVA **ELITE**

Pure White & Victory Red
20.50 lbs

FRAME

Jamis CX Dyad Plus T700/FRP carbon fiber monocoque, FEA optimized Near Net molding process, carbon tapered head tube, EVO386 carbon BB shell, SST tubing diameters

FORK

Jamis CX carbon composite fork, FEA optimized Near Net SPV molding, 1.5" hollow formed crown, monocoque one-piece forming technology, post disc brake mounts with integrated carbon cable cradle with stainless axle interfaces

WHEELS

Alex ATD490 tubeless ready disc specific rim, 32H, Formula alloy 6-bolt disc road hubs and 14g stainless steel spokes, Clement Crusade PDX, 700 x 33c, 60TPI, folding tires

DRIVETRAIN

SRAM Apex derailleurs and shifters, FSA Gossamer PRO EVO 46/36 PF30 crankset with SRAM 11-28T, TRP HYRD cable actuated hydraulic disc brake with 160mm front; 140mm rear rotors

COCKPIT

Ritchey Logic Curve bar, Ritchey 4-Axis stem, Ritchey Road seatpost, Selle San Marco SPID Open saddle



NOVA **PRO**

Ano Black & Victory Blue
20.75 lbs

Frame

7005 double-buttend aluminum, tapered head tube, Kinesium top tube formed with portaging flat

Fork

Jamis CX carbon composite fork, 1.5" hollow formed crown, monocoque one-piece forming technology, post disc brake mounts with integrated carbon cable cradle with stainless axle interfaces

Wheels

Alex ATD490 tubeless-ready disc-specific rims 32H, Formula alloy 6-bolt disc road hubs, 14g stainless spokes, Clement Crusade PDX, 700 x 33c, 60TPI, folding tires

Drivetrain

SRAM Apex derailleurs & shifters, SRAM S350 46/36 PF30 crankset with SRAM 11-28T, TRP HYRD cable actuated hydraulic disc brake with 160mm front; 140mm rear rotors

Cockpit

Ritchey Comp Logic Curve handlebar, Ritchey Comp 4-Axis stem, Ritchey Road seatpost, Selle San Marco SPID Open saddle



NOVA **RACE**

Deep Red
23.75 lbs

FRAME

6061 double-buttend aluminum, tapered head tube, top tube formed with portaging flat

FORK

Jamis CX carbon composite fork, 1.5" hollow formed crown, monocoque one-piece forming technology, post disc brake mounts with integrated carbon cable cradle with stainless axle interfaces and fender eyelets

WHEELS

Alex XC23 eyeletted disc-specific rims 32H, Formula alloy 6-bolt disc road hubs, 14g stainless spokes, Vittoria Cross XN, 700 x 32c tires

DRIVETRAIN

Shimano 10-speed Tiagra derailleurs and shifters, FSA Vero 46/36 crankset, Shimano 12-30T, Avid BB-7 mechanical disc brake with 160mm front/rear rotors

COCKPIT

Ritchey Logic Road bar, Ritchey 4-Axis stem, Ritchey Road seatpost, Selle San Marco SPID saddle



NOVA **SPORT**

Charcoal
24.75 lbs

FRAME

6061 double-buttend aluminum, tapered head tube, top tube formed with portaging flat

FORK

Jamis Cross aluminum fork, tapered chromoly steerer, integrated cable cradles with post disc brake mounts and fender eyelets

WHEELS

Alex XC23 eyeletted disc-specific rims 32H, Formula alloy 6-bolt disc road hubs, 14g stainless spokes, Vittoria Cross XN, 700 x 32c

DRIVETRAIN

Shimano 8-speed Claris 2400 derailleurs and Dual Control shifters, FSA Tempo 50/36 crankset, Shimano 11-30T, Tektro Lyra cable-actuated disc brakes

COCKPIT

Jamis 31.8mm handlebar, Jamis stem, Jamis 31.6mm seat post, Jamis road saddle





XENITH **ENDURA**

Performance Road - Carbon

Our Enduras are a favorite amongst century riders, distance cyclists and racers looking for an edge on rough or steep courses. And it's no surprise why. Borrowing heavily from our race-winning Xenith Competition geo, the Endura strikes a balance between performance, comfort, compliance and capability. Every Endura model features all the performance and design attributes of our racing bikes with slightly taller head tubes, longer wheelbases and relaxed frame angles. Fast, long, steep and rough rides can now be enjoyed, not just endured.



ENDURA **ELITE**

Caron & Monterey Red
17.50 lbs

FRAME

Dyad Elite M30/T700 carbon fiber monocoque, SST tubing diameters, ACE internal cables compatible with D12, full carbon head tube, carbon PressFit 30 BB shell and hidden fender & carrier eyelets

FORK

Jamis ECO carbon composite fork, 1.5" hollow formed crown, monocoque one-piece forming technology, alloy dropouts with hidden eyelet

WHEELS

Shimano RS61 wheelset, 16/20H, 24mm asymmetric rim profile, RS61 forged aluminum loose ball hubs and double butted bladed stainless steel spokes, Vittoria Rubino Pro, 700 x 25c, folding tires

DRIVETRAIN

Shimano Ultegra 11-Speed derailleurs & shifters, Ultegra 52/36 crankset with Ultegra 11-28T, TRP RG957 long-reach dual pivot caliper brakes

COCKPIT

Ritchey Comp Logic Curve bar, Ritchey Comp 4-Axis stem, Ritchey Pro carbon seatpost, Selle San Marco SPID Dynamic Open saddle with chromoly-moly rails

ENDURA **COMP**

Ano Palladium & Victory Blue / *Alpine Blue*
19.00 lbs

FRAME
Dyad Elite M30/T700 carbon fiber monocoque, SST tubing diameters, ACE internal cables compatible with Di2, full carbon head tube, carbon PressFit 30 BB shell and hidden fender & carrier eyelets

FORK
Jamis ECO carbon composite fork, 1.5" hollow formed crown, monocoque one-piece forming technology, alloy dropouts with hidden eyelet

WHEELS
Shimano R500 wheelset, 20/24H, 24mm rim profile, R500 forged alloy adjustable-bearing hubs, bladed stainless steel spokes, Vittoria Zaffiro, 700 x 25c tires

DRIVETRAIN
Shimano 105 derailleurs and shifters, Shimano R565 50/34 crankset with Shimano 12-30T, Tektro R359 long-reach/dual-pivot caliper brakes

COCKPIT
Ritchey Comp Logic Curve bar, Ritchey 4-Axis 3D forged stem, Jamis carbon seat post, Selle San Marco SPID Open saddle / [Selle San Marco SPID Glamour Open saddle](#)



ENDURA **SPORT**

Carbon & Ano Stainless / *Lavender*
19.75 lbs

FRAME
Dyad Plus T700/FRP carbon fiber monocoque, SST tubing diameters, ACE internal cables compatible with Di2, full carbon head tube, carbon PressFit 30 BB shell and hidden fender & carrier eyelets

FORK
Jamis ECO carbon composite fork, 1.5" hollow formed crown, monocoque one-piece forming technology, alloy dropouts with hidden eyelet

WHEELS
Alex DC19 double wall rims with CNC sidewalls, 28/32H, Formula alloy hubs, 14g stainless steel spokes, Vittoria Zaffiro, 700 x 25c tires

DRIVETRAIN
Shimano 10-speed Tiagra derailleurs and shifters, FSA Vero 50/34 crankset with Shimano 12-30T, Tektro R317 long-reach/dual-pivot caliper brakes

COCKPIT
Jamis Ergo Road bar, Jamis 3D forged stem, Jamis carbon seatpost, Selle San Marco SPID Open saddle / [Selle San Marco SPID Glamour Open saddle](#)



VENTURA

Performance Road - Alluminum

Our Ventura bikes borrow heavily from the race-proven geometry of our Xeniths to help keep you in front on the local Saturday ride. But we've softened the edges of that geo just a bit for a more comfortable and confident ride so you can head out again on Sunday, still fresh and ready to hammer your buddies one more time.



VENTURA RACE

Ano Black & Monterey Red / [Pink Inferno](#)
20.00 lbs

FRAME

Kinesis 6061 double-buttressed main frame, compact sloping top tube design, SST tubing diameters, tapered head tube, 34.9 seat tube and replaceable derailleur hanger

FORK

Jamis carbon composite straight blade road fork, tapered steerer with 1.5 crown, forged alloy dropouts

WHEELS

Mavic CXP-22 rims with CNC sidewalls, 28/32H, Formula alloy hubs with QR and 14g black stainless steel spokes, Vittoria Zaffiro, 700 x 23c tires

DRIVETRAIN

Shimano 10-speed Taigra derailleurs & shifters, FSA Vero 50/34 crankset with PowerDrive BB and Shimano 12-28T, Tektro R312 dual-pivot caliper brakes with cartridge pads

COCKPIT

Ritchey Comp Logic Curve bar, Ritchey 4-Axis stem, Jamis carbon seatpost, Selle San Marco SPID Open saddle / [Selle San Marco SPID Glamour Open saddle](#)



Femme

VENTURA **RACE**

Ano Black & Victory Yellow / [Monterey Blue](#)
21.00 lbs

FRAME
Kinesis 6061 double-buttressed main frame, compact sloping top tube design, SST tubing diameters, tapered head tube, 34.9 seat tube and replaceable derailleur hanger

FORK
Jamis carbon composite straight blade road fork, tapered steerer with 1.5 crown, forged alloy dropouts

WHEELS
Mavic CXP-22 rims, 28/32H, Formula alloy road hubs, 14g stainless steel spokes, Vittoria Zaffiro, 700 x 23c tires

DRIVETRAIN
Shimano 9-speed Sora derailleurs and STI shifters, FSA Vero 50/34 crankset with SRAM 11-28T, Tektro R312 dual-pivot caliper brakes

COCKPIT
Ritchey Logic Curve bar, Ritchey 4-Axis stem, Ritchey seat post, Selle San Marco SPID Open saddle / [Selle San Marco SPID Glamour Open saddle](#)



VENTURA **SPORT**

Pearl White & Victory Blue / [Cherry Bomb](#)
23.00 lbs

FRAME
Kinesis 6061 aluminum road frame, compact sloping top tube design, SST tubing diameters, tapered head tube, 34.9 seat tube and replaceable derailleur hanger

FORK
Aero straight blade road fork, 1.5 aluminum crown, aluminum blades with chromoly steerer

WHEELS
Alex ID19 double-wall aluminum rims, 28/32H, Formula alloy front & cassette freehub rear hubs with QR, stainless steel spokes, Vittoria Zaffiro, 700 x 23c tires

DRIVETRAIN
Shimano 8-speed Claris 2400 derailleurs and Dual Control shifters, FSA Tempo 50/34 crankset with SRAM 11-30T, Tektro R317 dual-pivot caliper brakes

COCKPIT
Jamis alloy road bar, Jamis road stem, Jamis alloy seat post, Jamis Road Sport saddle / [Jamis Road Sport Femme saddle](#)





ECLIPSE & QUEST

Performance Road - Steel

The legendary ride of steel: that's what our Eclipse and Quest series bikes are all about. There is an allure to steel that transcends its traditional artisan appeal. And that's its ride quality. "Stiff but buttery smooth" is the phrase most often used to express that quality. It's the benchmark against which all other frame materials are measured.



ECLIPSE

FRAME

Reynolds 853 heat-treated, seamless air-hardened chromoly main tubes with heat-treated/taper gauge chromoly stays, SST tubing diameters

FORK

Jamis full carbon fiber with forged alloy dropouts

WHEELS

Ritchey WCS Zeta wheelset, 20/24H, 24mm Vanadium rims, WCS hubs, bladed stainless spokes, Vittoria Rubino Pro Slick, 700 x 23c, folding tires

DRIVETRAIN

Shimano Ultegra derailleurs and shifters, Ultegra 50/34 compact crankset with Ultegra 11-25T, Shimano Ultegra 6700 Super SLR dual-pivot caliper brakes

COCKPIT

Ritchey WCS Logic Curve bar, Ritchey Pro 4-Axis stem, Ritchey WCS seatpost, Selle San Marco Concor saddle

Polished
17.00 lbs

QUEST **ELITE**

Ano Black
19.50 lbs

FRAME

Reynolds 631 air-hardened seamless chromoly main tubes with heat-treated/ taper gauge chromoly stays and SST tubing diameters

FORK

Jamis Road carbon composite fork with forged alloy dropouts and single eyelet

WHEELS

Ritchey Comp Zeta wheelset, 20/24H, 24mm profile rims, cold-forged hubs with cartridge bearings, DT Champion spokes, Vittoria Zaffiro Pro, 700 x 25C, folding fires

DRIVETRAIN

Shimano 105 derailleurs and shifters, Shimano R565 50/34 crankset with Shimano 11-28T, Shimano BR450 Super SLR long-reach, dual-pivot caliper brakes

COCKPIT

Ritchey Comp Logic Curve bar, Ritchey 4-Axis stem, Ritchey Road seat post, Sella San Marcos SPID Open saddle / [Sella San Marcos SPID Glamor Open saddle](#)



QUEST **COMP**

Pearl White / Monterey Red
23.00 lbs

FRAME

Reynolds 520 double-buttend chromoly main tubes, double-tapered chromoly stays and SST tubing diameters

FORK

Jamis Road carbon composite fork with forged alloy dropouts and single eyelet

WHEELS

Mavic CXP-22 rims, 28/32H, Formula alloy road hubs, 14g stainless steel spokes, Vittoria Zaffiro, 700 x 25c tires

DRIVETRAIN

Shimano 9-speed Sora derailleurs and STI shifters, FSA Vero 50/39/30 crankset with SRAM 11-28T, Tektro R317 long-reach dual-pivot caliper brakes

COCKPIT

Ritchey Comp Logic Curve bar, Jamis adjustable threadless system (ATS) stem, Ritchey seat post, Jamis Touring Sport saddle / [Jamis Touring Sport Femme saddle](#)



QUEST **SPORT**

Tiger's Eye
25.00 lbs

FRAME

4130 double-buttend chromoly main tubes, double-tapered chromoly stays, forged dropout with single eyelet and SST tubing diameters

FORK

4130 chromoly unicrown road fork with forged dropouts and single eyelets

WHEELS

Alex ID19 double-wall aluminum rims, 28/32H, Formula alloy road hubs, stainless steel spokes, Vittoria Zaffiro, 700 x 23c tires

DRIVETRAIN

Shimano 8-speed Claris 2400 derailleurs and Dual Control shifters, Claris FC-2403 52/42/30T crankset with SRAM 11-30T, Tektro R317 long-reach dual-pivot caliper brakes

COCKPIT

Jamis alloy road bar, Jamis road stem, Jamis alloy road seat post, Jamis Road Sport saddle / [Jamis Road Sport Femme saddle](#)



Gloss Black

QUEST **ELITE** *Femme*
Ano Black



QUEST **COMP** *Femme*
Pearl White & Monterey Red



QUEST **SPORT** *Femme*
Silver Moon



Tiger's Eye

AURORA & BOSANOVA

Touring & All Weather

These are the road bikes for smart cyclo-tourists and urban speedsters. Our legendary Reynolds steel chassis assure unbeatably robust performance and resilient ride-damping you'll appreciate while loaded up and bombing around on the streets and rural backroads. This is magic carpet ride stuff, especially for full-pannier touring and rough-road adventures.



AURORA ELITE

Antique Bronze
27.50 lbs

FRAME

Reynolds 631 air-hardened chromoly, extended head tube, full complement of braze-ons, laser-cut dropouts and SST tubing diameters

FORK

Lugged semi-sloping chromoly design with disc mount, low-rider braze-ons, forged dropouts with single eyelets

WHEELS

Mavic A119 double-wall/eyeletted rims, 32H, Formula alloy 6-bolt disc hubs, DT Champion stainless steel spokes, Vittoria Randonneur with Double-Shield puncture protection, 700 x 32c tires

DRIVETRAIN

Shimano 105 derailleurs, Dura-Ace bar-end shifters, Shimano R563 50/39/30 crankset with Shimano 12-30T, Avid BB-7 Road mechanical disc brake with 160mm rotors and Tektro Aero road brake levers

COCKPIT

Jamis Ergo 31.8mm bar, Jamis adjustable threadless system (ATS) stem, Ritchey Comp Road seatpost, Jamis Touring Sport saddle

ACCESSORIES

Full coverage alloy fenders with adjustable stays & mudflaps, alloy rear carrier with luggage strap and spoke carrier



AURORA

FRAME	FORK	WHEELS	DRIVETRAIN	COCKPIT	ACCESSORIES
Reynolds 520 double-buttet chromoly main tubes, double-tapered chromoly stays, full complement of braze-ons and SST tubing diameters	Lugged semi-sloping chromoly design with canti bosses, low-rider braze-ons and forged dropouts with double eyelets	Alex ACE19 double-wall/eyeletted rims, 36H, Shimano Tiagra hubs, stainless steel spokes, Vittoria Randonneur with Double-Shield puncture protection, 700 x 32C tires	Shimano 9-speed Tiagra rear & Sora front derailleurs, microSHIFT bar-end levers, FSA Alpha Drive 46/38/26 crankset with SRAM 11-28T, Tektro 992 forged alloy cantilevers with Tektro Aero road brake levers	Jamis Ergo 31.8mm alloy handlebar, Jamis adjustable threadless system (ATS) stem, Jamis alloy micro-adjust seat post, Jamis Touring Sport saddle	Full coverage alloy fenders with adjustable stays & mudflaps, alloy rear carrier with luggage strap and spoke carrier

Black Forest
29.00 lbs



BOSANOVA

FRAME	FORK	WHEELS	DRIVETRAIN	COCKPIT	ACCESSORIES
Reynolds 520 double-buttet chromoly main tubes, laser-cut dropouts, full complement of braze-ons and SST tubing diameters	Carbon fiber unicrown with steel steerer, disc brake mounts, low-rider carrier mounts and forged dropouts with single eyelets	Alex DC 25 double-wall/disc-specific rims, 32H, Formula alloy 6-bolt disc road hubs, stainless steel spokes, Vittoria Randonneur Cross with Double-Shield puncture protection, 700 x 28c tires	Shimano 10-speed Taiga derailleurs & shifters, FSA Vero 50/39/30 crankset with Shimano 12-30T, Avid BB-5 Road mechanical disc brake with 160mm rotors & Shimano Tiagra STI levers	Ritchey Comp Logic Curve bar, Jamis adjustable threadless system (ATS) stem, Jamis alloy seatpost, Selle San Marco SPID Open saddle	Full coverage aluminum fenders with adjustable stays and mudflaps

Ano Black / Copper
27.50 lbs



SONIK

Fixie

The Sonik’s double-buttet 7005 aero aluminum tubeset delivers an incredibly stout bottom bracket that braces its unyielding chainstays for explosive power delivery. This is a bike that lets you launch like a match sprinter, with the aero efficiency of a pursuiter – a coveted combo on the velodrome. Saddle up and get ready to rock the banking!



SONIK

Ano Palladium
17.00 lbs

FRAME 7005 custom butted aluminum aero track frame with hydroformed radiused seat tube, integrated head tube, stainless steel inserts with brake bridge	FORK Carbon Aero track fork with alloy steerer & crown, forged alloy dropouts	WHEELS Alex RA30 30mm aero rim profile, 32/32H, Formula alloy track hubs with flip/flop rear and 14g stainless steel spokes, Vittoria Zaffiro Slick, 700 x 23c, folding tires	DRIVETRAIN FSA F. Gimondi Track crankset, 46T, with 15T fixed cog	COCKPIT Jamis Track deep drop bar, Jamis Road stem, Selle San Marco SPID Open saddle
--	--	--	--	---

SPUTNIK & BEATNIK

Fixie

This is stripped-down, go fast gear for the urban jungle. Steel frames to soak up anything the city has to throw at you. Brakes and flip-flop hub just in case. Everything you need to survive on pedals on the street. Nothing more. Nothing less.



SPUTNIK

Deep Red
22.00 lbs

FRAME

Reynolds 520 chromoly double-buttet main tubes with double tapered chromoly stays, lost wax rear entry dropouts with single eyelets

FORK

Lugged chromoly straight blade with lost wax sloping crown, forged dropouts, single eyelets

WHEELS

Alex DA-13 Aero rims, 32H, Formula sealed bearing front & rear flip-flop hub, stainless steel spokes, Vittoria Zaffiro, 700 x 25c tires

DRIVETRAIN

FSA F. Gimondi Track crankset, 46T, with 16T fixed & 16T FW cogs, Tektro R317 long-reach dual-pivot brakes with Tektro RX4.1 bar end mount brake levers

COCKPIT

Jamis Vintage 26.0mm drop bar, Jamis stem, Jamis seatpost, Selle San Marco ERA Dymanic Open saddle



BEATNIK

Deep Purple
23.75 lbs

FRAME

Hi-tensile steel with SST tubing diameters, double-tapered stays, rear entry dropouts with double eyelets

FORK

Hi-tensile steel unicrown straight blade, forged dropouts single eyelets

WHEELS

Alex ID19 double-wall rims, 32H, Formula alloy track front & rear flip-flop hubs, stainless steel spokes, Vittoria Zaffiro, 700 x 25c tires

DRIVETRAIN

Forged alloy crankset, 46T with 16T fixed & 16T FW cogs, toe clips & straps, Tektro long-reach dual-pivot brakes with Tektro center-mount levers

COCKPIT

Jamis Urban Stoker 25.4mm flat bar, Jamis stem, Jamis alloy seatpost, Jamis Vintage saddle





STREET

Beat the Streets

Our street bikes are a distillation of everything we know. We've borrowed from every bike segment, taking speed tricks from our award-winning road bikes; using the durability secrets we've gleaned from decades of designing and racing mountain bikes; and adding comfort innovations from our cruisers and sport comfort bikes.

Our Commuters are some of the most sensible (and easiest!) ways to get from here to there. With full-length fenders, rear carriers, micro bells and pant guards, these bikes are ready for the inner city shuffle, to get you where you're going on time and with everything you need for the day. Our memory-foam padded saddles and anatomically shaped dual-density grips give you comfortable contact points, so commuting doesn't beat you up and you'll arrive refreshed and recharged.

The Codas continue to shine as perennial favorites for fitness rides, longer commutes, even touring. They're quick, they're nimble, they're durable and dependable, and they are a blast to ride. They're basically road-racing bikes without the racing emphasis. All Coda frames are welded from double-buttressed chromoly steel, including fabled Reynolds 520, so you get steel's legendary pavement-smoothing ride, accompanied by the zing of fantastic pedal response.

Our Allegro's have that name for a reason: these are fitness bikes that are lively, quick, and offer a seriously fast ride. All Allegros sport a triple-buttressed 6061 aluminum alloy frame that's lightweight, resilient and built to go the distance, with a geometry that's razor sharp in corners and ready to sprint when you are. We kept it practical, too, by offering a full brace of rack, fender, lock and water bottle mounts so you can outfit one just the way you want.

If the streets are just too confining a horizon for you, our dual-sport DXT's are ready to go when and wherever you are. With more gearing range to take on steeper hills and tougher terrain; wider tires with a trail-capable tread for access to more riding areas, both paved and packed; and disc brakes and suspension forks for real-off road exploration and off-pavement adventure.





COMMUTER

People are discovering that commuting by bike is not only healthy, efficient and green, but on the right bike is also easy and fun. Our Commuters are designed to minimize maintenance, while maximizing comfort and efficiency. The lightweight aluminum frames, fenders, rear carriers, and single-chainring drivetrains are ready for the inner city shuffle with our saddles and grips designed to offer comfortable contact points so you arrive refreshed and recharged.

Commute

COMMUTER 4

Dakota Grey
31.50 lbs

FRAME

6061 aluminum, sloping diamond frame design, IGH semi-horizontal dropouts, with carrier/fender eyelets

FORK

City/Cross radiused aluminum blades with chromoly steerer, low rider bosses and forged dropouts with single eyelet

WHEELS

Alex ID-19 double-wall 700c rims, 36H, Nuvinci N360 CVP rear and Formula alloy QR front hubs, stainless steel spokes, Vittoria Adventure Touring, 700 x 32c tires, with Rubber Shield puncture protection and reflective safety stripe

DRIVETRAIN

Nuvinci N360 continuously variable planetary (CVP) transmission with Nuvinci N360 twist-shifter, forged alloy 42T crankset with pants guard, Tektro linear pull brakes, Tektro CL530 ergonomic designed alloy brake levers with kraton insert

COCKPIT

Swept-back ARC city bike bar, Jamis adjustable threadless system (ATS) stem, alloy micro-adjust seatpost, Jamis Metro Sport saddle with memory foam

ACCESSORIES

Alloy rear carrier with elastic luggage strap, full coverage/adjustable alloy fenders, full length BladeRunner chain guard, micro bell



STEP-OVER



COMMUTER 3

Black Forest
29.50 lbs

FRAME
6061 aluminum, sloping diamond frame design, IGH semi-horizontal dropouts, with carrier/fender eyelets

FORK
Aluminum radiused blades with chromoly steerer, low rider bosses and single dropout eyelets

WHEELS
Alex ID-19 double-wall 700c rims, 36H, Shimano Nexus 7-speed internal rear & Formula alloy QR front hubs, stainless steel spokes, Vittoria Adventure Touring, 700 x 32c, with Rubber Shield puncture protection and reflective safety stripe

DRIVETRAIN
Shimano Nexus 7-speed internal with Nexus Revoshift twist shifter, forged alloy 42T crankset with pants guard, Tektro linear pull brakes with Tektro CL530 ergonomic designed alloy brake levers with kraton insert

COCKPIT
Swept-back ARC city bike bar, Jamis adjustable threadless system (ATS) stem, alloy micro-adjust seatpost, Jamis Metro Sport saddle with memory foam

ACCESSORIES
Alloy rear carrier with elastic luggage strap, full coverage/adjustable alloy fenders, full length BladeRunner chain guard, micro bell



COMMUTER 2

Tiger's Eye
28.25 lbs

FRAME
6061 aluminum, sloping diamond frame design, forged vertical dropouts, with carrier/fender eyelets

FORK
Steel unicrown, radiused blades, low rider bosses and double dropout eyelets

WHEELS
Alex ID-19 double-wall 700c rims, 36H, Formula alloy front & rear cassette QR hubs, stainless steel spokes, CST Marathon/Tour, 700 x 32c tires, with silver safety stripe

DRIVETRAIN
SRAM Via rear derailleur with SRAM 3.0 Comp 8-speed GripShifter, forged alloy 42T crankset with pants guard, Tektro linear pull brakes with Tektro CL530 ergonomic designed alloy brake levers with kraton insert

COCKPIT
Swept-back ARC city bike bar, Jamis adjustable threadless system (ATS) stem, alloy micro-adjust seatpost, Jamis Metro Sport saddle with memory foam

ACCESSORIES
Future Form full coverage/adjustable polycarbonate fenders, rear carrier with elastic luggage strap and micro bell



COMMUTER 1

Antique Bronze
31.50 lbs

FRAME
Hi-Tensile steel frame, sloping design, rack/fender mounts, forged dropouts with double eyelets

FORK
Steel unicrown, radiused blades, low rider bosses and double dropout eyelets

WHEELS
Alex R1000 700c rims, 36H, Formula alloy front & rear QR hubs, stainless steel spokes, CST Marathon/Tour, 700 x 32c tires, with silver safety stripe

DRIVETRAIN
Shimano Altus M310 rear derailleur, Shimano Revoshift RS43 7-speed twist shifters, forged alloy 44T crankset with pants guard, Tektro linear pull brakes with Tektro CL330 ergonomic designed alloy brake levers

COCKPIT
Swept-back Jamis ARC city bike bar, Jamis alloy hi-rise stem, Jamis alloy micro-adjust seatpost, Jamis Metro Sport saddle

ACCESSORIES
Future Form full coverage/adjustable polycarbonate fenders, rear carrier with elastic luggage strap and micro bell



COMMUTER 3 STEP-OVER

Sage



COMMUTER 2 STEP-OVER

Silver Moon



COMMUTER 1 STEP-OVER

Pearl White



CODA

Urban

Our Codas have been some of our most popular bikes for years, and for good reason. There's the smooth-riding Reynolds chromoly frames, the well-thought-out geometry, the heads-up riding position and the smart component selections, from the super-wide gearing range to the easy-adjust stems: these bikes are simply some of the most versatile around.



CODA **ELITE**

Charcoal
26.75 lbs

FRAME

Reynolds 520 double-buttressed chromoly main tubes, double tapered chromoly stays, chainstay disc brake mount, fender & carrier eyelets

FORK

Jamis carbon composite fork with disc mounts, aluminum steerer, low-rider carrier mounts, forged dropouts and single eyelet

WHEELS

Alex XC23 eyeleted disc-specific rims 32H, Formula alloy 6-bolt disc road hubs, 14g stainless spokes, Vittoria Randonneur, 700 x 32c tires, with Double Shielding puncture protection and reflective sidewalls,

DRIVETRAIN

Shimano 9-speed Deore M591 rear & Deore M590 front derailleurs, Alivio RapidFire Plus shifters, Shimano M431 48/36/26 crankset with Shimano 11-32, Tektro HDC-300 Hydraulic disc brakes with 160mm rotors and Tektro levers with reach adjust

COCKPIT

Jamis Urban alloy flat bar, Jamis adjustable threadless system (ATS) stem, alloy micro-adjust seat post, Selle San Marco SPID Arrowhead saddle

CODA **COMP**

Silver Mist / *Pearl White*
25.50 lbs

FRAME
Reynolds 520 double-buttet chromoly main tubes, double tapered chromoly stays, fender & carrier eyelets

FORK
Jamis carbon composite fork, radiused blade with low rider bosses and single dropout eyelet

WHEELS
Alex ID-19 double-wall rims, 32H, Formula hubs, stainless steel spokes, Vittoria Randonneur, 700 x 32c tires, with Double Shielding puncture protection and reflective sidewalls

DRIVETRAIN
Shimano 8-speed Alivio M410 rear & M191 front derailleurs, RapidFire Plus shifters, Shimano M391 48/36/26 crankset with 11-32T, Tektro alloy linear pull brakes with front modulator and Shimano brake levers

COCKPIT
Jamis Urban alloy flat bar, Jamis adjustable threadless system (ATS) stem, alloy micro-adjust seat post, Selle San Marco ERA Power saddle / [Selle San Marco ERA Glamour Saddle](#)



Femme

CODA **SPORT**

Tiger's Eye / *Sage*
26.75 lbs

FRAME
4130 Double-buttet chromoly main tubes, double tapered chromoly stays, fender & carrier eyelets

FORK
Chromoly fork, radiused blade with low rider bosses and double eyelet dropout

WHEELS
Alex ID-19 double-wall rims, 32H, Formula 32H road hubs, stainless steel spokes, Vittoria Randonneur, 700 x 32c tires, with Double Shielding puncture protection and reflective sidewalls

DRIVETRAIN
Shimano 7-speed Acera M360 rear & M191 front derailleurs, RapidFire Plus shifters, Shimano M171 48/38/28 crankset with Shimano 12-32T cassette, Tektro alloy linear pull brakes with front modulator and Tektro alloy levers

COCKPIT
Jamis Urban alloy flat bar, Jamis Road stem, Jamis alloy micro-adjust seat post, Jamis Touring saddle / [Jamis Touring Femme saddle](#)



Gloss Black



Femme



Tiger's Eye





ALLEGRO

Fitness

Musically speaking, Allegro means quick and lively. Which is exactly the spirit of our Allegros: fitness bikes that are lively, quick and seriously fun to ride. Our Allegros blend the speed and efficiency of a road bike with the heads up riding position many people prefer. The combination of road bike drivetrains, flat bar shifters, lightweight aluminum frame and carbon fork means you can race it on the weekend, then race through traffic during the week.

ALLEGRO ELITE

Black Coal / [Midnight Violet](#)
22.50 lbs

FRAME

6061 custom butted aluminum tubing, integrated head tube, forged dropouts with single eyelet, replaceable hanger

FORK

Jamis Road carbon composite fork with brake mounts, low-rider carrier mounts and forged dropouts with single eyelets

WHEELS

Shimano R500 wheelset, 20/24H, 24mm rim profile, R500 forged aluminum loose ball hubs with bladed stainless steel spokes, Vittoria Randonneur, 700 x 32c tires with Double-Shield puncture protection and reflective sidewall stripes

DRIVETRAIN

Shimano 10-speed Tiagra derailleurs and flat bar shifters, FSA Vero 50/34 crankset with Shimano 12-30T, Tektro RX-1 mini direct pull brakes with front modulator and Tektro RX-1 levers

COCKPIT

Jamis flat alloy street bar, Jamis adjustable threadless system (ATS) stem, Jamis alloy micro-adjust seat post, Selle San Marco ERA Power Saddle / [Selle San Marco ERA Glamour Saddle](#)



ALLEGRO **COMP DISC**

Ano Black
25.25 lbs

FRAME

6061 custom butted aluminum tubing, integrated head tube, forged dropouts with single eyelet, replaceable hanger

FORK

Carbon fiber blades with 7075 alloy steerer with post disc brake mounts, low rider bosses, forged dropouts and single eyelet

WHEELS

Alex ID19 double wall aluminum rims, 32H, Formula alloy disc road hubs, stainless steel spokes, Vittoria Randonneur, 700 x 32c tires with Double-Shield puncture protection and reflective sidewall safety stripes

DRIVETRAIN

Shimano 8-speed Claris RD-2400 rear & FD-2400 front derailleurs, Shimano Claris SL-2400 flat-bar shiftlevers, FSA Tempo 50/34 crankset with Sram 11-30T, Tektro HDC-300 Hydraulic disc brake system with 160mm Tektro wave style rotors and Tektro levers

COCKPIT

Jamis flat alloy street bar, Jamis adjustable threadless system (ATS) stem, Jamis alloy micro-adjust seat post, Selle San Marco ERA Power Saddle / [Selle San Marco ERA Glamour Saddle](#)



ALLEGRO **COMP**

Azurite Blue
23.50 lbs

FRAME

6061 custom butted aluminum tubing, integrated head tube, forged dropouts with single eyelet, replaceable hanger

FORK

Jamis Road carbon composite fork with brake mounts, low-rider carrier mounts and forged dropouts with single eyelets

WHEELS

Alex ID19 double wall aluminum rims, 28/32H, Formula alloy road hubs, stainless steel spokes, Vittoria Randonneur, 700 x 32c tires with Double-Shield puncture protection and reflective sidewall safety stripes

DRIVETRAIN

Shimano 8-speed Claris RD-2400 rear & FD-2400 front derailleurs, Shimano Claris ST-2400 flat-bar shiftlevers, FSA Tempo 50/34 crankset with Sram 11-30T, Tektro RX-1 mini-direct pull brakes with front modulator, Shimano levers

COCKPIT

Jamis flat alloy street bar, Jamis adjustable threadless system (ATS) stem, Jamis alloy micro-adjust seat post, Selle San Marco ERA Power Saddle / [Selle San Marco ERA Glamour Saddle](#)



ALLEGRO **SPORT**

Stainless & Monterey Red
25.50 lbs

FRAME

6061 custom butted aluminum tubing, integrated head tube, forged dropouts with single eyelet, replaceable hanger

FORK

Chromoly straight blade unicrown fork with low rider bosses, forged dropouts with single eyelet

WHEELS

Alex ID19 double wall aluminum rims, Formula alloy road hubs, stainless steel spokes, Vittoria Randonneur, 700 x 32c with Double-Shield puncture protection

DRIVETRAIN

Shimano 7-speed Acera M360 rear & TX51 front derailleurs, Shimano EZ-Fire Plus EF51 shifters, FSA 48/38/28 crankset with Shimano 12-28T cassette, Tektro RX-1 mini-direct pull brakes with front modulator, Shimano EF51 levers

COCKPIT

Jamis flat alloy street bar, Jamis Trekking alloy stem, Jamis alloy micro-adjust seat post, Jamis Touring saddle / [Jamis Touring Femme saddle](#)



Gloss Black & Victory Blue



ALLEGRO **COMP DISC** *Femme*
Black



ALLEGRO **COMP** *Femme*
Red



ALLEGRO **SPORT** *Femme*
White & Alpine Blue



DXT

Dual Sport

The new DXT's are pumped-up, go-anywhere/do-anything versions of our Allegro fitness bikes. With more gearing range to take on steeper hills and tougher terrain. Wider tires with a trail-capable tread for access to more riding areas, both paved and packed. And disc brakes and suspension forks for real off-road exploration and off-pavement adventure.



DXT COMP

Ano Palladium / [Ano Seafoam](#)
28.00 lbs

FRAME

6061 custom butted aluminum tubing, radiused sloping top tube design, integrated head tube, chainstay disc brake caliper mount

FORK

SR/Suntour SF13-NCX-E LO LITE, hydraulic speed-lock and fixed rebound, magnesium lowers, 63mm travel and post mount

WHEELS

Alex DC25 alloy double-wall/disc-specific rims, 32H, Formula disc hubs and stainless steel spokes, Ritchey Comp Speedmax Cross, 700 x 40c tires

DRIVETRAIN

Shimano 8-speed Deore M591 front & Acera M360 rear derailleur, Acera RapidFire Plus M360 shifters, Shimano M311 48/38/28 crankset with Shimano 11-34T, Tektro Draco post mount hydraulic disc brakes with 160mm 6-Bolt wave rotors and Tektro brake levers

COCKPIT

Jamis double-buttressed alloy Riser bar, Jamis adjustable threadless system (ATS) stem, Jamis alloy micro-adjust seat post, Selle San Marco ERA Power Saddle / [Selle San Marco ERA Glamour Saddle](#)



DXT SPORT

Ano Black / [Ano Silver](#)
30.00 lbs

FRAME

6061 custom butted aluminum tubing, radiused sloping top tube design, integrated head tube, chainstay disc brake caliper mount

FORK

SR/SunTour SF11-NVX MLO, hydraulic damping and mechanical lock out, aluminum lowers, 75mm travel

WHEELS

Alex DC25 alloy double-wall/disc-specific rims, 32H, with Formula disc hubs and stainless steel spokes, Ritchey Comp Speedmax Cross, 700 x 40c tires

DRIVETRAIN

Shimano 8-speed Altus M310 rear & M191 front derailleurs, Altus M310 RapidFire Plus shifters, Shimano M311 48/38/28 crankset with Sram 11-32T, Tekro Novela mechanical disc brakes with 160mm 6-Bolt rotors and Tekro ML-330 alloy levers

COCKPIT

Jamis double-buttet alloy Riser bar, Jamis Trekking alloy stem, Jamis alloy micro-adjust seat post, Jamis Touring saddle / [Jamis Touring Femme saddle](#)



Femme





RECREATION Time to Recharge.

There's no shortage of reasons why now is the perfect time to get back on a bike—gas is topping four bucks a gallon, you need to exercise, it's the right thing to do for the environment, the list is endless. But frankly, there's only one item that needs to be on that list—and it's on everyone's list: Riding is Fun.

A bicycle is not only the most efficient personal transport ever invented--it's the most smile-inspiring way to connect Points A and B. Riding a bike puts you back in touch with your surroundings, with an immediacy that's unmatched. You're right there, immersed, experiencing your locale firsthand instead of peering at your neighbors through tinted glass. Riding a bike saturates the senses in a way cars cannot. Think of it as your own personal transit system that never needs fueling or charging and only refuels and recharges you.

If it's been awhile since you've been on a bike, not to worry. These bikes are engineered to make getting around so effortless it hardly feels like exercise. And while our comfort bikes are simple to ride and use they are far from simple in the way they're designed. We use the best technology available to make them great, with modern touches like adjustable-angle stems and memory foam saddles for comfort; durable components with intuitively designed controls and low-maintenance features; and we squeeze as much weight from them as we can, so they're efficient and easy to pedal.

Because people need bikes for different reasons, we have a whole fleet of easy-to-ride machines to select from so there's a perfect match for your cycling personality, the way you ride and where you ride. You can emphasize simplicity with our single-speed Boss or Earth Cruisers, get some multi-speed versatility with our Citizens and Explorers, or try out one of the hip Hudsons. They're guaranteed to be good for what ails you.

So go ahead, have some fun. And get recharged.





CITIZEN

Comfortable, enjoyable mobility: that's Citizen. This is the ultimate low-carbon-footprint, sight-seeing machine. It's a low-impact and fun workout for new cyclists and a zero-emissions way to get around town. We can't think of a better way to be a good Citizen.

Street Comfort

CITIZEN 3

Black Coal / Misty Green
32.75 lbs

FRAME

6061 aluminum triple gauge main tubes with hydro-formed top tube, sloping design for men's, step through design for ladies, center-mount kickstand plate, replaceable derailleur hanger, eyeleted dropouts

FORK

RST Nova-ML suspension, coil spring & MCU, mechanical lock out, 60mm travel

WHEELS

Alex ID-19 double wall alloy rims with GSW sidewall, 36H, Formula alloy hubs with QR and 14g stainless steel spokes, CST Marathon/Tour with puncture-resistant casing and silver safety stripe, 700 x 38c tires

DRIVETRAIN

Shimano 8-speed Acera M360 rear & M191 front derailleurs, Altus RapidFire shifters, Shimano M171 48/38/28 crankset with pants guard and Sram 11-32T, Tektro alloy direct pull brakes with front modulator and Tektro CL530 levers

COCKPIT

Hi-rise comfort bar, adjustable-rise alloy stem, suspension seatpost, Jamis Comfort saddle



STEP-THRU

CITIZEN 2

Dark Chocolate / Azurite Blue
32.00 lbs

FRAME
6061 aluminum triple gauge main tubes with hydro-formed top tube, sloping design for men's, step through design for ladies, center-mount kickstand plate, replaceable derailleur hanger, eyeleted dropouts

FORK
RST Neon-T suspension fork, coil spring with external preload adjustment, 60mm travel

WHEELS
Weinmann ZAC19 double-wall alloy 700c rims, 36H, Formula alloy hubs with QR, stainless steel spokes, CST Marathon Tour, 700 x 38c tires, with silver safety stripe

DRIVETRAIN
Shimano 7-speed Altus M310 rear & M191 front derailleurs, Shimano EZ-Fire Plus shifters, Shimano M171 48/38/28 crankset with Shimano 14-34T, Forged alloy direct pull brakes with Shimano levers

COCKPIT
Hi-rise comfort bar, adjustable-rise alloy stem, suspension seatpost, Jamis Comfort saddle



Azurite Blue

STEP-THRU



Midnight Violet

CITIZEN 1

Sangria / Ocean Mist
32.75 lbs

FRAME
Hi-Tensile steel frame, sloping design for men's, step through design for ladies, replaceable derailleur hanger, center-mount kickstand plate, eyeleted dropouts

FORK
Hi-tensile steel unicrown with straight blade and double dropout eyelets

WHEELS
Alex alloy 700c rims, 36H, Formula alloy hubs with QR, stainless steel spokes, CST Marathon Tour, 700 x 38c tires, with silver safety stripe

DRIVETRAIN
Shimano 7-speed TX55 rear & TX51 front derailleurs, Shimano RevoShift twist shifters, Shimano M131 48/38/28 crankset with Shimano 14-34T, Forged alloy direct pull brakes with Tektro Tenera comfort levers

COCKPIT
Hi-rise comfort bar, hi-rise stem with alloy bar clamp, suspension seatpost, Jamis Comfort saddle



Gloss Black

STEP-THRU



Sangria



HUDSON

Sport Comfort

Think of our Hudsons as part Explorer and part Earth Cruiser. Capable but cool. Casual but on it. We blended the flowing curves and shaped tubes of seemingly disparate platforms like our carbon Dakota 29'ers and our aluminum DXT's and and came up with a smart frame design that rides comfortably, casually and efficiently while making a bold statement all at the same time.



HUDSON **SPORT DLX**

Dakr Chocolate / Sage
29.75 lbs

FRAME

6061 TIG-welded aluminum, Hudson laid-back design with low ride height, internal cable routing, alloy kickstand

FORK

Hi-tensile unicrown with radiused blades

WHEELS

Alex DC25 alloy double-wall rims, Shimano Nexus 5-speed rear & alloy QR front hubs, 14g black stainless steel spokes, Jamis Sport Comfort, 26 x 1.95" tires

DRIVETRAIN

Shimano Nexus-5 internal gear hub, 20T cog, RapidFire Plus 5-speed shifters, forged alloy crank, 42T, with pants guard & full-length chainguard, Slidepad braking system with ProMax forged alloy direct pull brakes & Tektro alloy comfort lever

COCKPIT

Hi-rise comfort bar, short-reach/long quill alloy stem, alloy micro-adjust seatpost, Jamis Comfort saddle with memory foam & bumper springs



STEP-THRU

Azurite Blue

Dark Chocolate



HUDSON **SPORT SX**

Azurite Blue
30.00 lbs

FRAME
6061 TIG-welded aluminum, Hudson laid-back design with low ride height, internal cable routing, alloy kickstand

FORK
Coil-spring suspension, alloy crown,chrome-plated stanchions, mini boots, 60mm travel

WHEELS
Alex DC25 alloy double-wall rims, alloy QR hubs, 14g black stainless steel spokes, Jamis Sport Comfort, 26 x 1.95" tires

DRIVETRAIN
Shimano TX55 rear derailleur with Revoshift 7-speed twist-shifter, forged alloy crankset, 42T, with pants guard & full-length chainguard, Slidepad braking system with ProMax forged alloy direct pull brakes & Tektro alloy comfort lever

COCKPIT
Hi-rise comfort bar, short-reach/long quill alloy stem, alloy micro-adjust seatpost, Jamis Comfort saddle with memory foam & bumper springs



HUDSON **SPORT**

Plum Purple
29.50 lbs

FRAME
6061 TIG-welded aluminum, Hudson laid-back design with low ride height, internal cable routing, alloy kickstand

FORK
Hi-tensile unicrown with radiused blades

WHEELS
Alex DC25 alloy double-wall rims, alloy QR hubs, 14g black stainless steel spokes, Jamis Sport Comfort, 26 x 1.95" tires

DRIVETRAIN
Shimano TX55 rear derailleur with Revoshift 7-speed twist-shifter, forged alloy crankset, 42T, with pants guard & full-length chainguard, Slidepad braking system with ProMax forged alloy direct pull brakes & Tektro alloy comfort lever

COCKPIT
Hi-rise comfort bar, short-reach/long quill alloy stem, alloy micro-adjust seatpost, Jamis Comfort saddle with memory foam & bumper springs



HUDSON **EASY-3**

Candy Apple
28.00 lbs

FRAME
6061 TIG-welded aluminum, Hudson laid-back design with low ride height, alloy kickstand

FORK
Hi-tensile unicrown with radiused blades

WHEELS
Alex C1000 alloy rims, 36H, Shimano Nexus-3 rear and alloy front hub, 14g black stainless steel spokes, Jamis Sport Comfort, 26 x 1.95" tires

DRIVETRAIN
Shimano Nexus-3 internal gear hub, 22T cog, Revoshift 3-speed shifters, forged alloy crank, 42T, with pants guard & full-length chainguard, Shimano rear coaster brake

COCKPIT
Hi-rise comfort bar, short-reach/long quill alloy stem, alloy micro-adjust seatpost, Jamis Comfort saddle with extra foam padding & bumper springs



HUDSON **EASY**

Lime Green
27.00 lbs

FRAME
6061 TIG-welded aluminum, Hudson laid-back design with low ride height, alloy kickstand

FORK
Hi-tensile unicrown with radiused blades

WHEELS
Alex C1000 alloy rims, 36H, Formula alloy QR hubs, 14g black stainless steel spokes, Jamis Sport Comfort, 26 x 1.95" tires

DRIVETRAIN
Alloy cotterless crank & 42T chainwheel with pants guard & full-length chainguard, 18t single-speed rear cog, Hi-Stop rear coaster brake

COCKPIT
Hi-rise comfort bar, short-reach/long quill alloy stem, alloy micro-adjust seatpost, Jamis Comfort saddle with extra foam padding & bumper springs





EXPLORER

Sport Comfort

The Explorer was already one of our best-selling bikes, ever, before our total re-design last year. The new frame styling ratcheted demand even higher. Inspired in part by our Hudsons and Citizens, without sacrificing the versatile on or off-road competence of the original Explorer, the new Explorer is all about getting the most fun out of the ride, in STYLE, with performance and comfort features that make getting around so effortless it hardly feels like exercise.

EXPLORER 2

Gun Metal
32.50 lbs

FRAME

6061 TIG-welded aluminum, all-new sport comfort design with low-standover/upright ride position, center-mount kickstand bracket

FORK

RST Capa-T coil-spring suspension with external preload, alloy crown, CP stanchions, mini-boots, 50mm travel

WHEELS

Alex DC-25 double-wall alloy rims, 32H, alloy hubs with QR, 14g stainless steel spokes, Jamis Sport Comfort, 26 x 1.95", with puncture resistant casing

DRIVETRAIN

Shimano Altus M310 rear & M191 front derailleurs, Revoshift 21-speed shifters, Shimano M171 forged alloy crank, 48/38/28T, with pants guard, Tektro forged alloy direct pull brakes with Tektro Tenera alloy levers

COCKPIT

Hi-rise comfort bar, hi-rise stem, suspension seatpost, Jamis Comfort saddle with memory foam & bumper springs



Monterey Red



Step-Thru: Monterey Red



Step-Thru: Sage



EXPLORER 1

Tiger's Eye
35.50 lbs

FRAME

All-new sport comfort design, hi-tensile steel with low-standover/upright ride position, center-mount kickstand bracket

FORK

Coil-spring suspension, alloy crown, chrome-plated stanchions, mini boots, 60mm travel

WHEELS

Alex C-1000 alloy rims, 36H, with Formula alloy hubs, QR front and rear, 14g stainless steel spokes, Jamis Sport Comfort, 26 x 1.95" tires

DRIVETRAIN

SRAM X 1:1 rear & Shimano M191 front derailleurs, SRAM 3.0 Comp ESP 21-speed twist-shift. SRXCC 48/38/28T crank, with pants guard, ProMax alloy direct pull brakes with Tektro Tenera levers

COCKPIT

Hi-rise comfort bar, adjustable-rise alloy stem, suspension seatpost, Jamis Comfort saddle with bumper springs



Step-Thru: Ocean Mist



Ano Black



Tiger's Eye



EARTH CRUISER

Cruiser

We designed our Earth Cruisers to be kinder, gentler versions of our sport comfort Explorers. They're simplified with easy-to-use one or three-speed drivetrains and without the complications of derailleurs or hand brakes to fiddle around with. In spite of their name, they're not just for riding at the beach. They're for any rider anywhere looking for a simple, lightweight, low- maintenance, good looking bike they can casually and comfortably pedal around town all day, every day.



EARTH CRUISER 3

Sunset Red / Cucumber
31.00 lbs

FRAME

6061 PG aluminum main tubes, contemporary cruiser design, with chainguard and alloy kickstand

FORK

Hi-Tensile steel unicrown with straight blades

WHEELS

Alex Zuma 26 x 1.75" with alloy front & Shimano 3-speed coaster brake rear hubs, 14g stainless steel spokes, Jamis Cruiser with comfort tread, 2.125" tires

DRIVETRAIN

Shimano Nexus 3-speed rear hub with 23t cog, alloy crank with alloy compact disc 44T chainwheel, alloy comfort pedals with TPE non-slip insert, Shimano rear coaster brake

COCKPIT

Jamis Cruise Control Comfort bar, long quill alloy stem, micro-adjust alloy seat post, Earth Cruiser comfort saddle with memory foam




Gloss Black

Mash Metallic



STEP-THRU



Plum Purple

Sunset Red



EARTH CRUISER 1

Kiwi / Raspberry
29.00 lbs

FRAME
6061 PG aluminum main tubes, contemporary cruiser design, with chainguard and alloy kickstand

FORK
Hi-Tensile steel unicrown with straight blades


WHEELS
Alex Zuma 26 x 1.75" with alloy front & Hi-Stop coaster brake rear hubs, 14g stainless steel spokes, Jamis Cruiser with comfort tread, 2.125" tires

DRIVETRAIN
Alloy crank, 44T compact disc chainwheel, 18t rear cog, cruiser comfort pedals with TPE non-slip insert, Hi-Stop rear coaster brake

COCKPIT
Jamis Cruise Control Comfort bar, long quill alloy stem, micro-adjust alloy seat post, Earth Cruiser comfort saddle with memory foam



STEP-THRU



EARTH CRUISER 2

Monterey Blue / Plum Purple
34.00 lbs

FRAME
Contemporary cruiser design, hi-tensile steel, with chainguard and alloy kickstand

FORK
Hi-Tensile steel unicrown with straight blades


WHEELS
Alex Zuma 26 x 1.75" with alloy front & Hi-Stop coaster brake rear hubs, 14g stainless steel spokes, Jamis Cruiser with comfort tread, 2.125" tires

DRIVETRAIN
Forged 1-pc steel crank with compact disc 44T chainwheel, 18t rear cog, cruiser comfort pedals with TPE non-slip insert, Hi-Stop rear coaster brake

COCKPIT
Jamis Cruise Control Comfort bar, long quill alloy stem, micro-adjust alloy seat post, Earth Cruiser comfort saddle



STEP-THRU





BOSS CRUISER & TAXI

Cruiser

Our Taxi and Boss Cruiser are what we'd call seriously casual -- designed to be low maintenance, built for comfort, but with the durability to be ridden every day for years on end. Choose between the versatile Boss Cruiser 7-speed, with its Shimano drivetrain and dual hand brakes; the back-to-basics Boss Cruiser Coaster with its single-speed drivetrain and coaster brake; or the Taxi, which we build specifically for the rigors of the resort rental-bike world, where minimizing down time is not just about maximizing fun time, it's business critical.

BOSS CRUISER 7-SPEED

Monterey Grey / Daiquiri Blue
33.00 lbs

- FRAME**
6061 PG aluminum main tubes and single loop stays with trailing plate type dropout, with chainguard and alloy kickstand
- FORK**
Oversized, hi-tensile steel unicrown with tubular blades, leading dropout and fender bosses
- WHEELS**
Alex X303 26 x 1.75" with alloy front & rear hubs, 14g stainless steel spokes, Jamis Cruiser with comfort tread, 2.125" tires
- DRIVETRAIN**
Shimano Tourney TX-51 rear derailleur with Revoshift 7-speed twist shifter & 14-28 freewheel, alloy crank, 44T compact disc chainwheel, Tektro forged alloy direct pull brakes with Tektro Tenara alloy levers
- COCKPIT**
Jamis Cruise Control comfort bar, alloy hi-rise stem, micro-adjust alloy seat post, Boss quilted saddle



STEP-OVER

- Monterey Grey
- Raspberry



BOSS CRUISER
COASTER

Monterey Blue / Sunset Red
30.00 lbs



FRAME
6061 PG aluminum main tubes and single loop stays with trailing plate type dropout, with chainguard and alloy kickstand

FORK
Oversized, hi-tensile steel unicrown with tubular blades, leading dropout and fender bosses


WHEELS
Alex Zuma 26 x 1.75" with alloy front & Hi-Stop coaster brake rear hubs, 14g stainless steel spokes, Jamis Cruiser with comfort tread, 2.125" tires

DRIVETRAIN
Alloy crank, 44T compact disc chainwheel, 18t rear cog, cruiser comfort pedals with TPE non-slip insert, Hi-Stop rear coaster brake

COCKPIT
Jamis Cruise Control comfort bar, alloy hi-rise stem, micro-adjust alloy seat post, Boss quilted saddle



STEP-OVER



TAXI

Gloss Black
31.00 lbs



FRAME
6061 PG aluminum main tubes and single loop stays with trailing plate type dropout, includes chainguard, alloy kickstand & Ritchey Design rubber headset cover

FORK
Oversized, hi-tensile steel unicrown with tubular blades, leading dropout and fender bosses

WHEELS
Alex X303 26 x 1.75" with alloy front & Shimano coaster brake rear hubs, 12g stainless steel spokes, Jamis Cruiser with comfort tread, 2.125", with thorn-proof tubes

DRIVETRAIN
Alloy crank with alloy compact disc 44T chainwheel, Shimano 18T rear cog KMC Rust-Buster chain, sealed cartridge BB, Shimano rear coaster brake

COCKPIT
Jamis Cruise Control Comfort bar, long quill alloy stem, alloy seat pillar with plug & cromoly QR, Taxi saddle with heavy-duty struts & extra-thick vinyl cover





YOUTH

Riding Made Fun. And Easy.

With the right start, cycling can be a lifelong pursuit—we know it's true because that's how it worked out for every one of us here at Jamis. We know just how important that first bike can be, and that's why our kids' bikes are some of the most important bikes we design and build—because if we've done this right, that first riding experience will be so fun it'll carry through for the rest of their lives.

In the bike business, we're famously detail oriented. And nowhere more so than our kids' bikes. We sweat the details parents will appreciate like sturdy long-lasting construction, broad adjustment range to handle growth spurts and hand-me-downs, and safety features like pads and chainguards. But we also labor over the eye-catching details kids love, like design themes and graphics that fuel their imaginations and add to the fun.

We do everything possible to make these bikes easy to ride and easy to learn how to ride. We use every trick in the book to quickly turn those first tentative pedal strokes into the kind of pedaling confidence that lets kids experience two-wheeled freedom firsthand. The kind that makes them want to keep coming back for more.

We use proportionately sized parts wherever possible, because we know how critical proper bike fit is for building confidence and control. We pay special attention to the bike's contact points, matching small grips with small hands, shorter cranks with shorter legs, and using appropriately sized frames and saddles to help put your kids in command.

There's more than a good chance this bicycle will be someone's very first bike. And while your little first-time cyclists won't know what a good bike feels like, we do think they'll feel the difference in how easy it is to learn, and in how far they'll go, the fun they'll have.

We sweat the details because these bikes aren't built for just any kids. They're designed and built for yours. And ours.



X.24

Pearl White
31.00 lbs



FRAME
6061 aluminum, Enduro frame design

FORK
Suspension, 25.4 stanchions, coil spring, 45mm travel

WHEELS
Black anodized alloy rims, nuttled-axle hubs, nickel plated spokes, CST ATB knobbies, 24 x 1.95" tires


DRIVETRAIN
Shimano TX35 rear & TZ31 front derailleurs, Revoshift 14-speed twist shifters, alloy 32/22 crankset with outer rock-ring guard, Alloy direct pull brakes and levers

COCKPIT
Riser bar, threadless alloy shorty stem, alloy micro-adjust seatpost, Jamis XC saddle



X.20

Gloss Black
25.25 lbs



FRAME
6061 aluminum, Enduro frame design

FORK
Suspension, 25.4mm stanchions, coil spring, 40mm travel

WHEELS
Black anodized alloy rims, 36H hubs, nickel plated spokes, CST ATB knobbie, 20 x 2.0" tires

DRIVETRAIN
Shimano TX35 rear derailleur, Shimano Revoshift 6-speed twist shifter, alloy crankset with single ring & double-side guard, Alloy direct pull brakes and levers

COCKPIT
Riser bar, threadless adjustable alloy stem, alloy micro-adjust seatpost, Jamis XC saddle



CAPRI 24

Plum Purple
28.75 lbs



FRAME
6061 aluminum, comfort frame design with full wrap chainguard, fenders and kickstand

FORK
Hi-Tensile carbon steel unicrown

WHEELS
Black anodized alloy rims, 36H hubs, nickel plated spokes, Brooklyn Speedway whitewalls, 24 x 2.125" tires

DRIVETRAIN
Shimano TX35 rear derailleur, Shimano Revoshift 7-speed twist shifter, alloy crankset with single chainring, Alloy direct pull brakes and levers

COCKPIT
Hi-rise comfort stem, comfort-type riser bar, youth comfort saddle



CAPRI 20

Raspberry
26.50 lbs

FRAME
6061 aluminum, comfort frame design with full wrap chainguard, fenders and kickstand

FORK
Hi-Tensile carbon steel unicrown

WHEELS
Black anodized alloy rims, 36H hubs, nickel plated spokes, Brooklyn Speedway whitewalls, 20 x 2.125"

DRIVETRAIN
Shimano TX31 rear derailleur, Shimano Revoshift 6-speed twist shifters, alloy crankset with single chainring, Alloy direct pull brakes and levers

COCKPIT
Hi-rise comfort stem, comfort-type riser bar, youth comfort saddle



HOT ROD 12

Victory Red
20.75 lbs

FRAME
Low stand-over Y-style frame design with full wrap chainguard, fenders and training wheels

FORK
Hi-Tensile carbon steel unicrown

WHEELS
Powder coated steel rims, ball-bearing'ed 16H hubs, nickel plated spokes, CST Street, 20 x 2.125", blackwalls tires

DRIVETRAIN
Cold-forged 3 1/2" crank with 5-arm chainring, 28 x 16t gearing, Rear coaster brake

COCKPIT
Alloy stem, mid-rise bars with comfort sweep, Jr. BMX saddle, safety pad and bell



LADYBUG 12

Raspberry
20.75 lbs

FRAME
Low stand-over Y-style frame design with full wrap chainguard, fenders, and training wheels

FORK
Hi-Tensile carbon steel unicrown

WHEELS
Electro-plated steel rims, ball-bearing'ed 16H hubs, nickel plated spokes, CST Street, 20 x 2.125", black with whitewalls tires

DRIVETRAIN
Cold-forged 3 1/2" crank with 5-arm chainring, 28 x 16t gearing, Rear coaster brake

COCKPIT
Alloy stem, mid-rise bars with comfort sweep, Lil' girls comfort saddle, safety pad and bell



MODEL	SIZE	CENTER of BB to TOP of TT	EFFECTIVE TT LENGTH	HT ANGLE	ST ANGLE	CHAINSTAY	WHEELBASE	FORK RAKE	BB HEIGHT	HEADTUBE	STANDOVER
MTB 29											
DAKAR XCR29 TEAM / PRO	15"	14.05/357	22.17/563	71°	74°	17.91/455	42.75/1066	1.81/46	13.38/340	4.13/105	31.22/793
	17"	14.84/377	23.03/585	71°	74°	17.91/455	43.43/1103	1.81/46	13.38/340	4.33/110	31.61/803
	19"	15.39/391	24.02/610	71°	74°	17.91/455	44.60/1133	1.81/46	13.38/340	4.33/110	31.97/812
	21"	16.10/409	24.69/627	71°	74°	17.91/455	45.27/1150	1.81/46	13.38/340	4.72/120	32.32/821
DAKAR XCR29 RACE / COMP / SPORT	15"	14.01/356	22.17/563	71°	74°	17.91/455	42.75/1066	1.81/46	13.38/340	4.13/105	30.91/785
	17"	14.37/365	23.03/585	71°	74°	17.91/455	43.62/1108	1.81/46	13.38/340	4.33/110	31.10/790
	19"	14.57/370	24.02/610	71°	74°	17.91/455	44.60/1133	1.81/46	13.38/340	4.33/110	31.30/795
	21"	14.96/380	24.69/627	71°	74°	17.91/455	45.27/1150	1.81/46	13.38/340	4.72/120	31.53/801
DAKOTA D29 TEAM / ELITE / PRO	15"	13.34/339	22.44/570	71°	73°	17.72/450	42.05/1068	1.81/46	12.52/318	4.33/110	30.86/784
	17"	15.51/394	23.23/590	71°	72.5°	17.72/450	42.64/1083	1.81/46	12.52/318	4.53/115	31.89/810
	19"	17.32/440	24.01/610	70°	72°	17.72/450	43.62/1108	1.81/46	12.52/318	4.53/115	32.64/829
	21"	19.60/498	24.60/625	70°	72°	17.72/450	44.21/1123	1.81/46	12.52/318	4.72/120	33.70/856
DAKOTA D29 RACE / COMP / SPORT	15"	13.94/354	22.44/570	71°	73°	17.72/450	42.04/1068	1.81/46	12.52/318	4.33/110	30.43/773
	17"	15.51/394	23.23/590	71°	72.5°	17.72/450	42.63/1083	1.81/46	12.52/318	4.53/115	31.41/798
	19"	17.64/448	24.01/610	70°	72°	17.72/450	43.62/1108	1.81/46	12.52/318	4.53/115	32.59/828
	21"	19.53/496	24.60/625	70°	72°	17.72/450	44.21/1123	1.81/46	12.52/318	4.72/120	33.66/855
DRAGON 29 RACE	15"	14.09/358	22.44/570	71°	73°	17.72/450	41.61/1057	1.81/46	12.59/320	4.33/110	29.88/759
	17"	16.14/410	23.23/590	71°	72.5°	17.72/450	42.16/1071	1.81/46	12.59/320	4.33/110	31.06/789
	19"	18.15/461	24.02/610	71°	72°	17.72/450	42.75/1086	1.81/46	12.59/320	4.33/110	32.20/818
	21"	20.12/511	24.61/625	71°	72°	17.72/450	43.35/1101	1.81/46	12.59/320	4.33/110	33.27/845
DRAGON 29 SPORT	15"	14.13/359	22.44/570	71°	73°	17.72/450	41.61/1057	1.81/46	12.59/320	4.33/110	29.88/759
	17"	16.14/410	23.23/590	71°	72.5°	17.72/450	42.16/1071	1.81/46	12.59/320	4.33/110	31.06/789
	19"	18.15/461	24.02/610	71°	72°	17.72/450	42.75/1086	1.81/46	12.59/320	4.33/110	32.20/818
	21"	20.12/511	24.61/625	71°	72°	17.72/450	43.34/1101	1.81/46	12.59/320	4.33/110	33.27/845
DURANGO 29 COMP / SPORT	15"	13.35/339	22.44/570	71°	73°	17.72/450	42.16/1070	1.81/46	12.52/318	4.13/105	30.43/773
	17"	15.08/383	23.23/590	71°	72.5°	17.72/450	42.67/1084	1.81/46	12.52/318	4.33/110	31.50/800
	19"	17.32/440	24.02/610	70°	72°	17.72/450	43.66/1109	1.81/46	12.52/318	4.33/110	32.64/829
	21"	19.05/484	24.61/635	70°	72°	17.72/450	44.65/1134	1.81/46	12.52/318	4.72/120	33.66/855
MTB 650											
DAKAR XCT 650 TEAM / RACE	15"	13.62/346	22.24/565	69°	73°	17.71/450	43.15/1096	1.65/42	13.42/341	4.53/115	30.91/785
	17"	15.23/387	23.03/585	69°	73°	17.71/450	44.05/1119	1.65/42	13.42/341	4.72/120	31.73/806
	19"	16.34/415	23.82/605	69°	73°	17.71/450	44.76/1137	1.65/42	13.42/341	5.51/140	32.68/830
	21"	18.31/465	24.61/625	69°	73.5°	17.71/450	45.43/1154	1.65/42	13.42/341	5.90/150	33.89/860
DAKAR XCT 650 PRO / COMP	15"	13.74/349	22.24/565	69°	73°	17.71/450	43.35/1101	1.65/42	13.42/341	4.53/115	30.71/780
	17"	15.23/387	23.03/585	69°	73°	17.71/450	44.13/1121	1.65/42	13.42/341	4.72/120	31.73/806
	19"	16.38/416	23.82/605	69°	73°	17.71/450	45.00/1143	1.65/42	13.42/341	5.51/140	32.68/830
	21"	18.31/466	24.61/625	69°	73.5°	17.71/450	46.02/1169	1.65/42	13.42/341	5.90/150	33.98/863
DAKAR AMT 650 PRO / COMP	15"	14.60/371	22.05/560	67.5°	73°	17.80/452	44.33/1126	1.65/42	13.74/349	4.53/115	31.25/794
	17"	15.82/402	22.83/580	67.5°	73°	17.80/452	44.92/1141	1.65/42	13.74/349	4.72/120	31.88/810
	19"	16.93/430	23.62/600	67.5°	73°	17.80/452	45.75/1162	1.65/42	13.74/349	5.12/130	32.75/832
	21"	18.70/475	24.41/620	67.5°	73°	17.80/452	46.34/1177	1.65/42	13.74/349	5.51/140	33.93/862
DRAGON 650 PRO / SPORT	13"	11.93/303	21.22/539	68°	73°	16.73/425	41.10/1044	1.65/42	12.40/315	3.35/85	28.44/723
	15"	14.02/356	22.24/565	68°	73°	16.73/425	42.12/1070	1.65/42	12.40/315	3.35/85	29.85/759
	17"	16.18/411	23.00/584	68°	73°	16.73/425	42.91/1090	1.65/42	12.40/315	3.54/90	31.25/794
	19"	18.15/461	23.75/603	68°	73°	16.73/425	43.70/1110	1.65/42	12.40/315	4.33/110	32.69/830
	21	20.12/511	24.41/620	68°	73°	16.73/425	44.53/1131	1.65/42	12.40/315	5.83/148	34.36/873
NEMESIS TEAM / PRO	15"	13.23/336	22.05/560	70°	72.5°	17.12/435	41.14/1045	1.65/42	12.24/311	3.94/100	29.52/750
	17"	15.16/385	23.03/585	70°	72.5°	17.12/435	42.13/1070	1.65/42	12.24/311	4.33/110	30.90/785
	19"	16.73/425	23.82/605	70°	72.5°	17.12/435	42.95/1091	1.65/42	12.24/311	5.12/130	31.38/797
	21"	18.70/475	24.61/625	70°	72.5°	17.12/435	43.78/1112	1.65/42	12.24/311	5.51/140	32.09/815
	15"	13.23/336	22.05/560	70°	72.5°	17.12/435	41.25/1048	1.65/42	12.12/308	3.94/100	28.98/736
NEMESIS RACE / COMP / SPORT	15"	15.16/385	23.03/585	70°	72.5°	17.12/435	42.24/1073	1.65/42	12.12/308	4.33/110	30.35/771
	19"	16.73/425	23.82/605	70°	72.5°	17.12/435	43.07/1094	1.65/42	12.12/308	5.12/130	31.57/802
	21"	18.70/475	24.61/625	70°	72.5°	17.12/435	43.90/1115	1.65/42	12.12/308	5.51/140	32.87/835
TRAIL X650	15"	13.15/334	22.00/559	70°	72.5°	17.12/435	41.25/1048	1.65/42	12.12/308	3.94/100	28.70/729
	17"	15.08/383	23.03/585	70°	72.5°	17.12/435	42.32/1075	1.65/42	12.12/308	4.33/110	30.16/766
	19"	16.69/424	23.82/605	70°	72.5°	17.12/435	43.11/1095	1.65/42	12.12/308	5.12/130	31.24/796
	21"	18.66/474	24.61/625	70°	72.5°	17.12/435	43.94/1116	1.65/42	12.12/308	5.51/140	32.64/829

MODEL	SIZE	CENTER of BB to TOP of TT	EFFECTIVE TT LENGTH	HT ANGLE	ST ANGLE	CHAINSTAY	WHEELBASE	FORK RAKE	BB HEIGHT	HEADTUBE	STANDOVER		
MTB 26													
DAKAR XC	13"	12.52/318	21.14/537	71°	74.5°	16.73/425	40.86/1038	1.50/38	12.60/320	3.94/100	27.91/709		
	15"	13.31/338	22.05/560	71°	74.5°	16.73/425	41.57/1056	1.50/38	12.60/320	3.94/100	28.90/734		
	17"	15.89/404	22.87/581	71°	74°	16.73/425	42.24/1073	1.50/38	12.60/320	4.33/110	30.51/775		
	19"	17.44/443	23.74/603	71°	74°	16.73/425	43.15/1096	1.50/38	12.60/320	5.12/130	31.65/804		
	21"	17.44/443	24.09/612	71°	73.5°	16.73/425	43.34/1101	1.50/38	12.60/320	6.50/165	32.20/818		
KOMODO	23"	19.37/492	24.60/625	71°	73.5°	16.73/425	43.90/1115	1.50/38	12.60/320	6.50/165	33.42/849		
	S	11.93/303	22.48/571	69°	72°	16.14/410	41.22/1047	1.50/38	12.60/320	4.72/120	29.29/744		
TRAIL X3	M	13.74/349	23.50/597	69°	72°	16.14/410	42.24/1073	1.50/38	12.60/320	5.12/130	29.96/761		
	L	15.63/397	24.41/620	69°	72°	16.14/410	43.15/1096	1.50/38	12.60/320	5.51/140	31.81/808		
	13"	11.73/298	20.86/530	70.5°	74°	16.73/425	40.47/1028	1.77/45	12.08/307	4.13/105	27.32/695		
TRAIL X2/X1	15"	13.27/337	21.42/544	70.5°	74°	16.73/425	41.06/1043	1.77/45	12.08/307	4.72/120	28.78/731		
	17"	14.76/375	21.90/556	71°	73.5°	16.73/425	41.10/1044	1.77/45	12.08/307	4.92/125	29.92/760		
	19"	16.77/426	22.52/572	71°	73.5°	16.73/425	41.73/1060	1.77/45	12.08/307	5.12/130	33.14/791		
	21"	18.74/476	23.34/593	71.5°	73°	16.73/425	42.17/1071	1.77/45	12.08/307	6.49/165	32.79/833		
	13"	11.73/298	20.86/530	70.5°	74°	16.73/425	40.47/1028	1.77/45	12.08/307	4.13/105	27.32/695		
TRAIL X2/X1 FEMME	15"	13.27/337	21.42/544	70.5°	74°	16.73/425	41.06/1043	1.77/45	12.08/307	4.72/120	28.78/731		
	17"	14.76/375	21.90/556	71°	73.5°	16.73/425	41.10/1044	1.77/45	12.08/307	4.92/125	29.92/760		
	19"	16.77/426	22.52/572	71°	73.5°	16.73/425	41.73/1060	1.77/45	12.08/307	5.12/130	33.14/791		
	21"	18.74/476	23.34/593	71.5°	73°	16.73/425	42.17/1071	1.77/45	12.08/307	6.49/165	32.79/833		
	12"	8.18/208	20.51/521	70.5°	74°	16.93/430	40.28/1023	1.77/45	12.08/307	4.13/105	24.88/632		
TRAIL XR	14"	8.89/226	20.71/526	70°	73°	16.93/430	40.31/1024	1.77/45	12.08/307	4.92/125	25.63/651		
	18"	9.80/249	21.97/558	70.5°	72.5°	16.93/430	41.18/1046	1.77/45	12.08/307	5.51/140	26.45/672		
	13"	10.62/270	20.86/530	70.5°	74°	16.73/425	40.35/1025	1.77/45	12.08/307	4.13/105	26.22/666		
	15"	13.26/337	21.42/544	70.5°	74°	16.73/425	40.90/1039	1.77/45	12.08/307	4.72/120	28.07/713		
	17"	14.76/375	21.89/556	71°	73.5°	16.73/425	40.98/1041	1.77/45	12.08/307	4.92/125	29.01/737		
TRAIL XR FEMME	19"	16.77/426	22.52/572	71°	73.5°	16.73/425	41.65/1058	1.77/45	12.08/307	5.12/130	30.27/769		
	21"	18.74/476	23.34/593	71.5°	73°	16.73/425	42.12/1070	1.77/45	12.08/307	6.49/165	31.96/812		
	12"	8.15/207	20.51/521	70.5°	74°	16.93/430	40.16/1020	1.77/45	12.08/307	4.13/105	24.52/623		STACK
	14"	8.81/224	20.71/526	70°	73°	16.93/430	40.23/1022	1.77/45	12.08/307	4.92/125	25.27/642		
	18"	9.17/233	21.97/558	70.5°	72.5°	16.93/430	41.10/1044	1.77/45	12.08/307	5.51/140	25.59/650		
ROAD													
XENITH SL / TEAM / PRO / RACE / COMP	48	17.24/438	20.27/515	71.5°	73°	15.94/405	37.20/958	1.97/50	10.67/271	3.94/100	28.11/714	19.76/502	14.21/361
	51	17.52/445	20.83/529	72°	73°	15.94/405	38.15/969	1.97/50	10.67/271	4.72/120	29.41/747	20.59/523	14.57/370
	54	18.94/481	21.42/544	73°	73°	15.94/405	38.07/967	1.69/43	10.67/271	5.51/140	29.33/745	21.34/542	14.88/378
	56	19.49/495	22.24/565	73°	73°	15.94/405	38.90/988	1.69/43	10.67/271	6.30/160	30.71/780	22.09/561	15.51/394
	58	20.12/511	22.83/580	73°	73°	15.94/405	39.49/1003	1.69/43	10.67/271	7.09/180	31.38/797	22.83/580	15.83/402
XENITH PRO / RACE / COMP FEMME	61	20.75/527	23.23/590	73°	73°	15.94/405	39.92/1014	1.69/43	10.67/271	7.87/200	31.91/811	23.58/599	16.02/407
	44	15.43/392	19.49/495	70.5°	76°	16.34/415	38.78/985	1.97/50	10.67/271	3.94/100	27.08/688	19.33/491	14.69/373
	48	16.77/426	19.88/505	71°	75.5°	15.94/405	38.42/976	1.97/50	10.67/271	3.94/100	27.91/709	19.33/491	14.88/378
	51	18.42/468	20.27/515	71.5°	75°	15.94/405	38.50/978	1.97/50	10.67/271	4.72/120	29.09/739	20.24/514	14.84/377
	54	19.13/486	20.86/530	72°	74°	15.94/405	38.31/973	1.69/43	10.67/271	5.51/140	30.00/762	21.14/537	14.80/376
ICON ELITE / PRO	44	15.00/381	19.49/495	70.5°	76°	15.94/405	38.38/975	1.97/50	10.71/272	3.94/100	27.08/688	19.37/492	14.65/372
	48	16.73/425	20.27/515	71.5°	73°	15.94/405	37.72/958	1.97/50	10.71/272	3.94/100	27.44/697	20.12/511	14.25/362
	51	18.38/467	20.82/529	72°	73°	15.94/405	38.11/968	1.97/50	10.71/272	4.72/120	28.03/712	20.55/522	14.53/369
	54	19.09/485	21.42/544	73°	73°	15.94/405	38.07/967	1.69/43	10.71/272	5.51/140	28.46/723	21.30/541	14.92/379
	56	19.88/505	22.24/565	73°	73°	15.94/405	38.90/988	1.69/43	10.71/272	6.30/160	28.86/733	22.09/561	15.51/394
	58	20.51/521	22.83/580	73°	73°	15.94/405	39.49/1003	1.69/43	10.71/272	7.08/180	29.21/742	22.83/580	16.02/407
	61	21.18/538	23.23/590	73°	73°	15.94/405	39.88/1013	1.69/43	10.71/272	7.87/200	29.57/751	23.58/599	16.02/407
XENITH T2	XS/47	18.19/462	19.09/485	72°	78°	14.01/356	36.14/918	1.69/43	10.04/255	3.94/100	28.54/725	18.15/461	15.24/387
XENITH T1	S/51	19.60/498	20.08/510	71°	78°	15.35/390	38.78/985	1.89/48	10.63/270	3.94/100	29.80/757	19.53/496	15.95/405
XENITH T	M/54	20.12/511	20.67/525	72°	78°	15.35/390	39.09/993	1.89/48	10.63/270	4.33/110	30.31/770	20.04/509	16.42/417
COMET	L/56	21.02/534	21.45/545	72°	78°	15.35/390	40.04/1017	1.89/48	10.63/270	5.31/135	31.26/794	20.91/531	17.01/432
	XL/58	22.24/565	22.64/575	72°	78°	15.35/390	41.30/1049	1.89/48	10.63/270	6.30/160	32.20/818	21.89/556	17.99/457
	47 (650c)	16.42/417	19.09/485	72°	78°	14.37/365	36.26/921	1.57/40	10.39/264	3.94/100	27.24/692	18.20/462	14.37/365
	51	17.99/457	20.08/510	72°	78°	15.35/390	38.23/971	1.77/45	10.39/264	3.94/100	28.86/733	19.41/493	15.35/390
	54	19.17/487	20.67/525	72°	78°	15.35/390	38.86/987	1.77/45	10.39/264	4.33/110	29.49/749	19.92/506	15.35/390
	56	19.96/507	21.45/545	72°	78°	15.35/390	39.72/1009	1.77/45	10.39/264	5.12/130	30.19/767	20.67/525	15.35/390
	58	20.75/527	22.24/565	72°	78°	15.35/390	40.55/1030	1.77/45	10.39/264	5.71/145	30.90/785	21.22/539	15.35/390
	61	21.93/557	22.75/578	72°	78°	15.35/390	41.02/1042	1.77/45	10.39/264	6.30/160	31.73/806	21.77/553	15.35/390

MODEL		SIZE	CENTER of BB to TOP of TT	EFFECTIVE TT LENGTH	HT ANGLE	ST ANGLE	CHAINSTAY	WHEELBASE	FORK RAKE	BB HEIGHT	HEADTUBE	STANDOVER	STACK	REACK
ROAD CONTINUED														
SUPERNOVA TEAM / ELITE	51	18.54/471	20.82/529	71.5"	74"	16.73/425	39.41/1001	1.89/48	10.86/276	5.12/130	30.51/775	22.01/559	14.49/368	
	54	19.72/501	21.45/545	72"	73"	16.73/425	39.45/1002	1.89/48	10.86/276	5.71/145	31.38/797	22.64/575	14.49/368	
	56	20.43/519	22.05/560	72.5"	73"	16.73/425	39.88/1013	1.89/48	10.86/276	6.30/160	32.08/815	23.31/592	14.92/379	
	58	20.94/532	22.64/575	72.5"	72.5"	16.73/425	40.31/1024	1.89/48	10.86/276	6.89/175	32.75/832	23.78/604	15.16/385	
	61	22.44/570	23.42/596	73"	72"	16.73/425	40.67/1033	1.89/48	10.86/276	7.87/200	33.82/859	24.80/630	15.39/391	
NOVA PRO	48	17.56/446	20.27/515	71"	75"	16.73/425	39.33/999	1.89/48	10.86/276	3.94/100	29.53/750			
	51	18.74/476	20.86/530	71.5"	74"	16.73/425	39.41/1001	1.89/48	10.86/276	4.52/115	30.35/771			
	54	19.92/506	21.45/545	72"	73"	16.73/425	39.45/1002	1.89/48	10.86/276	5.12/130	31.22/793			
	56	20.71/526	22.05/560	72.5"	73"	16.73/425	39.88/1013	1.89/48	10.86/276	5.71/145	31.93/811			
	58	21.49/546	22.64/575	72.5"	72.5"	16.73/425	40.31/1024	1.89/48	10.86/276	6.30/160	32.56/827			
NOVA RACE	61	22.71/577	23.42/596	73"	72"	16.73/425	40.67/1033	1.89/48	10.86/276	7.28/185	33.62/854			
	48	17.56/446	20.27/515	71"	74.58"	16.73/425	39.33/999	1.89/48	10.86/276	3.94/100	29.49/749			
	51	18.74/476	20.86/530	71.5"	74"	16.73/425	39.41/1001	1.89/48	10.86/276	4.52/115	30.35/771			
	54	19.92/506	21.45/545	72"	73"	16.73/425	39.45/1002	1.89/48	10.86/276	5.12/130	31.22/793			
	56	20.71/526	22.05/560	72.5"	73"	16.73/425	39.88/1013	1.89/48	10.86/276	5.71/145	31.93/811			
NOVA SPORT	58	21.49/546	22.64/575	72.5"	72.5"	16.73/425	40.31/1024	1.89/48	10.86/276	6.30/160	32.60/828			
	61	22.71/577	23.42/596	73"	72"	16.73/425	40.67/1033	1.89/48	10.86/276	7.28/185	33.66/855			
	48	17.56/446	20.27/515	71"	74.58"	16.73/425	39.33/999	1.89/48	10.86/276	3.94/100	29.41/747			
	51	18.74/476	20.86/530	71.5"	74"	16.73/425	39.41/1001	1.89/48	10.86/276	4.52/115	30.24/768			
	54	19.92/506	21.45/545	72"	73"	16.73/425	39.45/1002	1.89/48	10.86/276	5.12/130	31.10/790			
XENITH ENDURA ELITE / COMP / SPORT	56	20.71/526	22.05/560	72.5"	73"	16.73/425	39.88/1013	1.89/48	10.86/276	5.71/145	31.81/808			
	58	21.49/546	22.64/575	72.5"	72.5"	16.73/425	40.31/1024	1.89/48	10.86/276	6.30/160	32.48/825			
	61	22.71/577	23.42/596	73"	72"	16.73/425	40.67/1033	1.89/48	10.86/276	7.28/185	33.54/852			
	48	16.77/426	20.27/515	71.5"	75"	16.34/415	38.97/990	1.97/50	10.79/274	4.92/125	28.94/735	20.83/529	14.69/373	
	51	18.42/468	20.82/529	71.5"	75"	16.34/415	39.60/1006	1.97/50	10.79/274	5.90/150	30.08/764	21.73/552	15.00/381	
XENITH ENDURA COMP / SPORT FEMME	54	19.13/486	21.42/544	72.5"	73"	16.34/415	38.74/984	1.69/43	10.79/274	6.69/170	30.82/783	22.76/578	14.45/367	
	56	19.92/506	22.24/566	73"	73"	16.34/415	39.33/999	1.69/43	10.79/274	7.48/190	31.61/803	23.58/599	15.04/382	
	58	20.55/522	22.83/580	73"	73"	16.34/415	39.92/1014	1.69/43	10.79/274	7.87/200	32.32/821	24.33/618	15.39/391	
	61	21.22/539	23.23/590	73"	73"	16.34/415	40.31/1024	1.69/43	10.79/274	8.27/210	32.99/838	25.08/637	15.55/395	
	44	14.72/374	19.49/496	70.5"	76"	16.34/415	38.70/983	1.97/50	10.47/266	3.94/100	27.20/691	20.04/509	14.49/368	
VENTURA RACE / COMP	48	16.77/426	19.88/506	71"	75.5"	16.34/415	38.82/986	1.97/50	10.47/266	4.92/125	28.70/729	21.06/535	14.45/367	
	51	18.42/468	20.27/515	71.5"	75"	16.34/415	38.94/989	1.97/50	10.47/266	5.90/160	29.96/761	22.05/560	14.37/365	
	54	19.13/486	20.86/530	72.5"	74"	16.34/415	38.46/977	1.69/43	10.47/266	6.69/170	30.75/781	23.07/586	14.25/362	
	48	16.34/415	20.27/515	71"	74"	16.34/415	38.54/979	1.97/50	10.31/262	4.72/120	28.03/712			
	51	18.19/462	20.67/525	71.5"	74"	16.34/415	38.82/986	1.97/50	10.31/262	5.51/140	29.37/746			
VENTURA RACE / COMP FEMME	54	18.78/477	21.18/538	72"	73.5"	16.34/415	38.78/985	1.77/45	10.31/262	6.30/160	29.41/747			
	56	19.60/498	21.85/555	72.54"	73"	16.34/415	38.86/987	1.69/43	10.31/262	7.08/180	30.90/786			
	58	20.23/514	22.44/570	72.54"	72.54"	16.34/415	39.41/1001	1.69/43	10.31/262	7.87/200	31.57/802			
	61	20.90/531	23.03/585	72.54"	72.54"	16.34/415	40.00/1016	1.69/43	10.31/262	8.66/220	32.24/819			
	44	15.08/383	19.49/496	70.5"	76"	16.34/415	38.74/984	1.97/50	10.51/267	4.72/120	27.52/699			
VENTURA SPORT	48	16.38/416	19.88/506	71"	75.5"	16.34/415	38.78/985	1.97/50	10.51/267	4.72/120	28.23/717			
	51	18.07/459	20.27/515	71"	75"	16.34/415	39.05/992	1.97/50	10.51/267	5.51/140	29.41/747			
	54	18.54/471	20.87/530	71"	74"	16.34/415	39.33/999	1.97/50	10.51/267	6.30/160	29.96/761			
	48	16.53/420	20.27/515	71"	74"	16.34/415	38.62/981	1.97/50	10.31/262	4.72/120	28.58/726			
	51	18.19/462	20.67/525	71.5"	74"	16.34/415	38.86/987	1.97/50	10.31/262	5.51/140	29.84/758			
ECLIPSE	54	18.59/479	21.18/538	72"	73.5"	16.34/415	38.82/986	1.77/45	10.31/262	6.30/160	30.55/776			
	56	19.68/500	21.85/555	72.54"	73"	16.34/415	38.86/987	1.69/43	10.31/262	7.08/180	31.38/797			
	58	20.31/516	22.44/570	72.54"	72.54"	16.34/415	39.41/1001	1.69/43	10.31/262	7.87/200	32.05/814			
	61	20.94/532	23.03/585	72.54"	72.54"	16.34/415	40.00/1016	1.69/43	10.31/262	8.66/220	32.72/831			
	44	14.13/359	19.49/496	70.5"	76"	16.34/415	38.82/986	1.97/50	10.51/267	4.72/120	28.03/712			
ECLIPSE	48	16.53/420	19.88/506	71"	75.5"	16.34/415	38.86/987	1.97/50	10.51/267	4.72/120	28.74/730			
	51	18.19/462	20.27/515	71"	75"	16.34/415	39.13/994	1.97/50	10.51/267	5.51/140	29.96/761			
	54	18.58/472	20.87/530	71"	74"	16.34/415	39.37/1000	1.97/50	10.51/267	6.30/160	30.43/773			
	48	16.65/423	20.27/515	72"	74.5"	15.94/405	37.79/960	1.69/43	10.71/272	3.34/85	28.23/717			
	51	18.31/465	20.86/530	72"	74"	15.94/405	38.23/971	1.69/43	10.71/272	3.94/100	29.29/744			
ECLIPSE	54	19.01/483	21.45/545	72.5"	74"	15.94/405	38.66/982	1.69/43	10.71/272	4.72/120	30.04/763			
	56	19.96/507	22.24/566	73"	73"	15.94/405	38.90/988	1.69/43	10.71/272	5.51/140	30.71/780			
	58	20.59/523	22.83/580	73"	73"	15.94/405	39.49/1003	1.69/43	10.71/272	6.30/160	31.49/800			
	61	21.26/540	23.23/590	73"	73"	15.94/405	39.88/1013	1.69/43	10.71/272	7.08/180	32.16/817			

MODEL		SIZE	CENTER of BB to TOP of TT	EFFECTIVE TT LENGTH	HT ANGLE	ST ANGLE	CHAINSTAY	WHEELBASE	FORK RAKE	BB HEIGHT	HEADTUBE	STANDOVER
ROAD CONTINUED												
QUEST ELITE / COMP / SPORT		48	16.61/422	20.27/515	71°	74.5°	16.34/415	38.94/989	1.97/50	10.71/272	4.72/120	28.97/736
		51	18.27/464	20.86/530	72°	74°	16.34/415	38.70/983	1.69/43	10.71/272	5.51/140	30.27/769
		54	19.01/483	21.26/540	72°	73°	16.34/415	38.74/984	1.69/43	10.71/272	6.30/160	30.94/786
		56	19.88/505	21.85/555	73°	73°	16.34/415	38.90/988	1.69/43	10.71/272	7.08/180	31.77/807
		58	20.51/521	22.44/570	73°	73°	16.34/415	39.49/1003	1.69/43	10.71/272	7.87/200	32.44/824
QUEST ELITE / COMP / SPORT FEMME		61	21.22/539	23.03/585	73°	73°	16.34/415	40.08/1018	1.69/43	10.71/272	8.66/220	33.15/842
		48	16.61/422	19.88/505	71°	75.5°	16.34/415	38.94/989	1.97/50	10.71/272	4.72/120	29.01/737
		51	18.27/464	20.27/515	71.5°	75°	16.34/415	39.01/991	1.97/50	10.71/272	5.51/140	30.23/768
		54	18.97/482	20.86/530	71.5°	74°	16.34/415	39.21/996	1.97/50	10.71/272	6.30/160	30.90/785
AURORA ELITE		47	14.57/370	20.47/520	70°	74°	17.32/440	40.35/1025	1.97/50	11.26/286	3.94/100	27.72/704
		50	19.68/500	21.34/542	71.5°	74°	17.32/440	40.71/1034	1.97/50	11.26/286	4.53/115	31.10/790
		53	20.86/530	21.73/552	71.5°	73°	17.32/440	40.71/1034	1.97/50	11.26/286	5.32/135	31.77/807
		55	21.65/550	21.93/557	71.5°	73°	17.32/440	40.90/1039	1.97/50	11.26/286	5.91/150	32.44/824
		57	22.44/570	22.32/567	71.5°	72°	17.32/440	40.90/1039	1.97/50	11.26/286	6.50/165	33.07/840
		59	23.23/590	21.93/577	72°	72°	17.32/440	41.06/1043	1.97/50	11.26/286	7.09/180	33.78/858
		62	24.41/620	23.23/590	72.5°	72°	17.32/440	41.38/1051	1.97/50	11.26/286	7.67/195	34.64/880
AURORA		47	15.35/390	20.47/520	70°	74°	17.32/440	40.31/1024	1.97/50	11.26/286	3.94/100	27.95/710
		50	19.56/497	21.34/542	71.5°	74°	17.32/440	40.67/1033	1.97/50	11.26/286	4.53/115	30.87/784
		53	20.75/527	21.73/552	71.5°	73°	17.32/440	40.71/1034	1.97/50	11.26/286	5.32/135	31.81/808
		55	21.57/548	21.93/557	71.5°	73°	17.32/440	40.90/1039	1.97/50	11.26/286	5.91/150	32.56/827
		57	22.36/568	22.32/567	71.5°	72°	17.32/440	40.90/1039	1.97/50	11.26/286	6.50/165	33.15/842
		59	23.15/588	22.72/577	72°	72°	17.32/440	41.10/1044	1.97/50	11.26/286	7.09/180	33.86/860
		62	24.33/618	23.23/590	72.5°	72°	17.32/440	41.38/1051	1.97/50	11.26/286	7.67/195	34.76/883
BOSANOVA		48	17.99/457	20.50/513	70.5°	75°	16.73/425	40.00/1016	1.89/48	11.02/280	3.94/100	28.53/750
		51	19.17/487	21.26/540	71°	74°	16.73/425	40.12/1019	1.89/48	11.02/280	4.72/120	30.51/775
		54	20.35/517	21.85/555	71.5°	73°	16.73/425	40.16/1020	1.89/48	11.02/280	5.51/140	31.49/800
		56	21.18/538	22.05/560	72°	73°	16.73/425	40.16/1020	1.89/48	11.02/280	6.30/160	32.32/821
		58	21.97/558	22.64/575	72°	72.5°	16.73/425	40.55/1030	1.89/48	11.02/280	7.09/180	33.07/840
SONIK		61	23.15/588	23.42/595	73°	72°	16.73/425	40.71/1034	1.89/48	11.02/280	7.87/200	34.09/866
		48	16.85/428	20.67/525	74.5°	75°	14.53/369	35.90/912	1.18/30	11.18/284	4.33/110	29.01/737
		51	18.03/458	20.86/530	74.5°	75°	14.53/369	36.10/917	1.18/30	11.18/284	4.33/110	29.60/752
		54	19.25/489	21.45/545	74.5°	74°	14.60/371	36.45/926	1.18/30	11.18/284	4.72/120	29.64/753
		56	20.04/509	22.24/565	74.5°	74°	14.60/371	37.24/946	1.18/30	11.18/284	5.51/140	30.86/784
SPUTNIK BEATNIK		58	20.79/528	22.83/580	74.5°	74°	14.60/371	37.79/960	1.18/30	11.18/284	6.30/160	31.61/803
		61	21.97/558	23.31/592	74.5°	73.5°	14.68/373	38.15/969	1.18/30	11.18/284	7.28/185	32.56/827
		47	18.50/470	20.00/508	71.5°	75.5°	15.94/405	38.23/971	1.77/45	10.83/275	3.74/95	29.33/745
		50	19.56/497	20.47/520	72°	75°	15.94/405	38.34/974	1.77/45	10.83/275	3.74/95	29.96/761
		53	20.75/527	21.26/540	72°	74°	15.94/405	38.78/985	1.77/45	10.83/275	4.49/114	30.86/784
STREET		55	21.53/547	22.04/560	73.5°	73°	15.94/405	38.46/977	1.57/40	10.83/275	4.96/126	31.61/803
		57	22.28/566	22.44/570	73.5°	73°	15.94/405	38.86/987	1.57/40	10.83/275	5.67/144	32.28/820
		59	23.15/588	23.03/585	73.5°	73°	15.94/405	39.45/1002	1.57/40	10.83/275	6.45/164	33.03/839
		62	24.25/616	23.62/600	74°	72.5°	15.94/405	39.60/1006	1.57/40	10.83/275	7.48/190	34.09/866
COMMUTER 4 COMMUTER 3 COMMUTER 2		15"	13.39/340	21.53/547	71°	74°	17.52/445	40.98/1041	1.77/45	11.22/285	3.94/100	27.56/700
		17"	15.28/389	22.12/562	71°	74°	17.52/445	41.61/1057	1.77/45	11.22/285	4.72/120	28.94/735
		19"	17.17/436	22.48/571	72°	73.5°	17.52/445	41.45/1053	1.77/45	11.22/285	5.51/140	30.35/771
		21"	19.17/487	23.03/585	72°	73.5°	17.52/445	42.05/1068	1.77/45	11.22/285	7.08/180	32.09/815
		23"	20.79/528	23.42/595	72°	73.5°	17.52/445	42.48/1079	1.77/45	11.22/285	7.87/200	33.23/844
		14" S/O	9.49/241	21.50/546	71°	74°	17.52/445	40.98/1041	1.77/45	11.22/285	3.94/100	25.08/637
		18" S/O	10.28/261	21.89/556	71°	73.5°	17.52/445	41.22/1047	1.77/45	11.22/285	5.12/130	25.90/658
COMMUTER 1		15"	13.31/338	21.53/547	71°	74°	17.52/445	40.98/1041	1.77/45	11.22/285	3.94/100	27.48/698
		17"	15.23/387	22.12/562	71°	74°	17.52/445	41.61/1057	1.77/45	11.22/285	4.72/120	28.90/734
		19"	17.12/435	22.48/571	72°	73.5°	17.52/445	41.45/1053	1.77/45	11.22/285	5.51/140	30.27/769
		21"	19.21/488	23.03/585	72°	73.5°	17.52/445	42.05/1068	1.77/45	11.22/285	7.08/180	32.01/813
		23"	20.71/526	23.42/595	72°	73.5°	17.52/445	42.48/1079	1.77/45	11.22/285	7.87/200	33.15/842
		14" S/O	9.68/246	21.50/546	71°	74°	17.52/445	40.98/1041	1.77/45	11.22/285	3.94/100	25.00/635
		18" S/O	10.08/256	21.89/556	71°	73.5°	17.52/445	41.22/1047	1.77/45	11.22/285	5.12/130	25.90/658

MODEL		SIZE	CENTER of BB to TOP of TT	EFFECTIVE TT LENGTH	HT ANGLE	ST ANGLE	CHAINSTAY	WHEELBASE	FORK RAKE	BB HEIGHT	HEADTUBE	STANDOVER
STREET CONTINUED												
CODA ELITE		16"	15.16/385	21.46/545	71°	74°	17.13/435	40.75/1035	1.97/50	11.22/285	4.13/105	28.27/718
		17.5"	16.61/422	22.05/560	71°	74°	17.13/435	41.38/1051	1.97/50	11.22/285	4.72/120	29.29/744
		19.5"	18.58/472	22.44/570	72°	73.5°	17.13/435	41.22/1047	1.97/50	11.22/285	5.31/135	30.63/778
		21.5"	20.55/522	23.03/565	72°	73.5°	17.13/435	41.81/1062	1.97/50	11.22/285	5.91/150	31.93/811
		23"	22.08/561	23.43/595	72°	73.5°	17.13/435	42.24/1073	1.97/50	11.22/285	6.50/165	32.95/837
CODA COMP		15"	15.16/385	21.46/545	71°	74°	17.13/435	40.51/1029	1.77/45	11.22/285	4.13/105	28.15/715
		17"	16.61/422	22.05/560	71°	74°	17.13/435	41.14/1045	1.77/45	11.22/285	4.72/120	29.21/742
		19"	18.58/472	22.44/570	72°	73.5°	17.13/435	40.98/1041	1.77/45	11.22/285	5.31/135	30.55/776
		21"	20.55/522	23.03/565	72°	73.5°	17.13/435	41.61/1057	1.77/45	11.22/285	5.91/150	31.77/807
		23"	22.08/561	23.43/595	72°	73.5°	17.13/435	42.01/1067	1.77/45	11.22/285	6.50/165	32.83/834
CODA COMP FEMME		14"	13.66/347	20.47/520	70°	75°	17.13/435	40.19/1021	1.77/45	11.22/285	3.74/95	27.08/688
		16"	15.16/385	20.87/530	71°	75°	17.13/435	40.27/1023	1.77/45	11.22/285	4.13/105	28.19/716
		18"	16.61/422	21.28/540	71°	74°	17.13/435	40.35/1025	1.77/45	11.22/285	4.72/120	29.17/741
CODA SPORT		15"	15.16/385	21.46/545	71°	74°	17.13/435	40.75/1035	1.97/50	11.22/285	4.13/105	28.46/723
		17"	16.61/422	22.05/560	71°	74°	17.13/435	41.38/1051	1.97/50	11.22/285	4.72/120	29.52/750
		19"	18.58/472	22.44/570	72°	73.5°	17.13/435	41.22/1047	1.97/50	11.22/285	5.31/135	30.90/785
		21"	20.55/522	23.03/565	72°	73.5°	17.13/435	41.85/1063	1.97/50	11.22/285	5.91/150	32.16/817
		23"	22.08/561	23.43/595	72°	73.5°	17.13/435	42.24/1073	1.97/50	11.22/285	6.50/165	33.23/844
CODA SPORT FEMME		14"	13.66/347	20.47/520	70°	75°	17.13/435	40.47/1028	1.97/50	11.22/285	3.74/95	27.40/686
		16"	15.16/385	20.87/530	71°	75°	17.13/435	40.55/1030	1.97/50	11.22/285	4.13/105	28.54/725
		18"	16.61/422	21.28/540	71°	74°	17.13/435	40.59/1031	1.97/50	11.22/285	4.72/120	29.52/750
		15"	14.61/371	21.46/545	71°	74°	17.13/435	40.94/1040	1.97/50	11.22/285	5.31/135	28.50/724
ALLEGRO ELITE / COMP DISC / COMP / SPORT		17"	16.06/408	22.05/560	71°	74°	17.13/435	41.57/1056	1.97/50	11.22/285	5.90/150	29.57/751
		19"	18.07/459	22.44/570	72°	73.5°	17.13/435	41.42/1052	1.97/50	11.22/285	6.89/175	31.10/790
		21"	20.04/509	22.05/565	72°	73.5°	17.13/435	42.05/1068	1.97/50	11.22/285	7.87/200	32.60/828
		23"	21.53/547	23.43/595	72°	73.5°	17.13/435	42.44/1078	1.97/50	11.22/285	9.05/230	33.90/861
		14"	13.19/335	20.47/520	70.5°	74.5°	17.13/435	40.31/1024	1.97/50	11.22/285	4.92/125	28.03/712
ALLEGRO ELITE / COMP / SPORT FEMME		16"	14.64/372	20.86/530	71°	74°	17.13/435	40.35/1025	1.97/50	11.22/285	5.31/135	28.50/724
		18"	16.10/409	21.28/540	71°	74°	17.13/435	40.79/1036	1.97/50	11.22/285	5.90/150	29.57/751
		15"	14.17/360	23.03/565	71°	73°	17.52/445	42.16/1071	1.65/42	11.02/280	4.13/105	28.94/735
		17"	16.10/409	23.62/600	71°	73°	17.52/445	42.75/1086	1.65/42	11.02/280	4.72/120	30.24/768
		19"	17.56/446	24.01/610	71°	73°	17.52/445	43.19/1097	1.65/42	11.02/280	5.31/135	31.34/796
DXT COMP / SPORT		21"	19.53/496	24.61/625	71°	73°	17.52/445	43.78/1112	1.65/42	11.02/280	6.10/155	32.68/830
		23"	21.50/546	24.80/630	71°	73°	17.52/445	44.01/1118	1.65/42	11.02/280	6.89/175	34.05/865
		14"	8.78/223	20.47/520	70.5°	74.5°	17.13/435	40.12/1019	1.65/42	11.22/285	4.72/120	24.45/621
		18"	9.49/241	21.26/540	71°	74°	17.13/435	40.51/1029	1.65/42	11.22/285	4.72/120	25.00/635
		20"	9.49/241	22.05/560	72°	73.5°	17.13/435	40.71/1034	1.65/42	11.22/285	5.31/135	25.16/639
RECREATION												
CITIZEN 3 CITIZEN 2		15"	13.42/341	21.50/546	71°	74°	17.52/445	41.30/1049	1.97/50	11.22/285	4.72/120	27.99/711
		17"	15.04/382	22.11/562	71°	74°	17.52/445	41.93/1065	1.97/50	11.22/285	4.72/120	29.05/738
		19"	17.24/438	22.48/571	72°	73.5°	17.52/445	41.69/1059	1.97/50	11.22/285	4.72/120	30.39/772
		21"	19.29/490	23.06/586	72°	73.5°	17.52/445	42.28/1074	1.97/50	11.22/285	5.12/130	31.65/804
		23"	20.82/529	23.46/596	72°	73.5°	17.52/445	42.68/1084	1.97/50	11.22/285	5.71/145	32.91/836
		14" S/T	5.39/137	21.49/546	71°	74°	17.52/445	41.34/1050	1.97/50	11.22/285	5.90/150	18.19/462
		18" S/T	5.86/149	21.88/556	71°	73.5°	17.52/445	41.53/1055	1.97/50	11.22/285	6.49/165	18.15/461
CITIZEN 1		15"	13.19/335	21.50/546	71°	74°	17.52/445	41.26/1048	1.97/50	11.22/285	4.72/120	27.68/703
		17"	15.08/383	22.11/562	71°	74°	17.52/445	41.85/1063	1.97/50	11.22/285	4.72/120	28.82/732
		19"	17.24/438	22.48/571	72°	73.5°	17.52/445	41.65/1058	1.97/50	11.22/285	4.72/120	30.04/763
		21"	19.53/496	23.06/586	72°	73.5°	17.52/445	42.24/1073	1.97/50	11.22/285	5.12/130	31.49/800
		23"	20.67/525	23.46/596	72°	73.5°	17.52/445	42.68/1084	1.97/50	11.22/285	5.71/145	32.40/823
		14" S/T	5.31/135	21.49/546	71°	74°	17.52/445	41.30/1049	1.97/50	11.22/285	5.90/150	18.38/467
		18" S/T	5.86/149	21.88/556	71°	73.5°	17.52/445	41.53/1055	1.97/50	11.22/285	6.49/165	18.54/471
		S	12.16/309	22.44/570	68°	67°	19.09/485	42.56/1081	1.77/45	10.71/272	4.72/120	25.94/699
HUDSON SPORT DLX / SPORT / EASY-3 / EASY		M	14.09/358	23.11/567	68°	67°	19.09/485	43.19/1097	1.77/45	10.71/272	5.51/140	27.52/699
		L	15.63/397	24.17/614	68°	67°	19.09/485	44.25/1124	1.77/45	10.71/272	6.89/175	28.97/736
		XL	18.74/476	25.12/638	68°	67°	19.09/485	45.16/1147	1.77/45	10.71/272	8.27/210	31.38/797
		S S/T	6.10/155	22.60/574	68°	67°	19.09/485	42.68/1084	1.77/45	10.71/272	6.50/165	17.48/444
		M S/T	7.08/180	23.66/601	68°	67°	19.09/485	43.74/1111	1.77/45	10.71/272	6.50/165	18.03/458

MODEL		SIZE	CENTER of BB to TOP of TT	EFFECTIVE TT LENGTH	HT ANGLE	ST ANGLE	CHAINSTAY	WHEELBASE	FORK RAKE	BB HEIGHT	HEADTUBE	STANDOVER
RECREATION CONTINUED												
HUDSON SPORT SX		S	12.24/311	22.44/570	68°	67°	19.09/485	42.44/1078	1.65/42	10.71/272	4.72/120	27.52/699
		M	14.13/359	23.11/587	68°	67°	19.09/485	43.07/1094	1.65/42	10.71/272	5.51/140	27.95/710
		L	15.67/398	24.17/614	68°	67°	19.09/485	44.09/1120	1.65/42	10.71/272	6.89/175	29.45/748
		XL	18.78/477	25.12/638	68°	67°	19.09/485	45.04/1144	1.65/42	10.71/272	8.27/210	31.85/809
		S S/T	6.10/155	22.60/574	68°	67°	19.09/485	42.56/1081	1.65/42	10.71/272	6.50/165	17.68/449
		M S/T	7.08/180	23.66/601	68°	67°	19.09/485	43.62/1108	1.65/42	10.71/272	6.50/165	18.34/466
EXPLORER 2		S	11.30/287	21.06/535	68.39°	70.39°	16.73/425	40.00/1016	1.65/42	12.09/307	4.72/120	27.01/686
		M	13.31/338	21.65/550	68.40°	70.40°	16.73/425	40.63/1032	1.65/42	12.09/307	5.51/140	28.62/727
		L	15.79/401	22.64/575	68.42°	70.42°	16.73/425	41.65/1058	1.65/42	12.09/307	6.89/175	30.59/777
		XL	18.78/477	23.43/595	68.44°	70.44°	16.73/425	42.48/1079	1.65/42	12.09/307	8.27/210	32.91/836
		S S/T	5.63/143	20.67/525	68.39°	70.39°	16.93/430	39.84/1012	1.65/42	12.09/307	6.30/160	17.83/453
		M S/T	7.05/179	22.05/560	68.39°	70.41°	16.93/430	41.26/1048	1.65/42	12.09/307	6.89/175	18.70/475
EXPLORER 1		S	11.30/287	21.06/535	68.39°	70.39°	16.73/425	40.12/1019	1.77/45	12.09/307	4.72/120	27.20/691
		M	13.31/338	21.65/550	68.40°	70.40°	16.73/425	40.75/1035	1.77/45	12.09/307	5.51/140	28.78/731
		L	15.79/401	22.64/575	68.42°	70.42°	16.73/425	41.77/1061	1.77/45	12.09/307	6.89/175	30.79/782
		XL	18.78/477	23.43/595	68.44°	70.44°	16.73/425	42.60/1082	1.77/45	12.09/307	8.27/210	33.07/840
		S S/T	5.79/147	20.67/525	68.39°	70.39°	16.93/430	39.96/1015	1.77/45	12.09/307	6.30/160	17.87/454
		M S/T	7.05/179	22.05/560	68.39°	70.41°	16.93/430	41.42/1052	1.77/45	12.09/307	6.89/175	18.74/476
EARTH CRUISER 3		M	17.52/548	22.91/582	69°	70°	18.74/476	42.72/1085	1.77/45	10.71/272	4.13/105	26.93/684
EARTH CRUISER 1		L	19.76/578	24.02/610	69°	70°	18.74/476	43.82/1113	1.77/45	10.71/272	5.12/130	28.19/716
EARTH CRUISER 2		S S/T	7.52/191	21.81/554	69°	70°	18.74/476	41.61/1057	1.77/45	10.71/272	4.13/105	17.46/443
		M S/T	8.70/221	22.91/582	69°	70°	18.74/476	42.72/1085	1.77/45	10.71/272	4.13/105	18.03/458
BOSS CRUISER 7 BOSS CRUISER COASTER		S	16.02/407	22.32/567	69°	70°	18.74/476	42.28/1074	1.57/40	10.71/272	4.33/110	28.39/721
		M	17.91/455	22.68/576	70°	70°	18.74/476	42.09/1069	1.57/40	10.71/272	4.92/125	29.80/757
		L	20.00/508	23.39/594	70°	70°	18.74/476	42.83/1088	1.57/40	10.71/272	5.91/150	31.22/793
		XL	22.01/559	23.39/594	70°	70°	18.74/476	42.83/1088	1.57/40	10.71/272	7.87/200	33.07/840
		S S/O	9.41/239	22.32/567	69°	70°	18.74/476	42.09/1069	1.57/40	10.71/272	4.33/110	24.21/615
		M S/O	9.41/239	22.68/576	70°	70°	18.74/476	42.09/1069	1.57/40	10.71/272	4.33/110	24.25/616
		S	16.02/407	22.32/567	69°	70°	18.74/476	42.28/1074	1.57/40	10.71/272	4.33/110	28.39/721
		M	17.91/455	22.68/576	70°	70°	18.74/476	42.09/1069	1.57/40	10.71/272	4.92/125	29.80/757
TAXI 26"		L	20.00/508	23.39/594	70°	70°	18.74/476	42.83/1088	1.57/40	10.71/272	5.91/150	31.22/793
		M - S/O	9.41/239	22.68/576	70°	70°	18.74/476	42.09/1069	1.57/40	10.71/272	4.33/110	24.25/616
		S - S/O	7.48/190	20.59/523	68°	70°	17.52/445	40.16/1020	1.57/40	11.22/285	4.33/110	22.52/572
TAXI 24"		S	6.85/174	19.01/483	71°	69°	14.76/375	35.16/893	1.65/42	10.59/269	3.94/100	20.16/512
TAXI 16" KIDS		XS	5.59/142	15.16/385	71°	71°	12.20/310	28.62/727	0.87/22	6.77/172	3.94/100	17.28/439
YOUTH												
X 2.4		12"B	10.12/257	19.17/487	70°	73°	16.14/410	37.80/960	1.77/45	10.91/277	3.54/90	23.90/607
CAPRI 2.4		12"G	9.09/231	19.49/495	70°	72°	17.72/450	39.37/1000	1.77/45	10.91/277	3.54/90	19.09/485
X 2.0		11"B	8.11/206	16.73/425	70°	73°	15.16/385	34.72/882	1.77/45	9.61/244	3.54/90	20.87/530
CAPRI 2.0		10"G	7.48/190	16.97/431	70°	72°	15.47/393	35.00/889	1.77/45	9.61/244	3.54/90	17.48/444
LASER 2.0		10"B	7.56/192	17.48/444	67.5°	67.5°	15.16/385	34.76/883	1.97/50	10.00/254	3.54/90	18.70/475
STARLITE 2.0		10"G	7.80/198	17.80/452	71°	70°	15.75/400	35.35/898	1.97/50	10.00/254	3.54/90	17.48/444
LASER 1.6		8"B	6.42/163	15.08/383	67.5°	67°	13.23/336	30.04/763	1.38/35	8.58/218	3.54/90	15.90/404
MISS DAISY 1.6		8"G	6.65/169	15.87/403	71°	68°	13.23/336	30.04/763	1.38/35	8.58/218	3.54/90	14.57/370
HOT ROD 12"		8"B	6.69/170	11.73/298	71°	72°	10.04/255	23.23/590	0.79/20	7.56/192	3.15/80	13.43/341
LADY BUG		8"G	6.69/170	11.73/298	71°	72°	10.04/255	23.23/590	0.79/20	7.56/192	3.15/80	13.43/341



JAMIS NORTH

151 Ludlow Avenue
Northvale, New Jersey 07647
Phone: (800) 222-0570
Fax: (201) 768-9541

JAMIS SOUTH

701 SW 71st Avenue
Miami, Florida 33144
Phone: (800) 533-9010
Fax: (305) 266-3465

JAMIS WEST

1559 Sunland Lane
Costa Mesa, California 92626
Phone: (866) 400-9625
Fax: (714) 545-5432