



KHS Pro Rider
Logan Binggeli
U.S. Pro GRT Champion

DEALER CATALOG

khsbicycles.com | 2014



KHS BICYCLES...

A Global Leader For Nearly

OVERVIEW

KHS Bicycles is one of the most respected names in cycling. For more than 35 years, KHS has produced bicycles of quality, performance, and value. KHS Bicycles is a part of a global business, KHS Co. Ltd., which manufactures and distributes bicycles, parts, accessories, motorcycles and musical instruments in factories fully owned by the company.

A HISTORY OF CHAMPIONSHIPS

KHS, and its related-brands, has a rich history in bicycle racing. KHS sponsored riders have won races, championships, and set world records. This includes an Olympic Gold Medal, 10 World Championships, dozens of National Championships in numerous countries, State Championships and more. KHS has also been the bicycle of choice of amateur athletes, NCAA Champion teams, and hundreds of school, amateur and regional teams.

FAMOUS KHS RACERS

- **JOHN HOWARD** – 13 U.S. National Champion, Ironman Triathlon Winner, World Speed Record
- **DAVE CULLINAN** – World Champion Downhill MTB
- **CINDY WHITEHEAD** – U.S. National Cyclocross Champion
- **CHERI ELLIOT** – U.S. National Downhill and Dual Slalom Champion
- **KATRINA MILLER** – UCI Dual Slalom Champion
- **MELISSA BUHL** – Multi-time U.S. National and UCI World Champion Downhill
- **KYLE BENNETT** – Multi-time ABA National Champion, UCI World Champion, and Olympic athlete
- **DALE HOLMES** – Most awarded UK BMX racer of all time, multi-time British National and UCI World Champion
- **LOGAN BINGGELI** – U.S. Pro GRT Series Champion and U.S. National Downhill Champion
- **TOM HAUGEN** – Vans Triple Crown Winner, X-Games Medalist
- **MARIS STROMBERGS** – 2 time Olympic BMX Gold Medalist



40 Years!



KHS ACCOMPLISHMENTS

- **1953** KHS Co. Ltd. founded to build motorcycles under license from Yamaha
- **1974** KHS Inc. and KHS brand of bicycles founded in U.S.
- **1974** KHS Co. Ltd. launches bicycle factory in Taiwan
- **1979** First Taiwan-made bicycle to enter U.S. market with Reynolds 531 tubing
- **1996** *Mountain Biking* "Bike of the Year"
- **1997** *Bicycling Magazine* "Editor's Choice"
- **1998** *Mountain Bike Action's* "Best Value" full suspension bike under \$1000
- **1998** First company to introduce "softtails" into U.S. market
- **2002** Voted U.S. Bicycle Dealers "Preferred Bicycle and Parts Distributor"
- **2004** *Mountain Bike Action's* "10 out of 10" dual suspension bike
- **2006** KHS Urban Xpress named Consumer Digest "Best Buy"
- **2008** KHS Racer Melissa Buhl U.S. National Downhill, Dual Slalom and 4x National Champion
- **2012** Free Agent rider, Maris Stombergs, wins Gold in BMX at the London Olympics
- **2012** Logan Binggeli Wins Pro GRT Series National Downhill Championship on KHS DH-650B

KHS TODAY

- KHS bicycles are now distributed in more than 35 countries worldwide
- KHS owns and operates numerous bicycle and related brands including KHS Bicycles, Free Agent BMX, Manhattan Cruisers, Q2 quality bicycle parts, PowerTools parts and accessories, UltraCycle parts and accessories, and Robix exercise equipment
- KHS management team has more than 200-years combined bicycle industry experience
- More than 100,000 sq. ft. of manufacturing facilities
- KHS continues to grow its business on the principles of delivering quality, value and performance in everything it makes



ROAD FLITE TEAM



FEATURES

22 Speed


KHS Full Carbon Monocoque Frame with relaxed geometry

Shimano Dura-Ace 11 speed drivetrain

FSA cockpit

MSRP: \$5799-6099

PART #	MODEL	SIZE	COLOR
94-200-001	Flite Team	XS	Team Red
94-200-002	Flite Team	S	Team Red
94-200-003	Flite Team	M	Team Red
94-200-004	Flite Team	M/L	Team Red
94-200-005	Flite Team	L	Team Red
94-200-006	Flite Team	XL	Team Red



GEOMETRY

SIZE nominal	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS/49	440 / 17.3	71	74.5	508 / 20	405 / 15.9	262 / 10.3	724 / 28.5	135 / 5.3	359 / 14.1	536 / 21.1
S/52	475 / 18.7	71.5	74	524 / 20.6	405 / 15.9	265 / 10.4	749 / 29.5	150 / 5.9	367 / 14.4	547 / 21.5
M/54	500 / 19.7	72.5	73.5	544 / 21.4	410 / 16.1	265 / 10.4	765 / 30.1	165 / 6.5	377 / 14.8	567 / 22.3
M/L/56	520 / 20.5	72.5	73	565 / 22.2	410 / 16.1	265 / 10.4	787 / 31	180 / 7.1	387 / 15.2	581 / 22.9
L/58	545 / 21.5	72.5	73	580 / 22.8	410 / 16.1	267 / 10.5	811 / 31.9	200 / 7.9	397 / 15.6	599 / 23.6
XL/61	580 / 22.8	72.5	72.5	600 / 23.6	415 / 16.3	267 / 10.5	837 / 33	225 / 8.9	404 / 15.9	622 / 24.5

BIKE SPECS

Frame	KHS High Modulus Full Carbon Monocoque, PF-30, 1-1/8-1.5, Replaceable Derailleur Hanger
Rear Shock	N/A
Fork	KHS Pro, Full Carbon Monocoque
Headset	FSA Orbit C-40-CF-ACB, N.42CF, 1-1/8"~1.5" Integrated Carbon Cap, 5mm x 2, 10mm x 1, CARBON
Rims	Shimano Dura Ace
Hubs (F/R)	Shimano Dura Ace
Tires	Hutchinson Fusion 3, 700x23c, Kevlar Bead
Spokes	Shimano Dura Ace
Derailleur, Front	Shimano Dura Ace
Derailleur, Rear	Shimano Dura Ace
Shifters	Shimano Dura Ace
Chain	Shimano Dura Ace
Crankset	Shimano Dura Ace XS : 53/39 X165, S: 53/39 X170, M/ML: 53/39 X172.5, L/XL: 53/39 X175
BB	FSA PF30
Freewheel / Cassette	Shimano Dura Ace, 12-25T, 11-speed
Pedals	N/A
Seatpost	FSA K-Force Lite SB25, Carbon
Saddle	KHS Pro, Carbon Injected Base w/ Carbon Rail
Handlebar	FSA SLK Carbon Compact XS:400mm, S-M:420mm,ML-XL:440mm 31.8
Stem	FSA Energy, OS-99, 31.8, XS:80mm, S:90mm, M-ML:100mm, L-XL:110mm
Handlebar tape/Grips	Cushion Tape
Brake Levers	Shimano Dura Ace
Brakes	Shimano Dura Ace
Color	Team Red/Infinite Black/Pearl White
Frame Size	XS:49cm,S:52cm M:54cm,ML:56cm,L:58ccm,XL:61cm

ROAD

FLITE 900



FEATURES

22 Speed

Shimano Ultegra 11 speed drivetrain

Ritchey Handlebar and stem

Mavic Ksyrium wheel set

New or changed for 2014

Shimano Ultegra 11 speed drivetrain

Mavic Ksyrium wheelset

Ritchey handlebar and stem

Shimano 105 brakes

MSRP:\$3149-3449


PART #	MODEL	SIZE	COLOR
94-199-001	Flite 900	XS	Cash Call
94-199-002	Flite 900	S	Cash Call
94-199-003	Flite 900	M	Cash Call
94-199-004	Flite 900	M/L	Cash Call
94-199-005	Flite 900	L	Cash Call
94-199-006	Flite 900	XL	Cash Call

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
XS/49	440 / 17.3	71	74.5	508 / 20	405 / 15.9	262 / 10.3	724 / 28.5	135 / 5.3	359 / 14.1	536 / 21.1
S/52	475 / 18.7	71.5	74	524 / 20.6	405 / 15.9	265 / 10.4	749 / 29.5	150 / 5.9	367 / 14.4	547 / 21.5
M/54	500 / 19.7	72.5	73.5	544 / 21.4	410 / 16.1	265 / 10.4	765 / 30.1	165 / 6.5	377 / 14.8	567 / 22.3
M/L/56	520 / 20.5	72.5	73	565 / 22.2	410 / 16.1	265 / 10.4	787 / 31	180 / 7.1	387 / 15.2	581 / 22.9
L/58	545 / 21.5	72.5	73	580 / 22.8	410 / 16.1	267 / 10.5	811 / 31.9	200 / 7.9	397 / 15.6	599 / 23.6
XL/61	580 / 22.8	72.5	72.5	600 / 23.6	415 / 16.3	267 / 10.5	837 / 33	225 / 8.9	404 / 15.9	622 / 24.5

BIKE SPECS

Frame	KHS Full Carbon Monocoque w/Replaceable Derailleur Hanger, PF-BB30, Tapered Headtube
Fork	KHS Pro, Full Carbon Monocoque
Headset	FSA Orbit C-40-CF-ACB, N.42CF, 1-1/8"-1.5" Integrated Carbon Cap, 5mm x 2, 10mm x 1, CARBON
Rims	Mavic Ksyrium Elite
Hubs (F/R)	Mavic Ksyrium Elite
Tires	Mavic Ksyrium Elite 700x23c
Spokes	Mavic Ksyrium Elite
Derailleur, Front	Shimano New Ultegra
Derailleur, Rear	Shimano New Ultegra
Shifters	Shimano New Ultegra
Chain	Shimano Ultegra 11s
Crankset	FSA Energy 53/39, XS:165 S:170,M/ML:172.5L/XL:175
BB	FSA PF-BB30
Freewheel / Cassette	Shimano Ultegra 11-25 11Spd
Pedals	N/A
Seatpost	FSA SLK Carbon W/ Setback :20 mm 31.6X350mm
Saddle	Velo Miles Race
Handlebar	Ritchey COMP Curve Alloy XS:400mm, S-M :420mm, M/L-XL:440mm
Stem	Ritchey 4-Axis 44 Pro, XS:80mm, S:90mm, M-M/L:100mm, L-XL:110mm,
Handlebar tape/Grips	Anti Slip Cushion Tape
Brake Levers	Shimano New Ultegra
Brakes	Shimano 105
Color	Cash Call Color
Frame Size	XS:49cm, S:52cm, M:54cm, M/L:56cm, L:58cm, XL:61cm



ROAD

FLITE 850



FEATURES

20 Speed


KHS Full Carbon Monocoque Frame with relaxed geometry

Mavic Aksium wheelset

FSA handlebar and stem

MSRP: \$2499-2699

PART #	MODEL	SIZE	COLOR
94-198-001	Flite 850	XS	Gray/White/Blk
94-198-002	Flite 850	S	Gray/White/Blk
94-198-003	Flite 850	M	Gray/White/Blk
94-198-004	Flite 850	M/L	Gray/White/Blk
94-198-005	Flite 850	L	Gray/White/Blk
94-198-006	Flite 850	XL	Gray/White/Blk



GEOMETRY

SIZE	A	B	C	D	E	F	H	I	J	K
nominal	s/t c-t	h/t	s/t	t/t effectv	c/s	BB Height	s.o.	h/t L	Reach	Stack
XS/49	440 / 17.3	71	74.5	508 / 20	405 / 15.9	262 / 10.3	724 / 28.5	135 / 5.3	359 / 14.1	536 / 21.1
S/52	475 / 18.7	71.5	74	524 / 20.6	405 / 15.9	265 / 10.4	749 / 29.5	150 / 5.9	367 / 14.4	547 / 21.5
M/54	500 / 19.7	72.5	73.5	544 / 21.4	410 / 16.1	265 / 10.4	765 / 30.1	165 / 6.5	377 / 14.8	567 / 22.3
M/L/56	520 / 20.5	72.5	73	565 / 22.2	410 / 16.1	265 / 10.4	787 / 31	180 / 7.1	387 / 15.2	581 / 22.9
L/58	545 / 21.5	72.5	73	580 / 22.8	410 / 16.1	267 / 10.5	811 / 31.9	200 / 7.9	397 / 15.6	599 / 23.6
XL/61	580 / 22.8	72.5	72.5	600 / 23.6	415 / 16.3	267 / 10.5	837 / 33	225 / 8.9	404 / 15.9	622 / 24.5

BIKE SPECS

Frame	KHS Full Carbon Monocoque w/Replaceable Derailleur Hanger, PF-BB30, Tapered Headtube
Fork	KHS Performance Carbon, w/ 1.5 Tapper Alloy Steerer
Headset	FSA Orbit C40-ACB, N.42/ACB, 1-1/8"-1.5" Integrated Alloy Cap, 5mm x 2, 10mm x 1
Rims	Mavic Aksium WTS
Hubs (F/R)	Mavic Aksium WTS
Tires	Mavic Aksium WTS, 700 x 23C
Spokes	Mavic Aksium WTS
Derailleur, Front	Shimano 105
Derailleur, Rear	Shimano Ultegra
Shifters	Shimano 105
Chain	KMC X10
Crankset	Shimano 105 50/34 XS:165, S:170, M/ML:172.5, L/XL:175
BB	FSA PF-BB30
Freewheel / Cassette	Shimano 105 11-28, 10Spd
Pedals	N/A
Seatpost	Q2 Carbon 31.6x300mm
Saddle	KHS Sport Road
Handlebar	FSA Wing Compact HB-RD 305S/PSH Alloy XS:400mm, S-M :420mm, M/L-XL:440mm Single Groove
Stem	FSA ST-OS-190LX, XS:80mm, S:90mm, M-M/L:100mm, L:110mm, XL:110mm, 6 degree
Handlebar tape/Grips	Cushion
Brake Levers	Shimano 105
Brakes	Shimano 105
Color	Gray/White/Black
Frame Size	XS:49cm, S:52cm M:54cm, ML:56cm, L:58ccm, XL:61cm

ROAD

FLITE 780



FEATURES

22 Speed
 Shimano Ultegra Di2 11 speed drivetrain
 Ritchey Handlebar and Stem
 Mavic Aksium wheelset
New or changed for 2014
 Shimano Ultegra Di2 Drivetrain
 Ritchey handlebar and stem
 Shimano 105 brakes
 11-32 cassette

MSRP: \$3499-3799


PART #	MODEL	SIZE	COLOR
94-197-001	Flite 780	XS	Wolf Gray Gloss
94-197-002	Flite 780	S	Wolf Gray Gloss
94-197-003	Flite 780	M	Wolf Gray Gloss
94-197-004	Flite 780	M/L	Wolf Gray Gloss
94-197-005	Flite 780	L	Wolf Gray Gloss
94-197-006	Flite 780	XL	Wolf Gray Gloss

GEOMETRY

SIZE	A	B	C	D	E	F	H	I	J	K
nominal	s/t c-t	h/t	s/t	t/effectv	c/s	BB Height	s.o.	h/t L	Reach	Stack
XS/49	440 / 17.3	71	74.5	508 / 20	405 / 15.9	262 / 10.3	724 / 28.5	135 / 5.3	359 / 14.1	536 / 21.1
S/52	475 / 18.7	71.5	74	524 / 20.6	405 / 15.9	265 / 10.4	749 / 29.5	150 / 5.9	367 / 14.4	547 / 21.5
M/54	500 / 19.7	72.5	73.5	544 / 21.4	410 / 16.1	265 / 10.4	765 / 30.1	165 / 6.5	377 / 14.8	567 / 22.3
M/L/56	520 / 20.5	72.5	73	565 / 22.2	410 / 16.1	265 / 10.4	787 / 31	180 / 7.1	387 / 15.2	581 / 22.9
L/58	545 / 21.5	72.5	73	580 / 22.8	410 / 16.1	267 / 10.5	811 / 31.9	200 / 7.9	397 / 15.6	599 / 23.6
XL/61	580 / 22.8	72.5	72.5	600 / 23.6	415 / 16.3	267 / 10.5	837 / 33	225 / 8.9	404 / 15.9	622 / 24.5

BIKE SPECS

Frame	KHS Full Composite Carbon Monocoque w/Replaceable Derailleur Hanger, PF-BB30, Tapered Headset Style
Fork	KHS Performance Carbon, w/ 1.5 Tapper Alloy Steerer
Headset	FSA Orbit C40-ACB, N.42/ACB, 1-1/8"-1.5" Integrated Alloy Cap, 5mm x 2, 10mm x 1
Rims	Mavic Aksium WTS
Hubs (F/R)	Mavic Aksium WTS
Tires	Mavic Aksium WTS, 700 x 25C
Spokes	Mavic Aksium WTS
Derailleur, Front	Shimano New Ultegra Di2
Derailleur, Rear	Shimano New Ultegra Di2, GS
Shifters	Shimano New Ultegra Di2
Chain	Shimano Ultegra 11s
Crankset	FSA Gossamer Pro, 50x34 XS:165, S:170, M/ML:172.5, L/XL:175
BB	FSA PF-BB30
Freewheel / Cassette	Shimano New Ultegra 11-32 11Spd
Pedals	N/A
Seatpost	FSA SLK Carbon W/ Setback :20 mm 31.6X350mm
Saddle	KHS Sport Road
Handlebar	Ritchey COMP Curve Alloy XS:400mm, S-M :420mm, M/L-XL:440mm
Stem	Ritchey 4-axis WTD XS:80mm, S:90mm, M-M/L:100mm, L:110mm, XL:110mm, 6 degree
Handlebar tape/Grips	Cushion Tape
Brake Levers	Shimano Ultegra Di2
Brakes	Shimano 105
Color	Wolf Gray Gloss
Frame Size	XS:49cm, S:52cm M:54cm, ML:56cm, L:58ccm, XL:61cm



ROAD

FLITE 750



FEATURES

20 Speed

KHS full composite carbon frame with relaxed geometry

Shimano 105 drivetrain

Ritchey handlebar and stem

New or changed for 2014

FSA Orbit headset
Q2 AR500 wheelset
Maxxis Detonator tires
Ritchey handlebar and stem
Shimano 105 shifters

MSRP: \$1749-1849


PART #	MODEL	SIZE	COLOR
94-196-001	Flite 750	XS	Black
94-196-002	Flite 750	S	Black
94-196-003	Flite 750	M	Black
94-196-004	Flite 750	M/L	Black
94-196-005	Flite 750	L	Black
94-196-006	Flite 750	XL	Black
94-196-007	Flite 750 Ladies	XS	Black
94-196-008	Flite 750 Ladies	S	Black

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
XS/49	440 / 17.3	71	74.5	508 / 20	405 / 15.9	262 / 10.3	724 / 28.5	135 / 5.3	359 / 14.1	536 / 21.1
S/52	475 / 18.7	71.5	74	524 / 20.6	405 / 15.9	265 / 10.4	749 / 29.5	150 / 5.9	367 / 14.4	547 / 21.5
M/54	500 / 19.7	72.5	73.5	544 / 21.4	410 / 16.1	265 / 10.4	765 / 30.1	165 / 6.5	377 / 14.8	567 / 22.3
M/L/56	520 / 20.5	72.5	73	565 / 22.2	410 / 16.1	265 / 10.4	787 / 31	180 / 7.1	387 / 15.2	581 / 22.9
L/58	545 / 21.5	72.5	73	580 / 22.8	410 / 16.1	267 / 10.5	811 / 31.9	200 / 7.9	397 / 15.6	599 / 23.6
XL/61	580 / 22.8	72.5	72.5	600 / 23.6	415 / 16.3	267 / 10.5	837 / 33	225 / 8.9	404 / 15.9	622 / 24.5

BIKE SPECS

Frame	KHS Full Composite Carbon Monocoque w/Replaceable Derailleur Hanger, PF-BB30, Tapered Headset Style
Fork	KHS Performance Carbon, w/ 1.5 Tapper Alloy Steerer
Headset	FSA Orbit C40-ACB, N.42/ACB, 1-1/8"-1.5" Integrated Alloy Cap, 5mm x 2, 10mm x 2
Rims	Light-weight Q2 AR500 wheel set
Hubs (F/R)	Q2 Alloy sealed bearing
Tires	Maxxis Detonator 700X25C, 60TPI, folding
Spokes	14G Black 20 x 24 w/Alloy Nipples
Derailleur, Front	Shimano 105
Derailleur, Rear	Shimano 105
Shifters	Shimano 105
Chain	KMC X10 w/missing link
Crankset	FSA Gossamer 50x34 XS:165, S:170, M/ML:172.5, L/XL:175
BB	FSA PF30 BB
Freewheel / Cassette	Shimano HG6210 11-32 10Spd
Pedals	N/A
Seatpost	New Q2 Carbon 300mm, 31.6
Saddle	KHS Sport Road
Handlebar	Ritchey Comp Curve Alloy 31.8, butted, XS-ML:420mm, L-XL:440mm
Stem	Ritchey 4-Axis 31.8 XS-S:90mm, M-M/L:100mm, L:110mm, XL:120mm 6DEG
Handlebar tape/Grips	Cushion Tape
Brake Levers	Shimano 105
Brakes	Promax RC-472, Ball Bearing Design W/Cartridge Pads
Color	Black
Frame Size	XS:49cm, S:52cm, M:54cm, L:56cm, XL:61cm Ladies: XS49 cm, S:52 cm



ROAD

FLITE 747



FEATURES


20 Speed
 Reynolds 520 frame, Lennard Zinn Design
 Shimano 105 drivetrain
 200mm crank arms

New or changed for 2014

VP headset
 Maxxis Detonator tires
 Available in 2 frame sizes

MSRP: \$1699-1799

PART #	MODEL	SIZE	COLOR
94-194-001	Flite 747	XXL	Black
94-194-002	Flite 747	XXXL	Black



GEOMETRY

SIZE	A	B	C	D	E	F	H	I	J	K
nominal	s/t c-t	h/t	s/t	t/effctv	c/s	BB Height	s.o.	h/L	Reach	Stack
XXL	568 / 22.4	72	73.5	620 / 24.4	416 / 16.4	292 / 11.5	836 / 32.9	248 / 9.8	432 / 17	628 / 24.7
XXXL	607 / 23.9	72	73.5	635 / 25	419 / 16.5	292 / 11.5	873 / 34.4	292 / 11.5	435 / 17.1	670 / 26.4

BIKE SPECS

Frame	Reynolds 520 D/Butted T/T 38.1,D/T 40.0,S/T:32.4
Fork	Full CrMo
Headset	VP heavy Duty Threadless
Rims	Weinmann XP Elite Dbl Butted 36H
Hubs (F/R)	Formula Alloy QR, RR: Cassette
Tires	Maxxis Detonator 27 TPI, 2XL: 700x25c, 3XL 700x28c, Wire
Spokes	14G Black, 36 x 36
Derailleur, Front	Shimano 105
Derailleur, Rear	Shimano 105
Shifters	Shimano 105
Chain	KMC X10
Crankset	KHS 2pc Alloy 200mm Arm, 50/34 alloy rings
BB	Out-Board Bearing
Freewheel / Cassette	Shimano HG6210 11-32 10Spd
Pedals	VP-398T Alloy w/Top Clip & Strap
Seatpost	Q2 29.8mm
Saddle	KHS Sport Road
Handlebar	FSA 460mm, drop :150, reach:80mm 31.8 OS
Stem	Alloy Forged, 31.8mm x 130mm
Handlebar tape/Grips	Cushion Tape
Brake Levers	Shimano 105
Brakes	Shimano BR-R451
Color	Black
Frame Size	2XL:64cm, 3XL:66cm

ROAD

FLITE 500



FEATURES

20 Speed
Alloy 6061 frame, with post mount disc brake mount
Shimano 105 drivetrain
Ritchey handlebar and stem

New or changed for 2014

Maxxis Detonator tires
KHS Alloy Forged crank with 52/36 gearing
Shimano HG6210 11-32 10spd cassette
Ritchey Handlebar and stem
Shimano BR-R317 disc brakes with 160/140mm rotors
VP399T pedals w/Top Clip & Strap
Light-weighted sealed bearing disc hubs

MSRP: \$1299-1399

PART #	MODEL	SIZE	COLOR
94-193-001	Flite 500	XS	Infinite Black
94-193-002	Flite 500	S	Infinite Black
94-193-003	Flite 500	S	Ghost White Gloss
94-193-004	Flite 500	M	Infinite Black
94-193-005	Flite 500	M	Ghost White Gloss
94-193-006	Flite 500	M/L	Infinite Black
94-193-007	Flite 500	M/L	Ghost White Gloss
94-193-008	Flite 500	L	Infinite Black
94-193-009	Flite 500	L	Ghost White Gloss
94-193-010	Flite 500	XL	Infinite Black
94-193-011	Flite 500 Ladies	XS	Skye Blue


GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS/49	440 / 17.3	71	74.5	508 / 20	405 / 15.9	262 / 10.3	724 / 28.5	135 / 5.3	359 / 14.1	536 / 21.1
S/52	475 / 18.7	71.5	74	524 / 20.6	405 / 15.9	265 / 10.4	749 / 29.5	150 / 5.9	367 / 14.4	547 / 21.5
M/54	500 / 19.7	72.5	73.5	544 / 21.4	410 / 16.1	265 / 10.4	765 / 30.1	165 / 6.5	377 / 14.8	567 / 22.3
M/L/56	520 / 20.5	72.5	73	565 / 22.2	410 / 16.1	265 / 10.4	787 / 31	180 / 7.1	387 / 15.2	581 / 22.9
L/58	545 / 21.5	72.5	73	580 / 22.8	410 / 16.1	267 / 10.5	811 / 31.9	200 / 7.9	397 / 15.6	599 / 23.6
XL/61	580 / 22.8	72.5	72.5	600 / 23.6	415 / 16.3	267 / 10.5	837 / 33	225 / 8.9	404 / 15.9	622 / 24.5

7

BIKE SPECS

Frame	Alloy 6061 w/Custom formed Double Butted TT & DT, Bi-Oval Pro Seat Stays, replaceable derailleur hanger, Disc tabs
Fork	Carbon with alloy steerer & Disc Tabs
Headset	FSA IS 3-E w/25mm CAP Integrated, 5mm x 2, 10mm x 1, 20mm x 1
Rims	Q2 AR500 F:700c24H R: 24H BK CNC
Hubs (F/R)	Q2 AR500 Super Light sealed bearing
Tires	Maxxis Detonator 700x25C 60TPI, folding
Spokes	14G Black w/Alloy Nipples
Derailleur, Front	Shimano 105 31.8
Derailleur, Rear	Shimano 105
Shifters	Shimano 105
Chain	KMC DX10-SC
Crankset	KHS Alloy Forged (Alloy CNC) 52/36 Mid Compact XS:165, S:170, M/ML:172.5, L/XL:175
BB	Outboard Bearing
Freewheel / Cassette	Shimano HG6210 11-32 10spd
Pedals	VP399T w/Top Clip & Strap
Seatpost	Q2 Carbon Micro-adjust 27.2x300mm
Saddle	KHS Sport Road
Handlebar	Ritchey Comp Curve Logic 31.8 XS-ML: 42cm L-XL: 44mm
Stem	Ritchey 4-Axis 31.8, 7 degree XS-S: 90mm, M-L: 100mm, XL: 110mm
Handlebar tape/Grips	Cushion tape
Brake Levers	Shimano 105
Brakes	SMN BR-R317 160/140mm
Color	Mens: Ghost White Gloss, Infinite Black Ladies: Sky Blue
Frame Size	Mens Black:XS:49, S:52, M:54, M/L:56, L:58, XL:61 Mens White:S:52, M:54, M/L:56, L:58 Ladies:XS:49



All specs are subject to change without notice.

ROAD

FLITE 300



FEATURES

16 Speed
Shimano Claris drivetrain
6061 Alloy frame
Carbon fork with alloy steerer

New or Changed for 2014

Weinmann ZAC1800 wheelset
Formula Alloy QR Cassette
CST C1719 700X25C tires
Shimano Clairs drivetrain
Sram PG820 11/32 8Spd
Tektro R312 brakes

MSRP: \$719-789


PART #	MODEL	SIZE	COLOR
94-191-001	Flite 300	XS	Gloss Black
94-191-002	Flite 300	S	Gloss Black
94-191-003	Flite 300	S	Matte HiHo Silver
94-191-004	Flite 300	M	Gloss Black
94-191-005	Flite 300	M	Matte HiHo Silver
94-191-006	Flite 300	M/L	Gloss Black
94-191-007	Flite 300	M/L	Matte HiHo Silver
94-191-008	Flite 300	L	Gloss Black
94-191-009	Flite 300	L	Matte HiHo Silver
94-191-010	Flite 300	XL	Gloss Black
94-191-011	Flite 300 Ladies	XS	Matte Black
94-191-012	Flite 300 Ladies	S	Matte Black

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS/49	435 / 17.1	71	74.5	510 / 20.1	410 / 16.1	262 / 10.3	724 / 28.5	140 / 5.5	358 / 14.1	541 / 21.3
S/52	470 / 18.5	71.5	74	525 / 20.7	410 / 16.1	265 / 10.4	749 / 29.5	160 / 6.3	364 / 14.3	557 / 21.9
M/54	485 / 19.1	72.5	73.5	544 / 21.4	415 / 16.3	265 / 10.4	768 / 30.2	175 / 6.9	373 / 14.7	576 / 22.7
M/L/56	505 / 19.9	72.5	73	563 / 22.2	415 / 16.3	265 / 10.4	784 / 30.9	190 / 7.5	382 / 15	591 / 23.3
L/58	530 / 20.9	72.5	73	576 / 22.7	415 / 16.3	267 / 10.5	809 / 31.9	210 / 8.3	390 / 15.4	608 / 23.9
XL/61	560 / 22	72.5	72.5	599 / 23.6	420 / 16.5	267 / 10.5	835 / 32.9	235 / 9.3	400 / 15.7	632 / 24.9

BIKE SPECS

Frame	Alloy 6061 w/Custom formed Double Butted TT & DT, Bi-Oval Pro Seat Stays, replaceable derailleur hanger
Fork	Carbon fork/ Alloy steerer
Headset	FSA IS 3-E w/25mm CAP Integrated, 5mm x 2, 10mm x 1, 20mm x 1
Rims	Weinmann ZAC1800, Dbl Wall w/CNC sidewalls
Hubs (F/R)	Formula Alloy QR, RR: Cassette
Tires	CST Caldera, C1719, 700X25C
Spokes	14G Black 28 x 32
Derailleur, Front	Shimano FD2400 Clairs, 31.8mm
Derailleur, Rear	Shimano RD2400SS Claris
Shifters	Shimano ST2400 Claris
Chain	KMC Z8 w/missing link
Crankset	Shimano FC2450, Claris, 50/34, Octalink, XS:165, S-M: 170, L-XL: 175
BB	Shimano ES25 Octalink cartridge bearing
Freewheel / Cassette	Sram PG820 11/32 8Spd
Pedals	VP992S w/steel cage
Seatpost	KHS SP222P Alloy 300mm, 27.2 Micro-Adjustable
Saddle	KHS Padded Men's & Ladies Specific
Handlebar	Alloy Drop 31.8 OS, PG,XS-M/L: 420mm, L-XL: 440mm
Stem	Alloy 7 degree, 31.8 OS, XS-S:90mm, M-M/L:105mm, L-XL: 120mm
Handlebar tape/Grips	Cushion Tape
Brake Levers	Shimano 2400 Claris
Brakes	Tektro R312
Color	Men's: Gloss Black, HiHo Silver Ladies: Matte Black
Frame Size	Mens Black XS:49, S:52, M:54, M/L:56, L:58,XL:61 Mens Silver S:52, M:54, M/L:56, L:58 Ladies:XS:49,S:52



FLITE 280



FEATURES

16 Speed

Shimano Claris drivetrain

6061 Alloy frame

Steel fork

New or Changed for 2014

New model for 2014

MSRP:\$599-659


PART #	MODEL	SIZE	COLOR
94-190-001	Flite 280	XS	Matte Gray
94-190-002	Flite 280	S	Matte Gray
94-190-003	Flite 280	S	Blue
94-190-004	Flite 280	M	Matte Gray
94-190-005	Flite 280	M	Blue
94-190-006	Flite 280	L	Matte Gray
94-190-007	Flite 280	L	Blue
94-190-008	Flite 280	XL	Matte Gray
94-190-009	Flite 280 Ladies	XXS	Pearl White
94-190-010	Flite 280 Ladies	XS	Pearl White
94-190-011	Flite 280 Ladies	S	Pearl White
94-190-012	Flite 280 Ladies	S	Matte Blue Chalk

GEOMETRY

SIZE	A	B	C	D	E	F	H	I	J	K
nominal	s/t c-t	h/t	s/t	t/t effectv	c/s	BB Height	s.o.	h/t L	Reach	Stack
XXS/44	370 / 14.6	70.5	75	498 / 19.6	430 / 16.9	262 / 10.3	685 / 27	95 / 3.7	351 / 13.8	534 / 21
XS/49	430 / 16.9	71	74.5	510 / 20.1	430 / 16.9	262 / 10.3	726 / 28.6	115 / 4.5	355 / 14	553 / 21.8
S/52	465 / 18.3	71.5	74	524 / 20.6	430 / 16.9	265 / 10.4	753 / 29.6	130 / 5.1	362 / 14.3	566 / 22.3
M/55	490 / 19.3	72.5	73	555 / 21.9	430 / 16.9	265 / 10.4	779 / 30.7	155 / 6.1	373 / 14.7	595 / 23.4
L/58	520 / 20.5	72.5	73	575 / 22.6	430 / 16.9	267 / 10.5	808 / 31.8	185 / 7.3	385 / 15.2	622 / 24.5
XL/61	550 / 21.7	72.5	72.5	596 / 23.5	430 / 16.9	267 / 10.5	834 / 32.8	210 / 8.3	392 / 15.4	645 / 25.4

BIKE SPECS

Frame	Alloy 6061 w/Custom formed TT & DT, w/replaceable derailleur hanger
Fork	CrMo Steerer/HI-Ten Blades
Headset	VP-T3E A-headset 5mmX2,10mmX1,20mmX1
Rims	Weinmann ZAC1800 Double Wall w/CNC Side Wall
Hubs (F/R)	Formula Alloy QR, RR: Cassette
Tires	CST Caldera, C1719, 700X25C
Spokes	14G Black 28X32
Derailleur, Front	Shimano FD2400 Clairs, 31.8mm
Derailleur, Rear	Shimano RD2400SS Claris
Shifters	Shimano ST2400 Claris
Chain	KMC Z8 w/Missing Link
Crankset	Shimano FC2450, Claris, 50/34, Octalink XS: 165, S-M: 170, L-XL: 175
BB	Shimano ES25 Octalink cartridge bearing
Freewheel / Cassette	Sram PG820 11/28 8Speed
Pedals	VP 992S/Steel Cage
Seatpost	KHS SP222P Alloy Micro-Adj 300mm
Saddle	KHS Padded Men's & Ladies Specific
Handlebar	Alloy Drop 31.8 OS, PG XS-ML: 420mm, L-XL: 440mm
Stem	Alloy 7 degree, 31.8 OS, XS-S: 90mm, M-M/L: 105mm, L-XL: 120mm
Handlebar tape/Grips	Cushion tape
Brake Levers	Shimano ST2400 Claris
Brakes	Promax RC-483
Color	Mens: Matte Gray, Blue Ladies: Pearl White, Matte Blue Chalk
Frame Size	Mens Gray:XS:49, S:52, M:55, L:58, XL:61 Mens Blue: S:52, M:55, L:58 Ladies White: XXS:44, XS:49, S:52 Ladies Blue: S:52



ROAD

FLITE 223



FEATURES

24 Speed
Light weight CrMo frame
Shimano Claris drivetrain
Shimano triple crank

New or Changed for 2014

Weinmann ZAC-1800 wheelset
CST C-1719 700 x 25C tires
Shimano Claris drivetrain
Shimano FC-A073, Alloy 50/39/30 crank
Sram PG820 11-32 8-speed
KHS Alloy Micro-adjust, seatpost
Alloy Kalloy Drop 31.8 handlebar

MSRP:\$599-659


PART #	MODEL	SIZE	COLOR
94-189-001	Flite 223	S	Team Red
94-189-002	Flite 223	M	Team Red
94-189-003	Flite 223	L	Team Red
94-189-004	Flite 223 Ladies	XS	Charcoal Grey
94-189-005	Flite 223 Ladies	S	Charcoal Grey

GEOMETRY

SIZE nominal	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS/49	430 / 16.9	71	74	510 / 20.1	430 / 16.9	262 / 10.3	727 / 28.6	115 / 4.5	356 / 14	551 / 21.7
S/52	465 / 18.3	71.5	74	525 / 20.7	430 / 16.9	265 / 10.4	753 / 29.6	130 / 5.1	362 / 14.3	564 / 22.2
M/55	490 / 19.3	72.5	73	555 / 21.9	430 / 16.9	265 / 10.4	778 / 30.6	155 / 6.1	373 / 14.7	594 / 23.4
L/58	520 / 20.5	72.5	73	575 / 22.6	430 / 16.9	267 / 10.5	809 / 31.9	185 / 7.3	385 / 15.2	620 / 24.4

BIKE SPECS

Frame	CrMo Double butted w/carrier bosses
Fork	CrMo Steerer/HI-Ten Blades
Headset	VP-T3E A-headset 5mm x 2,10mm x 1, 20mm x 1
Rims	Weinmann ZAC-1800, Double Wall w/CNC sidewalls
Hubs (F/R)	Formula alloy QR, RR: Cassette
Tires	CST Caldera, C1719, 700x25C
Spokes	14G Black 28 x 32
Derailleur, Front	Shimano 2403 Claris, 28.6mm
Derailleur, Rear	Shimano 2400GS Claris
Shifters	Shimano 2400 Triple Claris
Chain	KMC Z8 w/missing link
Crankset	Shimano FC-A073, Alloy 50/39/30 XS: 160, S-M: 170, L: 175
BB	Cartridge Bearing
Freewheel / Cassette	Sram PG820 11-32 8-speed
Pedals	VP 992S w/steel cage
Seatpost	KHS Micro-adjust, SP-222P 300mm, 27.2
Saddle	KHS Padded Men's & Ladies Specific
Handlebar	Alloy Drop 31.8 OS, PG
Stem	Alloy 7 degree, 31.8 OS
Handlebar tape/Grips	Cushion Tape
Brake Levers	Shimano ST2400 Claris
Brakes	Promax RC-483
Color	Mens: Team Red Ladies: Charcoal Grey
Frame Size	Mens:S:52, M:55, L:58 Ladies:XS:49, S:52



FLITE 150



FEATURES

14 Speed

Alloy 6061 w/Custom formed TT & DT, frame

Weinmann ZAC-1800 Alloy wheelset

Shimano Tourney drivetrain

New or Changed for 2014

VP-T3E A-headset

Weinmann ZAC-1800 wheelset

CST C-1719 700X25C tires

FSA BB-7420 Cartridge

Shimano HG20-7 12-28 7Spd

MSRP:\$529-579


PART #	MODEL	SIZE	COLOR
94-188-001	Flite 150	XS	Matte Black
94-188-002	Flite 150	S	Matte Black
94-188-003	Flite 150	S	Yellow
94-188-004	Flite 150	M	Matte Black
94-188-005	Flite 150	M	Yellow
94-188-006	Flite 150	L	Matte Black
94-188-007	Flite 150	L	Yellow
94-188-008	Flite 150	XL	Matte Black
94-188-009	Flite 150 Ladies	XXS	Topaz Blue
94-188-010	Flite 150 Ladies	XS	Topaz Blue
94-188-011	Flite 150 Ladies	S	Topaz Blue
94-188-012	Flite 150 Ladies	S	Matte Blush Pink

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
XS/44	370 / 14.6	70.5	75	498 / 19.6	430 / 16.9	262 / 10.3	685 / 27	95 / 3.7	351 / 13.8	534 / 21
XS/49	430 / 16.9	71	74.5	510 / 20.1	430 / 16.9	262 / 10.3	726 / 28.6	115 / 4.5	355 / 14	553 / 21.8
S/52	465 / 18.3	71.5	74	524 / 20.6	430 / 16.9	265 / 10.4	753 / 29.6	130 / 5.1	362 / 14.3	566 / 22.3
M/55	490 / 19.3	72.5	73	555 / 21.9	430 / 16.9	265 / 10.4	779 / 30.7	155 / 6.1	373 / 14.7	595 / 23.4
L/58	520 / 20.5	72.5	73	575 / 22.6	430 / 16.9	267 / 10.5	808 / 31.8	185 / 7.3	385 / 15.2	622 / 24.5
XL/61	550 / 21.7	72.5	72.5	596 / 23.5	430 / 16.9	267 / 10.5	834 / 32.8	210 / 8.3	392 / 15.4	645 / 25.4

BIKE SPECS

Frame	Alloy 6061 w/Custom formed TT & DT, w/replaceable derailleur hanger
Fork	CrMo Steerer/Hi-Ten blades
Headset	VP-T3E A-headset 5mmX2,10mmX1,20mmX1
Rims	Weinmann ZAC-1800 Alloy Double Wall w/CNC side Wall
Hubs (F/R)	Alloy w/QR
Tires	CST Caldera, C1719, 700X25C
Spokes	14G BK 28x32
Derailleur, Front	Shimano A070, 31.8mm
Derailleur, Rear	Shimano A070
Shifters	Shimano A070 ST
Chain	KMC Z7
Crankset	Shimano A070 Alloy 50/34, 170mm
BB	FSA BB-7420 Cartridge
Freewheel / Cassette	Shimano HG20-7 12-28 7Spd
Pedals	VP 992S steel cage
Seatpost	KHS Alloy 300mm, 27.2mm
Saddle	KHS Padded
Handlebar	Alloy Drop 31.8 OS, PG, XS-M: 420mm, L/XL: 440mm
Stem	Alloy 7 degree, 31.8 OS, XS-S: 90mm, M-L: 105mm, XL: 120mm
Handlebar tape/Grips	Cushion Tape
Brake Levers	Shimano A070
Brakes	Promax RC483 alloy
Color	Mens: Matte Black, Yellow Ladies: Topaz Blue, Matte Blush Pink
Frame Size	Mens Black: XS:49, S:52, M:55, L:58, XL:61 Mens Yellow: S:52, M:55, L:58 Ladies Blue: XXS:44, XS:49, S:52 Ladies Pink: S:52



11

All specs are subject to change without notice.



ROAD

FLITE 100



FEATURES

Single Speed

4130 Double Butted full CrMo ZH2B frame

Flip-Flop rear Track hub

Promax RC462 Dual Pivot

New or Changed for 2014

Maxxis Conrchevel 700x23c, 120TPI tires

Alloy micro-adjust ,SP-222P,26.8x250mm

MSRP:\$599-659


PART #	MODEL	SIZE	COLOR
94-187-002	Flite 100	51CM	Merlot
94-187-004	Flite 100	53CM	Merlot
94-187-006	Flite 100	55CM	Merlot
94-187-008	Flite 100	57CM	Merlot
94-187-010	Flite 100	60CM	Merlot

GEOMETRY

SIZE nominal	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
51cm	510 / 20.1	74	74	543 / 21.4	387 / 15.2	281 / 11.1	746 / 29.4	102 / 4	396 / 15.6	511 / 20.1
53cm	530 / 20.9	74	74	549 / 21.6	387 / 15.2	281 / 11.1	783 / 30.8	120 / 4.7	397 / 15.6	528 / 20.8
55cm	550 / 21.7	74	74	558 / 22	387 / 15.2	281 / 11.1	803 / 31.6	143 / 5.6	400 / 15.8	550 / 21.7
57cm	570 / 22.4	74	74	570 / 22.4	387 / 15.2	281 / 11.1	817 / 32.2	150 / 5.9	410 / 16.1	557 / 21.9
60cm	600 / 23.6	74	74	580 / 22.8	387 / 15.2	281 / 11.1	830 / 32.7	157 / 6.2	418 / 16.5	564 / 22.2

BIKE SPECS

Frame	4130 Double Butted full CrMo ,w/KHS Stainless steel cable Clamps, ZH2B frame
Fork	Full CrMo track
Headset	VP-A32 1" A-Headset, 2 x 5,2 x 10,1 x 20mm, 10mm top cap
Rims	WIN 18 700C 32/32H FV
Hubs (F/R)	Alloy Flip-Flop Track
Tires	Maxxis Courchevel 700x23c, 120TPI Folding
Spokes	14G Black 32 x 32
Derailleur, Front	N/A
Derailleur, Rear	N/A
Shifters	N/A
Chain	KMC Z33 w/missing link
Crankset	KHS Forged 165mm x 44T 3/32X1/2,43.5 chainline
BB	Sealed Cartridge
Freewheel / Cassette	Q2 CrMo 3/32X1/2 16T
Pedals	Alloy road w/toe clips
Seatpost	Alloy micro-adjust ,26.8 SP-222P, 250mm
Saddle	KHS Sport Road
Handlebar	Alloy track bend, 420L
Stem	Alloy 3D Forged, 51: 90mm, 53-55: 100mm, 57-60: 110mm
Handlebar tape/Grips	Cork ribbon
Brake Levers	Alloy Shorty 2F
Brakes	Promax RC462 Dual Pivot
Color	Merlot
Frame Size	51, 53, 55, 57, 60



ROAD TR 101



FEATURES

27 Speed
Reynolds 520, Double Butted CrMo
Shimano Deore Rear Derailleur 9 speed
Rack w/bag, and fenders

New or Changed for 2014

Alivio Front Derailleur
Deore Rear Derailleur
Wellgo Road with Clips and Straps
Microshift Bar End, 9-speed

MSRP: \$999-1099


PART #	MODEL	SIZE	COLOR
89-016-005	TR-101	17"	Dark Blue
89-016-006	TR-101	19"	Dark Blue
89-016-007	TR-101	21"	Dark Blue
89-016-008	TR-101	23"	Dark Blue

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
17"	440 / 17.3	70.3	73.5	525 / 20.7	450 / 17.7	273 / 10.7	732 / 28.8	105 / 4.1	364 / 14.3	546 / 21.5
19"	470 / 18.5	71	73	537 / 21.1	450 / 17.7	273 / 10.7	754 / 29.7	115 / 4.5	366 / 14.4	558 / 22
21"	500 / 19.7	71.5	73	553 / 21.8	450 / 17.7	273 / 10.7	779 / 30.7	135 / 5.3	376 / 14.8	580 / 22.8
23"	530 / 20.9	71.5	73	568 / 22.4	450 / 17.7	273 / 10.7	800 / 31.5	150 / 5.9	387 / 15.2	594 / 23.4

BIKE SPECS

Frame	Reynolds 520, Double Butted CrMo
Fork	Full CrMo w/ rack bosses
Headset	VP Threadless
Rims	Weinmann SP17 Alloy, Doublewall
Hubs (F/R)	Formula, QR RR: Cassette
Tires	Kenda Kwest 700X32C w/ K-Shield Anti-puncture
Spokes	14G Black, 36X36
Derailleur, Front	Shimano Alivio, 28.6mm
Derailleur, Rear	Shimano Deore
Shifters	Microshift Bar End, 9-speed
Chain	KMC X9 w/Missing Link
Crankset	Shimano FC-M521, 48/36/26, Octalink, 17-19: 170mm, 21-23: 175mm
BB	Shimano Octalink Cartridge
Freewheel / Cassette	Shimano HG50, 11-34T, 9-speed
Pedals	Wellgo Road with Clips and Straps
Seatpost	KHS Alloy Micro-Adjust 26.8x350mm
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Alloy Butted, 31.8, 17-21: 420mm. 23: 440mm
Stem	Alloy 3D Forged, 31.8, 17-19: 90mm, 21: 100mm, 23: 120mm
Handlebar tape/Grips	Cushion Tape
Brake Levers	Tektro RL-520A Road
Brakes	Tektro Linear Pull
Color	Dark Blue
Frame Size	17,19,21,23
Extras	Plastic Fenders, Rear Carrier



ROAD

CX 300



FEATURES

20 Speed

Ultra light A7 Alloy frame w/Disc Mounts and Internal Cable Routing

Sram Rival derailleurs

Sram SB-700-HRD Hydraulic disc brakes

New or Changed for 2014

Ultra light A7 Alloy frame w/Disc Mounts and Internal Cable Routing

Carbon CX Disc w/Alloy Steerer Fork

Sram SB-700-HRD Hydraulic disc brakes

Q2 Carbon micro-adjust, 350mm

Ritchey handlebar and stem

MSRP:\$1999-2199


PART #	MODEL	SIZE	COLOR
94-204-001	CX-300	XS	Orange
94-204-002	CX-300	S	Orange
94-204-003	CX-300	M	Orange
94-204-004	CX-300	L	Orange
94-204-005	CX-300	XL	Orange

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
XS/49	460 / 18.1	71	75	512 / 20.2	432 / 17	282 / 11.1	750 / 29.5	105 / 4.1	366 / 14.4	545 / 21.4
S/52	495 / 19.5	71	73	533 / 21	432 / 17	282 / 11.1	779 / 30.7	120 / 4.7	362 / 14.3	559 / 22
M/55	534 / 21	72	73	558 / 22	432 / 17	282 / 11.1	806 / 31.7	135 / 5.3	382 / 15	577 / 22.7
L/58	572 / 22.5	72	73	580 / 22.8	432 / 17	282 / 11.1	828 / 32.6	160 / 6.3	396 / 15.6	601 / 23.6
XL/61	609 / 24	73	72	605 / 23.8	432 / 17	282 / 11.1	871 / 34.3	195 / 7.7	398 / 15.7	638 / 25.1

BIKE SPECS

Frame	Ultra light A7 Alloy , Double Butted w/Disc Mounts and Internal Cable Routing
Fork	Carbon CX Disc w/Alloy Steerer
Headset	FSA IS-3-CX, 1-1/8", 5mm x 2 ,10mm x 1
Rims	WMN XC-180 700C F:28H R:32H
Hubs (F/R)	F:KT-XA2F, R:KT-XA5R, S/B Super Light Disc
Tires	Maxxis Mud Wrestler, M209P 700 x 33C 60TPI Folding
Spokes	14G SS Black (F)28H R: 32H Alloy nipple
Derailleur, Front	Sram Rival, 31.8
Derailleur, Rear	Sram Rival
Shifters	Sram SB-700-HRD Hydraulic
Chain	KMC X10SC w/missing link
Crankset	FSA Gossamer 2 pc., Mega EXO, CK-C6028, Alloy Forged, 46/36, Alloy Rings, XS: 170, S-M: 172.5, L-XL: 175
BB	FSA Mega EXO
Freewheel / Cassette	Shimano CS-4600, 12-28t, 10spd
Pedals	N/A
Seatpost	Q2 Carbon micro-adjust, 350mm, 27.2
Saddle	KHS Sport Road
Handlebar	Ritchey Comp Curve 31.8, XS: 400mm, S-M: 420mm, L-XL: 440mm
Stem	Ritchey 4-Axis-OE 31.8 O/S, 6 degree, XS-S: 90mm, M-L: 100mm, L-XL: 110mm
Handlebar tape/Grips	Cork ribbon
Brake Levers	Sram SB-700-HRD Hydraulic Disc
Brakes	Sram SB-700-HRD Hydraulic Disc,
Color	Orange
Frame Size	XS:49, S:52, M:55, L:58, XL:61



ROAD

CX 100



FEATURES

20 Speed

6061 Alloy frame w/Disc Mounts and Internal Cable Routing

Shimano drivetrain


Shimano BR317 road disc brakes

New or Changed for 2014

Up dated model for 2014

MSRP:\$1299-1399

PART #	MODEL	SIZE	COLOR
94-203-001	CX-100	XS	Team Red
94-203-002	CX-100	S	Team Red
94-203-003	CX-100	M	Team Red
94-203-004	CX-100	L	Team Red
94-203-005	CX-100	XL	Team Red



GEOMETRY

SIZE nominal	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	G s.o.	H h/L	I Reach	J Stack	K
XS	460 / 18.1	71	75	512 / 20.2	432 / 17	282 / 11.1	754 / 29.7	105 / 4.1	369 / 14.5	533 / 21	
S	495 / 19.5	71	73	533 / 21	432 / 17	282 / 11.1	778 / 30.6	120 / 4.7	366 / 14.4	547 / 21.5	
M	534 / 21	72	73	558 / 22	432 / 17	282 / 11.1	805 / 31.7	135 / 5.3	385 / 15.2	565 / 22.2	
L	572 / 22.5	72	73	580 / 22.8	432 / 17	282 / 11.1	834 / 32.8	160 / 6.3	400 / 15.7	589 / 23.2	
XL	609 / 24	73	72	605 / 23.8	432 / 17	282 / 11.1	869 / 34.2	195 / 7.7	402 / 15.8	626 / 24.6	

BIKE SPECS

Frame	6061 Alloy Double Butted w/Disc Mounts and Internal Cable Routing
Fork	Carbon CX Disc w/Alloy Steerer
Headset	FSA IS-3-CX, 1-1/8", 5mm x 2, 10mm x 1
Rims	WMN XC-180 700C F:28H R:32H
Hubs (F/R)	Formula F:DC-20LW, R:DC-22LW Disc
Tires	Maxxis Mud Wrestler, M209P 700 x 33C 60TPI Wire
Spokes	14G 32x32 Black alloy nipple
Derailleur, Front	Shimano 105, 31.8
Derailleur, Rear	Shimano 105
Shifters	Shimano 105
Chain	KMC X10SC w/missing link
Crankset	KHS Forged 2pc, Outboard Bearing, 50alloy(CNC)/34alloy, XS: 165, S: 170, M: 172.5, L-XL: 175
BB	Outboard Bearing
Freewheel / Cassette	SMN HG6210 11-32T 10speed
Pedals	N/A
Seatpost	Q2 Carbon Micro-adjust, 27.2 x 350mm
Saddle	KHS Sport Road
Handlebar	KHS Alloy 31.8 butted, 70mm x 118mm, XS: 400mm, S: 420mm, L-XL: 440mm
Stem	Alloy 3D Forged, 31.8mm, XS-S: 90, M-L: 100, XL: 110
Handlebar tape/Grips	Cushion tape
Brake Levers	Shimano 105
Brakes	SMN BR317 ROAD DISC
Color	Team Red
Frame Size	XS:49, S:52, M:55, L:58, XL:61

29" FS

TEAM 29 FS



FEATURES

11 Speed

Carbon Front w/AL 6061 Horst bearing linkage Rr, 100mm frame

29" Fox 32 Float W/CTD Remote, 100mm, 15mm Thru Axle


Sram XO1 drivetrain

New or Changed for 2014

Sram XO1 drivetrain

MSRP: \$4319-4619

PART #	MODEL	SIZE	COLOR
94-168-001	Team 29	S	Team
94-168-002	Team 29	M	Team
94-168-003	Team 29	L	Team



GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
S	420 / 16.5	70	74	570 / 22.4	449 / 17.7	330 / 13	791 / 31.1	114 / 4.5	395 / 15.6	610 / 24
M	470 / 18.5	70	74	590 / 23.2	449 / 17.7	330 / 13	790 / 31.1	124 / 4.9	412 / 16.2	620 / 24.4
L	515 / 20.3	70	74	610 / 24	449 / 17.7	330 / 13	792 / 31.2	134 / 5.3	430 / 16.9	629 / 24.8

BIKE SPECS

Frame	29" Carbon Front w/AL 6061 Horst bearing linkage RR, 100mm Travel, 1.5 taper
Rear Shock	FOX Float CTD w/CTD Remote, Air, Rebound Adj
Fork	29" Fox 32 Float W/CTD Remote, 100mm, Air, Extnl Rbnd, CTD Low Speed Cmprsn, 1.5 Taper, 15mm Thru Axle
Headset	FSA Orbit C-40-ACB, N.42/ACB, 1-1/8"~1.5" Integrated
Rims	DT X1600 Spline, 29" Disc, Straight Pull w/ 15mm Thru-Axle
Hubs (F/R)	DT X1600 Spline RR: Cassette
Tires	WTB Nano Race, 29X2.1, 60 TPI, Folding
Spokes	DT X1600 Spline
Derailleur, Front	N/A
Derailleur, Rear	Sram XO 1, 11s X-Horizon, Type 2
Shifters	Sram XO 11s Trigger, Right Only
Chain	Sram PC-XX1
Crankset	Sram X1, hollow forged, PF-GXP, 34T
BB	Sram PF-GXP
Freewheel / Cassette	Sram XG-1195, 10-42T, 11-speed
Pedals	N/A
Seatpost	Q2 Team Carbon, 31.6X350mm
Saddle	Velo Miles Race
Handlebar	Truvativ Noir T20, Carbon, 680x31.8
Stem	Truvativ Stylo Team T20, 31.8 S:75mm,M:90mm,L:100mm
Handlebar tape/Grips	Q2 Lock-on
Brake Levers	Avid Elixir 5, Match Maker
Brakes	Avid Elixir 5 disc hydraulic, 160mm Rotors
Color	Team
Frame Size	S,M,L

29" FS

PRESCOTT



FEATURES

20 Speed


Carbon Front w/AL 6061 Horst bearing linkage Rr, 100mm frame

29" Rock Shox Reba RLT 100mm, 15mm axle

Shimano XT/SLX drivetrain

MSRP: \$3449-3749

PART #	MODEL	SIZE	COLOR
94-167-001	Prescott	S	Black/Sub Lime/White
94-167-002	Prescott	M	Black/Sub Lime/White
94-167-003	Prescott	L	Black/Sub Lime/White



GEOMETRY

SIZE nominal	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	420 / 16.5	70	74	570 / 22.4	449 / 17.7	330 / 13	791 / 31.1	114 / 4.5	395 / 15.6	610 / 24
M	470 / 18.5	70	74	590 / 23.2	449 / 17.7	330 / 13	790 / 31.1	124 / 4.9	412 / 16.2	620 / 24.4
L	515 / 20.3	70	74	610 / 24	449 / 17.7	330 / 13	792 / 31.2	134 / 5.3	430 / 16.9	629 / 24.8

BIKE SPECS

Frame	29" Carbon Front w/AL 6061 Horst bearing linkage RR, 100mm Travel, 1.5 taper
Rear Shock	RockShox Monarch RT3 Solo air with 3 Pos. flood gate switch, rebound adj.
Fork	29" Rock Shox Reba RLT 100mm, Solo Air, Motion Control, Extnl Rbnd, Extnl Fldgate, Cmprs adj to 'Lock', 1.5 Taper, 15mm
Headset	FSA Orbit C-40-ACB, N.42/ACB, 1-1/8"~1.5" Integrated
Rims	American Classic Terrain 29 Disc, 32H, 15mm Ft
Hubs (F/R)	American Classic Terrain 29 Disc, 32H, FT: 15mm, RR: Cassette
Tires	WTB Nano Race, 29x2.1, 60 TPI, Folding
Spokes	American Classic Terrain 29, 32H
Derailleur, Front	Shimano SLX
Derailleur, Rear	Shimano XT, Shadow Plus
Shifters	Shimano SLX, I-Spec
Chain	Shimano SLX
Crankset	Shimano SLX, Hollowtech II, 38/24
BB	Shimano Press-In BB92
Freewheel / Cassette	Shimano Deore CS HG62-10, 11-36T, 10-speed
Pedals	N/A
Seatpost	Q2 Carbon, 30.9x350mm
Saddle	WTB Volt Comp
Handlebar	Truvativ Noir T20, Carbon, 680x31.8
Stem	Truvativ Stylo Team T20, 31.8 S: 75mm, M: 90mm, L: 100mm
Handlebar tape/Grips	Q2 Lock-on
Brake Levers	Shimano SLX Hydraulic, w/I-Spec
Brakes	Shimano SLX Hydraulic, 160mm Rotors
Color	Black/Sublime/ White
Frame Size	S,M,L

29" FS


FLAGSTAFF



FEATURES

30 Speed
 29" Rock Shox Reba RL 100mm, Solo Air, 15mm axle fork
 Shimano XT/SLX drivetrain
 Truvativ Stylo handlebars and stem
 MSRP: \$2249-2449

PART #	MODEL	SIZE	COLOR
94-166-001	Flagstaff	S	Gloss Black
94-166-002	Flagstaff	M	Gloss Black
94-166-003	Flagstaff	L	Gloss Black



GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
S/16.5"	420 / 16.5	70	74	570 / 22.4	449 / 17.7	330 / 13	790 / 31.1	114 / 4.5	395 / 15.6	610 / 24
M/18.5"	470 / 18.5	70	74	590 / 23.2	449 / 17.7	330 / 13	790 / 31.1	124 / 4.9	412 / 16.2	620 / 24.4
L/20"	516 / 20.3	70	74	610 / 24	449 / 17.7	330 / 13	791 / 31.1	134 / 5.3	430 / 16.9	629 / 24.8

BIKE SPECS

Frame	29" AL 6061, Horst bearing linkage, 100mm Travel, 1.5 taper
Rear Shock	Rock Shox Monarch RL, Solo Air, Ext Rebound, Lockout
Fork	29" Rock Shox Reba RL 100mm, Solo Air, Motion Control, Extnl Rbnd, Low Speed Compression to Lock, 15mm
Headset	FSA Orbit C-40-ACB, N.42/ACB, 1-1/8"-1.5" Integrated
Rims	WTB Speed Disc 19, 29x32H, w/eyelets
Hubs (F/R)	Alloy disc w/CNC Rotor Flange, Ft: 15mm, RR: Cassette
Tires	Tioga Psyco Genius, 29X2.25
Spokes	14G black 32X32
Derailleur, Front	Shimano SLX
Derailleur, Rear	Shimano XT, Shadow Plus
Shifters	Shimano SLX
Chain	KMC X10
Crankset	Shimano FC-M552, 2 Pc., 42/32/24T
BB	Shimano Press-In BB92
Freewheel / Cassette	Shimano Deore CS HG62-10, 11-36T, 10-speed
Pedals	N/A
Seatpost	Q2 Alloy, 30.9x350mm
Saddle	WTB Volt Comp
Handlebar	Truvativ Stylo T10, 680mm x 31.8
Stem	Truvativ Stylo Team T20, 31.8 S:75mm, M:90mm, L:100mm
Handlebar tape/Grips	Q2 Lock-on
Brake Levers	Avid Elixir 1
Brakes	Avid Elixir 1, 160mm Rotors
Color	Gloss Black
Frame Size	S,M,L

29" FS

BAJADA




FEATURES

27 Speed
6061 Alloy, Horst bearing linkage, 100mm Travel frame
Kore XCO handlebar and Stem
Shimano SLX/Deore drivetrain
MSRP:\$1649-1749

PART # MODEL SIZE COLOR

94-165-001	Bajada	S	Red Hot Gloss
94-165-002	Bajada	M	Red Hot Gloss
94-165-003	Bajada	L	Red Hot Gloss



GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
S/16.5"	420 / 16.5	70	74	570 / 22.4	449 / 17.7	330 / 13	790 / 31.1	114 / 4.5	395 / 15.6	610 / 24
M/18.5"	470 / 18.5	70	74	590 / 23.2	449 / 17.7	330 / 13	790 / 31.1	124 / 4.9	412 / 16.2	620 / 24.4
L/20"	516 / 20.3	70	74	610 / 24	449 / 17.7	330 / 13	791 / 31.1	134 / 5.3	430 / 16.9	629 / 24.8

BIKE SPECS

Frame	29" AL 6061, Horst bearing linkage, 100mm Travel, 1.5 taper
Rear Shock	X-Fusion E1RL air, hydraulic dampening, ext rebound adj & lock out
Fork	RST First 29 Air, 100mm, Hydraulic Dampning, Ext Rebound, Lockout, 1.5 Taper
Headset	FSA Orbit C-40-ACB, N.42/ACB, 1-1/8"-1.5" Integrated
Rims	WTB Speed Disc 19, 29x32H, w/eyelets
Hubs (F/R)	Alloy disc w/CNC Rotor Flange, QR RR: Cassette
Tires	Tioga Psycho Genius, 29X2.25
Spokes	14G black 32X32
Derailleur, Front	Shimano SLX
Derailleur, Rear	Shimano Deore Shadow, 9-speed
Shifters	Shimano Alivio
Chain	Sram PC-951
Crankset	Shimano Deore 2-Pc, 44/32/22T
BB	Shimano Press-In BB92
Freewheel / Cassette	Shimano CS HG20-9 11-34T, 9-speed
Pedals	Wellgo alloy ATB 1 pc.
Seatpost	KHS Alloy micro-adjust, 30.9x350mm
Saddle	WTB Volt Sport
Handlebar	Kore XCD Riser, 710 x 15mm, 31.8
Stem	Kore XCD, 3D Forged, 31.8mm S:80mm,M:90mm,L:100mm
Handlebar tape/Grips	Q2 Lock-on
Brake Levers	Avid Elixir 1
Brakes	Avid Elixir 1, 160mm Rotors
Color	Red Hot Gloss
Frame Size	S,M,L

29"

TEAM 29



FEATURES

11 Speed

Fox 32 Float 29", FIT CTD Remote w/Kashima, 100mm, 15mm Thru Axle fork

Sram XO1 drivetrain

Sram XO brakes

New or Changed for 2014

Fox 32 Float 29", FIT CTD Remote w/Kashima, 100mm, 15mm Thru Axle fork

Sram XO1 drivetrain

Sram XO brakes


Maxxis Icon, 29x2.2, 120 Tpi Folding tires

Q2 Team Carbon seat post

Ritchey handlebar and stem

MSRP:\$4499-4799

PART #	MODEL	SIZE	COLOR
94-164-001	Team 29	S	Team
94-164-002	Team 29	M	Team
94-164-003	Team 29	L	Team



GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
S/15.5"	393 / 15.5	70	TBD	590 / 23.2	439 / 17.3	317 / 12.5	TBD	102 / 4	TBD	TBD
M/16.5"	420 / 16.5	71	TBD	605 / 23.8	439 / 17.3	317 / 12.5	TBD	112 / 4.4	TBD	TBD
L/19"	482 / 19	71	TBD	625 / 24.6	439 / 17.3	317 / 12.5	TBD	127 / 5	TBD	TBD

BIKE SPECS

Frame	KHS High Modulus Full Carbon 29er w/1.5 taper headtube, disc only
Fork	Fox 32 Float 29", FIT CTD Remote w/Kashima, 100mm, Air, Extrl Rbnd, Remote CTD Low Speed Cmprsn, 1.5 Taper, 15mm Thru Axle
Headset	FSA Orbit C-40-CF-ACB, N.42CF, 1-1/8"-1.5" Integrated, Carbon Cap
Rims	DT X1600 Spline, 29" Disc, Straight Pull w/ 15mm Thru-Axle
Hubs (F/R)	DT X1600 Spline RR: Cassette
Tires	Maxxis Icon, 29x2.2, 120 Tpi Folding, Dual Cmpnd
Spokes	DT X1600 Spline
Derailleur, Front	N/A
Derailleur, Rear	Sram XO 1, 11s X-Horizon, Type 2
Shifters	Sram XO 11s Trigger, Right Only
Chain	Sram PC-XX1
Crankset	Sram X1, hollow forged, PF30, 34T
BB	Sram PF30
Freewheel / Cassette	Sram XG-1195, 10-42T, 11-speed
Pedals	N/A
Seatpost	Q2 Team Carbon, 31.6x350mm
Saddle	Velo Miles Race
Handlebar	Ritchey 2X Carbon WCS, Flat Riser, 31.8x710
Stem	Ritchey 4-Axis 44 Pro, 6D, 31.8 S:75, M:90, L:100, XL:110
Handlebar tape/Grips	Q2 Lock-on
Brake Levers	Sram XO, Match Maker
Brakes	Sram XO, 160mm Rotors
Color	Team
Frame Size	S,M,L

29"

SAGUARO



FEATURES

20 Speed

KHS High Modulus Full Carbon frame

Sram X9/X7 drivetrain

Hayes Prime Sport brakes

New or Changed for 2014

Mavic Crossride 29 wheel set

Maxxis Icon, 29x2.2, 120 Tpi Folding tires

Ritchey handlebar and stem

Q2 Carbon seatpost

Hayes Prime Sport brakes

MSRP: \$2849-3049


BIKE SPECS

Frame	KHS High Modulus Full Carbon 29er w/1.5 taper headtube, disc only
Fork	29" Rock Shox Reba RLT 100mm, Solo Air, Motion Control, Extnl Rbnd, Extnl Fldgate, Cmprsn adj to 'Lock', 1.5 Taper, 15mm
Headset	FSA Orbit C-40-CF-ACB, N.42CF, 1-1/8"~1.5" Integrated, Carbon Cap
Rims	Mavic Crossride 29
Hubs (F/R)	Mavic Crossride 29, FT: 15mm, RR: Cassette
Tires	Maxxis Icon, 29x2.2, 120 Tpi Folding, Dual Cmpnd
Spokes	Mavic Crossride 29
Derailleur, Front	Sram X7
Derailleur, Rear	Sram X9 Type 2
Shifters	Sram X7 Trigger
Chain	Sram PC-1051
Crankset	Sram S1000, 38/24T
BB	Sram PF GXP
Freewheel / Cassette	Sram PG-1050, 11-36T, 10-speed
Pedals	N/A
Seatpost	Q2 Carbon, 31.6X350mm
Saddle	WTB Volt Comp
Handlebar	Ritchey 2X Comp, Flat Riser, 31.8x700
Stem	Ritchey 4-Axis WTD S:80mm,M:80mm,L:90mm XL:100mm
Handlebar tape/Grips	Q2 Lock-on
Brake Levers	Hayes Prime Sport
Brakes	Hayes Prime Sport, 160mm Rotors
Color	Grey/White/Black
Frame Size	S,M,L, XL

PART #	MODEL	SIZE	COLOR
94-163-001	Saguaro	S	Grey/White/Black
94-163-002	Saguaro	M	Grey/White/Black
94-163-003	Saguaro	L	Grey/White/Black
94-163-004	Saguaro	XL	Grey/White/Black

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S/15.5"	393 / 15.5	70	TBD	590 / 23.2	439 / 17.3	317 / 12.5	TBD	102 / 4	TBD	TBD
M/16.5"	420 / 16.5	71	TBD	605 / 23.8	439 / 17.3	317 / 12.5	TBD	112 / 4.4	TBD	TBD
L/19"	482 / 19	71	TBD	625 / 24.6	439 / 17.3	317 / 12.5	TBD	127 / 5	TBD	TBD
XL/21"	533 / 21	71	TBD	645 / 25.4	439 / 17.3	317 / 12.5	TBD	147 / 5.8	TBD	TBD



29"

TUCSON



FEATURES

20 Speed

6061 Alloy w/Custom Formed Dbl.Buttressed frame

Shimano XT/Deore drivetrain

Ritchey handlebar and stem

New or Changed for 2014

29" Rock Shox XC32 Solo Air, 100mm fork with 15mm Thru axle
 Weinmann XM25, Double Wall w/Single Eyelets rims
 Maxxis Icon, 29x2.2, 60 tpi folding tires
 Shimano New Deore front derailleur
 Shimano XT, Shadow Plus rear derailleur
 Shimano New Deore shifters
 KMC X10 chain
 Shimano New Deore 2-Pc, 38/24T crank
 Ritchey seatpost, handlebars, and stem
 Shimano New Deore, Hydraulic Disc brakes

MSRP: \$1349-1449

PART #	MODEL	SIZE	COLOR
94-162-001	Tucson	S	Matte Black
94-162-002	Tucson	M	Matte Black
94-162-003	Tucson	L	Matte Black
94-162-004	Tucson	XL	Matte Black


PART #	MODEL	SIZE	COLOR
94-162-001	Tucson	S	Matte Black
94-162-002	Tucson	M	Matte Black
94-162-003	Tucson	L	Matte Black
94-162-004	Tucson	XL	Matte Black

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
S	381 / 15	71	72	580 / 22.8	445 / 17.5	316 / 12.4	755 / 29.7	100 / 3.9	387 / 15.2	612 / 24.1
M	432 / 17	71.5	72	600 / 23.6	445 / 17.5	316 / 12.4	786 / 30.9	110 / 4.3	397 / 15.6	623 / 24.5
L	483 / 19	72	72	610 / 24	445 / 17.5	316 / 12.4	819 / 32.3	125 / 4.9	402 / 15.8	639 / 25.2
XL	533 / 21	72	72	638 / 25.1	445 / 17.5	316 / 12.4	853 / 33.6	145 / 5.7	423 / 16.7	658 / 25.9

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed Dbl.Buttressed TT & DT, w/Replaceable Derailleur Hanger
Rear Shock	N/A
Fork	29" Rock Shox XC32 Solo Air, 100mm, External Rebound Adj w/Turn Key Lock Out, 1.5 Taper, 15mm
Headset	FSA Orbit 1.5E Zero Stack, 1 1/8" x 1.5
Rims	Weinmann XM25, Double Wall w/Single Eyelets, 29x32H
Hubs (F/R)	Alloy disc Light S/B, FT: 15mm, RR: Cassette
Tires	Maxxis Icon, 29x2.2, 60 TPI folding
Spokes	14G Black w/alloy nipples, 32X32
Derailleur, Front	Shimano New Deore
Derailleur, Rear	Shimano XT, Shadow Plus
Shifters	Shimano New Deore
Chain	KMC X10
Crankset	Shimano New Deore 2-Pc, 38/24T
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano Deore CS HG62-10, 11-36T, 10-speed
Pedals	Wellgo alloy ATB 1 pc.
Seatpost	Ritchey 2-bolt Alloy micro-adjust, 31.6X350mm
Saddle	WTB Volt Comp
Handlebar	Ritchey 2X Comp, Flat Riser, 31.8x700
Stem	Ritchey 4-Axis S:80mm,M:80mm,L:90mm XL:100mm
Handlebar tape/Grips	Q2 Lock-on
Brake Levers	Shimano new Deore, Servo Wave
Brakes	Shimano Nee Deore, Hydraulic Disc, 160mm Rotors
Color	Matte Black
Frame Size	S,M,L, XL



29"

TEMPE



FEATURES

30 Speed

6061 Alloy w/custom formed TT & DT frame

Sram X7/X5 drivetrain

Shimano BR-M395, Hydraulic Disc brakes

New or Changed for 2014

Sram X5 front derailleur

Sram X7 Type 2 rear derailleur

Sram X5 shifters

KMC X10 chain

Sram S1000, 44/33/22T crank

Sram GXP BB

Sram PG-1030, 11-36T, 10-speed cassette

Kore XCD handlebar and stem

Shimano BR-M395, Hydraulic Disc brakes

MSRP: \$999-1099

PART #	MODEL	SIZE	COLOR
94-161-001	Tempe	S	Midnight Blue
94-161-002	Tempe	M	Midnight Blue
94-161-003	Tempe	L	Midnight Blue
94-161-004	Tempe	XL	Midnight Blue

GEOMETRY

SIZE nominal	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	381 / 15	71	72	580 / 22.8	445 / 17.5	316 / 12.4	755 / 29.7	100 / 3.9	387 / 15.2	612 / 24.1
M	432 / 17	71.5	72	600 / 23.6	445 / 17.5	316 / 12.4	786 / 30.9	110 / 4.3	397 / 15.6	623 / 24.5
L	483 / 19	72	72	610 / 24	445 / 17.5	316 / 12.4	819 / 32.3	125 / 4.9	402 / 15.8	639 / 25.2
XL	533 / 21	72	72	638 / 25.1	445 / 17.5	316 / 12.4	853 / 33.6	145 / 5.7	423 / 16.7	658 / 25.9

BIKE SPECS

Frame	Alloy 6061 w/custom formed TT & DT, w/replaceable derailleur hanger
Rear Shock	N/A
Fork	RST First 29 Air, 100mm, Alloy steerer, Magnesium lowers, Hydraulic Damp, External rebound, Lockout
Headset	Threadless Zero Stack, ZS44, 1-1/8
Rims	Weinmann XM25, Double Wall w/Single Eyelets, 29x32H
Hubs (F/R)	Alloy disc w/CNC Rotor Flange, QR RR: Cassette
Tires	Kenda Small Block 8, 29X2.1, 60 TPI
Spokes	14G Black w/alloy nipples, 32X32
Derailleur, Front	Sram X5
Derailleur, Rear	Sram X7 Type 2
Shifters	Sram X5
Chain	KMC X10 W/Missing Link
Crankset	Sram S1000, 44/33/22T
BB	Sram GXP
Freewheel / Cassette	Sram PG-1030, 11-36T, 10-speed
Pedals	Wellgo alloy ATB 1 pc.
Seatpost	Alloy micro-adjust, 31.6X350mm
Saddle	WTB Volt Sport
Handlebar	Kore XCD Super Flat, 700mm x 10mm, 31.8
Stem	Kore XCD, 3D Forged, 31.8mm S:80mm, M:80mm, L:90mm XL:100mm
Handlebar tape/Grips	KHS Sport, Dual Compound
Brake Levers	Shimano BR-M395
Brakes	Shimano BR-M395, Hydraulic Disc, 160mm Rotors
Color	Midnight Blue
Frame Size	S,M,L, XL

23

All specs are subject to change without notice.



29"

AGUILA



FEATURES

27 Speed

6061 Alloy w/custom formed TT & DT frame

Shimano Acera drivetrain

Shimano BR-M395, Hydraulic Disc brakes

New or Changed for 2014

CST Critter, 29x2.1 tires

Shimano Acera front/rear derailleurs

KMC X9 Chain

Shimano Alivio, Octalink, 44/32/22T crank

KHS Sport saddle

Shimano BR-M395, Hydraulic Disc brakes

MSRP: \$739-809


PART #	MODEL	SIZE	COLOR
94-160-001	Aguila	S	Gloss Black
94-160-003	Aguila	M	Gloss Black
94-160-005	Aguila	L	Gloss Black
94-160-007	Aguila	XL	Gloss Black

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	381 / 15	71	72	580 / 22.8	445 / 17.5	316 / 12.4	755 / 29.7	100 / 3.9	387 / 15.2	612 / 24.1
M	432 / 17	71.5	72	600 / 23.6	445 / 17.5	316 / 12.4	786 / 30.9	110 / 4.3	397 / 15.6	623 / 24.5
L	483 / 19	72	72	610 / 24	445 / 17.5	316 / 12.4	819 / 32.3	125 / 4.9	402 / 15.8	639 / 25.2
XL	533 / 21	72	72	638 / 25.1	445 / 17.5	316 / 12.4	853 / 33.6	145 / 5.7	423 / 16.7	658 / 25.9

BIKE SPECS

Frame	Alloy 6061 w/custom formed TT & DT, w/replaceable derailleur hanger
Rear Shock	N/A
Fork	SR XCM LO-R, 100mm Travel, hydraulic dampening, External Rebound Adj w/Hydraulic lock out
Headset	Threadless Zero Stack, ZS44, 1-1/8
Rims	Weinmann XM25, Double Wall, 29x32H
Hubs (F/R)	Alloy disc w/CNC Rotor Flange, QR RR: Cassette
Tires	CST Critter, 29x2.1
Spokes	14G Black 32X32
Derailleur, Front	Shimano Acera
Derailleur, Rear	Shimano Acera
Shifters	Shimano Acera
Chain	KMC X9 W/Missing Link
Crankset	Shimano Alivio, Octalink, 44/32/22T
BB	Shimano ES25 Octalink
Freewheel / Cassette	Shimano CS-HG20 11-34T, 9-speed
Pedals	Wellgo resin platform
Seatpost	KHS Alloy micro-adjust, 31.6X350mm
Saddle	KHS Sport
Handlebar	Alloy Flat Riser, 31.8, 700X10mm
Stem	KHS Alloy, 7 Degree, 31.8 S:80mm,M:80mm,L:90mm XL:100mm
Handlebar tape/Grips	KHS Sport, Dual Compound
Brake Levers	Shimano BR-M395
Brakes	Shimano BR-M395, Hydraulic Disc, 160mm Rotors
Color	Gloss Black
Frame Size	S,M,L, XL



24

All specs are subject to change without notice.



29"

WINSLOW



FEATURES

24 Speed

6061 Alloy w/custom formed TT & DT frame

Bengal cable disc MB606, brakes

Sram X4 drivetrain

New or Changed for 2014

CST Critter, 29x2.1 tires

Sram X4 rear derailleur

Sram X4 Trigger shifters

KHS Sport saddle

Bengal cable disc MB606 brakes

MSRP: \$599-659

BIKE SPECS


Frame	Alloy 6061 w/custom formed TT, w/replaceable derailleur hanger
Rear Shock	N/A
Fork	SR XCM LO, 100mm Travel, hydraulic dampening, hydraulic lock out
Headset	Threadless Zero Stack, ZS44, 1-1/8
Rims	Weinmann XM25, Double Wall, 29x32H
Hubs (F/R)	Alloy disc w/CNC Rotor Flange, QR RR: Cassette
Tires	CST Critter, 29x2.1
Spokes	14G Black 32X32
Derailleur, Front	Shimano Altus
Derailleur, Rear	Sram X4
Shifters	Sram X4 Trigger
Chain	KMC Z8
Crankset	SR Suntour XCT, 42/32/22T
BB	Cartridge bearing
Freewheel / Cassette	Shimano CS-HG31 11-34T, 8-speed
Pedals	Wellgo resin platform
Seatpost	KHS Alloy micro-adjust, 31.6X350mm
Saddle	KHS Sport
Handlebar	Alloy Flat Riser, 31.8, 700X10mm
Stem	KHS Alloy, 7 Degree, 31.8 S:80mm,M:80mm,L:90mm XL:100mm
Handlebar tape/Grips	KHS Sport, Dual Compound
Brake Levers	Alloy lever, alloy bracket, Knee Saver, 2F
Brakes	Bengal cable disc MB606, 160mm rotors
Color	Matte Black, Team Red
Frame Size	Red: S,M,L, XL Black: S,M,L

PART # MODEL SIZE COLOR

94-159-001	Winslow	S	Matte Black
94-159-002	Winslow	S	Team Red
94-159-003	Winslow	M	Matte Black
94-159-004	Winslow	M	Team Red
94-159-005	Winslow	L	Matte Black
94-159-006	Winslow	L	Team Red
94-159-007	Winslow	XL	Team Red

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	381 / 15	71	72	580 / 22.8	445 / 17.5	316 / 12.4	755 / 29.7	100 / 3.9	387 / 15.2	612 / 24.1
M	432 / 17	71.5	72	600 / 23.6	445 / 17.5	316 / 12.4	786 / 30.9	110 / 4.3	397 / 15.6	623 / 24.5
L	483 / 19	72	72	610 / 24	445 / 17.5	316 / 12.4	819 / 32.3	125 / 4.9	402 / 15.8	639 / 25.2
XL	533 / 21	72	72	638 / 25.1	445 / 17.5	316 / 12.4	853 / 33.6	145 / 5.7	423 / 16.7	658 / 25.9



25

All specs are subject to change without notice.



29"

ZACA



FEATURES

27 Speed

6061 Alloy w/custom formed TT frame

Shimano drivetrain

Bengal cable disc MB606 brakes

New or Changed for 2014

Alloy Double Wall rims

CST Critter, 29x2.1 tires

Shimano Tourney front derailleurs

Shimano RD-TX35 rear derailleurs

Shimano ST-EF51 shifters

KMC Z50 chain

Shimano FC-M131, 42/34/24T, 170mm crank

Shimano CS-HG20-7, 12-32, 7-speed cassette

KHS Sport saddle

Shimano ST-EF51 brake levers

Bengal cable disc MB606 brakes

MSRP: \$499-549

PART #	MODEL	SIZE	COLOR
94-158-001	Zaca	S	Gloss Black
94-158-002	Zaca	S	Matte Lead Silver
94-158-003	Zaca	M	Gloss Black
94-158-004	Zaca	M	Matte Lead Silver
94-158-005	Zaca	L	Gloss Black
94-158-006	Zaca	L	Matte Lead Silver
94-158-007	Zaca	XL	Gloss Black

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
S	381 / 15	71	72	580 / 22.8	445 / 17.5	316 / 12.4	755 / 29.7	100 / 3.9	387 / 15.2	612 / 24.1
M	432 / 17	71.5	72	600 / 23.6	445 / 17.5	316 / 12.4	786 / 30.9	110 / 4.3	397 / 15.6	623 / 24.5
L	483 / 19	72	72	610 / 24	445 / 17.5	316 / 12.4	819 / 32.3	125 / 4.9	402 / 15.8	639 / 25.2
XL	533 / 21	72	72	638 / 25.1	445 / 17.5	316 / 12.4	853 / 33.6	145 / 5.7	423 / 16.7	658 / 25.9

BIKE SPECS

Frame Alloy 6061 w/custom formed TT, w/replaceable derailleur hanger

Rear Shock N/A

Fork SR XCT 29", 100mm Travel, Preload Adj

Headset Threadless Zero Stack, ZS44, 1-1/8

Rims Alloy Double Wall, 29x32H

Hubs (F/R) Alloy disc QR, RR: Cassette

Tires CST Critter, 29x2.1

Spokes 14G Black 32x32

Derailleur, Front Shimano Tourney

Derailleur, Rear Shimano RD-TX35

Shifters Shimano ST-EF51

Chain KMC Z50

Crankset Shimano FC-M131, 42/34/24T, 170mm

BB Cartridge bearing

Freewheel / Cassette Shimano CS-HG20-7, 12-32, 7-speed

Pedals Resin MTB platform w/boron axle

Seatpost Alloy micro-adjust, 31.6x300mm

Saddle KHS Sport

Handlebar ATB 31.8, 30mm rise/680mm, 4 degree

Stem KHS Alloy, 7 Degree, 31.8

S:80mm,M:80mm,L:90mm XL:100mm


Handlebar tape/Grips KHS Sport

Brake Levers Shimano ST-EF51

Brakes Bengal cable disc MB606, 160mm rotors

Color Gloss Black, Matte Lead Silver

Frame Size Black: S,M,L, XL Gray: S,M,L



DOWNHILL DH TEAM



FEATURES

10 Speed

The first 650B downhill bike out there

Manitou Dorado Pro, fork, w/203mm Travel, 36mm, TPC Air, 20mm axle

Shimano Saint 10 speed drivetrain

New or Changed for 2014

Manitou Dorado Pro fork

Maxxis High Roller II, 650B x 2.4 tires

Sun Ringle Jumping Flea hubs

DT Swiss, 14G Black, Stainless Steel spokes

JoystickDH handlebar

Answer DH Direct Mount, 7075, Adjustable stem


ODI Ruffian Lock On grips

MSRP: \$5999-6299

BIKE SPECS

Frame	KHS 650B FSS DH Frame w/ 8.3" travel, 1.5HT, 83mm BB, ISCG05 mount
Rear Shock	Fox DHX RC4, Kashima Coat
Fork	Manitou Dorado Pro, 203mm Travel, 36mm, TPC Air, 20mm
Headset	FSA Orbit Z 1.5R
Rims	Weinmann Goliath, Doublewall, 26x32H
Hubs (F/R)	Sun Ringle Jumping Flea, FT: 20mm, RR: 12x150mm
Tires	Maxxis High Roller II, 650B x 2.4 Maxx grip Front/60 3C Rear
Spokes	DT Swiss, 14G Black, Stainless Steel, 32x32
Derailleur, Front	N/A
Derailleur, Rear	Shimano Saint
Shifters	Shimano Saint
Chain	KMC X10 TI-N, Gold
Crankset	Shimano Saint Hollowtech 2, 36T, 165mm w/MRP G2 Alloy Chain Guide System
BB	Shimano Saint
Freewheel / Cassette	Shimano CS-5700, 11-25T, 10-speed
Pedals	N/A
Seatpost	Q2, 31.6x350mm
Saddle	Velo Miles Race
Handlebar	JoystickDH, 800mm x 20mm, 31.8
Stem	Answer DH Direct Mount, 7075, 45/50/55 Adjustable
Handlebar tape/Grips	ODI Ruffian Lock On
Brake Levers	Shimano Saint
Brakes	Shimano Saint, 203mm Rotors
Color	Team
Frame Size	S,M,L

PART #	MODEL	SIZE	COLOR
94-156-001	DH650-300	S	Team
94-156-002	DH650-300	M	Team
94-156-003	DH650-300	L	Team



GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/l	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	380 / 15	64	74	551 / 21.7	455 / 17.9	350 / 13.8	755 / 29.7	110 / 4.3	378 / 14.9	603 / 23.7
M	393 / 15.5	64	74	576 / 22.7	455 / 17.9	350 / 13.8	747 / 29.4	110 / 4.3	403 / 15.9	603 / 23.7
L	405 / 15.9	64	74	601 / 23.7	455 / 17.9	350 / 13.8	743 / 29.3	110 / 4.3	428 / 16.9	603 / 23.7

650B

7500



FEATURES

11 Speed

Fox 34 Float 27.5", FIT CTD Remote w/Kashima, 160mm, Air, Extnl Rbnd, Remote, 1.5 Taper, 15mm Thru Axle

Kind Shock LEV DX w/Remote, Travel Adjust 31.6


Sram XO1 drivetrain

New or Changed for 2014

New model for 2014

MSRP: \$5249-5549

PART #	MODEL	SIZE	COLOR
94-155-001	SixFifty 7500	S	Matte Team Red/Black
94-155-002	SixFifty 7500	M	Matte Team Red/Black
94-155-003	SixFifty 7500	L	Matte Team Red/Black
94-155-004	SixFifty 7500	XL	Matte Team Red/Black



GEOMETRY

SIZE nominal	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	380 / 15	66.5	74	558 / 22	435 / 17.1	345 / 13.6	712 / 28	105 / 4.1	388 / 15.3	595 / 23.4
M	420 / 16.5	66.5	74	584 / 23	435 / 17.1	345 / 13.6	732 / 28.8	110 / 4.3	412 / 16.2	599 / 23.6
L	460 / 18.1	66.5	74	607 / 23.9	435 / 17.1	345 / 13.6	757 / 29.8	120 / 4.7	434 / 17.1	608 / 23.9
XL	500 / 19.7	66.5	74	636 / 25	435 / 17.1	345 / 13.6	781 / 30.7	130 / 5.1	456 / 18	618 / 24.3

BIKE SPECS

Frame	FSS 650B 160mm, Alloy 6061 w/Custom Formed Dbl.Butt'd TT & DT, 1.5 Taper, 12 x 142 rear axle, w/replaceable derailleur hanger
Rear Shock	Fox Float CTD BV Remote w/Kashima Coat, Air, External Rebound Adj w/Remote CTD
Fork	Fox 34 Float 27.5", FIT CTD Remote w/Kashima, 160mm, Air, Extnl Rbnd, Remote CTD Low Speed Cmprsn, 1.5 Taper, 15mm Thru Axle
Headset	FSA Orbit 1.5E Zero Stack, 1 1/8" x 1.5
Rims	DT M1700 Spline, 650B Disc w/ 15mm Thru-Axle
Hubs (F/R)	DT M1700 Spline RR: Cassette
Tires	Maxxis Ardent 650B x 2.25 Ft & RR, Folding
Spokes	DT M1700 Spline
Derailleur, Front	N/A
Derailleur, Rear	Sram XO1, 11 speed X-Horizon, Type 2
Shifters	Sram XO1 11 speed Trigger, Right Only
Chain	Sram PC-XX1
Crankset	Sram XO1, hollow forged, GXP, 34T
BB	Sram GXP
Freewheel / Cassette	Sram XG-1195, 10-42T, 11-speed
Pedals	N/A
Seatpost	Kind Shock LEV DX w/Remote, Travel Adjust 31.6
Saddle	WTB Volt Comp
Handlebar	Q2 Carbon Riser
Stem	Kore Durox 3D Forged
Handlebar tape/Grips	Q2 Lock-on
Brake Levers	Sram XO, Match Maker
Brakes	Sram XO, 180mm Ft/160mm RR Rotors
Color	Matte Team Red/Matte Black
Frame Size	S,M,L,XL



FEATURES

11 Speed

Rock Shox Revelation RLT, 140mm, 1-1/8-1.5 Tapered Alloy Steerer, Motion Control, 15mm through axle

Kind Shock LEV DX w/Remote, Travel Adjust 31.6

Sram XO1 drivetrain

New or Changed for 2014


Kind Shock LEV DX w/Remote, Travel Adjust 31.6

Sram XO1 drivetrain

Hayes Prime Sport brakes

MSRP: \$2949-3149

PART #	MODEL	SIZE	COLOR
94-154-001	SixFifty 6500	S	Matte Black w/White
94-154-002	SixFifty 6500	M	Matte Black w/White
94-154-003	SixFifty 6500	L	Matte Black w/White
94-154-004	SixFifty 6500	XL	Matte Black w/White



GEOMETRY

SIZE nominal	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	406 / 16	68.5	72	565 / 22.2	444 / 17.5	346 / 13.6	733 / 28.9	115 / 4.5	372 / 14.6	603 / 23.7
M	457 / 18	68.5	72	590 / 23.2	444 / 17.5	346 / 13.6	762 / 30	115 / 4.5	397 / 15.6	604 / 23.8
L	508 / 20	68.5	72	615 / 24.2	444 / 17.5	346 / 13.6	791 / 31.1	125 / 4.9	420 / 16.5	613 / 24.1
XL	559 / 22	68.5	72	640 / 25.2	444 / 17.5	346 / 13.6	820 / 32.3	140 / 5.5	441 / 17.4	627 / 24.7

BIKE SPECS

Frame	650B 140mm, Alloy 6061 w/Custom Formed Dbl. Butted TT & DT, 1.5 Taper, 12 x 142 rear axle, w/replaceable derailleur hanger
Rear Shock	RockShox Monarch RT3 HV, Solo air with 3 Pos. flood gate switch, rebound adj.
Fork	Rock Shox Revelation RLT, 140mm, 1-1/8-1.5 Tapered Alloy Steerer, Motion Control, External rebound, low speed compression to 'Lock' with external Floodgate, 15mm through axle
Headset	FSA Orbit 1.5E Zero Stack, 1 1/8" x 1.5
Rims	DT #533D, 650B
Hubs (F/R)	Straight Pull Light Weight, S/B Alloy disc, FT:15mm RR: Cassette 12x142mm
Tires	Maxxis Ardent 650B x 2.25 Ft, Crossmark 650B x 2.1 Rr, Folding
Spokes	14G/15G Dbl Butted Black w/alloy nipples, 32X32
Derailleur, Front	N/A
Derailleur, Rear	Sram XO1, 11speed X-Horizon, Type 2
Shifters	Sram XO1 11speed Trigger, Right Only
Chain	Sram PC-XX1
Crankset	Sram XO1, hollow forged, GXP, 34T
BB	Sram GXP
Freewheel / Cassette	Sram XG-1195, 10-42T, 11-speed
Pedals	N/A
Seatpost	Kind Shock LEV DX w/Remote, Travel Adjust 31.6
Saddle	WTB Volt Comp
Handlebar	Kore Torsion, 740 x 20mm, 31.8
Stem	Kore Durox 3D Forged S:75mm, M:90mm, L:90mm, XL:100mm
Handlebar tape/Grips	Q2 Lock-on
Brake Levers	Hayes Prime Sport
Brakes	Hayes Prime Sport, 180mm Ft/160mm RR Rotors
Color	Matte Black/White
Frame Size	S,M,L,XL



FEATURES

20 Speed

Kind Shock E-Ten w/Remote, Travel Adjust 31.6

Shimano New Deore drivetrain

X-Fusion Fork and rear shock

New or Changed for 2014

X-Fusion o2RL, air w/hydraulic dampening, Rebound Adj & Lock Out

Shimano New Deore drivetrain 10 speed

KMC X10 chain

Kind Shock E-Ten w/Remote, Travel Adjust


Shimano BR-M395, Hydraulic Disc, 180 mm Ft/160mm RR Rotors

MSRP: \$2299-2499

BIKE SPECS

Frame	650B 140mm, Alloy 6061 w/Custom Formed Dbl. Butted TT & DT, 1.5 Taper, 12 x 142 rear axle, w/replaceable derailleur hanger
Rear Shock	X-Fusion o2RL, air w/hydraulic dampening, Rebound Adj & Lock Out
Fork	X-Fusion Velvet RL, 140mm, Alloy 1-1/8-1.5 Tapered Steerer, Hydraulic Dampening, Rebound Adj, Hydraulic Lockout, 15mm
Headset	FSA Orbit 1.5E Zero Stack, 1 1/8" x 1.5 Taper
Rims	DT #533D, 650B
Hubs (F/R)	Light Weight S/B Alloy disc, FT:15mm RR: Cassette 12x142mm
Tires	Maxxis Ardent 650B x 2.25 Ft, Crossmark 650B x 2.1 Rr, Folding
Spokes	14G/15G Dbl Butted Black w/alloy nipples, 32X32
Derailleur, Front	Shimano New Deore
Derailleur, Rear	Shimano New Deore Shadow
Shifters	Shimano New Deore
Chain	KMC X10
Crankset	Shimano New Deore, 38/24T
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano Deore CS HG62-10, 11-36T, 10-speed
Pedals	N/A
Seatpost	Kind Shock E-Ten w/Remote, Travel Adjust 31.6
Saddle	WTB Volt Sport
Handlebar	Alloy, 31.8 700X15mm
Stem	KHS Alloy 3D Forged S:80mm, M:90mm, L:100mm, XL:110mm
Handlebar tape/Grips	Q2 Lock-on
Brake Levers	Shimano BR-M395
Brakes	Shimano BR-M395, Hydraulic Disc, 180 mm Ft/160mm RR Rotors
Color	Matte HiHo Silver/Black
Frame Size	S,M,L,XL

PART #	MODEL	SIZE	COLOR
94-153-001	SixFifty 5500	S	Matte HiHo Silver w/Black
94-153-002	SixFifty 5500	M	Matte HiHo Silver w/Black
94-153-003	SixFifty 5500	L	Matte HiHo Silver w/Black
94-153-004	SixFifty 5500	XL	Matte HiHo Silver w/Black



GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	406 / 16	68.5	72	565 / 22.2	444 / 17.5	346 / 13.6	733 / 28.9	115 / 4.5	372 / 14.6	603 / 23.7
M	457 / 18	68.5	72	590 / 23.2	444 / 17.5	346 / 13.6	762 / 30	115 / 4.5	397 / 15.6	604 / 23.8
L	508 / 20	68.5	72	615 / 24.2	444 / 17.5	346 / 13.6	791 / 31.1	125 / 4.9	420 / 16.5	613 / 24.1
XL	559 / 22	68.5	72	640 / 25.2	444 / 17.5	346 / 13.6	820 / 32.3	140 / 5.5	441 / 17.4	627 / 24.7



FEATURES

20 Speed

120mm, Alloy 6061 frame, 1.5 Taper, 12 x 142 rear axle

Sram drivetrain

Kore handlebar and stem

New or Changed for 2014


RockShox Monarch RT3 Solo air with 3 Pos.

Hayes Prime Sport, 160mm Rotors FT/RR

MSRP: \$2649-2849

PART # MODEL SIZE COLOR

94-152-001	SixFifty 3500	S	Charcoal Gray w/Matte Black
94-152-002	SixFifty 3500	M	Charcoal Gray w/Matte Black
94-152-003	SixFifty 3500	L	Charcoal Gray w/Matte Black
94-152-004	SixFifty 3500	XL	Charcoal Gray w/Matte Black



GEOMETRY

SIZE nominal	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	406 / 16	69.5	73	565 / 22.2	444 / 17.5	339 / 13.3	726 / 28.6	117 / 4.6	383 / 15.1	597 / 23.5
M	457 / 18	69.5	73	590 / 23.2	444 / 17.5	339 / 13.3	755 / 29.7	117 / 4.6	408 / 16	597 / 23.5
L	508 / 20	69.5	73	615 / 24.2	444 / 17.5	339 / 13.3	784 / 30.9	127 / 5	430 / 16.9	606 / 23.9
XL	559 / 22	69.5	73	640 / 25.2	444 / 17.5	339 / 13.3	813 / 32	142 / 5.6	450 / 17.7	620 / 24.4

BIKE SPECS

Frame	650B 120mm, Alloy 6061 w/Custom Formed Dbl.Buttressed TT & DT, 1.5 Taper, 12 x 142 rear axle, w/replaceable derailleur hanger
Rear Shock	RockShox Monarch RT3 HV, Solo air with 3 Pos. flood gate switch, rebound adj.
Fork	Rock Shox Reba RLT, 120mm, 1-1/8-1.5 Tapered Alloy Steerer, Motion Control, External rebound, low speed compression to 'Lock' with external Floodgate, 15mm through axle
Headset	FSA Orbit 1.5E Zero Stack, 1 1/8" x 1.5
Rims	DT #466D, 650B
Hubs (F/R)	Light Weight S/B Alloy disc, FT:15mm RR: Cassette 12x142mm
Tires	Maxxis Ardent 650B x 2.25 Ft, Crossmark 650B x 2.1 Rr, Folding
Spokes	14G Black w/alloy nipples, 32x32
Derailleur, Front	Sram X7
Derailleur, Rear	Sram X9 Type 2
Shifters	Sram X7 Triggers
Chain	Sram PC-1051
Crankset	Sram S1000, 38/24T, 10s
BB	Sram GXP
Freewheel / Cassette	Sram PG-1050, 11-36T, 10-speed
Pedals	N/A
Seatpost	Q2 Alloy, 31.6x350mm
Saddle	WTB Volt Comp
Handlebar	Kore XCD Riser, 710 x 15mm, 31.8
Stem	Kore XCD, 3D Forged, 31.8mm S:80mm,M:90mm,L:100mm XL:100mm
Handlebar tape/Grips	Q2 Lock-on
Brake Levers	Hayes Prime Sport
Brakes	Hayes Prime Sport, 160mm Rotors
Color	Charcoal Gray/Matte Black
Frame Size	S,M,L,XL

650B FS

2500



FEATURES

20 Speed

120mm, Alloy 6061 frame, 1.5 Taper

Shimano New Deore drivetrain

Shimano BR-M395, Hydraulic Disc brakes

New or Changed for 2014

X-Fusion 02RL, air w/hydraulic dampening, Rebound Adj


Shimano New Deore drivetrain

KMC X10 chain

Shimano BR-M395, Hydraulic Disc, 160mm Rotors

MSRP: \$1949-2149

PART #	MODEL	SIZE	COLOR
94-151-001	SixFifty 2500	S	Black w/Blue
94-151-002	SixFifty 2500	M	Black w/Blue
94-151-003	SixFifty 2500	L	Black w/Blue
94-151-004	SixFifty 2500	XL	Black w/Blue



GEOMETRY

SIZE nominal	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	406 / 16	69.5	73	565 / 22.2	444 / 17.5	339 / 13.3	726 / 28.6	117 / 4.6	383 / 15.1	597 / 23.5
M	457 / 18	69.5	73	590 / 23.2	444 / 17.5	339 / 13.3	755 / 29.7	117 / 4.6	408 / 16	597 / 23.5
L	508 / 20	69.5	73	615 / 24.2	444 / 17.5	339 / 13.3	784 / 30.9	127 / 5	430 / 16.9	606 / 23.9
XL	559 / 22	69.5	73	640 / 25.2	444 / 17.5	339 / 13.3	813 / 32	142 / 5.6	450 / 17.7	620 / 24.4

BIKE SPECS

Frame	650B 120mm, Alloy 6061 w/Custom Formed Dbl.Buttressed TT & DT, 1.5 Taper, w/replaceable derailleur hanger
Rear Shock	X-Fusion 02RL, air w/hydraulic dampening, Rebound Adj & Lock Out
Fork	RST First 650B, Air Spring, 120mm, Alloy 1.5 Taper, Rebound Adj, Hydraulic lock out
Headset	FSA Orbit 1.5E Zero Stack, 1 1/8" x 1.5 Taper
Rims	WTB Speed Disc 19, 650B
Hubs (F/R)	Alloy disc w/CNC Rotor Flange, QR RR: Cassette
Tires	Maxxis Ardent 650B x 2.25 FT, Crossmark 650B x 2.1 RR, Folding
Spokes	14G Black w/alloy nipples, 32x32
Derailleur, Front	Shimano New Deore
Derailleur, Rear	Shimano New Deore Shadow
Shifters	Shimano New Deore
Chain	KMC X10
Crankset	Shimano New Deore, 38/24T
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano Deore CS HG62-10, 11-36T, 10-speed
Pedals	Wellgo alloy ATB 1 pc.
Seatpost	KHS Alloy micro-adjust, 31.6x350mm
Saddle	WTB Volt Sport
Handlebar	Alloy, 31.8 700x15mm
Stem	KHS Alloy 3D Forged S:80mm,M:90mm,L:100mm,XL:110mm
Handlebar tape/Grips	Q2 Lock-on
Brake Levers	Shimano BR-M395
Brakes	Shimano BR-M395, Hydraulic Disc, 160mm Rotors
Color	Black/Blue
Frame Size	S,M,L,XL

650B TEAM



FEATURES

11 Speed

Fox 32 Float 27.5", FIT CTD Remote w/Kashima, 100mm, Air, 1.5 Taper, 15mm Thru Axle

Sram XO1 drivetrain

Ritchey handlebar and stem

New or Changed for 2014

Fox 32 Float 27.5", FIT CTD Remote w/Kashima, 100mm, Air, 15mm Thru Axle

Sram XO1 drivetrain


Q2 Carbon seat post

Sram XO, 160mm Rotors FT/RR

Ritchey handlebar and stem

MSRP: \$4299-4599

PART #	MODEL	SIZE	COLOR
94-150-001	SixFifty Team	S	TEAM
94-150-002	SixFifty Team	M	TEAM
94-150-003	SixFifty Team	L	TEAM
94-150-004	SixFifty Team	XL	TEAM



GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D U/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	382 / 15	71	73	555 / 21.9	425 / 16.7	298 / 11.7	753 / 29.6	100 / 3.9	374 / 14.7	592 / 23.3
M	432 / 17	71	73	585 / 23	425 / 16.7	298 / 11.7	787 / 31	100 / 3.9	404 / 15.9	592 / 23.3
L	483 / 19	71	73	615 / 24.2	425 / 16.7	298 / 11.7	815 / 32.1	110 / 4.3	431 / 17	601 / 23.7
XL	532 / 20.9	71	73	540 / 21.3	425 / 16.7	298 / 11.7	845 / 33.3	125 / 4.9	452 / 17.8	616 / 24.3

BIKE SPECS

Frame	KHS 650B Full Carbon monocoque, 1-1/8-1.5 taper, disc only
Rear Shock	N/A
Fork	Fox 32 Float 27.5", FIT CTD Remote w/Kashima, 100mm, Air, Extrnl Rbnd, Remote CTD Low Speed Cmprsn, 1.5 Taper, 15mm Thru Axle
Headset	FSA Orbit C-40-CF-ACB, N.42CF, 1-1/8"~1.5" Integrated Carbon Cap
Rims	DT M1700 Spline, 650B Disc w/ 15mm Thru-Axle
Hubs (F/R)	DT M1700 Spline RR: Cassette
Tires	Maxxis Crossmark 650B x 2.1, Folding
Spokes	DT M1700 Spline
Derailleur, Front	N/A
Derailleur, Rear	Sram XO 1, 11s X-Horizon, Type 2
Shifters	Sram XO1 11s Trigger, Right Only
Chain	Sram PC-XX1
Crankset	Sram XO1, hollow forged, PF30, 36T
BB	Sram PF30
Freewheel / Cassette	Sram XG-1195, 10-42T, 11-speed
Pedals	N/A
Seatpost	Q2 Carbon, 31.6x350mm
Saddle	KHS Team ultra light w/carbon shell and rails
Handlebar	Ritchey Low Rise WCS Carbon, 710mmx15mm, 31.8
Stem	Ritchey 4-Axis 44 Pro, 6D, 31.8 S:75mm, M:90mm, L:100mm, XL:110mm
Handlebar tape/Grips	Q2 Lock-on
Brake Levers	Sram XO, Match Maker
Brakes	Sram XO, 160mm Rotors
Color	Team
Frame Size	S,M,L,XL

650B

800



FEATURES

20 Speed

Fox 32 Float 27.5", CTD O/C, 100mm, Air, Extnl Rbnd, 15mm Thru Axle

Sram Drivetrain

Kore handlebar and stem

New or Changed for 2014

Fox 32 Float 27.5", CTD O/C, 100mm, Air, Extnl Rbnd, 15mm Thru Axle

Sram X7 front derailleur

Hayes Prime Sport, 160mm Rotors FT/RR


MSRP: \$2699-2899

BIKE SPECS

Frame	KHS 650B Full Carbon monocoque, 1-1/8-1.5 taper, disc only
Rear Shock	N/A
Fork	Fox 32 Float 27.5", CTD O/C, 100mm, Air, Extnl Rbnd, CTD Low Speed Cmprsn, 1.5 Taper, 15mm Thru Axle
Headset	FSA Orbit C-40-CF-ACB, N.42CF, 1-1/8"~1.5" Integrated Carbon Cap
Rims	DT M1900 Spline, 650B Disc w/ 15mm Thru-Axle
Hubs (F/R)	DT M1900 Spline RR: Cassette
Tires	Maxxis Crossmark 650B x 2.1, Folding
Spokes	DT M1900 Spline
Derailleur, Front	Sram X7
Derailleur, Rear	Sram X9 Type 2
Shifters	Sram X7 Triggers
Chain	SRAM PC-1051
Crankset	SRAM S1000, 2 pc. PF30, 39x26T
BB	Sram PF30
Freewheel / Cassette	Sram PG-1050, 11-36T, 10-speed
Pedals	N/A
Seatpost	Q2 Carbon, 31.6x350mm
Saddle	WTB Volt Comp
Handlebar	Kore XCD Riser, 710 x 15mm, 31.8
Stem	Kore XCD, 3D Forged, 31.8mm S:80mm,M:90mm,L:90mm XL:100mm
Handlebar tape/Grips	Q2 Lock-on
Brake Levers	Hayes Prime Sport
Brakes	Hayes Prime Sport, 160mm Rotors
Color	Gray/White/Black
Frame Size	S,M,L,XL

PART # MODEL SIZE COLOR

94-149-001	SixFifty 800	S	Gray/White/Black
94-149-002	SixFifty 800	M	Gray/White/Black
94-149-003	SixFifty 800	L	Gray/White/Black
94-149-004	SixFifty 800	XL	Gray/White/Black



GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	BB Height	H s.o.	I h/t L	J Reach	K Stack
S	382 / 15	71	73	555 / 21.9	425 / 16.7	298 / 11.7	753 / 29.6	100 / 3.9	374 / 14.7	592 / 23.3
M	432 / 17	71	73	585 / 23	425 / 16.7	298 / 11.7	787 / 31	100 / 3.9	404 / 15.9	592 / 23.3
L	483 / 19	71	73	615 / 24.2	425 / 16.7	298 / 11.7	815 / 32.1	110 / 4.3	431 / 17	601 / 23.7
XL	532 / 20.9	71	73	540 / 21.3	425 / 16.7	298 / 11.7	845 / 33.3	125 / 4.9	452 / 17.8	616 / 24.3

650B

700



FEATURES

20 Speed

Rock Shox 30 Gold Solo Air, 100mm fork

Shimano Deore/SLX drivetrain


Shimano New Deore, Hydraulic Disc, 160mm Rotors FT/RR

New or Changed for 2014

New model for 2014

MSRP: \$1349-1449

PART #	MODEL	SIZE	COLOR
94-148-001	SixFifty 700	S	Matte Shale Gray
94-148-002	SixFifty 700	M	Matte Shale Gray
94-148-003	SixFifty 700	L	Matte Shale Gray
94-148-004	SixFifty 700	XL	Matte Shale Gray



GEOMETRY

SIZE nominal	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	381 / 15	71	73	555 / 21.9	425 / 16.7	298 / 11.7	753 / 29.6	110 / 4.3	367 / 14.4	616 / 24.3
M	432 / 17	71	73	585 / 23	425 / 16.7	298 / 11.7	781 / 30.7	110 / 4.3	397 / 15.6	616 / 24.3
L	483 / 19	71	73	615 / 24.2	425 / 16.7	298 / 11.7	810 / 31.9	110 / 4.3	427 / 16.8	616 / 24.3
XL	533 / 21	71	73	640 / 25.2	425 / 16.7	298 / 11.7	841 / 33.1	125 / 4.9	447 / 17.6	630 / 24.8

BIKE SPECS

Frame	650B Alloy 6061 Double Butted custom formed TT & DT w/replaceable derailleur hanger, 1.5 Taper
Rear Shock	N/A
Fork	Rock Shox 30 Gold Solo Air, 100mm, External Rebound Adj w/Turn Key Lock Out, 1.5 Taper
Headset	FSA Orbit 1.5E Zero Stack, 1 1/8" x 1.5 Taper
Rims	WTB Speed Disc 19, 650B
Hubs (F/R)	Alloy disc w/CNC Rotor Flange, QR RR: Cassette
Tires	Maxxis Crossmark 650B x 2.1, Folding
Spokes	14G Black w/alloy nipples, 32x32
Derailleur, Front	Shimano Deore
Derailleur, Rear	Shimano SLX Shadow Plus
Shifters	Shimano New Deore, I-Spec
Chain	KMC X10
Crankset	Shimano New Deore, 2 pc., 38/24
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano Deore CS HG62-10, 11-36T, 10-speed
Pedals	Wellgo alloy ATB 1 pc.
Seatpost	KHS Alloy micro-adjust, 31.6x350mm
Saddle	WTB Volt Comp
Handlebar	Kore XCD Riser, 710 x 15mm, 31.8
Stem	Kore XCD, 3D Forged, 31.8mm S:80mm, M:90mm, L:90mm XL:100mm
Handlebar tape/Grips	Q2 Lock-on
Brake Levers	Shimano New Deore, Servo Wave
Brakes	Shimano New Deore, Hydraulic Disc, 160mm Rotors
Color	Matte Shale Gray
Frame Size	S,M,L,XL

650B

600



FEATURES

27 Speed

6061 Alloy Double Butted custom formed frame

Shimano drivetrain

Shimano BR-M395, Hydraulic Disc brakes

New or Changed for 204


Weinmann U28 Disc w/Single Eyelets, 650B, double wall

KMC X9 chain

Shimano BR-M395, Hydraulic Disc, 160mm Rotors FT/RR

MSRP: \$999-1099

PART #	MODEL	SIZE	COLOR
94-147-001	SixFifty 600	S	Black w/Silver
94-147-002	SixFifty 600	M	Black w/Silver
94-147-003	SixFifty 600	L	Black w/Silver
94-147-004	SixFifty 600	XL	Black w/Silver
94-147-005	SixFifty 600 Ladies	S	Lavender Gray w/White



GEOMETRY

SIZE nominal	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	381 / 15	71	73	555 / 21.9	425 / 16.7	298 / 11.7	753 / 29.6	110 / 4.3	367 / 14.4	616 / 24.3
M	432 / 17	71	73	585 / 23	425 / 16.7	298 / 11.7	781 / 30.7	110 / 4.3	397 / 15.6	616 / 24.3
L	483 / 19	71	73	615 / 24.2	425 / 16.7	298 / 11.7	810 / 31.9	110 / 4.3	427 / 16.8	616 / 24.3
XL	533 / 21	71	73	640 / 25.2	425 / 16.7	298 / 11.7	841 / 33.1	125 / 4.9	447 / 17.6	630 / 24.8

BIKE SPECS

Frame	650B Alloy 6061 Double Butted custom formed TT & DT w/replaceable derailleur hanger, 1.5 Taper
Rear Shock	N/A
Fork	RST First 650B, Air, 100mm, Air Spring, 1.5 Taper, Rebound Adj, Hydraulic lock out
Headset	FSA Orbit 1.5E Zero Stack, 1 1/8" x 1.5 Taper
Rims	Weinmann U28 Disc w/Single Eyelets, 650B, double wall
Hubs (F/R)	Alloy disc w/CNC Rotor Flange, QR RR: Cassette
Tires	Maxxis Crossmark 650B x 2.1, Folding
Spokes	14G Black w/alloy nipples, 32X32
Derailleur, Front	Shimano Alivio
Derailleur, Rear	Shimano Deore Shadow
Shifters	Shimano Alivio
Chain	KMC X9
Crankset	Shimano Alivio, 44/32/22T
BB	Shimano ES25 Octalink, Cartridge bearing
Freewheel / Cassette	Shimano CS HG20-9, 11-34T 9-speed
Pedals	Wellgo alloy ATB 1 pc. w/cnc
Seatpost	KHS Alloy micro-adjust, 31.6X350mm
Saddle	WTB Volt Sport
Handlebar	KHS Alloy, 31.8 690X15mm
Stem	KHS Alloy 3D Forged S:80mm, M:90mm, L:90mm XL:100mm
Handlebar tape/Grips	Q2 Lock-on
Brake Levers	Shimano BR-M395
Brakes	Shimano BR-M395, Hydraulic Disc, 160mm Rotors
Color	Men's: Black/Silver Ladies: Lavender/White
Frame Size	Men's: S,M,L,XL Ladies: S

650B

500



FEATURES

27 Speed

SR XCM LO, 100mm fork

Shimano drivetrain

Shimano BR-M395, Hydraulic Disc brakes

New or Changed for 2014

SR XCM LO, 100mm fork

Maxxis Sphinx 650B x 2.0 tires

Shimano Acera rear derailleur and Altus shifters

KMC X9 chain

Shimano FC-M371, 44/32/22 crank

Shimano BR-M395, Hydraulic Disc, 160mm Rotors FT/RR

MSRP: \$729-799

PART #	MODEL	SIZE	COLOR
94-146-001	SixFifty 500	S	HiHo Silver w/Red
94-146-002	SixFifty 500	S	Dark Blue
94-146-003	SixFifty 500	M	HiHo Silver w/Red
94-146-004	SixFifty 500	M	Dark Blue
94-146-005	SixFifty 500	L	HiHo Silver w/Red
94-146-006	SixFifty 500	L	Dark Blue
94-146-007	SixFifty 500	XL	HiHo Silver w/Red
94-146-008	SixFifty 500	XL	Dark Blue
94-146-009	SixFifty 500 Ladies	XS	Matte Blk w/Teal
94-146-010	SixFifty 500 Ladies	XS	Light Blue
94-146-011	SixFifty 500 Ladies	S	Matte Blk w/Teal
94-146-012	SixFifty 500 Ladies	S	Light Blue

GEOMETRY


SIZE nominal	A s/t c-t	B h/t	C s/t	D U/t effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
XS	330 / 13	71	73	550 / 21.7	425 / 16.7	298 / 11.7	733 / 28.9	110 / 4.3	362 / 14.3	616 / 24.3
S	381 / 15	71	73	555 / 21.9	425 / 16.7	298 / 11.7	753 / 29.6	110 / 4.3	367 / 14.4	616 / 24.3
M	432 / 17	71	73	585 / 23	425 / 16.7	298 / 11.7	781 / 30.7	110 / 4.3	397 / 15.6	616 / 24.3
L	483 / 19	71	73	615 / 24.2	425 / 16.7	298 / 11.7	810 / 31.9	110 / 4.3	427 / 16.8	616 / 24.3
XL	533 / 21	71	73	640 / 25.2	425 / 16.7	298 / 11.7	841 / 33.1	125 / 4.9	447 / 17.6	630 / 24.8

37

All specs are subject to change without notice.

BIKE SPECS

Frame	650B Alloy 6061 w/custom formed TT & DT, w/replaceable derailleur hanger
Rear Shock	N/A
Fork	SR XCM LO, 100mm, 1-1/8, Fixed Hydraulic Rebound + Hydraulic lock out, Preload Adj
Headset	Threadless 1-1/8, Zero Stack
Rims	Weinmann U28 Disc, 650B, doublewall
Hubs (F/R)	Alloy disc QR RR: Cassette
Tires	Maxxis Sphinx 650B x 2.0, Folding
Spokes	14G 32X32 Black
Derailleur, Front	Shimano Altus
Derailleur, Rear	Shimano Acera
Shifters	Shimano Altus
Chain	KMC X9
Crankset	Shimano FC-M371, 44/32/22
BB	Cartridge bearing
Freewheel / Cassette	Shimano CS-HG20 11-34T, 9-speed
Pedals	Wellgo resin platform
Seatpost	KHS Alloy micro-adjust, 31.6X350mm
Saddle	KHS Sport
Handlebar	KHS Alloy, 31.8 690X15mm
Stem	KHS Alloy, 7 Degree, 31.8 S: 80mm, M: 90mm, L: 90mm XL: 100mm
Handlebar tape/Grips	KHS Sport, Dual Compound
Brake Levers	Shimano BR-M395
Brakes	Shimano BR-M395, Hydraulic Disc, 160mm Rotors
Color	Men's: Dark Blue, HiHo Silver/ Red Ladies: Matte Black/ Teal, Light Blue
Frame Size	Men's: S, M, L, XL Ladies: XS, S



650B

300



FEATURES

24 Speed

6061 Alloy custom formed frame

Shimano drivetrain

Bengal cable disc MB606 brakes

New or Changed for 2014

SR XCM HLO, 100mm, 1-1/8, Hydraulic lock out, Preload Adj
Weinmann XM25, 650B, 32H, Doublewall
CST C1435A, 650Bx2.1 tires
Shimano Altus rear derailleurs
Shimano ST-EF51 shifters
KHS Sport saddle
Shimano ST-EF51 brake levers

MSRP: \$599-659


PART #	MODEL	SIZE	COLOR
94-145-001	SixFifty 300	S	Black w/Silver
94-145-002	SixFifty 300	S	Silver
94-145-003	SixFifty 300	M	Black w/Silver
94-145-004	SixFifty 300	M	Silver
94-145-005	SixFifty 300	L	Black w/Silver
94-145-006	SixFifty 300	L	Silver
94-145-007	SixFifty 300	XL	Black w/Silver
94-145-008	SixFifty 300	XL	Silver
94-145-009	SixFifty 300 Ladies	XS	White w/Blue
94-145-010	SixFifty 300 Ladies	XS	Matte Red
94-145-011	SixFifty 300 Ladies	S	White w/Blue
94-145-012	SixFifty 300 Ladies	S	Matte Red

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	330 / 13	71	73	550 / 21.7	425 / 16.7	298 / 11.7	733 / 28.9	110 / 4.3	362 / 14.3	616 / 24.3
S	381 / 15	71	73	555 / 21.9	425 / 16.7	298 / 11.7	753 / 29.6	110 / 4.3	367 / 14.4	616 / 24.3
M	432 / 17	71	73	585 / 23	425 / 16.7	298 / 11.7	781 / 30.7	110 / 4.3	397 / 15.6	616 / 24.3
L	483 / 19	71	73	615 / 24.2	425 / 16.7	298 / 11.7	810 / 31.9	110 / 4.3	427 / 16.8	616 / 24.3
XL	533 / 21	71	73	640 / 25.2	425 / 16.7	298 / 11.7	841 / 33.1	125 / 4.9	447 / 17.6	630 / 24.8

BIKE SPECS

Frame	650B Alloy 6061 w/custom formed TT & DT, w/replaceable derailleur hanger
Rear Shock	N/A
Fork	SR XCM HLO, 100mm, 1-1/8, Hydraulic lock out, Preload Adj
Headset	Threadless 1-1/8, Zero Stack
Rims	Weinmann XM25, 650B, 32H, Doublewall
Hubs (F/R)	Alloy disc QR RR: Cassette
Tires	CST C1435A, 650Bx2.1
Spokes	14G 32X32 Black
Derailleur, Front	Shimano Altus
Derailleur, Rear	Shimano Altus
Shifters	Shimano ST-EF51
Chain	KMC Z8
Crankset	SR XCT 42/32/22
BB	Cartridge bearing
Freewheel / Cassette	Shimano CS-HG31 11-34T, 8-speed
Pedals	Wellgo resin platform
Seatpost	KHS Alloy micro-adjust, 31.6X350mm
Saddle	KHS Sport
Handlebar	Alloy, 31.8 690X15mm
Stem	KHS Alloy, 7 Degree, 31.8 5:80mm, M:90mm, L:90mm XL:100mm
Handlebar tape/Grips	KHS Sport, Dual Compound
Brake Levers	Shimano ST-EF51
Brakes	Bengal cable disc MB606, 160mm rotors
Color	Men's: Black/ Silver, Silver Ladies: White/ Blue, Matte Red
Frame Size	Men's: S,M,L,XL Ladies: XS,S



38

All specs are subject to change without notice.



650B

200



FEATURES

21 Speed

6061 Alloy Custom Formed frame

SR Suntour XCT, 100mm fork

Bengal cable disc MB606 brakes

New or Changed for 2014

New model for 2014

MSRP: \$499-\$549


PART #	MODEL	SIZE	COLOR
94-144-001	SixFifty 200	S	Matte Red
94-144-002	SixFifty 200	S	Charcoal Gloss
94-144-003	SixFifty 200	M	Matte Red
94-144-004	SixFifty 200	M	Charcoal Gloss
94-144-005	SixFifty 200	L	Matte Red
94-144-006	SixFifty 200	L	Charcoal Gloss
94-144-007	SixFifty 200	XL	Matte Red
94-144-008	SixFifty 200	XL	Charcoal Gloss
94-144-009	SixFifty 200 Ladies	XS	Heather Blue
94-144-010	SixFifty 200 Ladies	XS	Matte Silver
94-144-011	SixFifty 200 Ladies	S	Heather Blue
94-144-012	SixFifty 200 Ladies	S	Matte Silver

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
XS	330 / 13	71	73	550 / 21.7	430 / 16.9	297 / 11.7	737 / 29	110 / 4.3	360 / 14.2	620 / 24.4
S	381 / 15	71	73	555 / 21.9	430 / 16.9	297 / 11.7	764 / 30.1	110 / 4.3	366 / 14.4	620 / 24.4
M	432 / 17	71	73	585 / 23	430 / 16.9	297 / 11.7	786 / 30.9	110 / 4.3	395 / 15.6	621 / 24.4
L	483 / 19	71	73	615 / 24.2	430 / 16.9	297 / 11.7	807 / 31.8	110 / 4.3	425 / 16.7	621 / 24.4
XL	533 / 21	71	73	640 / 25.2	430 / 16.9	297 / 11.7	837 / 33	125 / 4.9	447 / 17.6	633 / 24.9

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT & replaceable der hanger
Rear Shock	N/A
Fork	SR Suntour XCT, 100mm, Preload Adj
Headset	Threadless 1-1/8, Zero Stack
Rims	Alloy, Doublewall, 650Bx32H
Hubs (F/R)	Alloy disc QR RR: Cassette
Tires	CST C1435A, 650Bx2.1
Spokes	14G Black 32X32
Derailleur, Front	Shimano Tourney
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano ST-EF51
Chain	KMC Z50
Crankset	Shimano FC-M131, 42/34/24T, 170mm
BB	Cartridge bearing
Freewheel / Cassette	Shimano CS-HG20-7, 12-32, 7-speed
Pedals	Resin MTB platform w/boron axle
Seatpost	KHS Alloy micro-adjust 31.6x350mm
Saddle	KHS Sport
Handlebar	ATB 31.8, 30mm rise/680mm, 4 degree
Stem	Alloy 4-bolt, 7degree, 31.8 S:80mm,M:90mm,L:90mm XL:100mm
Handlebar tape/Grips	KHS Sport
Brake Levers	Shimano ST-EF51
Brakes	Bengal cable disc MB606, 160mm rotors
Color	Men's: Charcoal Gloss, Matte Red Ladies: Matte Silver, Heather Blue
Frame Size	Men's: S,M,L,XL Ladies: XS,S



HARDTAIL

ALITE 500



FEATURES

27 Speed

6061 Alloy Hydroformed Double butted frame

SR Suntour XCM-LO, 100mm fork

Shimano drivetrain

New or Changed for 2014

SR Suntour XCM-LO, 100mm fork

CST Friefox 26x1.95 tires

Shimano Altus front derailleur

Shimano Acera rear derailleur

Shimano Altus Trigger shifters

KMC X9 chain

Shimano FC-M371, 44/32/22 crank

Shimano BR-M395, Hydraulic Disc, 160mm Rotors FT/RR

MSRP: \$679-739


PART #	MODEL	SIZE	COLOR
94-137-001	Alite 500	13"	Matte Blue
94-137-002	Alite 500	15"	Matte Blue
94-137-003	Alite 500	15"	Matte King Coal Gray
94-137-004	Alite 500	17"	Matte Blue
94-137-005	Alite 500	17"	Matte King Coal Gray
94-137-006	Alite 500	19"	Matte Blue
94-137-007	Alite 500	19"	Matte King Coal Gray
94-137-008	Alite 500	21"	Matte Blue
94-137-009	Alite 500 Ladies	17"	Matte King Coal Gray

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D v/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
13"	330 / 13	71	73	535 / 21.1	425 / 16.7	292 / 11.5	693 / 27.3	100 / 3.9	361 / 14.2	570 / 22.4
15"	381 / 15	71	73	550 / 21.7	425 / 16.7	292 / 11.5	706 / 27.8	115 / 4.5	371 / 14.6	585 / 23
17"	432 / 17	71	73	570 / 22.4	425 / 16.7	292 / 11.5	736 / 29	130 / 5.1	387 / 15.2	599 / 23.6
19"	483 / 19	71	73	590 / 23.2	425 / 16.7	292 / 11.5	769 / 30.3	145 / 5.7	403 / 15.9	613 / 24.1
21"	533 / 21	71	73	605 / 23.8	425 / 16.7	292 / 11.5	805 / 31.7	165 / 6.5	412 / 16.2	632 / 24.9

BIKE SPECS

Frame	Alloy 6061, Hydroformed Double butted TT & DT w/replaceable der hanger
Rear Shock	N/A
Fork	SR Suntour XCM-LO, 100mm, Hydraulic Dampening, Hydraulic Speed Lock Out, Pre-load adj
Headset	Threadless 1-1/8, Zero Stack
Rims	Weinmann XM25, 26", 32H, Doublewall
Hubs (F/R)	Alloy disc QR, RR: Cassette
Tires	CST Firefox 26x1.95
Spokes	14G Black 32X32
Derailleur, Front	Shimano Altus
Derailleur, Rear	Shimano Acera
Shifters	Shimano Altus Trigger
Chain	KMC X9 with Missing Link
Crankset	Shimano FC-M371, 44/32/22
BB	Cartridge bearing 68x118mm
Freewheel / Cassette	Shimano CS-HG20-9 11-34, 9-speed
Pedals	Resin MTB platform w/boron axle
Seatpost	KHS Alloy micro-adjust 31.6x350mm
Saddle	KHS Sport Dual Density
Handlebar	Alloy, 31.8 680x25mm
Stem	KHS Alloy 4-bolt, 7 degree, 31.8 13-15:75mm, 17-19:90mm, 21:100mm
Handlebar tape/Grips	KHS Sport, Dual Compound
Brake Levers	Shimano BR-M395
Brakes	Shimano BR-M395, Hydraulic Disc, 160mm Rotors
Color	Men's: Matte Blue, Matte King Coal Gray Ladies: Matte King Coal Gray
Frame Size	Blue: 13, 15, 17, 19, 21 Gray: 15, 17, 19 Ladies: 17



HARDTAIL

ALITE 350



FEATURES

- 24 Speed
- 6061 Alloy w/Custom Formed frame
- Shimano drivetrain
- Bengal cable disc MB606 brakes

New or Changed for 2014

- SR Suntour XCT MLO, Mechanical Lock out, 100mm fork
- FAS #10P Threadless headset
- CST Firefox 26x1.95 tires
- Shimano M190 front derailleur
- Shimano Altus rear derailleur
- Shimano ST-EF51 shifters
- SR Suntour XCE, 42/34/24T crank

MSRP: \$529-579


PART #	MODEL	SIZE	COLOR
94-136-001	Alite 350	13"	Matte Black
94-136-002	Alite 350	15"	Matte Black
94-136-003	Alite 350	15"	Liquid Chrome
94-136-004	Alite 350	17"	Matte Black
94-136-005	Alite 350	17"	Liquid Chrome
94-136-006	Alite 350	19"	Matte Black
94-136-007	Alite 350	19"	Liquid Chrome
94-136-008	Alite 350	21"	Matte Black
94-136-009	Alite 350	21"	Liquid Chrome
94-136-010	Alite 350 Ladies	15"	Matte Silver
94-136-011	Alite 350 Ladies	17"	Matte Silver
94-136-012	Alite 350 Ladies	17"	Gloss Black

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
13"	330 / 13	71	73	535 / 21.1	425 / 16.7	292 / 11.5	693 / 27.3	100 / 3.9	361 / 14.2	570 / 22.4
15"	381 / 15	71	73	550 / 21.7	425 / 16.7	292 / 11.5	706 / 27.8	115 / 4.5	371 / 14.6	585 / 23
17"	432 / 17	71	73	570 / 22.4	425 / 16.7	292 / 11.5	736 / 29	130 / 5.1	387 / 15.2	599 / 23.6
19"	483 / 19	71	73	590 / 23.2	425 / 16.7	292 / 11.5	769 / 30.3	145 / 5.7	403 / 15.9	613 / 24.1
21"	533 / 21	71	73	605 / 23.8	425 / 16.7	292 / 11.5	805 / 31.7	165 / 6.5	412 / 16.2	632 / 24.9

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT & replaceable der hanger
Fork	SR Suntour XCT MLO, Mechanical Lock out, 100mm
Headset	FAS #10P Threadless
Rims	Weinmann XM25, 26", 32H, Doublewall
Hubs (F/R)	Alloy disc QR, RR: Cassette
Tires	CST Firefox 26x1.95
Spokes	14G Black 32X32
Derailleur, Front	Shimano M190
Derailleur, Rear	Shimano Altus
Shifters	Shimano ST-EF51
Chain	KMC Z8
Crankset	SR Suntour XCE, 42/34/24T
BB	Cartridge bearing 68x118mm
Freewheel / Cassette	Shimano CS HG31-8 11-34T, 8-speed
Pedals	Resin MTB platform w/boron axle
Seatpost	KHS Alloy micro-adjust 31.6x30 50mm
Saddle	KHS Sport Dual Density
Handlebar	Alloy, 31.8 680x25mm
Stem	KHS Alloy 4-bolt, 7 degree, 31.8 13-15:75mm, 17-21:90mm, 23-25:100mm
Handlebar tape/Grips	KHS Sport, Dual Compound
Brake Levers	Shimano ST-EF51
Brakes	Bengal cable disc MB606, 160mm rotors
Color	Men's: Matte Black, Liquid Chrome Ladies: Matte Silver, Matte Black
Frame Size	Black: 13,15,17,19,21 Chrome: 15,17,19,21 Ladies Black: 15 Ladies Silver: 17



All specs are subject to change without notice.

HARDTAIL

ALITE 150



FEATURES

24 Speed
SR Suntour SF-M3030, 75mm fork
Bengal mechanical disc brakes
Shimano drivetrain

New or Changed for 2014

SR Suntour SF-M3030, 75mm fork
Shimano Tourney front derailleur
Shimano FC-M131, 48/38/28T, 170mm cranks

MSRP: \$449-489


PART #	MODEL	SIZE	COLOR
94-135-001	Alite 150	13"	Charcoal Gray
94-135-002	Alite 150	15"	Charcoal Gray
94-135-003	Alite 150	15"	Flame Red
94-135-004	Alite 150	17"	Charcoal Gray
94-135-005	Alite 150	17"	Flame Red
94-135-006	Alite 150	19"	Charcoal Gray
94-135-007	Alite 150	19"	Flame Red
94-135-008	Alite 150	21"	Charcoal Gray
94-135-009	Alite 150	21"	Flame Red
94-135-010	Alite 150	23"	Charcoal Gray
94-135-011	Alite 150	25"	Charcoal Gray
94-135-012	Alite 150 Ladies	15"	Bayou Blue
94-135-013	Alite 150 Ladies	15"	Flame Red
94-135-014	Alite 150 Ladies	17"	Bayou Blue
94-135-015	Alite 150 Ladies	17"	Flame Red

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
13"	330 / 13	71	73	535 / 21.1	430 / 16.9	302 / 11.9	717 / 28.2	100 / 3.9	363 / 14.3	564 / 22.2
15"	381 / 15	71	73	550 / 21.7	430 / 16.9	302 / 11.9	750 / 29.5	115 / 4.5	373 / 14.7	578 / 22.8
17"	432 / 17	71	73	570 / 22.4	430 / 16.9	302 / 11.9	781 / 30.7	130 / 5.1	389 / 15.3	593 / 23.3
19"	483 / 19	71	73	590 / 23.2	430 / 16.9	302 / 11.9	812 / 32	145 / 5.7	405 / 15.9	607 / 23.9
21"	533 / 21	71	73	605 / 23.8	430 / 16.9	302 / 11.9	846 / 33.3	165 / 6.5	414 / 16.3	626 / 24.6
23"	584 / 23	71	73	615 / 24.2	430 / 16.9	302 / 11.9	881 / 34.7	185 / 7.3	418 / 16.5	645 / 25.4
25"	635 / 25	71	73	625 / 24.6	430 / 16.9	302 / 11.9	912 / 35.9	200 / 7.9	424 / 16.7	659 / 25.9

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT & replaceable der hanger
Rear Shock	N/A
Fork	SR Suntour SF-M3030, 75mm
Headset	FSA Threadless 1-1/8, Zero Stack
Rims	Alloy, Doublewall, 26x32H
Hubs (F/R)	Alloy disc QR, RR: Cassette
Tires	KHS 26x1.95
Spokes	14G Black 32X32
Derailleur, Front	Shimano Tourney
Derailleur, Rear	Shimano Altus
Shifters	Shimano ST-EF51
Chain	KMC Z50
Crankset	Shimano FC-M131, 48/38/28T, 170mm
BB	Cartridge bearing 68x118mm
Freewheel / Cassette	Shimano CS-HG20-7, 12-32, 7-speed
Pedals	Resin MTB platform w/boron axle
Seatpost	KHS Alloy micro-adjust 31.6x 300mm
Saddle	KHS Sport, Dual Density
Handlebar	Steel 30mm rise/680mm, 4 degree
Stem	KHS Alloy 4-bolt, 7 degree, 31.8 13-15:70mm, 17-21:90mm, 23-25:100mm
Handlebar tape/Grips	KHS Sport, Dual Compound
Brake Levers	Shimano ST-EF51
Brakes	Bengal cable disc MB606, 160mm rotors
Color	Men's: Charcoal Gray, Flame Red Ladies: Bayou Blue, Flame Red
Frame Size	Men's Gray: 13,15,17,19,21,23,25 Men's Red: 15,17,19,21 Ladies: 15,17



HARDTAIL

ALITE 40



FEATURES

24 Speed

Hi-Tensile Steel frame

Hi-Tensile unicrown fork

Shimano drivetrain

New or Changed for 2014

Shimano Tourney front derailleur
Shimano FC-M131, 48/38/28T, 170mm crank
Shimano 14-34T, 7-speed, Mega Range Freewheel
KHS Alloy seat post
KHS Sport saddle
Threadless 1-1/8" headset
Alloy threadless, 25 degree stem

MSRP: \$299-329


PART #	MODEL	SIZE	COLOR
94-134-001	Alite 40	12"	Matte Black
94-134-002	Alite 40	15"	Matte Black
94-134-003	Alite 40	15"	Midnight Blue
94-134-004	Alite 40	17"	Matte Black
94-134-005	Alite 40	17"	Midnight Blue
94-134-006	Alite 40	19"	Matte Black
94-134-007	Alite 40	19"	Midnight Blue
94-134-008	Alite 40 Ladies	16"	Pearl Lavender
94-134-009	Alite 40 Ladies	16"	Midnight Blue

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
12"	305 / 12	70	73	526 / 20.7	425 / 16.7	292 / 11.5	665 / 26.2	110 / 4.3	368 / 14.5	504 / 19.8
15"	381 / 15	71	73	552 / 21.7	430 / 16.9	302 / 11.9	467 / 18.4	115 / 4.5	397 / 15.6	507 / 19.9
17"	432 / 17	71	73	572 / 22.5	430 / 16.9	302 / 11.9	727 / 28.6	130 / 5.1	413 / 16.2	520 / 20.5
19"	483 / 19	71	73	592 / 23.3	430 / 16.9	302 / 11.9	761 / 30	145 / 5.7	429 / 16.9	534 / 21
16"L	406 / 16	71	73	562 / 22.1	430 / 16.9	302 / 11.9	642 / 25.3	130 / 5.1	403 / 15.9	520 / 20.5

BIKE SPECS

Frame	TIG-welded Hi-Tensile Steel
Rear Shock	N/A
Fork	Hi-Tensile unicrown
Headset	Threadless 1-1/8"
Rims	Alloy single wall
Hubs (F/R)	Steel RR FW
Tires	Mountain 26X1.95
Spokes	14G 36X36
Derailleur, Front	Shimano Tourney
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano Revo
Chain	KMC Z50
Crankset	Shimano FC-M131, 48/38/28T, 170mm
BB	cotterless 108mm
Freewheel / Cassette	Shimano 14-34T, 7-speed, Mega Range Freewheel
Pedals	Resin ATB
Seatpost	KHS Alloy 28.6x350mm
Saddle	KHS Sport
Handlebar	Steel 30mm rise/640mm, 6 degree
Stem	Alloy threadless, 25 degree
Handlebar tape/Grips	Kraton for twist
Brake Levers	Alloy linear pull 2.5F
Brakes	Alloy, linear pull
Color	Men's: Matte Black, Midnight Blue Ladies: Pearl Lavender, Midnight Blue
Frame Size	Men's Black: 12,15,17,19 Men's Blue: 15,17,19 Ladies: 16





FEATURES

Single Speed

Full CrMo frame w/ integrated seat clamp

Manitou Circus Sport, 100mm, fork

Avid BB5 mechanical disc brakes

New or Changed for 2014

Full CrMo frame w/ integrated seat clamp

Manitou Circus Sport, 100mm, fork


Free Agent Nylon Platform, 9/16 pedals

Forged Alloy DJ, 31.8, 60mm stem

Free Agent Kraton grips

MSRP: \$759-829

PART #	MODEL	SIZE	COLOR
94-141-001	SJTwoHundred	S	Matte Black
94-141-002	SJTwoHundred	M	Matte Black
94-141-003	SJTwoHundred	L	Matte Black



GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/effect	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	310 / 12.2	67.2	70.5	548 / 21.6	392 / 15.4	317 / 12.5	744 / 29.3	115 / 4.5	344 / 13.6	576 / 22.7
M	310 / 12.2	67.2	70.5	573 / 22.5	392 / 15.4	317 / 12.5	740 / 29.1	120 / 4.7	367 / 14.5	581 / 22.9
L	310 / 12.2	67.2	70.5	593 / 23.4	392 / 15.4	317 / 12.5	738 / 29	130 / 5.1	385 / 15.1	591 / 23.3

BIKE SPECS

Frame	Full CoMo DJ design w/ integrated seat clamp
Rear Shock	N/A
Fork	Manitou Circus Sport, 100mm, Fixed Hydraulic Comp & Rebound Dampening
Headset	FSA Hammer, Threadless 1-1/8", CrMo lower cup
Rims	Weinmann Zac-X
Hubs (F/R)	Alloy Disc, RR: Cassette, Nuted
Tires	Kenda Kranium, 26x2.1
Spokes	14G, Black, 36X36
Derailleur, Front	N/A
Derailleur, Rear	N/A
Shifters	N/A
Chain	KMC Z7
Crankset	3 pc. Hollow CoMo w/Internal Pinch Bolt, 175mm, FA 25T alloy chainwheel
BB	Mid BB, 8 Spline
Freewheel / Cassette	12T cog w-Sginl Speed spacers
Pedals	Free Agent Nylon Platform, 9/16
Seatpost	Alloy Integrated, 31.6 x 160mm
Saddle	Free Agent Padded Jump w/integrated post
Handlebar	Alloy, 31.8 680X25mm
Stem	Forged Alloy DJ, 31.8, 60mm
Handlebar tape/Grips	Free Agent Kraton
Brake Levers	Avid FR-5 Alloy, right only
Brakes	Avid BB5 mechanical disc, w/160mm rotor, rear only
Color	Matte Black
Frame Size	S,M,L
Extras	Chain Tensioner

SJ 100



FEATURES

Single Speed

Full CrMo frame w/ integrated seat clamp

RST Dirt, 100mm fork

Weinmann ZAC-X wheel set

New or Changed for 2014


Free Agent Nylon Platform, 9/16 pedals

Forged Alloy DJ, 31.8, 60mm stem

Free Agent Kraton grips

MSRP: \$579-629

PART #	MODEL	SIZE	COLOR
94-140-001	SJOneHundred	S	Blue Lou
94-140-002	SJOneHundred	M	Blue Lou
94-140-003	SJOneHundred	L	Blue Lou



GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
S	310 / 12.2	67.2	70.5	548 / 21.6	392 / 15.4	317 / 12.5	744 / 29.3	115 / 4.5	344 / 13.6	576 / 22.7
M	310 / 12.2	67.2	70.5	573 / 22.5	392 / 15.4	317 / 12.5	740 / 29.1	120 / 4.7	367 / 14.5	581 / 22.9
L	310 / 12.2	67.2	70.5	593 / 23.4	392 / 15.4	317 / 12.5	738 / 29	130 / 5.1	385 / 15.1	591 / 23.3

BIKE SPECS

Frame	Full CoMo DJ design w/ integrated seat clamp
Rear Shock	N/A
Fork	RST Dirt, 100mm, adj preload
Headset	FSA Hammer, Threadless 1-1/8", CrMo lower cup
Rims	Weinmann ZAC-X
Hubs (F/R)	Alloy Disc, RR: Cassette, Nuted
Tires	Kenda Kranium, 26x2.1
Spokes	14G Black 36X36
Derailleur, Front	N/A
Derailleur, Rear	N/A
Shifters	N/A
Chain	KMC Z51
Crankset	3 pc. Hollow CoMo w/Internal Pinch Bolt, 175mm, FA 25T alloy chainwheel
BB	Mid BB, 8 Spline
Freewheel / Cassette	12T cog w-Sgl Speed spacers
Pedals	Free Agent Nylon Platform, 9/16
Seatpost	Alloy Integrated, 31.6 x 160mm
Saddle	Free Agent Padded Jump w/integrated post
Handlebar	Alloy, 31.8 680X25mm
Stem	Forged Alloy DJ, 31.8, 60mm
Handlebar tape/Grips	Free Agent Kraton
Brake Levers	Tektro alloy 2 finger, right only
Brakes	Bengal MB606 cable disc w/160mm rotor, rear only
Color	Blue Lou
Frame Size	S,M,L
Extras	Chain Tensioner



FEATURES

Single Speed

Full CrMo frame w/ integrated seat clamp

SR XCM 24" 80mm travel fork

Chain Tensioner

New or Changed for 2014

Kenda Kranium, 24x2.1 tires

Free Agent Nylon Platform, 9/16 pedals

Forged Alloy DJ, 31.8, 50mm stem

Free Agent Kraton grips


MSRP: \$529-579

BIKE SPECS

Frame	24" Full CoMo DJ design w/integrated seat clamp, Mid BB
Rear Shock	N/A
Fork	SR XCM, 80mm travel
Headset	FSA Hammer, Threadless 1-1/8", CrMo lower cup
Rims	Weinmann Viper 24", 36H
Hubs (F/R)	Alloy Disc, RR: Cassette, Nuted
Tires	Kenda Kranium, 24x2.1
Spokes	14G Black 36X36
Derailleur, Front	N/A
Derailleur, Rear	N/A
Shifters	N/A
Chain	KMC Z51
Crankset	3 pc. Hollow CoMo w/Internal Pinch Bolt, 170mm, FA 25T alloy chainwheel
BB	Mid BB, 8 Spline
Freewheel / Cassette	12T cog w-Sgl Speed spacers
Pedals	Free Agent Nylon Platform, 9/16
Seatpost	Alloy Integrated, 31.6 x 160mm
Saddle	Free Agent Padded Jump w/integrated post
Handlebar	Alloy, 31.8 660X25mm
Stem	Forged Alloy DJ, 31.8, 50mm
Handlebar tape/Grips	Free Agent Kraton
Brake Levers	Tektro alloy 2 finger, right only
Brakes	Bengal MB606 cable disc w/160mm rotor, rear only
Color	Ruby Red
Frame Size	1-Size
Extras	Chain Tensioner

PART # MODEL SIZE COLOR

94-139-001 SJTwentyFour S Ruby Red



GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
One	266 / 10.5	71	71	540 / 21.3	367 / 14.4	290 / 11.4	675 / 26.6	105 / 4.1	352 / 13.9	545 / 21.4

STREET/TRAIL/PARK

DJ 50



FEATURES

- 16 Speed
- RST Dirt 100mm fork
- Sram X4 rear derailleur
- Bengal MB606 cable disc brakes

New or Changed for 2014

- Maxxis Holy Roller, 26x2.4 FT/2.2 RR tires
- Free Agent Nylon Platform, 9/16 pedals
- KHS Sport, Dual Compound grips
- Bengal MB606 cable disc brakes


MSRP: \$639-699

BIKE SPECS

Frame	Alloy 6061 DJ design w/integrated seat clamp
Rear Shock	N/A
Fork	RST Dirt 100mm Adj Preload
Headset	FSA Hammer, Threadless 1-1/8", CrMo lower cup
Rims	Weinmann Viper , 36H
Hubs (F/R)	Alloy Disc, RR: Cassette, Nuted
Tires	Maxxis Holy Roller, 26x2.4 FT/2.2 RR
Spokes	14G Black 36X36
Derailleur, Front	Suntour
Derailleur, Rear	Sram X4
Shifters	Sram X-4 trigger
Chain	KMC Z7
Crankset	Alloy forged, 32/22T, 170mm w/Black resin bash guard, ISIS Spline
BB	ISIS Cartridge Bearing
Freewheel / Cassette	Shimano 11-32T, 8-speed
Pedals	Free Agent Nylon Platform, 9/16
Seatpost	KHS Alloy 2 bolt 31.6x350mm
Saddle	KHS Dirt Jump
Handlebar	Alloy, 31.8 680X25mm
Stem	Forged Alloy, 31.8, 60mm
Handlebar tape/Grips	KHS Sport, Dual Compound
Brake Levers	Alloy lever, alloy bracket, Knee Saver, 2F
Brakes	Bengal MB606 cable disc w/160mm rotor
Color	Matte Black
Frame Size	S,M,L

PART # MODEL SIZE COLOR

94-143-001	DJFifty	S	Matte Black
94-143-002	DJFifty	M	Matte Black
94-143-003	DJFifty	L	Matte Black



GEOMETRY

SIZE nominal	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	310 / 12.2	67.2	70.5	548 / 21.6	420 / 16.5	328 / 12.9	745 / 29.3	115 / 4.5	344 / 13.6	576 / 22.7
M	310 / 12.2	67.2	70.5	573 / 22.5	420 / 16.5	328 / 12.9	737 / 29	120 / 4.7	367 / 14.5	581 / 22.9
L	310 / 12.2	67.2	70.5	593 / 23.4	420 / 16.5	328 / 12.9	735 / 28.9	130 / 5.1	385 / 15.1	590 / 23.2



FEATURES

16 Speed

6061 Alloy w/integrated seat clamp

SR XCM, 80mm travel fork

Sram X3 rear derailleur

New or Changed for 2014

KHS Sport, Dual Compound grips
Bengal MB606 cable disc brakes


MSRP: \$559-609

BIKE SPECS

Frame	24" Alloy 6061 DJ design w/integrated seat clamp
Rear Shock	N/A
Fork	SR XCM, 80mm travel
Headset	FSA Hammer, Threadless 1-1/8", CrMo lower cup
Rims	Weinmann Viper 24", 36H
Hubs (F/R)	Alloy Disc, Nuted
Tires	Kenda K-Rad 24X2.30
Spokes	14G black 36X36
Derailleur, Front	Suntour
Derailleur, Rear	Sram X3
Shifters	Sram X-3 Trigger
Chain	KMC Z72
Crankset	Alloy forged, 32/22T, 170mm w/Black resin bash guard
BB	Cartridge bearing, Power splined
Freewheel / Cassette	Shimano, 14-28T, 7-Speed, FW
Pedals	Free Agent Nylon Platform, 9/16
Seatpost	KHS Alloy 2 bolt 31.6x350mm
Saddle	KHS Dirt Jump
Handlebar	640mm wide X 30mm rise, 5 degree
Stem	10 degree 4-bolt
Handlebar tape/Grips	KHS Sport, Dual Compound
Brake Levers	Alloy lever, alloy bracket, Knee Saver, 2F
Brakes	Bengal MB606 cable disc w/160mm rotor
Color	Matte Charcoal Gray
Frame Size	1-Size

PART # MODEL SIZE COLOR

94-142-001	DJTwentyFour	One Size	Matte Charcoal Gray
------------	--------------	----------	---------------------



GEOMETRY

SIZE nominal	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
13"	285 / 11.2	69.5	73.5	508 / 20	403 / 15.9	310 / 12.2	668 / 26.3	120 / 4.7	357 / 14.1	510 / 20.1

4 SEASON

3000



FEATURES

The bike that rolls anywhere it wants!

20 Speed

6061 Alloy frame


Vee 26x4 120 tpi tires

New or Changed for 2014

New model for 2014

MSRP: \$1699-1799

PART #	MODEL	SIZE	COLOR
94-211-001	4-Season 3000	15"	Black
94-211-002	4-Season 3000	17"	Black
94-211-003	4-Season 3000	19"	Black
94-211-004	4-Season 3000	21"	Black




GEOMETRY

SIZE nominal	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
--------------	-----------	--------	--------	---------------	-------	-------------	--------	---------	---------	---------

BIKE SPECS

Frame	Alloy 6061 w/custom formed TT, w/replaceable derailleur hanger
Rear Shock	N/A
Fork	CrMo Straight Blade
Headset	FSA #11G Zero Stack
Rims	Weinmann HL80, Double Wall Drilled, 26x32H
Hubs (F/R)	Alloy disc, QR, RR: Cassette
Tires	Vee Rubber Mission, 26X4.0, 120 tpi, Folding
Spokes	14G Black, 32X32
Derailleur, Front	Sram X7
Derailleur, Rear	Sram X9 Type 2
Shifters	Sram X5 Trigger
Chain	KMC X10 W/Missing Link
Crankset	KHS 2pc forged w/outboard bearing, 36x22
BB	Outboard cartridge bearing
Freewheel / Cassette	Sram PG-1030, 11-36T, 10-speed
Pedals	N/A
Seatpost	KHS Alloy micro-adjust, 31.6X350mm
Saddle	WTB Volt Comp
Handlebar	Alloy Flat Riser, 31.8, 700X10mm
Stem	Alloy 3D Forged, 31.8 O/S
Handlebar tape/Grips	Q2 Lock-on
Brake Levers	Avid FR-5 Alloy
Brakes	Avid BB7 mechanical disc, w/180/160mm rotors
Color	Gloss Black
Frame Size	15,17,19,21


COMFORT SMOOTHIE



FEATURES

7 Speed
6061 Alloy w/Easy Ride™ frame technology
Shimano drivetrain
Manhattan Comfort saddle
MSRP: \$449-489

PART #	MODEL	SIZE	COLOR
94-129-001	Smoothie	Regular	Black
94-129-002	Smoothie	Regular	Red
94-129-003	Smoothie	Large	Black
94-129-004	Smoothie	Large	Red
94-129-005	Smoothie	Ladies	Cream
94-129-006	Smoothie	Ladies	Matte Black
94-129-007	Smoothie	Ladies	Baby Blue
94-129-008	Smoothie	Ladies	Pink
94-129-009	Smoothie	Ladies	Mint Green



GEOMETRY

SIZE nominal	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
R	356 / 14	67	67	634 / 25	566 / 22.3	302 / 11.9	824 / 32.4	228 / 9	273 / 10.8	620 / 24.4
L	432 / 17	67	65	686 / 27	566 / 22.3	302 / 11.9	852 / 33.5	254 / 10	288 / 11.4	644 / 25.3
Ladies	305 / 12	67	67	634 / 25	566 / 22.3	302 / 11.9	667 / 26.3	200 / 7.9	284 / 11.2	594 / 23.4

BIKE SPECS

Frame	Alloy 6061, TIG Welded
Rear Shock	N/A
Fork	Hi-Tensile unicrown
Headset	1-1/8" Threaded
Rims	Alloy 26"
Hubs (F/R)	Alloy, QR RR: Freewheel
Tires	KHS 26x1.95, w/K-shield
Spokes	14G Stainless 36X36
Derailleur, Front	N/A
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano Revo
Chain	KMC Z7
Crankset	Alloy Forged 42T, 170mm
BB	Cartridge bearing
Freewheel / Cassette	Shimano 14-34T, 7-speed, Mega Range Freewheel
Pedals	Platform w/Non-slip Tread
Seatpost	Alloy micro adjust, 27.2
Saddle	Manhattan Comfort
Handlebar	Alloy 95mm rise/640mm
Stem	Alloy Adjustable Angle, Tall
Handlebar tape/Grips	Comfort Dual Density
Brake Levers	Tektro alloy
Brakes	Tektro Alloy Linear Pull, Long Reach
Color	Men's: Black, Red Ladies: Cream, Flat Black, Baby Blue, Pink, Mint Green
Frame Size	Regular, Large, Ladies: Step Through

COMFORT


SMOOTHIE 3SPEED



FEATURES

3 Speed
6061 Alloy w/Easy Ride™ frame technology
Shimano Nexus 3 speed hub
Manhattan Comfort saddle
MSRP: \$479-519

PART #	MODEL	SIZE	COLOR
94-129-010	Smoothie 3-Speed	Regular	Deep Red
94-129-011	Smoothie 3-Speed	Ladies	Tangerine



GEOMETRY

SIZE nominal	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
R	356 / 14	67	67	634 / 25	566 / 22.3	302 / 11.9	824 / 32.4	228 / 9	273 / 10.8	620 / 24.4
Ladies	305 / 12	67	67	634 / 25	566 / 22.3	302 / 11.9	667 / 26.3	200 / 7.9	284 / 11.2	594 / 23.4

BIKE SPECS

Frame	Alloy 6061, TIG welded
Rear Shock	N/A
Fork	Hi-Tensile unicrown
Headset	1-1/8" Threaded
Rims	Weinmann Alloy
Hubs (F/R)	Alloy Ft, Shimano Nexus RR w/ Coaster Brake
Tires	KHS 26x1.95, w/K-shield, 30TPI
Spokes	14G Stainless 36X36
Derailleur, Front	N/A
Derailleur, Rear	Shimano Inter-3
Shifters	Microshift Twist, 3-speed
Chain	KMC Z410
Crankset	Alloy Forged 42T, 170mm
BB	Cartridge bearing
Freewheel / Cassette	Shimano 18T
Pedals	Platform w/Non-slip Tread
Seatpost	Alloy micro adjust, 27.2
Saddle	Manhattan Comfort
Handlebar	Alloy 95mm rise/640mm
Stem	Alloy Adjustable Angle, Tall
Handlebar tape/Grips	Comfort Dual Density
Brake Levers	Tektro alloy
Brakes	Tektro Alloy Linear Pull, Long Reach FT, Rear Coaster
Color	Men's: Red Ladies: Tangerine
Frame Size	Regular, Ladies: Step Through

HYBRID/COMFORT

TC 150



FEATURES

21 Speed

6061 Alloy frame

Weinmann doublewall rims

Shimano drivetrain

New or Changed for 2014

SR/Suntour SF-3020, 63mm fork

CST C1605, 26x1.90 tires

Shimano FC-M171, 48/38/28 w/CG crank

Platform w/Non-slip Tread pedals

MSRP: \$459-499


PART #	MODEL	SIZE	COLOR
94-183-001	TC150	15"	Black
94-183-002	TC150	15"	Matte Gray Blue
94-183-003	TC150	17"	Black
94-183-004	TC150	17"	Matte Gray Blue
94-183-005	TC150	19"	Black
94-183-006	TC150	19"	Matte Gray Blue
94-183-007	TC150	21"	Black
94-183-008	TC150	21"	Matte Gray Blue
94-183-009	TC150 Ladies	16"	Matte Shale Gray
94-183-010	TC150 Ladies	16"	Ruby Pearl Gloss

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	350 / 13.8	70	72	545 / 21.5	425 / 16.7	295 / 11.6	710 / 28	140 / 5.5	361 / 14.2	568 / 22.3
17"	400 / 15.7	70	72	560 / 22	425 / 16.7	295 / 11.6	747 / 29.4	160 / 6.3	370 / 14.6	586 / 23.1
19"	450 / 17.7	70	72	575 / 22.6	425 / 16.7	295 / 11.6	783 / 30.8	185 / 7.3	377 / 14.8	610 / 24
21"	490 / 19.3	70	72	590 / 23.2	425 / 16.7	295 / 11.6	809 / 31.9	200 / 7.9	387 / 15.2	624 / 24.6
16L	375 / 14.8	70	72	535 / 21.1	425 / 16.7	295 / 11.6	0 / 0	145 / 5.7	349 / 13.7	572 / 22.5

BIKE SPECS

Frame	Alloy 6061, TIG welded
Rear Shock	N/A
Fork	SR/Suntour SF-3020, 63mm
Headset	1-1/8" Threaded
Rims	Weinmann, Alloy, Doublewall, 26x32H
Hubs (F/R)	Formula, Alloy, QR, RR: Freewheel
Tires	CST C1605, 26x1.90"
Spokes	14G Stainless 32X32
Derailleur, Front	Shimano TX-51
Derailleur, Rear	Shimano Altus
Shifters	Shimano ST-EF51
Chain	KMC Z7
Crankset	Shimano FC-M171, 48/38/28 w/CG
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 14-34T, 7-speed, Mega Range Freewheel
Pedals	Platform w/Non-slip Tread
Seatpost	Post Modern Solo alloy Suspension, 27.2X350mm
Saddle	KHS Wide Comfort, Dual Density w/Elastomer Spring & Reflective Back
Handlebar	Alloy 80mm Rise, 640mm
Stem	Alloy Quill, 25 Degree
Handlebar tape/Grips	Comfort Dual Density
Brake Levers	Shimano ST-EF51
Brakes	Promax Alloy linear pull
Color	Black, Matte Gray Blue Ladies: Matte Shale Gray, Ruby Pearl Gloss
Frame Size	Men's: 15,17,19,21 Ladies: 16



HYBRID/COMFORT

TC 100



FEATURES

21 Speed

Hi-Tensile Steel, TIG welded frame

Hi-Tensile fork

Shimano drivetrain

New or Changed for 2014

CST C1605, 26x1.90 tires

Shimano FC-M131, 48/38/28 w/CG crank

Platform w/Non-slip Tread pedals

MSRP: \$389-419


PART #	MODEL	SIZE	COLOR
94-182-001	TC100	15"	Matte Black
94-182-002	TC100	15"	Silver
94-182-003	TC100	17"	Matte Black
94-182-004	TC100	17"	Silver
94-182-005	TC100	19"	Matte Black
94-182-006	TC100	19"	Silver
94-182-007	TC100	21"	Matte Black
94-182-008	TC100	21"	Silver
94-182-009	TC100 Ladies	16"	Matte Black
94-182-010	TC100 Ladies	16"	Pearl Burgundy

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	350 / 13.8	70	72	545 / 21.5	425 / 16.7	295 / 11.6	700 / 27.6	140 / 5.5	576 / 22.7	521 / 20.5
17"	400 / 15.7	70	72	560 / 22	425 / 16.7	295 / 11.6	734 / 28.9	160 / 6.3	385 / 15.1	539 / 21.2
19"	450 / 17.7	70	72	575 / 22.6	425 / 16.7	295 / 11.6	767 / 30.2	185 / 7.3	392 / 15.4	563 / 22.2
21"	490 / 19.3	70	72	590 / 23.2	425 / 16.7	295 / 11.6	792 / 31.2	200 / 7.9	403 / 15.8	577 / 22.7
16L"	375 / 14.8	70	72	535 / 21.1	425 / 16.7	295 / 11.6	0 / 0	145 / 5.7	364 / 14.3	525 / 20.7

BIKE SPECS

Frame	Hi-Tensile Steel, TIG welded
Rear Shock	N/A
Fork	Hi-Tensile unicrown
Headset	1-1/8" Threaded
Rims	Weinmann Alloy, 26x32H
Hubs (F/R)	Formula, Alloy, QR, RR: Freewheel
Tires	CST C1605, 26x1.90"
Spokes	14G Stainless 32X32
Derailleur, Front	Shimano TX-51
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano Revo
Chain	KMC Z7
Crankset	Shimano FC-M131, 48/38/28 w/CG
BB	Cartridge bearing
Freewheel / Cassette	Shimano 14-34T, 7-speed, Mega Range Freewheel
Pedals	Platform w/Non-slip Tread
Seatpost	Post Modern Solo alloy Suspension, 25.4X350mm
Saddle	KHS Wide Comfort, Dual Density w/Elastomer Spring & Reflective Back
Handlebar	80mm rise/640mm
Stem	Alloy Quill, 25 Degree
Handlebar tape/Grips	Comfort Dual Density
Brake Levers	Promax Alloy linear pull
Brakes	Promax Alloy linear pull
Color	Matte Black, Silver Ladies: Black, Pearl Burgundy
Frame Size	Men's: 15,17,19,21 Ladies: 16



HYBRID/COMFORT

WESTWOOD



FEATURES

21 Speed

6061 Alloy frame

Post Modern Solo alloy Suspension seatpost

Weinmann doublewall, 700 wheels

New or Changed for 2014

SR/Suntour SF-3010, 50mm fork

Shimano FC-M171, 48/38/28 w/CG crank

Platform w/Non-slip Tread pedals

MSRP: \$449-489


PART #	MODEL	SIZE	COLOR
94-185-001	Westwood	15"	Black
94-185-002	Westwood	15"	Matte Shale Gray
94-185-003	Westwood	17"	Black
94-185-004	Westwood	17"	Matte Shale Gray
94-185-005	Westwood	19"	Black
94-185-006	Westwood	19"	Matte Shale Gray
94-185-007	Westwood	21"	Black
94-185-008	Westwood	21"	Matte Shale Gray
94-185-009	Westwood Ladies	14"	Turquoise Gloss
94-185-010	Westwood Ladies	14"	Matte Shale Gray
94-185-011	Westwood Ladies	17"	Turquoise Gloss
94-185-012	Westwood Ladies	17"	Matte Shale Gray

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	350 / 13.8	71	74	545 / 21.5	440 / 17.3	310 / 12.2	735 / 29	125 / 4.9	371 / 14.6	599 / 23.6
17"	400 / 15.7	71	74	555 / 21.9	440 / 17.3	310 / 12.2	769 / 30.3	135 / 5.3	380 / 14.9	610 / 24
19"	450 / 17.7	72	73	575 / 22.6	440 / 17.3	310 / 12.2	803 / 31.6	145 / 5.7	384 / 15.1	623 / 24.5
21"	500 / 19.7	72	73	585 / 23	440 / 17.3	310 / 12.2	835 / 32.9	160 / 6.3	390 / 15.3	638 / 25.1
14"L	325 / 12.8	71	74	540 / 21.3	440 / 17.3	310 / 12.2	0 / 0	135 / 5.3	365 / 14.4	610 / 24
17"L	400 / 15.7	71	74	550 / 21.7	440 / 17.3	310 / 12.2	0 / 0	145 / 5.7	372 / 14.6	619 / 24.4

BIKE SPECS

Frame	Alloy 6061, TIG welded
Rear Shock	N/A
Fork	SR/Suntour SF-3010, 50mm
Rims	Weinmann Alloy, Doublewall, 700c
Hubs (F/R)	Formula, Alloy, QR, RR: Freewheel
Tires	Kenda 700x38c, w/K-shield
Spokes	14G Stainless 32X32
Derailleur, Front	Shimano TX-51
Derailleur, Rear	Shimano Altus
Shifters	Shimano ST-EF51
Chain	KMC Z7
Crankset	Shimano FC-M171, 48/38/28 w/CG
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 7-speed Mega Range Freewheel, 14-34T
Pedals	Platform w/Non-slip Tread
Seatpost	Post Modern Solo alloy Suspension, 27.2X350L
Saddle	KHS Wide Comfort, Dual Density w/Elastomer Spring & Reflective Back
Handlebar	Alloy, 80mm Risex640mm
Stem	Alloy Quill, 25 Degree Rise
Handlebar tape/Grips	Comfort Dual Density
Brake Levers	Shimano ST-EF51
Brakes	Promax Alloy linear pull
Color	Black, Matte Shale Gray Ladies: Turquoise Gloss, Matte Shale Gray
Frame Size	Men's: 15,17,19,21 Ladies: 14,17



HYBRID/COMFORT

BRENTWOOD



FEATURES

21 Speed

Hi-Tensile Steel, TIG welded frame

Hi-Tensile fork

Shimano drivetrain

New or Changed for 2014

Shimano FC-M131, 48/38/28 w/CG crank
Platform w/Non-slip Tread pedals

MSRP: \$369-399


PART #	MODEL	SIZE	COLOR
94-184-001	Brentwood	15"	Matte Black
94-184-002	Brentwood	15"	Steel Blue/Silver
94-184-003	Brentwood	17"	Matte Black
94-184-004	Brentwood	17"	Steel Blue/Silver
94-184-005	Brentwood	17"	Siraz Red Gloss
94-184-006	Brentwood	19"	Matte Black
94-184-007	Brentwood	19"	Steel Blue/Silver
94-184-008	Brentwood	19"	Siraz Red Gloss
94-184-009	Brentwood	21"	Matte Black
94-184-010	Brentwood	21"	Steel Blue/Silver
94-184-011	Brentwood	23"	Matte Black
94-184-012	Brentwood	25"	Matte Black

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/effctv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	350 / 13.8	71	74	543 / 21.4	440 / 17.3	295 / 11.6	709 / 27.9	125 / 4.9	387 / 15.2	543 / 21.4
17"	400 / 15.7	71	74	555 / 21.9	440 / 17.3	295 / 11.6	740 / 29.1	135 / 5.3	397 / 15.6	553 / 21.8
19"	450 / 17.7	72	73	575 / 22.6	440 / 17.3	295 / 11.6	772 / 30.4	145 / 5.7	402 / 15.8	566 / 22.3
21"	500 / 19.7	72	73	585 / 23	440 / 17.3	295 / 11.6	805 / 31.7	160 / 6.3	408 / 16	581 / 22.9
23"	550 / 21.7	72	73	594 / 23.4	440 / 17.3	295 / 11.6	833 / 32.8	170 / 6.7	414 / 16.3	590 / 23.2
25"	600 / 23.6	72	73	605 / 23.8	440 / 17.3	295 / 11.6	863 / 34	180 / 7.1	422 / 16.6	600 / 23.6

BIKE SPECS

Frame	Hi-Tensile Steel, TIG welded
Rear Shock	N/A
Fork	Hi-Tensile unicrown
Headset	1-1/8" Threaded
Rims	Weinmann Alloy, 700c
Hubs (F/R)	Formula, Alloy, QR, RR: Freewheel
Tires	Kenda 700x38c, w/K-shield
Spokes	14G Stainless 32X32
Derailleur, Front	Shimano TX-51
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano Revo
Chain	KMC Z7
Crankset	Shimano FC-M131, 48/38/28 w/CG
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 14-34T, 7-speed, Mega Range Freewheel
Pedals	Platform w/Non-slip Tread
Seatpost	Post Modern Solo alloy Suspension, 25.4X350L
Saddle	KHS Wide Comfort, Dual Density w/Elastomer Spring & Reflective Back
Handlebar	80mm Risex640mm, Steel
Stem	Alloy, 25 Degree Quill
Handlebar tape/Grips	Comfort Dual Density
Brake Levers	Promax Alloy linear pull
Brakes	Promax Alloy linear pull
Color	Matte Black, Steel Blue/Silver, Siraz Red Gloss
Frame Size	Black: 15,17,19,21,23,25 Blue/Silver: 15,17,19,21 Red: 17,19



HYBRID/COMFORT

BRENTWOOD-LADIES



FEATURES

21 Speed

Hi-Tensile Steel, TIG welded frame

Hi-Tensile fork

Shimano drivetrain

New or Changed for 2014


Shimano FC-M131, 48/38/28 w/CG crank
Platform w/Non-slip Tread pedals

MSRP: \$369-399

BIKE SPECS

Frame	Hi-Tensile Steel, TIG welded
Rear Shock	N/A
Fork	Hi-Tensile uncrown
Headset	1-1/8" Threaded
Rims	Weinmann Alloy, 700c
Hubs (F/R)	Formula, Alloy, QR, RR: Freewheel
Tires	Kenda 700x38c, w/K-shield
Spokes	14G Stainless 32X32
Derailleur, Front	Shimano TX-51
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano Revo
Chain	KMC Z7
Crankset	Shimano FC-M131, 48/38/28 w/CG
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 14-34T, 7-speed, Mega Range Freewheel
Pedals	Platform w/Non-slip Tread
Seatpost	Post Modern Solo alloy Suspension, 25.4X350L
Saddle	KHS Wide Comfort, Dual Density w/Elastomer Spring & Reflective Back
Handlebar	80mm Risex640mm, Steel
Stem	Alloy, 25 Degree Quill
Handlebar tape/Grips	Comfort Dual Density
Brake Levers	Promax Alloy linear pull
Brakes	Promax Alloy linear pull
Color	Ladies: Matte Black, Periwinkle/Silver, Teal
Frame Size	Ladies 14, 17

PART #	MODEL	SIZE	COLOR
94-184-013	Brentwood Ladies	14"	Matte Black
94-184-014	Brentwood Ladies	14"	Periwinkle/Silver
94-184-015	Brentwood Ladies	14"	Teal
94-184-016	Brentwood Ladies	17"	Matte Black
94-184-017	Brentwood Ladies	17"	Periwinkle/Silver
94-184-018	Brentwood Ladies	17"	Teal



GEOMETRY

SIZE nominal	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
14"L	325 / 12.8	70	73	540 / 21.3	440 / 17.3	295 / 11.6	0 / 0	145 / 5.7	369 / 14.5	558 / 22
17"L	400 / 15.7	70	73	550 / 21.7	440 / 17.3	295 / 11.6	0 / 0	145 / 5.7	379 / 14.9	558 / 22

COMMUTER

GREEN 8 DELUXE



FEATURES

8 Speed


Reynolds 520 DB CrMo frame

Full Crmo unicrown fork w/Disc

Bengal mechanical Disc ft brake, Nexus Hub Roller rear brake

MSRP: \$899-979

PART #	MODEL	SIZE	COLOR
89-014-413	Green 8 DLX	17"	Black
89-014-423	Green 8 DLX	20"	Black
89-014-433	Green 8 DLX	23"	Black



GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/l	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
17"	430 / 16.9	72	73	556 / 21.9	448 / 17.6	295 / 11.6	738 / 29	80 / 3.1	402 / 15.8	503 / 19.8
20"	508 / 20	72	73	570 / 22.4	448 / 17.6	295 / 11.6	777 / 30.6	80 / 3.1	416 / 16.4	503 / 19.8
23"	584 / 23	72	73	599 / 23.6	448 / 17.6	295 / 11.6	838 / 33	140 / 5.5	428 / 16.9	560 / 22

BIKE SPECS

Frame	Reynolds 520 DB CrMo tubing w/curved seatstays and carrier bosses
Rear Shock	N/A
Fork	Full CrMo unicrown, low-rider and fender bosses w/Disc
Headset	1" Threaded
Rims	Weinmann X Star 18, 700x36H, Alloy Doublewall
Hubs (F/R)	FT: Alloy disc QR, RR: Shimano Nexus inter 8 premium 8-speed
Tires	Kenda 700X32c, w/K-shield
Spokes	14G Stainless, 36X36
Derailleur, Front	N/A
Derailleur, Rear	Shimano Nexus inter 8 premium
Shifters	Shimano Trigger, STI, ST-8520
Chain	KMC Z410
Crankset	Alloy Forged, 40T, 170mm
BB	Cartridge bearing
Freewheel / Cassette	Shimano 18T
Pedals	Vintage Alloy
Seatpost	Alloy micro-adjust, 25.4X300mm
Saddle	KHS City Men's
Handlebar	Alloy Touring
Stem	Alloy Quill
Handlebar tape/Grips	Comfort
Brake Levers	Tektro Alloy, 4-Finger
Brakes	Bengal mechanical Disc w/160mm Rotor Ft, Shimano Hub Roller Rr
Color	Black
Frame Size	17,20,23

COMMUTER

GREEN 8



FEATURES

8 speed


Reynolds 520 DB CrMo tubing frame w/carrier bosses

Shimano Nexus 8 speed rear hub

Weinmann X Star 18, Alloy Doublewall rims

MSRP: \$699-769

PART #	MODEL	SIZE	COLOR
89-014-313	Green 8	17"	Merlot
89-014-323	Green 8	20"	Merlot
89-014-333	Green 8	23"	Merlot
89-014-343	Green 8 Ladies	14"L	Silver
89-014-353	Green 8 Ladies	17"L	Silver



GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
17"	430 / 16.9	72	73	556 / 21.9	448 / 17.6	295 / 11.6	738 / 29	80 / 3.1	402 / 15.8	503 / 19.8
20"	508 / 20	72	73	570 / 22.4	448 / 17.6	295 / 11.6	777 / 30.6	80 / 3.1	416 / 16.4	503 / 19.8
23"	584 / 23	72	73	599 / 23.6	448 / 17.6	295 / 11.6	838 / 33	140 / 5.5	428 / 16.9	560 / 22
14"L	356 / 14	72	73.5	541 / 21.3	448 / 17.6	295 / 11.6	0 / 0	160 / 6.3	370 / 14.6	579 / 22.8
17"L	430 / 16.9	72	73	555 / 21.8	448 / 17.6	295 / 11.6	0 / 0	160 / 6.3	378 / 14.9	579 / 22.8
17"L Mixte	430 / 16.9	72	73	556 / 21.9	448 / 17.6	295 / 11.6	0 / 0	100 / 3.9	396 / 15.6	522 / 20.6

BIKE SPECS

Frame	Reynolds 520 DB CrMo tubing w/curved seatstays and carrier bosses
Rear Shock	N/A
Fork	Full CrMo uncrown, low-rider and fender bosses w/Disc
Headset	1" Threaded
Rims	Weinmann X Star 18, 700x36H, Alloy Doublewall
Hubs (F/R)	FT: Alloy QR, Disc Ready, RR: Shimano Nexus 8-speed Freewheel
Tires	Kenda 700X32c, w/K-shield
Spokes	14G Stainless, 36X36
Derailleur, Front	N/A
Derailleur, Rear	Shimano Inter-8, F/W
Shifters	Shimano Twist, 8-speed
Chain	KMC Z410
Crankset	Alloy Forged, 44T, 170mm
BB	Cartridge bearing
Freewheel / Cassette	Shimano 19T
Pedals	Vintage Alloy
Seatpost	Alloy micro-adjust, 25.4X300mm
Saddle	KHS City
Handlebar	Alloy Touring
Stem	Alloy Quill
Handlebar tape/Grips	Comfort
Brake Levers	Tektro Alloy, 4-Finger
Brakes	Alloy Dual Pivot
Color	Men's: Merlot Ladies: Silver
Frame Size	Men's: 17,20,23 Ladies: 14,17

COMMUTER

GREEN 8E



FEATURES

- 8 Speed
- Tig-welded Hi-Tensile Steel
- 8 Speed Cassette
- Rear Rack and Fenders

New or changed for 2014

New Model for 2014

MSRP:\$449-489


PART #	MODEL	SIZE	COLOR
89-014-050	Green 8e	17	Black
89-014-051	Green 8e	17	Cream
89-014-052	Green 8e	20	Black
89-014-053	Green 8e	20	Cream
89-014-054	Green 8e	23	Black
89-014-055	Green 8e	23	Cream
89-014-056	Green 8e Ladies	14L Mixte	Light Mint
89-014-057	Green 8e Ladies	14L	Red
89-014-058	Green 8e Ladies	17L Mixte	Light Mint
89-014-059	Green 8e Ladies	17L	Red

GEOMETRY

FRAME SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	G rake	H s.o.	I h/t L
14"L	356 / 14	72	73.5	542 / 21.3	446 / 17.6	295 / 11.6	50 / 2	0 / 0	160 / 6.3
17"	430 / 16.9	72	73	556 / 21.9	446 / 17.6	296 / 11.6	50 / 2	741 / 29.2	90 / 3.5
17"L	430 / 16.9	72	73	555 / 21.9	446 / 17.6	295 / 11.6	50 / 2	0 / 0	160 / 6.3
17"L MX	430 / 16.9	72	73	556 / 21.9	446 / 17.6	296 / 11.6	50 / 2	0 / 0	100 / 3.9
20"	508 / 20	72	73	570 / 22.4	446 / 17.6	296 / 11.6	50 / 2	779 / 30.7	90 / 3.5
23"	584 / 23	72	73	600 / 23.6	446 / 17.6	296 / 11.6	50 / 2	839 / 33	140 / 5.5

BIKE SPECS

Frame	TIG-welded Hi-Tensile steel
Rear Shock	N/A
Fork	Hi-Tensile Unicrown
Headset	1" Threaded
Rims	Weinmann ZAC-19, Doublewall
Hubs (F/R)	Alloy Nuted Cassette, RR: Freewheel
Tires	Kenda 700X38c
Spokes	14G Stainless, 36X36
Derailleur, Front	N/A
Derailleur, Rear	Shimano Altus
Shifters	Microshift TS-70 Trigger
Chain	KMC Z8
Crankset	Alloy Forged, 48T, 170mm
BB	Cartridge bearing
Freewheel / Cassette	Shimano CS HG31-8 11-34T, 8-speed
Pedals	Vintage Platform
Seatpost	Alloy 25.4 x 300mm
Saddle	KHS City
Handlebar	Steel Touring
Stem	Alloy Quill
Handlebar tape/Grips	Comfort
Brake Levers	Promax Alloy Linear Pull
Brakes	Promax Alloy Linear Pull
Color	Men's: Cream, Black Ladies: Red Low Step, Light Mint Mixte
Frame Size	Men's: 17,20,23 Ladies: 14,17 Mixte: 14, 17



59

All specs are subject to change without notice.



COMMUTER

GREEN 3



FEATURES

3 Speed
Hi-Tensile steel frame
Shimano Nexus 3 speed hub
Steel fork
MSRP: \$399-439


PART #	MODEL	SIZE	COLOR
89-014-113	Green 3	17	Black
89-014-114	Green 3	17	Dark Blue
89-014-123	Green 3	20	Black
89-014-124	Green 3	20	Dark Blue
89-014-133	Green 3	23	Black
89-014-134	Green 3	23	Dark Blue
89-014-143	Green 3 Ladies	14L	Cream
89-014-144	Green 3 Ladies	14L	Black
89-014-153	Green 3 Ladies	17L	Cream
89-014-154	Green 3 Ladies	17L	Black

BIKE SPECS

Frame	TIG-welded Hi-Tensile steel
Rear Shock	N/A
Fork	Hi-Tensile Unicrown
Headset	1" Threaded
Rims	Weinmann ZAC-19, Doublewall
Hubs (F/R)	FT: Alloy Nexus 3-speed freewheel
Tires	Kenda 700X38c
Spokes	14G Stainless, 36X36
Derailleur, Front	N/A
Derailleur, Rear	Shimano Inter-3,
Shifters	Microshift Twist, 3-speed
Chain	KMC Z410
Crankset	Alloy Forged, 40T, 170mm
BB	Cartridge bearing
Freewheel / Cassette	Shimano 18T
Pedals	Vintage Platform
Seatpost	Alloy 25.4 x 300mm
Saddle	KHS City
Handlebar	Steel Touring
Stem	Alloy Quill
Handlebar tape/Grips	Comfort
Brake Levers	Promax Alloy Linear Pull
Brakes	Promax Alloy Linear Pull
Color	Men's: Black, Dark Blue Ladies: Cream, Black
Frame Size	Men's: 17,20,23 Ladies: 14,17

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
17"	430 / 16.9	72	73	556 / 21.9	448 / 17.6	295 / 11.6	738 / 29	80 / 3.1	402 / 15.8	503 / 19.8
20"	508 / 20	72	73	570 / 22.4	448 / 17.6	295 / 11.6	777 / 30.6	80 / 3.1	416 / 16.4	503 / 19.8
23"	584 / 23	72	73	599 / 23.6	448 / 17.6	295 / 11.6	842 / 33.2	140 / 5.5	428 / 16.9	560 / 22.1
14"L	356 / 14	72	73.5	541 / 21.3	448 / 17.6	295 / 11.6	0 / 0	160 / 6.3	370 / 14.6	579 / 22.8
17"L	430 / 16.9	72	73	555 / 21.8	448 / 17.6	295 / 11.6	0 / 0	160 / 6.3	378 / 14.9	579 / 22.8



60

All specs are subject to change without notice.



COMMUTER GREEN 1



FEATURES

Single Speed

Tig-welded Hi-Tensile Steel

Rear Rack and Fenders

New or changed for 2014

New Model for 2014

MSRP: \$319-349


PART #	MODEL	SIZE	COLOR
89-014-020	Green 1	17	Green
89-014-023	Green 1	20	Green
89-014-025	Green 1	23	Green
89-014-028	Green 1 Ladies	14L	Light Blue
89-014-030	Green 1 Ladies	17L	Light Blue

BIKE SPECS

Frame	TIG-welded Hi-Tensile steel
Rear Shock	N/A
Fork	Hi-Tensile Unicrown
Headset	1" Threaded
Rims	Weinmann ZAC-19, Doublewall
Hubs (F/R)	Alloy Nuted RR: Freewheel
Tires	Kenda 700x38c
Spokes	14G Stainless, 36x36
Derailleur, Front	N/A
Derailleur, Rear	N/A
Shifters	N/A
Chain	KMC Z410
Crankset	Alloy Forged, 44T, 170mm
BB	Cartridge bearing
Freewheel / Cassette	18T Freewheel
Pedals	Vintage Platform
Seatpost	Alloy 25.4 x 300mm
Saddle	KHS City
Handlebar	Steel Touring
Stem	Alloy Quill
Handlebar tape/Grips	Comfort
Brake Levers	Promax Alloy Linear Pull
Brakes	Promax Alloy Linear Pull
Color	Men's: Green Ladies: Light Blue
Frame Size	Men's: 17, 20, 23 Ladies: 14, 17

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
17"	430 / 16.9	72	73	556 / 21.9	448 / 17.6	295 / 11.6	738 / 29	80 / 3.1	402 / 15.8	503 / 19.8
20"	508 / 20	72	73	570 / 22.4	448 / 17.6	295 / 11.6	777 / 30.6	80 / 3.1	416 / 16.4	503 / 19.8
23"	584 / 23	72	73	599 / 23.6	448 / 17.6	295 / 11.6	842 / 33.2	140 / 5.5	428 / 16.9	560 / 22.1
14"L	356 / 14	72	73.5	541 / 21.3	448 / 17.6	295 / 11.6	0 / 0	160 / 6.3	370 / 14.6	579 / 22.8
17"L	430 / 16.9	72	73	555 / 21.8	448 / 17.6	295 / 11.6	0 / 0	160 / 6.3	378 / 14.9	579 / 22.8



61

All specs are subject to change without notice.



URBAN XTREME



FEATURES

24 Speed

Reynolds 520 DB CrMo frame w/Disc mounts

Shimano Claris

Bengal MB-700T Mechanical Disc Brake

New or Changed for 2014

Threadless, 1-1/8 headset

Maxxis Columbiere, 700x32C, Silk Worm Puncture Protection tires

Shimano Claris front derailleur

Shimano Claris STI shifters

Shimano Acera rear derailleur

Shimano FC2450, Claris, 50/34 crank

KHS Urban Sport

MSRP: \$799-869


PART #	MODEL	SIZE	COLOR
94-174-001	Urban Xtreme	S	Matte Midnight Gray
94-174-002	Urban Xtreme	M	Matte Midnight Gray
94-174-003	Urban Xtreme	L	Matte Midnight Gray
94-174-004	Urban Xtreme	XL	Matte Midnight Gray

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	495 / 19.5	71	73	533 / 21	432 / 17	282 / 11.1	779 / 30.7	120 / 4.7	366 / 14.4	547 / 21.5
M	534 / 21	72	73	558 / 22	432 / 17	282 / 11.1	806 / 31.7	135 / 5.3	385 / 15.2	565 / 22.2
L	572 / 22.5	72	73	580 / 22.8	432 / 17	282 / 11.1	835 / 32.9	160 / 6.3	400 / 15.8	589 / 23.2
XL	609 / 24	73	72	605 / 23.8	432 / 17	282 / 11.1	871 / 34.3	195 / 7.7	402 / 15.8	626 / 24.6

BIKE SPECS

Frame	Reynolds 520 DB CrMo tubing w/curved seatstays and carrier bosses w/Disc
Rear Shock	N/A
Fork	Unicrown, low-rider and fender bosses w/Disc
Headset	Threadless, 1-1/8
Rims	Weinmann X Star 18, 700x32H, Alloy Doublewall
Hubs (F/R)	Alloy Disc, QR, RR: Cassette
Tires	Maxxis Columbiere, 700x32C, Silk Worm Puncture Protection
Spokes	14G Black 32X32
Derailleur, Front	Shimano Claris
Derailleur, Rear	Shimano Acera
Shifters	Shimano Claris STI
Chain	KMC Z82
Crankset	Shimano FC2450, Claris, 50/34, Octalink
BB	Shimano ES25 Octalink
Freewheel / Cassette	Shimano CS-HG31, 11-30T, 8-speed
Pedals	KHS trekking, alloy body w/alloy cage
Seatpost	Alloy micro-adjust, 25.4X350mm
Saddle	KHS Urban Sport
Handlebar	KHS Alloy drop 31.8 O/S
Stem	KHS Alloy 3D Forged, 31.8 O/S
Handlebar tape/Grips	Cushion Tape
Brake Levers	Shimano Claris STI
Brakes	Bengal MB-700T Mechanical Disc Brake w/160mm Rotors
Color	Matte Midnight Gray
Frame Size	S,M,L,XL



URBAN XCEL



FEATURES

27 Speed

6061 Alloy frame w/ Disc Mount & Carrier Bosses

Shimano Alivio rear derailleur

FSA Tempo, 50/39/30T crank

New of Changed for 2014

6061 Alloy frame w/ Disc Mount & Carrier Bosses

Maxxis Overdrive, 700x35c w/Kevlar Inside tires

MicroShift FD-R639 front derailleur

FSA Tempo, 50/39/30T crank

KHS Ultra Comfort, Soft Shell saddle

MSRP: \$669-729


PART #	MODEL	SIZE	COLOR
94-173-001	Urban Xcel	S	Steel Blue
94-173-002	Urban Xcel	M	Steel Blue
94-173-003	Urban Xcel	L	Steel Blue
94-173-004	Urban Xcel	XL	Steel Blue

GEOMETRY

SIZE nominal	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	394 / 15.5	71	73.5	548 / 21.6	445 / 17.5	290 / 11.4	725 / 28.5	115 / 4.5	387 / 15.2	543 / 21.4
M	457 / 18	71	73.5	565 / 22.2	445 / 17.5	290 / 11.4	766 / 30.2	135 / 5.3	399 / 15.7	562 / 22.1
L	521 / 20.5	71	73.5	578 / 22.8	445 / 17.5	290 / 11.4	805 / 31.7	150 / 5.9	407 / 16	576 / 22.7
XL	584 / 23	71	73.5	590 / 23.2	445 / 17.5	290 / 11.4	846 / 33.3	170 / 6.7	414 / 16.3	595 / 23.4

BIKE SPECS

Frame	Alloy 6061 w/C/S Disc Mount & Carrier Bosses
Rear Shock	N/A
Fork	Full Crmo unicrown, low-rider and fender bosses w/Disc
Headset	Threadless, 1-1/8
Rims	Weinmann X Star 18, 700x32H, Alloy Doublewall
Hubs (F/R)	Alloy Disc, QR, RR: Cassette
Tires	Maxxis Overdrive, 700x35c w/Kevlar Inside
Spokes	14G Black 32X32
Derailleur, Front	MicroShift FD-R639
Derailleur, Rear	Shimano Alivio
Shifters	MicroShift TS73, 3X9 Triggers
Chain	KMC X9
Crankset	FSA Tempo, 50/39/30T
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG20, 11-34T, 9-speed
Pedals	KHS trekking, alloy body w/alloy cage
Seatpost	Alloy micro-adjust, 27.2X350mm
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Alloy, 30mm Rise, 600mm, 10 Degree
Stem	Alloy threadless, 25d, 4-bolt
Handlebar tape/Grips	Dual density
Brake Levers	Alloy forged trekking
Brakes	Bengal MB-606 Mechanical Disc Brake w/160mm Rotors
Color	Steel Blue
Frame Size	S,M,L,XL



URBAN XPRESS



FEATURES

27 Speed

Reynolds 520 DB CrMo frame carrier bosses

Maxxis Overdrive, 700x35c w/Kevlar Inside tires

FSA Tempo, 50/39/30T crank

New or Changed for 2014

Maxxis Overdrive, 700x35c w/Kevlar Insert tires

FSA Tempo, 50/39/30T crank

KHS Ultra Comfort, Soft Shell saddle

KMC X9 chain

MSRP: \$569-619


PART #	MODEL	SIZE	COLOR
94-172-001	Urban Xpress	S	Matte Black
94-172-002	Urban Xpress	S	Matte Silver
94-172-003	Urban Xpress	M	Matte Black
94-172-004	Urban Xpress	M	Matte Silver
94-172-005	Urban Xpress	L	Matte Black
94-172-006	Urban Xpress	L	Matte Silver
94-172-007	Urban Xpress	XL	Matte Black
94-172-008	Urban Xpress	XL	Matte Silver
94-172-009	Urban Xpress	XXL	Matte Black
94-172-010	Urban Xpress Ladies	S	Pearl Topaz
94-172-011	Urban Xpress Ladies	S	Pearl White
94-172-012	Urban Xpress Ladies	M	Pearl Topaz
94-172-013	Urban Xpress Ladies	M	Pearl White

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	394 / 15.5	71	74	548 / 21.6	450 / 17.7	290 / 11.4	740 / 29.1	115 / 4.5	392 / 15.4	543 / 21.4
M	457 / 18	71	74	565 / 22.2	450 / 17.7	290 / 11.4	778 / 30.6	135 / 5.3	404 / 15.9	562 / 22.1
L	521 / 20.5	71	74	578 / 22.8	450 / 17.7	290 / 11.4	815 / 32.1	150 / 5.9	413 / 16.3	576 / 22.7
XL	584 / 23	71	74	590 / 23.2	450 / 17.7	290 / 11.4	852 / 33.5	170 / 6.7	419 / 16.5	595 / 23.4
XXL	635 / 25	71	74	602 / 23.7	450 / 17.7	290 / 11.4	884 / 34.8	190 / 7.5	426 / 16.8	614 / 24.2
Ladies S	394 / 15.5	71	74	548 / 21.6	450 / 17.7	290 / 11.4	0 / 0	100 / 3.9	396 / 15.6	529 / 20.8
Ladies M	432 / 17	71	74	555 / 21.9	450 / 17.7	290 / 11.4	0 / 0	115 / 4.5	399 / 15.7	543 / 21.4


BIKE SPECS

Frame	Reynolds 520 DB CrMo Tubing w/curved seatstays and carrier bosses
Rear Shock	N/A
Fork	Full CrMo unicrown, low-rider and fender bosses
Headset	1-1/8" Threaded
Rims	Weinmann X Star 18, 700x32H, Alloy Doublewall
Hubs (F/R)	Formula, Alloy QR, RR: Cassette
Tires	Maxxis Overdrive, 700x35c w/Kevlar Insert
Spokes	14G Black 32X32
Derailleur, Front	MicroShift FD-R639
Derailleur, Rear	Shimano Acera
Shifters	MicroShift TS73, 3X9 Triggers
Chain	KMC X9
Crankset	FSA Tempo, 50/39/30T
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG20, 11-34T, 9-speed
Pedals	KHS trekking, alloy body w/alloy cage
Seatpost	KHS Alloy micro-adjust, 26.8X350mm
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Alloy, 30mm Rise, 600mm, 10 Degree
Stem	KHS Alloy Quill, 25D, 4-bolt
Handlebar tape/Grips	Dual density
Brake Levers	Alloy forged trekking
Brakes	Tektro 855AL, Alloy Linear Pull, Long Reach
Color	Matte Black, Matte Silver Ladies: Pearl White, Pearl Topaz
Frame Size	Men's Black: S,M,L,XL, 2XL Silver: S,M,L,XL Ladies: S,M



All specs are subject to change without notice.

URBAN XCAPE



FEATURES

24 Speed

Dbl Butted CrMo frame w/carrier bosses

Shimano drivetrain

KHS Ultra Comfort, Soft Shell saddle

New or Changed for 2014

Weinmann X Star 18, 700x32H, Alloy Doublewall rims

CST C-1429, 700X35 tires

Shimano FD-M191 front derailleur

Shimano ST-EF51 shifters

Shimano FC-M171, 48/38/28T, 170mm crank

MSRP: \$459-499


PART #	MODEL	SIZE	COLOR
94-171-001	Urban Xcape	S	Gloss Black
94-171-002	Urban Xcape	S	Cobalt Blue
94-171-003	Urban Xcape	M	Gloss Black
94-171-004	Urban Xcape	M	Cobalt Blue
94-171-005	Urban Xcape	L	Gloss Black
94-171-006	Urban Xcape	L	Cobalt Blue
94-171-007	Urban Xcape	XL	Gloss Black
94-171-008	Urban Xcape	XL	Cobalt Blue
94-171-009	Urban Xcape Ladies	S	Burgundy Gloss
94-171-010	Urban Xcape Ladies	S	Desert Sage Gloss
94-171-011	Urban Xcape Ladies	M	Burgundy Gloss
94-171-012	Urban Xcape Ladies	M	Desert Sage Gloss

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
S	394 / 15.5	71	74	548 / 21.6	450 / 17.7	290 / 11.4	740 / 29.1	115 / 4.5	392 / 15.4	543 / 21.4
M	457 / 18	71	74	565 / 22.2	450 / 17.7	290 / 11.4	778 / 30.6	135 / 5.3	404 / 15.9	562 / 22.1
L	521 / 20.5	71	74	578 / 22.8	450 / 17.7	290 / 11.4	815 / 32.1	150 / 5.9	413 / 16.3	576 / 22.7
XL	584 / 23	71	74	590 / 23.2	450 / 17.7	290 / 11.4	852 / 33.5	170 / 6.7	419 / 16.5	595 / 23.4
Ladies	394 / 15.5	71	74	548 / 21.6	450 / 17.7	290 / 11.4	0 / 0	100 / 3.9	396 / 15.6	529 / 20.8
Ladies	432 / 17	71	74	555 / 21.9	450 / 17.7	290 / 11.4	0 / 0	115 / 4.5	399 / 15.7	543 / 21.4

BIKE SPECS

Frame	4130 Dbl Butted CrMo tubing w/curved seatstays and carrier bosses
Rear Shock	N/A
Fork	Hi-Tensile unicrown w/CrMo steer tube
Headset	1-1/8 Threaded
Rims	Weinmann X Star 18, 700x32H, Alloy Doublewall
Hubs (F/R)	Alloy Disc, QR, RR: Cassette
Tires	CST C-1429, 700X35
Spokes	14G Stainless, 32X32
Derailleur, Front	Shimano FD-M191
Derailleur, Rear	Shimano Altus
Shifters	Shimano ST-EF51
Chain	KMC Z8
Crankset	Shimano FC-M171, 48/38/28T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31, 11-34T, 8-speed
Pedals	Resin platform
Seatpost	Alloy micro-adjust, 25.4X350mm
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Alloy, 30mm, 600mm, 10 Degree
Stem	KHS Alloy Quill, 25D, 4-bolt
Handlebar tape/Grips	Kraton
Brake Levers	Shimano ST-EF51
Brakes	Alloy linear pull
Color	Gloss Black, Cobalt Blue Ladies: Burgundy Gloss, Desert Sage Gloss
Frame Size	Men's: S,M,L,XL Ladies: S,M





FEATURES

24 speed

6061 Alloy w/ Disc Mount & Carrier Bosses

Kind Shock Suspension seatpost

Shimano drivetrain

New or Changed for 2014

6061 Alloy w/ Disc Mount & Carrier Bosses

CST Traveller, 700X40 tires

Kind Shock Suspension seatpost

KHS Ultra Comfort, Soft Shell saddle

Promax alloy linear pull brakes

MSRP: \$539-\$589


PART #	MODEL	SIZE	COLOR
94-170-001	Urban X	S	Matte Slate Grey
94-170-002	Urban X	S	Dark Olive Green Gloss
94-170-003	Urban X	M	Matte Slate Grey
94-170-004	Urban X	M	Dark Olive Green Gloss
94-170-005	Urban X	L	Matte Slate Grey
94-170-006	Urban X	L	Dark Olive Green Gloss
94-170-007	Urban X	XL	Matte Slate Grey
94-170-008	Urban X	XL	Dark Olive Green Gloss

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	432 / 17	71	74	565 / 22.2	445 / 17.5	290 / 11.4	756 / 29.8	135 / 5.3	404 / 15.9	562 / 22.1
M	457 / 18	71	74	565 / 22.2	445 / 17.5	290 / 11.4	769 / 30.3	135 / 5.3	404 / 15.9	562 / 22.1
L	521 / 20.5	71	74	580 / 22.9	445 / 17.5	290 / 11.4	811 / 31.9	150 / 5.9	414 / 16.3	577 / 22.7
XL	584 / 23	71	74	589 / 23.2	445 / 17.5	290 / 11.4	850 / 33.4	170 / 6.7	419 / 16.5	595 / 23.4

BIKE SPECS

Frame	Alloy 6061 w/C/S Disc Mount & Carrier Bosses
Rear Shock	N/A
Fork	Hi-Tensile Unicrown, 1-1/4 tapered
Headset	1-1/8 Threaded
Rims	Weinmann X-Star 18, 700c, 36H
Hubs (F/R)	Alloy Disc, QR, RR: Cassette
Tires	CST Traveller, 700X40
Spokes	14G Black 36X36
Derailleur, Front	Shimano FD-M191
Derailleur, Rear	Shimano Altus
Shifters	Microshift TS70 Triggers, 3x8
Chain	KMC Z8
Crankset	SR Suntour NEX, 48/38/28T w/CG
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31, 11-34T, 8-speed
Pedals	KHS trekking, alloy body w/alloy cage
Seatpost	Kind Shock Alloy Suspension. Micro-adjust, 27.2X350mm
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Alloy, 30mm Rise/620mm
Stem	KHS Alloy Quill, 4-bolt
Handlebar tape/Grips	Comfort Dual Density
Brake Levers	Promax alloy linear pull
Brakes	Bengal MB606, Mechanical Disc, 160mm Rotors
Color	Dark Olive Green Gloss, Matte Slate Grey
Frame Size	S,M,L,XL
Extras	Kickstand, Fenders, Alloy Rear carrier



URBAN SOUL



FEATURES

Single Speed

CrMo Dbl.buttressed frame

Q2 AS35 Wheelset, w/ Doublewall rims

16T Cassette

New of Changed for 2014

Q2 AS35 Wheelset, w/Doublewall rims

CST C1390, 700X25c tires

KMC Z33 chain

KHS Alloy micro-adjust seatpost

16T Cassette

MSRP: \$399-439


BIKE SPECS

Frame	CrMo Dbl.buttressed T/T & D/T
Rear Shock	N/A
Fork	High Tensile Straight Leg
Headset	1-1/8 Threadless
Rims	Q2 AS35 Wheelset, Doublewall, 700x20H/24H
Hubs (F/R)	Q2 Alloy RR: Cassette Single Speed, Nuted
Tires	CST C1390, 700X25c
Spokes	14G 20X24, Black
Derailleur, Front	N/A
Derailleur, Rear	N/A
Shifters	N/A
Chain	KMC Z33
Crankset	Alloy Cotterless, 44T
BB	Cartridge Bearing
Freewheel / Cassette	16T Cassette
Pedals	KHS trekking, resin body w/alloy cage
Seatpost	KHS Alloy micro-adjust, 26.0x350mm
Saddle	KHS road padded
Handlebar	30mm Rise, 520mm, 10 Degree
Stem	Alloy threadless, 15 Degree
Handlebar tape/Grips	Soft Kraton
Brake Levers	Tektro 2F alloy
Brakes	Promax Alloy Dual Pivot
Color	Gloss Black, Matte Tarnished Penny
Frame Size	S,M,L,XL

PART #	MODEL	SIZE	COLOR
94-169-001	Urban Soul	S	Gloss Black
94-169-002	Urban Soul	S	Matte Tarnished Penny
94-169-003	Urban Soul	M	Gloss Black
94-169-004	Urban Soul	M	Matte Tarnished Penny
94-169-005	Urban Soul	L	Gloss Black
94-169-006	Urban Soul	L	Matte Tarnished Penny
94-169-007	Urban Soul	XL	Gloss Black
94-169-008	Urban Soul	XL	Matte Tarnished Penny

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	394 / 15.5	72	75	525 / 20.7	415 / 16.3	270 / 10.6	704 / 27.7	115 / 4.5	387 / 15.2	533 / 21
M	457 / 18	72	75	555 / 21.9	415 / 16.3	270 / 10.6	745 / 29.3	140 / 5.5	393 / 15.5	551 / 21.7
L	521 / 20.5	72	73.5	575 / 22.6	415 / 16.3	270 / 10.6	792 / 31.2	165 / 6.5	403 / 15.9	580 / 22.9
XL	584 / 23	72	73.5	595 / 23.4	415 / 16.3	270 / 10.6	834 / 32.8	190 / 7.5	416 / 16.4	604 / 23.8



FITNESS

VITAMIN C



FEATURES

18 Speed

Shimano Sora drivetrain

Carbon blade fork with alloy steerer

Ritchey handlebar and stem

New or Changed for 2014

6061 Alloy w/Custom formed framew/ Bi-Oval Pro Seat Stays
FSA IS-3E, Intrgrated headset
Q2 AR500 Wheelset
Shimano Sora drivetrain
KMC Z99 chain
KHS 2pc Forged w/Outboard Bearing, 52x36 Mid Compact crank
KHS Alloy micro-adjust seatpost
Ritchey handlebar and stem
Tektro, Alloy Dual Pivot brakes

MSRP: \$899-979


PART #	MODEL	SIZE	COLOR
94-177-001	Vitamin C	XS	Matte Charcoal
94-177-002	Vitamin C	S	Matte Charcoal
94-177-003	Vitamin C	M	Matte Charcoal
94-177-004	Vitamin C	L	Matte Charcoal
94-177-005	Vitamin C	XL	Matte Charcoal

GEOMETRY

SIZE nominal	A s/t c-t	B h/t*	C s/t*	D t/effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	330 / 13	71	74	540 / 21.3	440 / 17.3	282 / 11.1	683 / 26.9	146 / 5.7	385 / 15.1	541 / 21.3
S	394 / 15.5	71	74	548 / 21.6	440 / 17.3	282 / 11.1	719 / 28.3	156 / 6.1	390 / 15.3	550 / 21.7
M	457 / 18	71	74	565 / 22.2	440 / 17.3	282 / 11.1	763 / 30	176 / 6.9	401 / 15.8	569 / 22.4
L	521 / 20.5	72	74	578 / 22.8	440 / 17.3	282 / 11.1	810 / 31.9	201 / 7.9	406 / 16	598 / 23.6
XL	584 / 23	72	74	590 / 23.2	440 / 17.3	282 / 11.1	856 / 33.7	231 / 9.09	410 / 16.1	627 / 24.7

BIKE SPECS

Frame	Alloy 6061 w/Custom formed Double Butted TT & DT, Bi-Oval Pro Seat Stays, replaceable derailleur hanger
Rear Shock	N/A
Fork	Carbon with alloy steerer
Headset	FSA IS-3E, Intrgrated
Rims	Q2 AR500 Wheelset, Doublewall, 700c
Hubs (F/R)	Q2 AR500 Super Lite, QR RR: Cassette
Tires	CST C Czar, 700x25c w/ EPS
Spokes	14G Black 20X24 w/Alloy Nipples
Derailleur, Front	Shimano Sora
Derailleur, Rear	Shimano Sora
Shifters	Shimano Sora Triggers
Chain	KMC Z99 w/Missing Link
Crankset	KHS 2pc Forged w/Outboard Bearing, 52x36 Mid Compact
BB	Outboard cartridge bearing
Freewheel / Cassette	Shimano CS-HG20-9, 11-32T, 9-speed
Pedals	Monoblock resin w/toe clips & straps
Seatpost	KHS Alloy micro-adjust , 27.2X350mm
Saddle	KHS Road Padded
Handlebar	Ritchey Flat, 620 x 31.8
Stem	Ritchey 4-Axis
Handlebar tape/Grips	Dual density cushion wrap
Brake Levers	Tektro Alloy
Brakes	Tektro, Alloy Dual Pivot
Color	Matte Charcoal
Frame Size	XS,S,M,L,XL



VITAMIN B



FEATURES

24 Speed

Alloy 6061, Double Butted frame

Alloy straight leg fork

Shimano drivetrain

New or Changed for 2014

Alloy straight leg fork

CST C1597, 700X32C w/K-shield tires

Shimano SL-M310 Triggers shifters

Shimano FC-M171, 48/38/28T, 170mm crankset

KHS Alloy micro-adjust seatpost

MSRP: \$549-599


PART #	MODEL	SIZE	COLOR
94-176-001	Vitamin B	XS	Team Red
94-176-002	Vitamin B	S	Matte Black
94-176-003	Vitamin B	S	Team Red
94-176-004	Vitamin B	M	Matte Black
94-176-005	Vitamin B	M	Team Red
94-176-006	Vitamin B	L	Matte Black
94-176-007	Vitamin B	L	Team Red
94-176-008	Vitamin B Ladies	XS	Matte Silver
94-176-009	Vitamin B Ladies	S	Black
94-176-010	Vitamin B Ladies	S	Matte Silver

GEOMETRY

SIZE	A	B	C	D	E	F	H	I	J	K
nominal	s/t c-t	h/t	s/t	t/t effectv	c/s	BB Height	s.o.	h/t L	Reach	Stack
XS	330 / 13	71	74	540 / 21.3	440 / 17.3	282 / 11.1	677 / 26.7	105 / 4.1	385 / 15.1	540 / 21.3
S	394 / 15.5	71	74	548 / 21.6	440 / 17.3	282 / 11.1	715 / 28.1	115 / 4.5	390 / 15.4	550 / 21.7
M	457 / 18	71	74	565 / 22.2	440 / 17.3	282 / 11.1	760 / 29.9	135 / 5.3	402 / 15.8	568 / 22.4
L	521 / 20.5	72	74	578 / 22.8	440 / 17.3	282 / 11.1	807 / 31.8	160 / 6.3	406 / 16	598 / 23.5
XSL	330 / 13	71	74	540 / 21.3	440 / 17.3	282 / 11.1	605 / 23.8	105 / 4.1	385 / 15.1	540 / 21.3
SL	394 / 15.5	71	74	540 / 21.3	440 / 17.3	282 / 11.1	691 / 27.2	115 / 4.5	382 / 15	550 / 21.6

BIKE SPECS

Frame	Alloy 6061, Double Butted w/Custom formed TT, replaceable derailleur hanger
Rear Shock	N/A
Fork	Alloy straight leg
Headset	Threadless Slimstack, 1-1/8
Rims	Q2 AR400 Wheelset, Doublewall, 700c
Hubs (F/R)	Q2 Alloy QR RR: Cassette
Tires	CST C1597, 700X32C w/K-shield
Spokes	14G Black 20X24
Derailleur, Front	Shimano FD-M191
Derailleur, Rear	Shimano Acera
Shifters	Shimano SL-M310 Triggers
Chain	KMC Z8
Crankset	Shimano FC-M171, 48/38/28T, 170mm
BB	Cartridge Bearings
Freewheel / Cassette	Shimano CS-HG31-8L, 11-34T, 8-speed
Pedals	Resin w/steel cage
Seatpost	KHS Alloy micro-adjust, 27.2X350mm
Saddle	KHS Road Padded
Handlebar	Alloy 20mm rise
Stem	Alloy 3D Forged
Handlebar tape/Grips	Dual density cushion wrap
Brake Levers	Tektro Alloy
Brakes	Tektro, Alloy Linear
Color	Team Red, Matte Black Ladies: Black, Matte Silver
Frame Size	Red: XS,S,M,L Black: S,M,L Ladies Silver: XS, S Black: S



VITAMIN A



FEATURES

21 Speed

Alloy 6061, Double Butted frame

Hi-Tensile unicrown straight leg fork

Shimano drivetrain

New or Changed for 2014

CST C1597, 700x35C w/K-shield tires

Shimano FD-M191 front derailleur

Shimano RD-TX35 rear derailleur

Shimano ST-EF51 shifters

Shimano FC-M131, 48/38/28T, 170mm crank

Shimano CS-HG207, 12-32T, 7-speed cassette

MSRP: \$439-479


PART #	MODEL	SIZE	COLOR
94-175-001	Vitamin A	XS	Matte Charcoal Gray
94-175-002	Vitamin A	S	Sterling Silver
94-175-003	Vitamin A	S	Matte Charcoal Gray
94-175-004	Vitamin A	M	Sterling Silver
94-175-005	Vitamin A	M	Matte Charcoal Gray
94-175-006	Vitamin A	L	Sterling Silver
94-175-007	Vitamin A	L	Matte Charcoal Gray
94-175-008	Vitamin A Ladies	XS	Matte Black
94-175-009	Vitamin A Ladies	S	Matte Black
94-175-010	Vitamin A Ladies	S	Pearl White

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
XS	330 / 13	71	74	540 / 21.3	440 / 17.3	282 / 11.1	677 / 26.7	105 / 4.1	385 / 15.1	540 / 21.3
S	394 / 15.5	71	74	548 / 21.6	440 / 17.3	282 / 11.1	715 / 28.1	115 / 4.5	390 / 15.4	550 / 21.7
M	457 / 18	71	74	565 / 22.2	440 / 17.3	282 / 11.1	760 / 29.9	135 / 5.3	402 / 15.8	568 / 22.4
L	521 / 20.5	72	74	578 / 22.8	440 / 17.3	282 / 11.1	807 / 31.8	160 / 6.3	406 / 16	598 / 23.5
XSL	330 / 13	71	74	540 / 21.3	440 / 17.3	282 / 11.1	605 / 23.8	105 / 4.1	385 / 15.1	540 / 21.3
SL	394 / 15.5	71	74	540 / 21.3	440 / 17.3	282 / 11.1	691 / 27.2	115 / 4.5	382 / 15	550 / 21.6

BIKE SPECS

Frame	Alloy 6061, Double Butted w/Custom formed TT, replaceable derailleur hanger
Rear Shock	N/A
Fork	Hi-Tensile unicrown straight leg
Headset	Threadless Slimstack, 1-1/8
Rims	Alloy, 700x32H, Doublewall
Hubs (F/R)	Alloy, QR, RR: Cassette
Tires	CST C1597, 700x35C
Spokes	14G Black 32X32
Derailleur, Front	Shimano FD-M191
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano ST-EF51
Chain	KMC Z8
Crankset	Shimano FC-M131, 48/38/28T, 170mm
BB	Cartridge Bearings
Freewheel / Cassette	Shimano CS-HG207, 12-32T, 7-speed
Pedals	Resin w/steel cage
Seatpost	KHS Alloy micro-adjust, 27.2x350mm
Saddle	KHS Road Padded
Handlebar	Alloy 20mm rise
Stem	Alloy 4-bolt, 15 degree
Handlebar tape/Grips	Dual density cushion wrap
Brake Levers	Shimano ST-EF51
Brakes	Tektro, Alloy Linear
Color	Sterling Silver, Matte Charcoal Gray Ladies: Matte Black, Pearl White
Frame Size	Men's Gray: XS,S,M,L Silver: S,M,L Ladies Black: XS,S, White: S



ULTRA-SPORT 4.0



FEATURES

30 Speed

6061 Alloy w/custom formed frame w/C/S Disc Mount

Shimano Deore 10 speed drivetrain

Shimano BR-M395, Hydraulic Disc brakes

New or Changed for 2014

Kenda Happy Medium, 700 x 40c tires

Shimano New Deore drivetrain

KMC X10 chain

Shimano FC-T521, Octalink, 48/38/28 crank

WTB Volt Comp saddle

Q2 Lock-on grips

Shimano BR-M395, Hydraulic Disc, brakes

MSRP: \$849-919


PART #	MODEL	SIZE	COLOR
94-181-001	UltraSport 4.0	15"	Gloss Black
94-181-002	UltraSport 4.0	17"	Gloss Black
94-181-003	UltraSport 4.0	19"	Gloss Black
94-181-004	UltraSport 4.0	21"	Gloss Black

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	381 / 15	71	73	569 / 22.4	450 / 17.7	290 / 11.4	756 / 29.8	130 / 5.1	367 / 14.4	610 / 24
17"	432 / 17	71	73	584 / 23	450 / 17.7	290 / 11.4	784 / 30.9	145 / 5.7	393 / 15.5	624 / 24.6
19"	483 / 19	71	73	599 / 23.6	450 / 17.7	290 / 11.4	812 / 32	155 / 6.1	404 / 15.9	634 / 25
21"	533 / 21	71	73	614 / 24.2	450 / 17.7	290 / 11.4	846 / 33.3	170 / 6.7	415 / 16.3	648 / 25.5

BIKE SPECS

Frame	Alloy 6061 w/custom formed TT & DT w/C/S Disc Mount, w/replaceable derailleur hanger
Rear Shock	N/A
Fork	SR NVX HLO, w/Hydraulic Lockout, 75mm, Preload Adj
Headset	Threadless 1-1/8, Zero Stack
Rims	Weinmann X-Star 18, 700x32H, Doublewall
Hubs (F/R)	Alloy disc w/CNC Rotor Flange, QR RR: Cassette
Tires	Kenda Happy Medium K-1083A, 700 x 40c
Spokes	14G Black 32X32, W/Alloy Nipples
Derailleur, Front	Shimano New Deore
Derailleur, Rear	Shimano New Deore
Shifters	Shimano New Deore
Chain	KMC X10 W/Missing Link
Crankset	Shimano FC-T521, Octalink, 48/38/28
BB	Shimano ES25 Octalink
Freewheel / Cassette	Shimano Deore CS HG62-10, 11-34T, 10-speed
Pedals	Wellgo alloy ATB 1 pc.
Seatpost	KHS Alloy micro-adjust, 31.6X350mm
Saddle	WTB Volt Comp
Handlebar	Alloy, 31.8 680X25mm
Stem	Alloy 4-bolt, 3D Forged, 7 degree
Handlebar tape/Grips	Q2 Lock-on
Brake Levers	Shimano BR-M395
Brakes	Shimano BR-M395, Hydraulic Disc, 160mm Rotors
Color	Gloss Black
Frame Size	15, 17, 19, 21



ULTRA-SPORT 3.0



FEATURES

27 Speed

6061 Alloy w/custom formed frame w/C/S Disc Mount

Shimano BR-M775 mechanical disc, Brakes

Shimano drivetrain

New or Changed for 2014

Kenda Happy Medium 700 x 40c tires

Shimano Acera front derailleur

KMC X9 chain

Shimano BR-M775 mechanical disc brakes

MSRP: \$599-659


BIKE SPECS

Frame	Alloy 6061 w/custom formed TT & DT w/C/S Disc Mount, w/replaceable derailleur hanger
Rear Shock	N/A
Fork	SR NVX MLO, w/Mechanical Lockout, 75mm, Preload Adj
Headset	Threadless 1-1/8, Zero Stack
Rims	Weinmann X-Star 18, 700x32H, Doublewall
Hubs (F/R)	Alloy disc w/CNC Rotor Flange, QR RR: Cassette
Tires	Kenda Happy Medium K-1083A, 700 x 40c
Spokes	14G Black 32X32
Derailleur, Front	Shimano Acera
Derailleur, Rear	Shimano Alivio
Shifters	Shimano Acera
Chain	KMC X9 W/Missing Link
Crankset	Shimano FC-M391 Acera, 36/26
BB	Cartridge bearing
Freewheel / Cassette	Shimano CS-HG20 11-34T, 9-speed
Pedals	Wellgo resin platform
Seatpost	KHS Alloy micro-adjust, 31.6X350mm
Saddle	KHS Sport
Handlebar	Alloy, 31.8 680X25mm
Stem	Alloy 4-bolt, 7 degree, 31.8
Handlebar tape/Grips	KHS Sport, Dual Compound
Brake Levers	Alloy lever, alloy bracket, Knee Saver, 2F
Brakes	Shimano BR-M375 mechanical disc, w/160mm rotors
Color	Men's: Matte Black Ladies: Matte Blue
Frame Size	Men's: 15, 17, 19, 21 Ladies: 17

PART #	MODEL	SIZE	COLOR
94-180-001	UltraSport 3.0	15"	Matte Black
94-180-002	UltraSport 3.0	17"	Matte Black
94-180-003	UltraSport 3.0	19"	Matte Black
94-180-004	UltraSport 3.0	21"	Matte Black
94-180-005	UltraSport 3.0 Ladies	17"	Matte Blue

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
15"	381 / 15	71	73	569 / 22.4	450 / 17.7	290 / 11.4	756 / 29.8	130 / 5.1	367 / 14.4	610 / 24
17"	432 / 17	71	73	584 / 23	450 / 17.7	290 / 11.4	784 / 30.9	145 / 5.7	393 / 15.5	624 / 24.6
19"	483 / 19	71	73	599 / 23.6	450 / 17.7	290 / 11.4	812 / 32	155 / 6.1	404 / 15.9	634 / 25
21"	533 / 21	71	73	614 / 24.2	450 / 17.7	290 / 11.4	846 / 33.3	170 / 6.7	415 / 16.3	648 / 25.5



ULTRA-SPORT 2.0



FEATURES

24 Speed

6061 Alloy w/custom formed frame w/C/S Disc Mount

Shimano drivetrain

Bengal cable disc MB606 brakes

New or Changed for 2014

- CST 1338, 700 x 40c tires
- Shimano ST-EF51 shifters
- SR Suntour XCE, 48/38/28T crank
- Shimano ST-EF51 brake levers
- Bengal cable disc MB606 brakes

MSRP: \$499-549


PART #	MODEL	SIZE	COLOR
94-179-001	UltraSport 2.0	15"	Gloss Black
94-179-002	UltraSport 2.0	15"	Sapphire Blue
94-179-003	UltraSport 2.0	17"	Gloss Black
94-179-004	UltraSport 2.0	17"	Sapphire Blue
94-179-005	UltraSport 2.0	19"	Gloss Black
94-179-006	UltraSport 2.0	19"	Sapphire Blue
94-179-007	UltraSport 2.0	21"	Gloss Black
94-179-008	UltraSport 2.0 Ladies	15"	Topaz Blue
94-179-009	UltraSport 2.0 Ladies	15"	Gray Blue Gloss
94-179-010	UltraSport 2.0 Ladies	17"	Topaz Blue
94-179-011	UltraSport 2.0 Ladies	17"	Gray Blue Gloss

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
15"	381 / 15	71	73	569 / 22.4	450 / 17.7	290 / 11.4	756 / 29.8	130 / 5.1	367 / 14.4	610 / 24
17"	432 / 17	71	73	584 / 23	450 / 17.7	290 / 11.4	784 / 30.9	145 / 5.7	393 / 15.5	624 / 24.6
19"	483 / 19	71	73	599 / 23.6	450 / 17.7	290 / 11.4	812 / 32	155 / 6.1	404 / 15.9	634 / 25
21"	533 / 21	71	73	614 / 24.2	450 / 17.7	290 / 11.4	846 / 33.3	170 / 6.7	415 / 16.3	648 / 25.5

BIKE SPECS

Frame	Alloy 6061 w/Custom formed TT w/C/S Disc Mount, w/replaceable derailleur hanger
Rear Shock	N/A
Fork	SR NVX, 75mm, Preload Adj
Headset	Threadless 1-1/8, Zero Stack
Rims	Weinmann X-Star 18, 700x32H, Doublewall
Hubs (F/R)	Alloy disc w/CNC Rotor Flange, QR RR: Cassette
Tires	CST 1338, 700 x 40c
Spokes	14G Black 32X32
Derailleur, Front	Shimano Altus
Derailleur, Rear	Shimano Acera
Shifters	Shimano ST-EF51
Chain	KMC Z8
Crankset	SR Suntour XCE, 48/38/28T
BB	Cartridge bearing
Freewheel / Cassette	Shimano CS-HG31-8, 11-34, 8-speed
Pedals	Resin MTB platform w/boron axle
Seatpost	KHS Alloy micro-adjust, 31.6X350mm
Saddle	KHS Sport, Dual Density
Handlebar	Alloy, 31.8 680X25mm
Stem	Alloy 4-bolt, 7 degree, 31.8
Handlebar tape/Grips	KHS Sport, Dual Compound
Brake Levers	Shimano ST-EF51
Brakes	Bengal cable disc MB606, 160mm rotors
Color	Men's: Sapphire Blue, Gloss Black Ladies: Topaz Blue, Gray Blue Gloss
Frame Size	Men's: Black: 15, 17, 19, 21 Blue: 15, 17, 19 Ladies: 15, 17



ULTRA-SPORT 1.0



FEATURES

21 Speed
6061 Alloy frame
Shimano drivetrain
SR M3020, 70mm fork

New or Changed for 2014

CST 1338, 700 x 40c tires
Shimano FD-M191 front derailleurs
Shimano ST-EF51 shifters
SR Suntour XCE, 48/38/28T crank
KHS Alloy micro-adjust, 31.6X350mm seatpost
Shimano ST-EF51 brake levers

MSRP: \$399-439


PART #	MODEL	SIZE	COLOR
94-178-001	UltraSport 1.0	15"	Matte Black
94-178-002	UltraSport 1.0	15"	Team Red
94-178-003	UltraSport 1.0	17"	Matte Black
94-178-004	UltraSport 1.0	17"	Team Red
94-178-005	UltraSport 1.0	19"	Matte Black
94-178-006	UltraSport 1.0	19"	Team Red
94-178-007	UltraSport 1.0	21"	Matte Black
94-178-008	UltraSport 1.0 Ladies	15"	Pearl White
94-178-009	UltraSport 1.0 Ladies	15"	Baby Blue
94-178-010	UltraSport 1.0 Ladies	17"	Pearl White
94-178-011	UltraSport 1.0 Ladies	17"	Baby Blue

GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	381 / 15	71	73	569 / 22.4	450 / 17.7	290 / 11.4	756 / 29.8	130 / 5.1	367 / 14.4	610 / 24
17"	432 / 17	71	73	584 / 23	450 / 17.7	290 / 11.4	784 / 30.9	145 / 5.7	393 / 15.5	624 / 24.6
19"	483 / 19	71	73	599 / 23.6	450 / 17.7	290 / 11.4	812 / 32	155 / 6.1	404 / 15.9	634 / 25
21"	533 / 21	71	73	614 / 24.2	450 / 17.7	290 / 11.4	846 / 33.3	170 / 6.7	415 / 16.3	648 / 25.5

BIKE SPECS

Frame	Alloy 6061 w/replaceable derailleur hanger
Rear Shock	N/A
Fork	SR M3020, 70mm, Preload Adj
Headset	Threadless 1-1/8, Zero Stack
Rims	Alloy, 700c x 36H, Doublewall
Hubs (F/R)	Alloy QR RR: Cassette
Tires	CST 1338, 700 x 40c
Spokes	14G Black 36X36
Derailleur, Front	Shimano FD-M191
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano ST-EF51
Chain	KMC Z50
Crankset	SR Suntour XCE, 48/38/28T
BB	Cartridge Bearings
Freewheel / Cassette	Shimano Cassette, CS-HG20-7, 12-32,
Pedals	Resin ATB
Seatpost	KHS Alloy micro-adjust, 31.6X350mm
Saddle	KHS Sport
Handlebar	Alloy, 31.8 680X25mm
Stem	Alloy 4-bolt, 7 degree, 31.8
Handlebar tape/Grips	KHS Sport
Brake Levers	Shimano ST-EF51
Brakes	Promax Alloy Linear
Color	Men's: Matte Black, Team Red Ladies: Pearl White, Baby Blue
Frame Size	Men's Black: 15, 17, 19, 21 Red: 15, 17, 19 Ladies: 15, 17





FEATURES

24 Speed
6061 Alloy frame
SR Suntour SF13-XCT-JR, 50mm travel fork
Shimano drivetrain

New or Changed for 2014


SR Suntour SF13-XCT-JR, 50mm travel fork
Shimano M-190 front derailleur
Shimano ST-EF51 shifters
Shimano CS-HG31, 11-34T, 8-Speed cassette
KHS Alloy seatpost
KHS Junior ATB saddle

MSRP: \$499-549

BIKE SPECS

Frame	Alloy butted 6061 w/replaceable derailleur hanger
Rear Shock	N/A
Fork	SR Suntour SF13-XCT-JR, 50mm travel
Headset	FSA Threadless 1-1/8, Zero Stack
Rims	Weinmann, Alloy, Doublewall, XTB-26, 24x32H
Hubs (F/R)	Alloy disc QR, RR: Cassette
Tires	Kenda Small Block 8, 24X1.95
Spokes	14G Black 32X32
Derailleur, Front	Shimano M-190
Derailleur, Rear	Shimano Altus
Shifters	Shimano ST-EF51
Chain	KMC Z7
Crankset	SR Suntour, 42/32/22T, 160mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31, 11-34T, 8-Speed
Pedals	VP resin w/steel cage w/boron axle
Seatpost	KHS Alloy 27.2x 250mm
Saddle	KHS Junior ATB
Handlebar	Alloy 560mmx30mm
Stem	Alloy 60mm
Handlebar tape/Grips	Soft Kraton
Brake Levers	Shimano ST-EF51
Brakes	Bengal cable disc MB606, 160mm rotors
Color	Orange Blast
Frame Size	1 Size

PART #	MODEL	SIZE	COLOR
94-133-001	Alite 24	One Size	Orange Blast



GEOMETRY

SIZE nominal	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
12"	320 / 12.6	70	72	518 / 20.4	424 / 16.7	275 / 10.8	666 / 26.2	110 / 4.3	354 / 13.9	505 / 19.9

YOUTH T-REX



FEATURES

21 Speed

TIG-welded Hi-Tensile frame

24" Suspension fork, w/ alloy crown, 50mm travel

Shimano drivetrain

New or Changed for 2014

CST C-1040N ATB, 24 x 1.75 tires

KHS Alloy seatpost

KHS Junior saddle


MSRP: \$319-349

BIKE SPECS

Frame	TIG-welded Hi-Tensile Steel
Rear Shock	N/A
Fork	24" Suspension-MCU/Spring, alloy crown, 50mm travel
Headset	Threadless 1-1/8"
Rims	Alloy, 24"x32H
Hubs (F/R)	Steel nutted, RR: Freewheel
Tires	CST C-1040N ATB, 24 x 1.75
Spokes	14G Black 32X32
Derailleur, Front	Shimano Tourney
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano Revo
Chain	KMC Z7
Crankset	Alloy cotterless, 42/34/24 w/CG
BB	Sealed cartridge
Freewheel / Cassette	13-28T, 7-Speed FW
Pedals	VP MTB w/boron axle
Seatpost	KHS Alloy, 25.4x 250mm
Saddle	KHS Junior
Handlebar	Alloy 30mm rise/560mm
Stem	Alloy threadless, 40 degree
Handlebar tape/Grips	Soft Kraton
Brake Levers	Alloy lever, alloy bracket
Brakes	Promax Alloy linear pull
Color	Boy's: Matte Black Girl's: Pearl White
Frame Size	1 Size
Extras	Rear Derailleur Guard

PART # MODEL SIZE COLOR

94-132-001	T-Rex	One Size	Matte Black
94-132-002	T-Rex Girls	One Size	Pearl White



GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/effctv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
12"	320 / 12.6	70	72	518 / 20.4	424 / 16.7	275 / 10.8	666 / 26.2	110 / 4.3	456 / 17.9	467 / 18.4
12"L	320 / 12.6	70	72	518 / 20.4	424 / 16.7	275 / 10.8	0 / 0	110 / 4.3	456 / 17.9	467 / 18.4

YOUTH SYNTAUR



FEATURES

21 Speed
6061 Alloy frame
Rigid straight leg fork
Shimano drivetrain


New or Changed for 2014

CST C-1040N ATB, 24 x 1.75 tires
KHS Alloy seatpost
KHS Junior saddle

MSRP: \$319-349

PART # MODEL SIZE COLOR

94-132-003	Syntaur	One Size	Team Blue
94-132-004	Syntaur Girls	One Size	Plum Tuckerd



GEOMETRY

SIZE	A	B	C	D	E	F	H	I	J	K
nominal	s/t c-t	h/t°	s/t°	t/t effectv	c/s	BB Height	s.o.	h/t L	Reach	Stack
12"	320 / 12.6	70	72	518 / 20.4	424 / 16.7	275 / 10.8	666 / 26.2	110 / 4.3	456 / 17.9	467 / 18.4
12"L	320 / 12.6	70	72	518 / 20.4	424 / 16.7	275 / 10.8	0 / 0	110 / 4.3	456 / 17.9	467 / 18.4

BIKE SPECS

Frame	Alloy 6061 w/replaceable derailleur hanger
Rear Shock	N/A
Fork	Rigid straight leg
Headset	Threadless 1-1/8"
Rims	Alloy, 24"x32H
Hubs (F/R)	Steel nutted, RR: Freewheel
Tires	CST C-1040N ATB, 24 x 1.75
Spokes	14G Black 32X32
Derailleur, Front	Shimano Tourney
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano Revo
Chain	KMC Z7
Crankset	Alloy cotterless, 42/34/24 w/CG
BB	Sealed cartridge
Freewheel / Cassette	13-28T, 7-Speed FW
Pedals	VP MTB w/boron axle
Seatpost	KHS Alloy 27.2x 250mm
Saddle	KHS Junior
Handlebar	Alloy 30mm rise/560mm
Stem	Alloy threadless, 40 degree
Handlebar tape/Grips	Soft Kraton
Brake Levers	Alloy lever, alloy bracket
Brakes	Promax Alloy linear pull
Color	Boy's: Team Blue: Plum Tuckerd
Frame Size	1 Size
Extras	Rear Derailleur Guard

YOUTH RAPTOR



FEATURES

7 speed

6061 Alloy frame

Rigid straight leg fork

Shimano drivetrain

New or cahnged for 2104


CST C-1040N ATB, 20 x 1.75 tires

KHS Alloy seatpost

KHS Junior saddle

MSRP: \$299-329

PART #	MODEL	SIZE	COLOR
94-131-001	Raptor Boys	One Size	Black Gloss w/Lime
94-131-002	Raptor Girl	One Size	Hot Pink



GEOMETRY

SIZE nominal	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
11"	280 / 11	70	70	488 / 19.2	385 / 15.2	248 / 9.8	579 / 22.8	110 / 4.3	332 / 13.1	431 / 17
11"L	280 / 11	70	70	488 / 19.2	385 / 15.2	248 / 9.8	0 / 0	110 / 4.3	332 / 13.1	431 / 17

BIKE SPECS

Frame	Alloy 6061 w/replaceable derailleur hanger
Rear Shock	N/A
Fork	Rigid straight leg
Headset	Threadless 1-1/8"
Rims	Alloy 20", 32h
Hubs (F/R)	Steel nutted, RR: Freewheel
Tires	CST C-1040N ATB, 20 x 1.75
Spokes	14G Black 32X32
Derailleur, Front	N/A
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano Revo
Chain	KMC Z50
Crankset	Alloy cotterless 40T w/double chainguard
BB	Sealed cartridge
Freewheel / Cassette	13-28T, 7-Speed FW
Pedals	VP MTB w/boron axle
Seatpost	KHS Alloy 27.2x 230mm
Saddle	KHS Junior
Handlebar	Alloy 30mm rise/560mm
Stem	Alloy, 40 degree
Handlebar tape/Grips	Soft Kraton
Brake Levers	Alloy lever, alloy bracket
Brakes	Promax Alloy linear pull
Color	Boy's: Gloss Black/Lime Girl's: Hot Pink
Frame Size	1 Size
Extras	Rear Derailleur Guard

YOUTH HOT ROD



FEATURES

- 1 speed
- 20" wheels
- Old school springer fork and banana seat
- MSRP: \$299-329

PART #	MODEL	SIZE	COLOR
94-124-001	Hot Rod	1-Size	Infinite Black
94-124-002	Hot Rod	1-Size	Orange Crate

BIKE SPECS

Frame	Steel Cantilever
Rear Shock	N/A
Fork	Retro Springer Suspension
Headset	Threaded 1"
Rims	CP Steel
Hub, Front	Steel
Hub, Rear	Steel Coaster
Tires	Kenda 20x2.125 Blackwall
Spokes	14G
Derailleur, Front	N/A
Derailleur, Rear	N/A
Shifters	N/A
Chain	KMC Z410
Crankset	1-piece Steel Chrome Plated, 14T
BB	Ball Bearing
Freewheel / Cassette	18T
Pedals	Old School Rubber Black
Seatpost	Chrome Plated Steel
Saddle	Old School Banana
Handlebar	Chrome Plated Steel, Ape Hanger
Stem	Steel Quill
Brake Levers	N/A
Brakes	Coaster Rear
Color	Black, Orange Crate
Frame Size	1-size
Extras	Kickstand

TANDEM MILANO




FEATURES

27 Speed
6061 Alloy frame
Weinmann X-Star 18, Doublewall wheelset w/ disc
Bengal MB700T, Mechanical Disc brakes

New or Changed for 2014
Shimano Sora STI shifters

MSRP: \$1899-1999

PART #	MODEL	SIZE	COLOR
89-010-005	Tandem Milano	S	Blue Velvet Gloss
89-010-006	Tandem Milano	M	Blue Velvet Gloss



BIKE SPECS

Frame	Alloy 6061, TIG welded w/Disc Tab
Rear Shock	N/A
Fork	Oversized Chromoly Unicrown
Headset	1 1/8" Threadless Slimstack
Rims	Weinmann X-Star 18, Doublewall, w/Eyelets
Hubs (F/R)	FT: Alloy QR, S/B, Disc, RR: Alloy QR, Cassette. S/B, Disc
Tires	Kenda Kwest w/Puncture Resistant K-shield, 700x28c
Spokes	14G Stainless 40x40
Derailleur, Front	Shimano Sora
Derailleur, Rear	Shimano Deore
Shifters	Shimano Sora STI
Chain	KMC Z99
Crankset	Truvativ Touro, 50/39/30 +39T, Alloy C/R's
BB	Truvativ Cartridge Power Spline
Freewheel / Cassette	Shimano CS-HG20, 11-34T, 9-speed
Pedals	Shimano Clipless
Seatpost	Captain: Alloy Micro Adj. Stoker: Alloy Suspension, Micro Adj
Saddle	KHS Road Padded & Ladies Road Padded
Handlebar	Alloy Drop, Dbl Butted, 31.8
Stem	Captain: Threadless 3D Forged Alloy 17D x 31.8, Stoker: Alloy, adjustable
Handlebar tape/Grips	Cushion Tape
Brake Levers	Shimano Sora STI
Brakes	Bengal MB700T, Mechanical Disc, 203mm Rotors
Color	Blue Velvet Gloss
Frame Size	S,M

GEOMETRY

FRAME SIZE	A s/t c-t	A' s/t c-t	B h/t	C s/t	C' s/t	D t/t	D' t/t	E c/s	F BB Height	G rake	H s.o.	H' s.o.	I h/t L
S	500 / 19.7	410 / 16.1	74	73	73	548 / 21.6	689 / 27.1	440 / 17.3	298 / 11.7	54 / 2.1	779 / 30.7	684 / 26.9	105 / 4.1
M	582 / 22.9	541 / 21.3	74	73	73	584 / 23	719 / 28.3	440 / 17.3	298 / 11.7	54 / 2.1	813 / 32	767 / 30.2	138 / 5.4

TANDEM CROSS



FEATURES

27 Speed
6061 Alloy frame
Weinmann X-Star 18, Doublewall wheelset w/ disc hubs
Bengal MB700T, Mechanical Disc brakes


New or Changed for 2014

Shimano Sora front derailleur
Shimano Sora shifters
Bengal MB700T, Mechanical Disc brakes

MSRP: \$1699-1799

PART # MODEL SIZE COLOR

89-011-007	Tandem Cross	S (20"x16")	Dark Red
89-011-004	Tandem Cross	M (23"x21")	Dark Red



BIKE SPECS

Frame	Alloy 6061, TIG welded w/Disc Tab
Rear Shock	N/A
Fork	Oversized Chromoly Unicrown
Headset	1 1/8" Threadless Slimstack
Rims	Weinmann X-Star 18, Doublewall, w/ eyelets
Hubs (F/R)	FT: Alloy QR, Tandem 145mm, Double Threaded/QR
Tires	Kenda Kwest w/Puncture Resistant K-shield, 700x35C
Spokes	14G Stainless 40x40
Derailleur, Front	Shimano Sora
Derailleur, Rear	Shimano Deore
Shifters	Shimano Sora
Chain	KMC Z99
Crankset	Truvativ Touro, 50/39/30 +39T
BB	Truvativ Cartridge Power Spline
Freewheel / Cassette	Shimano HG20-9, 11-34, 9 speed
Pedals	Wellgo Clipless
Seatpost	Captain: Alloy Micro Adj. Stoker: Alloy Suspension, Micro Adj
Saddle	KHS Road Padded & Ladies Road Padded
Handlebar	Alloy, 35mm Rise
Stem	Captain: Alloy Stoker: Alloy, adjustable
Brake Levers	Promax liner pull
Brakes	Bengal MB700T, Mechanical Disc, 203mm Rotors
Color	Dark Red
Frame Size	S,M

GEOMETRY

FRAME SIZE	A s/t c-t	A' s/t c-t	B h/t	C s/t	C' s/t	D t/t	D' t/t	E c/s	F BB Height	G rake	H s.o.	H' s.o.	I h/t L
S	500 / 19.7	410 / 16.1	74	73	73	548 / 21.6	689 / 27.1	440 / 17.3	298 / 11.7	54 / 2.1	779 / 30.7	684 / 26.9	105 / 4.1
M	582 / 22.9	541 / 21.3	74	73	73	584 / 23	719 / 28.3	440 / 17.3	298 / 11.7	54 / 2.1	813 / 32	767 / 30.2	138 / 5.4

TANDEM ALITE




FEATURES

24 Speed
6061 Alloy frame
Shimano XT rear derailleur
Truvativ FiveD Tandem, 48/38/28 +39T crank
MSRP: \$1699-1799

PART # MODEL SIZE COLOR

89-009-005	Tandem Alite	S (17"x15")	Flat Black
89-009-004	Tandme Alite	M (20"x16")	Flat Black



BIKE SPECS

Frame	Alloy 6061, TIG welded w/Disc Tab
Rear Shock	N/A
Fork	Oversized Chromoly Unicrown
Headset	Cane Creek 1 1/8" Threadless
Rims	Weinmann ZAC19, Doublewall, w/ eyelets
Hubs (F/R)	FT: Alloy QR, RR: Shimano Tandem 145mm, Double Threaded/QR
Tires	KHS 26" x 1.75"
Spokes	14G Stainless 40x40
Derailleur, Front	Shimano FD-C102
Derailleur, Rear	Shimano XT
Shifters	Shimano Revo STI
Chain	KMC Z51/ Z82
Crankset	Truvativ FiveD Tandem, 48/38/28 +39T
BB	Truvativ Cartridge
Freewheel / Cassette	Shimano HG50, 11-32T, 8-Speed
Pedals	VP Resin w/Alloy Cage
Seatpost	Captain: Alloy Micro Adj. Stoker: Alloy Suspension, Micro Adj
Saddle	KHS Padded
Handlebar	Alloy
Stem	Captain: Alloy Stoker: Alloy, adjustable
Brake Levers	Shimano Revo STI
Brakes	Tektro Alloy Linear Pull, Long Reach
Color	Flat Black
Frame Size	S,M

GEOMETRY

FRAME SIZE	A s/t c-t	A' s/t c-t	B h/t°	C s/t°	C' s/t°	D t/t	D' t/t	E c/s	F BB Height	G rake	H s.o.	H' s.o.	I h/t L
S	432 / 17	381 / 15	74	73	73	538 / 21.2	687 / 27	440 / 17.3	285 / 11.2	54 / 2.1	704 / 27.7	588 / 23.1	145 / 5.7
M	515 / 20.3	405 / 15.9	74	73	73	577 / 22.7	654 / 25.7	440 / 17.3	285 / 11.2	54 / 2.1	775 / 30.5	691 / 27.2	145 / 5.7

TANDEM SPORT



FEATURES


27 speed
6061 Alloy frame
Shimano drivetrain
Truvativ FiveD Tandem, 44/32/22 +38T crank
MSRP: \$1139-1239

PART # MODEL SIZE COLOR

89-008-005	Sport	S (18"x16")	Silver
89-008-0011	Sport	M (20"x16")	Silver

BIKE SPECS

Frame	Hi-Tensile w/Crmo Seat & Down Tube
Rear Shock	N/A
Fork	Oversized Chromoly Unicrown
Headset	1 1/8" Threadless
Rims	Weinmann XTB-26, Doublewall, w/ eyelets
Hubs (F/R)	FT: Alloy QR, S/B, Disc, RR: Alloy QR, Cassette. S/B, Disc
Tires	Kenda K-841C, 26" x 1.75
Spokes	14G Black 40x40
Derailleur, Front	Shimano Acera
Derailleur, Rear	Shimano Alivio
Shifters	Shimano Acera Rapidfire
Chain	KMC Z99
Crankset	Truvativ FiveD Tandem, 44/32/22 +38T
BB	Truvativ Cartridge Power Spline
Freewheel / Cassette	Shimano CS-HG20, 11-34T, 9-speed
Pedals	VP Resin w/Alloy Cage
Seatpost	Captain: Alloy Stoker: Suspension
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	F: Alloy Riser 31.8, R: Alloy Riser
Stem	Captain: Threadless 3D Forged, 25D, 31.8, Stoker: Alloy, 35 Degree Adjustable
Handlebar tape/Grips	KHS Sport, Dual Compound
Brake Levers	Alloy Linear Pull
Brakes	Bengal MB700, Mechanical Disc, 203mm Rotors
Color	Gloss Silver
Frame Size	S,M



GEOMETRY

FRAME SIZE	A s/t c-t	A' s/t c-t	B h/t°	C s/t°	C' s/t°	D t/t	D' t/t	E c/s	F BB Height	G rake	H s.o.	H' s.o.	I h/t L
S	475 / 18.7	406 / 16	72.5	73	73	572 / 22.5	699 / 27.5	440 / 17.3	285 / 11.2	50 / 2	714 / 28.1	715 / 28.2	145 / 5.7
M	515 / 20.3	405 / 15.9	72.5	73	73	598 / 23.5	699 / 27.5	440 / 17.3	285 / 11.2	50 / 2	785 / 30.9	690 / 27.2	160 / 6.3

SPECIALTY

F20A-H7



FEATURES

- 7 Speed
- 6061 Alloy Folding Frame
- Folds to Compact Size
- Heavy Duty Rear Rack with 3 Bungee Cords

New or Changed for 2014

New Model For 2014

MSRP: \$479-519

PART #	MODEL	SIZE	COLOR
89-007-010	F20A-H7	1-size	Silver

BIKE SPECS

Frame	Curved Top tube 6061 Alloy, Folding
Rear Shock	N/A
Fork	HYT steel 28.6 blades
Headset	VP-T3E threaded
Rims	Alloy 36Holes
Hubs (F/R)	KT-512R Alloy w/QR 36Holes RR: Freewheel
Tires	K193 20X1.5
Spokes	14G stainless w/brass Nipples 36X36
Derailleur, Front	N/A
Derailleur, Rear	Shimano TX-35D
Shifters	Shimano SL-RS41-7 grip
Chain	KMC Z501/2X3/32 Brown
Crankset	RCF1552DP 52T 170L alloy ring, double Guard
BB	VB-P32
Freewheel / Cassette	MTF-TZ2111/28T 7-speed
Pedals	VP-FLD50
Seatpost	Sp200 steel 28.6X500mm w/30.4X28.6 shim
Saddle	KHS Padded
Handlebar	MTB-AL-15325.4 580W, 30H, 6 degree alloy
Stem	FB-AL-249-8 Alloy Rise:10 degree, 300mm
Brake Levers	Alloy
Brakes	alloy TX-117 V-Brake
Color	Silver
Frame Size	1-Size
Extras	Fenders, Bell, Kickstand, Rear Rack

SPECIALTY MOCHA



FEATURES

6 speed
20" folding frame
Includes bell, fenders, & kickstand
MSRP: \$419-459

PART #	MODEL	SIZE	COLOR
89-007-002	Mocha	1-Size	Silver

BIKE SPECS

Frame	20" Folding 7005 AL
Rear Shock	N/A
Fork	High-Tensile steel
Headset	Threaded 1"
Rims	Alloy 20"
Hubs (F/R)	Alloy nutted 28 hole
Tires	Kenda 20x1.75
Spokes	14G Stainless 28°
Derailleur, Front	N/A
Derailleur, Rear	Shimano TY18SS
Shifters	Twist, 6-speed
Chain	KMC Z51
Crankset	Alloy w/40T & Chainguard
BB	VP-B32
Freewheel / Cassette	Shimano 11-28T, 6-speed
Pedals	Foldable right side
Seatpost	CP 400mm
Saddle	KHS Comfort
Handlebar	600W x 100H, Black
Stem	Steel, Black
Brake Levers	Alloy
Brakes	Alloy Linear Pull
Color	Silver
Frame Size	1-Size
Extras	Bell, Fenders, Kickstand, Rear rack

SPECIALTY

LATTE



FEATURES

Single Speed
 20" folding frame
 Includes bell, fenders, & kickstand
 MSRP: \$329-359

PART #	MODEL	SIZE	COLOR
89-007-003	Latte	1-Size	Dark Cappuccino

BIKE SPECS

Frame	20" Folding 7005 AL
Rear Shock	N/A
Fork	High-Tensile steel
Headset	Threaded 1"
Rims	Alloy 20"
Hubs (F/R)	Alloy nutted 28 hole, RR: Coaster Rear
Tires	Kenda 20x1.75
Spokes	14G Stainless 28°
Derailleur, Front	N/A
Derailleur, Rear	N/A
Shifters	N/A
Chain	KMC Z410
Crankset	Alloy w/40T & Chainguard
BB	VP-B32
Freewheel / Cassette	18T Cog
Pedals	Foldable right side
Seatpost	CP 400mm
Saddle	KHS Comfort
Handlebar	600W x 100H, Black
Stem	Steel, Black
Brake Levers	N/A
Brakes	Coaster
Color	Dark Cappuccino
Frame Size	1-Size
Extras	Bell, Fenders, Kickstand, Rear rack



FEATURES

3 and 8 speed

MSRP: 8-speed \$389-419,

MSRP: 3-speed \$439-479

PART #	MODEL	SIZE	COLOR
89-015-001	I-Ped 8-speed	1-Size	Deep Blue
89-015-002	I-Ped 3-speed	1-Size	Team Red

BIKE SPECS

Frame	AL 6061 Alloy
Rear Shock	N/A
Fork	High-Tensile steel
Headset	1-1/8 Threaded
Rims	Weinmann Alloy, 12" ft, 16" rr
Hubs (F/R)	Alloy FT, Alloy Cassette RR, QR, (3 Speed = Shimano Nexus 3S, RR w/ Coaster Brake)
Tires	Front 12X1.75, Rear 16X1.5
Spokes	14G Stainless 16X28°
Derailleur, Front	N/A
Derailleur, Rear	Shimano Sora
Shifters	Sram MRX Twist
Chain	KMC Z82
Crankset	Alloy w/ 40T
BB	Semi-Cartridge
Freewheel / Cassette	Shimano HG40, 11-30T, 8-speed
Pedals	Foldable
Seatpost	Alloy micro-adjust
Saddle	KHS Comfort
Handlebar	Alloy Riser
Stem	Alloy foldable, Telescoping
Brake Levers	Tektro Alloy
Brakes	Alloy Linear Pull
Color	3 speed: Red 8 speed: Blue
Frame Size	1-Size
Extras	Bell

SPECIALTY

K9 POLICE



FEATURES

Suspension Seat post

Rack with Bag

Rock Shox XC-28 TK Fork

New or Changed for 2014


Alivio Drivetrain

Suspension Seat post

Truvativ Stylo T-20 Handlebar & Stem

MSRP: \$999-1099

PART #	MODEL	SIZE	COLOR
89-012-010	K9 Police	15"	Infinite Black
89-012-011	K9 Police	17"	Infinite Black
89-012-012	K9 Police	19"	Infinite Black
89-012-013	K9 Police	21"	Infinite Black
89-012-014	K9 Police	23"	Infinite Black



GEOMETRY

SIZE nominal	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	381 / 15	71	73	550 / 21.7	425 / 16.7	292 / 11.5	706 / 27.8	115 / 4.5	371 / 14.6	585 / 23
17"	432 / 17	71	73	570 / 22.4	425 / 16.7	292 / 11.5	736 / 29	130 / 5.1	387 / 15.2	599 / 23.6
19"	483 / 19	71	73	590 / 23.2	425 / 16.7	292 / 11.5	769 / 30.3	145 / 5.7	403 / 15.9	613 / 24.1
21"	533 / 21	71	73	605 / 23.8	425 / 16.7	292 / 11.5	805 / 31.7	165 / 6.5	412 / 16.2	632 / 24.9
23"	584 / 23	71	73	615 / 24.2	430 / 16.9	302 / 11.9	881 / 34.7	185 / 7.3	418 / 16.5	645 / 25.4

BIKE SPECS

Frame	Alloy 7005, Hydroformed Double butted TT & DT, Smooth Welds w/replaceable derailleur hanger
Rear Shock	N/A
Fork	Rock Shox XC28 Mag, 100mm, Ext Rebound w/Turnkey Lockout
Headset	Cane Creek A-Head 1-1/8, Zero Stack
Rims	Weinmann XM25 Disc, Doublewall, 32H
Hubs (F/R)	Shimano Disc, QR, RR: Cassette
Tires	Kenda Semi Slick 26x1.95 w/reflector stripe
Spokes	14G Black 32°
Derailleur, Front	Shimano Alivio
Derailleur, Rear	Shimano Alivio
Shifters	Shimano Alivio
Chain	KMC Z99
Crankset	Shimano Alivio Octalink, 44/32/22T
BB	Shimano ES25
Freewheel / Cassette	Shimano CS-HG20, 11-32T, 9-speed
Pedals	Alloy w/ Steel cage w/ Boron Axle
Seatpost	Alloy Suspension, micro-adjust
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Truvativ Stylo T10, 31.8
Stem	Truvativ Stylo T20, 31.8
Brake Levers	Tektro Alloy, ML-520
Brakes	Shimano BR-M375 Mechanical Disc
Color	Black
Frame Size	15,17,19,21,23

SPECIALTY

TRIKE 3SPEED



FEATURES

3 Speed

Lightweight 7005 Alloy Frame

MSRP: \$699-769

PART #	MODEL	SIZE	COLOR
89-006-002	Adult Trike	3-Speed	Champagne
89-006-003	Adult Trike	3-Speed	Red
89-006-004	Adult Trike	3-Speed	Root Beer

BIKE SPECS

Frame	Alloy 7005
Rear Shock	N/A
Fork	N/A
Headset	Threaded 1"
Rims	Alloy
Hub, Front	Alloy Front
Hub, Rear	Shimano Nexus 3-speed Coaster Rear
Tires	24x1.75, White Sidwall
Spokes	14G
Derailleur, Front	N/A
Derailleur, Rear	N/A
Shifters	Shimano Revo, 3-speed
Chain	KMC Z410
Crankset	1-piece Steel Chrome Plated, 36T
BB	Ball Bearing
Freewheel / Cassette	19T
Pedals	Platform w/Non-slip Tread
Seatpost	Chrome Plated Steel
Saddle	Foam Padded w/ Coil Springs
Handlebar	Chrome Plated Steel, 650 Wide, 215 Rise
Stem	Alloy Quill
Brake Levers	Alloy
Brakes	Coaster Rear, Alloy Linear Pull Front
Color	Champagne, Root Beer, Red
Frame Size	1-size
Extras	Front and Rear Baskets

SPECIALTY TRIKE



FEATURES

Single Speed

Lightweight 7005 Alloy Frame

MSRP: \$599-659

PART #	MODEL	SIZE	COLOR
89-006-001	Adult Trike	1 speed	Champagne

BIKE SPECS

Frame	Alloy 7005
Rear Shock	N/A
Fork	N/A
Headset	Threaded 1"
Rims	Alloy
Hub, Front	Alloy Front
Hub, Rear	Coaster Rear
Tires	24x1.75, White Sidwall
Spokes	14G
Derailleur, Front	N/A
Derailleur, Rear	N/A
Shifters	N/A
Chain	KMC Z410
Crankset	1-piece Steel Chrome Plated, 36T
BB	Ball Bearing
Freewheel / Cassette	18T
Pedals	Platform w/ Non-slip Tread
Seatpost	Chrome Plated Steel
Saddle	Foam Padded w/ Coil Springs
Handlebar	Chrome Plated Steel, 650 Wide, 215 Rise
Stem	Alloy Quill
Brake Levers	Alloy
Brakes	Coaster Rear, Alloy Linear Pull Front
Color	Champagne
Frame Size	1-size
Extras	Front and Rear Baskets



KHS Bicycles

2840 E. Harcourt Street

Rancho Dominguez, California 90221

Phone: 310-632-7173