

KHS



DEALER CATALOG

khsbicycles.com | 2016



KHS BICYCLES

A Global Leader for 40 Years!

OVERVIEW

KHS Bicycles, one of the most respected names in all of cycling, is proud to celebrate its 40th anniversary! While many bicycle companies have trouble surviving a decade, KHS continues to grow and expand its manufacturing and distribution of bicycles delivering quality, performance, and value. Part of a global business, KHS Co. Ltd. manufactures bicycles, parts, accessories, motorcycles, and musical instruments in factories fully owned by the company.

A HISTORY OF CHAMPIONSHIPS

KHS, and its family of related brands such as Free Agent BMX, Manhattan Cruisers, and Q2 Components, has a rich history in bicycle racing. KHS sponsored riders have won countless races, championships, and set world records. This includes 2 Olympic Gold Medals, 10 World Championships, dozens of National Championships in numerous countries, State Championships and more. KHS has also been the bicycle of choice of amateur athletes, NCAA Champion teams, and hundreds of school, amateur and regional teams around the world.

FAMOUS KHS RACERS

Kevin Aiello – U.S. Pro GRT Series Champion

Logan Binggeli – U.S. Pro GRT Series Champion and U.S. National Downhill Champion

Maris Strombergs – 2 time Olympic BMX Gold Medalist

Melissa Buhl – Multi-time U.S. National and UCI World Champion Downhill

John Howard – 13 U.S. National Champion, Ironman Triathlon Winner, World Speed Record

Logan Loader – U.S. National Time Trial Champion

Dave Cullinan – World Champion Downhill MTB

Cindy Whitehead – U.S. National Cyclocross Champion

Cheri Elliot – U.S. National Downhill and Dual Slalom Champion

Katrina Miller – UCI Dual Slalom Champion

Kyle Bennett – Multi-time ABA National Champion, UCI World Champion, and Olympic athlete

Dale Holmes – Most awarded UK BMX racer of all time, multi-time British National and UCI World Champion

Tom Haugen – Vans Triple Crown Winner, X-Games Medalist





KHS ACCOMPLISHMENTS

- 1953** KHS Co. Ltd. founded to build motorcycles under license from Yamaha
- 1974** KHS Inc. and KHS brand of bicycles founded in U.S.
- 1974** KHS Co. Ltd. launches bicycle factory in Taiwan
- 1979** First Taiwan-made bicycle to enter U.S. market with Reynolds 531 tubing
- 1996** Mountain Biking "Bike of the Year"
- 1997** Bicycling Magazine "Editor's Choice"
- 1998** Mountain Bike Action's "Best Value" full suspension bike under \$1000
- 1998** First company to introduce "softtails" into U.S. market
- 2002** Voted U.S. Bicycle Dealers "Preferred Bicycle and Parts Distributor"
- 2004** Mountain Bike Action's "10 out of 10" dual suspension bike
- 2006** KHS Urban Xpress named Consumer Digest "Best Buy"
- 2008** KHS Racer Melissa Buhl U.S. National Downhill, Dual Slalom and 4x National Champion
- 2012** Free Agent rider, Maris Stombergs, wins Gold in BMX at the London Olympics
- 2012** Logan Binggeli Wins Pro GRT Series National Downhill Championship on KHS DH-650B
- 2014** KHS 7500 Nominated Industry Bike of the Year
- 2014** Kevin Aiello Wins Pro GRT Series National Downhill Championship

KHS TODAY

- KHS bicycles are distributed in more than 35 countries worldwide
- KHS owns and operates numerous bicycle and related brands including KHS Bicycles, Free Agent BMX, Manhattan Cruisers, Q2 quality bicycle parts, PowerTools, parts and accessories, UltraCycle parts and accessories, and Robix exercise equipment
- KHS management team has more than 200 years combined bicycle industry experience
- More than 100,000 sq. ft. of manufacturing facilities
- KHS continues to grow its global business on the principles of delivering quality, value and performance



ROAD – RACING

FLITE TEAM



FEATURES

22 Speed

MSD Carbon Frame, New Design

Dura Ace Drivetrain

Shimano RS-81 Tubeless Compatible Wheelset

NEW OR CHANGED FOR 2016

Shimano RS-81 Wheelset


Shimano CS-6800 cassette

Velo VL-1557 Ultra Light saddle

Shimano BR-6810 direct mount brakes

MSRP: \$4999-5299

PART #	MODEL	SIZE	COLOR
96-211-001	Flite Team	XS	Team Blue/Black
96-211-002	Flite Team	S	Team Blue/Black
96-211-003	Flite Team	M	Team Blue/Black
96-211-004	Flite Team	M/L	Team Blue/Black
96-211-005	Flite Team	L	Team Blue/Black
96-211-006	Flite Team	XL	Team Blue/Black



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
XS/49	450 / 17.7	70.5°	74°	511 / 20.1	405 / 15.9	262 / 10.3	TBD	115 / 4.5	361 / 14.2	515 / 20.3
S/52	485 / 19.1	71.5°	74°	526 / 20.7	405 / 15.9	265 / 10.4	TBD	140 / 5.5	370 / 14.6	540 / 21.3
M/54	510 / 20.1	72.5°	73.5°	545 / 21.5	410 / 16.1	265 / 10.4	TBD	155 / 6.1	379 / 14.9	559 / 22
M/L/56	525 / 20.7	72.5°	73°	565 / 22.2	410 / 16.1	265 / 10.4	TBD	175 / 6.9	388 / 15.3	579 / 22.8
L/58	545 / 21.5	72.5°	73°	580 / 22.8	410 / 16.1	267 / 10.5	TBD	200 / 7.9	397 / 15.6	599 / 23.6
XL/61	580 / 22.8	72.5°	72.5°	603 / 23.7	415 / 16.3	267 / 10.5	TBD	225 / 8.9	406 / 16	624 / 24.6

BIKE SPECS

Frame	New Design KHS High Modulus T800 MSD Full Carbon Monocoque, PF-30, 1-1/8-1.5 Taper, Replaceable Derailleur Hanger
Fork	New Design KHS Pro Full Carbon, 1.5 Taper
Headset	FSA Orbit C-40-CF-ACB, N.42CF, 1-1/8"~1.5" Integrated, Carbon Cap
Rims	Shimano RS-81 Wheel Set, Carbon/Alloy, Tubeless Compatible
Hub, Front	Shimano RS-81 Wheel Set
Hub, Rear	Shimano RS-81 Wheel Set
Tires	Maxxis Courcheval, 700X23C, 120TPI, Folding
Spokes	Shimano RS-81 Wheel Set
Derailleur, Front	Shimano 11s Dura Ace FD9000, 34.9 Clamp
Derailleur, Rear	Shimano 11s Dura Ace, RD9000
Shifters	Shimano 11s Dura Ace, ST9001
Chain	Shimano 11s CN-H6900
Crankset	Shimano Dura Ace, 53/39, XS: 165, S:170, M:-172.5, L-XL: 175
BB	Praxis Adaptor
Freewheel / Cassette	Shimano CS-6800, 11-25, 11-speed
Pedals	N/A
Seatpost	FSA SLK Carbon w/20mm Setback, 27.2x350mm
Saddle	Velo VL-1557 Ultra Light w/Carbon Base & Carbon Rail
Handlebar	FSA SL-K Compact Carbon, 31.8, XS: 40cm S-M: 42cm, L-XL: 44cm
Stem	FSA SL-K, 3D Forged, 31.8, XS: 80mm, S:90mm, M:100mm, L-XL: 110mm
Grips	Anti Slip Cushion Tape
Brake Levers	Shimano Dura Ace
Brakes	Shimano BR-6810 Direct Mount w/Cartridge Pads
Color	Team
Frame Size	XS, S, M, M/L, L, XL

All specs are subject to change without notice.



ROAD – RACING

FLITE 900



FEATURES

22 Speed

MSD Carbon Frame, New Design

Ultegra Drivetrain

Shimano RS330 Wheelset

NEW OR CHANGED FOR 2016

Shimano WH-RS330 Wheelset

Shimano 105 BR-5810 Direct Mount brakes

MSRP: \$2999-3299

PART # MODEL SIZE COLOR


96-210-001	Flite 900	XS	Matte Black
96-210-003	Flite 900	S	Matte Black
96-210-005	Flite 900	M	Matte Black
96-210-007	Flite 900	M/L	Matte Black
96-210-009	Flite 900	L	Matte Black
96-210-011	Flite 900	XL	Matte Black

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS/49	450 / 17.7	70.5°	74°	511 / 20.1	405 / 15.9	262 / 10.3	TBD	115 / 4.5	361 / 14.2	515 / 20.3
S/52	485 / 19.1	71.5°	74°	526 / 20.7	405 / 15.9	265 / 10.4	TBD	140 / 5.5	370 / 14.6	540 / 21.3
M/54	510 / 20.1	72.5°	73.5°	545 / 21.5	410 / 16.1	265 / 10.4	TBD	155 / 6.1	379 / 14.9	559 / 22
M/L/56	525 / 20.7	72.5°	73°	565 / 22.2	410 / 16.1	265 / 10.4	TBD	175 / 6.9	388 / 15.3	579 / 22.8
L/58	545 / 21.5	72.5°	73°	580 / 22.8	410 / 16.1	267 / 10.5	TBD	200 / 7.9	397 / 15.6	599 / 23.6
XL/61	580 / 22.8	72.5°	72.5°	603 / 23.7	415 / 16.3	267 / 10.5	TBD	225 / 8.9	406 / 16	624 / 24.6

BIKE SPECS

Frame	New Design KHS High Modulus T800 MSD Full Carbon Monocoque, PF-30, 1-1/8-1.5 Taper, Replaceable Derailleur Hanger
Fork	New Design KHS Pro Full Carbon, 1.5 Taper
Headset	FSA Orbit C-40-CF-ACB, N.42CF, 1-1/8" ~1.5" Integrated, Carbon Cap
Rims	Shimano WH-RS330 Wheelset
Hub, Front	Shimano WH-RS330 Wheelset
Hub, Rear	Shimano WH-RS330 Wheelset
Tires	Maxxis Courcheval, 700X23C, 120TPI, Folding
Spokes	Shimano WH-RS330 Wheelset
Derailleur, Front	Shimano Ultegra, FD6800, 34.9 Clamp
Derailleur, Rear	Shimano Ultegra, RD6800SS
Shifters	Shimano Ultegra, ST6800
Chain	Shimano Ultegra, CN-HG700, 11s
Crankset	Shimano Ultegra, FC6800, 53/39T, XS: 165, S: 170, M: 172.5, L-XL: 175
BB	FSA EE113, PF30 Reducer
Freewheel / Cassette	Shimano CS5800, 12-25, 11 Speed
Pedals	N/A
Seatpost	FSA SLK Carbon w/20mm Setback, 27.2x350mm
Saddle	Velo Light-weight Road, CrMo Rail
Handlebar	FSA Energy Compact, 31.8, XS: 40cm, S-M: 42cm, L-XL: 44cm
Stem	FSA Energy, 31.8, XS:80mm, S: 90mm, M:100mm, L-XL: 110mm
Grips	Anti Slip Cushion Tape
Brake Levers	Shimano Ultegra
Brakes	Shimano BR-5810 Direct Mount w/Cartridge Pads
Color	Matte Black
Frame Size	XS, S, M, M/L, L, XL



ROAD – RACING

FLITE 750



FEATURES

22 Speed

MSD Carbon Frame

105 Drivetrain

Ritchey Handlebar & Stem

NEW OR CHANGED FOR 2016

KHS Performance Road saddle
Shimano 105, BR-5800 brakes

MSRP: \$1799-1899


PART #	MODEL	SIZE	COLOR
96-209-001	Flite 750	XS	Gloss Silver
96-209-003	Flite 750	S	Gloss Silver
96-209-005	Flite 750	M	Gloss Silver
96-209-007	Flite 750	L	Gloss Silver
96-209-009	Flite 750 Ladies	XS	Gloss Black
96-209-011	Flite 750 Ladies	S	Gloss Black

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS/48	460 / 18.1	71°	74°	520 / 20.5	408 / 16.1	274 / 10.8	725 / 28.5	120 / 4.7	373 / 14.7	514 / 20.2
S/50	490 / 19.3	71.5°	72.5°	541 / 21.3	408 / 16.1	274 / 10.8	744 / 29.3	130 / 5.1	376 / 14.8	526 / 20.7
M/53	520 / 20.5	72°	72.5°	551 / 21.7	408 / 16.1	274 / 10.8	769 / 30.3	150 / 5.9	378 / 14.9	547 / 21.5
L/56	550 / 21.7	73°	72.5°	570 / 22.4	408 / 16.1	274 / 10.8	790 / 31.1	170 / 6.7	392 / 15.4	567 / 22.3

BIKE SPECS

Frame	KHS Full MSD Carbon Monocoque w/Replaceable Derailleur Hanger, PF-30, Tapered Headset
Fork	KHS Performance Full Carbon, 1.5 Taper, W/Alloy Dropout
Headset	FSA Orbit C40-ACB, N.42/ACB, 1-1/8"~1.5" Integrated Alloy Cap
Rims	Q2 AR500 Light-weight Wheelset, Double Wall
Hub, Front	Q2 AR500 Wheelset, S/B Super Light, QR
Hub, Rear	Q2 AR500 Wheelset, S/B Super Light, QR, Cassette
Tires	Maxxis Columbiere, 700x25C, 120TPI, Folding
Spokes	Q2 AR500 Wheelset, 14G Black, 20X24, W/Alloy Nipples
Derailleur, Front	Shimano 105 FD5800, 34.9 Clamp
Derailleur, Rear	Shimano 105 RD5800
Shifters	Shimano 105 ST5800
Chain	Shimano CN-Hg600
Crankset	Shimano FC5800 105, Outboard Bearing, 52x36 Mid Compact, w/CNC Outer C/R, XS: 165mm S: 170mm M-ML: 172.5mm L-XL: 175mm
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS5800, 11/32 11speed
Pedals	N/A
Seatpost	Q2 Carbon, 27.2X350mm
Saddle	KHS Performance Road/CrMo Rail
Handlebar	Ritchey COMP Curve Alloy, 31.8, XS-ML: 42cm L-XL: 44cm
Stem	Ritchey 4-Axis 31.8, XS-S: 90mm M-L: 100mm XL: 110mm
Grips	Cushion Tape
Brake Levers	Shimano 105
Brakes	Shimano 105, BR-5800 w/Cartridge Pads
Color	Silver, Ladies: Gloss Black
Frame Size	XS, S, M, L, Ladies: XS, S



ROAD – PERFORMANCE

FLITE 747



FEATURES

22 Speed

For the 6' 4" and taller Rider

Reynolds CrMo Frame

105 Drivetrain

NEW OR CHANGED FOR 2016


Chain Shimano CN-HG600 chain

Shimano 105, BR-5800 brakes

MSRP: \$1799-1899

PART # MODEL SIZE COLOR

96-207-001	Flite 747	XXL	Matte Black
96-207-002	Flite 747	XXXL	Matte Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XXL/64	568 / 22.4	72°	73.5°	620 / 24.4	430 / 16.9	292 / 11.5	833 / 32.8	248 / 9.8	430 / 16.9	635 / 25
XXXL/66	607 / 23.9	72°	73.5°	635 / 25	430 / 16.9	292 / 11.5	874 / 34.4	292 / 11.5	433 / 17	676 / 26.6

BIKE SPECS

Frame	Reynolds 520 D/Butted, T/T, 38.1, D/T 40.0, S/T:32.4
Fork	Full CrMo
Headset	FSA Pig Threadless
Rims	Weinmann XP Elite, Double Wall, 36H
Hub, Front	Formula alloy QR
Hub, Rear	Formula alloy QR, Cassette
Tires	Maxxis Detonator 700X28c
Spokes	14G Black, 36X36
Derailleur, Front	Shimano 105 FD5800, 31.8 Clamp
Derailleur, Rear	Shimano 105 RD5800
Shifters	Shimano 105 ST5800
Chain	Shimano CN-HG600
Crankset	KHS 210mm, 2pc Forged w/Outboard Bearing, 52X36 Mid Compact, 200mm
BB	Outboard cartridge bearing
Freewheel / Cassette	Shimano CS5800, 11-32, 11speed
Pedals	Monoblock Alloy w/Toe Clips & Straps
Seatpost	Q2 Alloy, 29.8x400mm
Saddle	KHS Sport Road
Handlebar	FSA Gossamer, 46cm, Drop: 150mm, Reach: 80mm, 31.8
Stem	FSA GOSSAMER Forged Alloy 31.8, 130mm
Grips	Cushion Tape
Brake Levers	Shimano 105
Brakes	Shimano 105, BR-5800 w/Cartridge Pads
Color	Matte Black
Frame Size	2XL:64cm, 3XL:66cm

ROAD – PERFORMANCE

FLITE 700

New Model



FEATURES

20 Speed
MSD Carbon Frame
Tiagra Drivetrain
Q2 AR500 Lightweight Wheelset

NEW OR CHANGED FOR 2016

Maxxis Columbiere tires
Shimano New Tiagra drivetrain
Q2 Carbon Seatpost
KHS Performance Road saddle
Shimano BR-4700 brakes

MSRP: \$1599-1699


PART #	MODEL	SIZE	COLOR
96-208-001	Flite 700	XS	Matte Black
96-208-002	Flite 700	S	Matte Black
96-208-003	Flite 700	M	Matte Black
96-208-004	Flite 700	L	Matte Black

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS/48	460 / 18.1	71°	74°	520 / 20.5	408 / 16.1	274 / 10.8	725 / 28.5	120 / 4.7	373 / 14.7	514 / 20.2
S/50	490 / 19.3	71.5°	72.5°	541 / 21.3	408 / 16.1	274 / 10.8	744 / 29.3	130 / 5.1	376 / 14.8	526 / 20.7
M/53	520 / 20.5	72°	72.5°	551 / 21.7	408 / 16.1	274 / 10.8	769 / 30.3	150 / 5.9	378 / 14.9	547 / 21.5
L/56	550 / 21.7	73°	72.5°	570 / 22.4	408 / 16.1	274 / 10.8	790 / 31.1	170 / 6.7	392 / 15.4	567 / 22.3

BIKE SPECS

Frame	KHS Full MSD Carbon Monocoque w/Replaceable Derailleur Hanger, PF-30, Tapered Headset
Fork	KHS Performance Full Carbon, 1.5 Taper, w/ Alloy Dropout
Headset	FSA Orbit C40-ACB, N.42/ACB, 1-1/8"~1.5" Integrated Alloy Cap
Rims	Q2 AR500 Light-weight Wheelset, Double Wall
Hub, Front	Q2 AR500 Wheelset, S/B Super Light, QR
Hub, Rear	Q2 AR500 Wheelset, S/B Super Light, QR, Cassette
Tires	Maxxis Columbiere, 700x25C, 120TPI, Folding
Spokes	Q2 AR500 Wheelset, 14G Black, 20X24, W/Alloy Nipples
Derailleur, Front	Shimano FD4700 New Tiagra, 31.8 Clamp
Derailleur, Rear	Shimano RD4700SS New Tiagra
Shifters	Shimano ST4700 New Tiagra
Chain	KMC X10
Crankset	Shimano FC4700 Tiagra, 50/34, XS:165mm S-M: 170mm ML-L: 172.5mm XL: 175mm
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS-4600 Tiagra, 12/30T, 10speed
Pedals	N/A
Seatpost	Q2 Carbon Micro-adjust, 27.2x350mm
Saddle	KHS Performance Road
Handlebar	Alloy Drop, Compact Bend, 31.8, XS-ML: 42cm L-XL: 44cm
Stem	Alloy 3D Forged, Threadless 4 Bolt, 31.8, XS-S: 90mm M-L: 100mm XL: 110mm
Grips	Cushion Tape
Brake Levers	Shimano ST4700 New Tiagra
Brakes	Shimano BR-4700
Color	Matte Black
Frame Size	XS, S, M, L



ROAD – PERFORMANCE

FLITE 500



FEATURES

22 Speed

Alloy Frame

105 Drivetrain

Ritchey Handlebar & Stem

NEW OR CHANGED FOR 2016

Weinmann DNZ 18 Wheelset

Maxxis Columbiere tires

KHS Performance Road saddle

Shimano 105, BR-5800 brakes

MSRP: \$1299-1399


PART #	MODEL	SIZE	COLOR
96-206-001	Flite 500	XS	Matte Black
96-206-002	Flite 500	S	Matte Black
96-206-003	Flite 500	S	Gloss Blue
96-206-004	Flite 500	M	Matte Black
96-206-005	Flite 500	M	Gloss Blue
96-206-006	Flite 500	M/L	Matte Black
96-206-007	Flite 500	M/L	Gloss Blue
96-206-008	Flite 500	L	Matte Black
96-206-009	Flite 500	L	Gloss Blue
96-206-010	Flite 500	XL	Matte Black
96-206-011	Flite 500 Ladies	XS	Silver

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS/49	440 / 17.3	71°	74.5°	508 / 20	405 / 15.9	262 / 10.3	725 / 28.5	135 / 5.3	359 / 14.1	537 / 21.1
S/52	475 / 18.7	71.5°	74°	524 / 20.6	405 / 15.9	265 / 10.4	752 / 29.6	150 / 5.9	366 / 14.4	550 / 21.7
M/54	500 / 19.7	72.5°	73.5°	544 / 21.4	410 / 16.1	265 / 10.4	773 / 30.4	165 / 6.5	375 / 14.8	570 / 22.4
M/L/56	520 / 20.5	72.5°	73°	565 / 22.2	410 / 16.1	265 / 10.4	790 / 31.1	180 / 7.1	386 / 15.2	585 / 23
L/58	545 / 21.5	72.5°	73°	580 / 22.8	410 / 16.1	267 / 10.5	812 / 32	200 / 7.9	396 / 15.6	602 / 23.7
XL/61	580 / 22.8	72.5°	72.5°	596 / 23.5	415 / 16.3	267 / 10.5	841 / 33.1	225 / 8.9	399 / 15.7	626 / 24.6

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed Double Butted TT & DT, Bi-Oval Pro Seat Stays, Replaceable Derailleur Hanger
Fork	Carbon with Alloy Steerer
Headset	FSA IS-3E, Integrated
Rims	Weinmann DNZ 18, Double Wall
Hub, Front	Q2 S/B Super Light, QR
Hub, Rear	Q2 S/B Super Light, Cassette, QR
Tires	Maxxis Columbiere, 700x25C, 120TPI, Folding
Spokes	14G Black, 20X24, W/Alloy Nipples
Derailleur, Front	Shimano 105 FD5800, 31.8 Clamp
Derailleur, Rear	Shimano 105 RD5800
Shifters	Shimano 105 ST5800
Chain	Shimano CN-HG600
Crankset	Shimano FC5800 105, Outboard Bearing, 52x36 Mid Compact, w/CNC Outer C/R
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS5800, 11-32, 11spd
Pedals	N/A
Seatpost	Q2 Carbon Micro-adjust, 27.2x350mm
Saddle	KHS Performance Road
Handlebar	Ritchey Comp Curve, 31.8, XS-ML: 42cm L-XL: 44cm
Stem	Ritchey 4-Axis 3.1.8 ,7 Degree, XS-S: 90mm M-L: 100mm XL:110mm
Grips	Cushion Tape
Brake Levers	Shimano 105
Brakes	Shimano 105, BR-5800 w/Cartridge Pads
Color	Matte Black, Gloss Blue, Ladies: Silver
Frame Size	XS, S, M, M/L, L, XL (XS & XL Black only), Ladies: XS



ROAD – SPORT

FLITE 280



FEATURES

16 Speed

Alloy Frame

Carbon Fork

Claris Drivetrain

NEW OR CHANGED FOR 2016

Alloy Deep Dish Double Wall rims

CST, Recourse, C1808 tires

KHS Road Padded saddle

Carbon Fork

MSRP: \$679-739


PART #	MODEL	SIZE	COLOR
96-203-001	Flite 280	XS	Gloss Black
96-203-002	Flite 280	S	Gloss Black
96-203-003	Flite 280	S	Matte Silver
96-203-004	Flite 280	M	Gloss Black
96-203-005	Flite 280	M	Matte Silver
96-203-006	Flite 280	L	Gloss Black
96-203-007	Flite 280	L	Matte Silver
96-203-008	Flite 280	XL	Gloss Black
96-203-009	Flite 280 Ladies	XXS	Pearl White
96-203-010	Flite 280 Ladies	XS	Pearl White
96-203-011	Flite 280 Ladies	S	Matte Black
96-203-012	Flite 280 Ladies	S	Pearl White

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XXS/44	370 / 14.6	70.5°	75°	495 / 19.5	430 / 16.9	262 / 10.3	682 / 26.9	95 / 3.7	352 / 13.9	532 / 20.9
XS/49	430 / 16.9	71°	74.5°	510 / 20.1	430 / 16.9	262 / 10.3	723 / 28.5	115 / 4.5	355 / 14	553 / 21.8
S/52	465 / 18.3	71.5°	74°	524 / 20.6	430 / 16.9	262 / 10.3	749 / 29.5	130 / 5.1	362 / 14.3	566 / 22.3
M/55	490 / 19.3	72.5°	73°	555 / 21.9	430 / 16.9	265 / 10.4	775 / 30.5	155 / 6.1	374 / 14.7	595 / 23.4
L/58	520 / 20.5	72.5°	73°	575 / 22.6	430 / 16.9	267 / 10.5	804 / 31.7	185 / 7.3	386 / 15.2	622 / 24.5
XL/61	550 / 21.7	72.5°	72.5°	596 / 23.5	430 / 16.9	267 / 10.5	836 / 32.9	210 / 8.3	393 / 15.5	645 / 25.4

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed Double Butted TT & DT, Bi-Oval Pro Seat Stays, Replaceable Derailleur Hanger
Fork	Carbon with Alloy Steerer
Headset	Threadless 1-1/8"
Rims	Alloy Deep Dish Double Wall w/CNC side Wall
Hub, Front	Formula Alloy QR, 100mm Spacing
Hub, Rear	Formula Alloy QR, Cassette, 130mm Spacing
Tires	CST, Recourse, C1808, 700X28C
Spokes	14G Black, 20X24
Derailleur, Front	Shimano FD2400 Claris, 31.8 Clamp
Derailleur, Rear	Shimano RD2400SS Claris
Shifters	Shimano ST2400 Claris
Chain	KMC Z8 w/Missing Link
Crankset	Shimano FC2450, Claris 50/34, Octalink, XS: 165mm S-M: 170mm L-XL: 175mm
BB	Shimano ES25 Octalink Cartridge Bearing
Freewheel / Cassette	Shimano HG200-8 12/32 8Speed
Pedals	Wellgo Resin w/Alloy Cage & DU Bearing
Seatpost	Alloy Micro-adjust, 27.2x350mm
Saddle	KHS Road Padded
Handlebar	Alloy Drop, Compact Bend, 31.8, XS-M: 42cm L-XL: 44cm, Ladies: 38cm
Stem	Alloy Threadless, 4 Bolt, 31.8, XS-S: 90mm M-L: 105mm XL: 120mm, Ladies: 75mm
Grips	Cushion Tape
Brake Levers	Shimano ST2400 Claris
Brakes	Promax RC-452 Dual Pivot, Long Reach
Color	Gloss Black, Matte Silver, Ladies: Pearl White, Matte Black
Frame Size	XS, S, M, L, XL (XS & XL Black Only), Ladies: XXS, XS, S



All specs are subject to change without notice.



ROAD – SPORT

FLITE 223



FEATURES

24 Speed

CrMo Frame

Claris Drivetrain

Triple Crank

NEW OR CHANGED FOR 2016


CST, Recourse, C1808 tires

Wellgo pedals

KHS Road Padded saddle

MSRP: \$599-659

PART #	MODEL	SIZE	COLOR
96-202-001	Flite 223	S	Red
96-202-002	Flite 223	M	Red
96-202-003	Flite 223	L	Red
96-202-004	Flite 223	XL	Red
96-202-005	Flite 223 Ladies	XS	Celeste
96-202-006	Flite 223 Ladies	S	Celeste



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS/49	430 / 16.9	71°	74.5°	510 / 20.1	430 / 16.9	262 / 10.3	727 / 28.6	115 / 4.5	356 / 14	551 / 21.7
S/52	445 / 18.3	71.5°	74°	525 / 20.7	430 / 16.9	265 / 10.4	753 / 29.6	130 / 5.1	362 / 14.3	564 / 22.2
M/55	490 / 19.3	72.5°	73°	555 / 21.9	430 / 16.9	265 / 10.4	778 / 30.6	155 / 6.1	373 / 14.7	594 / 23.4
L/58	520 / 20.5	72.5°	73°	575 / 22.6	430 / 16.9	267 / 10.5	809 / 31.9	185 / 7.3	385 / 15.2	620 / 24.4
XL/61	550 / 21.7	72.5°	72.5°	596 / 23.5	430 / 16.9	267 / 10.5	835 / 32.9	210 / 8.3	393 / 15.5	644 / 25.4

BIKE SPECS

Frame	CrMo Double Butted, Rear Triangle HT Steel w/Carrier Bosses
Fork	Hi-Ten Unicrown w/CrMo Steerer
Headset	Threadless 1-1/8"
Rims	Weinmann ZAC1800, Dbl/Wall w/CNC Sidewall
Hub, Front	Formula Alloy QR, 100mm Spacing
Hub, Rear	Formula Alloy QR, Cassette, 130mm Spacing
Tires	CST, Recourse, C1808, 700X28C
Spokes	14G Black, 28X32
Derailleur, Front	Shimano FD-2403 Claris, 28.6mm
Derailleur, Rear	Shimano RD2400GS Claris
Shifters	Shimano ST2400 Triple, Claris
Chain	KMC Z8 w/Missing Link
Crankset	Shimano FC-A073, 50/39/30, XS: 165mm S-XL: 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano HG200-8, 12-32, 8-speed
Pedals	Wellgo Resin w/Alloy Cage & DU Bearing
Seatpost	Alloy Micro-adjust, 26.0x350mm
Saddle	KHS Road Padded/ Road Ladies Padded
Handlebar	Alloy Drop, Compact Bend, 31.8, XS-M: 42cm L-XL: 44cm, Ladies: 38cm
Stem	Alloy Threadless, 4 Bolt, 31.8, XS-S: 90mm M-L: 105mm XL: 120mm, Ladies: 75mm
Grips	Cushion Tape
Brake Levers	Shimano ST2400 Triple, Claris
Brakes	Promax RC-483 Dual Pivot, Long Reach
Color	Red, Ladies: Celeste
Frame Size	S, M, L, XL, Ladies: XS, S

ROAD – SPORT

FLITE 150



FEATURES

14 Speed

Alloy Frame

Shimano Drivetrain

Compact Crank

NEW OR CHANGED FOR 2016

Hi-Ten Unicrown fork

Alloy Deep Dish Double Wall rims

CST, Recourse, C1808 tires

Wellgo pedals

MSRP: \$499-549


PART #	MODEL	SIZE	COLOR
96-201-001	Flite 150	XS	Matte Black
96-201-002	Flite 150	S	Matte Black
96-201-003	Flite 150	S	Blue
96-201-004	Flite 150	M	Matte Black
96-201-005	Flite 150	M	Blue
96-201-006	Flite 150	L	Matte Black
96-201-007	Flite 150	L	Blue
96-201-008	Flite 150	XL	Matte Black
96-201-009	Flite 150 Ladies	XXS	Teal
96-201-010	Flite 150 Ladies	XS	Teal
96-201-011	Flite 150 Ladies	S	Matte Silver
96-201-012	Flite 150 Ladies	S	Teal

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XXS/44	370 / 14.6	70.5°	75°	495 / 19.5	430 / 16.9	262 / 10.3	682 / 26.9	95 / 3.7	352 / 13.9	532 / 20.9
XS/49	430 / 16.9	71°	74.5°	510 / 20.1	430 / 16.9	262 / 10.3	723 / 28.5	115 / 4.5	355 / 14	553 / 21.8
S/52	465 / 18.3	71.5°	74°	524 / 20.6	430 / 16.9	262 / 10.3	749 / 29.5	130 / 5.1	362 / 14.3	566 / 22.3
M/55	490 / 19.3	72.5°	73°	555 / 21.9	430 / 16.9	265 / 10.4	775 / 30.5	155 / 6.1	374 / 14.7	595 / 23.4
L/58	520 / 20.5	72.5°	73°	575 / 22.6	430 / 16.9	267 / 10.5	804 / 31.7	185 / 7.3	386 / 15.2	622 / 24.5
XL/61	550 / 21.7	72.5°	72.5°	596 / 23.5	430 / 16.9	267 / 10.5	836 / 32.9	210 / 8.3	393 / 15.5	645 / 25.4

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT & DT, w/Replaceable Derailleur Hanger
Fork	Hi-Ten Unicrown, Straight Blades
Headset	Threadless 1-1/8"
Rims	Alloy Deep Dish Double Wall w/CNC side Wall
Hub, Front	Alloy QR 100mm Spacing
Hub, Rear	Alloy QR, Cassette, 130mm Spacing
Tires	CST, Recourse, C1808, 700X28C
Spokes	14G Black, 20X24
Derailleur, Front	Shimano FD-A070 31.8 Clamp
Derailleur, Rear	Shimano RD-A070
Shifters	Shimano STI, ST-A070
Chain	KMC Z7
Crankset	Shimano FC-A070, 50-34T, S-XL: 170mm
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano HG20-7, 12-28T, 7-speed
Pedals	Wellgo Resin w/Alloy Cage & DU Bearing
Seatpost	Alloy Micro-adjust, 27.2x350mm
Saddle	KHS Road Padded
Handlebar	Alloy Drop, Compact Bend, 31.8, XS-M: 42cm L-XL: 44cm, Ladies: 38cm
Stem	Alloy Threadless, 4 Bolt, 31.8, XS-S: 90mm M-L: 105mm XL: 120mm, Ladies: 75mm
Grips	Cushion Tape
Brake Levers	Shimano STI, ST-A070
Brakes	Promax RC-483, Dual Pivot, Long Reach
Color	Matte Black, Blue, Ladies: Teal, Matte Silver
Frame Size	XS, S, M, L, XL (XS & XL Matte Black Only) Ladies: XXS, XS, S (XXS & XS Teal Only)



ROAD – SPECIALTY

FLITE 100



FEATURES

Single Speed

CrMo 4130 ZH2B Frame

Flip Flop hub

Promax RC462 Dual Pivot rear brake

NEW OR CHANGED FOR 2016

WEINMANN XP Elite rims

Alloy Flip-Flop Track rear hub

Alloy Forged Track crank w/48T

MSRP: \$599-659


PART #	MODEL	SIZE	COLOR
96-200-001	Flite 100	51	Matte Silver
96-200-002	Flite 100	53	Matte Silver
96-200-003	Flite 100	55	Matte Silver
96-200-004	Flite 100	57	Matte Silver
96-200-005	Flite 100	60	Matte Silver

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
51cm	510 / 20.1	74°	74°	543 / 21.4	387 / 15.2	281 / 11.1	746 / 29.4	102 / 4	396 / 15.6	511 / 20.1
53cm	530 / 20.9	74°	74°	549 / 21.6	387 / 15.2	281 / 11.1	783 / 30.8	120 / 4.7	397 / 15.6	528 / 20.8
55cm	550 / 21.7	74°	74°	558 / 22	387 / 15.2	281 / 11.1	803 / 31.6	143 / 5.6	400 / 15.7	550 / 21.7
57cm	570 / 22.4	74°	74°	570 / 22.4	387 / 15.2	281 / 11.1	817 / 32.2	150 / 5.9	410 / 16.1	557 / 21.9
60cm	600 / 23.6	74°	74°	580 / 22.8	387 / 15.2	281 / 11.1	830 / 32.7	157 / 6.2	418 / 16.5	564 / 22.2

BIKE SPECS

Frame	4130 Double Butted Full CrMo w/KHS Stainless Steel Cable Clamps, ZH2B Frame
Fork	Full CrMo Track
Headset	Threadless 1-1/8
Rims	WEINMANN XP Elite , Alloy Dbl/Wall, 30mm Deep
Hub, Front	Alloy Track
Hub, Rear	Alloy Flip-Flop Track, Fixed and Threaded
Tires	Maxxis Courchevel 700x23c, 120TPI Folding
Spokes	14G Stainless Steel, 32X32
Derailleur, Front	N/A
Derailleur, Rear	N/A
Shifters	N/A
Chain	KMC Z33
Crankset	Alloy Forged Track, 165mm x 48T
BB	FSA Sealed Cartridge
Freewheel / Cassette	Q2 CrMo 16T, 1/2x3/32
Pedals	Alloy Road w/Metal Clip and Leather Strap
Seatpost	Alloy Micro-adjust, 26.8x250mm
Saddle	KHS Sport Road
Handlebar	Alloy Track Bend, 26.0, 42cm
Stem	Alloy 3D Forged, 4 Bolt, 51: 90mm, 53-55: 100mm, 57-60: 110mm
Grips	Cushion Tape
Brake Levers	Alloy Shorty Top Mount, Right Only
Brakes	Promax RC462 Dual Pivot, Rear Only
Color	Matte Silver
Frame Size	51, 53, 55, 57, 60cm



ROAD – SPECIALTY

TR 101



FEATURES

27 Speed

Reynolds 520 Frame

Triple Crank

Rear rack and Fenders


NEW OR CHANGED FOR 2016

Weinmann Alloy XC-180 Wheelset

MSRP: \$999-1099

PART # MODEL SIZE COLOR

89-016-009	TR-101	XS	Blue
89-016-010	TR-101	S	Blue
89-016-011	TR-101	M	Blue
89-016-012	TR-101	L	Blue



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/teffctv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
XS	440 / 17.3	70.3°	73.5°	525 / 20.7	450 / 17.7	273 / 10.7	732 / 28.8	105 / 4.1	364 / 14.3	546 / 21.5
S	470 / 18.5	71°	73°	537 / 21.1	450 / 17.7	273 / 10.7	754 / 29.7	115 / 4.5	366 / 14.4	558 / 22
M	500 / 19.7	71.5°	73°	553 / 21.8	450 / 17.7	273 / 10.7	779 / 30.7	135 / 5.3	376 / 14.8	580 / 22.8
L	530 / 20.9	71.5°	73°	568 / 22.4	450 / 17.7	273 / 10.7	800 / 31.5	150 / 5.9	387 / 15.2	594 / 23.4

BIKE SPECS

Frame	Reynolds 520, Double Butted CrMo
Fork	Full CrMo w/ Disc & Rack Bosses
Headset	Threadless 1-1/8"
Rims	Weinmann Alloy XC-180 Disc, Dbl/Wall
Hub, Front	Shimano Alivio, QR
Hub, Rear	Shimano Alivio Cassette, QR,
Tires	Kenda Kwest 700X32C w/ K-Shield Anti-puncture
Spokes	14G Black, 36X36
Derailleur, Front	Shimano Sora FD350, 28.6 Clamp
Derailleur, Rear	Shimano Deore M591
Shifters	Shimano STR350/353, 9-speed
Chain	KMC X9 w/Missing Link
Crankset	Shimano FCR-453, 50/39/30, XS-S: 170, M-L: 175
BB	Shimano Octalink Cartridge
Freewheel / Cassette	Shimano HG200-9, 11-34T, 9-speed
Pedals	Alloy w/Steel Cage & Half Clip
Seatpost	KHS Alloy Micro-Adjust, 26.8X350mm
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Alloy Butted, 31.8, XS-M: 42cm, L: 44cm
Stem	Alloy 3D Forged, Threadless 4 Bolt, 31.8, XS-S: 90mm, M: 100mm, L: 110mm
Grips	Cushion Tape
Brake Levers	Shimano STR350/353
Brakes	Bengal MB700T Cable Disc, 160/160
Color	Blue
Frame Size	XS, S, M, L
Extras	Plastic Fenders, Rear Carrier

TRIATHLON

SCR 2000



FEATURES

22 Speed

Alloy 7005 Frame

Profile T2 Plus Clip On aero bars


ISM Saddle

NEW OR CHANGED FOR 2016

ISM Road saddle

MSRP: \$1499-1599

PART #	MODEL	SIZE	COLOR
96-220-001	SCR 2000	XS	Matte Dark Gray
96-220-002	SCR 2000	S	Matte Dark Gray
96-220-003	SCR 2000	M	Matte Dark Gray
96-220-004	SCR 2000	L	Matte Dark Gray
96-220-005	SCR 2000	XL	Matte Dark Gray



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	480 / 18.9	71°	78°	488 / 19.2	395 / 15.6	269 / 10.6	725 / 28.5	90 / 3.5	384 / 15.1	490 / 19.3
S	510 / 20.1	72.5°	78°	505 / 19.9	395 / 15.6	269 / 10.6	747 / 29.4	90 / 3.5	399 / 15.7	498 / 19.6
M	540 / 21.3	72.5°	78°	523 / 20.6	395 / 15.6	269 / 10.6	768 / 30.2	110 / 4.3	413 / 16.3	517 / 20.4
L	560 / 22	72.5°	78°	542 / 21.3	395 / 15.6	269 / 10.6	787 / 31	130 / 5.1	428 / 16.9	537 / 21.1
XL	580 / 22.8	72.5°	78°	561 / 22.1	395 / 15.6	269 / 10.6	806 / 31.7	150 / 5.9	443 / 17.4	556 / 21.9

BIKE SPECS

Frame	Alloy 7005 Double Butted w/Custom Formed TT, Aero DT & ST, Replaceable Derailleur Hanger
Fork	Aero Carbon with Alloy Steerer
Headset	FSA IS-2, Integrated
Rims	Q2 AR400 Wheelset, DbI/Wall, 700c
Hub, Front	Q2 AR400 Wheelset, Q/R
Hub, Rear	Q2 AR400 Wheelset, Cassette, QR
Tires	Maxxis Courchevel 700x23c, 120TPI Folding
Spokes	14G Black, 20X24
Derailleur, Front	Shimano 105 FD5800, Braze On
Derailleur, Rear	Shimano 105 RD5800
Shifters	Shimano Dura Ace Bar End
Chain	Shimano CN-HG600
Crankset	Shimano FC-RS500, 52/36, 11s, 2-pc, XS-S: 165, M-XL: 170
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS5800, 11-28, 11spd
Pedals	N/A
Seatpost	Aero Carbon
Saddle	ISM Road
Handlebar	Alloy Aero Cowhorn w/Profile T2 Plus Clip On, XS-S: 39cm, M-XL: 42cm
Stem	Alloy 3D Forged, 4 Bolt, XS-S: 90mm, M-XL: 100mm
Grips	Cushion Tape
Brake Levers	Tektro RX4.1 Aero
Brakes	Tektro R525, Dual Pivot Forged w/Cartridge Pads
Color	Matte Dark Gray
Frame Size	XS, S, M, L, XL

GRAVEL GRIT 440



FEATURES

22 Speed

MSD Carbon

105 Drivetrain


WTB TCS Tubeless Ready Wheelset

NEW OR CHANGED FOR 2016

WTB STP-I19 TCS Wheelset
WTB Cross Boss tires
Shimano 105 5800 Drivetrain
KHS Sport Road saddle
TRP HY/RD Hydraulic/Mechanical Disc Brake

MSRP: \$2299-2499

PART #	MODEL	SIZE	COLOR
96-226-001	Grit 440	XS	Matte Carbon
96-226-002	Grit 440	S	Matte Carbon
96-226-003	Grit 440	M	Matte Carbon
96-226-004	Grit 440	L	Matte Carbon



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	510 / 20.1	70°	74°	520 / 20.5	425 / 16.7	285 / 11.2	776 / 30.6	110 / 4.3	369 / 14.5	527 / 20.7
S	530 / 20.9	70.5°	73°	540 / 21.3	425 / 16.7	285 / 11.2	787 / 31	120 / 4.7	376 / 14.8	538 / 21.2
M	550 / 21.7	71°	72.5°	560 / 22	425 / 16.7	285 / 11.2	807 / 31.8	140 / 5.5	384 / 15.1	559 / 22
L	570 / 22.4	71.5°	72°	580 / 22.8	425 / 16.7	285 / 11.2	828 / 32.6	160 / 6.3	392 / 15.4	579 / 22.8

BIKE SPECS

Frame	KHS Full Carbon CX Design, T700 High Modulus Carbon, 1.5 Taper, Disc
Fork	Full T700 Light Carbon CX Disc, 1.5 Taper
Headset	FSA Orbit C40-ACB, N.42/ACB, Angular Contact Bearings, 1-1/8"~1.5" Integrated Alloy Cap
Rims	WTB STP-I19 TCS, Disc, Double Wall, 32H, Tubeless Ready
Hub, Front	Formula Alloy CX Disc QR
Hub, Rear	Formula Alloy CX Disc QR, Cassette
Tires	WTB Cross Boss, TCS Tubeless Ready, 700 x 35C, 60tpi Folding
Spokes	14G Black, 32X32 w/Alloy Nipples
Derailleur, Front	Shimano 105 FD5800, 34.9 Clamp
Derailleur, Rear	Shimano 105 RD5800
Shifters	Shimano 105 ST5800
Chain	Shimano CN-HG600
Crankset	Shimano FC5800 105, Outboard Bearing, 50x34, XS: 170, S-L: 175
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS5800, 11-32, 11spd
Pedals	N/A
Seatpost	Q2 Carbon, 31.6X350mm
Saddle	KHS Sport Road, CrMo Rail
Handlebar	Alloy Butted Compact, 31.8, XS: 40cm S-M: 42cm, L-XL: 44cm
Stem	Alloy 3D Forged, Threadless 4 Bolt, 31.8, XS-S: 90mm M-L: 100mm, XL: 110mm
Grips	Cushion tape
Brake Levers	Shimano 105
Brakes	TRP HY/RD Hydraulic/Mechanical Disc Brake w/160mm Rotors
Color	Matte Carbon
Frame Size	XS, S, M, L

GRAVEL GRIT 220



FEATURES

20 Speed

Alloy 7005 Double Butted Frame

Tiagra Drivetrain

Avid BB5R Disc brakes

NEW OR CHANGED FOR 2016

FSA Orbit Integrated headset

Kenda Happy Medium tires

Shimano New Tiagra 4700 drivetrain

Shimano CS-HG500 cassette

KHS Sport Road saddle

Avid BB5R, Road Mechanical Disc Brake

MSRP: \$1249-1349


PART #	MODEL	SIZE	COLOR
96-225-001	Grit 220	XS	Matte Midnight Gray
96-225-002	Grit 220	S	Matte Midnight Gray
96-225-003	Grit 220	M	Matte Midnight Gray
96-225-004	Grit 220	L	Matte Midnight Gray
96-225-005	Grit 220	XL	Matte Midnight Gray

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	460 / 18.1	71°	75°	512 / 20.2	432 / 17	282 / 11.1	754 / 29.7	TBD	369 / 14.5	533 / 21
S	495 / 19.5	71°	73°	533 / 21	432 / 17	282 / 11.1	778 / 30.6	120 / 4.7	366 / 14.4	547 / 21.5
M	534 / 21	72°	73°	558 / 22	432 / 17	282 / 11.1	805 / 31.7	135 / 5.3	385 / 15.2	565 / 22.2
L	572 / 22.5	72°	73°	580 / 22.8	432 / 17	282 / 11.1	834 / 32.8	160 / 6.3	400 / 15.7	589 / 23.2
XL	609 / 24	73°	72°	605 / 23.8	432 / 17	282 / 11.1	869 / 34.2	195 / 7.7	402 / 15.8	626 / 24.6

BIKE SPECS

Frame	7005 Alloy Double Butted w/Disc Mounts and Internal Cable Routing, 1.5 Taper
Fork	Carbon Disc w/Alloy Steerer, 1.5 Taper
Headset	FSA Orbit C40-ACB, N.42/ACB, Angular Contact Bearings, 1-1/8"~1.5" Integrated Alloy Cap
Rims	Weinmann XC-180 Disc, Alloy Double Wall, 700C
Hub, Front	Formula Alloy CX Disc QR
Hub, Rear	Formula Alloy CX Disc QR, Cassette
Tires	Kenda Happy Medium, 700X35C, 120tpi Folding
Spokes	14G Black, 32X32 w/Alloy Nipples
Derailleur, Front	Shimano New Tiagra, 4700, 31.8 Clamp
Derailleur, Rear	Shimano New Tiagra, 4700
Shifters	Shimano New Tiagra, 4700
Chain	KMC X10 w/Missing Link
Crankset	Shimano New Tiagra, FC-4700, 50/34, XS-S: 170, M:172.5, L-XL: 175
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS-HG500, 11-32T, 10speed
Pedals	N/A
Seatpost	Q2 Carbon, 27.2x350mm
Saddle	KHS Sport Road, CrMo Rail
Handlebar	Alloy Butted Compact, 31.8, XS: 40cm, S-M: 42cm, L-XL: 44cm
Stem	Alloy 3D Forged, Threadless 4 Bolt, 31.8, XS-S: 90mm, M-L: 100mm, XL: 110mm
Grips	Cushion Tape
Brake Levers	Shimano New Tiagra w/Tektro RL721 Shorty
Brakes	Avid BB5R, Road Mechanical Disc Brake w/160mm Rotors
Color	Matte Midnight Gray
Frame Size	XS, S, M, L, XL



CYCLOCROSS

CX550



FEATURES

11 Speed

MSD Carbon Frame

Force CX1 Drivetrain

Force CX1 Hydraulic Disc brakes


NEW OR CHANGED FOR 2016

Sram PC-1170 chain

MSRP: \$3999-4299

PART # MODEL SIZE COLOR

96-217-001	CX-550	XS	Team Blue/Black
96-217-002	CX-550	S	Team Blue/Black
96-217-003	CX-550	M	Team Blue/Black
96-217-004	CX-550	L	Team Blue/Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/effctv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	510 / 20.1	70°	74°	520 / 20.5	425 / 16.7	285 / 11.2	776 / 30.6	110 / 4.3	369 / 14.5	527 / 20.7
S	530 / 20.9	70.5°	73°	540 / 21.3	425 / 16.7	285 / 11.2	787 / 31	120 / 4.7	376 / 14.8	538 / 21.2
M	550 / 21.7	71°	72.5°	560 / 22	425 / 16.7	285 / 11.2	807 / 31.8	140 / 5.5	384 / 15.1	559 / 22
L	570 / 22.4	71.5°	72°	580 / 22.8	425 / 16.7	285 / 11.2	828 / 32.6	160 / 6.3	392 / 15.4	579 / 22.8

BIKE SPECS

Frame	KHS Full Carbon CX Design, T800 Super Light High Modulus Carbon, 1.5 Taper, Disc
Fork	Full Super Light T800 Carbon CX Disc, 1.5 Taper
Headset	FSA Orbit C40-ACB, N.42/ACB, 1-1/8"~1.5" Integrated Alloy Cap
Rims	American Classic Hurricane Disc Wheel Set, Tubeless Ready
Hub, Front	American Classic Hurricane Disc Wheel Set
Hub, Rear	American Classic Hurricane Disc Wheel Set
Tires	Challenge Chicane Open Tubular, 700X33C, 300TPI, Folding
Spokes	American Classic Hurricane Disc Wheel Set
Derailleur, Front	N/A
Derailleur, Rear	Sram Force CX1
Shifters	Sram Force CX1 Hydraulic
Chain	Sram PC-1170
Crankset	Sram Force CX1, 40T, XS: 170, S-M: 172.5, L-XL: 175
BB	Sram GXP
Freewheel / Cassette	Sram PG-1170, 11-28T, 11speed
Pedals	N/A
Seatpost	Q2 Carbon, 31.6X350mm
Saddle	Prologo Zero II
Handlebar	FSA SL-K Compact Carbon, XS: 40cm, S-M: 42cm, L-XL: 44cm
Stem	FSA SL-K, XS-S: 90mm, M-L: 100mm, XL: 110mm
Grips	Cushion Tape
Brake Levers	Sram Force CX1 HRD, Hydraulic
Brakes	Sram Force CX1-HRD, Hydraulic, 160X160
Color	Team
Frame Size	XS, S, M, L



FEATURES

22 Speed


MSD Carbon Frame

105 Drivetrain

Shimano BR-RS785 Hydraulic Disc brakes

MSRP: \$2899-3099

PART #	MODEL	SIZE	COLOR
96-216-001	CX-500	XS	Matte Black
96-216-002	CX-500	S	Matte Black
96-216-003	CX-500	M	Matte Black
96-216-004	CX-500	L	Matte Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	G h.s.o.	H h/t L	I Reach	J Stack
XS	510 / 20.1	70°	74°	520 / 20.5	425 / 16.7	285 / 11.2	776 / 30.6	110 / 4.3	369 / 14.5	527 / 20.7
S	530 / 20.9	70.5°	73°	540 / 21.3	425 / 16.7	285 / 11.2	787 / 31	120 / 4.7	376 / 14.8	538 / 21.2
M	550 / 21.7	71°	72.5°	560 / 22	425 / 16.7	285 / 11.2	807 / 31.8	140 / 5.5	384 / 15.1	559 / 22
L	570 / 22.4	71.5°	72°	580 / 22.8	425 / 16.7	285 / 11.2	828 / 32.6	160 / 6.3	392 / 15.4	579 / 22.8

BIKE SPECS

Frame	KHS Full Carbon CX Design, T700 High Modulus Carbon, 1.5 Taper, Disc
Fork	Full T700 Light Carbon CX Disc, 1.5 Taper
Headset	FSA Orbit C40-ACB, N.42/ACB, 1-1/8"~1.5" Integrated Alloy Cap
Rims	Weinmann XC-180 Disc, Alloy Double Wall, 700C
Hub, Front	KT-XA2F, S.B Super Light Disc
Hub, Rear	KT-XA5R, S/B Super Light, Cassette, QR
Tires	Maxxis Mud Wrestler, M209P, 700X33C, 60TPI Folding
Spokes	14G SS Black, 28HX32 w/Alloy Nipples
Derailleur, Front	Shimano 105 FD5800, 34.9 Clamp
Derailleur, Rear	Shimano 105 RD5800
Shifters	Shimano Hydraulic STI, ST-RS685, 11s
Chain	KMC X11L w/missing Link
Crankset	Shimano FC-RS500, 46/36, 11s, 2-pc, XS: 170, S-M: 172.5, L-XL: 175
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS-5800, 11-32T, 11-speed
Pedals	N/A
Seatpost	Q2 Carbon, 31.6X350mm
Saddle	KHS Sport Road, CrMo Rail
Handlebar	FSA Omega Compact, 31.8, XS: 40cm, S-M: 42cm, L-XL: 44cm
Stem	FSA Omega, 31.8, XS-S: 90mm, M-L: 100mm, XL: 110mm
Grips	Cushion Tape
Brake Levers	Shimano Hydraulic STI, ST-RS685, 11s
Brakes	Shimano BR-RS785 Hydraulic Disc, 160X160
Color	Matte Black
Frame Size	XS, S, M, L

CYCLOCROSS

CX300



FEATURES

22 Speed


Ultra light A7 Alloy Frame

105 Drivetrain

Shimano BR-RS785 Hydraulic Disc brakes

MSRP: \$1999-2199

PART #	MODEL	SIZE	COLOR
96-215-001	CX-300	XS	Matte Red
96-215-002	CX-300	S	Matte Red
96-215-003	CX-300	M	Matte Red
96-215-004	CX-300	L	Matte Red
96-215-005	CX-300	XL	Matte Red



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	460 / 18.1	71°	75°	512 / 20.2	432 / 17	282 / 11.1	750 / 29.5	105 / 4.1	366 / 14.4	545 / 21.5
S	495 / 19.5	71°	73°	533 / 21	432 / 17	282 / 11.1	779 / 30.7	120 / 4.7	362 / 14.3	559 / 22
M	534 / 21	72°	73°	558 / 22	432 / 17	282 / 11.1	806 / 31.7	135 / 5.3	382 / 15	577 / 22.7
L	572 / 22.5	72°	73°	580 / 22.8	432 / 17	282 / 11.1	828 / 32.6	160 / 6.3	396 / 15.6	601 / 23.7
XL	609 / 24	73°	72°	605 / 23.8	432 / 17	282 / 11.1	871 / 34.3	195 / 7.7	398 / 15.7	638 / 25.1

BIKE SPECS

Frame	Ultra light A7 Alloy , Double Butted w/Disc Mounts, 1.5 Taper and Internal Cable Routing
Fork	Full Carbon CX Disc, 1.5 Taper
Headset	FSA Orbit C40-ACB, N.42/ACB, 1-1/8"~1.5" Integrated Alloy Cap
Rims	Weinmann XC-180, Alloy Double Wall, 700C
Hub, Front	KT-XA2F, S/B Super Light Disc
Hub, Rear	KT-XA5R, S/B Super Light, Cassette, QR
Tires	Maxxis Mud Wrestler, M209P, 700X33C, 60TPI Folding
Spokes	14G SS Black, 28HX32 w/Alloy Nipples
Derailleur, Front	Shimano 105 FD5800, 31.8 Clamp
Derailleur, Rear	Shimano 105 RD5800
Shifters	Shimano Hydraulic STI, ST-RS685, 11s
Chain	KMC X11L w/Missing Link
Crankset	Shimano FC-RS500, 46/36, 11s, 2-pc, XS: 170, S-M: 172.5, L-XL: 175
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS-5800, 11-32T, 11-speed
Pedals	N/A
Seatpost	Q2 Carbon, 27.2x350mm
Saddle	KHS Sport Road, CrMo Rail
Handlebar	FSA Omega Compact, 31.8, XS: 40cm, S-M: 42cm, L-XL: 44cm
Stem	FSA Omega, 31.8, XS-S: 90mm, M-L: 100mm, XL: 110mm
Grips	Cushion Tape
Brake Levers	Shimano Hydraulic STI, ST-RS685, 11s
Brakes	Shimano BR-RS785 Hydraulic Disc, 160X160
Color	Matte Red
Frame Size	XS, S, M, L, XL

XC RACING

TEAM 29 FS



FEATURES


11 Speed
Sram XX1 Drivetrain
DT XR1501 Spline Tubeless Ready Wheelset
FOX 32 Float Factory fork & rear shock

NEW OR CHANGED FOR 2016

New MSD Carbon Frame
FOX Float Factory Fork
Fox 32 Float Factory rear shock
FSA Orbit Integrated headset
DT XR 1501 Spline Wheel Set
Maxxis Ikon 3C Maxx Speed Tires
Sram XX 1 drivetrain
FSA SLK Handlebar
FSA Afterburner Stem

MSRP: \$5999-6299

PART #	MODEL	SIZE	COLOR
96-169-001	Team 29 F/S	S	Team Blue/Black
96-169-002	Team 29 F/S	M	Team Blue/Black
96-169-003	Team 29 F/S	L	Team Blue/Black



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	395 / 15.6	71°	73.6°	565 / 22.2	452 / 17.8	325 / 12.8	TBD	105 / 4.1	TBD	TBD
M	449 / 17.7	71°	73.6°	598 / 23.5	452 / 17.8	325 / 12.8	TBD	115 / 4.5	TBD	TBD
L	483 / 19	71°	73.6°	617 / 24.3	452 / 17.8	325 / 12.8	TBD	125 / 4.9	TBD	TBD

BIKE SPECS

Frame	29" Full MSD Carbon, 100mm Travel, 1.5 taper, 12x142
Rear Shock	FOX Float Factory DPS CTD w/CTD Remote, Kashima, Air, Rebound Adj
Fork	Fox 32 Float Factory 29", FIT-4 CTD Remote w/Kashima, 100mm, Air, External Rebound, Remote CTD Low Speed Compression, 1.5 Taper, 15mm Thru Axle
Headset	FSA Orbit C-40-48CF, N.42/48CF, 1-1/8"~1.5" Integrated, Carbon Cap
Rims	DT XR 1501 Spline Wheel Set, 29" Disc, Straight Pull w/ 15mm FT & 12mm RR Thru-Axle, Tubeless Ready
Hub, Front	DT XR 1501 SPLINE, 15mm
Hub, Rear	DT XR 1501 Spline, 12mmx142
Tires	Maxxis Ikon 3C Maxx Speed, 120TPI Folding, Triple Compound, Tubeless Ready, 29X2.2
Spokes	DT XR 1501 Spline, Wheel set
Derailleur, Front	N/A
Derailleur, Rear	Sram XX 1, 11s X-Horizon, Type 2
Shifters	Sram XX1, 11s, Trigger, Right Only
Chain	Sram PC-XX1
Crankset	Sram X1 1400 X-Sync, Hollow Forged, PF-92, 34T, S: 170, M-L: 175
BB	Sram PF-30
Freewheel / Cassette	Sram XG-1195, 10-42T, 11-speed
Pedals	N/A
Seatpost	Q2 Team Carbon, 30.9X350mm
Saddle	Velo 1557 Ultra Light w/Carbon Base& Ti-Rail
Handlebar	FSA SLK Low, Carbon, 700x18mm, 31.8
Stem	FSA Afterburner, 3-D Forged CNC, 4-Bolt, 31.8, S: 70mm, M: 80mm, L: 90mm
Grips	Q2 Lock-on
Brake Levers	Sram Guide RSC, Match Maker X
Brakes	Sram Guide RSC Hydraulic Disc, 4 Piston, Tool Free Reach & Pad Contact Adj., 160mm Rotors
Color	Team
Frame Size	S, M, L

XC RACING PRESCOTT



FEATURES

11 Speed

MSD Carbon Frame

DT X1900 Spline Tubeless Ready Wheelset

GX1 Drivetrain

NEW OR CHANGE FOR 2016

New MSD Carbon Frame
FSA Orbit Integrated headset
DT X1900 Spline Wheel Set
Maxxis Ikon 3C Maxx Speed tires
Sram GX 1 drivetrain
SRAM PC-1130 chain
FSA V-Drive Low Rise handlebars
FSA Gossamer Stem
Sram Guide R Hydraulic Disc brakes


MSRP: \$3899-4199

BIKE SPECS

Frame	29" Full MSD Carbon, 100mm Travel, 1.5 taper, 12x142
Rear Shock	RockShox Monarch RT3 Solo Air with 3 Pos. Flood Gate Switch, Rebound adj.
Fork	29" Rock Shox Reba RLT 100mm, Solo Air, Motion Control, External Rebound, External Floodgate, Compression Adj to 'Lock', 1.5 Taper, 15Q
Headset	FSA Orbit C-40-48CF, N.42/48CF, 1-1/8"~1.5" Integrated, Carbon Cap
Rims	DT X1900 Spline Wheel Set, 29" Disc, Straight Pull w/ 15mm FT & 12mm RR Thru-Axle, Tubeless Ready
Hub, Front	DT X1900 SPLINE, 15mm
Hub, Rear	DT X1900 Spline, 12mmx142mm
Tires	Maxxis Ikon 3C Maxx Speed, 120TPI Folding, Triple Compound, Tubeless Ready, 29X2.2
Spokes	DT X1900 Spline Wheelset
Derailleur, Front	N/A
Derailleur, Rear	Sram GX 1, 11s X-Horizon, Type 2
Shifters	Sram GX 1, 11s Trigger, Right Only
Chain	SRAM PC-1130
Crankset	SRAM GX 1400, OCT Hollow Forged, X-Sync, 2 pc., PF30, 32T, S:170, M-L: 175
BB	Sram PF30
Freewheel / Cassette	Sram XG-1150, 10-42T, 11-speed
Pedals	N/A
Seatpost	Q2 Carbon, 30.9X350mm
Saddle	WTB Volt Comp
Handlebar	FSA V-Drive Low Rise, 740x15mm, 31.8
Stem	FSA Gossamer, 3-D Forged Alloy, 31.8, S:70mm, M: 80mm, L: 90mm
Grips	Q2 Lock-on
Brake Levers	Sram Guide R, Matchmaker X
Brakes	Sram Guide R Hydraulic Disc, 4 Piston, Tool Free Reach Adj., 160mm Rotors
Color	Matte Black/Matte Gray
Frame Size	S, M, L

PART # MODEL SIZE COLOR

96-168-001	Prescott	S	Matte Black/Matte Gray
96-168-002	Prescott	M	Matte Black/Matte Gray
96-168-003	Prescott	L	Matte Black/Matte Gray



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effctv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
S	395 / 15.6	71°	73.6°	565 / 22.2	452 / 17.8	325 / 12.8	TBD	105 / 4.1	TBD	TBD
M	449 / 17.7	71°	73.6°	598 / 23.5	452 / 17.8	325 / 12.8	TBD	115 / 4.5	TBD	TBD
L	483 / 19	71°	73.6°	617 / 24.3	452 / 17.8	325 / 12.8	TBD	125 / 4.9	TBD	TBD

XC RACING TEAM 29



FEATURES

11 Speed

DT XR1501 Spline Tubeless Wheelset

FOX 32 Float factory fork


XX1 Drivetrain

NEW OR CHANGED FOR 2016

New MSD Carbon frame
DT XR 1501 Spline Wheelset
Maxxis Ikon 3C Maxx Speed tires
Sram XG-1150 cassette

MSRP: \$5299-5599

PART #	MODEL	SIZE	COLOR
96-165-001	Team 29	S	Team Blue/Black
96-165-002	Team 29	M	Team Blue/Black
96-165-003	Team 29	L	Team Blue/Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	409 / 16.1	71°	73°	575 / 22.6	445 / 17.5	318 / 12.5	810 / 31.9	102 / 4	384 / 15.1	625 / 24.6
M	447 / 17.6	71°	73°	595 / 23.4	445 / 17.5	318 / 12.5	827 / 32.6	107 / 4.2	404 / 15.9	627 / 24.7
L	489 / 19.3	71°	73°	620 / 24.4	445 / 17.5	318 / 12.5	854 / 33.6	117 / 4.6	425 / 16.7	639 / 25.2

BIKE SPECS

Frame	KHS Full MSD Carbon 29er w/1.5 Taper Headtube, Disc Only, Internal Cable Routing
Fork	Fox 32 Float Factory 29", FIT-4 CTD Remote w/Kashima, 100mm, Air, External Rebound, Remote CTD Low Speed Compression, 1.5 Taper, 15mm Thru Axle
Headset	FSA Orbit C-40-CF-ACB, N.42CF, 1-1/8"~1.5" Integrated, Carbon Cap
Rims	DT XR 1501 Spline Wheel SET, 29" Disc, Straight Pull w/ 15mm Thru-Axle, Tubeless Ready
Hub, Front	DT XR 1501 SPLINE, 15mm
Hub, Rear	DT XR 1501 Spline, Cassette
Tires	Maxxis Ikon 3C Maxx Speed, 120TPI Folding, Triple Compound, Tubeless Ready, 29X2.2
Spokes	DT XR 1501 Spline, Wheel set
Derailleur, Front	N/A
Derailleur, Rear	Sram XX 1, 11s X-Horizon, Type 2
Shifters	Sram XX1, 11s, Trigger, Right Only
Chain	Sram PC-XX1
Crankset	Sram XX1, Carbon W/Forged Alloy Spider, PF30, 34T, S: 170, M-L: 175
BB	Sram PF30
Freewheel / Cassette	Sram XG-1150, 10-42T, 11-Speed
Pedals	N/A
Seatpost	Q2 Team Full Carbon, 31.6x350mm
Saddle	Velo 1557 Ultra Light w/Carbon Base & Ti-Rail
Handlebar	Ritchey 2X WCS Carbon, Flat Rise, 31.8x710mm
Stem	Ritchey 4-Axis 44 WCS, 6D, 31.8, S: 80mm, M: 90mm, L:100mm
Grips	Q2 Lock-on
Brake Levers	Sram Guide RSC, Match Maker X
Brakes	Sram Guide RSC Hydraulic Disc, 4 Piston, Tool Free Reach & Pad Contact Adj., 160mm Rotors
Color	Team
Frame Size	S, M, L

XC RACING SAGUARO



FEATURES

11 Speed

MSD Carbon Frame

WTB STP-I19 TCS tubeless ready Wheelset

GX1 Drivetrain

NEW OR CHANGED FOR 2016

- New MSD Carbon Frame
- Fox 32 Float Performance fork
- WTB STP-I19 TCS Tubeless Ready Wheelset
- Maxxis Ikon 3C Maxx Speed tubeless ready tires
- Sram GX 1 drivetrain
- Kore XCD-Flat Top handlebar
- Kore XCD Stem
- Sram Guide R Hydraulic Disc brakes


MSRP: \$3099-3399

BIKE SPECS

Frame	KHS Full MSD Carbon 29er w/1.5 Taper Headtube, Disc Only, Internal Cable Routing
Fork	Fox 32 Float Performance, 29", CTD Fit4 CTD Remote, 100mm, Air, External Rebound, Remote CTD Low Speed Compression, 1.5 Taper, 15mm Thru Axle
Headset	FSA Orbit C-40-CF-ACB, N.42CF, 1-1/8"~1.5" Integrated, Carbon Cap
Rims	WTB STP-I19 TCS, Disc, Double Wall, 29x28H, Tubeless Ready
Hub, Front	Light Weight S/B Alloy Disc, 15mm, Straight Pull
Hub, Rear	Light Weight S/B Alloy Disc, Cassette, Straight Pull, XD
Tires	Maxxis Ikon 3C Maxx Speed, 120TPI Folding, Triple Compound, Tubeless Ready, 29X2.2
Spokes	14/15g Black Stainless, w/Alloy Nipples 28x28
Deraileur, Front	N/A
Deraileur, Rear	Sram GX 1, 11s X-Horizon, Type 2
Shifters	Sram GX 1, 11s Trigger, Right Only
Chain	SRAM PC-1130
Crankset	SRAM GX 1400, OCT Hollow Forged, X-Sync, 2 pc., PF30, 34T, S: 170, M-L: 175
BB	Sram PF30
Freewheel / Cassette	Sram XG-1150, 10-42T, 11-speed
Pedals	N/A
Seatpost	Q2 Carbon, 31.6x350mm
Saddle	WTB Volt Comp
Handlebar	Kore XCD-Flat Top, 31.8x710mm
Stem	Kore XCD, Alloy 3D Forged, Threadless 4-bolt, 31.8, S: 80mm, M-L: 90mm
Grips	Q2 Lock-on
Brake Levers	Sram Guide R, Matchmaker X
Brakes	Sram Guide R Hydraulic Disc, 4 Piston, Tool Free Reach Adj., 160mm Rotors
Color	Matte Gray/Black
Frame Size	S, M, L

PART # MODEL SIZE COLOR

96-164-001	Saguaro	S	Matte Gray/Black
96-164-002	Saguaro	M	Matte Gray/Black
96-164-003	Saguaro	L	Matte Gray/Black



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effctv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	409 / 16.1	71°	73°	575 / 22.6	445 / 17.5	318 / 12.5	810 / 31.9	102 / 4	384 / 15.1	625 / 24.6
M	447 / 17.6	71°	73°	595 / 23.4	445 / 17.5	318 / 12.5	827 / 32.6	107 / 4.2	404 / 15.9	627 / 24.7
L	489 / 19.3	71°	73°	620 / 24.4	445 / 17.5	318 / 12.5	854 / 33.6	117 / 4.6	425 / 16.7	639 / 25.2

TRAIL FLAGSTAFF



FEATURES

22 Speed

Rock Shox Recon Gold Fork

WTB STP-I19 TCS tubeless ready Wheelset

GX2 Drivetrain

NEW OR CHANGED FOR 2016

New Alloy 6061 4-bar, horst link frame

FSA Orbit Zero Stack headset

WTB STP-I19 TCS wheels

Sram GX 2 x 11 drivetrain

Sram PC-1130

FSA V-Drive Low Rise handlebars

FSA Gossamer stem


MSRP: \$2599-2799

BIKE SPECS

Frame	29" AL 6061, Horst bearing linkage, 120mm Travel, 1.5 taper, 12X142, Internal Cable routing
Rear Shock	Rock Shox Monarch RL, Solo Air, Ext Rebound, Lockout
Fork	29" Rock Shox Recon Gold TK Solo Air 120mm, Motion Control, External Rebound, Low Speed Compression to Lock, 1.5 Taper, 15Q
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	WTB STP-I19 TCS, Disc, Double Wall, 29x28H, Tubeless Ready
Hub, Front	Light Weight S/B Alloy Disc, 15mm, Straight Pull
Hub, Rear	Light Weight S/B Alloy Disc, Cassette, 12x142mm
Tires	Maxxis Ikon 3C Maxx Speed, 120TPI Folding, Triple Compound, Tubeless Ready, 29X2.2
Spokes	14G Black w/Alloy Nipples, 28X28
Derailleur, Front	Sram GX 2 x 11, Direct Mount
Derailleur, Rear	Sram GX 2 x 11, 11s Type 2
Shifters	Sram GX 2 x 11s Trigger
Chain	Sram PC-1130
Crankset	Sram GX 1000 X-Glide, 2 x 11, 24/36T, PF92, S: 170, M-L: 175
BB	Sram PF92
Freewheel / Cassette	Sram XG-115010-42, 11-speed
Pedals	N/A
Seatpost	Q2 Alloy, Micro-ADJUST, 30.9x350mm
Saddle	WTB Volt Comp
Handlebar	FSA V-Drive Low Rise, 740x15mm, 31.8
Stem	FSA Gossamer, 3-D Forged Alloy, 31.8, S: 70mm, M: 80mm, L: 90mm
Grips	Q2 Lock-on
Brake Levers	Shimano New M506, Servo Wave
Brakes	Shimano M506 Hydraulic Disc, 160mm Rotors
Color	Matte Blue
Frame Size	S, M, L

PART # MODEL SIZE COLOR

96-167-001	Flagstaff	S	Matte Blue
96-167-002	Flagstaff	M	Matte Blue
96-167-003	Flagstaff	L	Matte Blue



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	394 / 15.5	68.5°	73°	589 / 23.2	444 / 17.5	341 / 13.4	730 / 28.7	100 / 3.9	373 / 14.7	597 / 23.5
M	432 / 17	68.5°	73°	614 / 24.2	444 / 17.5	341 / 13.4	747 / 29.4	100 / 3.9	432 / 17	597 / 23.5
L	483 / 19	68.5°	73°	643 / 25.3	444 / 17.5	341 / 13.4	776 / 30.6	110 / 4.3	457 / 18	607 / 23.9

TRAIL BAJADA



FEATURES

20 Speed

Alloy Frame

WTB STP-I19 TCS tubeless ready Wheelset

GX Drivetrain

NEW OR CHANGED FOR 2016

New Alloy 6061 4-bar, horst link frame

Rock Shox Monarch RL rear shock

RST First 29 Air Fork

FSA Orbit Zero Stack headset

WTB STP-I19 TCS Wheelset


Sram GX 2x10 drivetrain

Shimano M396 brakes

MSRP: \$1999-2199

PART # MODEL SIZE COLOR

96-166-001	Bajada	S	Red
96-166-002	Bajada	M	Red
96-166-003	Bajada	L	Red



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	394 / 15.5	68.5°	73°	589 / 23.2	444 / 17.5	341 / 13.4	730 / 28.7	100 / 3.9	373 / 14.7	597 / 23.5
M	432 / 17	68.5°	73°	614 / 24.2	444 / 17.5	341 / 13.4	747 / 29.4	100 / 3.9	432 / 17	597 / 23.5
L	483 / 19	68.5°	73°	643 / 25.3	444 / 17.5	341 / 13.4	776 / 30.6	110 / 4.3	457 / 18	607 / 23.9

BIKE SPECS

Frame	29" AL 6061, Horst bearing linkage, 120mm Travel, 1.5 taper, 12X142, Internal Cable routing
Rear Shock	Rock Shox Monarch RL, Solo Air, Ext Rebound, Lockout
Fork	RST First 29 Air, 120mm, Hydraulic Dampning, Ext Rebound, Lockout, 1.5 Taper, 15Q
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	WTB STP-I19 TCS, Disc, Double Wall, 29x32H, Tubeless Ready
Hub, Front	S/B Alloy disc w/CNC Rotor Flange, 15mm
Hub, Rear	S/B Alloy Disc Cassette w/CNC Rotor Flange, 12x142mm
Tires	Maxxis Ikon 3C Maxx Speed, 120TPI Folding, Triple Compound, Tubeless Ready, 29X2.2
Spokes	14G Black 32X32
Derailleur, Front	Sram GX 2 x 10, Direct Mount
Derailleur, Rear	Sram GX 10s, Type 2
Shifters	Sram GX 10s, Trigger
Chain	Sram PC-1031
Crankset	KHS 2pc Forged, 36/22, w/Alloy C/R's, S: 170, M-L: 175
BB	PF92
Freewheel / Cassette	Sram PG-1020 11/36 10speed
Pedals	N/A
Seatpost	KHS Alloy Micro-adjust, 30.9x350mm
Saddle	WTB Volt Sport
Handlebar	Kore XCD 1, 720x15mm, 31.8
Stem	Kore XCD, Alloy 3D Forged, Threadless 4-bolt, 31.8, S: 70mm, M: 80mm, L: 90mm
Grips	Q2 Lock-on
Brake Levers	Shimano M396
Brakes	Shimano M396, 160mm Rotors
Color	Red
Frame Size	S, M, L

XC SPORT TUCSON



FEATURES

22 Speed

MSD Carbon Frame

Manitou Marvel Expert Fork

GX2 Drivetrain

NEW OR CHANGED FOR 2016

New MSD Carbon frame
Manitou Marvel Expert fork
FSA Orbit Zero Stack headset
WTB STP-I19 TCS Wheelset
Maxxis Ardent Race, 3C Maxx Speed tires
Sram GX 2x11 drivetrain
Q2 Carbon Seatpost


MSRP: \$2699-2899

BIKE SPECS

Frame	KHS Full MSD Carbon 29er w/1.5 Taper Headtube, Disc Only, Internal Cable Routing
Fork	29" Manitou Marvel Expert, ISO AIR, 100mm, Absolute+ Dampening, Ext Rebound Adj & Compression Adj to Lock, 1.5 Taper Alloy Steerer, 15mm
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	WTB STP-I19 TCS, Disc, Double Wall, 29x32H, Tubeless Ready
Hub, Front	Alloy Disc w/CNC Rotor Flange, 15mm
Hub, Rear	Alloy disc w/CNC Rotor Flange, QR, Cassette, XD
Tires	Maxxis Ardent Race, 3C Maxx Speed, 3C/TR, 120TPI Folding, Triple Compound, Tubeless Ready, 29X2.2
Spokes	14G Black w/Alloy Nipples, 32X32
Derailleur, Front	Sram GX 2 x 11, Direct Mount S3
Derailleur, Rear	Sram GX 2 x 11, 11s Type 2
Shifters	Sram GX 2 x 11s Trigger
Chain	Sram PC-1130
Crankset	Sram GX 1000 X-Glide, 2 x 11, 24/36T, BB30, S: 170, M-XL: 175
BB	Sram PF30
Freewheel / Cassette	Sram XG-1150 10-42, 11-speed
Pedals	N/A
Seatpost	Q2 Carbon, 31.6x350mm
Saddle	WTB Volt Comp
Handlebar	Kore XCD-Flat Top, 31.8, 4.8x710mm
Stem	Kore XCD, Alloy 3D Forged, Threadless 4-bolt, 31.8, S: 80mm, M-L: 90mm, XL: 100mm
Grips	Q2 Lock-on
Brake Levers	Shimano New M506, Servo Wave
Brakes	Shimano M506 Hydraulic Disc, 160mm Rotors
Color	Burnt Orange
Frame Size	S, M, L, XL

PART # MODEL SIZE COLOR

96-162-001	Tucson	S	Burnt Orange
96-162-002	Tucson	M	Burnt Orange
96-162-003	Tucson	L	Burnt Orange
96-162-004	Tucson	XL	Burnt Orange



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
S	381 / 15	71°	72°	568 / 22.4	445 / 17.5	321 / 12.6	780 / 30.7	100 / 3.9	382 / 15	609 / 24
M	432 / 17	71.5°	72°	588 / 23.1	445 / 17.5	321 / 12.6	812 / 32	110 / 4.3	398 / 15.7	620 / 24.4
L	483 / 19	72°	72°	598 / 23.5	445 / 17.5	321 / 12.6	845 / 33.3	125 / 4.9	402 / 15.8	637 / 25.1
XL	533 / 21	72°	72°	625 / 24.6	445 / 17.5	321 / 12.6	876 / 34.5	145 / 5.7	424 / 16.7	656 / 25.8


XC SPORT TEMPE



FEATURES

20 Speed
Alloy Frame
Sram X7/X5 Drivetrain
Shimano BR-396 Hydraulic Disc brakes
MSRP: \$1049-1149

PART #	MODEL	SIZE	COLOR
96-161-001	Tempe	S	Matte Red
96-161-002	Tempe	M	Matte Red
96-161-003	Tempe	L	Matte Red
96-161-004	Tempe	XL	Matte Red



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
S	381 / 15	71°	72°	568 / 22.4	445 / 17.5	321 / 12.6	780 / 30.7	100 / 3.9	382 / 15	609 / 24
M	432 / 17	71.5°	72°	588 / 23.1	445 / 17.5	321 / 12.6	812 / 32	110 / 4.3	398 / 15.7	620 / 24.4
L	483 / 19	72°	72°	598 / 23.5	445 / 17.5	321 / 12.6	845 / 33.3	125 / 4.9	402 / 15.8	637 / 25.1
XL	533 / 21	72°	72°	625 / 24.6	445 / 17.5	321 / 12.6	876 / 34.5	145 / 5.7	424 / 16.7	656 / 25.8

BIKE SPECS

Frame	Alloy 6061 Dbl Butted w/Custom Formed TT & DT, 1.5 Taper, w/ Replaceable Derailleur Hanger
Fork	RST First 29 Air, 100mm, Alloy Steerer, Magnesium lowers, Hydraulic Damp, External rebound, Lockout, 1.5 Taper, 15Q
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	Weinmann U28, Double Wall w/Single Eyelets, 29x32H
Hub, Front	Alloy Disc w/CNC Rotor Flange, 15mm, 100mm Spacing
Hub, Rear	Alloy disc w/CNC Rotor Flange, QR, Cassette, 135mm Spacing
Tires	Maxxis Crossmark, 29x2.1, 60TPI, Folding
Spokes	14G Black w/Alloy Nipples, 32x32
Derailleur, Front	Sram X5, 34.9 Clamp
Derailleur, Rear	Sram X7 Type 2
Shifters	Sram X5
Chain	SRAM PC-1031
Crankset	KHS 2pc Forged w/Outboard Bearing, 38/24, w/Alloy C/R's, S: 170mm M-XL: 175mm
BB	Outboard Bearing
Freewheel / Cassette	Sram PG-1020, 11-36T, 10-speed
Pedals	Wellgo Alloy ATB 1 pc. w/CNC
Seatpost	KHS Alloy Micro-adjust, 31.6x350mm
Saddle	WTB Volt Sport
Handlebar	Alloy Flat Top, 700mm x 5mm, 31.8
Stem	KHS Alloy 3D Forged, 4-bolt, 7 degree, 31.8, S: 80mm M: 90mm L: 100mm XL: 110mm
Grips	KHS Sport, Dual Compound
Brake Levers	Shimano BR-M396
Brakes	Shimano BR-M396, Hydraulic Disc, 160mm Rotors
Color	Matte Red
Frame Size	S, M, L, XL

XC SPORT AGUILA



FEATURES

27 Speed

Alloy Frame

Alivio/Deore Drivetrain

Shimano BR-355 Hydraulic Disc brakes

NEW OR CHANGED FOR 2016


SR XCM HLO fork

Maxxis Spinx tires

Shimano Deore Rear Derailleur

MSRP: \$729-799

PART #	MODEL	SIZE	COLOR
96-160-001	Aguila	S	Silver
96-160-002	Aguila	M	Silver
96-160-003	Aguila	L	Silver
96-160-004	Aguila	XL	Silver



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	381 / 15	71°	72°	568 / 22.4	445 / 17.5	321 / 12.6	780 / 30.7	100 / 3.9	382 / 15	609 / 24
M	432 / 17	71.5°	72°	588 / 23.1	445 / 17.5	321 / 12.6	812 / 32	110 / 4.3	398 / 15.7	620 / 24.4
L	483 / 19	72°	72°	598 / 23.5	445 / 17.5	321 / 12.6	845 / 33.3	125 / 4.9	402 / 15.8	637 / 25.1
XL	533 / 21	72°	72°	625 / 24.6	445 / 17.5	321 / 12.6	876 / 34.5	145 / 5.7	424 / 16.7	656 / 25.8

BIKE SPECS

Frame	Alloy 6061 w/custom formed TT & DT, w/replaceable derailleur hanger
Fork	SR XCM HLO, 100mm, w/Hydraulic lock out
Headset	Threadless Zero Stack, 1-1/8
Rims	Weinmann U28, Double Wall, 29x32H
Hub, Front	Alloy Disc w/CNC Rotor Flange, QR, 100mm Spacing
Hub, Rear	Alloy Disc w/CNC Rotor Flange, QR, Cassette, 135mm
Tires	Maxxis Spinx, 29x2.1
Spokes	14G Black 32X32
Derailleur, Front	Shimano FD-M3000, 34.9 Clamp
Derailleur, Rear	Shimano Deore RD-M592
Shifters	Shimano Alivio SL4000
Chain	KMC X9 W/Missing Link
Crankset	Shimano Alivio FCM4000, Octalink, 40/30/22T, S: 170mm M-XL: 175mm
BB	Shimano ES25 Octalink
Freewheel / Cassette	Shimano CS-HG200-9 11-34T, 9-speed
Pedals	Wellgo Resin Platform
Seatpost	KHS Alloy Micro-adjust, 31.6x350mm
Saddle	KHS Sport, Dual Density
Handlebar	Alloy Flat Top, 700mm x 5mm, 31.8
Stem	KHS Alloy 3D Forged, 4-bolt, 7 degree, 31.8, S: 75mm M-L: 90 XL: 105mm
Grips	KHS Sport, Dual Compound
Brake Levers	Shimano BR-M355
Brakes	Shimano BR-M355, Hydraulic Disc, 160mm Rotors
Color	Silver
Frame Size	S, M, L, XL

XC SPORT WINSLOW



FEATURES

24 Speed

Alloy Frame

Acera Drivetrain

Bengal MB606 Mechanical Disc brakes

NEW OR CHANGED FOR 2016

SR XCT DS fork

CST 1435A tires

Shimano FGD-M310 front derailleur

Shimano SL-M310 Trigger shifters

MSRP: \$569-619


PART #	MODEL	SIZE	COLOR
96-159-001	Winslow	S	Green
96-159-002	Winslow	S	Matte Red
96-159-003	Winslow	M	Green
96-159-004	Winslow	M	Matte Red
96-159-005	Winslow	L	Green
96-159-006	Winslow	L	Matte Red
96-159-007	Winslow	XL	Green

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	381 / 15	71°	72°	568 / 22.4	445 / 17.5	321 / 12.6	780 / 30.7	100 / 3.9	382 / 15	609 / 24
M	432 / 17	71.5°	72°	588 / 23.1	445 / 17.5	321 / 12.6	812 / 32	110 / 4.3	398 / 15.7	620 / 24.4
L	483 / 19	72°	72°	598 / 23.5	445 / 17.5	321 / 12.6	845 / 33.3	125 / 4.9	402 / 15.8	637 / 25.1
XL	533 / 21	72°	72°	625 / 24.6	445 / 17.5	321 / 12.6	876 / 34.5	145 / 5.7	424 / 16.7	656 / 25.8

BIKE SPECS

Frame	Alloy 6061 w/custom formed TT, w/replaceable derailleur hanger
Fork	SR XCT DS, 100mm, Preload Adj
Headset	Threadless Zero Stack, 1-1/8
Rims	Alloy Double Wall, 29x32H
Hub, Front	Alloy Disc w/CNC Rotor Flange, QR, 100mm Spacing
Hub, Rear	Alloy Disc w/CNC Rotor Flange, QR, Cassette, 135mm Spacing
Tires	CST 1435A, 29x2.1
Spokes	14G Black 32x32
Derailleur, Front	Shimano FD-M310, 34.9 Clamp
Derailleur, Rear	Shimano Acera M360
Shifters	Shimano SL-M310 Trigger
Chain	KMC Z8
Crankset	Shimano TY801 42/32/22T, S: 170mm M-XL: 175mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200-8 12-32T, 8-speed
Pedals	Wellgo resin platform
Seatpost	KHS Alloy Micro-adjust, 31.6x350mm
Saddle	KHS Sport
Handlebar	Alloy Flat Top, 700mm x 5mm, 31.8
Stem	KHS Alloy, 7 Degree, 31.8, S: 75mm M-L: 90mm XL: 105mm
Grips	KHS Sport, Dual Compound
Brake Levers	Promax XL-91
Brakes	Bengal Cable Disc MB606, 160mm rotors
Color	Green, Matte Red
Frame Size	S, M, L, XL (XL Green Only)




XC SPORT ZACA



FEATURES

21 Speed
Alloy Frame
Shimano Drivetrain
Bengal MB606 Mechanical Disc brakes
MSRP: \$469-509

PART #	MODEL	SIZE	COLOR
96-158-001	ZACA	S	Gloss Black
96-158-002	ZACA	S	Matte Blue
96-158-003	ZACA	M	Gloss Black
96-158-004	ZACA	M	Matte Blue
96-158-005	ZACA	L	Gloss Black
96-158-006	ZACA	L	Matte Blue
96-158-007	ZACA	XL	Gloss Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	381 / 15	71°	72°	568 / 22.4	445 / 17.5	321 / 12.6	780 / 30.7	100 / 3.9	382 / 15	609 / 24
M	432 / 17	71.5°	72°	588 / 23.1	445 / 17.5	321 / 12.6	812 / 32	110 / 4.3	398 / 15.7	620 / 24.4
L	483 / 19	72°	72°	598 / 23.5	445 / 17.5	321 / 12.6	845 / 33.3	125 / 4.9	402 / 15.8	637 / 25.1
XL	533 / 21	72°	72°	625 / 24.6	445 / 17.5	321 / 12.6	876 / 34.5	145 / 5.7	424 / 16.7	656 / 25.8

BIKE SPECS

Frame	Alloy 6061 w/custom formed TT, w/replaceable derailleur hanger
Fork	Zoom 565D 29", 80mm
Headset	Threadless Zero Stack, 1-1/8
Rims	Alloy Double Wall, 29x32H
Hub, Front	Alloy disc QR, 100mm Spacing
Hub, Rear	Alloy disc QR, Cassette 135mm Spacing
Tires	29x2.1, 27 TPI
Spokes	14G Black 32x32
Derailleur, Front	Shimano Tourney TY10, 34.9 Clamp
Derailleur, Rear	Shimano RD-TX35D
Shifters	Shimano ST-EF51
Chain	KMC Z50
Crankset	Shimano FC-TY701, 42/34/24T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG, 20-7, 14-32T, 7-speed, Cassette
Pedals	Resin MTB platform w/boron axle
Seatpost	KHS Alloy, 31.6x300mm
Saddle	KHS Sport
Handlebar	Alloy Flat Top, 700mm x 5mm, 31.8
Stem	KHS Alloy 4-bolt, 7 degree, 31.8, S: 75mm M-L: 90mm XL: 105mm
Grips	KHS Sport
Brake Levers	Shimano ST-EF51
Brakes	Bengal Cable Disc MB606, 160mm rotors
Color	Gloss Black, Matte Blue
Frame Size	S, M, L, XL (XL-Black Only)

XC SPORT

BNT 29

New Model



FEATURES

20 Speed

Reynolds 520 CrMo Frame

WTB STP-I19 TCS Tubeless Ready Wheelset

XT/Deore Drivetrain


NEW OR CHANGED FOR 2016

WTB STP-I19 TCS Tubeless Ready Wheelset

MSRP: \$1869-1969

PART # MODEL SIZE COLOR

96-163-001	BNT	XXL	Matte Black
96-163-002	BNT	XXXL	Matte Black



GEOMETRY

SIZE	A s/t c-t	B h/t"	C s/l"	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XXL	586 / 23.1	71°	73°	653 / 25.7	455 / 17.9	347 / 13.7	931 / 36.7	141 / 5.6	450 / 17.7	658 / 25.9
XXXL	626 / 24.6	71°	73°	678 / 26.7	455 / 17.9	347 / 13.7	962 / 37.9	166 / 6.5	468 / 18.4	681 / 26.8

BIKE SPECS

Frame	Reynolds 520 CrMo Double Butted, T/T 38.1mm, D/T 40mm, S/T 32.4mm
Fork	29" Manitou Marvel Comp TS AIR, 120mm, Absolute+ Dampening, Ext Rebound Adj & Compression Adj to Lock, 1.5 Taper Alloy Steerer, 15mm
Headset	FSA 2 (I/I), Orbit E1.5, Zero Stack, 1-1/8/1.5
Rims	WTB STP-I19 TCS, Disc, Double Wall, 29x36H, Tubeless Ready
Hub, Front	Alloy Disc w/CNC Rotor Flange, 15mm
Hub, Rear	Alloy disc w/CNC Rotor Flange, QR, Cassette
Tires	Maxxis Ikon 3C Maxx Speed, 120TPI Folding, Triple Compound, Tubeless Ready, 29x2.35
Spokes	14G Black w/Alloy Nipples, 36X36
Derailleur, Front	Shimano Deore FDM616, 34.9 Clamp
Derailleur, Rear	Shimano XT RDM786 Shadow Plus
Shifters	Shimano Deore SLM610 I-Spec
Chain	KMC X10 w/missing Link
Crankset	KHS 2pc Forged w/Outboard Bearing, 38/24, w/Alloy C/R's, 200mm
BB	Outboard Bearing
Freewheel / Cassette	Shimano Deore CSHG50-10 11-36t, 10speed
Pedals	N/A
Seatpost	Alloy Micro-Adjust 29.8X400
Saddle	WTB Volt Comp
Handlebar	Kore XCD 1, 720x15mm, 31.8
Stem	Alloy 3D Forged, 4-bolt, 7 degree, 31.8, 120mm
Grips	Q2 Lock-On
Brake Levers	Shimano New M506, Servo Wave
Brakes	Shimano M506 Hydraulic Disc, 160mm Rotors
Color	Matte Black
Frame Size	2XL, 3XL

DOWNHILL 650B

DH 650 TEAM



FEATURES

10 Speed

Saint Drivetrain

FOX 40 Float Fork


FOX DHX2 rear shock

NEW OR CHANGED FOR 2016

Fox DHX2 Fork Shock
Fox 40 Float Factory Fork
FSA Orbit Zero Stack Headset
Maxxis Minion DH tires
Kind Shock Ether seat post
WTB High Tail Saddle
Kore Torsion Handlebars and stem

MSRP: \$6499-6799

PART #	MODEL	SIZE	COLOR
96-157-001	DH650 -300	S	Team Blue/Black
96-157-002	DH650 -300	M	Team Blue/Black
96-157-003	DH650 -300	L	Team Blue/Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	380 / 15	64°	74°	551 / 21.7	455 / 17.9	350 / 13.8	755 / 29.7	110 / 4.3	378 / 14.9	603 / 23.7
M	393 / 15.5	64°	74°	576 / 22.7	455 / 17.9	350 / 13.8	747 / 29.4	110 / 4.3	403 / 15.9	603 / 23.7
L	405 / 15.9	64°	74°	601 / 23.7	455 / 17.9	350 / 13.8	743 / 29.3	110 / 4.3	428 / 16.9	603 / 23.7

BIKE SPECS

Frame	KHS 650B F.A.S.T. DH Frame w/ 8.3" travel, 1.5HT, 83mm BB, ISCG05 mount
Rear Shock	Fox DHX2 Factory, RVS, High & Low Speed Compression, High & Low Speed Rebound, Kashima Coat
Fork	Fox 40 Float Factory 27.5, Fit, Low & High Speed Compression, Rebound Adj, Kashima Coat, 20mm
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	Spank, Spike Race28 EVO, 27.5", 32H, Tubeless Ready
Hub, Front	Sun Ringle Jumping Flea, 20mm
Hub, Rear	Sun Ringle Jumping Flea, 12x150mm
Tires	Maxxis Minion DHF, 650B x 2.5 Front, DHR, 2.4 Rear, DH Casing
Spokes	Wheelsmith, 14G DB, Black, Stainless Steel, 32x32
Derailleur, Front	N/A
Derailleur, Rear	Shimano Saint
Shifters	Shimano Saint
Chain	KMC X10 Ti-N, Gold
Crankset	Shimano Saint Hollowtech 2, 38T, w/MRP DH G3 Alloy Chain Guide System, S-L: 165, XL:170
BB	Shimano Saint
Freewheel / Cassette	Shimano CS-5700, 11-25T, 10-speed
Pedals	N/A
Seatpost	Kind Shock Ether, 31.6x400mm
Saddle	WTB High Tail/KHS Team Graphics
Handlebar	Kore Torsion, 50x800mm, 31.8
Stem	Kore Torsion Direct Mount, 50mm
Grips	ODI Ruffian Lock On
Brake Levers	Shimano Saint
Brakes	Shimano Saint, 203mm Rotors
Color	Team
Frame Size	S, M, L

DOWNHILL 650B

DH 650 PRO



FEATURES

10 Speed

Zee Drivetrain

Rock Shox Boxxer Team Fork


Rock Shox Kage RC rear shock

NEW OR CHANGE FOR 2016

Rock Shox Boxxer Team Fork
FSA Orbit Zero Stack Headset
Maxxis Minion DH tires
KMC X10 chain in Silver
Kind Shock Ether seat post
WTB High Tail Saddle
Kore OCD handlebar
Kore Torsion Stem

MSRP: \$4399-4699

PART #	MODEL	SIZE	COLOR
96-156-001	DH650 -150	S	Team Blue/Black
96-156-002	DH650 -150	M	Team Blue/Black
96-156-003	DH650 -150	L	Team Blue/Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	380 / 15	64°	74°	551 / 21.7	455 / 17.9	350 / 13.8	755 / 29.7	110 / 4.3	378 / 14.9	603 / 23.7
M	393 / 15.5	64°	74°	576 / 22.7	455 / 17.9	350 / 13.8	747 / 29.4	110 / 4.3	403 / 15.9	603 / 23.7
L	405 / 15.9	64°	74°	601 / 23.7	455 / 17.9	350 / 13.8	743 / 29.3	110 / 4.3	428 / 16.9	603 / 23.7

BIKE SPECS

Frame	KHS 650B F.A.S.T. DH Frame w/ 8.3" travel, 1.5HT, 83mm BB, ISCG05 mount
Rear Shock	Rock Shox Kage RC, External Rebound & Compression Adj
Fork	Rock Shox Boxxer Team 27.5, Charger Damper, External Rebound & Compression Adj
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	WTB STP-I25 TCS, Disc, Double Wall, 27.5x32H, Tubeless Ready
Hub, Front	Formula Disc, 20mm through axle
Hub, Rear	Formula Disc, 12x150mm
Tires	Maxxis Minion DHF, 650B x 2.5 Front, DHR, 2.4 Rear, DH Casing
Spokes	14G Black, 32x32
Derailleur, Front	N/A
Derailleur, Rear	Shimano Zee
Shifters	Shimano Zee
Chain	KMC X10 Silver
Crankset	Shimano ZEE, 38T, w/MRP G3 Chain Guide System, S-L: 165, XL: 170
BB	Zee
Freewheel / Cassette	Shimano CS-5700, 11-25T, 10-speed
Pedals	N/A
Seatpost	Kind Shock Ether, 31.6x400mm
Saddle	WTB High Tail/KHS Team Graphics
Handlebar	Kore OCD, 35x800mm, 31.8
Stem	Kore Torsion Direct Mount, 50mm
Grips	Q2 Lock-on
Brake Levers	Shimano Zee
Brakes	Shimano ZEE, F: 203mm Rotors w/metal fin brake pads
Color	Team
Frame Size	S, M, L

ENDURO 650B

SIXFIFTY 7500



FEATURES

11 Speed

FOX 34 Float Factory Fork

XO1 Drivetrain

KS LEV Integra dropper post

NEW OR CHANGED FOR 2016

Redesigned Alloy 6061 Frame with F.A.S.T.

Fox Factory 34 Float fork


FOX Factory Float DPS W/EVOL rear shock

Kind Shock LEV DX Integra Seatpost

WTB High Tail Saddle

MSRP: \$4999-5299

PART #	MODEL	SIZE	COLOR
96-155-001	SixFifty 7500	S	Matte Black/Gray
96-155-002	SixFifty 7500	M	Matte Black/Gray
96-155-003	SixFifty 7500	L	Matte Black/Gray
96-155-004	SixFifty 7500	XL	Matte Black/Gray



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	390 / 15.4	66.5°	75°	585 / 23	435 / 17.1	345 / 13.6	767 / 30.2	110 / 4.3	425 / 16.7	596 / 23.5
M	420 / 16.5	66.5°	75°	605 / 23.8	435 / 17.1	345 / 13.6	769 / 30.3	110 / 4.3	445 / 17.5	596 / 23.5
L	460 / 18.1	66.5°	75°	625 / 24.6	435 / 17.1	345 / 13.6	792 / 31.2	120 / 4.7	462 / 18.2	606 / 23.9
XL	500 / 19.7	66.5°	75°	645 / 25.4	435 / 17.1	345 / 13.6	820 / 32.3	130 / 5.1	480 / 18.9	615 / 24.2

BIKE SPECS

Frame	F.A.S.T. 650B 160mm, Alloy 6061 w/Custom Formed Dbl. Butted TT & DT, 1.5 Taper, 12 x 142 rear axle, w/replaceable derailleur hanger,
Rear Shock	FOX Factory Float DPS W/EVOL, Air, CTD 3-pos Lever, Rebound Adj, w/Kashima
Fork	Fox Factory 34 Float 27.5", FIT4 CTD 3-Pos. Lever W/Adj, w/ Kashima, 160mm, Air, External Rebound, CTD Low Speed Compression, 1.5 Taper, 15mm Thru Axle
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	DT M1700 Spline Wheel Set, 650B Disc, Straight Pull w/ 15mm Thru-Axle FT, 12 x 142mm Rear, Tubeless Ready
Hub, Front	DT M1700 Spline Wheel set. 15mm
Hub, Rear	DT M1700 Spline, Wheel Set, 12x142mm
Tires	Maxxis High Roller II, 27.5 x 2.3, 60 TPI Folding, 3C/EXO/TR, Tubeless Ready
Spokes	DT M1700 Spline, Wheel Set
Derailleur, Front	N/A
Derailleur, Rear	Sram XO 1, 11s X-Horizon, Type 2
Shifters	Sram XO 11s Trigger, Right Only
Chain	Sram PC-1130
Crankset	Sram X1 1400 X-Sync, Hollow Forged, GXP, 30T, S: 170, M-XL: 175
BB	Sram GXP-XR
Freewheel / Cassette	Sram XG-1150, 10-42T, 11-speed
Pedals	N/A
Seatpost	Kind Shock LEV DX Integra w/Remote, 31.6x392mm 125 travel
Saddle	WTB High Tail, CrMo Rail
Handlebar	Q2 Carbon, 740mm
Stem	Kore Repute, 31.8, S: 35mm, M-XL: 50mm
Grips	Q2 Lock-on
Brake Levers	Sram Guide RSC, Match Maker X
Brakes	Sram Guide RSC Hydraulic Disc, 4 Piston, Tool Free Reach & Pad Contact Adj., 180/160mm Rotors
Color	Matte Black/Gray
Frame Size	S, M, L, XL

ENDURO 650B

SIXFIFTY 7200



FEATURES

11 Speed

Rock Shox Pike RC Fork

GX1 Drivetrain

KS E-Ten Integra dropper post

NEW OR CHANGED FOR 2016

Redesigned Alloy 6061 Frame with F.A.S.T.

Rock Shox Monarch RT rear shock


WTB STP-I25 TCS, Disc Tubeless Ready Wheelset

Sram GX 1 drivetrain

Kind Shock E-Ten, Integra Seatpost

MSRP: \$3399-3699

PART #	MODEL	SIZE	COLOR
96-154-001	SixFifty 7200	S	Matte Black/Orange
96-154-002	SixFifty 7200	M	Matte Black/Orange
96-154-003	SixFifty 7200	L	Matte Black/Orange
96-154-004	SixFifty 7200	XL	Matte Black/Orange



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/l	D t/effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
S	390 / 15.4	66.5"	75°	585 / 23	435 / 17.1	345 / 13.6	767 / 30.2	110 / 4.3	425 / 16.7	596 / 23.5
M	420 / 16.5	66.5"	75°	605 / 23.8	435 / 17.1	345 / 13.6	769 / 30.3	110 / 4.3	445 / 17.5	596 / 23.5
L	460 / 18.1	66.5"	75°	625 / 24.6	435 / 17.1	345 / 13.6	792 / 31.2	120 / 4.7	462 / 18.2	606 / 23.9
XL	500 / 19.7	66.5"	75°	645 / 25.4	435 / 17.1	345 / 13.6	820 / 32.3	130 / 5.1	480 / 18.9	615 / 24.2

BIKE SPECS

Frame	F.A.S.T. 650B 160mm, Alloy 6061 w/Custom Formed Dbl.Buttressed TT & DT, 1.5 Taper, 12 x 142 rear axle, w/replaceable derailleur hanger,
Rear Shock	Rock Shox Monarch RT, KHS Tuned, Solo air with 2 Pos. Switch, Rebound adj.
Fork	Rock Shox Pike RC, 160mm, Solo Air, 1.5 Taper, 15mm Thru-Axle, External Rebound, Low Speed Compression to Lock
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	WTB STP-I25 TCS, Disc, Double Wall, 28H, Tubeless Ready
Hub, Front	Light Weight S/B Alloy Disc, 15mm, Straight Pull
Hub, Rear	Light Weight S/B Alloy Disc, Cassette, 12x142mm, Straight Pull
Tires	Maxxis High Roller II, 27.5 x 2.3, 60 TPI Folding, 3C/EXO/TR, Tubeless Ready
Spokes	14G/15G Dbl Butted Black Stainless w/Alloy Nipples, 28x28
Derailleur, Front	N/A
Derailleur, Rear	Sram GX 1, 11s X-Horizon, Type 2
Shifters	Sram GX 1, 11s Trigger, Right Only
Chain	SRAM PC-1130
Crankset	SRAM GX 1000, X-Sync, 2 pc., GXP, 30T, S: 170, M-XL:175
BB	Sram GXP Outboard Bearing
Freewheel / Cassette	Sram XG-1150, 10-42T, 11-speed
Pedals	N/A
Seatpost	Kind Shock E-Ten, Integra w/Remote, 31.6x420mm 100 travel
Saddle	WTB Volt Sport
Handlebar	Kore Durox, 760mmx20mm, 31.8
Stem	Kore Repute, 31.8, S: 35mm, M-XL: 50mm
Grips	Q2 Lock-On
Brake Levers	Shimano SLX
Brakes	Shimano SLX M675 Hydraulic Disc, 180/160
Color	Matte Black/Orange
Frame Size	S, M, L, XL

TRAIL 650B

SIXFIFTY 6500



FEATURES

11 Speed

Alloy frame with F.A.S.T rear design

X1 Drivetrain

Guide R Hydraulic Disc brakes

NEW OR CHANGED FOR 2016

Redesigned Alloy 6061 Frame with F.A.S.T.

DT M1900 Spline Wheelset


Sram X1 drivetrain

Sram XG-1150 cassette

Sram Guide R Hydraulic Disc brakes

MSRP: \$3699-3999

PART #	MODEL	SIZE	COLOR
96-152-001	SixFifty 6500	S	Blue/Silver
96-152-002	SixFifty 6500	M	Blue/Silver
96-152-003	SixFifty 6500	L	Blue/Silver
96-152-004	SixFifty 6500	XL	Blue/Silver



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	380 / 15	67.5°	75°	585 / 23	430 / 16.9	342 / 13.5	746 / 29.4	110 / 4.3	428 / 16.9	585 / 23
M	420 / 16.5	67.5°	75°	605 / 23.8	430 / 16.9	342 / 13.5	762 / 30	110 / 4.3	448 / 17.6	585 / 23
L	460 / 18.1	67.5°	75°	625 / 24.6	430 / 16.9	342 / 13.5	785 / 30.9	120 / 4.7	466 / 18.3	594 / 23.4
XL	500 / 19.7	67.5°	75°	645 / 25.4	430 / 16.9	342 / 13.5	811 / 31.9	130 / 5.1	483 / 19	603 / 23.7

BIKE SPECS

Frame	F.A.S.T. 650B 140mm, Alloy 6061 w/Custom Formed Dbl. Butted TT & DT, 1.5 Taper, 12 x 142 rear axle, w/replaceable derailleur hanger,
Rear Shock	RockShox Monarch RT3 HV, Solo Air with 3 Pos. Flood Gate Switch, Rebound adj.
Fork	Rock Shox Revelation RLT, 140mm, 1-1/8-1.5 Tapered Alloy Steerer, Motion Control, External Rebound, Low Speed Compression to 'Lock' with External Floodgate, 15mm Through Axle
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	DT M1900 Spline Wheel Set, 650B Disc, Straight Pull w/ 15mm Thru-Axle Ft, 12 x 142mm Rear, Tubeless Ready
Hub, Front	DT M1900 Spline Wheel set. 15mm
Hub, Rear	DT M1900 Spline Wheel set., 12x142mm
Tires	Maxxis Ardent 27.5 x 2.25, Folding, Tubeless Ready
Spokes	DT M1900 Spline Wheel set.
Derailleur, Front	N/A
Derailleur, Rear	Sram X1, 11s X-Horizon, Type 2
Shifters	Sram X1 11s Trigger, Right Only
Chain	Sram PC-1130
Crankset	Sram X1 1400 X-Sync, Hollow Forged, GXP, 32T, S: 170, M-XL: 175
BB	Sram GXP
Freewheel / Cassette	Sram XG-1150, 10-42T, 11-speed
Pedals	N/A
Seatpost	Kind Shock LEV Integral w/Remote, 31.6x392mm, 125mm travel
Saddle	WTB Volt Comp
Handlebar	Kore Mega, 760x20mm, 31.8
Stem	Kore Durox 3D Forged, 31.8, S: 60mm, M-L: 75mm, XL: 90mm
Grips	Q2 Lock-on
Brake Levers	Sram Guide R, Matchmaker X
Brakes	Sram Guide R Hydraulic Disc, 4 Piston, Tool Free Reach Adj., 160mm Rotors
Color	Blue/Silver
Frame Size	S, M, L, XL

TRAIL 650B

SIXFIFTY 5500



FEATURES

11 Speed

Alloy frame with F.A.S.T rear design

GX1 Drivetrain


KS E-Ten Integra dropper post

NEW OR CHANGED FOR 2016

Redesigned Alloy 6061 Frame with F.A.S.T.
Rock Shox Sektor Silver fork
WTB STP-I23 TCS Tubeless Ready Wheelset
Sram GX 1 drivetrain
Sram XG-1150 cassette
Kind Shock E-Ten, Integra Seatpost

MSRP: \$2699-2899

PART #	MODEL	SIZE	COLOR
96-151-001	SixFifty 5500	S	Matte Black/Green
96-151-002	SixFifty 5500	M	Matte Black/Green
96-151-003	SixFifty 5500	L	Matte Black/Green
96-151-004	SixFifty 5500	XL	Matte Black/Green



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	380 / 15	67.5°	75°	585 / 23	430 / 16.9	342 / 13.5	746 / 29.4	110 / 4.3	428 / 16.9	585 / 23
M	420 / 16.5	67.5°	75°	605 / 23.8	430 / 16.9	342 / 13.5	762 / 30	110 / 4.3	448 / 17.6	585 / 23
L	460 / 18.1	67.5°	75°	625 / 24.6	430 / 16.9	342 / 13.5	785 / 30.9	120 / 4.7	466 / 18.3	594 / 23.4
XL	500 / 19.7	67.5°	75°	645 / 25.4	430 / 16.9	342 / 13.5	811 / 31.9	130 / 5.1	483 / 19	603 / 23.7

BIKE SPECS

Frame	F.A.S.T. 650B 140mm, Alloy 6061 w/Custom Formed Dbl.Butt'd TT & DT, 1.5 Taper, 12 x 142 rear axle, w/replaceable derailleur hanger,
Rear Shock	RockShox Monarch RL, Solo Air , Rebound adj. w/Lock Out
Fork	Rock Shox Sektor Silver, 650B, Solo Air Spring, 140mm, Alloy 1.5 Taper, Rebound Adj, Turnkey Lockout
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	WTB STP-I23 TCS, Disc, Double Wall, 28H, Tubeless Ready
Hub, Front	Light Weight S/B Alloy Disc, 15mm, Straight Pull
Hub, Rear	Light Weight S/B Alloy Disc, Cassette, 12x142mm, Straight Pull
Tires	Maxxis Ardent 27.5 x 2.25, Folding, Tubeless Ready
Spokes	14G/15G Dbl Butted Black Stainless w/Alloy Nipples, 28x28
Derailleur, Front	N/A
Derailleur, Rear	Sram GX 1, 11s X-Horizon, Type 2
Shifters	Sram GX 1, 11s Trigger, Right Only
Chain	SRAM PC-1130
Crankset	SRAM GX 1000, X-Sync, 2 pc., GXP, 32T, S: 170, M-XL: 175
BB	Sram GXP
Freewheel / Cassette	Sram XG-1150, 10-42T, 11-speed
Pedals	N/A
Seatpost	Kind Shock E-Ten, Integra w/Remote, 30.9x420mm, 100mm travel
Saddle	WTB Volt Sport
Handlebar	Alloy, 31.8 700x15mm
Stem	KHS Alloy 3D Forged, 4-bolt, 7 degree, 31.8, S: 70mm, M-L: 80mm, XL: 90mm
Grips	Q2 Lock-on
Brake Levers	Shimano New M506, Servo Wave
Brakes	Shimano M506 Hydraulic Disc, 180/160mm Rotors
Color	Matte Black/Green
Frame Size	S, M, L, XL

TRAIL 650B

SIXFIFTY 3500



FEATURES

20 Speed

Rock Shox Recon Gold RL Fork

WTB STP-I19 TCS Tubeless Ready Wheelset

XT/SLX Drivetrain

NEW OR CHANGED FOR 2015

Rock Shox Recon Gold RL fork


WTB STP-I19 TCS wheels

Shimano FCM627 crank

WTB Volt Comp Saddle

MSRP: \$2499-2699

PART #	MODEL	SIZE	COLOR
96-150-001	SixFifty 3500	S	White/Black
96-150-002	SixFifty 3500	M	White/Black
96-150-003	SixFifty 3500	L	White/Black
96-150-004	SixFifty 3500	XL	White/Black



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
S	394 / 15.5	68.5°	73.5°	554 / 21.8	430 / 16.9	330 / 13	725 / 28.5	110 / 4.3	390 / 15.4	587 / 23.1
M	432 / 17	68.5°	73.5°	580 / 22.8	430 / 16.9	330 / 13	741 / 29.2	120 / 4.7	413 / 16.3	597 / 23.5
L	483 / 19	68.5°	73.5°	607 / 23.9	430 / 16.9	330 / 13	773 / 30.4	130 / 5.1	435 / 17.1	606 / 23.9
XL	521 / 20.5	68.5°	73.5°	633 / 24.9	430 / 16.9	330 / 13	789 / 31.1	140 / 5.5	457 / 18	615 / 24.2

BIKE SPECS

Frame	650B 120mm, Alloy 6061 w/Custom Formed Dbl.Butt'd TT & DT, 1.5 Taper, 12 x 142 Rear Axle , w/Replaceable Derailleur Hanger,
Rear Shock	RockShox Monarch RL, Solo Air , Rebound adj. w/Lock Out
Fork	Rock Shox Recon Gold RL, 120mm, 1-1/8-1.5 Tapered Alloy Steerer, External rebound, Low Speed Compression to 'Lock', 15mm Through Axle
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	WTB STP-I19 TCS, Disc, Double Wall, 28H, Tubeless Ready
Hub, Front	Light Weight S/B Alloy Disc, 15mm, Straight Pull
Hub, Rear	Light Weight S/B Alloy Disc, Cassette, 12x142mm, Straight Pull
Tires	Maxxis Ardent 27.5 x 2.25, Folding, Tubeless Ready
Spokes	14G Black w/Alloy Nipples, 28X28
Derailleur, Front	Shimano SLX FDM675, Direct Mount
Derailleur, Rear	Shimano XT, RDM786, Shadow Plus
Shifters	Shimano SLX SLM670 w/I-Spec
Chain	KMC X10 w/missing Link
Crankset	Shimano FCM627, 2-pc, 38/24, S: 170, M-XL: 175
BB	Shimano PF92
Freewheel / Cassette	Shimano HG5010 11-36T, 10-speed
Pedals	N/A
Seatpost	Q2 Alloy, 30.9x350mm
Saddle	WTB Volt Comp
Handlebar	Kore XCD 1 r, 710x15mm, 31.8
Stem	Kore XCD, Alloy 3D Forged, Threadless 4-bolt, 31.8, S-M: 80mm, L-XL: 90mm
Grips	Q2 Lock-on
Brake Levers	Shimano New M506, Servo Wave
Brakes	Shimano M506 Hydraulic Disc, 160mm Rotors
Color	White/Black
Frame Size	S, M, L, XL

TRAIL 650B

SIXFIFTY 2500



FEATURES

20 Speed

Rock Shox Recon Silver Fork

WTB STP-I19 TCS Tubeless Ready Wheelset


GX2 Drivetrain

NEW OR CHANGED FOR 2015

RockShox Recon Silver Fork
RockShox Monarch R rear shock
WTB STP-I19 TCS Wheelset
Sram GX 2x10 drivetrain
Shimano BR-M396, Hydraulic Disc brakes

MSRP: \$1999-2199

PART #	MODEL	SIZE	COLOR
96-149-001	SixFifty 2500	S	Matte Red/Black
96-149-002	SixFifty 2500	M	Matte Red/Black
96-149-003	SixFifty 2500	L	Matte Red/Black
96-149-004	SixFifty 2500	XL	Matte Red/Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	G h/o	H h/L	I Reach	J Stack	K Stack
S	394 / 15.5	68.5°	73.5°	554 / 21.8	430 / 16.9	330 / 13	725 / 28.5	110 / 4.3	390 / 15.4	587 / 23.1	
M	432 / 17	68.5°	73.5°	580 / 22.8	430 / 16.9	330 / 13	741 / 29.2	120 / 4.7	413 / 16.3	597 / 23.5	
L	483 / 19	68.5°	73.5°	607 / 23.9	430 / 16.9	330 / 13	773 / 30.4	130 / 5.1	435 / 17.1	606 / 23.9	
XL	521 / 20.5	68.5°	73.5°	633 / 24.9	430 / 16.9	330 / 13	789 / 31.1	140 / 5.5	457 / 18	615 / 24.2	

BIKE SPECS

Frame	650B 120mm, Alloy 6061 w/Custom Formed Dbl.Butt'd TT & DT, 1.5 Taper, 12 x 142 Rear Axle , w/Replaceable Derailleur Hanger,
Rear Shock	RockShox Monarch R, Solo Air Rebound adj.
Fork	Rock Shox Recon Silver, 650B, Air Spring, 120mm, Alloy 1.5 Taper, Rebound Adj, Turnkey Lockout
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	WTB STP-I19 TCS, Disc, Double Wall, 32H, Tubeless Ready
Hub, Front	S/B Alloy disc w/CNC Rotor Flange, 15mm
Hub, Rear	S/B Alloy Disc Cassette w/CNC Rotor Flange, 12x135mm Thru-Axle QR
Tires	Maxxis Ardent 27.5 x 2.25, Folding, Tubeless Ready
Spokes	14G Black w/Alloy Nipples, 32x32
Derailleur, Front	Sram GX 2 x 10, Low Direct Mount
Derailleur, Rear	Sram GX 10s, Type 2
Shifters	Sram GX 10s, Trigger
Chain	Sram PC-1031
Crankset	KHS 2pc Forged, 38/24, w/Alloy C/R's, S: 170, M-XL: 175
BB	PF92
Freewheel / Cassette	Sram PG1020 11-36T, 10-speed
Pedals	N/A
Seatpost	KHS Alloy Micro-adjust, 30.9x350mm
Saddle	WTB Volt Sport
Handlebar	Alloy 31.8, 700x15mm
Stem	KHS Alloy 3D Forged, 4-bolt, 7 degree, 31.8, S: 70mm, M: 80mm, L-XL: 90mm
Grips	Q2 Lock-on
Brake Levers	Shimano BR-M396
Brakes	Shimano BR-M396, Hydraulic Disc, 160mm Rotors
Color	Matte Red/Black
Frame Size	S, M, L, XL

XC RACING 650B SIXFIFTY TEAM



FEATURES


11 Speed
FOX 32 Float Factory Fork
XX1 Drivetrain
Guide RSC Hydraulic Disc brakes

NEW OR CHANGED FOR 2016

Sram PC-1130 chain
Sram XG-1150 cassette

MSRP: \$5399-5699

PART #	MODEL	SIZE	COLOR
96-148-001	SixFifty Team	S	Team Blue/Black
96-148-002	SixFifty Team	M	Team Blue/Black
96-148-003	SixFifty Team	L	Team Blue/Black
96-148-004	SixFifty Team	XL	Team Blue/Black



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	400 / 15.7	707°	73.5°	570 / 22.4	428 / 16.9	305 / 12	704 / 27.7	101 / 4	398 / 15.7	581 / 22.9
M	435 / 17.1	70.5°	73°	594 / 23.4	428 / 16.9	305 / 12	TBD	115 / 4.5	TBD	596 / 23.5
L	480 / 18.9	71°	73°	610 / 24	428 / 16.9	305 / 12	774 / 30.5	120 / 4.7	426 / 16.8	603 / 23.7
XL	520 / 20.5	71°	73°	625 / 24.6	428 / 16.9	305 / 12	810 / 31.9	130 / 5.1	438 / 17.2	618 / 24.3

BIKE SPECS

Frame	KHS 650B High Modulus T800 MSD Carbon Monocoque, 1-1/8-1.5 Taper, Disc Only
Rear Shock	N/A
Fork	Fox Factory 32 Float 27.5", FIT4 CTD Remote w/Adj., w/ Kashima, 100mm, Air, External Rebound, Remote CTD Low Speed Compression, 1.5 Taper, 15mm Thru Axle
Headset	FSA Orbit C-40-CF-ACB, N.42CF, 1-1/8"~1.5" Integrated, Carbon Top Cover
Rims	DT XR 1501 Spline Wheel SET, 650B Disc, Straight Pull w/ 15mm Thru-Axle, Tubeless Ready
Hub, Front	DT XR 1501 Spline, Wheel set
Hub, Rear	DT XR 1501 Spline, Wheel set
Tires	Maxxis Ikon, M319RU, 3C/EXO/TR, 27.5 x 2.2, 120 TPI Folding, 3C/EXO/Tubeless Ready
Spokes	DT XR 1501 Spline, Wheel set
Derailleur, Front	N/A
Derailleur, Rear	Sram XX 1, 11s X-Horizon, Type 2
Shifters	Sram XX 1, 11s Trigger, Right Only
Chain	Sram PC-1130
Crankset	Sram XX1, Carbon W/Forged Alloy Spider, PF30, 36T, S: 170, M-XL: 175
BB	Sram PF30
Freewheel / Cassette	Sram XG-1150, 10-42T, 11-speed
Pedals	N/A
Seatpost	Q2 Team Full Carbon, 27.2x350mm
Saddle	Velo 1557 Ultra Light w/Carbon Base& Ti-Rail
Handlebar	Ritchey Low WCS Carbon, 710mmx15mm, 31.8
Stem	Ritchey 4-Axis 44 WCS, 6D, 31.8, S: 80mm, M: 90mm, L: 100mm, XL: 110mm
Grips	Q2 Lock-on
Brake Levers	Sram Guide RSC, Match Maker X
Brakes	Sram Guide RSC Hydraulic Disc, 4 Piston, Tool Free Reach & Pad Contact Adj., 160mm Rotors
Color	Team
Frame Size	S, M, L, XL

XC RACING 650B

SIXFIFTY 800



FEATURES

11 Speed

MSD Carbon Frame

FOX 32 Float Fork

GX1 Drivetrain

NEW OR CHANGED FOR 2016

New MSD Carbon frame
Fox 32 Float Performance fork
WTB STP-I19 TCS wheels
Sram GX 1 drivetrain


MSRP: \$3099-3399

BIKE SPECS

Frame	KHS 650B Full MSD Carbon Monocoque, 1-1/8-1.5 Taper, Disc Only
Fork	Fox 32 Float Performance, 27.5", CTD Fit4 CTD Remote, 100mm, Air, External Rebound, Remote CTD Low Speed Compression, 1.5 Taper, 15mm Thru Axle
Headset	FSA Orbit C-40-CF-ACB, N.42CF, 1-1/8"~1.5" Integrated, Carbon Top Cover
Rims	WTB STP-I19 TCS, Disc, Double Wall, 32H, Tubeless Ready
Hub, Front	Light Weight S/B Alloy Disc, 15mm, Straight Pull
Hub, Rear	Light Weight S/B Alloy Disc, Cassette, Straight Pull, XD Driver
Tires	Maxxis Ikon, M319RU, 3C/EXO/TR, 27.5 x 2.2, 120 TPI Folding, 3C/EXO/Tubeless Ready
Spokes	14G/15G Dbl Butted Black Stainless w/Alloy Nipples, 28x28
Derailleur, Front	N/A
Derailleur, Rear	Sram GX 1, 11s X-Horizon, Type 2
Shifters	Sram GX 1, 11s Trigger, Right Only
Chain	SRAM PC-1130
Crankset	SRAM GX 1400, OCT Hollow Forged, X-Sync, 2 pc., PF30, 36T, S: 170, M-XL: 175
BB	Sram PF30
Freewheel / Cassette	Sram XG-1150, 10-42T, 11-speed
Pedals	N/A
Seatpost	Q2 Carbon, 27.2x350mm
Saddle	WTB Volt Comp
Handlebar	Kore XCD-1 r, 720 x 15mm, 31.8
Stem	Kore XCD, Alloy 3D Forged, Threadless 4-bolt, 31.8, S: 80mm, M-L: 90mm, XL: 100mm
Grips	Q2 Lock-on
Brake Levers	Sram Guide R, Matchmaker X
Brakes	Sram Guide R Hydraulic Disc, 4 Piston, Tool Free Reach Adj., 160mm Rotors
Color	Black/White
Frame Size	S, M, L, XL

PART # MODEL SIZE COLOR

96-147-001	SixFifty 800	S	Black/White
96-147-002	SixFifty 800	M	Black/White
96-147-003	SixFifty 800	L	Black/White
96-147-004	SixFifty 800	XL	Black/White



GEOMETRY

SIZE	A s/t c-t	B h/t"	C s/t"	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	400 / 15.7	70.7°	73.5°	570 / 22.4	428 / 16.9	305 / 12	704 / 27.7	101 / 4	398 / 15.7	581 / 22.9
M	435 / 17.1	70.5°	73°	594 / 23.4	428 / 16.9	305 / 12	TBD	115 / 4.5	TBD	596 / 23.5
L	480 / 18.9	71°	73°	610 / 24	428 / 16.9	305 / 12	774 / 30.5	120 / 4.7	426 / 16.8	603 / 23.7
XL	520 / 20.5	71°	73°	625 / 24.6	428 / 16.9	305 / 12	810 / 31.9	130 / 5.1	438 / 17.2	618 / 24.3

XC SPORT 650B

SIXFIFTY 700



FEATURES

22 Speed

MSD Carbon Frame

WTB STP-I19 TCS Tubeless Ready Wheelset


GX2 Drivetrain

NEW OR CHANGED FOR 2016

Full MSD Carbon frame
Manitou Marvel Expert ISO AIR fork
WTB STP-I19 TCS Wheels
Sram GX 2x11 drivetrain
Q2 Carbon Post

MSRP: \$2699-2899

PART #	MODEL	SIZE	COLOR
96-146-001	SixFifty 700	S	Red/White
96-146-002	SixFifty 700	M	Red/White
96-146-003	SixFifty 700	L	Red/White
96-146-004	SixFifty 700	XL	Red/White



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	400 / 15.7	70.7°	73.5°	570 / 22.4	428 / 16.9	305 / 12	704 / 27.7	101 / 4	398 / 15.7	581 / 22.9
M	435 / 17.1	70.5°	73°	594 / 23.4	428 / 16.9	305 / 12	TBD	115 / 4.5	TBD	596 / 23.5
L	480 / 18.9	71°	73°	610 / 24	428 / 16.9	305 / 12	774 / 30.5	120 / 4.7	426 / 16.8	603 / 23.7
XL	520 / 20.5	71°	73°	625 / 24.6	428 / 16.9	305 / 12	810 / 31.9	130 / 5.1	438 / 17.2	618 / 24.3

BIKE SPECS

Frame	KHS 650B Full MSD Carbon Monocoque, 1-1/8-1.5 Taper, Disc Only
Fork	Manitou Marvel Expert ISO AIR, 100mm, Absolute+ Dampening, Ext Rebound Adj & Compression Adj to Lock, 1.5 Taper Alloy Steerer, 15mm
Headset	FSA Orbit C-40-CF-ACB, N.42CF, 1-1/8"~1.5" Integrated, Carbon Top Cover
Rims	WTB STP-I19 TCS, Disc, Double Wall, 32H, Tubeless Ready
Hub, Front	S/B Alloy disc w/CNC Rotor Flange, 15mm
Hub, Rear	S/B Alloy Disc XD w/CNC Rotor Flange
Tires	Maxxis Ardent Race, M329RU, 3C/EXO/TR, 27.5 x 2.2, 120 TPI Folding, Tubeless Ready
Spokes	14G Black w/Alloy Nipples, 32X32
Derailleur, Front	Sram GX 2 x 11 Direct Mount S3
Derailleur, Rear	Sram GX 2 x 11, 11s Type 2
Shifters	Sram GX 2 x 11s Trigger
Chain	Sram PC-1130
Crankset	Sram GX 1000 X-Glide, 2 x 11, 24/36T, BB30, S: 170, M-XL: 175
BB	Sram PF30
Freewheel / Cassette	Sram XG-1150 10-42, 11-speed
Pedals	N/A
Seatpost	Q2 Carbon, 27.2x350mm
Saddle	WTB Volt Comp
Handlebar	Kore XCD 1 r, 720 x 15mm, 31.8
Stem	Kore XCD, Alloy 3D Forged, Threadless 4-bolt, 31.8, S: 80mm, M-L: 90mm, XL: 100mm
Grips	Q2 Lock-on
Brake Levers	Shimano BR-M506, Servo Wave
Brakes	Shimano BR-M506, Hydraulic Disc, 160mm Rotors
Color	Red/White
Frame Size	S, M, L, XL

XC SPORT 650B SIXFIFTY 680+

New Model



FEATURES

11 Speed

Sun Mulefut 50 Tubeless Ready Wheelset


Maxxis Chronicle 27.5 x 3.0 tires

GX1 Drivetrain

NEW MODEL FOR 2016

MSRP: \$1999-2199

PART #	MODEL	SIZE	COLOR
96-145-006	SixFifty 680 PLUS	S	Gray/Charcoal
96-145-007	SixFifty 680 PLUS	M	Gray/Charcoal
96-145-008	SixFifty 680 PLUS	L	Gray/Charcoal
96-145-009	SixFifty 680 PLUS	XL	Gray/Charcoal



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	381 / 15	67°	73°	555 / 21.9	430 / 16.9	287 / 11.3	754 / 29.7	100 / 3.9	367 / 14.4	616 / 24.3
M	432 / 17	67°	73°	585 / 23	430 / 16.9	287 / 11.3	782 / 30.8	115 / 4.5	392 / 15.4	630 / 24.8
L	483 / 19	67°	73°	615 / 24.2	430 / 16.9	287 / 11.3	808 / 31.8	125 / 4.9	418 / 16.5	640 / 25.2
XL	533 / 21	67°	73°	640 / 25.2	430 / 16.9	287 / 11.3	841 / 33.1	145 / 5.7	439 / 17.3	658 / 25.9

BIKE SPECS

Frame	650B Alloy 6061 Double Butted Custom Formed TT & DT w/ Replaceable Derailleur Hanger, 1.5 Taper, 12 x 148 Boost
Fork	Manitou Magnum Comp, Air, 650B, 34mm, 120mm, 1.5 Taper, ISO Air, ABS+ Adj Compression to Lock, Ext. TPC Rebound Adj., 15QR Hexlock x 110mm Boost
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8" ~1.5
Rims	Sun Mulefut 50, 650B, 32H, Tubeless Ready
Hub, Front	S/B Alloy disc w/CNC Rotor Flange, 15mm x 110mm
Hub, Rear	S/B Alloy Disc XD w/CNC Rotor Flange, 12 x 148mm
Tires	Maxxis Chronicle 27.5 x 3.0, 120tpi, Folding
Spokes	14G Black w/Alloy Nipples, 32x32
Derailleur, Front	N/A
Derailleur, Rear	Sram GX 1, 11s X-Horizon, Type 2
Shifters	Sram GX 1, 11s Trigger, Right Only
Chain	SRAM PC-1130
Crankset	SRAM GX 1000 Boost 148, X-Sync, 2 pc., GXP, 30T, S: 170, M-XL: 175
BB	Sram GXP Outboard Bearing
Freewheel / Cassette	Sram XG-1150, 10-42T, 11-speed
Pedals	Wellgo Alloy ATB 1 pc. w/CNC
Seatpost	Kind Shock E-Ten, Integra w/Remote, 31.6x420mm, 100mm travel
Saddle	WTB Volt Sport
Handlebar	Alloy, 35mm, 720x15mm, Butted
Stem	Alloy 3D Forged, 4-bolt, 0-Degree, S: 35mm, M: 45mm, L-XL: 55mm
Grips	Q2 Lock-on
Brake Levers	Shimano BR-M396
Brakes	Shimano BR-M396, Hydraulic Disc, 180/160mm Rotors
Color	Gray/Charcoal
Frame Size	S, M, L, XL

XC SPORT 650B

SIXFIFTY 600



FEATURES

20 Speed

Alloy Frame

GX2 Drivetrain


Shimano BR-M396 Hydraulic Disc brakes

NEW OR CHANGED FOR 2016

Sram GX 2x10 drivetrain

MSRP: \$1199-1299

PART #	MODEL	SIZE	COLOR
96-145-001	SixFifty 600	S	Matte Orange/Gray
96-145-002	SixFifty 600	M	Matte Orange/Gray
96-145-003	SixFifty 600	L	Matte Orange/Gray
96-145-004	SixFifty 600	XL	Matte Orange/Gray
96-145-005	SixFifty 600 Ladies	S	Purple/Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	381 / 15	71°	73°	555 / 21.9	425 / 16.7	301 / 11.9	768 / 30.2	110 / 4.3	367 / 14.4	616 / 24.3
M	432 / 17	71°	73°	585 / 23	425 / 16.7	301 / 11.9	789 / 31.1	110 / 4.3	397 / 15.6	616 / 24.3
L	483 / 19	71°	73°	615 / 24.2	425 / 16.7	301 / 11.9	802 / 31.6	110 / 4.3	427 / 16.8	616 / 24.3
XL	533 / 21	71°	73°	640 / 25.2	425 / 16.7	301 / 11.9	833 / 32.8	125 / 4.9	447 / 17.6	630 / 24.8

BIKE SPECS

Frame	650B Alloy 6061 Double Butted Custom Formed TT & DT w/ Replaceable Derailleur Hanger, 1.5 Taper
Fork	RST First 650B, Air, 100mm, Air Spring, 1.5 Taper, Rebound Adj, Hydraulic Lock Out, 15mm QR
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	Weinmann U28 Disc w/Single Eyelets, 650B, Double Wall, 32H
Hub, Front	Alloy Disc w/CNC Rotor Flange, 15mm
Hub, Rear	Alloy Disc w/CNC Rotor Flange, QR, Cassette
Tires	Maxxis Crossmark 27.5 x 2.1, Folding
Spokes	14G Black w/Alloy Nipples, 32x32
Derailleur, Front	Sram GX 2 x 10, 34.9 Clamp
Derailleur, Rear	Sram GX 10s, Type 2
Shifters	Sram GX 10s, Trigger
Chain	Sram PC-1031
Crankset	KHS 2pc Forged w/Outboard Bearing, 24x38, w/Alloy C/R, S: 170, M-XL: 175
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Sram PG-1020, 11-36T, 10-speed
Pedals	Wellgo Alloy ATB 1 pc. w/CNC
Seatpost	KHS Alloy Micro-adjust, 31.6X350mm
Saddle	WTB Volt Sport, KHS Ladies Design
Handlebar	Alloy, 31.8, 700X15mm, Butted, Ladies: 660mm
Stem	Alloy 3D Forged, 4-bolt, 7 degree, 31.8, S: 80mm, M: 90mm, L: 100mm, XL: 110mm
Grips	Q2 Lock-on
Brake Levers	Shimano BR-M396
Brakes	Shimano BR-M396, Hydraulic Disc, 160mm Rotors
Color	Matte Orange/Gray, Ladies: Purple/Black
Frame Size	S, M, L, XL Ladies: S

XC SPORT 650B

SIXFIFTY 500



FEATURES

27 Speed

Alloy Frame

Shimano Drivetrain

Shimano BR-M355 Hydraulic Disc brakes

NEW OR CHANGED FOR 2016

SR XCM HLO fork

Shimano Deore Rear Derailleur

MSRP: \$729-799


PART #	MODEL	SIZE	COLOR
96-144-001	SixFifty 500	S	Black/Red
96-144-002	SixFifty 500	S	Matte Sub Lime/Black
96-144-003	SixFifty 500	M	Black/Red
96-144-004	SixFifty 500	M	Matte Sub Lime/Black
96-144-005	SixFifty 500	L	Black/Red
96-144-006	SixFifty 500	L	Matte Sub Lime/Black
96-144-007	SixFifty 500	XL	Black/Red
96-144-008	SixFifty 500	XL	Matte Sub Lime/Black
96-144-009	SixFifty 500 Ladies	XS	Matte Black/Blue
96-144-010	SixFifty 500 Ladies	XS	White/Pink
96-144-011	SixFifty 500 Ladies	S	Matte Black/Blue
96-144-012	SixFifty 500 Ladies	S	White/Pink

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	330 / 13	71°	73°	550 / 21.7	425 / 16.7	298 / 11.7	733 / 28.9	110 / 4.3	362 / 14.3	616 / 24.3
S	381 / 15	71°	73°	555 / 21.9	425 / 16.7	301 / 11.9	768 / 30.2	110 / 4.3	367 / 14.4	616 / 24.3
M	432 / 17	71°	73°	585 / 23	425 / 16.7	301 / 11.9	789 / 31.1	110 / 4.3	397 / 15.6	616 / 24.3
L	483 / 19	71°	73°	615 / 24.2	425 / 16.7	301 / 11.9	802 / 31.6	110 / 4.3	427 / 16.8	616 / 24.3
XL	533 / 21	71°	73°	640 / 25.2	425 / 16.7	301 / 11.9	833 / 32.8	125 / 4.9	447 / 17.6	630 / 24.8

BIKE SPECS

Frame	650B Alloy 6061 w/Custom Formed TT & DT, w/Replaceable Derailleur Hanger
Fork	SR XCM HLO, 100mm, 1-1/8, Hydraulic lock out, Preload Adj
Headset	Threadless 1-1/8, Zero Stack
Rims	Weinmann U28 Disc w/Single Eyelets, 650B, Double Wall, 32H
Hub, Front	Alloy Disc w/CNC Rotor Flange, QR, 100mm Spacing
Hub, Rear	Alloy Disc w/CNC Rotor Flange, QR, Cassette, 135mm Spacing
Tires	Maxxis Spinx 650B x 2.1,
Spokes	14G Black, 32x32
Derailleur, Front	Shimano FD-M3000, 34.9 Clamp
Derailleur, Rear	Shimano Deore, RD-M592
Shifters	Shimano Alivio, SL-M4000
Chain	KMC X9
Crankset	Shimano New Alivio, FC-M4000, Octalink, 4030/22, S: 170mm M-XL: 175mm
BB	Shimano ES25 Octalink, Cartridge bearing
Freewheel / Cassette	Shimano CS-HG200-9 11-34T, 9-speed
Pedals	Wellgo Resin Platform
Seatpost	KHS Alloy Micro-adjust, 31.6x350mm
Saddle	KHS Sport Dual Density, KHS New Ladies Design
Handlebar	Alloy 31.8, 700X15mm, Butted, Ladies: 660mm
Stem	KHS Alloy 3D Forged, 4-bolt, 7 degree, 31.8, S: 75mm M-L: 90mm XL: 105mm
Grips	KHS Sport, Dual Compound
Brake Levers	Shimano BR-M355
Brakes	Shimano BR-M355, Hydraulic Disc, 160mm Rotors
Color	Black/Red, Matte Sub Lime/Black, Ladies: Matte Black/Blue, White/Pink
Frame Size	S, M, L, XL; Ladies: XS, S



XC SPORT 650B

SIXFIFTY 300



FEATURES

24 Speed

Alloy Frame

Shimano drivetrain

Bengal Cable Disc brakes

NEW OR CHANGED FOR 2016

SR XCT DS fork

Shimano Acera Rear Derailleur

KHS Sport saddle

MSRP: \$569-619


PART #	MODEL	SIZE	COLOR
96-143-001	SixFifty 300	S	Matte Black/Silver
96-143-002	SixFifty 300	S	Blue/Silver
96-143-003	SixFifty 300	M	Matte Black/Silver
96-143-004	SixFifty 300	M	Blue/Silver
96-143-005	SixFifty 300	L	Matte Black/Silver
96-143-006	SixFifty 300	L	Blue/Silver
96-143-007	SixFifty 300	XL	Matte Black/Silver
96-143-008	SixFifty 300	XL	Blue/Silver
96-143-009	SixFifty 300 Ladies	XS	Celeste/Black
96-143-010	SixFifty 300 Ladies	XS	Matte Orange/Pearl
96-143-011	SixFifty 300 Ladies	S	Celeste/Black
96-143-012	SixFifty 300 Ladies	S	Matte Orange/Pearl

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	330 / 13	71°	73°	550 / 21.7	430 / 16.9	297 / 11.7	737 / 29	110 / 4.3	360 / 14.2	620 / 24.4
S	381 / 15	71°	73°	555 / 21.9	430 / 16.9	297 / 11.7	764 / 30.1	110 / 4.3	366 / 14.4	620 / 24.4
M	432 / 17	71°	73°	585 / 23	430 / 16.9	297 / 11.7	786 / 30.9	110 / 4.3	395 / 15.6	621 / 24.4
L	483 / 19	71°	73°	615 / 24.2	430 / 16.9	297 / 11.7	807 / 31.8	110 / 4.3	425 / 16.7	621 / 24.4
XL	533 / 21	71°	73°	640 / 25.2	430 / 16.9	297 / 11.7	837 / 33	125 / 4.9	447 / 17.6	633 / 24.9

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT & replaceable der hanger
Fork	SR XCT DS, 100mm, 1-1/8, Preload Adj
Headset	Threadless 1-1/8, Zero Stack
Rims	Alloy, 650B, 32H, Dbl/Wall
Hub, Front	Alloy Disc w/CNC Rotor Flange, QR, 100mm Spacing
Hub, Rear	Alloy Disc w/CNC Rotor Flange, QR, Cassette, 135mm Spacing
Tires	CST C1435A, 650Bx2.1
Spokes	14G Black, 32x32
Derailleur, Front	Shimano Altus, FD-M310, 34.9 Clamp
Derailleur, Rear	Shimano Acera, RD-M360
Shifters	Shimano SL-M310
Chain	KMC Z8
Crankset	Shimano FC-TY801, 42/32/22T, S: 170mm M-L: 175mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200-8, 12-32, 8-speed
Pedals	Wellgo Resin Platform
Seatpost	KHS Alloy Micro-adjust, 31.6x350mm
Saddle	KHS Sport
Handlebar	Alloy 31.8, 700x15mm, Butted, Ladies: 660mm
Stem	KHS Alloy 4-bolt, 7 Degree, 31.8, S: 75mm M-L: 90mm XL: 105mm
Grips	KHS Sport, Dual Compound
Brake Levers	Promax XL-91
Brakes	Bengal Cable Disc MB606, 160mm Rotors
Color	Matte Black/Silver, Blue/Silver Ladies: Celeste/Black, Matte Orange/Pearl
Frame Size	S, M, L, XL, Ladies: XS, S



XC SPORT 650B

SIXFIFTY 200



FEATURES

21 Speed

Alloy Frame

Shimano Drivetrain

Bengal MB606 Mechanical Disc brakes

NEW OR CHANGED FOR 2016

Zoom Fork

Double wall rims

Shimano FC-TY-701 crank

MSRP: \$469-509


PART #	MODEL	SIZE	COLOR
96-142-001	SixFifty 200	S	Black/Lime
96-142-002	SixFifty 200	S	Matte Red/Black
96-142-003	SixFifty 200	M	Black/Lime
96-142-004	SixFifty 200	M	Matte Red/Black
96-142-005	SixFifty 200	L	Black/Lime
96-142-006	SixFifty 200	L	Matte Red/Black
96-142-007	SixFifty 200	XL	Black/Lime
96-142-008	SixFifty 200	XL	Matte Red/Black
96-142-009	SixFifty 200 Ladies	XS	Matte Silver/Purple
96-142-010	SixFifty 200 Ladies	XS	Black/Pink
96-142-011	SixFifty 200 Ladies	S	Matte Silver/Purple
96-142-012	SixFifty 200 Ladies	S	Black/Pink

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	330 / 13	71°	73°	550 / 21.7	430 / 16.9	297 / 11.7	737 / 29	110 / 4.3	360 / 14.2	620 / 24.4
S	381 / 15	71°	73°	555 / 21.9	430 / 16.9	297 / 11.7	764 / 30.1	110 / 4.3	366 / 14.4	620 / 24.4
M	432 / 17	71°	73°	585 / 23	430 / 16.9	297 / 11.7	786 / 30.9	110 / 4.3	395 / 15.6	621 / 24.4
L	483 / 19	71°	73°	615 / 24.2	430 / 16.9	297 / 11.7	807 / 31.8	110 / 4.3	425 / 16.7	621 / 24.4
XL	533 / 21	71°	73°	640 / 25.2	430 / 16.9	297 / 11.7	837 / 33	125 / 4.9	447 / 17.6	633 / 24.9

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT & replaceable der hanger
Fork	Zoom 565, 100mm
Headset	Threadless 1-1/8, Zero Stack
Rims	Alloy, Db/Wall, 650Bx32H
Hub, Front	Alloy Disc QR, 100mm Spacing
Hub, Rear	Alloy Disc QR, Cassette, 135mm Spacing
Tires	650Bx2.1
Spokes	14G Black, 32x32
Derailleur, Front	Shimano Tourney
Derailleur, Rear	Shimano RD-TX35, 34.9 Clamp
Shifters	Shimano ST-EF51
Chain	KMC Z50
Crankset	Shimano FC-TY-701, 42/34/24T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG20-7, 12-32, 7-speed, Cassette
Pedals	Resin MTB Platform w/boron axle
Seatpost	KHS Alloy, 31.6x350mm
Saddle	KHS Sport
Handlebar	Alloy 31.8, 700x15mm, Butted, Ladies-600mm
Stem	KHS Alloy 4-bolt, 7 Degree, 31.8, S: 75mm M-L: 90mm XL: 105mm
Grips	KHS Sport
Brake Levers	Shimano ST-EF51
Brakes	Bengal Cable Disc MB606, 160mm Rotors
Color	Black/Lime, Matte Red/Black Ladies: Matte Silver/Purple, Black/Pink
Frame Size	S, M, L, XL, Ladies: XS, S



4 SEASON

5000



FEATURES

20 Speed

New MSD Carbon Frame

X7/X9 Drivetrain

Hayes Prime Sport Hydraulic Disc brakes

NEW OR CHANGED FOR 2016

MSD Carbon frame

KHS High Modulus Full Carbon fork


Alloy, 100mm Triangle Holes rims

Sram PC-1031 chain

Q2 Carbon Seatpost

MSRP: \$2999-3299

PART #	MODEL	SIZE	COLOR
96-175-001	4 Season 5000	S	Matte Carbon
96-175-002	4 Season 5000	M	Matte Carbon
96-175-003	4 Season 5000	L	Matte Carbon



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	G s.o.	H h/t L	I Reach	J Stack
S	406 / 16	68.5°	73.5°	578 / 22.8	463 / 18.2	322 / 12.7	TBD	100 / 3.9	406 / 16	586 / 23.1
M	457 / 18	115°	73.1°	603 / 23.7	463 / 18.2	322 / 12.7	TBD	115 / 4.5	422 / 16.6	599 / 23.6
L	505 / 19.9	135°	73.1°	625 / 24.6	463 / 18.2	322 / 12.7	TBD	135 / 5.3	436 / 17.2	618 / 24.3

BIKE SPECS

Frame	KHS High Modulus MSD Full Carbon w/1.5 Taper Headtube, Disc Only, Internal Cable Routing
Fork	KHS High Modulus Full Carbon w/1.5 Taper Steertube, Disc Only, 15q
Headset	FSA Orbit C40-ACB, N.42/CF/ACB, 1-1/8"~1.5" Integrated, Carbon Cap
Rims	Alloy, 100mm Triangle Holes, 26x32H
Hub, Front	Alloy Disc, Forged, S/B, 15x150mm
Hub, Rear	Alloy Disc, Forged, S/B, Cassette, 12x197mm
Tires	Vee Rubber Snow Shoe XL, 26X4.8, 120 TPI, Folding
Spokes	14G Black, 32x32, W/Alloy Nipples
Derailleur, Front	Sram X7, Direct Mount
Derailleur, Rear	Sram X9 Type 2
Shifters	Sram X7 Trigger
Chain	Sram PC-1031
Crankset	FSA Comet Fat Bike, Mega EXO, 36X22
BB	FSA Mega EXO
Freewheel / Cassette	Sram PG-1030, 11-36T, 10-speed
Pedals	N/A
Seatpost	Q2 Carbon, 31.6x350mm
Saddle	WTB Volt Comp
Handlebar	Kore XCD-Flat Top, 31.8, 4.8x710mm
Stem	Kore XCD, Alloy 3D Forged, Threadless 4-bolt, 31.8, S-M: 80mm, L: 90mm, XL: 100mm
Grips	Q2 Lock-on
Brake Levers	Hayes Prime Sport
Brakes	Hayes Prime Sport, Hydraulic Disc, 180/160mm Rotors
Color	Matte Carbon
Frame Size	S, M, L

4 SEASON

3000



FEATURES


20 Speed
Alloy Frame
X7/X9 Drivetrain
Hayes Prime Sport Hydraulic Disc brakes

NEW OR CHANGED FOR 2016

Alloy, 100mm Triangle Holes rims
Sram PC-1031 chain

MSRP: \$1799-1899

PART #	MODEL	SIZE	COLOR
96-174-001	4 Season 3000	15	Matte Black
96-174-002	4 Season 3000	17	Matte Black
96-174-003	4 Season 3000	19	Matte Black
96-174-004	4 Season 3000	21	Matte Black



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	381 / 15	68.5"	73°	583 / 23	475 / 18.7	310 / 12.2	713 / 28.1	115 / 4.5	401 / 15.8	595 / 23.4
17"	432 / 17	68.5"	73°	602 / 23.7	475 / 18.7	310 / 12.2	753 / 29.6	135 / 5.3	414 / 16.3	612 / 24.1
19"	483 / 19	68.5"	73°	622 / 24.5	475 / 18.7	310 / 12.2	791 / 31.1	155 / 6.1	428 / 16.9	631 / 24.8
21"	533 / 21	68.5"	73°	640 / 25.2	475 / 18.7	310 / 12.2	832 / 32.8	175 / 6.9	440 / 17.3	649 / 25.6

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT, w/Replaceable Derailleur Hanger, 12X190, 1.5 Taper H/T
Fork	Alloy Straight Blade, 15Q
Headset	FSA Orbit 1.5E ZS, 1-1/8"~1.5", Alloy Cap
Rims	Alloy, 100mm Triangle Holes, 26x32H
Hub, Front	Alloy Disc, Forged, S/B, 15x150mm
Hub, Rear	Alloy Disc, Forged, S/B, Cassette, 12x197mm
Tires	Vee Rubber Snow Shoe XL, 26X4.8, 120 TPI, Folding
Spokes	14G Black, 32x32, W/Alloy Nipples
Derailleur, Front	Sram X7, Direct Mount
Derailleur, Rear	Sram X9 Type 2
Shifters	Sram X7 Trigger
Chain	Sram PC-1031
Crankset	KHS 2pc Forged w/Outboard Bearing, 22x36, w/Alloy C/R, S:170, M-XL: 175
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Sram PG-1030, 11-36T, 10-speed
Pedals	N/A
Seatpost	KHS Alloy Micro-adjust, 31.6x350mm
Saddle	WTB Volt Comp
Handlebar	Kore XCD-Flat Top, 31.8, 4.8x710mm
Stem	Kore XCD, Alloy 3D Forged, Threadless 4-bolt, 31.8, S-M: 80mm, L: 90mm, XL: 100mm
Grips	Q2 Lock-on
Brake Levers	Hayes Prime Sport
Brakes	Hayes Prime Sport, Hydraulic Disc, 180/160mm Rotors
Color	Matte Black
Frame Size	15, 17, 19, 21

4 SEASON

1000



FEATURES

20 Speed

Alloy Frame

X5/X7 Drivetrain

Hayes Dyno Hydraulic Disc brakes

NEW OR CHANGED FOR 2016

4.9", 120 TPI Folding Tires

X7 Type 2 Rear Derailleur

Sram PC-1031 Chain

MSRP: \$1199-1299


PART #	MODEL	SIZE	COLOR
96-173-001	4 Season 1000	15	Matte Black
96-173-002	4 Season 1000	15	Green
96-173-003	4 Season 1000	17	Matte Black
96-173-004	4 Season 1000	17	Green
96-173-005	4 Season 1000	19	Matte Black
96-173-006	4 Season 1000	19	Green
96-173-007	4 Season 1000	21	Matte Black
96-173-008	4 Season 1000	21	Green

GEOMETRY

SIZE	A s/t c-t	B h/t"	C s/t"	D U/effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	381 / 15	68.5"	73°	583 / 23	475 / 18.7	310 / 12.2	713 / 28.1	115 / 4.5	401 / 15.8	595 / 23.4
17"	432 / 17	68.5"	73°	602 / 23.7	475 / 18.7	310 / 12.2	753 / 29.6	135 / 5.3	414 / 16.3	612 / 24.1
19"	483 / 19	68.5"	73°	622 / 24.5	475 / 18.7	310 / 12.2	791 / 31.1	155 / 6.1	428 / 16.9	631 / 24.8
21"	533 / 21	68.5"	73°	640 / 25.2	475 / 18.7	310 / 12.2	832 / 32.8	175 / 6.9	440 / 17.3	649 / 25.6

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT, Replaceable Derailleur Hanger
Fork	Full CrMo Straight Blade
Headset	Threadless 1-1/8, Zero Stack
Rims	Alloy 100mm w/Triangle Holes
Hub, Front	Alloy Disc, QR, 150mm
Hub, Rear	Alloy Disc, Cassette, QR, 12x197mm
Tires	Knobby 26x4.9, 120tpi, Folding
Spokes	14G Black, 32x32
Derailleur, Front	Sram X7, Direct Mount
Derailleur, Rear	Sram X7 Type 2
Shifters	Sram X5 Trigger
Chain	Sram PC-1031
Crankset	KHS 2pc Forged w/Outboard Bearing, 22x36, w/Alloy C/R, 15: 170, 17-21: 175
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Sram PG-1020, 11-36T, 10-speed
Pedals	VP 530 Alloy Platform
Seatpost	KHS Alloy Micro-adjust, 31.6x350mm
Saddle	KHS Sport Dual Density
Handlebar	Alloy Flat Rise 700mm, 31.8
Stem	KHS Alloy 3D Forged, Threadless 4-bolt, 15-17: 80mm, 19: 90mm, 21: 100mm
Grips	Q2 Lock-on
Brake Levers	Hayes Dyno
Brakes	Hayes Dyno, Hydraulic Disc, 180/160mm Rotors
Color	Matte Black, Green
Frame Size	15, 17, 19, 21



4 SEASON

500



FEATURES

27 Speed

Alloy Frame

Shimano Drivetrain

Shimano BR-M355 Hydraulic Disc brakes


NEW OR CHANGED FOR 2016

Shimano BR-M355 Hydraulic Disc brakes

MSRP: \$929-1009

PART # MODEL SIZE COLOR

96-172-001	4 Season 500	15	Black
96-172-002	4 Season 500	15	Matte Orange
96-172-003	4 Season 500	17	Black
96-172-004	4 Season 500	17	Matte Orange
96-172-005	4 Season 500	19	Black
96-172-006	4 Season 500	19	Matte Orange
96-172-007	4 Season 500	21	Black
96-172-008	4 Season 500	21	Matte Orange



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	381 / 15	68.5°	73°	583 / 23	475 / 18.7	310 / 12.2	713 / 28.1	115 / 4.5	401 / 15.8	595 / 23.4
17"	432 / 17	68.5°	73°	602 / 23.7	475 / 18.7	310 / 12.2	753 / 29.6	135 / 5.3	414 / 16.3	612 / 24.1
19"	483 / 19	68.5°	73°	622 / 24.5	475 / 18.7	310 / 12.2	791 / 31.1	155 / 6.1	428 / 16.9	631 / 24.8
21"	533 / 21	68.5°	73°	640 / 25.2	475 / 18.7	310 / 12.2	832 / 32.8	175 / 6.9	440 / 17.3	649 / 25.6

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT, Replaceable Derailleur Hanger
Fork	Full CrMo Straight Blade
Headset	Threadless 1-1/8, Zero Stack
Rims	Alloy 80mm w/Triangle Holes
Hub, Front	Alloy Disc, QR, 135mm
Hub, Rear	Alloy Disc, Cassette, QR, 12x170mm
Tires	Knobby 26x4.0, 60tpi
Spokes	14G Black, 32x32
Derailleur, Front	Shimano FD661 SLX, Direct Mount
Derailleur, Rear	Shimano RD-M3000
Shifters	Shimano SL-M370 Trigger
Chain	KMC X9 W/Missing Link
Crankset	Shimano FC371, 44/32/22, 15: 170, 17-21: 175
BB	Cartridge Bearing
Freewheel / Cassette	Shimano HG300-9, 11-34T, 9-speed
Pedals	VP 530 Alloy Platform
Seatpost	KHS Alloy Micro-adjust, 31.6x350mm
Saddle	KHS Sport Dual Density
Handlebar	Alloy Flat Rise 700mm, 31.8
Stem	KHS Alloy 3D Forged, Threadless 4-bolt, 15-17: 80mm, 19: 90mm, 21: 100mm
Grips	Q2 Lock-On
Brake Levers	Shimano BR-M355
Brakes	Shimano BR-M355, Hydraulic Disc, 180/160mm Rotors
Color	Black, Matte Orange
Frame Size	15, 17, 19, 21



FEATURES

24 Speed

Alloy Frame


Shimano Drivetrain

Bengal MB606 Mechanical Disc brakes

NEW MODEL FOR 2016

MSRP: \$799-869

PART #	MODEL	SIZE	COLOR
96-171-001	4 Season 300	15	Matte Gray
96-171-002	4 Season 300	15	Red
96-171-003	4 Season 300	17	Matte Gray
96-171-004	4 Season 300	17	Red
96-171-005	4 Season 300	19	Matte Gray
96-171-006	4 Season 300	19	Red
96-171-007	4 Season 300	21	Matte Gray
96-171-008	4 Season 300	21	Red



GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/t*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	381 / 15	68.5°	73°	583 / 23	475 / 18.7	310 / 12.2	713 / 28.1	115 / 4.5	401 / 15.8	595 / 23.4
17"	432 / 17	68.5°	73°	602 / 23.7	475 / 18.7	310 / 12.2	753 / 29.6	135 / 5.3	414 / 16.3	612 / 24.1
19"	483 / 19	68.5°	73°	622 / 24.5	475 / 18.7	310 / 12.2	791 / 31.1	155 / 6.1	428 / 16.9	631 / 24.8
21"	533 / 21	68.5°	73°	640 / 25.2	475 / 18.7	310 / 12.2	832 / 32.8	175 / 6.9	440 / 17.3	649 / 25.6

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT, Replaceable Derailleur Hanger
Fork	Full CrMo Straight Blade
Headset	Threadless 1-1/8, Zero Stack
Rims	Alloy 80mm w/Triangle Holes
Hub, Front	Alloy Disc, QR, 135mm
Hub, Rear	Alloy Disc, Cassette, QR, 170mm
Tires	Knobby 26x4.0, 60tpi
Spokes	14G Black, 32x32
Derailleur, Front	Shimano Alivio E-Type
Derailleur, Rear	Shimano RD-TX800
Shifters	Shimano ST-TX800
Chain	KMC Z8
Crankset	Shimano FC-TX801, 42/32/22, 15: 170, 17-21: 175
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS HG31-8 11-34T, 8-speed
Pedals	VP 530 Alloy Platform
Seatpost	KHS Alloy Micro-adjust, 31.6x350mm
Saddle	KHS Sport
Handlebar	Steel, 30x700mm, 25.4
Stem	KHS Alloy 3D Forged, Threadless 4-bolt, 15-17: 80mm, 19: 90mm, 21: 100mm
Grips	Q2 Lock-On
Brake Levers	Shimano ST-TX800
Brakes	Bengal MB606, Mechanical Disc, 180/160mm Rotors
Color	Matte Gray, Red
Frame Size	15, 17, 19, 21



FEATURES

24 Speed

Alloy Frame


650B outside diameter of wheels

More stable and better ride with the smaller wheel size

NEW MODEL FOR 2016

MSRP: \$799-869

PART #	MODEL	SIZE	COLOR
96-170-001	4 Season 300 SF	15	Black
96-170-002	4 Season 300 SF	17	Black
96-170-003	4 Season 300 SF	19	Black
96-170-004	4 Season 300 SF	21	Black



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	381 / 15	71°	64.95°	555 / 21.9	450 / 17.7	292 / 11.5	691 / 27.2	110 / 4.3	374 / 14.7	593 / 23.3
17"	432 / 17	71°	65°	585 / 23	450 / 17.7	292 / 11.5	714 / 28.1	110 / 4.3	404 / 15.9	593 / 23.3
19"	483 / 19	71°	65°	615 / 24.2	450 / 17.7	292 / 11.5	742 / 29.2	110 / 4.3	434 / 17.1	593 / 23.3
21"	533 / 21	71°	65°	640 / 25.2	450 / 17.7	292 / 11.5	776 / 30.6	125 / 4.9	454 / 17.9	608 / 23.9

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT, Replaceable Derailleur Hanger
Fork	Full CrMo Straight Blade
Headset	Threadless 1-1/8, Zero Stack
Rims	Alloy 80mm, 24"
Hub, Front	Alloy Disc, QR, 135mm
Hub, Rear	Alloy Disc, Cassette, QR, 170mm
Tires	Knobby 24x4.0, 60tpi
Spokes	14G Black, 32x32
Derailleur, Front	Shimano Alivio E-Type
Derailleur, Rear	Shimano RD-TX800
Shifters	Shimano ST-TX800
Chain	KMC Z8
Crankset	Shimano FC-TX801, 42/32/22, 15: 170, 17-21: 175
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS HG31-8 11-34T, 8-speed
Pedals	VP 530 Alloy Platform
Seatpost	KHS Alloy Micro-adjust, 31.6x350mm
Saddle	KHS Sport
Handlebar	Steel, 30x700mm, 25.4
Stem	KHS Alloy 3D Forged, Threadless 4-bolt, 15-17: 80mm, 19: 90mm, 21: 100mm
Grips	Q2 Lock-On
Brake Levers	Shimano ST-TX800
Brakes	Bengal MB606, Mechanical Disc, 180/160mm Rotors
Color	Black
Frame Size	15, 17, 19, 21

XC SPORT

ALITE 40



FEATURES

21 Speed

Hi-Tensile Steel Frame

Hi-Tensile Steel Fork

Shimano Drivetrain

NEW OR CHANGED FOR 2016

Shimano FC-M131 crank

Cartridge BB

Alloy Hubs

MSRP: \$299-329


PART #	MODEL	SIZE	COLOR
96-135-001	Alite 40	12"	Matte Black
96-135-002	Alite 40	15"	Matte Black
96-135-003	Alite 40	15"	Red
96-135-004	Alite 40	17"	Matte Black
96-135-005	Alite 40	17"	Red
96-135-006	Alite 40	19"	Matte Black
96-135-007	Alite 40	19"	Red
96-135-008	Alite 40 Ladies	16L"	Mint Blue
96-135-009	Alite 40 Ladies	16L"	Gray Lavender

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
12"	305 / 12	70°	73°	526 / 20.7	425 / 16.7	292 / 11.5	665 / 26.2	110 / 4.3	371 / 14.6	507 / 20
15"	381 / 15	71°	73°	552 / 21.7	430 / 16.9	302 / 11.9	713 / 28.1	115 / 4.5	397 / 15.6	506 / 19.9
17"	432 / 17	71°	73°	572 / 22.5	430 / 16.9	302 / 11.9	746 / 29.4	130 / 5.1	413 / 16.3	520 / 20.5
19"	483 / 19	71°	73°	592 / 23.3	430 / 16.9	302 / 11.9	779 / 30.7	145 / 5.7	429 / 16.9	534 / 21
16"L	406 / 16	71°	73°	562 / 22.1	430 / 16.9	302 / 11.9	642 / 25.3	130 / 5.1	403 / 15.9	520 / 20.5

BIKE SPECS

Frame	TIG-welded Hi-Ten Steel
Fork	Hi-Ten Unicrown
Headset	Threadless 1-1/8"
Rims	Alloy, 26x36H
Hub, Front	Alloy 14Gx36H, Nuted, 100 mm Spacing
Hub, Rear	Alloy 14Gx36H, Nuted, 135mm Spacing
Tires	Mountain 26x1.95
Spokes	14G Black, 36x36
Derailleur, Front	Shimano Tourney, 31.8 Clamp
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano Revo
Chain	KMC Z50
Crankset	Shimano FC-M131, 48/38/28T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 14-34T, 7-speed, Mega Range Freewheel
Pedals	Resin ATB
Seatpost	KHS Alloy 28.6x350mm
Saddle	KHS Sport
Handlebar	Steel 30mm /640mm
Stem	Alloy Threadless, 25 Degree, 86mm
Grips	Kraton For Twist
Brake Levers	Promax Alloy Linear Pull, 2.5F
Brakes	Promax Alloy Linear Pull
Color	Matte Black, Red, Ladies: Mint Blue, Gray Lavender
Frame Size	12 Black Only, 15, 17, 19, Ladies: 16L




COMFORT SMOOTHIE



FEATURES

7 Speed
Alloy Frame w/ Easy Ride™ frame technology
Shimano Drivetrain
Manhattan Comfort saddle
MSRP: \$369-399

PART #	MODEL	SIZE	COLOR
96-129-001	Smoothie	Reg	Matte Black
96-129-002	Smoothie	Reg	Blue
96-129-003	Smoothie	Large	Matte Black
96-129-004	Smoothie	Large	Blue
96-129-005	Smoothie	Ladies	Mint Green
96-129-006	Smoothie	Ladies	Radiant Orchid
96-129-007	Smoothie	Ladies	Cayenne Red
96-129-008	Smoothie	Ladies	Freesia Yellow
96-129-009	Smoothie	Ladies	Violet Tulip



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
Reg	356 / 14	67°	67°	634 / 25	566 / 22.3	302 / 11.9	824 / 32.4	228 / 9	273 / 10.7	620 / 24.4
Large	432 / 17	67°	65°	686 / 27	566 / 22.3	302 / 11.9	852 / 33.5	254 / 10	288 / 11.3	644 / 25.4
Ladies	305 / 12	67°	67°	634 / 25	566 / 22.3	302 / 11.9	667 / 26.3	200 / 7.9	284 / 11.2	594 / 23.4

BIKE SPECS

Frame	Alloy 6061, TIG Welded
Fork	Hi-Ten Unicrown
Headset	1-1/8" Threaded
Rims	Alloy 26"
Hub, Front	Alloy, QR
Hub, Rear	Alloy, QR
Tires	KHS 26x1.95, w/K-shield
Spokes	14G Stainless, 36x36
Derailleur, Front	N/A
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano Revo
Chain	KMC Z50
Crankset	Alloy Forged 42T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 7-speed Mega Range Freewheel, 14-34T
Pedals	Platform w/Non-slip Tread
Seatpost	Alloy Micro-adjust, 27.2
Saddle	Manhattan Comfort
Handlebar	Alloy 95mm /640mm
Stem	Alloy Adjustable Angle, Tall
Grips	Comfort Dual Density
Brake Levers	Promax alloy
Brakes	Promax Alloy Linear Pull, Long Reach
Color	Matte Black, Blue Ladies: Mint Green, Radiant Orchid, Cayenne Red, Freesia Yellow, Violet Tulip
Frame Size	M: Reg & LG, Ladies Step-Thru
Extras	Kickstand

COMFORT SMOOTHIE 3




FEATURES

3 Speed
Alloy Frame w/ Easy Ride™ frame technology
Nexus 3 speed hub
Manhattan Comfort saddle
MSRP: \$399-439

PART # MODEL SIZE COLOR

96-129-011	Smoothie 3	Step-Thru	Placid Blue
96-129-012	Smoothie 3	Step-Thru	Tangerine



GEOMETRY


SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
Step-Thru	305 / 12	67°	67°	634 / 25	566 / 22.3	302 / 11.9	667 / 26.3	200 / 7.9	284 / 11.2	594 / 23.4

BIKE SPECS

Frame	Alloy 6061, TIG welded
Fork	Hi-Tensile unicrown
Headset	1-1/8" Threaded
Rims	Alloy 26"
Hubs (F/R)	Alloy Ft, Shimano Nexus RR w/ Coaster Brake
Tires	KHS 26x1.95, w/K-shield, 30TPI
Spokes	14G Stainless 36x36
Derailleur, Front	N/A
Derailleur, Rear	Shimano Inter-3
Shifters	Microshift Twist, 3-speed
Chain	KMC Z410
Crankset	Alloy Forged 42T, 170mm
BB	Cartridge bearing
Freewheel / Cassette	Shimano 18T
Pedals	Platform w/Non-slip Tread
Seatpost	Alloy micro adjust, 27.2
Saddle	Manhattan Comfort
Handlebar	Alloy 95mm rise/640mm
Stem	Alloy Adjustable Angle, Tall
Handlebar tape/Grips	Comfort Dual Density
Brake Levers	Promax alloy
Brakes	Promax Alloy Linear Pull, Long Reach FT, Rear Coaster
Color	Placid Blue, Tangerine
Frame Size	Step-Thru

COMFORT

TC 150



FEATURES

21 Speed

Alloy Frame

Zoom Suspension Fork

ABS front for linear pull brakes

NEW OR CHANGED FOR 2016

Alloy 6061, TIG Welded frame
Shimano FC-TY701 crank
Promax TX209 brakes w/front ABS System
Zero Stack Conical Headset

MSRP: \$399-439


PART #	MODEL	SIZE	COLOR
96-193-001	TC 150	15	Black
96-193-002	TC 150	15	Matte Blue
96-193-003	TC 150	17	Black
96-193-004	TC 150	17	Matte Blue
96-193-005	TC 150	19	Black
96-193-006	TC 150	19	Matte Blue
96-193-007	TC 150	21	Black
96-193-008	TC 150	21	Matte Blue
96-193-009	TC 150 Ladies	16	Matte Black
96-193-010	TC 150 Ladies	16	Marsala

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	350 / 13.8	70°	72°	545 / 21.5	425 / 16.7	295 / 11.6	710 / 28	140 / 5.5	361 / 14.2	568 / 22.4
17"	400 / 15.7	70°	72°	560 / 22	425 / 16.7	295 / 11.6	747 / 29.4	160 / 6.3	370 / 14.6	586 / 23.1
19"	450 / 17.7	70°	72°	575 / 22.6	425 / 16.7	295 / 11.6	783 / 30.8	185 / 7.3	377 / 14.8	610 / 24
21"	490 / 19.3	70°	72°	590 / 23.2	425 / 16.7	295 / 11.6	809 / 31.9	200 / 7.9	387 / 15.2	624 / 24.6
16L"	375 / 14.8	70°	72°	535 / 21.1	425 / 16.7	295 / 11.6	N/A	145 / 5.7	349 / 13.7	572 / 22.5

BIKE SPECS

Frame	Alloy 6061, TIG Welded
Fork	Zoom 325E, 63mm
Headset	1-1/8" Threaded, Zero Stack w/Alloy Conical Top Cap
Rims	Alloy, 26x32H
Hub, Front	KT, Alloy, QR, 100mm Spacing
Hub, Rear	KT, Alloy, QR, 135mm Spacing
Tires	26x1.95, Skin wall w/Antipuncture
Spokes	14G Stainless, 32x32
Derailleur, Front	Shimano TX-51, 31.8 Clamp
Derailleur, Rear	Shimano Altus RD-M310
Shifters	Shimano ST-EF51
Chain	KMC Z7
Crankset	Shimano FC-TY701, 48/38/28 w/CG
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 7-speed Mega Range Freewheel, 14-34T
Pedals	Platform w/Non-slip Tread
Seatpost	Alloy Suspension, 27.2x350L
Saddle	KHS Wide Comfort, Dual Density w/Elastomer Spring & Reflective Back
Handlebar	Alloy 80mmx640mm
Stem	Alloy Quill, 25 Degree, S: 80mm M-XL: 100mm
Grips	Comfort Dual Density
Brake Levers	Shimano ST-EF51
Brakes	Promax Alloy Linear Pull w/ABS System
Color	Black, Matte Blue, Ladies: Matte Black, Marsala
Frame Size	15, 17, 19, 21, Ladies: 16



COMFORT

TC 100



FEATURES

21 Speed

Hi-Ten Steel Frame

Alloy Suspension Seatpost

ABS front for linear pull brakes

NEW OR CHANGED FOR 2016

TIG-Welded Hi-Ten Steel frame
Shimano FC-TY701 crank
Promax brakes w/front ABS System
Zero Stack Conical Headset

MSRP: \$349-379


PART #	MODEL	SIZE	COLOR
96-192-001	TC 100	15	Matte Black
96-192-002	TC 100	15	Red
96-192-003	TC 100	17	Matte Black
96-192-004	TC 100	17	Red
96-192-005	TC 100	19	Matte Black
96-192-006	TC 100	19	Red
96-192-007	TC 100	21	Matte Black
96-192-008	TC 100	21	Red
96-192-009	TC 100 Ladies	16	Matte Patina (Green)
96-192-010	TC 100 Ladies	16	Sand

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	350 / 13.8	70°	72°	545 / 21.5	425 / 16.7	295 / 11.6	700 / 27.6	140 / 5.5	576 / 22.7	521 / 20.5
17"	400 / 15.7	70°	72°	560 / 22	425 / 16.7	295 / 11.6	734 / 28.9	160 / 6.3	385 / 15.2	539 / 21.2
19"	450 / 17.7	70°	72°	575 / 22.6	425 / 16.7	295 / 11.6	767 / 30.2	185 / 7.3	392 / 15.4	563 / 22.2
21"	490 / 19.3	70°	72°	590 / 23.2	425 / 16.7	295 / 11.6	792 / 31.2	200 / 7.9	403 / 15.9	577 / 22.7
16L"	375 / 14.8	70°	72°	535 / 21.1	425 / 16.7	295 / 11.6	N/A	145 / 5.7	364 / 14.3	525 / 20.7

BIKE SPECS

Frame	TIG-Welded Hi-Ten Steel
Fork	Hi-Ten Unicrown
Headset	1-1/8" Threaded, Zero Stack w/Alloy Conical Top Cap
Rims	Alloy, 26x32H
Hub, Front	KT, Alloy, QR, 100mm Spacing
Hub, Rear	KT, Alloy, QR, 135mm Spacing
Tires	26x1.95, Skin wall w/Antipuncture
Spokes	14G Stainless, 32x32
Derailleur, Front	Shimano TX-51, 28.6 Clamp
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano Revo
Chain	KMC Z7
Crankset	Shimano FC-TY701, 48/38/28 w/CG, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 7-speed Mega Range Freewheel, 14-34T
Pedals	Platform w/Non-slip Tread
Seatpost	Alloy Suspension, 25.4x350L
Saddle	KHS Wide Comfort, Dual Density w/Elastomer Spring & Reflective Back
Handlebar	Steel 80mm /640mm
Stem	Alloy Quill, 25 Degree, S: 80mm M-XL: 100mm
Grips	Comfort Dual Density
Brake Levers	Promax Alloy Linear Pull
Brakes	Promax Alloy Linear Pull w/ABS System
Color	Matte Black, Red, Ladies: Matte Patina (Green), Sand
Frame Size	15, 17, 19, 21, Ladies: 16



COMFORT/HYBRID

WESTWOOD



FEATURES

21 Speed

Alloy Frame

Shimano Drivetrain

ABS front for linear pull brakes

NEW OR CHANGED FOR 2016

Alloy 6061, TIG welded frame
Shimano FC-TY701 crank
Promax brakes w/front ABS System
Zero Stack Conical Headset

MSRP: \$399-439


PART #	MODEL	SIZE	COLOR
96-195-001	Westwood	15	Black
96-195-002	Westwood	15	Matte Silver
96-195-003	Westwood	17	Black
96-195-004	Westwood	17	Matte Silver
96-195-005	Westwood	19	Black
96-195-006	Westwood	19	Matte Silver
96-195-007	Westwood	21	Black
96-195-008	Westwood	21	Matte Silver
96-195-009	Westwood Ladies	14	Matte Black
96-195-010	Westwood Ladies	14	Red
96-195-011	Westwood Ladies	17	Matte Black
96-195-012	Westwood Ladies	17	Red

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/effectv	E c/s	F BB Height	H s.o.	I h/L	J Reach	K Stack
15"	350 / 13.8	71°	74°	545 / 21.5	440 / 17.3	310 / 12.2	735 / 28.9	125 / 4.9	371 / 14.6	599 / 23.6
17"	400 / 15.7	71°	74°	555 / 21.9	440 / 17.3	310 / 12.2	769 / 30.3	135 / 5.3	380 / 15	610 / 24
19"	450 / 17.7	72°	73°	575 / 22.6	440 / 17.3	310 / 12.2	803 / 31.6	145 / 5.7	384 / 15.1	623 / 24.5
21"	500 / 19.7	72°	73°	585 / 23	440 / 17.3	310 / 12.2	835 / 32.9	160 / 6.3	390 / 15.4	638 / 25.1
14"L	325 / 12.8	71°	74°	540 / 21.3	440 / 17.3	310 / 12.2	N/A	135 / 5.3	365 / 14.4	610 / 24
17"L	400 / 15.7	71°	74°	550 / 21.7	440 / 17.3	310 / 12.2	N/A	145 / 5.7	372 / 14.6	619 / 24.4

BIKE SPECS

Frame	Alloy 6061, TIG welded
Fork	Zoom 141, 45mm
Headset	1-1/8" Threaded, Zero Stack w/Alloy Conical Top Cap
Rims	Alloy, 700c
Hub, Front	KT Alloy, QR, 100mm Spacing
Hub, Rear	KT Alloy, QR, 135mm Spacing
Tires	700x38c, Skin Wall w/Anti-puncture
Spokes	14G Stainless, 32x32
Derailleur, Front	Shimano TX-51, 31.8 Clamp
Derailleur, Rear	Shimano Altus RD-M310
Shifters	Shimano ST-EF51
Chain	KMC Z7
Crankset	Shimano FC-TY701, 48/38/28 w/CG, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 7-speed Mega Range Freewheel, 14-34T
Pedals	Platform w/Non-slip Tread
Seatpost	Alloy Suspension, 27.2x350mm
Saddle	KHS Wide Comfort, Dual Density w/Elastomer Spring & Reflective Back
Handlebar	Alloy, 80mmx640mm
Stem	Alloy Quill, 25 Degree, S: 80mm, M-XL:100mm
Grips	Comfort Dual Density
Brake Levers	Shimano ST-EF51
Brakes	Promax Alloy Linear Pull w/ABS System
Color	Black, Matte Silver, Ladies: Matte Black, Red
Frame Size	15, 17, 19, 21, Ladies: 14, 17



COMFORT/HYBRID

BRENTWOOD



FEATURES

21 Speed

Hi-Ten Steel Frame

Dual Suspension Seatpost

ABS front for linear pull brakes

NEW OR CHANGED FOR 2016

TIG-Welded Hi-Ten Steel frame
Shimano FC-TY701 crank
Promax brakes w/front ABS System
Zero Stack Conical Headset

MSRP: \$339-369


PART #	MODEL	SIZE	COLOR
96-194-001	Brentwood	15	Matte Black
96-194-002	Brentwood	15	Blue
96-194-003	Brentwood	17	Matte Black
96-194-004	Brentwood	17	Blue
96-194-005	Brentwood	17	Red
96-194-006	Brentwood	19	Matte Black
96-194-007	Brentwood	19	Blue
96-194-008	Brentwood	19	Red
96-194-009	Brentwood	21	Matte Black
96-194-010	Brentwood	21	Blue
96-194-011	Brentwood	23	Matte Black
96-194-012	Brentwood	25	Matte Black

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	350 / 13.8	71°	74°	543 / 21.4	440 / 17.3	295 / 11.6	709 / 27.9	125 / 4.9	387 / 15.2	543 / 21.4
17"	400 / 15.7	71°	74°	555 / 21.9	440 / 17.3	295 / 11.6	740 / 29.1	135 / 5.3	397 / 15.6	553 / 21.8
19"	450 / 17.7	72°	73°	575 / 22.6	440 / 17.3	295 / 11.6	772 / 30.4	145 / 5.7	402 / 15.8	566 / 22.3
21"	500 / 19.7	72°	73°	585 / 23	440 / 17.3	295 / 11.6	805 / 31.7	160 / 6.3	408 / 16.1	581 / 22.9
23"	550 / 21.7	72°	73°	594 / 23.4	440 / 17.3	295 / 11.6	833 / 32.8	170 / 6.7	414 / 16.3	590 / 23.2
25"	600 / 23.6	72°	73°	605 / 23.8	440 / 17.3	295 / 11.6	863 / 34	180 / 7.1	422 / 16.6	600 / 23.6

BIKE SPECS

Frame	TIG-Welded Hi-Ten Steel
Fork	Hi-Ten Unicrown
Headset	1-1/8" Threaded, Zero Stack w/Alloy Conical Top Cap
Rims	Alloy, 700c
Hub, Front	KT Alloy, QR, 100mm Spacing
Hub, Rear	KT Alloy, QR, 135mm Spacing
Tires	700x38c, Skin Wall w/Anti-puncture
Spokes	14G Stainless, 32x32
Derailleur, Front	Shimano TX-51, 28.6 Clamp
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano Revo
Chain	KMC Z7
Crankset	Shimano FC-TY701, 48/38/28 w/CG, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 7-speed Mega Range Freewheel, 14-34T
Pedals	Platform w/Non-slip Tread
Seatpost	Alloy Suspension, 25.4x350mm
Saddle	KHS Wide Comfort, Dual Density w/Elastomer Spring & Reflective Back
Handlebar	Steel 80mmx640mm
Stem	Alloy Quill, 25 Degree, S: 80mm, M-XL:100mm
Grips	Comfort Dual Density
Brake Levers	Promax Alloy Linear Pull
Brakes	Promax Alloy Linear Pull w/ABS System
Color	Matte Black, Blue, Red
Frame Size	15, 17, 19, 21, 23, 25 (15 & 21 Black & Blue Only, 23 & 25 Black Only)



58

All specs are subject to change without notice.



COMFORT/HYBRID

BRENTWOOD LADIES



FEATURES

21 Speed

Hi-Ten Steel Frame

Alloy Suspension Seatpost


ABS for linear pull brakes

NEW OR CHANGED FOR 2016

TIG-Welded Hi-Ten Steel frame
Shimano FC-TY701 crank
Promax brakes w/front ABS System
Zero Stack Conical Headset

MSRP: \$339-369

PART #	MODEL	SIZE	COLOR
96-194-013	Brentwood Ladies	14	Matte Black
96-194-014	Brentwood Ladies	14	Lucite Green
96-194-015	Brentwood Ladies	14	Silver
96-194-016	Brentwood Ladies	17	Matte Black
96-194-017	Brentwood Ladies	17	Lucite Green
96-194-018	Brentwood Ladies	17	Silver



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
14"L	325 / 12.8	70°	73°	540 / 21.3	440 / 17.3	295 / 11.6	N/A	145 / 5.7	369 / 14.5	558 / 22
17"L	400 / 15.7	70°	73°	550 / 21.7	440 / 17.3	295 / 11.6	N/A	145 / 5.7	379 / 14.9	558 / 22

BIKE SPECS

Frame	TIG-Welded Hi-Ten Steel
Fork	Hi-Ten Unicrown
Headset	1-1/8" Threaded, Zero Stack w/Alloy Conical Top Cap
Rims	Alloy, 700c
Hub, Front	KT Alloy, QR, 100mm Spacing
Hub, Rear	KT Alloy, QR, 135mm Spacing
Tires	700x38c, Skin Wall w/Anti-puncture
Spokes	14G Stainless, 32x32
Derailleur, Front	Shimano TX-51, 28.6 Clamp
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano Revo
Chain	KMC Z7
Crankset	Shimano FC-TY701, 48/38/28 w/CG, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 7-speed Mega Range Freewheel, 14-34T
Pedals	Platform w/Non-slip Tread
Seatpost	Alloy Suspension, 25.4x350mm
Saddle	KHS Ladies Wide Comfort, Dual Density w/Elastomer Spring & Reflective Back
Handlebar	Steel 80mmx640mm
Stem	Alloy Quill, 25 Degree, 80mm
Grips	Comfort Dual Density
Brake Levers	Promax Alloy Linear Pull
Brakes	Promax Alloy Linear Pull w/ABS System
Color	Matte Black, Lucite Green, Silver
Frame Size	14L & 17L Low Step

COMMUTER


GREEN 8 DELUXE



FEATURES

8 Speed
 Reynolds 520 DB CrMo frame
 Full CrMo unicrown fork w/Disc
 Bengal mechanical Disc ft brake, Nexus Hub Roller rear brake
 MSRP: \$699-769

PART #	MODEL	SIZE	COLOR
89-014-413	Green 8 Deluxe	17	Black
89-014-423	Green 8 Deluxe	20	Black
89-014-433	Green 8 Deluxe	23	Black



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/l	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
17"	430 / 16.9	72°	73°	556 / 21.9	448 / 17.6	295 / 11.6	738 / 29.1	80 / 3.1	402 / 15.8	503 / 19.8
20"	508 / 20	72°	73°	570 / 22.4	448 / 17.6	295 / 11.6	777 / 30.6	80 / 3.1	416 / 16.4	503 / 19.8
23"	584 / 23	72°	73°	599 / 23.6	448 / 17.6	295 / 11.6	842 / 33.1	140 / 5.5	428 / 16.9	560 / 22

BIKE SPECS

Frame	Reynolds 520 DB CrMo Tubing w/Curved Seatstays and Carrier Bosses
Fork	Full CrMo Unicrown, Low-rider and Fender Bosses w/Disc
Headset	1" Threaded
Rims	Weinmann X Star 18, 700x36H, Alloy Dbl/Wall
Hub, Front	Alloy Disc w/CNC Rotor Flange, QR
Hub, Rear	Shimano Nexus Inter-8 Premium, 8-speed RR
Tires	Kenda 700X32c, w/K-shield
Spokes	14G Stainless, 36x36
Derailleur, Front	N/A
Derailleur, Rear	Shimano Nexus Inter-8 Premium
Shifters	Shimano Trigger, 8-speed STI, ST-8S20
Chain	KMC Z410
Crankset	Alloy Forged, 40T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 18T
Pedals	Vintage Alloy
Seatpost	Alloy Micro-adjust, 25.4x300mm
Saddle	KHS City Men's
Handlebar	Alloy Touring
Stem	Alloy Quill
Grips	Comfort
Brake Levers	Shimano BL-IM65 Left
Brakes	Bengal Mechanical Disc w/160mm Rotor FT, Shimano Hub Roller RR
Color	Black
Frame Size	17, 20, 23
Extras	Fenders, Rear Carrier, Bell

COMMUTER GREEN 8



FEATURES

8 speed

Reynolds 520 DB CrMo tubing frame w/carrier bosses

Shimano Nexus 8 speed rear hub

Weinmann X Star 18, Alloy Doublewall rims

MSRP: \$599-659

PART #	MODEL	SIZE	COLOR
89-023-001	Green 8	17	Matte Steel Blue
89-023-002	Green 8	20	Matte Steel Blue
89-023-003	Green 8	23	Matte Steel Blue
89-023-004	Green 8 Ladies	14L Mixte	Champagne
89-023-005	Green 8 Ladies	17L Mixte	Champagne

BIKE SPECS


Frame	Reynolds 520 DB CrMo tubing w/curved seatstays and carrier bosses
Fork	Full CrMo unicrown, low-rider and fender bosses w/Disc
Headset	1" Threaded
Rims	700x36H, Alloy Doublewall
Hubs (F/R)	FT: Alloy, Disc Ready, RR: Shimano Nexus 8-speed Freewheel
Tires	Kenda 700X32c, w/K-shield
Spokes	14G Stainless, 36X36
Derailleur, Front	N/A
Derailleur, Rear	Shimano Inter-8, F/W
Shifters	Shimano Twist, 8-speed
Chain	KMC Z410
Crankset	Alloy Forged, 44T, 170mm
BB	Cartridge bearing
Freewheel / Cassette	Shimano 19T
Pedals	Vintage Alloy
Seatpost	Alloy micro-adjust, 25.4X300mm
Saddle	KHS City
Handlebar	Alloy Touring
Stem	Alloy Quill
Handlebar tape/Grips	Comfort
Brake Levers	Tektro Alloy, 4-Finger
Brakes	Alloy Dual Pivot
Color	Men's: Matte Steel Blue, Ladies: Champagne
Frame Size	Men's: 17,20,23 Ladies: 14,17

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
17"	430 / 16.9	72	73	556 / 21.9	448 / 17.6	295 / 11.6	738 / 29	80 / 3.1	402 / 15.8	503 / 19.8
20"	508 / 20	72	73	570 / 22.4	448 / 17.6	295 / 11.6	777 / 30.6	80 / 3.1	416 / 16.4	503 / 19.8
23"	584 / 23	72	73	599 / 23.6	448 / 17.6	295 / 11.6	838 / 33	140 / 5.5	428 / 16.9	560 / 22
14"L	356 / 14	72	73.5	541 / 21.3	448 / 17.6	295 / 11.6	0 / 0	160 / 6.3	370 / 14.6	579 / 22.8
17"L	430 / 16.9	72	73	556 / 21.9	448 / 17.6	295 / 11.6	0 / 0	100 / 3.9	396 / 15.6	522 / 20.6

COMMUTER GREEN 8 LTD

Limited Edition



FEATURES

8 Speeds

6061 Alloy Frame

Shimano Nexus Inter 8 speed hub

Fenders Rear Rack & Bell

LIMITED EDITION, ONCE THEY'RE GONE, THEY'RE GONE!

MSRP: \$539-589


PART #	MODEL	SIZE	COLOR
89-014-213	Green 8 LTD	17	Cream
89-014-214	Green 8 LTD	17	Green
89-014-223	Green 8 LTD	20	Cream
89-014-224	Green 8 LTD	20	Green
89-014-233	Green 8 LTD	23	Cream
89-014-234	Green 8 LTD	23	Green
89-014-243	Green 8 LTD	14 Mixte	Light Blue
89-014-244	Green 8 LTD	14 Low Step	Red
89-014-253	Green 8 LTD	17 Mixte	Light Blue
89-014-254	Green 8 LTD	17 Low Step	Red

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
17"	430 / 16.9	72	73	556 / 21.9	448 / 17.6	295 / 11.6	738 / 29	80 / 3.1	402 / 15.8	503 / 19.8
20"	508 / 20	72	73	570 / 22.4	448 / 17.6	295 / 11.6	777 / 30.6	80 / 3.1	416 / 16.4	503 / 19.8
23"	584 / 23	72	73	599 / 23.6	448 / 17.6	295 / 11.6	838 / 33	140 / 5.5	428 / 16.9	560 / 22
14"L	356 / 14	72	73.5	541 / 21.3	448 / 17.6	295 / 11.6	0 / 0	160 / 6.3	370 / 14.6	579 / 22.8
17"L	430 / 16.9	72	73	556 / 21.9	448 / 17.6	295 / 11.6	0 / 0	100 / 3.9	396 / 15.6	522 / 20.6

BIKE SPECS

Frame	Alloy 6061, TIG Welded
Fork	Hi-Ten Unicrown
Headset	1" Threaded
Rims	Alloy 700c, Dbl/Wall
Hub, Front	Alloy Nuted
Hub, Rear	Shimano Nexus 8-speed RR, F/W
Tires	Kenda 700X38c, w/K-shield
Spokes	14G Stainless, 36x36
Derailleur, Front	N/A
Derailleur, Rear	Shimano Inter-8, F/W
Shifters	Microshift Twist, 8-speed
Chain	KMC Z50
Crankset	Alloy Forged, 44T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 19T
Pedals	Vintage Platform
Seatpost	Alloy Micro-adjust, 25.4x300mm
Saddle	KHS City Men's
Handlebar	Alloy Touring
Stem	Alloy Quill
Grips	Comfort
Brake Levers	Alloy 4-Finger
Brakes	Promax Alloy Dual Pivot
Color	Cream, Green, Mixtie: Light Blue, Low Step: Red
Frame Size	Men: 17, 20, 23, Mixte & Low Step: 14, 17
Extras	Fenders, Rear Carrier, Bell



COMMUTER GREEN 8E



FEATURES

8 Speed
Tig-welded Hi-Tensile Steel
8 Speed Cassette
Rear Rack and Fenders
MSRP: \$349-379


PART #	MODEL	SIZE	COLOR
89-014-050	Green 8e	17	Black
89-014-051	Green 8e	17	Cream
89-014-052	Green 8e	20	Black
89-014-053	Green 8e	20	Cream
89-014-054	Green 8e	23	Black
89-014-055	Green 8e	23	Cream
89-014-056	Green 8e Ladies	14L	Mint
89-014-057	Green 8e Ladies	14L	Red
89-014-058	Green 8e Ladies	17L	Mint
89-014-059	Green 8e Ladies	17L	Red

GEOMETRY


SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
17"	430 / 16.9	72	73	556 / 21.9	448 / 17.6	295 / 11.6	738 / 29	80 / 3.1	402 / 15.8	503 / 19.8
20"	508 / 20	72	73	570 / 22.4	448 / 17.6	295 / 11.6	777 / 30.6	80 / 3.1	416 / 16.4	503 / 19.8
23"	584 / 23	72	73	599 / 23.6	448 / 17.6	295 / 11.6	838 / 33	140 / 5.5	428 / 16.9	560 / 22
14"L	356 / 14	72	73.5	541 / 21.3	448 / 17.6	295 / 11.6	0 / 0	160 / 6.3	370 / 14.6	579 / 22.8
17"L	430 / 16.9	72	73	556 / 21.9	448 / 17.6	295 / 11.6	0 / 0	100 / 3.9	396 / 15.6	522 / 20.6

BIKE SPECS

Frame	Ti-welded Hi-Ten Steel
Fork	Hi-Ten Unicrown
Headset	1" Threaded
Rims	Alloy 700c, Dbl/Wall
Hub, Front	Alloy Nuted
Hub, Rear	Alloy Nuted
Tires	Kenda 700x38c
Spokes	14G Stainless, 36X36
Derailleur, Front	N/A
Derailleur, Rear	Shimano Altus
Shifters	Microshift TS-70 Trigger
Chain	KMC Z50
Crankset	Alloy Forged, 48T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS HG31-8 11-34T, 8-speed
Pedals	Vintage Platform
Seatpost	Alloy 25.4 x 300L
Saddle	KHS City Men's
Handlebar	Steel Touring
Stem	Alloy Quill
Grips	Comfort
Brake Levers	Promax Alloy Linear Pull
Brakes	Promax Alloy Linear Pull
Color	Black, Cream, Ladies: Mint, Red
Frame Size	Men: 17, 20, 23, Ladies: 14, 17
Extras	Fenders, Rear Carrier, Bell



COMMUTER GREEN 3



FEATURES

3 Speed
Hi-Tensile steel frame
Shimano Nexus 3 speed hub
Steel fork
MSRP: \$379-409


PART #	MODEL	SIZE	COLOR
89-014-113	Green 3	17	Black
89-014-114	Green 3	17	Blue
89-014-123	Green 3	20	Black
89-014-124	Green 3	20	Blue
89-014-133	Green 3	23	Black
89-014-134	Green 3	23	Blue
89-014-143	Green 3 Ladies	14L	Cream
89-014-144	Green 3 Ladies	14L	Black
89-014-153	Green 3 Ladies	17L	Cream
89-014-154	Green 3 Ladies	17L	Black

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
17"	430 / 16.9	72	73	556 / 21.9	448 / 17.6	295 / 11.6	738 / 29	80 / 3.1	402 / 15.8	503 / 19.8
20"	508 / 20	72	73	570 / 22.4	448 / 17.6	295 / 11.6	777 / 30.6	80 / 3.1	416 / 16.4	503 / 19.8
23"	584 / 23	72	73	599 / 23.6	448 / 17.6	295 / 11.6	838 / 33	140 / 5.5	428 / 16.9	560 / 22
14"L	356 / 14	72	73.5	541 / 21.3	448 / 17.6	295 / 11.6	0 / 0	160 / 6.3	370 / 14.6	579 / 22.8
17"L	430 / 16.9	72	73	556 / 21.9	448 / 17.6	295 / 11.6	0 / 0	100 / 3.9	396 / 15.6	522 / 20.6

BIKE SPECS

Frame	Ti-welded Hi-Ten Steel
Fork	Hi-Ten Unicrown
Headset	1" Threaded
Rims	Alloy 700c, Dbl/Wall
Hub, Front	Alloy Nuted
Hub, Rear	Shimano Nexus 3-speed RR, F/W
Tires	Kenda 700x38c
Spokes	14G Stainless, 36x36
Derailleur, Front	N/A
Derailleur, Rear	Shimano Inter-3, F/W
Shifters	Microshift Twist, 3-speed
Chain	KMC Z410
Crankset	Alloy Forged, 44T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 19T
Pedals	Vintage Platform
Seatpost	Alloy 25.4 x 300L
Saddle	KHS City
Handlebar	Steel Touring
Stem	Alloy Quill
Grips	Comfort
Brake Levers	Promax Alloy Linear Pull
Brakes	Promax Alloy Linear Pull
Color	Black, Blue, Ladies: Cream, Black
Frame Size	Men: 17, 20, 23, Ladies: 14, 17
Extras	Fenders, Rear Carrier, Bell



COMMUTER GREEN 1




FEATURES

Single Speed
Tig-welded Hi-Tensile Steel
Rear Rack and Fenders
MSRP: \$279-299

PART # MODEL SIZE COLOR

89-014-020	Green 1	17	Green
89-014-023	Green 1	20	Green
89-014-025	Green 1	23	Green
89-014-028	Green 1 Ladies	14L	Light Blue
89-014-029	Green 1 Ladies	17L	Light Blue



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
17"	430 / 16.9	72	73	556 / 21.9	448 / 17.6	295 / 11.6	738 / 29	80 / 3.1	402 / 15.8	503 / 19.8
20"	508 / 20	72	73	570 / 22.4	448 / 17.6	295 / 11.6	777 / 30.6	80 / 3.1	416 / 16.4	503 / 19.8
23"	584 / 23	72	73	599 / 23.6	448 / 17.6	295 / 11.6	838 / 33	140 / 5.5	428 / 16.9	560 / 22
14"L	356 / 14	72	73.5	541 / 21.3	448 / 17.6	295 / 11.6	0 / 0	160 / 6.3	370 / 14.6	579 / 22.8
17"L	430 / 16.9	72	73	556 / 21.9	448 / 17.6	295 / 11.6	0 / 0	100 / 3.9	396 / 15.6	522 / 20.6

BIKE SPECS

Frame	Ti-welded Hi-Ten Steel
Fork	Hi-Ten Unicrown
Headset	1" Threaded
Rims	Alloy 700c, Dbl/Wall
Hub, Front	Alloy Nuted
Hub, Rear	Alloy Nuted
Tires	Kenda 700x38c
Spokes	14G Stainless, 36x36
Derailleur, Front	N/A
Derailleur, Rear	N/A
Shifters	N/A
Chain	KMC Z410
Crankset	Alloy Forged, 44T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	18T Freewheel, 20T Ladies
Pedals	Vintage Platform
Seatpost	Alloy 25.4 x 300L
Saddle	KHS City
Handlebar	Steel Touring
Stem	Alloy Quill
Grips	Comfort
Brake Levers	Promax Alloy Linear Pull
Brakes	Promax Alloy Linear Pull
Color	Green, Ladies: Light Blue
Frame Size	Men: 17, 20, 23, Ladies: 14, 17
Extras	Fenders, Rear Carrier, Bell

URBAN

URBAN XTREME



FEATURES

16 Speed

Reynolds 520 CrMo Frame

Claris Drivetrain

Avid BB5R Mechanical Disc brakes

NEW OR CHANGED FOR 2016


Full CrMo Unicrown fork

Shimano Claris FC-RS200 crank

Avid BB5R, Road Mechanical Disc Brakes

MSRP: \$799-869

PART #	MODEL	SIZE	COLOR
96-185-001	Urban Xtreme	S	Matte Silver
96-185-002	Urban Xtreme	M	Matte Silver
96-185-003	Urban Xtreme	L	Matte Silver
96-185-004	Urban Xtreme	XL	Matte Silver



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	495 / 19.5	71°	73°	533 / 21	432 / 17	282 / 11.1	779 / 30.7	120 / 4.7	366 / 14.4	547 / 21.5
M	534 / 21	72°	73°	558 / 22	432 / 17	282 / 11.1	806 / 31.7	135 / 5.3	385 / 15.2	565 / 22.2
L	572 / 22.5	72°	73°	580 / 22.8	432 / 17	282 / 11.1	835 / 32.9	160 / 6.3	400 / 15.7	589 / 23.2
XL	609 / 24	73°	72°	605 / 23.8	432 / 17	282 / 11.1	871 / 34.3	195 / 7.7	402 / 15.8	626 / 24.6

BIKE SPECS

Frame	Reynolds 520 DB CrMo Tubing w/Curved Seatstays and Carrier Bosses w/Disc
Fork	Full CrMo Unicrown, Low-rider and Fender Bosses w/Disc
Headset	Threadless, 1-1/8
Rims	Weinmann X Star 18, 700x32H, Alloy Dbl/Wall
Hub, Front	Formula Alloy Disc QR
Hub, Rear	Formula Alloy Disc QR, Cassette
Tires	Maxxis Overdrive Excel, 700x32C, Silkworm Anti-Puncture
Spokes	14G Black, 32x32
Derailleur, Front	Shimano Claris FD2400, 28.6 Clamp
Derailleur, Rear	Shimano Claris RD2400
Shifters	Shimano Claris STI ST2400
Chain	KMC Z82
Crankset	Shimano Claris FC-RS200, 50/34, S: 170, M-L: 172.5, XL: 175
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31, 11-32T, 8-speed
Pedals	KHS Trekking, Alloy Body w/Alloy Cage
Seatpost	Alloy Micro-adjust, 27.2x350mm
Saddle	KHS Urban Sport
Handlebar	Alloy Drop, 31.8 O/S, S-M: 40cm, L: 42cm, XL: 44cm
Stem	Alloy 3D Forged, Threadless 4-bolt, 31.8 O/S
Grips	Cushion Tape
Brake Levers	Shimano Claris STI w/Tektro RL-721 Shorty
Brakes	Avid BB5R, Road Mechanical Disc Brake w/160mm Rotors
Color	Matte Silver
Frame Size	S, M, L, XL

URBAN

URBAN XCEL



FEATURES

27 Speed

Alloy Frame

Weinmann X Star 18 Wheelset

Bengal MB606 Mechanical Disc brake


NEW OR CHANGED FOR 2016

Bengal Cable Disc, MB606 brakes

MSRP: \$669-729

PART # MODEL SIZE COLOR

96-184-001	Urban Xcel	S	Matte Green
96-184-002	Urban Xcel	M	Matte Green
96-184-003	Urban Xcel	L	Matte Green
96-184-004	Urban Xcel	XL	Matte Green



GEOMETRY


SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	394 / 15.5	71°	73.5°	548 / 21.6	445 / 17.5	285 / 11.2	720 / 28.3	115 / 4.5	387 / 15.2	543 / 21.4
M	457 / 18	71°	73.5°	565 / 22.2	445 / 17.5	285 / 11.2	761 / 30	135 / 5.3	399 / 15.7	562 / 22.1
L	521 / 20.5	71°	73.5°	578 / 22.8	445 / 17.5	285 / 11.2	800 / 31.5	150 / 5.9	407 / 16	576 / 22.7
XL	584 / 23	71°	73.5°	590 / 23.2	445 / 17.5	285 / 11.2	841 / 33.1	170 / 6.7	414 / 16.3	595 / 23.4

BIKE SPECS

Frame	Alloy 6061 with C/S Disc Mount & Carrier Bosses
Fork	Full CrMo Unicrown, Low-rider and Fender Bosses w/Disc
Headset	Threadless, 1-1/8
Rims	Weinmann X Star 18, 700x32H, Alloy Dbl/Wall
Hub, Front	Formula Alloy Disc QR
Hub, Rear	Formula Alloy Disc QR, Cassette
Tires	Maxxis Overdrive, 700x35c w/Kevlar Inside Anti-puncture
Spokes	14G Black, 32x32
Derailleur, Front	Shimano FDR353, 31.8 Clamp
Derailleur, Rear	Shimano Alivio
Shifters	MicroShift R769, 3x9 Triggers
Chain	KMC X9
Crankset	FSA Tempo, 50/39/30T, S: 170, M-L: 172.5, XL: 175
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200, 11-34T, 9-speed
Pedals	KHS Trekking, Alloy Body w/Alloy Cage
Seatpost	Alloy Micro-adjust, 27.2x350mm
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Alloy, 30x600mm
Stem	Alloy 3D Forged, Threadless 4-bolt, 25D, S: 90mm, M: 105mm, L-XL: 110mm
Grips	Velo Dual density
Brake Levers	Promax Alloy Forged Trekking, Knee Saver
Brakes	Bengal Cable Disc, MB606, 160mm Rotors
Color	Matte Green
Frame Size	S, M, L, XL

URBAN

URBAN XPRESS



FEATURES

27 Speed

Reynolds 520 CrMo Frame

Weinmann X Star 18 Wheelset

FSA Tempo Triple crank

NEW OR CHANGED FOR 2016

Shimano New Acera M3000 rear derailleur

MSRP: \$569-619


PART #	MODEL	SIZE	COLOR
96-183-001	Urban Xpress	S	Matte Black
96-183-002	Urban Xpress	S	Matte Midnight Gray
96-183-003	Urban Xpress	M	Matte Black
96-183-004	Urban Xpress	M	Matte Midnight Gray
96-183-005	Urban Xpress	L	Matte Black
96-183-006	Urban Xpress	L	Matte Midnight Gray
96-183-007	Urban Xpress	XL	Matte Black
96-183-008	Urban Xpress	XL	Matte Midnight Gray
96-183-009	Urban Xpress	XXL	Matte Black
96-183-010	Urban Xpress Ladies	S	Matte Black
96-183-011	Urban Xpress Ladies	S	Matte Red
96-183-012	Urban Xpress Ladies	M	Matte Black
96-183-013	Urban Xpress Ladies	M	Matte Red

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	740 / 29.1	115 / 4.5	392 / 15.4	543 / 21.4
M	457 / 18	71°	74°	565 / 22.2	450 / 17.7	290 / 11.4	778 / 30.6	135 / 5.3	404 / 15.9	562 / 22.1
L	521 / 20.5	71°	74°	578 / 22.8	450 / 17.7	290 / 11.4	815 / 32.1	150 / 5.9	413 / 16.3	576 / 22.7
XL	584 / 23	71°	74°	590 / 23.2	450 / 17.7	290 / 11.4	852 / 33.5	170 / 6.7	419 / 16.5	595 / 23.4
XXL	635 / 25	71°	74°	602 / 23.7	450 / 17.7	290 / 11.4	884 / 34.8	190 / 7.5	426 / 16.8	614 / 24.2
Ladies S	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	N/A	100 / 3.9	396 / 15.6	529 / 20.8
Ladies M	432 / 17	71°	74°	555 / 21.9	450 / 17.7	290 / 11.4	N/A	115 / 4.5	399 / 15.7	543 / 21.4

BIKE SPECS

Frame	Reynolds 520 DB CrMo Tubing w/Curved Seatstays and Carrier Bosses
Fork	Full CrMo Unicrown, Low-rider and Fender Bosses
Headset	1-1/8" Threaded
Rims	Weinmann X Star 18, 700x32H, Alloy Dbl/Wall
Hub, Front	Formula, Alloy QR
Hub, Rear	Formula, Alloy QR, Cassette
Tires	Maxxis Overdrive, 700x35c w/Kevlar Inside Anti-puncture
Spokes	14G Black, 32x32
Derailleur, Front	MicroShift FD-R639, 28.6 Clamp
Derailleur, Rear	Shimano New Acera M3000
Shifters	MicroShift R769, 3x9 Triggers
Chain	KMC X9
Crankset	FSA Tempo, 50/39/30T, S: 170, M-L: 172.5, XL-XXL: 175
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200, 11-34T, 9-speed
Pedals	KHS Trekking, Alloy Body w/Alloy Cage
Seatpost	Alloy Micro-adjust, 27.2x350mm
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Alloy, 30x600mm
Stem	KHS Alloy Quill, 25D, 4-bolt, S: 90mm, M: 100mm, L-XL: 110mm, XXL: 120mm
Grips	Velo Dual density
Brake Levers	Promax Alloy Forged Trekking, Knee Saver
Brakes	Tektro 855AL, Alloy Linear Pull, Long Reach
Color	Matte Black, Matte Midnight Gray, Ladies: Matte Black, Matte Red
Frame Size	S, M, L, XL, XXL (XXL Black Only), Ladies: S, M






FEATURES

- 24 Speed
- 4130 CrMo Frame
- Shimano Drivetrain
- Bengal MB606 Mechanical Disc brakes
- Rear Rack

NEW MODEL FOR 2016

MSRP: \$469-509

PART #	MODEL	SIZE	COLOR
96-182-014	Urban Xcape Disc	S	Matte Gray
96-182-015	Urban Xcape Disc	M	Matte Gray
96-182-016	Urban Xcape Disc	L	Matte Gray
96-182-017	Urban Xcape Disc	XL	Matte Gray
96-182-018	Urban Xcape Disc	XXL	Matte Gray



GEOMETRY


SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	740 / 29.1	115 / 4.5	392 / 15.4	543 / 21.4
M	457 / 18	71°	74°	565 / 22.2	450 / 17.7	290 / 11.4	778 / 30.6	135 / 5.3	404 / 15.9	562 / 22.1
L	521 / 20.5	71°	74°	578 / 22.8	450 / 17.7	290 / 11.4	815 / 32.1	150 / 5.9	413 / 16.3	576 / 22.7
XL	584 / 23	71°	73.5°	590 / 23.2	450 / 17.7	290 / 11.4	846 / 33.3	170 / 6.7	414 / 16.3	595 / 23.4
XXL	635 / 25	71°	74°	602 / 23.7	450 / 17.7	290 / 11.4	884 / 34.8	190 / 6.7	426 / 16.8	614 / 24.2

BIKE SPECS

Frame	4130 Dbl Butted CrMo Tubing w/Curved Seatstays and Carrier Bosses, Forged Disc Mount
Fork	Hi-Ten Unicrown w/CrMo Steer Tube, Disc
Headset	1-1/8 Threaded
Rims	Alloy 700x32H, Double Wall
Hub, Front	KT Alloy Disc, QR, 100mm Spacing
Hub, Rear	KT Alloy Disc, QR, Cassette, 135mm Spacing
Tires	CST C-1839, Sensamo Master, 700X35 w/Anti-puncture
Spokes	14G Black, 32x32
Derailleur, Front	Shimano FD-M191, 28.6 Clamp
Derailleur, Rear	Shimano Acera M360
Shifters	Shimano ST-EF51
Chain	KMC Z8
Crankset	Shimano FC-TY701, 48/38/28T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31, 11-34T, 8-speed
Pedals	Resin platform
Seatpost	Alloy Micro-adjust, 27.2x350mm
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Alloy 30mmx600mm
Stem	KHS Alloy Quill, 25D, 4-bolt, S: 90mm M: 100mm L: 110mm XL: 120mm
Grips	Velo Kraton
Brake Levers	Shimano ST-EF51
Brakes	Bengal Cable Disc, MB606, 160mm Rotors
Color	Matte Gray
Frame Size	S, M, L, XL, XXL

URBAN

URBAN XCAPE



FEATURES

24 Speed
4130 CrMo Frame
Shimano Drivetrain
CST Sensamo Master Tires w/ Anti-puncture

NEW OR CHANGED FOR 2016

CST C-1839, Sensamo Master tires
Shimano FC-TY701 crank
Alloy handlebars

MSRP: \$399-439


PART #	MODEL	SIZE	COLOR
96-182-001	Urban Xcape	S	Matte Black
96-182-002	Urban Xcape	S	Matte Green
96-182-003	Urban Xcape	M	Matte Black
96-182-004	Urban Xcape	M	Matte Green
96-182-005	Urban Xcape	L	Matte Black
96-182-006	Urban Xcape	L	Matte Green
96-182-007	Urban Xcape	XL	Matte Black
96-182-008	Urban Xcape	XL	Matte Green
96-182-009	Urban Xcape	XXL	Matte Black
96-182-010	Urban Xcape Ladies	S	Matte Navy
96-182-011	Urban Xcape Ladies	S	Matte Purple
96-182-012	Urban Xcape Ladies	M	Matte Navy
96-182-013	Urban Xcape Ladies	M	Matte Purple

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	740 / 29.1	115 / 4.5	392 / 15.4	543 / 21.4
M	457 / 18	71°	74°	565 / 22.2	450 / 17.7	290 / 11.4	778 / 30.6	135 / 5.3	404 / 15.9	562 / 22.1
L	521 / 20.5	71°	74°	578 / 22.8	450 / 17.7	290 / 11.4	815 / 32.1	150 / 5.9	413 / 16.3	576 / 22.7
XL	584 / 23	71°	73.5°	590 / 23.2	450 / 17.7	290 / 11.4	846 / 33.3	170 / 6.7	414 / 16.3	595 / 23.4
XXL	635 / 25	71°	74°	602 / 23.7	450 / 17.7	290 / 11.4	884 / 34.8	190 / 6.7	426 / 16.8	614 / 24.2
Ladies S	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	N/A	100 / 3.9	396 / 15.6	529 / 20.8
Ladies M	432 / 17	71°	74°	555 / 21.9	450 / 17.7	290 / 11.4	N/A	115 / 4.5	399 / 15.7	543 / 21.4

BIKE SPECS

Frame	4130 Dbl Butted CrMo Tubing w/Curved Seatstays and Carrier Bosses
Fork	Hi-Ten Unicrown w/CrMo Steer Tube
Headset	1-1/8 Threaded
Rims	Alloy 700x32H, Double Wall
Hub, Front	KT Alloy, QR, 100mm Spacing
Hub, Rear	KT Alloy, QR, Cassette, 135mm Spacing
Tires	CST C-1839, Sensamo Master, 700x35 w/Anti-puncture
Spokes	14G Black, 32x32
Derailleur, Front	Shimano FD-M190, 28.6 Clamp
Derailleur, Rear	Shimano Acera M360
Shifters	Shimano ST-EF51
Chain	KMC Z8
Crankset	Shimano FC-TY701, 42/34/24, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31, 11-34T, 8-speed
Pedals	Resin platform
Seatpost	Alloy Micro-adjust, 27.2x350mm
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Alloy 30mmx600mm
Stem	KHS Alloy Quill, 25D, 4-bolt, S: 90mm M: 100mm L: 110mm XL-XXL: 120mm
Grips	Velo Kraton
Brake Levers	Shimano ST-EF51
Brakes	Promax Alloy Linear Pull
Color	Matte Black, Matte Green, Ladies: Matte Navy, Matte Purple
Frame Size	S, M, L, XL, XXL (XXL Black Only), Ladies: S, M



All specs are subject to change without notice.



URBAN

URBAN X



FEATURES

24 Speed

Alloy Frame

Rack, Fenders, and Kickstand

Bengal MB606 Mechanical Disc brakes


NEW OR CHANGED FOR 2016

Shimano FC-M131 crank

Zero Stack Headset w/Conical Top Cap

MSRP: \$539-589

PART #	MODEL	SIZE	COLOR
96-181-001	Urban X	S	Matte Silver
96-181-002	Urban X	M	Matte Silver
96-181-003	Urban X	L	Matte Silver
96-181-004	Urban X	XL	Matte Silver



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	432 / 17	71°	74°	565 / 22.2	445 / 17.5	290 / 11.4	756 / 29.8	135 / 5.3	404 / 15.9	562 / 22.1
M	457 / 18	71°	74°	565 / 22.2	445 / 17.5	290 / 11.4	769 / 30.3	135 / 5.3	404 / 15.9	562 / 22.1
L	521 / 20.5	71°	74°	580 / 22.8	445 / 17.5	290 / 11.4	811 / 31.9	150 / 5.9	414 / 16.3	577 / 22.7
XL	584 / 23	71°	74°	589 / 23.2	445 / 17.5	290 / 11.4	850 / 33.5	170 / 6.7	419 / 16.5	595 / 23.4

BIKE SPECS

Frame	Alloy 6061 with C/S Disc Mount & Carrier Bosses
Fork	Hi-Ten Unicrown Straight Blade, 1-1/4 Tapered
Headset	1-1/8" Threaded, Zero Stack w/Alloy Conical Top Cap
Rims	Alloy Disc Double Wall, 700x36H
Hub, Front	KT Alloy Disc, QR, 100mm Spacing
Hub, Rear	KT Alloy Disc, QR, Cassette, 135mm Spacing
Tires	CST Traveller, C-1118, 700x38 w/Anti-puncture
Spokes	14G Black, 36x36
Derailleur, Front	Shimano FD-M190, 31.8 Clamp
Derailleur, Rear	Shimano Altus
Shifters	Microshift TS70 Triggers, 3x8
Chain	KMC Z8
Crankset	Shimano FC-M131, 42/34/24, W/CG, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31, 11-34T, 8-speed
Pedals	KHS Trekking, Alloy Body w/Alloy Cage
Seatpost	Alloy Micro-adjust, 27.2x350mm
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Alloy, 30x620mm, 10 Degree Back Sweep
Stem	KHS Alloy Quill, 4-bolt, S: 90mm M-XL:110mm
Grips	Velo Comfort Dual Density
Brake Levers	Promax Alloy Linear Pull
Brakes	Bengal MB606, Mechanical Disc, 160mm Rotors
Color	Matte Silver
Frame Size	S, M, L, XL
Extras	Kickstand, Fenders, Alloy Rear carrier

URBAN

URBAN SOUL



FEATURES

Single Speed

CrMo Dbl Butted Frame

Cassette Rear Hub

FT & RR Dual Pivot Brakes

NEW OR CHANGED FOR 2016

Promax RC-483, Long Reach brakes

MSRP: \$299-329

PART # MODEL SIZE COLOR


96-180-001	Urban Soul	S	Black
96-180-002	Urban Soul	S	Matte Red
96-180-003	Urban Soul	M	Black
96-180-004	Urban Soul	M	Matte Red
96-180-005	Urban Soul	L	Black
96-180-006	Urban Soul	L	Matte Red
96-180-007	Urban Soul	XL	Black
96-180-008	Urban Soul	XL	Matte Red

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	394 / 15.5	72°	75°	525 / 20.7	415 / 16.3	270 / 10.6	704 / 27.7	115 / 4.5	387 / 15.2	533 / 21
M	457 / 18	72°	75°	555 / 21.9	415 / 16.3	270 / 10.6	745 / 29.3	140 / 5.5	393 / 15.5	551 / 21.7
L	521 / 20.5	72°	73.5°	575 / 22.6	415 / 16.3	270 / 10.6	792 / 31.2	165 / 6.5	403 / 15.9	580 / 22.8
XL	584 / 23	72°	73.5°	595 / 23.4	415 / 16.3	270 / 10.6	834 / 32.8	190 / 7.5	416 / 16.4	604 / 23.8

BIKE SPECS

Frame	High Ten TIG Welded
Fork	Hi-Ten Steel Straight Blades
Headset	1-1/8 Threadless
Rims	Deep Dish Alloy Double Wall, 700x32H
Hub, Front	Alloy Nuted, 100mm Spacing
Hub, Rear	Alloy Cassette, Single Speed, Nuted, 135mm Spacing
Tires	700 x 25C
Spokes	14G 32x32
Derailleur, Front	N/A
Derailleur, Rear	N/A
Shifters	N/A
Chain	KMC Z33
Crankset	Alloy 3pc, 44T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	16T Cassette
Pedals	KHS Trekking, Resin Body w/Alloy Cage
Seatpost	Alloy Micro-adjust, 26.0x350mm
Saddle	KHS Road Padded
Handlebar	30mmx520mm
Stem	Alloy Threadless, 15 Degree, XS-S: 90mm M-L: 105mm XL: 120mm
Grips	Soft Kraton
Brake Levers	Tektro XL320 2F Alloy
Brakes	Promax RC-483, Alloy Dual Pivot, Long Reach
Color	Black, Matte Red
Frame Size	S, M, L, XL



FITNESS VITAMIN C



FEATURES


18 Speed
Alloy Frame
Carbon Fork
Q2 AR400 Wheelset

NEW OR CHANGED FOR 2016

Updated Frame
Shimano New Sora rear derailleur
KMC Z9 chain
Shimano CS-HG200-9 cassette
Wellgo pedals

MSRP: \$699-769

PART #	MODEL	SIZE	COLOR
96-188-001	Vitamin C	S	Steel Gray
96-188-002	Vitamin C	M	Steel Gray
96-188-003	Vitamin C	L	Steel Gray
96-188-004	Vitamin C	XL	Steel Gray



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	394 / 15.5	71°	73°	558 / 22	440 / 17.3	282 / 11.1	719 / 28.3	156 / 6.1	390 / 15.4	550 / 21.7
M	457 / 18	71°	73°	576 / 22.7	440 / 17.3	282 / 11.1	763 / 30	176 / 6.9	401 / 15.8	569 / 22.4
L	521 / 20.5	72°	73°	589 / 23.2	440 / 17.3	282 / 11.1	810 / 31.9	201 / 7.9	406 / 16	598 / 23.5
XL	584 / 23	72°	73°	602 / 23.7	440 / 17.3	282 / 11.1	855 / 33.7	231 / 9.1	410 / 16.1	627 / 24.7

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed Double Butted TT & DT, Bi-Oval Pro Seat Stays, Replaceable Derailleur Hanger
Fork	Carbon with Alloy Steerer
Headset	FSA IS-3E, Integrated
Rims	Q2 AR400 Wheelset, Dbt/Wall, 700c
Hub, Front	Q2 AR400 Wheelset, Q/R
Hub, Rear	Q2 AR400 Wheelset, Cassette, QR
Tires	CST C1808 Recourse, 700x28C w/Anti-puncture
Spokes	Q2 AR400 Wheelset, 14G Black 20x24
Derailleur, Front	Microshift FD-R52S 31.8mm Clamp
Derailleur, Rear	Shimano Sora RD3500SS
Shifters	Microshift SL-R859 Trigger
Chain	KMC Z9 w/Missing Link
Crankset	Truvativ Isoflow Road 2.1, 50x34, XS-S: 170mm, M-L: 175mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200-9, 11-32T, 9-speed
Pedals	Wellgo Resin w/Alloy Cage & DU Bearing
Seatpost	KHS Alloy Micro-adjust, 27.2x350mm
Saddle	KHS Road Padded
Handlebar	Alloy 600x20mm
Stem	KHS Alloy 3D Forged, Threadless 4-bolt, S: 90mm M: 100mm L-XL: 110mm
Grips	Dual Density Cushion Wrap
Brake Levers	Tektro Alloy
Brakes	Tektro R312, Alloy Dual Pivot
Color	Steel Gray
Frame Size	S, M, L, XL
Extras	Bar Ends

FITNESS

VITAMIN B



FEATURES

24 Speed

Alloy Frame

Alloy Fork

ABS front for linear pull brakes

NEW OR CHANGED FOR 2016

Updated Frame

KHS Road Padded Saddle

Tektro 837AL brakes w/front ABS System

MSRP: \$539-589


PART #	MODEL	SIZE	COLOR
96-187-001	Vitamin B	XS	Matte Blue
96-187-002	Vitamin B	S	Matte Blue
96-187-003	Vitamin B	S	Matte Red
96-187-004	Vitamin B	M	Matte Blue
96-187-005	Vitamin B	M	Matte Red
96-187-006	Vitamin B	L	Matte Blue
96-187-007	Vitamin B	L	Matte Red
96-187-008	Vitamin B	XL	Matte Blue
96-187-009	Vitamin B Ladies	XS	Matte Black
96-187-010	Vitamin B Ladies	S	Matte Black
96-187-011	Vitamin B Ladies	S	Red Orange

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/ effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	330 / 13	71°	73°	550 / 21.7	440 / 17.3	282 / 11.1	677 / 26.7	105 / 4.1	385 / 15.2	540 / 21.3
S	394 / 15.5	71°	73°	550 / 21.7	440 / 17.3	282 / 11.1	716 / 28.2	115 / 4.5	390 / 15.4	550 / 21.7
M	457 / 18	71°	73°	576 / 22.7	440 / 17.3	282 / 11.1	760 / 29.9	135 / 5.3	402 / 15.8	568 / 22.4
L	521 / 20.5	72°	73°	589 / 23.2	440 / 17.3	282 / 11.1	806 / 31.7	160 / 6.3	406 / 16	598 / 23.5
XL	584 / 23	72°	73°	602 / 23.7	440 / 17.3	282 / 11.1	852 / 33.5	190 / 7.5	410 / 16.1	626 / 24.6
XS	330 / 13	71°	73°	550 / 21.7	440 / 17.3	282 / 11.1	605 / 23.8	105 / 4.1	385 / 15.2	540 / 21.3
S	394 / 15.5	71°	73°	558 / 22	440 / 17.3	282 / 11.1	691 / 27.2	115 / 4.5	382 / 15	550 / 21.7

BIKE SPECS

Frame	Alloy 6061, Double Butted w/Custom Formed TT, Replaceable Derailleur Hanger
Fork	Alloy Straight Leg
Headset	Threadless Slimstack, 1-1/8
Rims	Q2 AR400 Wheelset, Dbl/Wall, 700c
Hub, Front	Q2 AR400 Wheelset, Q/R
Hub, Rear	Q2 AR400 Wheelset, Cassette, QR
Tires	CST C1808 Recourse, 700x28C w/Anti-puncture
Spokes	Q2 AR400 Wheelset, 14G Black 20x24
Derailleur, Front	Shimano FD-M191 31.8 Clamp
Derailleur, Rear	Shimano Acera M360
Shifters	Shimano SL-M310 Triggers
Chain	KMC Z8
Crankset	Shimano FC-M311, 48/38/28T 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31, 11-34T, 8-speed
Pedals	Resin w/Steel Cage
Seatpost	KHS Alloy Micro-adjust, 27.2x350mm
Saddle	KHS Road Padded, Mens & Ladies Design
Handlebar	Alloy 600x20mm, 580mm Ladies
Stem	KHS Alloy 3D Forged, Threadless 4-bolt, S: 90mm M: 100mm L-XL: 110mm
Grips	Dual Density Cushion Wrap
Brake Levers	Tektro Alloy
Brakes	Tektro 837AL Alloy Linear Pull w/ABS System
Color	Matte Blue, Matte Red, Ladies: Matte Black, Red Orange
Frame Size	XS, S, M, L, XL (XS & XL Only M.Blue), Ladies: XS, S (Ladies XS only Matte Black)



FITNESS VITAMIN A



FEATURES

21 Speed

Alloy Frame

Shimano Drivetrain

ABS front for linear pull brakes

NEW OR CHANGED FOR 2016

Updated Frame

Alloy Deep Dish Double Wall rims

CST Ciudad, C1720 tires

Shimano FC-TY701 crank

Wellgo pedals

Tektro 837AL brakes w/front ABS System

MSRP: \$439-479


PART #	MODEL	SIZE	COLOR
96-186-001	Vitamin A	XS	Gloss Black
96-186-002	Vitamin A	S	Gloss Black
96-186-003	Vitamin A	S	Matte Silver
96-186-004	Vitamin A	M	Gloss Black
96-186-005	Vitamin A	M	Matte Silver
96-186-006	Vitamin A	L	Gloss Black
96-186-007	Vitamin A	L	Matte Silver
96-186-008	Vitamin A Ladies	XS	Lucite Green
96-186-009	Vitamin A Ladies	S	Matte Black
96-186-010	Vitamin A Ladies	S	Lucite Green

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS	330 / 13	71°	73°	550 / 21.7	440 / 17.3	282 / 11.1	677 / 26.7	105 / 4.1	385 / 15.2	540 / 21.3
S	394 / 15.5	71°	73°	550 / 21.7	440 / 17.3	282 / 11.1	716 / 28.2	115 / 4.5	390 / 15.4	550 / 21.7
M	457 / 18	71°	73°	576 / 22.7	440 / 17.3	282 / 11.1	760 / 29.9	135 / 5.3	402 / 15.8	568 / 22.4
L	521 / 20.5	72°	73°	589 / 23.2	440 / 17.3	282 / 11.1	806 / 31.7	160 / 6.3	406 / 16	598 / 23.5
XS	330 / 13	71°	73°	550 / 21.7	440 / 17.3	282 / 11.1	605 / 23.8	105 / 4.1	385 / 15.2	540 / 21.3
S	394 / 15.5	71°	73°	558 / 22	440 / 17.3	282 / 11.1	691 / 27.2	115 / 4.5	382 / 15	550 / 21.7

BIKE SPECS

Frame	Alloy 6061, Double Butted w/Custom Formed TT, Replaceable Derailleur Hanger
Fork	Hi-Ten Unicrown Straight Leg
Headset	Threadless Slimstack, 1-1/8
Rims	Alloy Deep Dish Double Wall w/CNC side Wall, 700C
Hub, Front	Alloy, QR, 100mm Spacing
Hub, Rear	Alloy, QR, Cassette, 135mm Spacing
Tires	CST Ciudad, C1720, 700x32C w/Anti-puncture
Spokes	14G Black, 24x28
Derailleur, Front	Shimano FD-M191 31.8 Clamp
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano ST-EF51
Chain	KMC Z7
Crankset	Shimano FC-TY701, 48/38/28 w/CG, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG20-7, 12-32T, 7-speed
Pedals	Wellgo Resin w/Alloy Cage & DU Bearing
Seatpost	KHS Alloy Micro-adjust, 27.2x350mm
Saddle	KHS Road Padded, Mens & Ladies Design
Handlebar	KHS Alloy 600x20mm, 580mm Ladies
Stem	KHS Alloy 4-bolt, 15 Degree, XS-S: 90mm M, L: 105mm, XL: 120mm
Grips	Dual Density Cushion Wrap
Brake Levers	Shimano ST-EF51
Brakes	Tektro 837AL Alloy Linear Pull w/ABS System
Color	Gloss Black, Matte Silver, Ladies: Lucite Green, Matte Black
Frame Size	XS, S, M, L (XS Black Only), Ladies: XS, S (Ladies XS Only Lucite Green)



75

All specs are subject to change without notice.



ULTRASPORT 3.0



FEATURES

27 Speed

Alloy Frame

Alivio/Altus Drivetrain

Shimano BR-M355 Hydraulic Disc brakes

NEW OR CHANGED FOR 2016


SR SF15- NVX HLO fork

Shimano Alivio, M4000 rear derailleur

vShimano Acera FC-T-3010 Acera crank

MSRP: \$649-709

PART #	MODEL	SIZE	COLOR
96-191-001	UltraSport 3.0	15	Matte Blue
96-191-002	UltraSport 3.0	17	Matte Blue
96-191-003	UltraSport 3.0	19	Matte Blue
96-191-004	UltraSport 3.0	21	Matte Blue
96-191-005	UltraSport 3.0 Ladies	17	Matte Purple



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/l°	D t/t effectv	E c/s	F Height	H s.o.	I h/t L	J Reach	K Stack
15"	381 / 15	71°	73°	575 / 22.6	450 / 17.7	290 / 11.4	744 / 29.3	90 / 3.5	390 / 15.4	604 / 23.8
17"	432 / 17	71°	73°	588 / 23.1	450 / 17.7	290 / 11.4	780 / 30.7	105 / 4.1	399 / 15.7	617 / 24.3
19"	483 / 19	71°	73°	600 / 23.6	450 / 17.7	290 / 11.4	813 / 32	120 / 4.7	406 / 16	631 / 24.8
21"	533 / 21	71°	73°	612 / 24.1	450 / 17.7	290 / 11.4	844 / 33.2	132 / 5.2	415 / 16.3	643 / 25.3

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT & DT w/C/S Disc Mount, w/ Replaceable Derailleur Hanger
Fork	SR SF15- NVX HLO, w/Hydraulic Lockout, 75mm, Preload Adj
Headset	Threadless 1-1/8, Zero Stack
Rims	Weinmann X-Star 18, 700x32H, Dbl/Wall
Hub, Front	Alloy Disc w/CNC Rotor Flange, QR100mm Spacing
Hub, Rear	Alloy Disc w/CNC Rotor Flange, QR, Cassette 135mm Spacing
Tires	Kenda Happy Medium K-1083A, 700 x 40c, 60 TPI
Spokes	14G Black, 32x32
Derailleur, Front	Shimano Altus, M370 34.9 Clamp
Derailleur, Rear	Shimano Alivio, M4000
Shifters	Shimano Altus, SL-M370
Chain	KMC X9 W/Missing Link
Crankset	Shimano Acera FC-T-3010 Acera, 48/36/26T S: 170mm M-XL: 175mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG20 11-34T, 9-speed
Pedals	Wellgo Resin Platform
Seatpost	Alloy Micro-adjust, 31.6x350mm
Saddle	KHS Sport Dual Density, Mens & Ladies Design
Handlebar	KHS Alloy, 31.8, 680x25mm, Ladies 660mm
Stem	KHS Alloy 3D Forged, 4-bolt, 7 degree, 31.8, 15: 75mm 17-19: 90mm 21: 105mm
Grips	KHS Sport, Dual Compound
Brake Levers	Shimano M355
Brakes	Shimano BR-M355, Hydraulic Disc, 160mm Rotors
Color	Matte Blue, Ladies: Matte Purple
Frame Size	15, 17, 19, 21, Ladies: 17

ULTRASPORT 2.0



FEATURES

24 Speed

Alloy Frame

Weinmann X-Star 18 Wheelset

Bengal MB606 Mechanical Disc brakes

NEW OR CHANGED FOR 2016

SR M3030 fork

Shimano TY-701 crank

MSRP: \$499-549


PART #	MODEL	SIZE	COLOR
96-190-001	UltraSport 2.0	15	Black
96-190-002	UltraSport 2.0	15	Matte Silver
96-190-003	UltraSport 2.0	17	Black
96-190-004	UltraSport 2.0	17	Matte Silver
96-190-005	UltraSport 2.0	19	Black
96-190-006	UltraSport 2.0	19	Matte Silver
96-190-007	UltraSport 2.0	21	Black
96-190-008	UltraSport 2.0	23	Black
96-190-009	UltraSport 2.0 Ladies	15	Matte Black
96-190-010	UltraSport 2.0 Ladies	15	Cool Green
96-190-011	UltraSport 2.0 Ladies	17	Matte Black
96-190-012	UltraSport 2.0 Ladies	17	Cool Green

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	381 / 15	71°	73°	575 / 22.6	450 / 17.7	290 / 11.4	744 / 29.3	90 / 3.5	390 / 15.4	604 / 23.8
17"	432 / 17	71°	73°	588 / 23.1	450 / 17.7	290 / 11.4	780 / 30.7	105 / 4.1	399 / 15.7	617 / 24.3
19"	483 / 19	71°	73°	600 / 23.6	450 / 17.7	290 / 11.4	813 / 32	120 / 4.7	406 / 16	631 / 24.8
21"	533 / 21	71°	73°	612 / 24.1	450 / 17.7	290 / 11.4	844 / 33.2	132 / 5.2	415 / 16.3	643 / 25.3
23"	584 / 23	71°	73°	626 / 24.6	450 / 17.7	290 / 11.4	874 / 34.4	145 / 5.7	425 / 16.7	655 / 25.8

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT w/C/S Disc Mount, w/ Replaceable Derailleur Hanger
Fork	SR M3030, 75mm
Headset	Threadless 1-1/8, Zero Stack
Rims	Weinmann X-Star 18, 700x32H, Dbl/Wall
Hub, Front	Alloy Disc w/CNC Rotor Flange, QR100mm Spacing
Hub, Rear	Alloy Disc w/CNC Rotor Flange, QR, Cassette 135mm Spacing
Tires	CST 1338, 700 x 40c
Spokes	14G Black, 32x32
Derailleur, Front	Shimano Altus M311 34.9 Clamp
Derailleur, Rear	Shimano Acera M360
Shifters	Shimano ST-EF51
Chain	KMC Z8
Crankset	Shimano FC-TY-701, 48/38/28T S: 170mm M-XL: 175mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31-8, 11-34, 8-speed
Pedals	Wellgo Resin Platform w/DU Bearing
Seatpost	KHS Alloy Micro-adjust, 31.6x350mm
Saddle	KHS Sport, Dual Density, Mens & Ladies Design
Handlebar	Alloy, 31.8, 680x25mm, Ladies 660mm
Stem	KHS Alloy 4-bolt, 7 degree, 31.8 15: 75mm 17-21: 90mm 23-25: 105mm
Grips	KHS Sport, Dual Compound
Brake Levers	Shimano ST-EF51
Brakes	Bengal Cable Disc, MB606, 160mm Rotors
Color	Black, Matte Silver, Ladies: Matte Black, Cool Green
Frame Size	15, 17, 19, 21, 23 (21 & 23 Black Only), Ladies: 15, 17



ULTRASPORT 1.0



FEATURES

21 Speed

Alloy frame

Shimano Drivetrain

Promax Alloy Linear Pull w/front ABS System

MSRP: \$399-439


PART #	MODEL	SIZE	COLOR
96-189-001	UltraSport 1.0	15	Matte Black
96-189-002	UltraSport 1.0	15	Red
96-189-003	UltraSport 1.0	17	Matte Black
96-189-004	UltraSport 1.0	17	Red
96-189-005	UltraSport 1.0	19	Matte Black
96-189-006	UltraSport 1.0	19	Red
96-189-007	UltraSport 1.0	21	Matte Black
96-189-008	UltraSport 1.0	23	Matte Black
96-189-009	UltraSport 1.0 Ladies	15	Black
96-189-010	UltraSport 1.0 Ladies	15	Matte LeBlanc (Silver)
96-189-011	UltraSport 1.0 Ladies	17	Black
96-189-012	UltraSport 1.0 Ladies	17	Matte LeBlanc (Silver)

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
15"	381 / 15	71°	73°	575 / 22.6	450 / 17.7	290 / 11.4	744 / 29.3	90 / 3.5	390 / 15.4	604 / 23.8
17"	432 / 17	71°	73°	588 / 23.1	450 / 17.7	290 / 11.4	780 / 30.7	105 / 4.1	399 / 15.7	617 / 24.3
19"	483 / 19	71°	73°	600 / 23.6	450 / 17.7	290 / 11.4	813 / 32	120 / 4.7	406 / 16	631 / 24.8
21"	533 / 21	71°	73°	612 / 24.1	450 / 17.7	290 / 11.4	844 / 33.2	132 / 5.2	415 / 16.3	643 / 25.3
23"	584 / 23	71°	73°	626 / 24.6	450 / 17.7	290 / 11.4	874 / 34.4	145 / 5.7	425 / 16.7	655 / 25.8

BIKE SPECS

Frame	Alloy 6061 w/Replaceable Derailleur Hanger
Fork	Zoom 565, 80mm
Headset	Threadless 1-1/8, Zero Stack
Rims	Alloy, 700c x 36H, Dbl/Wall
Hub, Front	Alloy QR 100mm Spacing
Hub, Rear	Alloy QR Cassette 135 mm Spacing
Tires	CST 1338, 700 x 40c
Spokes	14G Black, 36x36
Derailleur, Front	Shimano FD-M191 34.9 Clamp
Derailleur, Rear	Shimano RD-TX35D
Shifters	Shimano ST-EF51
Chain	KMC Z50
Crankset	Shimano FC-TY-701, 48/38/28T 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano Cassette, CS-HG20-7, 12-32T, 7speed
Pedals	Resin ATB
Seatpost	KHS Alloy, 31.6 x 350mm
Saddle	KHS Sport
Handlebar	Alloy, 31.8, 680x25mm
Stem	KHS Alloy 4-bolt, 7 degree, 31.8, 15: 75mm 17-21: 90mm 23: 105mm
Grips	KHS Sport
Brake Levers	Shimano ST-EF51
Brakes	Promax Alloy Linear Pull w/front ABS System
Color	Matte Black, Red, Ladies: Black, Matte LeBlanc (Silver)
Frame Size	15, 17, 19, 21, 23 (21 & 23 Black Only), Ladies: 15, 17



YOUTH FLITE 24

New Model



FEATURES


- 14 Speed
- Alloy Frame
- 24" Wheelset
- 12-28 tooth cassette for easier climbing

NEW MODEL FOR 2016

MSRP: \$529-579

PART # MODEL SIZE COLOR

PART #	MODEL	SIZE	COLOR
96-199-001	Flite 24	One Size	Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
ONE	345 / 13.6	71°	74°	441 / 17.4	380 / 15	244 / 9.6	613 / 24.1	100 / 3.9	317 / 12.5	434 / 17.1

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT & DT, w/Replaceable Derailleur Hanger
Fork	Hi-Ten Unicrown, Straight Blades w/CrMo Steerer
Headset	Threadless 1-1/8"
Rims	Alloy Deep Dish Double Wall w/CNC side Wall
Hub, Front	Alloy QR 100mm Spacing
Hub, Rear	Alloy QR, Cassette, 130mm Spacing
Tires	Kenda Konzept 24x1"
Spokes	14G Black, 20x24
Derailleur, Front	Shimano FD-A070 31.8 Clamp
Derailleur, Rear	Shimano RD-A070
Shifters	Shimano STI, ST-A070
Chain	KMC Z7
Crankset	KHS Forged, 40-32T, 152mm
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano HG20-7, 12-28T, 7-speed
Pedals	Wellgo Resin w/Alloy Cage & DU Bearing
Seatpost	Alloy Micro-adjust, 27.2x350mm
Saddle	KHS Junior Padded
Handlebar	Alloy Drop, Compact Bend, 31.8, 36cm
Stem	Alloy Threadless, 4 Bolt, 31.8, 75mm
Grips	Cushion Tape
Brake Levers	Shimano STI, ST-A070
Brakes	Promax RC-452, Dual Pivot, Long Reach
Color	Black 24"
Frame Size	24"

YOUTH ALITE 24




FEATURES

27 Speed
Alloy Frame
Shimano Drivetrain
Bengal MB606 Mechanical Disc brakes
MSRP: \$499-549

PART # MODEL SIZE COLOR

PART #	MODEL	SIZE	COLOR
96-134-001	Alite 24	One Size	Red



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
12"	320 / 12.6	70°	72°	518 / 20.4	424 / 16.7	275 / 10.8	666 / 26.2	110 / 4.3	354 / 13.9	505 / 19.9

BIKE SPECS

Frame	Alloy Butted 6061 w/Replaceable Der Hanger
Fork	SR Suntour XCT-JR, 50mm Travel
Headset	FSA Threadless 1-1/8, Zero Stack
Rims	Alloy, Db/Wall, 24x32H
Hub, Front	Alloy Disc w/CNC Rotor Flange, QR, 100mm Spacing
Hub, Rear	Alloy Disc w/CNC Rotor Flange, QR, Cassette, 135mm Spacing
Tires	24x1.95, 60 TPI, Folding
Spokes	14G Black, 32x32
Derailleur, Front	Shimano Altus 9s, FD-M370, 31.8 Clamp
Derailleur, Rear	Shimano Altus 9s, RD-M370
Shifters	Shimano ST-EF51, 9s
Chain	KMC X9
Crankset	SR Suntour XCT JR. 9s, 44/32/22T, 160mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200-9, 11-34T, 9-Speed
Pedals	Wellgo MTB w/Boron Axle & DU Bearing
Seatpost	Alloy Micro Adjust, 27.2x250mm
Saddle	KHS Junior ATB
Handlebar	Alloy 560mmx30mm
Stem	Alloy 4-bolt, 60mm
Grips	Soft Kraton
Brake Levers	Shimano ST-EF51
Brakes	Bengal Cable Disc, MB606, 160mm Rotors
Color	Red
Frame Size	Boys

YOUTH T-REX



FEATURES

21 Speed

Hi-Ten Steel Frame

Suspension Fork

Shimano Drivetrain


NEW OR CHANGED FOR 2016

Shimano Freewheel

MSRP: \$279-299

PART # MODEL SIZE COLOR

96-132-001	T-Rex	One Size	Blue/Black
96-132-002	T-Rex Girls	One Size	Pearl



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
12"	320 / 12.6	70°	72°	518 / 20.4	424 / 16.7	275 / 10.8	666 / 26.2	110 / 4.3	456 / 18	467 / 18.4
12"L	320 / 12.6	70°	72°	518 / 20.4	424 / 16.7	275 / 10.8	N/A	110 / 4.3	456 / 18	467 / 18.4

BIKE SPECS

Frame	TIG-welded Hi-Ten
Fork	24" Suspension-MCU/Spring, Alloy Crown, 50mm Travel
Headset	Threadless 1-1/8"
Rims	Alloy, 24"x32H
Hub, Front	Steel Nuted, 100mm Spacing
Hub, Rear	Steel Nuted, 135mm Spacing
Tires	24x1.75
Spokes	14G Black, 32x32
Derailleur, Front	Shimano Tourney, 28.6 Clamp
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano Revo
Chain	KMC Z7
Crankset	Alloy Cotterless, 42/34/24 w/CG, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano T221, 14-28
Pedals	Wellgo MTB w/Boron Axle & DU Bearing
Seatpost	Alloy Micro Adjust, 25.4x250mm
Saddle	KHS Junior
Handlebar	Alloy 560mmx30mm
Stem	Alloy Threadless, 40 Degree, 90mm
Grips	Soft Kraton
Brake Levers	Promax, Alloy Lever, Alloy Bracket
Brakes	Promax Alloy Linear Pull
Color	Blue/Black, Girls: Pearl
Frame Size	Boys/Girls
Extras	Rear Der Guard

YOUTH SYNTAUR



FEATURES

21 Speed

Alloy Frame

Kenda K-1032 24x3.0 tires

Shimano Drivetrain

NEW OR CHANGED FOR 2016


Shimano Freewheel

MSRP: \$289-309

PART # MODEL SIZE COLOR

96-133-001 Syntaur One Size Matte Black

96-133-002 Syntaur Girls One Size Teal



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
12"	320 / 12.6	70°	72°	518 / 20.4	424 / 16.7	275 / 10.8	666 / 26.2	110 / 4.3	456 / 18	467 / 18.4
12"L	320 / 12.6	70°	72°	518 / 20.4	424 / 16.7	275 / 10.8	N/A	110 / 4.3	456 / 18	467 / 18.4

BIKE SPECS

Frame	Alloy 6061 w/Replaceable Der Hanger
Fork	Rigid Straight Leg
Headset	Threadless 1-1/8"
Rims	Alloy, 24"x32H
Hub, Front	Steel Nuted, 100mm Spacing
Hub, Rear	Steel Nuted, 135mm Spacing
Tires	Kenda K-1032, 24x1.75
Spokes	14G Black, 32x32
Derailleur, Front	Shimano Tourney, 31.8 Clamp
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano Revo
Chain	KMC Z7
Crankset	Alloy Cotterless, 42/34/24 w/CG, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano T221, 14-28
Pedals	Wellgo MTB w/Boron Axle & DU Bearing
Seatpost	Alloy Micro Adjust, 27.2x250mm
Saddle	KHS Junior
Handlebar	Alloy 560mmx30mm
Stem	Alloy Threadless, 40 Degree, 90mm
Grips	Soft Kraton
Brake Levers	Promax, Alloy Lever, Alloy Bracket
Brakes	Promax Alloy Linear Pull
Color	Matte Black, Girls: Teal
Frame Size	Boys/Girls
Extras	Rear Der Guard

YOUTH RAPTOR



FEATURES

7 Speed
Alloy Frame
Rigid Fork
Shimano Drivetrain


NEW OR CHANGED FOR 2016

Shimano Freewheel

MSRP: \$269-289

PART # MODEL SIZE COLOR

96-131-001	Raptor Boys	One Size	Red/Black
96-131-002	Raptor Girl	One Size	Pink



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
11"	280 / 11	70°	70°	488 / 19.2	385 / 15.2	248 / 9.8	579 / 22.8	110 / 4.3	332 / 13.1	431 / 17
11"L	280 / 11	70°	70°	488 / 19.2	385 / 15.2	248 / 9.8	N/A	110 / 4.3	332 / 13.1	431 / 17

BIKE SPECS

Frame	Alloy 6061 w/Replaceable Der Hanger
Fork	Rigid Straight Leg
Headset	Threadless 1-1/8"
Rims	Alloy, 20", 32H
Hub, Front	Steel Nuted, 100mm Spacing
Hub, Rear	Steel Nuted, 135mm Spacing
Tires	20X1.75
Spokes	14G Black, 32x32
Derailleur, Front	N/A
Derailleur, Rear	Shimano RD-TX35
Shifters	Shimano Revo
Chain	KMC Z50
Crankset	Alloy Cotterless 40T w/Double Chainguard, 140mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano T221, 14-28
Pedals	Wellgo MTB w/Boron Axle & DU Bearing
Seatpost	Alloy Micro Adjust, 27.2x230mm
Saddle	KHS Junior
Handlebar	Alloy 560mmx30mm
Stem	Alloy Threadless, 40 Degree, 60mm
Grips	Soft Kraton
Brake Levers	Promax, Alloy Lever, Alloy Bracket
Brakes	Promax Alloy Linear Pull
Color	Red/Black, Girls: Pink
Frame Size	Boys/Girls
Extras	Rear Der Guard

YOUTH HOT ROD



FEATURES

- 1 speed
- 20" wheels
- Old school springer fork and banana seat
- MSRP: \$269-289

PART #	MODEL	SIZE	COLOR
96-124-001	Hot Rod	1-Size	Infinite Black
96-124-003	Hot Rod	1-Size	Orange Crate



BIKE SPECS

Fork	Steel Cantilever
Headset	Threaded 1"
Rims	CP Steel
Hub, Front	Steel
Hub, Rear	Coaster
Tires	Black wall, FT: 20x1.75, RR: 20x2.125
Spokes	14G
Derailleur, Front	N/A
Derailleur, Rear	N/A
Shifters	N/A
Chain	KMC Z410
Crankset	1-piece Steel Chrome Plated, 14T
BB	Ball Bearing
Freewheel / Cassette	18T
Pedals	Old School Rubber Black
Seatpost	Chrome Plated Steel
Saddle	Old School Banana
Handlebar	Chrome Plated Steel, Ape Hanger
Stem	Steel Quill
Grips	Old School Rubber
Brake Levers	N/A
Brakes	Coaster Rear
Color	Infinite Black, Orange Crate
Frame Size	1-size
Extras	Kickstand



TANDEM MILANO



FEATURES

27 Speed

6061 Alloy frame


Weinmann X-Star 18, Doublewall wheelset w/ disc

Bengal MB700T, Mechanical Disc brakes

MSRP: \$1899-1999

PART # MODEL SIZE COLOR

89-010-005	Tandem Milano	S	Blue Velvet Gloss
89-010-006	Tandem Milano	M	Blue Velvet Gloss



BIKE SPECS

Frame	Alloy 6061, TIG welded w/Disc Tab
Fork	Oversized CrMo Unicrown
Headset	1 1/8" Threadless
Rims	Weinmann X-Star 18, Dbl/Wall, w/Eyelets
Hub, Front	Front: Alloy QR, S/B, Disc
Hub, Rear	Alloy QR, Cassette. S/B, Disc
Tires	Kenda Kwest w/Puncture Resistant K-shield, 700x28c
Spokes	14G Stainless 40x40
Derailleur, Front	Shimano Sora, 31.8 Clamp
Derailleur, Rear	Shimano Deore
Shifters	Shimano Sora STI
Chain	KMC Z99
Crankset	Truvativ Touro, 50/39/30 +39T, Alloy C/R's, FT: 170, RR: 170
BB	Truvativ Cartridge Power Spline
Freewheel / Cassette	Shimano CS-HG20, 11-34T, 9-speed
Pedals	Shimano Clipless
Seatpost	Captain: Alloy Micro Adj, 27.2x350mm Stoker: Alloy Suspension, Micro Adj, 27.2x300mm
Saddle	KHS Road Padded & Ladies Road Padded
Handlebar	Alloy Drop, Dbl Butted, 31.8, FT: 44cm, RR: 44cm
Stem	Captain: Threadless 3D Forged Alloy 17D x 31.8, 90mm Stoker: Alloy, adjustable, 155-200mm
Grips	Cushion Tape
Brake Levers	Shimano Sora STI
Brakes	Bengal MB700T, Mechanical Disc, 203mm Rotors
Color	Blue Velvet Gloss
Frame Size	S: 20" x 16", M: 23" x 21"

GEOMETRY

SIZE	A s/t c-t	A° s/t c-t	B h/t°	C s/t°	C° s/t°	D t/t	D° t/t	E c/s	F BB Height	G rake	H s.o.	H° s.o.	I h/t L
S	500 / 19.7	410 / 16.1	74	73	73	548 / 21.6	689 / 27.1	440 / 17.3	298 / 11.7	54 / 2.1	779 / 30.7	684 / 26.9	105 / 4.1
M	582 / 22.9	541 / 21.3	74	73	73	584 / 23	719 / 28.3	440 / 17.3	298 / 11.7	54 / 2.1	813 / 32	767 / 30.2	138 / 5.4

TANDEM CROSS



FEATURES

27 Speed

6061 Alloy frame

Weinmann XC180, Doublewall wheelset w/ disc hubs

Bengal MB700T, Mechanical Disc brakes

NEW OR CHANGED FOR 2016


Weinmann XC180 Disc rims

Maxxis Overdrive Elite tires

Wellgo pedals

MSRP: \$1499-1599

PART #	MODEL	SIZE	COLOR
89-011-007	Tandem Cross	S (20"x16")	Dark Red
89-011-008	Tandem Cross	M (23"x21")	Dark Red



BIKE SPECS

Frame	Alloy 6061, TIG welded w/Disc Tab
Fork	Oversized CrMo Unicrown
Headset	1 1/8" Threadless
Rims	Weinmann XC180 Disc, Dbl/Wall, w/ eyelets & CNC sides
Hub, Front	Front: Alloy QR, S/B, Disc
Hub, Rear	Alloy QR, Cassette. S/B, Disc
Tires	Maxxis Overdrive Elite w/Puncture Resistant Shield, Dual Compound, 700x35c
Spokes	14G Black, 40x40
Derailleur, Front	Shimano Sora, 31.8 Clamp
Derailleur, Rear	Shimano Deore
Shifters	Shimano Sora Trigger
Chain	KMC Z99
Crankset	Truvativ Touro, 50/39/30 +39T, FT: 175 RR: 170
BB	Truvativ Cartridge Power Spline
Freewheel / Cassette	Shimano HG20-9, 11-34T, 9-Speed
Pedals	Wellgo Alloy Body & Alloy Cage w/DU Bearings
Seatpost	Captain: Alloy Micro Adj, 27.2x350mm Stoker: Alloy Suspension, Micro Adj, 27.2x300mm
Saddle	KHS Road Padded & Ladies Road Padded
Handlebar	Alloy, FT: 35x680mm, RR: 100x580mm
Stem	Captain: Alloy, 90mm, Stoker: Alloy, adjustable, 155-200mm
Grips	KHS Sport Dual Compound
Brake Levers	Promax Alloy Linear Pull
Brakes	Bengal MB700, Mechanical Disc, 203mm Rotors
Color	Dark Red
Frame Size	S: 20" x 16", M: 23" x 21"

GEOMETRY

SIZE	A s/t c-t	A° s/t c-t	B h/t°	C s/t°	C° s/t°	D t/t	D° t/t	E c/s	F BB Height	G rake	H s.o.	H° s.o.	I h/t L
S	500 / 19.7	410 / 16.1	74	73	73	548 / 21.6	689 / 27.1	440 / 17.3	298 / 11.7	54 / 2.1	779 / 30.7	684 / 26.9	105 / 4.1
M	582 / 22.9	541 / 21.3	74	73	73	584 / 23	719 / 28.3	440 / 17.3	298 / 11.7	54 / 2.1	813 / 32	767 / 30.2	138 / 5.4

TANDEM SPORT



FEATURES


27 speed
6061 Alloy frame
Shimano drivetrain
Bengal MB700 Mechanical Disc brakes

NEW OR CHANGED FOR 2016

Alloy Forged Tandem cranks
Cartridge Power Spline BB

MSRP: \$1199-1299

PART #	MODEL	SIZE	COLOR
89-008-005	Tandem Sport	S (18"x16")	Silver
89-008-006	Tandem Sport	M (20"x16")	Silver



BIKE SPECS

Frame	Hi-Ten w/CrMo Seat & Down Tube, w/Disc Tab
Fork	Oversized CrMo Unicrown
Headset	1 1/8" Threadless
Rims	Weinmann XTB-26, Dbl/Wall, w/ eyelets
Hub, Front	Front: Alloy QR, S/B, Disc
Hub, Rear	Alloy QR, Cassette. S/B, Disc
Tires	Kenda K-841C, 26" x 1.75
Spokes	14G Black 40x40
Derailleur, Front	Shimano Acera
Derailleur, Rear	Shimano Alivio
Shifters	Shimano Acera Rapidfire
Chain	KMC Z99
Crankset	Alloy Forged Tandem, 44/32/22 +38T, FT: 170, RR: 170
BB	Cartridge Power Spline
Freewheel / Cassette	Shimano CS-HG20, 11-34T, 9-speed
Pedals	VP Resin w/Alloy Cage
Seatpost	Captain: Alloy, 26x300mm Stoker: Suspension, 26x300mm
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	FT: Alloy 35x680mm, 31.8, RR: Alloy 100x580mm
Stem	Captain: Threadless 3D Forged, 25D, 31.8, 90mm Stoker: Alloy, 35 Degree Adjustable, 155-200mm
Grips	KHS Sport, Dual Compound
Brake Levers	Alloy Linear Pull
Brakes	Bengal MB700, Mechanical Disc, 203mm Rotors
Color	Silver
Frame Size	S: 18" x 16", M: 20" x 16"

GEOMETRY

SIZE	A s/t c-t	A° s/t c-t	B h/t°	C s/t°	C° s/t°	D t/t	D° t/t	E c/s	F BB Height	G rake	H s.o.	H° s.o.	I h/t L
S	475 / 18.7	406 / 16	72.5	73	73	572 / 22.5	699 / 27.5	440 / 17.3	285 / 11.2	50 / 2	714 / 28.1	715 / 28.2	145 / 5.7
M	515 / 20.3	405 / 15.9	72.5	73	73	598 / 23.5	699 / 27.5	440 / 17.3	285 / 11.2	50 / 2	785 / 30.9	690 / 27.2	160 / 6.3

FOLDING

F20A



FEATURES

7 Speed
 6061 Alloy Folding Frame
 Folds to Compact Size
 Heavy Duty Rear Rack with 3 Bungee Cords
 MSRP: \$479-519

PART #	MODEL	SIZE	COLOR
--------	-------	------	-------

89-007-010	F20A	1-size	Silver
------------	------	--------	--------

BIKE SPECS

Frame	Curved Top tube 6061 Alloy, Folding
Fork	Hi-ten steel 28.6 blades
Headset	VP-T3E threaded
Rims	Alloy 36Holes
Hub, Front	KT-512R Alloy w/QR 36Holes RR: Freewheel
Tires	K193 20x1.5
Spokes	14G stainless w/brass Nipples 36x36
Derailleur, Front	N/A
Derailleur, Rear	Shimano SL-35D
Shifters	Shimano SL-RS41-7 grip
Chain	KMC Z50 1/2X3/32 Brown
Crankset	RCF1552DP 52T 170L alloy ring, double Guard
BB	VB-P32
Freewheel / Cassette	MTF-TZ2111/28T 7-speed
Pedals	VP-FLD50
Seatpost	Sp200 steel 28.6x500mm w/30.4x28.6 shim
Saddle	KHS Padded
Handlebar	MTB-AL-15325.4 580W, 30H, 6 degree alloy
Stem	FB-AL-249-8 Alloy Rise:10 degree, 300mm
Brake Levers	Alloy
Brakes	Alloy TX-117 V-Brake
Color	Silver
Frame Size	1-Size
Extras	Fenders, Bell, Kickstand, Rear Rack

FOLDING MOCHA



FEATURES

6 speed
20" folding frame
Includes bell, fenders, & kickstand
MSRP: \$419-459

PART # MODEL SIZE COLOR

89-007-002	Mocha	1-size	Silver
------------	-------	--------	--------

BIKE SPECS

Frame	20" Folding 7005 AL
Fork	High-tensile steel
Headset	Threaded 1"
Rims	Alloy 20"
Hub, Front	Alloy Nuted 28 hole
Hub, Rear	Alloy Nuted 28 hole
Tires	Kenda 20x1.75
Spokes	14G Stainless 28"
Derailleur, Front	N/A
Derailleur, Rear	Shimano TY18SS
Shifters	Twist, 6-speed
Chain	KMC Z51
Crankset	Alloy w/40T & Chainguard
BB	VP-B32
Freewheel / Cassette	Shimano 11-28T, 6-speed
Pedals	Foldable right side
Seatpost	CP 400mm
Saddle	KHS Comfort
Handlebar	600W x 100H, Black
Stem	Steel, Black
Brake Levers	Alloy
Brakes	Alloy Linear Pull
Color	Silver
Frame Size	1-size

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
XS/49	440 / 17.3	71	74.5	508 / 20	405 / 15.9	262 / 10.3	724 / 28.5	135 / 5.3	359 / 14.1	536 / 21.1
S/52	475 / 18.7	71.5	74	524 / 20.6	405 / 15.9	265 / 10.4	749 / 29.5	150 / 5.9	367 / 14.4	547 / 21.1

FOLDING LATTE



FEATURES

Single Speed
20" folding frame
Includes bell, fenders, & kickstand
MSRP: \$329-359

PART #	MODEL	SIZE	COLOR
89-007-003	Latte	1-size	Dark Cappuccino

BIKE SPECS

Frame	20" Folding 7005 AL
Fork	High-tensile steel
Headset	Threaded 1"
Rims	Alloy 20"
Hub, Front	Alloy Nuted 28 hole
Hub, Rear	Coaster Rear
Tires	Kenda 20x1.75
Spokes	14G Stainless 28"
Derailleur, Front	N/A
Derailleur, Rear	N/A
Shifters	N/A
Chain	KMC Z410
Crankset	Alloy w/40T & Chainguard
BB	VP-B32
Freewheel / Cassette	18T Cog
Pedals	Foldable right side
Seatpost	CP 400mm
Saddle	KHS Comfort
Handlebar	600W x 100H, Black
Stem	Steel, Black
Brake Levers	N/A
Brakes	Coaster
Color	Dark Cappuccino
Frame Size	1-size
Extras	Bell, fenders, Kickstand, carrier

SPECIALTY iPED



FEATURES

3 and 8 speed

MSRP: 8-speed \$389-419

3-speed \$439-479

PART #	MODEL	SIZE	COLOR
89-015-001	i-ped 8-speed	1-size	Deep Blue
89-015-002	i-ped 3-speed	1-size	Team Red

BIKE SPECS

Frame	AL 6061 Alloy
Fork	High-Tensile steel
Headset	1-1/8 Threaded
Rims	Weinmann Alloy, 12" FT, 16" RR
Hub, Front	Alloy FT
Hub, Rear	Alloy Cassette RR, QR, (3 Speed =Shimano Nexus 3S, RR w/ Coaster Brake)
Tires	Front 12x1.75 , Rear 16x1.5
Spokes	14G Stainless 16X28°
Deraileur, Front	N/A
Deraileur, Rear	Shimano Sora
Shifters	Sram MRX Twist
Chain	KMC Z82
Crankset	Alloy w/ 40T
BB	Semi-Cartridge
Freewheel / Cassette	Shimano HG40, 11-30T, 8-speed
Pedals	Foldable
Seatpost	Alloy Micro-adjust
Saddle	KHS Comfort
Handlebar	Alloy Rise
Stem	Alloy foldable, Telescoping
Brake Levers	Tektro Alloy
Brakes	Alloy Linear Pull
Color	Deep Blue, Team Red
Frame Size	1-size
Extras	Bell



SPECIALTY

K9 POLICE

New Model



FEATURES

27 Speed

Alloy Frame


Alivio/Deore Drivetrain

Rear Rack and Bag

NEW MODEL FOR 2016

MSRP: \$819-899

PART #	MODEL	SIZE	COLOR
89-012-020	K9 Police	S	Black
89-012-021	K9 Police	M	Black
89-012-022	K9 Police	L	Black
89-012-023	K9 Police	XL	Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	J Reach	K Stack
S	381 / 15	71°	73°	555 / 21.9	425 / 16.7	301 / 11.9	768 / 30.2	110 / 4.3	367 / 14.4	616 / 24.3
M	432 / 17	71°	73°	585 / 23	425 / 16.7	301 / 11.9	789 / 31.1	110 / 4.3	397 / 15.6	616 / 24.3
L	483 / 19	71°	73°	615 / 24.2	425 / 16.7	301 / 11.9	802 / 31.6	110 / 4.3	427 / 16.8	616 / 24.3
XL	533 / 21	71°	73°	640 / 25.2	425 / 16.7	301 / 11.9	833 / 32.8	125 / 4.9	447 / 17.6	630 / 24.8

BIKE SPECS

Frame	650B Alloy 6061 w/Custom Formed TT & DT, w/Replaceable Derailleur Hanger
Fork	SR XCM HLO, 100mm, 1-1/8, Hydraulic lock out, Preload Adj
Headset	Threadless 1-1/8, Zero Stack
Rims	Weinmann U28 Disc w/Single Eyelets, 650B, Double Wall, 32H
Hub, Front	Alloy Disc w/CNC Rotor Flange, QR
Hub, Rear	Alloy Disc w/CNC Rotor Flange, QR, Cassette
Tires	Maxxis Spinx 650B x 2.1,
Spokes	14G Black, 32x32
Derailleur, Front	Shimano FD-M3000
Derailleur, Rear	Shimano Deore, RD-M592
Shifters	Shimano Alivio, SL-M4000
Chain	KMC X9
Crankset	Shimano New Alivio, FC-M4000, Octalink, 4030/22
BB	Shimano ES25 Octalink, Cartridge bearing
Freewheel / Cassette	Shimano CS-HG200-9 11-34T, 9-speed
Pedals	Wellgo Resin Platform
Seatpost	Alloy Micro-adjust, 31.6x350mm
Saddle	KHS Sport Dual Density
Handlebar	Alloy 31.8, 700x15mm, Butted
Stem	Alloy 3D Forged, 4-bolt, 7 degree, 31.8
Grips	KHS Sport, Dual Compound
Brake Levers	Shimano BR-M355
Brakes	Shimano BR-M355, Hydraulic Disc, 160mm Rotors
Color	Black
Frame Size	S, M, L, XL
Extras	Alloy Rear Carrier Bag, Kickstand, Water Bottle Cages

SPECIALTY TRIKE



FEATURES

Single Speed and 3 Speed

Lightweight 7005 Alloy Frame

MSRP: 3 Speed \$699-769
1 Speed \$599-659

PART #	MODEL	SIZE	COLOR
--------	-------	------	-------

89-006-001	Adult Trike	1-Speed	Champagne
89-006-002	Adult Trike	3-Speed	Champagne
89-006-003	Adult Trike	3-Speed	Red

BIKE SPECS

Frame	Alloy 7005
Fork	Hi-Tensile Unicrown
Headset	Threaded 1"
Rims	Alloy
Hub, Front	Alloy Front
Hub, Rear	Coaster Rear
Tires	24x1.75, White Sidewall
Spokes	14G
Derailleur, Front	N/A
Derailleur, Rear	N/A
Shifters	N/A
Chain	KMC Z410
Crankset	1-piece Steel Chrome Plated, 36T
BB	Ball Bearing
Freewheel / Cassette	18T
Pedals	Platform w/Non-slip Tread
Seatpost	Chrome Plated Steel
Saddle	Foam Padded w/ Coil Springs
Handlebar	Chrome Plated Steel, 650 Wide, 215
Stem	Alloy Quill
Brake Levers	Alloy
Brakes	Coaster Rear, Alloy Linear Pull Front
Color	Champagne, 3 Speed: Champagne, Red
Frame Size	1-size
Extras	Front & Rear Baskets

