

KHS



DEALER CATALOG

khsbicycles.com | 2018



KHS BICYCLES

A Global Leader for More Than 40 Years!

OVERVIEW

KHS Bicycles has continued to be one of the most respected names in cycling for more than 40 years! While many bicycle companies have trouble surviving a decade, KHS continues to grow and expand its manufacturing and distribution of bicycles delivering quality, performance, and value. Part of a global business, KHS Co. Ltd. manufactures bicycles, parts, accessories, motorcycles, and musical instruments in factories fully owned by the company.

A HISTORY OF CHAMPIONSHIPS

KHS, and its family of related brands such as Free Agent BMX, Manhattan Cruisers, Q2, and Ultracycle Components, has a rich history in bicycle racing. KHS sponsored riders have won countless races, championships, and set world records. This includes 2 Olympic Gold Medals, 10 World Championships, dozens of National Championships in numerous countries, State Championships and more. KHS has also been the bicycle of choice of amateur athletes, NCAA Champion teams, and hundreds of school, amateur and regional teams around the world.

FAMOUS KHS RACERS

Seamus Powell – U.S. National Enduro Champion

Kevin Aiello – U.S. Pro GRT Series Champion

Logan Binggeli – U.S. Pro GRT Series Champion and U.S. National Downhill Champion

Maris Strombergs – 2 time Olympic BMX Gold Medalist

Melissa Buhl – Multi-time U.S. National and UCI World Champion Downhill

John Howard – 13 U.S. National Champion, Ironman Triathlon Winner, World Speed Record

Logan Loader – U.S. National Time Trial Champion

Dave Cullinan – World Champion Downhill MTB

Cindy Whitehead – U.S. National Cyclocross Champion

Cheri Elliot – U.S. National Downhill and Dual Slalom Champion

Katrina Miller – UCI Dual Slalom Champion

Kyle Bennett – Multi-time ABA National Champion, UCI World Champion, and Olympic athlete

Dale Holmes – Most awarded UK BMX racer of all time, multi-time British National and UCI World Champion

Tom Haugen – Vans Triple Crown Winner, X-Games Medalist





KHS ACCOMPLISHMENTS

- 1953** KHS Co. Ltd. founded to build motorcycles under license from Yamaha
- 1974** KHS Inc. and KHS brand of bicycles founded in U.S.
- 1974** KHS Co. Ltd. launches bicycle factory in Taiwan
- 1979** First Taiwan-made bicycle to enter U.S. market with Reynolds 531 tubing
- 1996** Mountain Biking "Bike of the Year"
- 1997** Bicycling Magazine "Editor's Choice"
- 1998** Mountain Bike Action's "Best Value" full suspension bike under \$1000
- 1998** First company to introduce "softtails" into U.S. market
- 2002** Voted U.S. Bicycle Dealers "Preferred Bicycle and Parts Distributor"
- 2004** Mountain Bike Action's "10 out of 10" dual suspension bike
- 2006** KHS Urban Xpress named Consumer Digest "Best Buy"
- 2008** KHS Racer Melissa Buhl U.S. National Downhill, Dual Slalom and 4x National Champion
- 2012** Free Agent rider, Maris Stombergs, wins Gold in BMX at the London Olympics
- 2012** Logan Binggeli Wins Pro GRT Series National Downhill Championship on KHS DH-650B
- 2014** KHS 7500 Nominated Industry Bike of the Year
- 2014** Kevin Aiello Wins Pro GRT Series National Downhill Championship
- 2017** Seamus Powell Wins U.S. National Enduro Championships

KHS TODAY

- KHS bicycles are distributed in more than 35 countries worldwide
- KHS owns and operates numerous bicycle and related brands including KHS Bicycles, Free Agent BMX, Manhattan Cruisers, Q2 quality bicycle parts, UltraCycle parts and accessories, and Robix exercise equipment
- KHS management team has more than 200 years combined bicycle industry experience
- More than 100,000 sq. ft. of manufacturing facilities
- KHS continues to grow its global business on the principles of delivering quality, value and performance



ROAD - RACING

FLITE TEAM



FEATURES

22 Speed

Dura Ace 11 Speed Drivetrain

Direct mount Brakes

Q2 60mm Carbon Wheelset

NEW OR CHANGED FOR 2018

Q2 60mm Carbon Wheelset

BB-T47

Maxxis Relix, 700x25C tires

MSRP: \$5499-5799


PART #	MODEL	SIZE	COLOR
98-221-001	Flite Team	XS/49	TEAM
98-221-003	Flite Team	S/52	TEAM
98-221-005	Flite Team	M/54	TEAM
98-221-007	Flite Team	ML/56	TEAM
98-221-009	Flite Team	L/58	TEAM
98-221-011	Flite Team	XL/61	TEAM

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/teffectv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
XS/49	450 / 17.7	70.5°	74°	509 / 20	405 / 15.9	265 / 10.4	728 / 28.7	115 / 4.5	515 / 20.3	361 / 14.2
S/52	485 / 19.1	71.5°	74°	526 / 20.7	405 / 15.9	268 / 10.6	761 / 30	140 / 5.5	540 / 21.3	370 / 14.6
M/54	510 / 20.1	72.5°	73.5°	545 / 21.5	410 / 16.1	268 / 10.6	783 / 30.8	155 / 6.1	559 / 22	380 / 15
M/L/56	525 / 20.7	72.5°	73°	565 / 22.2	410 / 16.1	268 / 10.6	800 / 31.5	175 / 6.9	578 / 22.8	388 / 15.3
L/58	545 / 21.5	72.5°	73°	580 / 22.8	410 / 16.1	270 / 10.6	822 / 32.4	200 / 7.9	599 / 23.6	397 / 15.6
XL/61	580 / 22.8	72.5°	72.5°	603 / 23.7	415 / 16.3	270 / 10.6	850 / 33.5	225 / 8.9	623 / 24.5	407 / 16

BIKE SPECS

Frame	KHS Toray MSD T800SC(60%)/M40JB(40%) Full Carbon Monocoque, T47, 1-1/8-1.5 Taper, Replaceable Derailleur Hanger
Fork	KHS Pro Full Carbon, 1.5 Taper
Headset	FSA Orbit C-40-CF-ACB, N.42CF, 1-1/8"~1.5" Integrated, Carbon Cap
Rims	Q2 60mm Team Carbon Dip-60mm Hed Licensed Wheelset
Hub, Front	Q2Team Carbon Wheelset
Hub, Rear	Q2Team Carbon Wheelset
Tires	Maxxis Relix, 700X25C, 170TPI, Folding
Spokes	Q2Team Carbon Wheelset
Derailleur, Front	Shimano Dura Ace FD-R9100, Braze-on
Derailleur, Rear	Shimano Dura Ace, RD-R9100SS
Shifters	Shimano Dura Ace, ST-R9100
Chain	Shimano 11s Dura Ace, CN-HG901
Crankset	Shimano Dura Ace, FC-R9100, 53/39, XS: 165, S-M:170, ML:172.5, L-XL:175
BB	BB-T47 w/Reducer
Freewheel / Cassette	Shimano CS-R8000, 11-25, 11-speed
Seatpost	FSA SLK Carbon w/20mm Setback, 27.3X350mm
Saddle	Velo VL-1557 Ultra Light w/Carbon Base & Ti Rail
Handlebar	FSA SL-K Compact Carbon, 31.8, XS: 40cm, S-ML: 42cm, L-XL: 44cm
Stem	FSA SL-K, 3D Forged, 31.8, XS: 80mm, S: 90mm, M-ML:100mm, L-XL: 110mm
Grips	Anti Slip Cushion Tape
Brake Levers	Shimano Dura Ace
Brakes	Shimano BR-8010 Direct Mount w/Cartridge Pads
Color	Team
Frame Size	XS, S, M, M/L, L, XL



All specs are subject to change without notice.



ROAD – RACING

FLITE 900



Q2 60mm Carbon



FEATURES

22 Speed

MSD Carbon Frame with Inside-Out™ Technology

Ultegra 11 Speed Drivetrain

Optional Q2 60mm Carbon Wheelset

NEW OR CHANGED FOR 2018

Optional Q2 Carbon Wheelset
New Ultegra
BB-T47

MSRP: Carbon Wheelset: \$3999-4299
Alloy Wheelset: \$2899-3099

PART #	MODEL	SIZE	COLOR
98-220-000	Flite 900	XS/49	Matte Black
98-220-001	Flite 900 - Carbon Wheel	XS/49	Matte Black
98-220-002	Flite 900	S/52	Matte Black
98-220-003	Flite 900 - Carbon Wheel	S/52	Matte Black
98-220-004	Flite 900	M/54	Matte Black
98-220-005	Flite 900 - Carbon Wheel	M/54	Matte Black
98-220-006	Flite 900	ML/56	Matte Black
98-220-007	Flite 900 - Carbon Wheel	ML/56	Matte Black
98-220-008	Flite 900	L/58	Matte Black
98-220-009	Flite 900 - Carbon Wheel	L/58	Matte Black
98-220-010	Flite 900	XL/61	Matte Black
98-220-011	Flite 900 - Carbon Wheel	XL/61	Matte Black


GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/49	450 / 17.7	70.5°	74°	509 / 20	405 / 15.9	265 / 10.4	728 / 28.7	115 / 4.5	515 / 20.3	361 / 14.2
S/52	485 / 19.1	71.5°	74°	526 / 20.7	405 / 15.9	268 / 10.6	761 / 30	140 / 5.5	540 / 21.3	370 / 14.6
M/54	510 / 20.1	72.5°	73.5°	545 / 21.5	410 / 16.1	268 / 10.6	783 / 30.8	155 / 6.1	559 / 22	380 / 15
ML/56	525 / 20.7	72.5°	73°	565 / 22.2	410 / 16.1	268 / 10.6	800 / 31.5	175 / 6.9	578 / 22.8	388 / 15.3
L/58	545 / 21.5	72.5°	73°	580 / 22.8	410 / 16.1	270 / 10.6	822 / 32.4	200 / 7.9	599 / 23.6	397 / 15.6
XL/61	580 / 22.8	72.5°	72.5°	603 / 23.7	415 / 16.3	270 / 10.6	850 / 33.5	225 / 8.9	623 / 24.5	407 / 16

2

BIKE SPECS

Frame	KHS Toray MSD T800SC(60%)/M40JB(40%) Full Carbon Monocoque, T47, 1-1/8-1.5 Taper, Replaceable Derailleur Hanger
Fork	KHS Pro Full Carbon, 1.5 Taper
Headset	FSA Orbit C-40-CF-ACB, N.42CF, 1-1/8"~1.5" Integrated, Carbon Cap
Rims	Mavic Aksium Elite or Q2 60mm Team Carbon Hed Licensed Wheelset Option
Hub, Front	Mavic Aksium Elite Wheelset or Q2Team Carbon Wheelset Option
Hub, Rear	Mavic Aksium Elite Wheelset or Q2Team Carbon Wheelset Option
Tires	Maxxis Relix, 700X25C, 170TPI, Folding
Spokes	Mavic Aksium Elite Wheelset or Q2Team Carbon Wheelset Option
Derailleur, Front	Shimano New Ultegra, FD-R8000, Braze-on
Derailleur, Rear	Shimano New Ultegra, RD-R8000
Shifters	Shimano New Ultegra, ST-R8000
Chain	Shimano Ultegra, CN-HG700-11, 11s
Crankset	Shimano New Ultegra, FC-R8000, 53/39T, XS: 165, S-M:170, ML:172.5, L-XL:175
BB	BB-T47 w/Reducer
Freewheel / Cassette	Shimano CS-5800, 11-28, 11 Speed
Seatpost	FSA SLK Carbon w/20mm Setback, 27.2X350mm
Saddle	Velo Light-Weight Road, CrMo Rail
Handlebar	FSA Energy Compact, 31.8, XS: 40cm, S-ML: 42cm, L-XL: 44cm
Stem	FSA Energy, 31.8, XS: 80mm, S: 90mm, M-ML:100mm, L-XL: 110mm
Grips	Anti Slip Cushion Tape
Brake Levers	Shimano Ultegra
Brakes	Shimano BR-5810 Direct Mount w/Cartridge Pads
Color	Matte Black
Frame Size	XS, S, M, ML, L, XL



All specs are subject to change without notice.



ROAD – RACING

FLITE 750



FEATURES


22 Speed

MSD Carbon Frame

105 Drivetrain

MSRP: \$1649-1749

PART #	MODEL	SIZE	COLOR
98-219-000	Flite 750	XS/49	Dark Silver
98-219-001	Flite 750	S/52	Dark Silver
98-219-002	Flite 750	M/54	Dark Silver
98-219-003	Flite 750	ML/56	Dark Silver
98-219-004	Flite 750	L/58	Dark Silver
98-219-005	Flite 750	XL/61	Dark Silver



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/49	450 / 17.7	70.5°	74°	509 / 20	405 / 15.9	265 / 10.4	728 / 28.7	115 / 4.5	515 / 20.3	361 / 14.2
S/52	485 / 19.1	71.5°	74°	526 / 20.7	405 / 15.9	268 / 10.6	761 / 30	140 / 5.5	540 / 21.3	370 / 14.6
M/54	510 / 20.1	72.5°	73.5°	545 / 21.5	410 / 16.1	268 / 10.6	783 / 30.8	155 / 6.1	559 / 22	380 / 15
M/L/56	525 / 20.7	72.5°	73°	565 / 22.2	410 / 16.1	268 / 10.6	800 / 31.5	175 / 6.9	578 / 22.8	388 / 15.3
L/58	545 / 21.5	72.5°	73°	580 / 22.8	410 / 16.1	270 / 10.6	822 / 32.4	200 / 7.9	599 / 23.6	397 / 15.6
XL/61	580 / 22.8	72.5°	72.5°	603 / 23.7	415 / 16.3	270 / 10.6	850 / 33.5	225 / 8.9	623 / 24.5	407 / 16

BIKE SPECS

Frame	KHS Full MSD Carbon Monocoque w/Replaceable Derailleur Hanger, 1-1/8-1.5 Taper
Fork	KHS Performance Carbon/Alloy Steerer, 1.5 Taper, W/Alloy Dropout
Headset	Integrated Sealed ACB, 1-1/8"~1.5", Alloy Cap
Rims	Q2 AR500 Light-Weight, Double Wall Wheelset
Hub, Front	Q2 AR500 Wheelset, S/B Super Light, QR
Hub, Rear	Q2 AR500 Wheelset, S/B Super Light, QR, Cassette
Tires	Maxxis M204 Coumbiere, 700x25C, 120TPI, Folding
Spokes	Q2 AR500 Wheelset, 14G Stainless Black, 24X28, W/Alloy Nipples
Derailleur, Front	Shimano 105 FD-5800, Braze-on
Derailleur, Rear	Shimano 105 RD-5800
Shifters	Shimano 105 ST-5800
Chain	KMC X11
Crankset	Shimano FC-5800 105, Outboard Bearing, 52x36 Mid Compact, w/CNC Outer C/R, XS: 165, S-M:170, ML:172.5, L-XL:175
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS-5800, 11/32 11speed
Seatpost	Q2 Carbon, 27.2X350mm
Saddle	KHS Performance Road
Handlebar	FSA Omega Compact, 31.8, XS: 40cm, S-ML: 42cm, L-XL: 44cm
Stem	FSA Gossamer Forged Alloy, 31.8, XS: 80mm, S: 90mm, M-ML:100mm, L-XL: 110mm
Grips	Cushion Tape
Brake Levers	Shimano 105
Brakes	Shimano 105, BR-5800 w/Cartridge Pads
Color	Dark Silver
Frame Size	XS, S, M, M/L, L, XL

ROAD – PERFORMANCE

FLITE 747



FEATURES

22 Speed


For the 6' 4" and taller Rider

Reynolds CrMo Frame

105 Drivetrain

MSRP: \$1599-1699

PART #	MODEL	SIZE	COLOR
98-216-900	Flite 747	XXL/64cm	Matte Black
98-216-905	Flite 747	XXXL/66cm	Matte Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XXL/64	568 / 22.4	72°	73.5°	620 / 24.4	430 / 16.9	292 / 11.5	833 / 32.8	248 / 9.8	635 / 25	430 / 16.9
XXXL/66	607 / 23.9	72°	73.5°	635 / 25	430 / 16.9	292 / 11.5	874 / 34.4	292 / 11.5	676 / 26.6	433 / 17

BIKE SPECS

Frame	Reynolds 520 D/Butted
Fork	Full CrMo
Headset	FSA Pig, Threadless
Rims	Weinmann XP Elite, Double Wall, 36H
Hub, Front	Formula alloy QR
Hub, Rear	Formula alloy QR, Cassette
Tires	Maxxis Detonator 700X28c
Spokes	14G Black, 36X36
Derailleur, Front	Shimano 105 FD-5800
Derailleur, Rear	Shimano 105 RD-5800
Shifters	Shimano 105 ST-5800
Chain	Shimano CN-HG600
Crankset	KHS 210mm, 2pc Forged w/Outboard Bearing, 52X36 Mid Compact
BB	Outboard cartridge bearing
Freewheel / Cassette	Shimano CS-5800, 11-32, 11speed
Pedals	Monoblock Alloy w/Toe Clips & Straps
Seatpost	Q2 Alloy, 29.8x400mm
Saddle	KHS Sport Road
Handlebar	FSA Gossamer, 46cm, Drop: 150mm, Reach: 80mm, 31.8
Stem	FSA Gossamer Forged Alloy, 130mm, 31.8
Grips	Cushion Tape
Brake Levers	Shimano 105
Brakes	Shimano 105, BR-5800 w/Cartridge Pads
Color	Matte Black
Frame Size	2XL, 3XL

ROAD – PERFORMANCE

FLITE 700



FEATURES

20 Speed

Tiagra 10 Speed Drivetrain w/ FSA Omega Crank


Compact Gearing

NEW OR CHANGED FOR 2018

Maxxis Detonator tires
Q2 Carbon Seatpost
FSA Omega handlebar

MSRP: \$1449-1549

PART #	MODEL	SIZE	COLOR
98-218-000	Flite 700	XS/49	Red
98-218-001	Flite 700	S/52	Red
98-218-002	Flite 700	M/54	Red
98-218-003	Flite 700	ML/56	Red
98-218-004	Flite 700	L/58	Red
98-218-005	Flite 700	XL/61	Red



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
XS/49	450 / 17.7	70.5°	74°	509 / 20	405 / 15.9	265 / 10.4	728 / 28.7	115 / 4.5	515 / 20.3	361 / 14.2
S/52	485 / 19.1	71.5°	74°	526 / 20.7	405 / 15.9	268 / 10.6	761 / 30	140 / 5.5	540 / 21.3	370 / 14.6
M/54	510 / 20.1	72.5°	73.5°	545 / 21.5	410 / 16.1	268 / 10.6	783 / 30.8	155 / 6.1	559 / 22	380 / 15
M/L/56	525 / 20.7	72.5°	73°	565 / 22.2	410 / 16.1	268 / 10.6	800 / 31.5	175 / 6.9	578 / 22.8	388 / 15.3
L/58	545 / 21.5	72.5°	73°	580 / 22.8	410 / 16.1	270 / 10.6	822 / 32.4	200 / 7.9	599 / 23.6	397 / 15.6
XL/61	580 / 22.8	72.5°	72.5°	603 / 23.7	415 / 16.3	270 / 10.6	850 / 33.5	225 / 8.9	623 / 24.5	407 / 16

BIKE SPECS

Frame	KHS Full MSD Carbon Monocoque w/Replaceable Derailleur Hanger, 1-1/8-1.5 Taper
Fork	KHS Performance Carbon/Alloy Steerer, 1.5 Taper, W/Alloy Dropout
Headset	Integrated Sealed ACB, 1-1/8"~1.5", Alloy Cap
Rims	Q2 AR400, Double Wall Wheelset
Hub, Front	Q2 AR400 Wheelset, Q/R
Hub, Rear	Q2 AR400 Wheelset, Cassette, QR
Tires	Maxxis M203 Detonator, 700x25C, 60TPI
Spokes	Q2 AR400 Wheelset, 14G Stainless Black, 24X28
Derailleur, Front	Shimano Tiagra FD-4700, Braze-on
Derailleur, Rear	Shimano Tiagra RD-4700SS
Shifters	Shimano Tiagra ST-4700
Chain	KMC X10 W/Missing Link
Crankset	FSA Omega Compact, 2pc Forged w/Outboard Bearing, 50/34, XS: 165, S-M:170, ML:172.5, L-XL:175
BB	FSA Mega EXO, Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG500, 11/32T, 10speed
Seatpost	Q2 Carbon, 27.2X350mm
Saddle	KHS Performance Road
Handlebar	FSA Omega Compact, 31.8, XS: 40cm, S-ML: 42cm, L-XL: 44cm
Stem	Alloy 3D Forged, Threadless 4 Bolt, 31.8, XS: 80mm, S: 90mm, M-ML:100mm, L-XL: 110mm
Grips	Cushion Tape
Brake Levers	Shimano Tiagra ST-4700
Brakes	Tektro R313 Dual Pivot W/Cartridge Pads
Color	Red
Frame Size	XS, S, M, M/L, L, XL

ROAD – PERFORMANCE

FLITE 600



FEATURES

18 Speed

MSD Carbon Frame

Sora 9-Speed Drivetrain w/ FSA Omega Crank

NEW OR CHANGED FOR 2018

Maxxis Detonator tires


FSA Omega handlebar

KHS Saddle

MSRP: \$1299-1399

OUR LOWEST PRICED CARBON ROAD BIKE!

PART #	MODEL	SIZE	COLOR
98-217-000	Flite 600	XS/49	Matte Dark Midnight Gray
98-217-001	Flite 600	S/52	Matte Dark Midnight Gray
98-217-002	Flite 600	M/54	Matte Dark Midnight Gray
98-217-003	Flite 600	ML/56	Matte Dark Midnight Gray
98-217-004	Flite 600	L/ 58	Matte Dark Midnight Gray
98-217-005	Flite 600	XL/61	Matte Dark Midnight Gray
98-217-006	Flite 600 Ladies	S/52	Matte Silver



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
XS/49	450 / 17.7	70.5°	74°	509 / 20	405 / 15.9	265 / 10.4	728 / 28.7	115 / 4.5	515 / 20.3	361 / 14.2
S/52	485 / 19.1	71.5°	74°	526 / 20.7	405 / 15.9	268 / 10.6	761 / 30	140 / 5.5	540 / 21.3	370 / 14.6
M/54	510 / 20.1	72.5°	73.5°	545 / 21.5	410 / 16.1	268 / 10.6	783 / 30.8	155 / 6.1	559 / 22	380 / 15
M/L/56	525 / 20.7	72.5°	73°	565 / 22.2	410 / 16.1	268 / 10.6	800 / 31.5	175 / 6.9	578 / 22.8	388 / 15.3
L/58	545 / 21.5	72.5°	73°	580 / 22.8	410 / 16.1	270 / 10.6	822 / 32.4	200 / 7.9	599 / 23.6	397 / 15.6
XL/61	580 / 22.8	72.5°	72.5°	603 / 23.7	415 / 16.3	270 / 10.6	850 / 33.5	225 / 8.9	623 / 24.5	407 / 16

BIKE SPECS

Frame	KHS Full MSD Carbon Monocoque w/Replaceable Derailleur Hanger, 1-1/8-1.5 Taper
Fork	KHS Performance Carbon/Alloy Steerer, 1.5 Taper, W/Alloy Dropout
Headset	Integrated Sealed ACB, 1-1/8"~1.5", Alloy Cap
Rims	Q2 AR400, Double Wall Wheelset
Hub, Front	Q2 AR400 Wheelset, Q/R
Hub, Rear	Q2 AR400 Wheelset, Cassette, QR
Tires	Maxxis M203 Detonator, 700x25C, 60TPI
Spokes	Q2 AR400 Wheelset, 14G Stainless Black, 24X28
Derailleur, Front	Shimano Sora FD-R3000, Braze-on
Derailleur, Rear	Shimano Sora RD-R3000SS
Shifters	Shimano Sora ST-R3000
Chain	KMC Z99 W/Missing Link
Crankset	FSA Omega Compact, 2pc Forged w/Outboard Bearing, 50/34, XS: 165, S-M:170, ML:172.5, L-XL:175
BB	FSA Mega EXO, Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200-9, 11-32T, 9-speed
Seatpost	Alloy Micro-adjust, 27.2x350mm
Saddle	KHS Sport Road, Ladies: KHS Sport Road Ladies Padded
Handlebar	FSA Omega Compact, 31.8, XS: 40cm, S-ML: 42cm, L-XL: 44cm, Ladies: 38cm
Stem	Alloy 3D Forged, Threadless 4 Bolt, 31.8, XS: 80mm, S: 90mm, M-ML:100mm, L-XL: 110mm
Grips	Cushion Tape
Brake Levers	Shimano Sora ST-R3000
Brakes	Tektro R313 Dual Pivot W/Cartridge Pads
Color	Matte Dark Midnight Gray, Ladies: Matte Silver
Frame Size	XS, S, M, M/L, L, XL, Ladies: S

All specs are subject to change without notice.



ROAD – SPORT


FLITE 450



FEATURES

20 speed
Alloy Frame with Carbon fork
Tiagra Drivetrain
KHS Flat Drop handlebar
MSRP: \$999-1099

PART #	MODEL	SIZE	COLOR
98-215-000	Flite 450	S/49	Black
98-215-001	Flite 450	S/52	Black
98-215-002	Flite 450	M/54	Black
98-215-003	Flite 450	ML/56	Black
98-215-004	Flite 450	L/58	Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/49	450 / 17.7	70.5°	74°	511 / 20.1	405 / 15.9	275 / 10.8	740 / 29.1	115 / 4.5	517 / 20.4	363 / 14.3
S/52	485 / 19.1	71.5°	74°	526 / 20.7	405 / 15.9	278 / 10.9	771 / 30.4	140 / 5.5	541 / 21.3	371 / 14.6
M/54	510 / 20.1	72.5°	73.5°	545 / 21.5	410 / 16.1	278 / 10.9	788 / 31	155 / 6.1	561 / 22.1	379 / 14.9
ML/56	525 / 20.7	72.5°	73°	565 / 22.2	410 / 16.1	278 / 10.9	811 / 31.9	175 / 6.9	580 / 22.8	388 / 15.3
L/58	545 / 21.5	72.5°	73°	580 / 22.8	410 / 16.1	280 / 11	833 / 32.8	200 / 7.9	602 / 23.7	396 / 15.6

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed Double Butted TT & DT, Bi-Oval Pro Seat Stays, Replaceable Derailleur Hanger
Fork	Carbon with Alloy Steerer
Headset	Integrated Cartridge Bearing
Rims	Alloy Semi Deep Double Wall
Hub, Front	KT Alloy QR
Hub, Rear	KT Alloy QR, Cassette
Tires	CST Caldera, C1719, 700X25C
Spokes	14G Black, 24X28
Derailleur, Front	Shimano FD-4700 Tiagra
Derailleur, Rear	Shimano RD-4700SS Tiagra
Shifters	Shimano ST-4700 Tiagra
Chain	KMC X10
Crankset	FSA New Omega Compact, 50/34
BB	FSA Mega EXO, Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-4600, 12/28T, 10speed
Pedals	Resin w/Steel Cage & DU Bearings
Seatpost	Q2 Carbon Micro-adjust, 27.2x350mm
Saddle	KHS Road Padded
Handlebar	KHS Patent, Flat/Drop, 31.8
Stem	Alloy 3D Forged, Threadless 4-bolt, 7-degree, 31.8,
Grips	Cushion Tape
Brake Levers	Shimano ST-4700 Tiagra
Brakes	Tektro R312 Dual Pivot W/Cartridge Pads
Color	Black
Frame Size	XS, S, M, M/L, L

ROAD – SPORT

FLITE 280



FEATURES

16 Speed

6061 Alloy Frame

New Claris 8-Speed Drivetrain, Compact gearing

NEW OR CHANGED FOR 2018

New Claris
Shimano RS200 Cranks
KHS Saddle

MSRP: \$649-709


PART #	MODEL	SIZE	COLOR
98-214-000	Flite 280	XS/49	Deep Sea BLUE
98-214-001	Flite 280	S/52	Deep Sea BLUE
98-214-002	Flite 280	S/52	Matte Silver
98-214-003	Flite 280	M/54	Deep Sea BLUE
98-214-004	Flite 280	M/54	Matte Silver
98-214-005	Flite 280	ML/56	Deep Sea BLUE
98-214-006	Flite 280	ML/56	Matte Silver
98-214-007	Flite 280	L/58	Deep Sea BLUE
98-214-008	Flite 280	L/58	Matte Silver
98-214-009	Flite 280	XL/61	Deep Sea BLUE
98-214-010	Flite 280 Ladies	XXS/44	Lime Green
98-214-011	Flite 280 Ladies	XS/49	Lime Green
98-214-012	Flite 280 Ladies	S/52	Lime Green
98-214-013	Flite 280 Ladies	M/54	Matte Blue
98-214-014	Flite 280 Ladies	M/54	Lime Green

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XXS/44	375 / 14.8	70.5°	75°	495 / 19.5	410 / 16.1	275 / 10.8	706 / 27.8	125 / 4.9	517 / 20.4	354 / 13.9
XS/49	435 / 17.1	71°	74.5°	508 / 20	410 / 16.1	275 / 10.8	746 / 29.4	140 / 5.5	542 / 21.3	357 / 14.1
S/52	470 / 18.5	71.5°	74°	522 / 20.6	410 / 16.1	278 / 10.9	776 / 30.6	160 / 6.3	560 / 22	362 / 14.3
M/54	485 / 19.1	72.5°	73.5°	543 / 21.4	410 / 16.1	278 / 10.9	792 / 31.2	175 / 6.9	580 / 22.8	371 / 14.6
ML/56	505 / 19.9	72.5°	73°	563 / 22.2	410 / 16.1	278 / 10.9	808 / 31.8	190 / 7.5	594 / 23.4	381 / 15
L/58	530 / 20.9	72.5°	73°	576 / 22.7	410 / 16.1	280 / 11	831 / 32.7	210 / 8.3	611 / 24.1	389 / 15.3
XL/61	560 / 22	72.5°	72.5°	599 / 23.6	410 / 16.1	280 / 11	857 / 33.7	235 / 9.3	635 / 25	399 / 15.7

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed Double Butted TT & DT, Internal Cable, Bi-Oval Pro Seat Stays, Replaceable Derailleur Hanger
Fork	Carbon with Alloy Steerer, Straight Blades
Headset	Integrated Cartridge Bearing
Rims	Alloy Double Wall w/CNC side Wall
Hub, Front	Formula Alloy QR
Hub, Rear	Formula Alloy QR, Cassette
Tires	Road 700X25C
Spokes	14G Stainless Black, 24X28
Derailleur, Front	Shimano FD-R2000 Claris, 31.8
Derailleur, Rear	Shimano RD-R2000SS Claris
Shifters	Shimano ST-R2000 Claris
Chain	KMC Z8 w/Missing Link
Crankset	Shimano FC-RS200 Alloy, 50/34 XS: 165, S-M: 170, L-XL: 175
BB	Cartridge Bearing
Freewheel / Cassette	Shimano HG200-8 12/32 8-Speed
Pedals	Wellgo Resin w/Alloy Cage & DU Bearing
Seatpost	KHS Alloy Micro-adjust, 27.2x350mm
Saddle	KHS Road Padded, Ladies: KHS Ladies Road Padded
Handlebar	Alloy Drop, Compact Bend, 31.8 Men's: XS-ML: 42 cm, L-XL: 44 cm, Ladies: XXS-XS: 38 cm, S-M: 42 cm
Stem	KHS Alloy 3D Forged, Threadless 4-bolt, 7-degree, 31.8, Men's: XS-S: 90 mm, M-ML: 100 mm, L-XL: 110 mm, Ladies: XXS: 80 mm, XS-S: 90 mm, M: 100 mm
Grips	Cushion Tape
Brake Levers	Shimano ST-R2000 Claris
Brakes	Alloy Dual Pivot
Color	Deep Sea Blue, Matte Silver, Ladies: Matte Blue, Lime Green
Frame Size	XS, S, M, M/L, L, XL (XS & XL Blue Only), Ladies: XXS, XS, S, M (XXS, XS, & S Green Only)



All specs are subject to change without notice.

ROAD – SPORT

FLITE 223



FEATURES

24 Speed

CrMo Frame

Claris 8-Speed Drivetrain

Available in Mens & Ladies models

NEW OR CHANGED FOR 2018


New Claris

Forged Alloy Crank w/ Removable Chainring

Straight Blade Fork

MSRP: \$559-609

PART #	MODEL	SIZE	COLOR
98-213-900	Flite 223	S/52	Black
98-213-905	Flite 223	M/55	Black
98-213-910	Flite 223	L/58	Black
98-213-915	Flite 223	XL/61	Black
98-213-920	Flite 223 Ladies	XS/49	Red
98-213-925	Flite 223 Ladies	S/52	Red



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/49	430 / 16.9	71°	74.5°	510 / 20.1	430 / 16.9	262 / 10.3	727 / 28.6	115 / 4.5	551 / 21.7	356 / 14
S/52	465 / 18.3	71.5°	74°	525 / 20.7	430 / 16.9	265 / 10.4	753 / 29.6	130 / 5.1	564 / 22.2	362 / 14.3
M/55	490 / 19.3	72.5°	73°	555 / 21.9	430 / 16.9	265 / 10.4	778 / 30.6	155 / 6.1	594 / 23.4	373 / 14.7
L/58	520 / 20.5	72.5°	73°	575 / 22.6	430 / 16.9	267 / 10.5	809 / 31.9	185 / 7.3	620 / 24.4	385 / 15.2
XL/61	550 / 21.7	72.5°	72.5°	596 / 23.5	430 / 16.9	267 / 10.5	835 / 32.9	210 / 8.3	644 / 25.4	393 / 15.5

BIKE SPECS

Frame	CrMo Double Butted, Rear Triangle HT Steel w/Carrier Bosses
Fork	Hi-Ten Unicrown w/Straight Blades
Headset	Threadless 1-1/8"
Rims	Alloy Double Wall w/CNC Sidewall
Hub, Front	Alloy QR
Hub, Rear	Alloy QR, Cassette
Tires	Road 700X28C
Spokes	14G Black, 28X32
Derailleur, Front	Shimano FD-R2030 Claris, 28.6
Derailleur, Rear	Shimano RD-R2000 Claris
Shifters	Shimano ST-R2030/2000 Triple, Claris
Chain	KMC Z7 w/Missing Link
Crankset	Alloy Forged, 3-pc, 50/39/30, Men's: XS:165, S-XL: 170, Ladies: XS:165
BB	Cartridge Bearing
Freewheel / Cassette	Shimano HG200-8, 12-32, 8-speed
Pedals	Wellgo Resin w/Steel Cage & DU Bearing
Seatpost	KHS Alloy Micro-adjust, 26.0x350mm
Saddle	KHS Road Padded, Ladies: KHS Road Ladies Padded
Handlebar	Alloy Drop, Compact Bend, 31.8, Men's: XS-M: 42 cm, L-XL: 44 cm, Ladies: XS-S: 38 cm
Stem	KHS Alloy 3D Forged, Threadless 4-bolt, 7-degree, 31.8, Men's: XS: 80 mm, S:90 mm, M-L: 100 mm, XL: 110 mm, Ladies: XS-S: 80 mm
Grips	Cushion Tape
Brake Levers	Shimano ST-R2030/2000 Claris
Brakes	Dual Pivot, Long Reach
Color	Black, Ladies: Red
Frame Size	S, M, L, XL, Ladies: XS, S

ROAD – SPORT

FLITE 150



FEATURES

14 Speed

6061 Alloy Frame

Shimano Drivetrain

Available in Mens & Ladies models

NEW OR CHANGED FOR 2018

Forged Alloy Cranks w/ Removable Chainring

KHS Saddle

Internal Cable Routing

MSRP: \$469-509


PART #	MODEL	SIZE	COLOR
98-212-900	Flite 150	XS/49	Black
98-212-905	Flite 150	S/52	Black
98-212-910	Flite 150	S/52	Red
98-212-915	Flite 150	M/55	Black
98-212-920	Flite 150	M/55	Red
98-212-925	Flite 150	L/58	Black
98-212-930	Flite 150	L/58	Red
98-212-935	Flite 150	XL/61	Black
98-212-940	Flite 150 Ladies	XXS/44	Matte Raspberry
98-212-945	Flite 150 Ladies	XS/49	Matte Raspberry
98-212-950	Flite 150 Ladies	S/52	Mint
98-212-955	Flite 150 Ladies	S/52	Matte Raspberry

GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/t*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XXS/44	370 / 14.6	70.5°	75°	498 / 19.6	430 / 16.9	275 / 10.8	704.5 / 27.7	95 / 3.7	531.9 / 20.9	355.5 / 14
XS/49	430 / 16.9	71°	74.5°	510 / 20.1	430 / 16.9	275 / 10.8	783 / 30.8	115 / 4.5	553 / 21.8	357 / 14.1
S/52	465 / 18.3	71.5°	74°	525 / 20.7	430 / 16.9	278 / 10.9	765 / 30.1	130 / 5.1	566 / 22.3	363 / 14.3
M/55	490 / 19.3	72.5°	73°	555 / 21.9	430 / 16.9	278 / 10.9	792 / 31.2	155 / 6.1	595 / 23.4	373 / 14.7
L/58	520 / 20.5	72.5°	73°	575 / 22.6	430 / 16.9	280 / 11	822 / 32.4	185 / 7.3	622 / 24.5	385 / 15.2
XL/61	550 / 21.7	72.5°	72.5°	596 / 23.5	430 / 16.9	280 / 11	849 / 33.4	210 / 8.3	646 / 25.4	392 / 15.4

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT & DT, Internal Cable, w/ Replaceable Derailleur Hanger
Fork	Hi-Ten Unicrown, Straight Blades
Headset	Threadless 1-1/8"
Rims	Alloy Doublewall w/CNC Sidewall
Hub, Front	Alloy QR
Hub, Rear	Alloy QR, Cassette
Tires	Road 700X28C
Spokes	14G Black, 28X32
Derailleur, Front	Shimano FD-A070, 31.8
Derailleur, Rear	Shimano RD-A070
Shifters	Shimano STI, ST-A070
Chain	KMC Z7
Crankset	Pro wheel Solid, Forged, 3-pc, 50-34T, Men's: XS-XL: 170, Ladies: XXS: 165, XS-S: 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano Csst, HG20-7, 12-28T, 7-speed
Pedals	Wellgo Resin w/Alloy Cage & DU Bearing
Seatpost	KHS Alloy Micro-adjust, 27.2x350mm
Saddle	KHS Road Padded, Ladies: KHS Ladies Road Padded
Handlebar	Alloy Drop, Compact Bend, 31.8, Men's: XS-M: 42 cm, L-XL: 44 cm, Ladies: XXS-XS: 38 cm, S: 42 cm
Stem	KHS Alloy 3D Forged, Threadless 4-bolt, 7-degree, 31.8, Men's: XS-S: 90mm, M-L: 100mm, XL: 110mm, Ladies, XXS: 80mm, XS-S: 90mm
Grips	Cushion Tape
Brake Levers	Shimano STI, ST-A070
Brakes	Dual Pivot, Long Reach
Color	Black, Red, Ladies: Mint, Matte Raspberry
Frame Size	XS, S, M, L, XL (XS & XL Black Only), Ladies: XXS, XS, S (XXS & XS Raspberry Only)



10

All specs are subject to change without notice.



ROAD – SPECIALTY


FLITE 100



FEATURES

Single Speed
4130 CrMo ZH2B Frame
Flip-Flop Rear track hub
Track Handlebars
MSRP: \$449-489

PART #	MODEL	SIZE	COLOR
98-211-900	Flite 100	S/51	Matte Black
98-211-905	Flite 100	M/53	Matte Black
98-211-910	Flite 100	ML/55	Matte Black
98-211-915	Flite 100	L/57	Matte Black
98-211-920	Flite 100	XL/60	Matte Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/51	510 / 20.1	74°	74°	543 / 21.4	387 / 15.2	281 / 11.1	746 / 29.4	102 / 4	511 / 20.1	396 / 15.6
M/53	530 / 20.9	74°	74°	549 / 21.6	387 / 15.2	281 / 11.1	783 / 30.8	120 / 4.7	528 / 20.8	397 / 15.6
ML/55	550 / 21.7	74°	74°	558 / 22	387 / 15.2	281 / 11.1	803 / 31.6	143 / 5.6	550 / 21.7	400 / 15.7
L/57	570 / 22.4	74°	74°	570 / 22.4	387 / 15.2	281 / 11.1	817 / 32.2	150 / 5.9	557 / 21.9	410 / 16.1
XL/60	600 / 23.6	74°	74°	580 / 22.8	387 / 15.2	281 / 11.1	830 / 32.7	157 / 6.2	564 / 22.2	418 / 16.5

BIKE SPECS

Frame	4130 Double Butted Full CrMo w/KHS Stainless Steel Cable Clamps, ZH2B Frame
Fork	Full CrMo Track
Headset	Threadless 1-1/8
Rims	WEINMANN XP Elite , Alloy Double wall, 30mm Deep
Hub, Front	Alloy Track
Hub, Rear	Alloy Flip-Flop Track, Fixed and Threaded
Tires	Maxxis Courchevel 700x23c, 120TPI Folding
Spokes	14G Stainless Steel, 32X32
Derailleur, Front	N/A
Derailleur, Rear	N/A
Shifters	N/A
Chain	KMC Z33
Crankset	Alloy Forged Track, 165mm x 48T
BB	FSA Sealed Cartridge
Freewheel / Cassette	Q2 CrMo 16T, 1/2x3/32
Pedals	Alloy Road w/Metal Clip and Leather Strap
Seatpost	Alloy Micro-adjust, 26.8x250mm
Saddle	KHS Sport Road
Handlebar	Alloy Track Bend, 26.0, 42cm
Stem	Alloy 3D Forged, 4 Bolt
Grips	Cushion Tape
Brake Levers	Alloy Shorty Top Mount, Right Only
Brakes	Promax RC462 Dual Pivot, Rear Only
Color	Matte Black
Frame Size	S, M, ML, L, XL

ROAD – SPECIALTY

TR 101



FEATURES

27 Speed

Reynolds 520 Frame

Triple crank

Rear rack and fenders

NEW OR CHANGED FOR 2018

Alivio rear derailleur


Sora 2pc Cranks w/ Outboard BB

FSA Vero Compact handlebars

MSRP: \$1099-1199

PART # MODEL SIZE COLOR

89-016-013	TR 101	XS/49	Gray
89-016-014	TR 101	S/52	Gray
89-016-015	TR 101	M/55	Gray
89-016-016	TR 101	L/58	Gray



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
XS/49	440 / 17.3	70.3°	73.5°	525 / 20.7	450 / 17.7	273 / 10.7	732 / 28.8	105 / 4.1	546 / 21.5	364 / 14.3
S/52	470 / 18.5	71°	73°	537 / 21.1	450 / 17.7	273 / 10.7	754 / 29.7	115 / 4.5	558 / 22	366 / 14.4
M/55	500 / 19.7	71.5°	73°	553 / 21.8	450 / 17.7	273 / 10.7	779 / 30.7	135 / 5.3	580 / 22.8	376 / 14.8
L/58	530 / 20.9	71.5°	73°	568 / 22.4	450 / 17.7	273 / 10.7	800 / 31.5	150 / 5.9	594 / 23.4	387 / 15.2

BIKE SPECS

Frame	Reynolds 520, Double Butted CrMo
Fork	Full CrMo w/ Disc & Rack Bosses
Headset	FSA Threadless 1-1/8", 15mm Top Cap
Rims	Weinmann Alloy XC-180 Disc, Double Wall
Hub, Front	Shimano Alivio, QR
Hub, Rear	Shimano Alivio Cassette, QR,
Tires	Kenda Kwest 700X32C w/ K-Shield Anti-Puncture
Spokes	14G Stainless Black, 36X36
Derailleur, Front	Shimano Sora FD-R3030, 31.8
Derailleur, Rear	Shimano Alivio RD-M4000
Shifters	Shimano Sora STI, STR3030/3000
Chain	KMC X9 w/Missing Link
Crankset	Shimano Sora FCR-3030, 2-pc Forged, 50/39/30, XS: 165, S: 170, M-L: 175
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano HG200-9, 11-36T, 9-speed
Seatpost	KHS Alloy Micro-Adjust, 26.8X350mm
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	FSA Vero Compact, Alloy Double Butted, 31.8, XS-M: 42cm, L: 44cm
Stem	Alloy 3D Forged, Threadless 4 Bolt, 31.8, XS-S: 90mm, M-L: 110mm
Grips	Cushion Tape
Brake Levers	Shimano Sora STI, ST-R3030/3000
Brakes	Bengal MB700T Cable Disc, 160/160 WAVE12
Color	Gray
Frame Size	XS, S, M, L
Extras	Rear Carrier

TRIATHLON

SCR 2000



FEATURES

22 Speed


7005 Alloy Frame

Profile T2 plus clip on aero bars

ISM Saddle

MSRP: \$1499-1599

PART #	MODEL	SIZE	COLOR
98-234-000	SCR 2000	XS/48	Gray
98-234-001	SCR 2000	S/51	Gray
98-234-002	SCR 2000	M/54	Gray
98-234-003	SCR 2000	L/56	Gray
98-234-004	SCR 2000	XL/58	Gray



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/l	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/48	480 / 18.9	71°	78°	488 / 19.2	395 / 15.6	269 / 10.6	725 / 28.5	90 / 3.5	490 / 19.3	384 / 15.1
S/51	510 / 20.1	72.5°	78°	505 / 19.9	395 / 15.6	269 / 10.6	747 / 29.4	90 / 3.5	498 / 19.6	399 / 15.7
M/54	540 / 21.3	72.5°	78°	523 / 20.6	395 / 15.6	269 / 10.6	768 / 30.2	110 / 4.3	517 / 20.4	413 / 16.3
L/56	560 / 22	72.5°	78°	542 / 21.3	395 / 15.6	269 / 10.6	787 / 31	130 / 5.1	537 / 21.1	428 / 16.9
XL/58	580 / 22.8	72.5°	78°	561 / 22.1	395 / 15.6	269 / 10.6	806 / 31.7	150 / 5.9	556 / 21.9	443 / 17.4

BIKE SPECS

Frame	Alloy 7005 Double Butted w/Custom Formed TT, Aero DT & ST, Replaceable Derailleur Hanger
Fork	Aero Carbon with Alloy Steerer
Headset	FSA IS-2, Integrated
Rims	Q2 AR400 Wheelset, Double wall, 700c
Hub, Front	Q2 AR400 Wheelset, Q/R
Hub, Rear	Q2 AR400 Wheelset, Cassette, QR
Tires	Maxxis Courcheval, 700x23c, 120 TPI Folding
Spokes	14G Black, 20X24
Derailleur, Front	Shimano 105 FD-5800
Derailleur, Rear	Shimano 105 RD-5800
Shifters	Shimano Dura Ace Bar End
Chain	Shimano 105 CN5800
Crankset	Shimano FC-RS500, 52/36, 11s, 2-pc
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS-5800, 11-28, 11spd
Seatpost	Aero Carbon
Saddle	ISM Road
Handlebar	Alloy Aero Cowhorn w/Profile T2 Plus Clip On
Stem	KHS Alloy 3D Forged, 4 Bolt
Grips	Cushion Tape
Brake Levers	Tektro RX4.1 Aero
Brakes	Tektro R525, Dual Pivot Forged w/Cartridge Pads
Color	Gray
Frame Size	XS, S, M, L, XL

GRAVEL GRIT 440



WTB
27.5 x 47c Plus Tires

FEATURES


22 Speed
MSD Carbon Frame
105 11-Speed Drivetrain w/ FSA Gossamer Crank
Shimano Hydraulic Disc brakes

NEW OR CHANGED FOR 2018

WTB STP-i25 Rims
WTB Byway Tires 27.5 x 47c Plus
FSA Handlebar & Stem
Shimano Hydraulic disc brakes
Sun Race Cassette

MSRP: \$2499-2699

PART #	MODEL	SIZE	COLOR
98-233-001	GRIT 440	M/53	Matte Purple
98-233-002	GRIT 440	L/56	Matte Purple
98-233-003	GRIT 440	XL/58	Matte Purple



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
M/53	540 / 21.3	71.5°	73°	550 / 21.7	435 / 17.1	283 / 11.1	803 / 31.6	150 / 5.9	568 / 22.4	376 / 14.8
L/56	560 / 22	72°	73°	565 / 22.2	435 / 17.1	283 / 11.1	823 / 32.4	170 / 6.7	589 / 23.2	385 / 15.1
XL/58	580 / 22.8	72°	73°	580 / 22.8	435 / 17.1	283 / 11.1	841 / 33.1	190 / 7.5	608 / 23.9	394 / 15.5

BIKE SPECS

Frame	KHS Full Carbon GG Design, T700 MSD High Modulus Carbon, 1.5 Taper, 12mm Through Axle, Flat Mount Disc
Fork	Full T700 MSD Carbon Disc, 1.5 Taper, 12 x 100mm Thru Axle, Flat Mount
Headset	FSA Orbit C40-ACB, N.42/ACB, Angular Contact Bearings, 1-1/8"~1.5" Integrated Alloy Cap
Rims	WTB STP-i25 TCS, Disc, Double Wall, 32H, Tubeless Ready
Hub, Front	Formula RX-812, S.B. Super Light Disc, 12mm x 100mm
Hub, Rear	Formula RX-300, S/B Super Light, Cassette, 12 x 142mm Through-Axle
Tires	WTB Byway, 27.5X47C, 60tpi Folding, Tubeless Ready
Spokes	14G Stainless Black, 32X32 w/Alloy Nipples
Derailleur, Front	Shimano 105 FD-5800, Braze-on
Derailleur, Rear	Shimano 105 RD-5800GSS
Shifters	Shimano STI Hydraulic, ST-RS505
Chain	KMC X11EL w/Missing Link
Crankset	FSA Gossamer Pro Compact, 2 pc Forged BB386, 48x32, S: 170, M-XL: 175
BB	FSA BB386 EVO Threaded
Freewheel / Cassette	Sun Race CSRX1, 11-32, 11spd
Seatpost	Q2 Carbon, 27.2X350mm
Saddle	KHS Sport Road
Handlebar	FSA Adventure Compact, Double Butted, Ergonomic, 31.8, S-M: 42cm, L-XL: 44cm
Stem	FSA Alloy 3D Forged, Threadless 4 Bolt, 31.8, S: 90mm, M-L: 100mm, XL: 110mm
Grips	Cushion tape
Brake Levers	Shimano STI Hydraulic, ST-RS505
Brakes	Shimano BR-RS505, Road, Hydraulic Disc Brake w/160mm Rotors, Wave 12, Flat Mount
Color	Matte Purple
Frame Size	M, L, XL

GRAVEL

GRIT 220



FEATURES

20 Speed

6061 Alloy Frame

Tiagra 10-Speed Drivetrain w/ FSA Omega Crank

Shimano Hydraulic Disc brakes

NEW OR CHANGED FOR 2018


Kenda Flintridge 40C tires

FSA Handlebar & Stem

Shimano Hydraulic disc brakes

MSRP: \$1349-1449

PART #	MODEL	SIZE	COLOR
98-232-000	GRIT 220	XS/49	Matte Blue
98-232-001	GRIT 220	S/52	Matte Blue
98-232-002	GRIT 220	M/55	Matte Blue
98-232-003	GRIT 220	L/58	Matte Blue



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/49	460 / 18.1	71°	75°	512 / 20.2	432 / 17	282 / 11.1	754 / 29.7	105 / 4.1	533 / 21	369 / 14.5
S/52	495 / 19.5	71°	73°	533 / 21	432 / 17	282 / 11.1	778 / 30.6	120 / 4.7	547 / 21.5	366 / 14.4
M/55	534 / 21	72°	73°	558 / 22	432 / 17	282 / 11.1	805 / 31.7	135 / 5.3	565 / 22.2	385 / 15.2
L/58	572 / 22.5	72°	73°	580 / 22.8	432 / 17	282 / 11.1	834 / 32.8	160 / 6.3	589 / 23.2	400 / 15.7

BIKE SPECS

Frame	Alloy 6061 Double Butted w/Disc Mounts and Internal Cable Routing, 1.5 Taper, Flat Mount Disc
Fork	Carbon Disc w/Alloy Steerer, 1.5 Taper
Headset	FSA Orbit C40-ACB, N.42/ACB, Angular Contact Bearings, 1-1/8"~1.5" Integrated, Alloy Cap
Rims	Alloy Double Wall, 700C, 32H
Hub, Front	Formula Alloy CX Disc QR23
Hub, Rear	Formula Alloy CX Disc QR23, Cassette
Tires	Kenda K1152 Flintridge, 700X40C, 60tpi, Iron Cap Belt
Spokes	14G Stainless Black, 32X32 w/Alloy Nipples
Derailleur, Front	Shimano Tiagra, 4700, 31.8
Derailleur, Rear	Shimano Tiagra, 4700GS
Shifters	Shimano STI Hydraulic, ST-RS405
Chain	KMC X10 w/Missing Link
Crankset	FSA Omega 4-Arm, 2 pc Mega Exo 48/32, XS: 165, S: 170, M: 172.5, L: 175
BB	FSA Mega EXO Outboard Bearing
Freewheel / Cassette	Shimano CS-HG500, 11-34T, 10speed
Seatpost	Q2 Alloy Micro-Adjust, 27.2x350mm
Saddle	KHS Sport Road
Handlebar	FSA Adventure Compact, Double Butted, Ergonomic, 31.8, XS: 40cm, M: 42cm, L: 44cm
Stem	FSA Alloy 3D Forged, Threadless 4 Bolt, 31.8, XS: 80mm, S: 90mm, M-L: 100mm
Grips	Cushion Tape
Brake Levers	Shimano STI Hydraulic, ST-RS405
Brakes	Shimano BR-RS405, Road, Hydraulic Disc Brake w/160mm Rotors, Wave 12, Flat Mount
Color	Matte Blue
Frame Size	XS, S, M, L

GRAVEL

GRIT 110



FEATURES

16 Speed

6061 Alloy Frame

Claris 8 –Speed Drivetrain

Shimano Mechanical Disc Brakes

NEW OR CHANGED FOR 2018

Kenda Flintridge 40C tires


New Claris

FSA Adventure Compact handlebar

Shimano Mechanical Disc Brakes

MSRP: \$849-919

PART #	MODEL	SIZE	COLOR
98-230-900	GRIT 110	XS/49	Matte Army Green
98-230-905	GRIT 110	S/52	Matte Army Green
98-230-910	GRIT 110	M/55	Matte Army Green
98-230-915	GRIT 110	L/58	Matte Army Green



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/49	46 / 1.8	71°	75°	512 / 20.2	432 / 17	282 / 11.1	754 / 29.7	105 / 4.1	533 / 21	369 / 14.5
S/52	50 / 2	72°	73°	533 / 21	432 / 17	282 / 11.1	776 / 30.6	120 / 4.7	546 / 21.5	366 / 14.4
M/55	53 / 2.1	72°	73°	558 / 22	432 / 17	282 / 11.1	802 / 31.6	135 / 5.3	560 / 22	387 / 15.2
L/58	57 / 2.2	72°	73°	577 / 22.7	432 / 17	282 / 11.1	817 / 32.2	160 / 6.3	560 / 22	409 / 16.1

BIKE SPECS

Frame	Alloy 6061 Double Butted w/Disc Mounts and Internal Cable Routing, 1.5 Taper, Flat Mount Disc
Fork	Carbon Disc w/Alloy Steerer, 1.5 Tapered
Headset	Integrated Sealed ACB, 1-1/8"~1.5", Alloy Cap
Rims	Alloy Disc Double Wall, 700X32H
Hub, Front	Formula Alloy Disc QR
Hub, Rear	Formula Alloy Disc QR, Cassette
Tires	Kenda K1152 Flintridge, 700X40C, 60tpi, Iron Cap Belt
Spokes	14G Stainless Black, 32X32
Derailleur, Front	Shimano FD-R2000 Claris, 31.8
Derailleur, Rear	Shimano RD-R2000SS Claris
Shifters	Shimano STI, ST-R2000 Claris
Chain	KMC Z7
Crankset	Shimano FC-RS200, 50/34, XS: 165, S: 170, M: 172.5, L: 175
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31, 11-32T, 8-speed
Pedals	Wellgo Full Alloy w/DU Bearing
Seatpost	Alloy Micro-adjust, 27.2X350mm
Saddle	KHS Sport Road
Handlebar	FSA Adventure Compact, Double Butted, Ergonomic, 31.8, XS: 40cm, M: 42cm, L: 44cm
Stem	Alloy 3D Forged, Threadless 4 Bolt, 31.8, XS: 80mm, S: 90mm, M-L: 100mm
Grips	Cushion Tape
Brake Levers	Shimano Claris STI
Brakes	Shimano RS305, Flat Mount Road Mechanical Disc Brake w/160mm Rotors Wave 12, Flat Mount
Color	Matte Army Green
Frame Size	XS, S, M, L

XC RACING

TEAM 29 FS



FEATURES

11 Speed

Fox Float Suspension

XT 1x11 Drivetrain


27.5+ Compatible

NEW OR CHANGED FOR 2018

Fox Float Fork & rear shock
XT Shifter & Rear derailleur
XT Crank
SLX Cassette
Wren Handlebar & Stem
SLX brakes

MSRP: \$4599-4899

PART #	MODEL	SIZE	COLOR
98-170-000	Team 29 F/S	S/15.5	Matte Black w/ Team graphic
98-170-001	Team 29 F/S	M/17.5	Matte Black w/ Team graphic
98-170-002	Team 29 F/S	L/19	Matte Black w/ Team graphic



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	400 / 15.7	68°	73.8°	570 / 22.4	438 / 17.2	328 / 12.9	0 / 0	100 / 3.9	586 / 23.1	400 / 15.7
M/17.5	445 / 17.5	68°	73.8°	600 / 23.6	438 / 17.2	328 / 12.9	0 / 0	105 / 4.1	590 / 23.2	429 / 16.9
L/19	483 / 19	68°	73.8°	620 / 24.4	438 / 17.2	328 / 12.9	0 / 0	120 / 4.7	604 / 23.8	445 / 17.5

BIKE SPECS

Frame	New 29" Full MSD Carbon, 100mm Travel, 1-1/8~ 1.5 Taper, 12x148 Boost, PF92, 27.5 Plus Compatible
Rear Shock	FOX Float DPS, Performance Elite, 2-Pos Remote, Evol
Fork	FOX Float 32 Step Cast, 29 Std/27.5+, Evol Air, Performance, 100mm, Grip 2-Pos Remote Lock Out, Ext Rebound Adj., 1-1/8~1.5 Taper, 15mm X 110 QR Boost
Headset	FSA Orbit C-40-/48CF, N.42/48CF, 1-1/8"~1.5" Integrated, Carbon Cap
Rims	DT X1900 Spline Wheel Set, 29" Disc, Straight Pull w/ 15mm x 110mm Boost FT & 12mm x 148mm Boost RR Thru-Axle, Tubeless Ready
Hub, Front	DT X 1900 SPLINE, 15mm x 110 Boost, Wheel Set
Hub, Rear	DT X 1900 Spline, 12mm x 148 Boost, Wheel Set
Tires	Maxxis Ikon TR 3C Maxx Speed, 120TPI Folding, Triple Compound, Tubeless Ready, 29X2.2
Spokes	DT X 1900 Spline, Wheel Set
Derailleur, Rear	Shimano XT RD-M8000
Shifters	Shimano XT, SL-M8000, 11s, Trigger, Right Only, I-Spec II
Chain	KMC X11EL-1 w/Missing Link
Crankset	Shimano XT M8000, 2pc Hollowtech II, 34T, Boost, PF92, S: 170, M-L: 175
BB	FSA PF92, BB-CFM92
Freewheel / Cassette	Shimano SLX CS-M7000, 11-46T, 11-speed
Seatpost	Q2 Team Full Carbon, 31.6X350mm
Saddle	WTB SL8 Pro
Handlebar	Wren Carbon, Flat Riser, 740mm x 5mm, 31.8
Stem	Wren Forged Ultra Light, 4-Bolt, 6D, 31.8, S: 70mm, M-L: 80mm
Grips	Q2 Lock-on
Brake Levers	Shimano SLX M7000 Servo Wave, I-Spec II
Brakes	Shimano SLX M7000 Hydraulic Disc, Servo Wave, 180/160mm Shimano RT66 Rotors
Color	Black
Frame Size	S, M, L

XC RACING PRESCOTT



FEATURES

11 Speed

MSD Carbon Frame

Fox Float Fork

27.5+ Compatible

NEW OR CHANGED FOR 2018

Fox Float Fork

X-Fusion rear shock

SLX Shifter & Rear derailleur

Shimano MT500 Hydraulic Disc brakes


MSRP: \$3449-3749

BIKE SPECS

Frame	New 29" Full MSD Carbon, 100mm Travel, 1-1/8"~1.5 Taper, 12x148 Boost, PF92, 27.5 Plus Compatible
Rear Shock	X-Fusion Q2 Pro RL Ext Rebound, Lockout
Fork	FOX Float 32, 29 Std/27.5+ Evol Air, Rhythm, 100mm, Grip 3-Pos Micro Adj., Ext Rebound Adj., 1-1/8"~1.5 Taper, 15mm X 110 QR Boost
Headset	FSA Orbit C-40-CF-ACB, N.42/CF/ACB, 1-1/8"~1.5" Integrated
Rims	WTB STP-i23 TCS, Disc, Double Wall, 29x28H, Tubeless Ready
Hub, Front	Formula TD711 S/B Disc, 15X110mm Axle, Straight Pull, Boost
Hub, Rear	Formula TD-148S S/B Disc Cassette, 12 x 148mm, Straight Pull, Boost
Tires	Maxxis Ikon TR 3C Maxx Speed, 120TPI Folding, Triple Compound, Tubeless Ready, 29X2.2
Spokes	14/15g Black Stainless, w/Alloy Nipples 28x28
Derailleur, Rear	Shimano SLX RD-M7000
Shifters	Shimano SLX, SL-M7000, 11s, Trigger, Right Only, I-Spec II
Chain	KMC X11EL-1 w/Missing Link
Crankset	Samox 2pc Forged, PF92, Narrow Wide 32T, Boost, S:170, M-L 175
BB	PF92
Freewheel / Cassette	Sun Race, 11-46T, 11-speed
Seatpost	Q2 Carbon, 31.6X350mm
Saddle	WTB Volt Comp
Handlebar	Kore XCD-Flat Top, 31.8 x 720mm
Stem	Kore XCD, Alloy 3D Forged, Threadless 4-bolt, 31.8, S: 70mm, M-L: 80mm
Grips	Q2 Lock-on
Brake Levers	Shimano MT500, Servo Wave w/ I-Spec II
Brakes	Shimano MT500, Hydraulic Disc, Servo Wave, 180/160mm Wave 12 Rotors
Color	Matte Black
Frame Size	S, M, L

PART # MODEL SIZE COLOR

98-169-000	Prescott	S/15.5	Matte Black
98-169-001	Prescott	M/17.5	Matte Black
98-169-002	Prescott	L/19	Matte Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/l°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	400 / 15.7	68°	73.8°	570 / 22.4	438 / 17.2	328 / 12.9	0 / 0	100 / 3.9	586 / 23.1	400 / 15.7
M/17.5	445 / 17.5	68°	73.8°	600 / 23.6	438 / 17.2	328 / 12.9	0 / 0	105 / 4.1	590 / 23.2	429 / 16.9
L/19	483 / 19	68°	73.8°	620 / 24.4	438 / 17.2	328 / 12.9	0 / 0	120 / 4.7	604 / 23.8	445 / 17.5

XC RACING

TEAM 29



FEATURES


- 11 Speed
- MSD Carbon Frame
- XT 1x11 Drivetrain
- 27.5+ & 29+ Compatible Frame Only

NEW OR CHANGED FOR 2018

- Fox Float Fork
- XT Shifter & Rear derailleur
- XT Crank
- SLX Cassette
- Wren Handlebar & Stem
- SLX brakes

MSRP: \$3599-3899

PART #	MODEL	SIZE	COLOR
98-168-000	Team 29	M/17	Matte Black w/ Team graphic
98-168-001	Team 29	L/19	Matte Black w/ Team graphic
98-168-002	Team 29	XL/21	Matte Black w/ Team graphic



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
M/17	432 / 17	68.5°	72.5°	595 / 23.4	425 / 16.7	310 / 12.2	0 / 0	105 / 4.1	611 / 24.1	402 / 15.8
L/19	483 / 19	68.5°	72.5°	617 / 24.3	425 / 16.7	310 / 12.2	0 / 0	110 / 4.3	616 / 24.3	422 / 16.6
XL/21	541 / 21.3	68.5°	72.5°	639 / 25.2	425 / 16.7	310 / 12.2	0 / 0	115 / 4.5	621 / 24.4	443 / 17.5

BIKE SPECS

Frame	New KHS Full MSD Carbon 29er w/1.5 Taper Headtube, Disc Only, Internal Cable Routing, 12X148 Boost, 27.5 Plus & 29 Plus Compatible
Fork	FOX Float 32 Step Cast, 29 Std/27.5+, Evol Air, Performance, 100mm, Grip 2-Pos Remote Lock Out, Ext Rebound Adj., 1-1/8~1.5 Taper, 15mm X 110 QR Boost
Headset	FSA Orbit C-40-CF-ACB, N.42/CF/ACB, 1-1/8"~1.5" Integrated
Rims	DT X1900 Spline Wheel Set, 29" Disc, Straight Pull w/ 15mm x 110mm Boost FT & 12mm x 148mm Boost RR Thru-Axle, Tubeless Ready
Hub, Front	DT X 1900 SPLINE, 15mm x 110 Boost, Wheel Set
Hub, Rear	DT X 1900 Spline, 12mm x 148 Boost, Wheel Set
Tires	Maxxis Ikon TR 3C Maxx Speed, 120TPI Folding, Triple Compound, Tubeless Ready, 29X2.2
Spokes	DT X 1900 Spline, Wheel Set
Derailleur, Rear	Shimano XT RD-M8000
Shifters	Shimano XT, SL-M8000, 11s, Trigger, Right Only, I-Spec II
Chain	KMC X11EL-1 w/Missing Link
Crankset	Shimano XT M8000, 2pc Hollowtech II, 34T, Boost, PF92, 175
BB	FSA PF92, BB-CFM92
Freewheel / Cassette	Shimano SLX, M7000, 11-46T, 11-speed
Seatpost	Q2 Team Full Carbon, 31.6X350mm
Saddle	WTB SL8 Pro
Handlebar	Wren Carbon, Flat Riser, 740mm x 5mm, 31.8
Stem	Wren Forged Ultra Light, 4-Bolt, 6D, 31.8, M-L: 80mm, XL: 90mm
Grips	Q2 Lock-on
Brake Levers	Shimano MT500, Servo Wave w/ I-Spec II
Brakes	Shimano MT500, Hydraulic Disc, Servo Wave, 180/160mm Shimano RT66 Rotors
Color	Matte Black
Frame Size	M, L, XL

XC SPORT TUCSON



FEATURES

11 Speed

Tubeless Ready

SLX Rear Derailleur & Shifter

27.5+ & 29+ Compatible Frame Only

NEW OR CHANGED FOR 2018


SR Raidon Fork

SLX Shifter & Rear derailleur

Shimano M396 Hydraulic Disc brakes

MSRP: \$2199-2399

PART #	MODEL	SIZE	COLOR
98-167-001	TUCSON	M/17	Matte Red
98-167-002	TUCSON	L/19	Matte Red
98-167-003	TUCSON	XL/21	Matte Red



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/l°	D t/effctv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
M/17	432 / 17	68.5°	72.5°	595 / 23.4	425 / 16.7	310 / 12.2	0 / 0	105 / 4.1	611 / 24.1	402 / 15.8
L/19	483 / 19	68.5°	72.5°	617 / 24.3	425 / 16.7	310 / 12.2	0 / 0	110 / 4.3	616 / 24.3	422 / 16.6
XL/21	541 / 21.3	68.5°	72.5°	639 / 25.2	425 / 16.7	310 / 12.2	0 / 0	115 / 4.5	621 / 24.4	443 / 17.5

BIKE SPECS

Frame	New KHS Full MSD Carbon 29er w/1.5 Taper Headtube, Disc Only, Internal Cable Routing, 12X148 Boost, 27.5 Plus & 29 Plus Compatible
Fork	SR Raidon 32-LOR, 29 Std/27.5 Plus, 100mm Air, Hydraulic Speed Lock-Out w/Ext. Rebound Damping Adj, 1-1/8~ 1.5 Alloy Taper, 15Q x 110 Boost
Headset	FSA Orbit C-40-CF-ACB, N.42/CF/ACB, 1-1/8"~1.5" Integrated
Rims	WTB STP-i23 TCS, Disc, Double Wall, 29x28H, Tubeless Ready
Hub, Front	Formula TD711 S/B Disc, 15X110mm Axle, Straight Pull, Boost
Hub, Rear	Formula TD-148S S/B Disc Cassette, 12 x 148mm, Straight Pull, Boost
Tires	Maxxis Ikon EXO/TR, 60TPI Folding, Tubeless Ready, 29X2.2
Spokes	14G Stainless Black w/Alloy Nipples, 28X28
Derailleur, Rear	Shimano SLX RD-M7000
Shifters	Shimano SLX, SL-M7000, 11s, Trigger, Right Only
Chain	KMC X11EL-1 w/Missing Link
Crankset	Samox 2pc Forged, PF92, Narrow Wide 32T, Boost, 175
BB	PF92
Freewheel / Cassette	Sun Race, 11-46T, 11-speed
Seatpost	KHS Alloy Micro-adjust, 31.6X350mm
Saddle	WTB Volt Sport
Handlebar	Alloy Butted Low Riser, 31.8, 720X12mm
Stem	Alloy 3D Forged, 4-bolt, 6 Degree, 31.8, M-L: 80mm, XL: 90mm
Grips	Q2 Lock-on
Brake Levers	Shimano M396
Brakes	Shimano M396 Hydraulic Disc, 180/160mm Rotors Wave 12
Color	Matte Red
Frame Size	M, L, XL

XC SPORT TEMPE



FEATURES


11 Speed
6061 Alloy Frame
SLX 1x11 Rear Derailleur & shifter
27.5+ Compatible

NEW OR CHANGED FOR 2018

SR Raidon Fork
WTB STP-i23 Rims
Maxxis Ikon tires
SLX shifter & Rear derailleur
Shimano M396 Hydraulic Disc brakes

MSRP: \$1129-1229

PART #	MODEL	SIZE	COLOR
98-165-000	Tempe	S/15	Matte Steel Blue
98-165-001	Tempe	M/17	Matte Steel Blue
98-165-002	Tempe	L/19	Matte Steel Blue
98-165-003	Tempe	XL/21	Matte Steel Blue



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	67.5°	73°	591 / 23.3	430 / 16.9	307 / 12.1	701 / 27.6	90 / 3.5	608 / 23.9	405 / 16
M/17	432 / 17	67.5°	73°	612 / 24.1	430 / 16.9	307 / 12.1	731 / 28.8	100 / 3.9	617 / 24.3	423 / 16.6
L/19	483 / 19	67.5°	73°	635 / 25	430 / 16.9	307 / 12.1	763 / 30	115 / 4.5	631 / 24.8	442 / 17.4
XL/21	533 / 21	67.5°	73°	659 / 25.9	430 / 16.9	307 / 12.1	795 / 31.3	130 / 5.1	645 / 25.4	462 / 18.2

BIKE SPECS

Frame	Alloy 6061 Dbl Butted w/Custom Formed TT & DT, 1.5 Taper, 141mm Boost, w/Replaceable Derailleur Hanger, 27.5 Plus Compatible
Fork	SR Raidon 32-LOR, 29 Std/27.5 Plus, 100mm Air, Hydraulic Speed Lock-Out w/Ext. Rebound Damping Adj, 1-1/8~ 1.5 Alloy Taper, 15Q x 110 Boost
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	WTB STP-i23 TCS, Disc, Double Wall, 29x32H, Tubeless Ready
Hub, Front	Formula DC-511 Alloy Disc w/CNC Rotor Flange, 15mm x 110mm, Boost
Hub, Rear	Formula DC2241, Alloy Disc w/CNC Rotor Flange, QR, Cassette, Boost
Tires	Maxxis Ikon EXO/TR, 60TPI Folding, Tubeless Ready, 29X2.2
Spokes	14G Stainless Black w/Alloy Nipples, 32X32
Derailleur, Rear	Shimano SLX RD-M7000
Shifters	Shimano SLX, SL-M7000, 11s, Trigger, Right Only
Chain	KMC X11EL-1 w/Missing link
Crankset	Samox 2pc Forged w/Outboard Bearing, Narrow Wide 30T C/R, Boost, S: 170, M-XL: 175
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Sun Race, 11-46T, 11-speed
Seatpost	KHS Alloy Micro-adjust, 31.6X350mm
Saddle	WTB Volt Sport
Handlebar	Alloy Butted Low Riser, 31.8, 720X12mm
Stem	Alloy 3D Forged, 4-bolt, 6 Degree, 31.8, S: 60mm, M: 70mm, L: 80mm, XL: 90mm
Grips	Q2 Lock-on
Brake Levers	Shimano M396
Brakes	Shimano M396 Hydraulic Disc, 180/160mm Rotors Wave 12
Color	Matte Steel Blue
Frame Size	S, M, L, XL

XC SPORT AGUILA



FEATURES

10 Speed
6061 Alloy Frame
Deore 1x10 Rear Derailleur & shifter
Bengal Hydraulic Disc brakes

NEW OR CHANGED FOR 2018

Deore Shifter & Rear derailleur
1x Cranks
Shimano CH-HG500 11-42 cassette
Bengal Hydraulic Disc Brakes


MSRP: \$899-979

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT & DT, w/Replaceable Derailleur Hanger, 27.5 Plus Compatible
Fork	SR XCM DS, HLO, 100mm, w/Hydraulic Lock-Out, 1-1/8~ 1.5 Taper, 15Q x 110 Boost
Headset	Threadless 1 1/8"~1.5, Zero Stack
Rims	Alloy Disc Double Wall, 29x32H
Hub, Front	KT Alloy Disc w/CNC Rotor Flange, QR, 15MM x 110MM, Boost
Hub, Rear	KT Alloy Disc w/CNC Rotor Flange, QR, Cassette, 141MM Boost
Tires	CST Jack Rabbit, 29x2.1, 60TPI
Spokes	14G Stainless Black 32X32
Derailleur, Rear	Shimano Deore RD-M6000,
Shifters	Shimano Deore SL-M6000
Chain	KMC X10 W/Missing Link
Crankset	Samox 2Pc Forged, 28T, Boost
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG500-10 11-42T, 10-speed
Seatpost	KHS Alloy Micro-adjust, 31.6X350mm
Saddle	KHS Sport, Dual Density
Handlebar	Alloy Riser, 31.8, 720X20mm
Stem	Alloy 3D Forged, Threadless 4-bolt, 7-degree, 31.8, S: 60mm, M: 70mm, L: 80mm, XL: 90mm
Grips	KHS Sport, Dual Compound
Brake Levers	Bengal Ares 3 Hydraulic
Brakes	Bengal Ares 3, Hydraulic Disc, 180/160mm Rotors Wave 12
Color	Matte Black
Frame Size	S, M, L, XL

PART # MODEL SIZE COLOR

98-164-000	Aguila	S/15	Matte Black
98-164-001	Aguila	M/17	Matte Black
98-164-002	Aguila	L/19	Matte Black
98-164-003	Aguila	XL/21	Matte Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/l°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	67.5°	73°	591 / 23.3	430 / 16.9	307 / 12.1	701 / 27.6	90 / 3.5	608 / 23.9	405 / 16
M/17	432 / 17	67.5°	73°	612 / 24.1	430 / 16.9	307 / 12.1	731 / 28.8	100 / 3.9	617 / 24.3	423 / 16.6
L/19	483 / 19	67.5°	73°	635 / 25	430 / 16.9	307 / 12.1	763 / 30	115 / 4.5	631 / 24.8	442 / 17.4
XL/21	533 / 21	67.5°	73°	659 / 25.9	430 / 16.9	307 / 12.1	795 / 31.3	130 / 5.1	645 / 25.4	462 / 18.2

XC SPORT WINSLOW



FEATURES

24 Speed

6061 Alloy Frame

Shimano Drivetrain

Bengal Hydraulic Disc brakes


NEW OR CHANGED FOR 2018

SR XCT HLO Fork w/ lock-out

KHS saddle, Seatpost & Stem

MSRP: \$529-579

PART #	MODEL	SIZE	COLOR
98-163-900	Winslow	S/15	Matte Black
98-163-905	Winslow	S/15	Copper
98-163-910	Winslow	M/17	Matte Black
98-163-915	Winslow	M/17	Copper
98-163-920	Winslow	L/19	Matte Black
98-163-925	Winslow	L/19	Copper
98-163-930	Winslow	XL/21	Matte Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	67.5°	75.1°	591 / 23.3	435 / 17.1	276 / 10.8	725 / 28.5	90 / 3.5	612 / 24.1	404 / 15.9
M/17	432 / 17	67.5°	73.6°	612 / 24.1	435 / 17.1	276 / 10.8	752 / 29.6	95 / 3.7	616 / 24.3	424 / 16.7
L/19	483 / 19	67.5°	73.26°	635 / 25	435 / 17.1	276 / 10.8	783 / 30.8	105 / 4.1	626 / 24.6	449 / 17.7
XL/21	533 / 21	67.5°	76.7°	659 / 25.9	435 / 17.1	276 / 10.8	814 / 32.1	120 / 4.7	639 / 25.2	467 / 18.4

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT & DT, w/Replaceable Derailleur Hanger
Fork	SR XCT DS, HLO. 100mm, Hydraulic Lock-out, Preload Adj
Headset	Threadless Zero Stack, 1-1/8
Rims	Alloy Disc Double Wall, 29x32H
Hub, Front	Alloy Disc w/CNC Rotor Flange, QR
Hub, Rear	Alloy Disc w/CNC Rotor Flange, QR, Cassette
Tires	29x2.1, 27 TPI
Spokes	14G Black 32X32
Derailleur, Front	Shimano FD-TY700, 34.9 High Clamp
Derailleur, Rear	Shimano Acera M360
Shifters	Shimano SL-M310 Trigger
Chain	KMC Z7
Crankset	Shimano TY301, 42/34/24T, S: 170, M-XL: 175
BB	Cartridge Bearing
Freewheel / Cassette	HG50-8, 12-32, 8-speed
Pedals	Wellgo Resin Platform w/DU Bearings
Seatpost	KHS Alloy Micro-adjust, 31.6X350mm
Saddle	KHS Sport
Handlebar	Alloy Riser, 31.8, 720X20mm
Stem	Alloy 3D Forged, Threadless 4-bolt, 7-degree, 31.8, S: 60mm, M-L: 75mm, XL: 90mm
Grips	KHS Sport
Brake Levers	Bengal Ares 3 Hydraulic
Brakes	Bengal Ares 3 Hydraulic Disc, 2 Piston, 180/160mm Rotors
Color	Matte Black, Copper
Frame Size	S, M, L, XL (XL Black Only)

XC SPORT ZACA



FEATURES

21 Speed

6061 Alloy Frame

Shimano Drivetrain


Bengal Mechanical Disc Brakes

NEW OR CHANGED FOR 2018

Tourney Shifters, Front & Rear derailleurs
KHS Stem

MSRP: \$449-489

PART #	MODEL	SIZE	COLOR
98-162-900	ZACA	S/15	Black
98-162-905	ZACA	S/15	Matte Gray
98-162-910	ZACA	M/17	Black
98-162-915	ZACA	M/17	Matte Gray
98-162-920	ZACA	L/19	Black
98-162-925	ZACA	L/19	Matte Gray
98-162-930	ZACA	XL/21	Black



GEOMETRY

SIZE	A s/t c-t	B h/t"	C s/t"	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	67.5°	75.1°	591 / 23.3	435 / 17.1	276 / 10.8	725 / 28.5	90 / 3.5	612 / 24.1	404 / 15.9
M/17	432 / 17	67.5°	73.6°	612 / 24.1	435 / 17.1	276 / 10.8	752 / 29.6	95 / 3.7	616 / 24.3	424 / 16.7
L/19	483 / 19	67.5°	73.26°	635 / 25	435 / 17.1	276 / 10.8	783 / 30.8	105 / 4.1	626 / 24.6	449 / 17.7
XL/21	533 / 21	67.5°	76.7°	659 / 25.9	435 / 17.1	276 / 10.8	814 / 32.1	120 / 4.7	639 / 25.2	467 / 18.4

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT & DT, w/Replaceable Derailleur Hanger
Fork	Zoom 565D 29", 80mm
Headset	Threadless Zero Stack, 1-1/8
Rims	Alloy Disc Double Wall, 29x32H
Hub, Front	Alloy Disc w/CNC Rotor Flange, QR
Hub, Rear	Alloy Disc w/CNC Rotor Flange, QR, Cassette
Tires	29x2.1, 27 TPI
Spokes	14G Black 32X32
Derailleur, Front	Shimano Tourney TY300D, 34.9, Top Pull
Derailleur, Rear	Shimano RD-TY300
Shifters	Shimano ST-EF500
Chain	KMC Z7
Crankset	Shimano FC-TY301, 42/34/24T, S-M: 170, L-XL: 175
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG20-7 12-32T, 7-speed
Pedals	Wellgo Resin Platform w/DU Bearings
Seatpost	Alloy Micro-adjust, 31.6X350mm
Saddle	KHS Sport
Handlebar	Alloy Riser, 31.8, 720X20mm
Stem	KHS Alloy 3D Forged, Threadless 4-bolt, 7-degree, 31.8, S: 60mm, M-L: 75mm, XL: 90mm
Grips	KHS Sport
Brake Levers	Shimano ST-EF500
Brakes	Bengal Cable Disc MB606, 180/160mm rotors Wave 12 w/ABS System
Color	Black, Matte Gray
Frame Size	S, M, L, XL, (XL- Black Only)

XC SPORT


BNT 29



FEATURES

20 Speed
 Reynolds 520 CrMo Double Butted Frame
 WTB STP-I19 TCS Tubeless Ready Wheelset
 XT/Deore Drivetrain
 Forged 200mm Crank
 MSRP: \$1599-1699

PART #	MODEL	SIZE	COLOR
98-166-000	BNT	XXL/23	Matte Black
98-166-001	BNT	XXXL/24.5	Matte Black



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/l	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XXL/23	586 / 23.1	71°	73°	653 / 25.7	455 / 17.9	347 / 13.7	931 / 36.7	141 / 5.6	658 / 25.9	450 / 17.7
XXXL/24.5	626 / 24.6	71°	73°	678 / 26.7	455 / 17.9	347 / 13.7	962 / 37.9	166 / 6.5	681 / 26.8	468 / 18.4

BIKE SPECS

Frame	Reynolds 520 CrMo Double Butted, T/T 38.1mm, D/T 40mm, S/T 32.4mm
Fork	29" Manitou Marvel Comp TS AIR, 120mm, Absolute+ Dampening, Ext Rebound Adj & Compression Adj to Lock, 1.5 Taper Alloy Steerer, 15mm
Headset	FSA 2 (I/I), Orbit E1.5, Zero Stack, 1-1/8/1.5
Rims	WTB STP-I19 TCS, Disc, Double Wall, 29x36H, Tubeless Ready
Hub, Front	KT Alloy Disc w/CNC Rotor Flange, 15mm
Hub, Rear	KT Alloy disc w/CNC Rotor Flange, QR, Cassette
Tires	Maxxis Ikon 3C Maxx Speed, 120TPI Folding, Triple Compound, Tubeless Ready, 29X2.35
Spokes	14G Black w/Alloy Nipples, 36X36
Derailleur, Front	Shimano Deore FDM616
Derailleur, Rear	Shimano XT RDM786 Shadow Plus
Shifters	Shimano Deore SLM610 I-Spec
Chain	KMC X10 w/missing Link
Crankset	KHS 2pc Forged 200mm W/Outboard Bearing, 38/24, w/Alloy C/R's
BB	Outboard Bearing
Freewheel / Cassette	Shimano Deore CSHG50-10 11-36t, 10speed
Seatpost	Alloy Micro-Adjust 29.8X400
Saddle	WTB Volt Comp
Handlebar	Kore XCD 1 Riser, 720 x 15mm rise, 31.8
Stem	Alloy 3D Forged, 4-bolt, 7degree, 31.8
Grips	Q2 Lock-On
Brake Levers	Shimano New M506, Servo Wave
Brakes	Shimano M506 Hydraulic Disc, 160mm Rotors
Color	Matte Black
Frame Size	2XL, 3XL

DOWNHILL 650B

DH 650 TEAM



FEATURES

10 Speed

Shimano Saint Drivetrain

FOX Factory 40 Float Fork

FOX Factory DHX2 rear shock


NEW OR CHANGED FOR 2018

WTB KMO TCS Rims

DT Hubs

MSRP: \$6399-6699

PART #	MODEL	SIZE	COLOR
98-161-000	DH650 -300	S/15	Matte Black w/ team graphic
98-161-001	DH650 -300	M/15.5	Matte Black w/ team graphic
98-161-002	DH650 -300	L/16	Matte Black w/ team graphic



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	380 / 15	64°	74°	551 / 21.7	455 / 17.9	350 / 13.8	755 / 29.7	110 / 4.3	603 / 23.7	378 / 14.9
M/15.5	393 / 15.5	64°	74°	576 / 22.7	455 / 17.9	350 / 13.8	747 / 29.4	110 / 4.3	603 / 23.7	403 / 15.9
L/16	405 / 15.9	64°	74°	601 / 23.7	455 / 17.9	350 / 13.8	743 / 29.3	110 / 4.3	603 / 23.7	428 / 16.9

BIKE SPECS

Frame	KHS 650B FSS DH Frame w/ 8.3" travel, 1.5HT, 83mm BB, ISCG05 mount
Rear Shock	Fox DHX2 Factory, RVS, High & Low Speed Compression, High & Low Speed Rebound, Kashima Coat
Fork	Fox 40 Float Factory, 27.5, Fit RC2, Evol, Low & High Speed Compression, Rebound Adj, Kashima Coat, 20mm
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	WTB KOM TCS Disc, 27.5", 32H, Tubeless Ready
Hub, Front	DT 350mm Classic, 20mm x 110mm
Hub, Rear	DT 350mm Classic, 12 x 150mm
Tires	Maxxis Minion DHF, 650B x 2.5 Front, 2.4 DHR Rear, DH Casing
Spokes	Sapim, 14G DB, Black, Stainless Steel, 32x32
Derailleur, Rear	Shimano Saint
Shifters	Shimano Saint
Chain	Shimano CN-HG95, 10S
Crankset	Shimano Saint Hollowtech 2, 38T, w/Saint Chain Guide System, 165
BB	Shimano Saint
Freewheel / Cassette	Shimano CS-5700, 11-25T, 10-speed
Seatpost	Kind Shock Ether, 31.6x400mm
Saddle	WTB High Tail/KHS Team Graphics
Handlebar	Kore Torsion, 800mm x 50mm rise, 31.8
Stem	Kore Torsion Direct Mount, 50mm
Grips	ODI Ruffian Lock On
Brake Levers	Shimano Saint
Brakes	Shimano Saint, 203mm Rotors
Color	Team
Frame Size	S, M, L

DOWNHILL 650B

DH 650 PRO



FEATURES

10 Speed


Shimano Zee Drivetrain

NEW OR CHANGED FOR 2018

Fox 40 Float Performance Elite Fork
Fox Float X2 Air Rear Shock

MSRP: \$4999-5299

PART #	MODEL	SIZE	COLOR
98-160-000	DH650 -150	S/15	Matte Black w/ team graphic
98-160-001	DH650 -150	M/15.5	Matte Black w/ team graphic
98-160-002	DH650 -150	L/16	Matte Black w/ team graphic



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	380 / 15	64°	74°	551 / 21.7	455 / 17.9	350 / 13.8	755 / 29.7	110 / 4.3	603 / 23.7	378 / 14.9
M/15.5	393 / 15.5	64°	74°	576 / 22.7	455 / 17.9	350 / 13.8	747 / 29.4	110 / 4.3	603 / 23.7	403 / 15.9
L/16	405 / 15.9	64°	74°	601 / 23.7	455 / 17.9	350 / 13.8	743 / 29.3	110 / 4.3	603 / 23.7	428 / 16.9

BIKE SPECS

Frame	KHS 650B FSS DH Frame w/ 8.3" travel, 1.5HT, 83mm BB, ISCG05 mount
Rear Shock	Fox Float X2 Air, External Rebound & Compression adj
Fork	Fox 40 Float Performance Elite, 27.5, Fit 4, Evol, Low Speed Compression, Rebound Adj, 20mm
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	WTB STP-I29 TCS, Disc, Double Wall, 27.5x32H, Tubeless Ready
Hub, Front	Formula Disc, 20mm through axle
Hub, Rear	Formula Disc, 12mm through Axle
Tires	Maxxis Minion DHF, 650B x 2.5 Front, 2.4 DHR Rear, DH Casing
Spokes	Sapim, 14G DB, Black, Stainless Steel, 32x32
Derailleur, Rear	Shimano Zee
Shifters	Shimano Zee
Chain	Shimano CN-HG95, 10S
Crankset	Shimano ZEE, 38T, w/Saint Chain Guide System, 165
BB	Shimano Zee
Freewheel / Cassette	Shimano CS-5700, 11-25T, 10-speed
Seatpost	Kind Shock Ether, 31.6x400mm
Saddle	WTB High Tail/KHS Team Graphics
Handlebar	Kore OCD, 800mm x 35mm rise, 31.8
Stem	Kore Torsion Direct Mount, 50mm
Grips	Q2 Lock-on
Brake Levers	Shimano Zee
Brakes	Shimano ZEE, F: 200mm, R: 180mm Rotors w/metal fin brake pads
Color	Team
Frame Size	S, M, L

ENDURO 650B

SIXFIFTY 7500



FEATURES

11 Speed

Fox Float 36 Fork

SLX 1x11 Drivetrain w/ FSA Gamma Pro Crank


Boost

NEW OR CHANGED FOR 2018

Fox Float Fork & Rear shock
Formula Hubs
SLX Shifter & Rear derailleur
FSA Gamma Pro Cranks
Shimano MT500 Hydraulic Disc Brakes

MSRP: \$3499-3799

PART #	MODEL	SIZE	COLOR
98-159-000	SixFifty 7500	S/15	Matte Army Green
98-159-001	SixFifty 7500	M/16.5	Matte Army Green
98-159-002	SixFifty 7500	L/18	Matte Army Green
98-159-003	SixFifty 7500	XL/20	Matte Army Green



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	390 / 15.4	66.5°	75°	585 / 23	435 / 17.1	345 / 13.6	767 / 30.2	110 / 4.3	596 / 23.5	425 / 16.7
M/16.5	420 / 16.5	66.5°	75°	605 / 23.8	435 / 17.1	345 / 13.6	769 / 30.3	110 / 4.3	596 / 23.5	445 / 17.5
L/18	460 / 18.1	66.5°	75°	625 / 24.6	435 / 17.1	345 / 13.6	792 / 31.2	120 / 4.7	606 / 23.8	462 / 18.2
XL/20	500 / 19.7	66.5°	75°	645 / 25.4	435 / 17.1	345 / 13.6	820 / 32.3	130 / 5.1	615 / 24.2	480 / 18.9

BIKE SPECS

Frame	FSS 650B 160mm, Alloy 6061 w/Custom Formed Dbl.Butt'd TT & DT, 1.5 Taper, 12 x 148 Boost Rear Axle, w/Replaceable Derailleur Hanger,
Rear Shock	FOX Float DPS, Performance, 3-Pos, No. Evol w/LV Eyelet
Fork	FOX Float 36, 27.5 Evol Air, Performance, 170mm, Fit4 w/3-Pos. Lever., Ext Rebound Adj., 1-1/8~1.5 Taper, 15mm X 110 QR Boost
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	WTB STP-i25 TCS, Disc, Double Wall, 28H, Tubeless Ready
Hub, Front	Formula TD711 S/B Disc, 15X110mm Axle, Straight Pull, Boost
Hub, Rear	Formula TD-148S S/B Disc Cassette, 12 x 148mm, Straight Pull, Boost
Tires	Maxxis High Roller II, 27.5 X 2.4F/2.3R, 60 TPI Folding, 3C/EXO/TR, Tubeless Ready
Spokes	14/15G Double Butted Stainless, Black w/Alloy Nipples, 28X28
Derailleur, Rear	Shimano SLX RD-M7000
Shifters	Shimano SLX, SL-M7000, 11s, Trigger, Right Only, I-Spec II
Chain	KMC X11EL-1 w/Missing Link
Crankset	FSA Gamma Pro , 2 pc., 30T Megatooth, Boost , Mega EXO, S: 170, M-XL: 175
BB	FSA Mega EXO, Outboard Bearing
Freewheel / Cassette	Sun Race 11/46, 11-speed
Seatpost	Kind Shock LEV DX Integra w/Remote, Travel Adjust, Internal Routing
Saddle	WTB High Tail, CrMo Rail
Handlebar	Kore Durox 35mm, 780mm X 20mm
Stem	Kore Repute, 35mm, 50mm
Grips	Q2 Lock-on
Brake Levers	Shimano MT500, Servo Wave w/ I-Spec II
Brakes	Shimano MT500, Hydraulic Disc, Servo Wave, 180/160mm Wave 12 Rotors
Color	Matte Army Green
Frame Size	S, M, L, XL

TRAIL 650B

SIXFIFTY 6600+

New Model



FEATURES


11 Speed
MSD Carbon Frame
Fox Float 36 Fork
XT/SLX 1x11 Drivetrain w/ FSA Gamma Pro Crank

NEW MODEL FOR 2018

Fox Float Fork & Rear shock
WTB Scraper i35 Rims
Formula Hubs
Maxxis Rekon Plus Tires
XT Rear derailleur
SLX Shifter
FSA Gamma Pro Cranks
Shimano MT500 Hydraulic Disc Brakes

MSRP: \$3999-4299

PART #	MODEL	SIZE	COLOR
98-158-000	SixFifty 6600+	S/15.5	Bright Blue
98-158-001	SixFifty 6600+	M/17.5	Bright Blue
98-158-002	SixFifty 6600+	L/19	Bright Blue
98-158-003	SixFifty 6600+	XL/21	Bright Blue



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/l	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	400 / 15.7	66.5°	74°	580 / 22.8	457 / 18	345 / 13.6	0 / 0	100 / 3.9	610 / 24	405 / 15.9
M/17.5	445 / 17.5	66.5°	74°	600 / 23.6	457 / 18	345 / 13.6	0 / 0	110 / 4.3	619 / 24.4	423 / 16.7
L/19	480 / 18.9	66.5°	74°	620 / 24.4	457 / 18	345 / 13.6	0 / 0	120 / 4.7	628 / 24.7	440 / 17.3
XL/21	530 / 20.9	66.5°	74°	640 / 25.2	457 / 18	345 / 13.6	0 / 0	130 / 5.1	638 / 25.1	457 / 18

BIKE SPECS

Frame	MLS Full Carbon, 650B, 150mm, 1.5 Taper, 12 x 148 Boost Rear Axle, w/Replaceable Derailleur Hanger,
Rear Shock	FOX Float DPS, Performance, 3-Pos, Evol w/LV Eyelet
Fork	FOX Float 36, 29 Std/27.5+ Evol Air, Performance, 160mm, Grip 3-Pos Micro Adj., Ext Rebound Adj., 1-1/8~1.5 Taper, 15mm X 110 QR Boost
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	WTB Scraper i35 TCS Alloy Plus Disc, 27.5, Double Wall, 28H, Tubeless Ready
Hub, Front	Formula TD711 S/B Disc, 15X110mm Axle, Straight Pull, Boost
Hub, Rear	Formula TD-148S S/B Disc Cassette, 12 x 148mm, Straight Pull, Boost
Tires	Maxxis Rekon Plus 27.5 x 2.8, 120tpi, Folding, 3C/EXO/TR, Tubeless Ready
Spokes	14/15G Double Butted Stainless, Black w/Alloy Nipples, 28X28
Derailleur, Rear	Shimano XT RD-M8000
Shifters	Shimano SLX, SL-M7000, 11s, Trigger, Right Only, I-Spec II
Chain	KMC X11EL-1 w/Missing Link
Crankset	FSA Gamma Pro , 2 pc., 30T Megatooth, Boost , PF92, S: 170, M-XL: 175
BB	FSA PF92
Freewheel / Cassette	Sun Race 11-46T, 11-speed
Seatpost	Kind Shock E30i, Integra w/Remote, Travel Adj
Saddle	WTB High Tail, CrMo Rail
Handlebar	Kore Durox 35mm, 780mm X 20mm
Stem	Kore Cubix M35, Alloy 3D Forged, Threadless 4-bolt, S-L: 60mm, XL: 70mm
Grips	Q2 Lock-On
Brake Levers	Shimano MT500, Servo Wave w/ I-Spec II
Brakes	Shimano MT500, Hydraulic Disc, Servo Wave, 180/160mm Wave 12 Rotors
Color	Bright Blue
Frame Size	S, M, L, XL

TRAIL 650B

SIXFIFTY 6500+



FEATURES


11 Speed
6061 Alloy Frame
Manitou Mattoc Fork
KS E30i Integra Seatpost

NEW OR CHANGED FOR 2018

Manitou Mattoc Fork
Fox Float rear shock
WTB Scraper i35 Rims
Formula Hubs
Maxxis Rekon Plus Tires
XT Rear derailleur
SLX Shifter
FSA Gamma Pro Cranks
Shimano MT500 Hydraulic Disc Brakes

MSRP: \$2999-3299

PART #	MODEL	SIZE	COLOR
98-157-000	Sixfifty 6500+	S/15	Neon Yellow
98-157-001	Sixfifty 6500+	M/16.5	Neon Yellow
98-157-002	Sixfifty 6500+	L/18	Neon Yellow
98-157-003	Sixfifty 6500+	XL/20	Neon Yellow



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	G s.o.	H h/L	I h/L	K Stack	J Reach
S/15	380 / 15	67.5°	75°	585 / 23	438 / 17.2	333 / 13.1	742 / 29.2	110 / 4.3	600 / 23.6	424 / 16.7	
M/16.5	420 / 16.5	67.5°	75°	605 / 23.8	438 / 17.2	333 / 13.1	758 / 29.8	110 / 4.3	600 / 23.6	444 / 17.5	
L/18	460 / 18.1	67.5°	75°	625 / 24.6	438 / 17.2	333 / 13.1	782 / 30.8	120 / 4.7	610 / 24	462 / 18.2	
XL20	500 / 19.7	67.5°	75°	645 / 25.4	438 / 17.2	333 / 13.1	813 / 32	130 / 5.1	619 / 24.4	479 / 18.9	

BIKE SPECS

Frame	FSS 650B 140mm Plus, Alloy 6061 w/Custom Formed Dbl. Butted TT & DT, 1.5 Taper, 12 x 148 Boost Rear Axle, w/ Replaceable Derailleur Hanger
Rear Shock	FOX Float DPS, Performance, 3-Pos, w/LV Eyelet
Fork	Manitou Mattoc Comp, Air, 27.5+", 34mm, 140mm, 1.5 Taper, Durado Air, ABS+, Adj Compression to Lock, Ext. TPC Rebound Adj., 15QR Hexlock x 110mm Boost
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	WTB Scraper i35 TCS Alloy Plus Disc, 27.5, Double Wall, 28H, Tubeless Ready
Hub, Front	Formula TD711 S/B Disc, 15X110mm Axle, Straight Pull, Boost
Hub, Rear	Formula TD-148S S/B Disc Cassette, 12 x 148mm, Straight Pull, Boost
Tires	Maxxis Rekon Plus 27.5 x 2.8, 120tpi, Folding, 3C/EXO/TR, Tubeless Ready
Spokes	14/15G Double Butted Stainless, Black w/Alloy Nipples, 28X28
Derailleur, Rear	Shimano XT RD-M8000
Shifters	Shimano SLX, SL-M7000, 11s, Trigger, Right Only, I-Spec II
Chain	KMC X11EL-1 w/Missing Link
Crankset	FSA Gamma Pro , 2 pc., 30T Megatooth, Boost , Mega EXO, S: 170, M-XL: 175
BB	FSA Mega EXO, Outboard Bearing
Freewheel / Cassette	Sun Race 11-46T, 11-speed
Seatpost	Kind Shock E30i, Integra w/Remote, Travel Adj
Saddle	WTB Volt Sport
Handlebar	Kore Durox 35mm, 780mm X 20mm
Stem	Kore Cubix 3D Forged, 35mm, S-L: 60mm, XL: 70mm
Grips	Q2 Lock-on
Brake Levers	Shimano MT500, Servo Wave w/ I-Spec II
Brakes	Shimano MT500, Hydraulic Disc, Servo Wave, 180/160mm Wave 12 Rotors
Color	Neon Yellow
Frame Size	S, M, L, XL

TRAIL 650B

SIXFIFTY 3500



FEATURES


11 Speed
6061 Alloy Frame
SLX 1x11 rear derailleur & shifter
Tubeless ready

NEW OR CHANGED FOR 2018

RST First Air Fork
WTB STP-i23 Rims
SLX Shifter & Rear derailleur
1x Alloy Cranks
Sun Race 11-46 cassette
Shimano M396 Hydraulic Disc Brakes

MSRP: \$1999-2199

PART #	MODEL	SIZE	COLOR
98-156-000	SixFifty 3500	S/15.5	Matte Gray
98-156-001	SixFifty 3500	M/17	Matte Gray
98-156-002	SixFifty 3500	L/19	Matte Gray
98-156-003	SixFifty 3500	XL/20.5	Matte Gray



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	68.5"	73°	554 / 21.8	430 / 16.9	330 / 13	725 / 28.5	110 / 4.3	587 / 23.1	390 / 15.4
M/17	432 / 17	68.5"	73°	580 / 22.8	430 / 16.9	330 / 13	741 / 29.2	120 / 4.7	597 / 23.5	413 / 16.3
L/19	483 / 19	68.5"	73°	607 / 23.9	430 / 16.9	330 / 13	773 / 30.4	130 / 5.1	606 / 23.9	435 / 17.1
XL/20.5	521 / 20.5	68.5"	73°	633 / 24.9	430 / 16.9	330 / 13	789 / 31.1	140 / 5.5	615 / 24.2	457 / 18

BIKE SPECS

Frame	650B 120mm, Alloy 6061 w/Custom Formed Dbl.Butt'd TT & DT, 1.5 Taper, 12 x 142 Rear Axle , w/Replaceable Derailleur Hanger
Rear Shock	X-Fusion Q2 Pro RL, Air, Ext Rebound, Lockout
Fork	RST First 27.5 Air, 120mm, Alloy Steerer, Magnesium Lowers, Hydraulic Damp, External rebound, Lockout, 1.5 Taper, 15Q
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	WTB STP-i23 TCS, Disc, Double Wall, 28H, Tubeless Ready
Hub, Front	Light Weight S/B Alloy Disc, 15mm, Straight Pull
Hub, Rear	Light Weight S/B Alloy Disc, Cassette, 12 x 142mm, Straight Pull
Tires	Maxxis Ardent 27.5 x 2.25, 60 TPI Folding, Tubeless Ready
Spokes	14G Black w/Alloy Nipples, 28X28
Derailleur, Rear	Shimano SLX RD-M7000
Shifters	Shimano SLX, SL-M7000, 11s, Trigger, Right Only
Chain	KMC X11-1 w/Missing Link
Crankset	Samox 2pc Forged w/Outboard Bearing, Narrow Wide 32T C/R
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Sun Race 11-46T, 11-speed
Seatpost	Alloy micro-adjust, 30.9X350mm
Saddle	WTB Volt Sport
Handlebar	Kore XCD 1 Riser, 760 x 18mm, 31.8
Stem	Kore XCD, Alloy 3D Forged, Threadless 4-bolt, 31.8
Grips	Q2 Lock-on
Brake Levers	Shimano M396
Brakes	Shimano M396 Hydraulic Disc, 160/160mm Rotors Wave 12
Color	Matte Gray
Frame Size	S, M, L, XL

XC SPORT 650B


SIXFIFTY 680+



FEATURES

11 Speed
Manitou Magnum Comp Boost Fork
Sun Mulefut 50 Tubeless Ready Wheelset
KS E10 Integra Seatpost
MSRP: \$1999-2199

PART #	MODEL	SIZE	COLOR
98-155-000	SixFifty 680+	S/15	White
98-155-001	SixFifty 680+	M/17	White
98-155-002	SixFifty 680+	L/19	White



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	67°	73°	555 / 21.9	430 / 16.9	287 / 11.3	754 / 29.7	100 / 3.9	616 / 24.3	367 / 14.4
M/17	432 / 17	67°	73°	585 / 23	430 / 16.9	287 / 11.3	782 / 30.8	115 / 4.5	630 / 24.8	392 / 15.4
L/19	483 / 19	67°	73°	615 / 24.2	430 / 16.9	287 / 11.3	808 / 31.8	125 / 4.9	640 / 25.2	418 / 16.5

BIKE SPECS

Frame	650B Alloy 6061 Double Butted Custom Formed TT & DT w/ Replaceable Derailleur Hanger, 1.5 Taper, 12 x 148 Boost
Fork	Manitou Magnum Comp, Air, 650B, 34mm, 120mm, 1.5 Taper, ISO Air, ABS+ Adj Compression to Lock, Ext. TPC Rebound Adj., 15QR Hexlock x 110mm Boost
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8" ~1.5
Rims	Sun Mulefut 50, 650B, 32H, Tubeless Ready
Hub, Front	S/B Alloy disc w/CNC Rotor Flange, 15mm x 110mm Boost
Hub, Rear	S/B Alloy Disc XD w/CNC Rotor Flange, 12 x 148mm
Tires	Maxxis Chronicle 27.5 x 3.0, 120tpi, Folding, EXO, Tubeless Ready
Spokes	14G Black w/Alloy Nipples, 32X32
Derailleur, Rear	Sram GX 1, 11s X-Horizon, Type 2
Shifters	Sram GX 1, 11s Trigger, Right Only
Chain	SRAM PC-1130
Crankset	SRAM GX 1000 Boost 148, X-Sync, 2 pc., GXP, 30T S: 170, M-L: 175
BB	Sram GXP Outboard Bearing
Freewheel / Cassette	Sram XG-1150, 10-42T, 11-speed
Pedals	Wellgo Alloy ATB 1 pc. w/CNC
Seatpost	Kind Shock E10I, Integra w/Remote, Travel Adj, 31.6 x 420mm
Saddle	WTB Volt Sport
Handlebar	Double Butted Alloy, 35mm, 720X15mm, Butted
Stem	35mm Alloy 3D Forged, 4-bolt, 0-Degree S: 35mm, M: 45mm, L-XL: 55mm
Grips	Q2 Lock-on
Brake Levers	Shimano BR-M396
Brakes	Shimano BR-M396, Hydraulic Disc, 180/160mm Rotors
Color	White
Frame Size	S, M, L

XC SPORT 650B

SIXFIFTY 600+



FEATURES

11 Speed

6061 Alloy Frame

SLX 1x11 rear derailleur & shifter

Boost

NEW OR CHANGED FOR 2018

WTB Scraper i35 Rims

SLX Shifter & Rear derailleur


1x Alloy Cranks

Sun Race 11-46 cassette

Shimano M396 Hydraulic Disc Brakes

MSRP: \$1199-1299

PART #	MODEL	SIZE	COLOR
98-154-001	SixFifty 600+	S/15	Matte Dark Gray
98-154-002	SixFifty 600+	M/17	Matte Dark Gray
98-154-003	SixFifty 600+	L/19	Matte Dark Gray
98-154-004	SixFifty 600+	XL/21	Matte Dark Gray
98-154-005	SixFifty 600+ Ladies	S/15	White



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
S/15	381 / 15	67.5°	73°	591 / 23.3	430 / 16.9	307 / 12.1	701 / 27.6	90 / 3.5	608 / 23.9	405 / 16
M/17	432 / 17	67.5°	73°	612 / 24.1	430 / 16.9	307 / 12.1	731 / 28.8	100 / 3.9	617 / 24.3	423 / 16.6
L/19	483 / 19	67.5°	73°	635 / 25	430 / 16.9	307 / 12.1	763 / 30	115 / 4.5	631 / 24.8	442 / 17.4
XL/21	533 / 21	67.5°	73°	659 / 25.9	430 / 16.9	307 / 12.1	795 / 31.3	130 / 5.1	645 / 25.4	462 / 18.2

BIKE SPECS

Frame	650B Plus, Alloy 6061 Double Butted Custom Formed TT & DT w/Replaceable Derailleur Hanger, 1.5 Taper, Frame Will Accept 29X2.1, Boost
Fork	SR Raidon 32-LOR, 27.5 Plus, 100mm Air, Hydraulic Speed Lock-Out w/Ext. Rebound Damping Adj., 1-1/8~ 1.5 Alloy Taper, 15Q x 110 Boost
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	WTB Scraper i35 TCS Alloy Plus Disc, 27.5, Double Wall, 32H, Tubeless Ready
Hub, Front	Formula DC-511 Alloy Disc w/CNC Rotor Flange, 15mm x 110mm, Boost
Hub, Rear	Formula DC2241, Alloy Disc w/CNC Rotor Flange, QR, Cassette, Boost, 10 x 141mm
Tires	Maxxis Rekon Plus, 27.5 x 2.8, 60 TPI, EXO/TR, Foldable, Tubeless Ready
Spokes	14G Stainless Black w/Alloy Nipples, 32X32
Derailleur, Rear	Shimano SLX RD-M7000
Shifters	Shimano SLX, SL-M7000, 11s, Trigger, Right Only
Chain	KMC X11EL-1 w/Missing Link
Crankset	Samox 2pc Forged w/Outboard Bearing, Narrow Wide 30T C/R, Boost, XS-S: 170, M-L: 175, Ladies: 170
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Sunrace 11-46T, 11-speed
Seatpost	KHS Alloy Micro-adjust, 31.6X350mm
Saddle	WTB Volt Sport, Ladies: KHS Ladies Design
Handlebar	Alloy Riser, 31.8, Butted 720X12mm, Ladies: 680x12mm
Stem	Alloy 3D Forged, 4-bolt, 6 degree, 31.8, XS-S: 60, M: 70mm, L: 80mm, Ladies: 60mm
Grips	Q2 Lock-on
Brake Levers	Shimano M396
Brakes	Shimano M396 Hydraulic Disc, 180/160mm Rotors Wave 12
Color	Matte Dark Gray, Ladies: White
Frame Size	S, M, L, XL, Ladies: S

XC SPORT 650B

SIXFIFTY 500+



FEATURES

10 Speed

Deore 1x10 rear derailleur & shifter

Available in Mens & Ladies models

Boost

NEW OR CHANGED FOR 2018

SR XCM 32-HLO Fork

Deore Shifter & Rear derailleur


1x Ally Cranks

Shimano CS-HG500 11-42 cassette

Bangal Ares 3 Hydraulic Disc Brakes

MSRP: \$899-979

PART #	MODEL	SIZE	COLOR
98-153-000	SixFifty 500+	S/15	Matte Black
98-153-001	SixFifty 500+	M/17	Matte Black
98-153-002	SixFifty 500+	L/19	Matte Black
98-153-003	SixFifty 500+	XL/21	Matte Black
98-153-004	SixFifty 500+ Ladies	S/15L	Matte Neon Pink



GEOMETRY


SIZE	A s/t c-t	B h/t"	C s/t"	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	67.5°	73°	591 / 23.3	430 / 16.9	307 / 12.1	701 / 27.6	90 / 3.5	608 / 23.9	405 / 16
M/17	432 / 17	67.5°	73°	612 / 24.1	430 / 16.9	307 / 12.1	731 / 28.8	100 / 3.9	617 / 24.3	423 / 16.6
L/19	483 / 19	67.5°	73°	635 / 25	430 / 16.9	307 / 12.1	763 / 30	115 / 4.5	631 / 24.8	442 / 17.4
XL/21	533 / 21	67.5°	73°	659 / 25.9	430 / 16.9	307 / 12.1	795 / 31.3	130 / 5.1	645 / 25.4	462 / 18.2

BIKE SPECS

Frame	650B Plus, Alloy 6061 Double Butted Custom Formed TT & DT w/Replaceable Derailleur Hanger, 1.5 Taper, Frame Will Accept 29X2.1, Boost
Fork	SR XCM 32-HLO, 100mm, 1.5 Taper, Hydraulic Lockout, Preload Adj, 15mm x 110 QR, Boost
Headset	Threadless 1 1/8"~1.5, Zero Stack
Rims	Alloy Plus Disc, 27.5, Double Wall, 32H
Hub, Front	Alloy Disc w/CNC Rotor Flange, 15mm x 110mm, Boost
Hub, Rear	Alloy Disc w/CNC Rotor Flange, QR, Cassette, Boost, 10 x 141mm
Tires	Plus Knobby, 27.5 x 2.8, 60 TPI
Spokes	14G Stainless Black, 32X32
Derailleur, Rear	Shimano Deore RD-M6000
Shifters	Shimano Deore SL-M6000
Chain	KMC X10 w/Missing Link
Crankset	Samox 2Pc Forged, 28T, Boost, XS-S: 170, M-XL: 175
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG500-10 11-42T, 10-speed
Seatpost	KHS Alloy Micro-adjust, 31.6X350mm
Saddle	KHS Sport Dual Density, Ladies: KHS Ladies Design
Handlebar	Alloy Riser, Butted 31.8, 700X20mm, Ladies: 680mm
Stem	Alloy 3D Forged, Threadless 4-bolt, 7-degree, 31.8, S: 60mm, M: 70mm, L: 80mm, XL: 90mm, Ladies: XS-S: 60mm
Grips	KHS Sport, Dual Compound
Brake Levers	Bengal Ares3
Brakes	Bengal Ares 3 Hydraulic Disc, 180/160mm Rotors Wave 12
Color	Matte Black, Ladies: Matte Neon Pink
Frame Size	S, M, L, XL, Ladies: S

XC SPORT 650B

SIXFIFTY 300



FEATURES

24 Speed

6061 Alloy Frame

Shimano Drivetrain

Available in Mens & Ladies models

NEW OR CHANGED FOR 2018

SR XCT DS HLO Fork w/ Hydraulic Lock Out

MSRP: \$529-579


PART #	MODEL	SIZE	COLOR
98-152-900	SixFifty 300	XS/13	Matte Black
98-152-905	SixFifty 300	S/15	Matte Black
98-152-910	SixFifty 300	S/15	Silver
98-152-915	SixFifty 300	M/17	Matte Black
98-152-920	SixFifty 300	M/17	Silver
98-152-925	SixFifty 300	L/19	Matte Black
98-152-930	SixFifty 300	L/19	Silver
98-152-935	SixFifty 300	XL/21	Matte Black
98-152-940	SixFifty 300	XL/21	Silver
98-152-945	SixFifty 300 Ladies	XS/13L	Matte Black
98-152-950	SixFifty 300 Ladies	S/15L	Matte Black
98-152-955	SixFifty 300 Ladies	S/15L	Gloss Teal
98-152-960	SixFifty 300 Ladies	M/17L	Matte Black

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/13	330 / 13	71°	73°	550 / 21.7	430 / 16.9	297 / 11.7	737 / 29	110 / 4.3	620 / 24.4	360 / 14.2
S/15	381 / 15	71°	73°	555 / 21.9	430 / 16.9	297 / 11.7	764 / 30.1	110 / 4.3	620 / 24.4	366 / 14.4
M/17	432 / 17	71°	73°	585 / 23	430 / 16.9	297 / 11.7	786 / 30.9	110 / 4.3	621 / 24.4	395 / 15.6
L/19	483 / 19	71°	73°	615 / 24.2	430 / 16.9	297 / 11.7	807 / 31.8	110 / 4.3	621 / 24.4	425 / 16.7
XL/21	533 / 21	71°	73°	640 / 25.2	430 / 16.9	297 / 11.7	837 / 33	125 / 4.9	633 / 24.9	447 / 17.6

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT & DT, w/Replaceable Derailleur Hanger
Fork	SR XCT DS HLO, 100mm, 1-1/8, Preload Adj, Hydraulic Lock Out
Headset	Threadless 1-1/8, Zero Stack
Rims	Alloy Disc, Double wall, 650Bx32H
Hub, Front	Alloy Disc w/CNC Rotor Flange, QR
Hub, Rear	Alloy Disc w/CNC Rotor Flange, QR, Cassette
Tires	650Bx2.1
Spokes	14G Black, 32X32
Derailleur, Front	Shimano, FD-TY700, 34.9, Dual Pull
Derailleur, Rear	Shimano Acera, RD-M360
Shifters	Shimano SL-M310
Chain	KMC Z7
Crankset	Shimano FC-TY301, 42/34/24T, S-M: 170, L-XL: 175, Ladies: XS-M: 170
BB	Cartridge Bearing
Freewheel / Cassette	HG50-8, 12-32, 8-speed
Pedals	Wellgo Resin Platform w/DU Bearings
Seatpost	KHS Alloy Micro-adjust, 31.6X350mm
Saddle	KHS Sport
Handlebar	Alloy Riser, 31.8, 700X20mm, Ladies: 660mm
Stem	Alloy 3D Forged, Threadless 4-bolt, 7-degree, 31.8, XS: 60mm, S-M: 75mm, L-XL: 90mm, Ladies: 60mm, S-M: 75mm
Grips	KHS Sport
Brake Levers	Bengal Ares 3
Brakes	Bengal Ares 3 Hydraulic, 160mm Rotors Wave 12
Color	Matte Black, Silver, Ladies: Gloss Teal, Matte Black
Frame Size	XS, S, M, L, XL (XS Black Only), Ladies: XS, S, M (XS & M Black Only)



35

All specs are subject to change without notice.



XC SPORT 650B

SIXFIFTY 200



FEATURES

21 Speed

Shimano Drivetrain

Double wall Rims

Available in Mens & Ladies models

MSRP: \$449-489


PART #	MODEL	SIZE	COLOR
98-151-900	SixFifty 200	XS/13	Gloss Black
98-151-905	SixFifty 200	S/15	Gloss Black
98-151-910	SixFifty 200	S/15	Matte Red
98-151-915	SixFifty 200	M/17	Gloss Black
98-151-920	SixFifty 200	M/17	Matte Red
98-151-925	SixFifty 200	L/19	Gloss Black
98-151-930	SixFifty 200	L/19	Matte Red
98-151-935	SixFifty 200	XL/21	Gloss Black
98-151-940	SixFifty 200	XL/21	Matte Red
98-151-945	SixFifty 200 Ladies	XS/13L	Gloss Black
98-151-950	SixFifty 200 Ladies	XS/13L	Matte Silver
98-151-955	SixFifty 200 Ladies	S/15L	Gloss Black
98-151-960	SixFifty 200 Ladies	S/15L	Matte Silver
98-151-965	SixFifty 200 Ladies	M/17L	Gloss Black

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D U/effectv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
XS/13	330 / 13	71°	73°	550 / 21.7	430 / 16.9	297 / 11.7	737 / 29	110 / 4.3	620 / 24.4	360 / 14.2
S/15	381 / 15	71°	73°	555 / 21.9	430 / 16.9	297 / 11.7	764 / 30.1	110 / 4.3	620 / 24.4	366 / 14.4
M/17	432 / 17	71°	73°	585 / 23	430 / 16.9	297 / 11.7	786 / 30.9	110 / 4.3	621 / 24.4	395 / 15.6
L/19	483 / 19	71°	73°	615 / 24.2	430 / 16.9	297 / 11.7	807 / 31.8	110 / 4.3	621 / 24.4	425 / 16.7
XL/21	533 / 21	71°	73°	640 / 25.2	430 / 16.9	297 / 11.7	837 / 33	125 / 4.9	633 / 24.9	447 / 17.6

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT & DT, w/Replaceable Derailleur Hanger
Fork	Zoom 565D, 100mm
Headset	Threadless 1-1/8, Zero Stack
Rims	Alloy Disc, Double wall, 650Bx32H
Hub, Front	Alloy Disc w/CNC Rotor Flange, QR
Hub, Rear	Alloy Disc w/CNC Rotor Flange, QR, Cassette
Tires	650Bx2.1
Spokes	14G Black, 32X32
Derailleur, Front	Shimano FD-TY300D, 34.9, Top Pull
Derailleur, Rear	Shimano RD-TY300D
Shifters	Shimano ST-EF500
Chain	KMC Z7
Crankset	Shimano FC-TY301, 42/34/24T, Men's: XS-M: 170, L-XL: 175, Ladies: XS-M: 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG20-7 12-32T, 7-speed
Pedals	Wellgo Resin Platform w/DU Bearings
Seatpost	KHS Alloy Micro-adjust, 31.6X350mm
Saddle	KHS Sport
Handlebar	Alloy Riser, 31.8, 700X20mm, Ladies: 660mm
Stem	Alloy 3D Forged, Threadless 4-bolt, 7-degree, 31.8, Men's: XS: 60mm, S-M: 75mm, L-XL: 90mm, Ladies: XS: 60mm, S-M: 75mm
Grips	Soft Kraton
Brake Levers	Shimano ST-EF500
Brakes	Bengal Cable Disc MB606, 160mm Rotors Wave 12 w/ABS System
Color	Black, Matte Red, Ladies: Black, Matte Silver
Frame Size	XS, S, M, L, XL (XS Black Only), Ladies: XS, S, M (M Black Only)



4 SEASON

5000



FEATURES

11 Speed
MSD Carbon Frame
Optional Wren WSF Fork
XT 1x11 drivetrain w/ FSA Comet crank

NEW OR CHANGED FOR 2018

New Frame
Optional Wren WSF Suspension Fork
Maxxis Colossus 26x4.8 Tires
XT Shifter & rear derailleur
XT cassette
Kore 35mm Handlebar & Stem
Shimano MT500 Hydraulic Disc Brakes

MSRP: Wren: \$3499-3799
Regular: \$2999-3299


PART #	MODEL	SIZE	COLOR
98-179-000	4 Season 5000	S/15.5	Matte Black
98-179-001	4 Season 5000 (Wren Fork)	S/15.5	Matte Black
98-179-002	4 Season 5000	M/17.5	Matte Black
98-179-003	4 Season 5000 (Wren Fork)	M/17.5	Matte Black
98-179-004	4 Season 5000	L/19	Matte Black
98-179-005	4 Season 5000 (Wren Fork)	L/19	Matte Black

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	70°	73°	585 / 23.0	460 / 18.1	322 / 12.7	768 / 30.2	110 / 4.3	588 / 23.1	405 / 15.9
M/17.5	440 / 17.3	70.5°	73°	600 / 23.6	460 / 18.1	322 / 12.7	784 / 30.8	120 / 4.7	599 / 23.6	417 / 16.4
L/19	483 / 19	70.5°	73°	615 / 24.2	460 / 18.1	322 / 12.7	816 / 32.1	135 / 5.3	613 / 24.1	428 / 16.9

BIKE SPECS

Frame	KHS High Modulus MSD Full Carbon w/1.5 Taper Headtube, Internal Cable Routing
Fork	High Modulus Full Carbon Straight Blade, w/1.5 Taper 15Q, or Wren WSF Inverted Suspension 110mm, Air
Headset	FSA Orbit C40-ACB, N.42/CF/ACB, 1-1/8" ~ 1.5" Integrated, Carbon Cap
Rims	Alloy, 80mm w/Rectangular Holes, 26x32H
Hub, Front	Alloy Disc, Full CNC, S/B, 15mm Thru-Axle, 150mm
Hub, Rear	Alloy Disc, Full CNC, S/B, Cassette, 12x197 Through-Axle
Tires	Maxxis Colossus, 26X4.8, 120 TPI, Folding
Spokes	14G Black Stainless, 32X32, W/Alloy Nipples
Derailleur, Rear	Shimano XT RD-M8000
Shifters	Shimano XT, SL-M8000, 11s, Trigger, Right Only, I-Spec II
Chain	KMC X11EI-1 W/Missing Link
Crankset	FSA Comet Fat Bike, Forged, Mega EXO, 28T, S: 170, M-L: 175
BB	FSA Mega EXO
Freewheel / Cassette	Shimano XT CS-M8000, 11/46T- 11-speed
Seatpost	Q2 Carbon, 31.6x350mm
Saddle	WTB Volt Comp
Handlebar	Kore Durox 35mm Riser, 20mm x 760mm
Stem	Kore Cubix M35, Alloy 3D Forged, Threadless 4-bolt, S-M: 80mm, L: 90mm
Grips	Q2 Lock-on
Brake Levers	Shimano MT500, Servo Wave w/ I-Spec II
Brakes	Shimano MT500, Hydraulic Disc, Servo Wave, 180/160mm Wave 12 Rotors
Color	Matte Black
Frame Size	S, M, L



4 SEASON

3000



FEATURES

- 11 Speed
- 6061 Alloy Frame
- Optional Wren WSF Fork
- XT rear derailleur w/ SLX Shifter

NEW OR CHANGED FOR 2018

- Optional Wren WSF Suspension Fork
- Maxxis Colossus 26x4.8 Tires
- XT Rear derailleur
- SLX Shifter
- Sun Race 11-46 cassette
- Shimano MT500 Hydraulic Disc Brakes

MSRP: Wren: \$2199-2399
Regular: \$1699-1799


PART #	MODEL	SIZE	COLOR
98-178-000	4 Season 3000	S/15	Copper
98-178-001	4 Season 3000 (Wren Fork)	S/15	Copper
98-178-002	4 Season 3000	M/17	Copper
98-178-003	4 Season 3000 (Wren Fork)	M/17	Copper
98-178-004	4 Season 3000	L/19	Copper
98-178-005	4 Season 3000 (Wren Fork)	L/19	Copper
98-178-006	4 Season 3000	XL/21	Copper
98-178-007	4 Season 3000 (Wren Fork)	XL/21	Copper

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
S/15	381 / 15	68.5°	73°	583 / 23	450 / 17.7	310 / 12.2	688 / 27.1	115 / 4.5	597 / 23.5	401 / 15.8
M/17	432 / 17	68°	73°	602 / 23.7	450 / 17.7	310 / 12.2	725 / 28.5	135 / 5.3	617 / 24.3	414 / 16.3
L/19	483 / 19	68.5°	73°	622 / 24.5	450 / 17.7	310 / 12.2	762 / 30	155 / 6.1	635 / 25	428 / 16.9
XL/21	533 / 21	68.5°	73°	640 / 25.2	450 / 17.7	310 / 12.2	800 / 31.5	175 / 6.9	654 / 25.8	440 / 17.3

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT, w/Replaceable Derailleur Hanger, 12X197, 1.5 Taper H/T
Fork	High Modulus Full Carbon Straight Blade, w/1.5 Taper 15Q, or Wren WSF Inverted Suspension 110mm, Air
Headset	FSA Orbit 1.5E ZS, 1-1/8"~1.5", Alloy Cap
Rims	Alloy, 80mm w/Rectangular Holes, 26x32H
Hub, Front	KT Alloy Disc, Forged, S/B, 15mm Thru-Axle 15X150
Hub, Rear	Alloy Disc, Forged, S/B, Cassette, 12x197 Thru-Axle
Tires	Maxxis Colossus, 26X4.8, 120 TPI, Folding
Spokes	14G Black Stainless, 32X32, W/Alloy Nipples
Derailleur, Rear	Shimano XT RD-M8000
Shifters	Shimano SLX, SL-M7000, 11s, Trigger, Right Only, I-Spec II
Chain	KMC X11EI-1 W/Missing Link
Crankset	KHS 2pc Forged w/Outboard Bearing, 28T Narrow~Wide C/R, S: 170, M-XL: 175
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Sun Race 11/46-11-speed
Seatpost	KHS Alloy Micro-adjust, 30.4X350mm
Saddle	WTB Volt Comp
Handlebar	35mm Double Butted Alloy, 15mm x 760mm
Stem	35mm Alloy 3D Forged, Threadless 4-bolt, S-M: 80mm, L: 90mm, XL: 100mm
Grips	Q2 Lock-on
Brake Levers	Shimano MT500, Servo Wave w/ I-Spec II
Brakes	Shimano MT500, Hydraulic Disc, Servo Wave, 180/160mm Wave 12 Rotors
Color	Copper
Frame Size	S, M, L, XL



38

All specs are subject to change without notice.



4 SEASON

1000



FEATURES

11 Speed

Optional Wren WSF Fork

SLX rear derailleur & shifter

Shimano Hydraulic Disc brakes

NEW OR CHANGED FOR 2018

Alloy Fork w/ 15mm Thru-Axle

CST Roly Poly 26x4.8 Tires

SLX Shifter & Rear derailleur

Sun Race 11-46 cassette

Shimano MT500 Hydraulic Disc Brakes

MSRP: Wren: \$1699-1799

Regular: \$1199-1299


PART #	MODEL	SIZE	COLOR
98-177-000	4 Season 1000	S/15	Matte Gray
98-177-001	4 Season 1000	M/17	Matte Gray
98-177-002	4 Season 1000	L/19	Matte Gray
98-177-003	4 Season 1000	XL/21	Matte Gray
98-177-004	4 Season 1000 (Wren Fork)	S/15	Matte Gray
98-177-005	4 Season 1000 (Wren Fork)	M/17	Matte Gray
98-177-006	4 Season 1000 (Wren Fork)	L/19	Matte Gray
98-177-007	4 Season 1000 (Wren Fork)	XL/21	Matte Gray

GEOMETRY

SIZE	A s/t c-t	B h/t"	C s/t"	D t/effectv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
S/15	381 / 15	68.5°	73°	583 / 23	450 / 17.7	310 / 12.2	688 / 27.1	115 / 4.5	597 / 23.5	401 / 15.8
M/17	432 / 17	68°	73°	602 / 23.7	450 / 17.7	310 / 12.2	725 / 28.5	135 / 5.3	617 / 24.3	414 / 16.3
L/19	483 / 19	68.5°	73°	622 / 24.5	450 / 17.7	310 / 12.2	762 / 30	155 / 6.1	635 / 25	428 / 16.9
XL/21	533 / 21	68.5°	73°	640 / 25.2	450 / 17.7	310 / 12.2	800 / 31.5	175 / 6.9	654 / 25.8	440 / 17.3

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT, Tapered H/T, Replaceable Derailleur Hanger 10X190mm
Fork	Alloy Straight Blade, 15mm Thru-Axle 150 or Wren WSF Inverted Suspension 110mm, Air
Headset	Threadless 1-1/8~1.5 Tapered, Zero Stack
Rims	Alloy 80mm w/Rectangular holes
Hub, Front	Alloy Disc, 15mm Thru-Axle, 15X150
Hub, Rear	Alloy Disc, Cassette, QR, 190mm x 10
Tires	CST 26X4.8 Roly Poly, 120TPI Folding
Spokes	14G Black Stainless, 32X32
Derailleur, Rear	Shimano SLX RD-M7000
Shifters	Shimano SLX SL-M7000, I-Spec II
Chain	KMC X11 w/missing Link
Crankset	Samox 2pc Forged w/Outboard Bearing, 28T, Narrow Wide, S: 170, M-XL: 175
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Sun Race 11/46T, 11-speed
Seatpost	KHS Alloy Micro-adjust, 31.6X350mm
Saddle	KHS Sport Dual Density
Handlebar	Alloy 35mm Riser, 740mm
Stem	Alloy 35mm 3D Forged, Threadless 4-bolt, S-L: 70mm, XL: 80mm
Grips	Q2 Lock-on
Brake Levers	Shimano BL-MT500, Servo Wave, I-Spec II
Brakes	Shimano BR-MT500 Hydraulic Disc, 180/160mm Rotors, Wave 12
Color	Matte Gray
Frame Size	S, M, L, XL



4 SEASON

500



FEATURES

10 Speed

6061 Alloy frame

Alloy Fork

Deore rear derailleur & shifter

NEW OR CHANGED FOR 2018

New Frame Design

Alloy Fork w/ 15mm Thru-Axle

Deore Shifter & Rear derailleur

1x Alloy Cranks


Outboard BB

Shimano HG500-10 11-42 cassette

Shimano BR-M315 Hydraulic Disc Brakes

MSRP: \$999-1099

PART #	MODEL	SIZE	COLOR
98-176-000	4 Season 500	S/15	Matte Black
98-176-001	4 Season 500	M/17	Matte Black
98-176-002	4 Season 500	L/19	Matte Black
98-176-003	4 Season 500	XL/21	Matte Black



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	68.5°	73°	583 / 23	450 / 17.7	310 / 12.2	688 / 27.1	115 / 4.5	597 / 23.5	401 / 15.8
M/17	432 / 17	68°	73°	602 / 23.7	450 / 17.7	310 / 12.2	725 / 28.5	135 / 5.3	617 / 24.3	414 / 16.3
L/19	483 / 19	68.5°	73°	622 / 24.5	450 / 17.7	310 / 12.2	762 / 30	155 / 6.1	635 / 25	428 / 16.9
XL/21	533 / 21	68.5°	73°	640 / 25.2	450 / 17.7	310 / 12.2	800 / 31.5	175 / 6.9	654 / 25.8	440 / 17.3

BIKE SPECS

Frame	New Design Alloy 6061 w/Custom Formed TT, Replaceable Derailleur Hanger
Fork	Alloy Straight Blade, 15mm QR Axle
Headset	Threadless 1-1/8, Zero Stack
Rims	Alloy 80mm w/Rectangular holes
Hub, Front	Alloy Disc, 15mm Thru-Axle, 15X150
Hub, Rear	Alloy Disc, Cassette, QR, 190mm
Tires	Knobby 26x4.0, 60tpi New Tread
Spokes	14G Black, 32X32
Derailleur, Rear	Shimano Deore RD-M6000
Shifters	Shimano Deore SL-M6000 Trigger
Chain	KMC X10 W/Missing Link
Crankset	Samox 2pc Forged w/Outboard Bearing, 28T, S: 170, M-XL: 175
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Shimano HG500-10, 11/42T, 10-speed
Pedals	Alloy Platform
Seatpost	KHS Alloy Micro-adjust, 31.6X350mm
Saddle	KHS Sport
Handlebar	Alloy 35mm Riser, 740mm
Stem	Alloy 35mm 3D Forged, Threadless 4-bolt, S-L: 70mm, XL: 80mm
Grips	Q2 Lock-On
Brake Levers	Shimano BL-M315
Brakes	Shimano BR-M315, Hydraulic Disc, 180/160mm Rotors Wave 12
Color	Matte Black
Frame Size	S, M, L, XL

4 SEASON

300 SF




FEATURES

24 Speed
6061 Alloy Frame
Shimano drivetrain
24" Rims= 650B outer diameter
MSRP: \$699-769

PART # MODEL SIZE COLOR

98-175-000	4 Season 300sf	S/15	Neon Yellow
------------	----------------	------	-------------



GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/l*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	71°	64.95°	555 / 21.9	450 / 17.7	292 / 11.5	691 / 27.2	110 / 4.3	593 / 23.3	374 / 14.7

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT, Replaceable Derailleur Hanger
Fork	Full CrMo Straight Blade
Headset	Threadless 1-1/8, Zero Stack
Rims	Alloy 80mm w/Triangle Holes
Hub, Front	Alloy Disc, QR, 135mm
Hub, Rear	Alloy Disc, Cassette, QR, 170mm
Tires	Knobby 24x4.0, 60tpi
Spokes	14G Black, 32x32
Derailleur, Front	Shimano Alivio E-Type
Derailleur, Rear	Shimano RD-TX800
Shifters	Shimano ST-TX800
Chain	KMC Z8
Crankset	Shimano FC-TX801, 42/32/22, 15: 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS HG31-8 11-34T, 8-speed
Pedals	VP 530 Alloy Platform
Seatpost	KHS Alloy Micro-adjust, 31.6x350mm
Saddle	KHS Sport
Handlebar	Steel, 30x700mm, 25.4
Stem	Alloy 3D Forged, Threadless 4-bolt, 80mm
Grips	Q2 Lock-On
Brake Levers	Shimano ST-TX800
Brakes	Bengal MB606, Mechanical Disc, 180/160mm Rotors
Color	Neon Yellow
Frame Size	S/ 15" only

XC SPORT

ALITE 500+

New Model




FEATURES

10 Speed
Deore rear derailleur & shifter
Bengal Hydraulic Disc Brakes
26+ Wheelset

NEW MODEL FOR 2018

MSRP: \$849-919

PART #	MODEL	SIZE	COLOR
98-150-000	ALITE 500+	XS/13	Matte Blue
98-150-001	ALITE 500+	S/15	Matte Blue
98-150-002	ALITE 500+	M/17	Matte Blue
98-150-003	ALITE 500+	L/19	Matte Blue
98-150-004	ALITE 500+ Ladies	S/15	Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/13	330 / 13	°	°	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
S/15	381 / 15	67.5°	73°	591 / 23.3	420 / 16.5	297 / 11.7	751 / 29.6	100 / 3.9	617 / 24.3	402 / 15.8
M/17	432 / 17	67.5°	73°	612 / 24.1	420 / 16.5	297 / 11.7	776 / 30.6	100 / 3.9	617 / 24.3	423 / 16.7
L/19	483 / 19	67.5°	73°	635 / 25	420 / 16.5	297 / 11.7	808 / 31.8	115 / 4.5	631 / 24.8	442 / 17.4

BIKE SPECS

Frame	Plus, Alloy 6061 Double Butted Custom Formed TT & DT w/ Replaceable Derailleur Hanger, 1.5 Taper, Boost
Fork	SR XCM 32-HLO, 100mm, 1.5 Taper, Hydraulic Lock Out, Preload Adj, 15mm x 110 QR, Boost
Headset	Threadless 1 1/8" ~ 1.5, Zero Stack
Rims	Alloy Plus Disc, 26", Double Wall, 32H
Hub, Front	Alloy Disc w/CNC Rotor Flange, 15mm x 110mm, Boost
Hub, Rear	Alloy Disc w/CNC Rotor Flange, QR, Cassette, Boost, 10x141
Tires	WTB Ranger 26X2.8 Plus
Spokes	14G Black 32X32
Derailleur, Rear	Shimano Deore RD-M6000
Shifters	Shimano Deore SL-M6000
Chain	KMC X10 w/Missing Link
Crankset	Samox 2pc Forged W/Outboard Bearing, 28T, XS-S: 170, M-L: 175, Boost
BB	Outboard bearing
Freewheel / Cassette	Shimano HG500-10 11/42, 10-Speed
Pedals	Wellgo Resin Platform, w/DU Bearings
Seatpost	KHS Alloy Micro-adjust, 31.6X350mm
Saddle	KHS Sport
Handlebar	Alloy Riser, 31.8, 700X20mm, Butted, 660mm Ladies
Stem	KHS Alloy 3D Forged, Threadless 4-bolt, 7-degree, 31.8, XS: 60mm, S-M: 75mm, L: 90mm
Grips	Soft Kraton
Brake Levers	Bengal Ares 3
Brakes	Bengal Ares 3, Hydraulic, 180/160mm Rotors Wave 12
Color	Matte Blue, Ladies: Black
Frame Size	XS, S, M, L, Ladies: S

XC SPORT

ALITE 50



FEATURES

24 Speed

6061 Alloy Frame

Shimano drivetrain

Bengal Mechanical Disc brakes

NEW OR CHANGED FOR 2018

Ultracycle Brake Safe™

Weinmann Rims

MSRP: \$399-439


PART #	MODEL	SIZE	COLOR
98-149-900	Alite 50	XS/13	Red
98-149-905	Alite 50	S/15	Matte Gray
98-149-910	Alite 50	S/15	Red
98-149-915	Alite 50	M/17	Matte Gray
98-149-920	Alite 50	M/17	Red
98-149-925	Alite 50	L/19	Matte Gray
98-149-930	Alite 50	L/19	Red
98-149-935	Alite 50	XL/21	Red
98-149-940	Alite 50 Ladies	S/14L	Gray Lavendar
98-149-945	Alite 50 Ladies	S/14L	Deep Teal
98-149-950	Alite 50 Ladies	M/17L	Gray Lavendar
98-149-955	Alite 50 Ladies	M/17L	Deep Teal

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/13	330 / 13	71°	73°	535 / 21.1	430 / 16.9	292 / 11.5	712 / 28	100 / 3.9	571 / 22.5	361 / 14.2
S/15	381 / 15	71°	73°	550 / 21.7	430 / 16.9	292 / 11.5	744 / 29.3	115 / 4.5	585 / 23	371 / 14.6
M/17	432 / 17	71°	73°	570 / 22.4	430 / 16.9	292 / 11.5	775 / 30.5	130 / 5.1	599 / 23.6	387 / 15.2
L/19	483 / 19	71°	73°	590 / 23.2	430 / 16.9	292 / 11.5	806 / 31.7	145 / 5.7	613 / 24.1	403 / 15.9
XL/21	533 / 21	71°	73°	605 / 23.8	430 / 16.9	292 / 11.5	840 / 33.1	165 / 6.5	632 / 24.9	412 / 16.2
S/14L	355 / 14	71°	73°	571 / 22.5	430 / 16.9	292 / 11.5	N/A	130 / 5.1	680 / 23.6	387 / 15.2
M/17L	432 / 17	71°	73°	571 / 22.5	430 / 16.9	292 / 11.5	N/A	130 / 5.1	680 / 23.6	387 / 15.2

BIKE SPECS

Frame	Alloy 6061 w/Replaceable Der Hanger
Fork	Zoom 386A, 60mm
Headset	Threadless 1-1/8"
Rims	Weinmann TM19 Alloy, 26x32H
Hub, Front	Alloy Disc QR
Hub, Rear	Alloy Disc, QR, Cassette
Tires	Mountain 26X2.0
Spokes	14G Black, 32X32
Derailleur, Front	Shimano FD-TY510, 34.9
Derailleur, Rear	Shimano RD-TX800
Shifters	Shimano ST-EF500
Chain	KMC Z7
Crankset	Shimano FC-TY301, 48/38/28T, XS-M: 170, L-XL: 175, Ladies: 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200-8, 12-32, 8-speed
Pedals	Resin ATB Platform w/Boron Axle
Seatpost	KHS Alloy Micro-adjust, 31.6X350mm
Saddle	KHS Sport
Handlebar	30mm Rise/640mm, 6 Degree
Stem	KHS Alloy 4-bolt Threadless, 10 Degree, XS-S: 60mm, M-L: 75mm, XL: 90mm, Ladies: S: 60mm, M: 75mm
Grips	Soft Kraton
Brake Levers	Shimano ST-EF500
Brakes	Bengal Cable Disc MB606, 160mm Rotors Wave 12 w/ABS System
Color	Matte Gray, Red, Ladies: Gray Lavender, Deep Teal
Frame Size	XS, S, M, L, XL (XS & XL Red Only), Ladies: S, M



43

All specs are subject to change without notice.



XC SPORT

ALITE 40



FEATURES

21 Speed

6061 Alloy Frame

Shimano Drivetrain


Ultracycle Brake Safe™

NEW OR CHANGED FOR 2018

Ultracycle Brake Safe™

MSRP: \$309-339

PART #	MODEL	SIZE	COLOR
98-148-900	Alite 40	XS/12	Black
98-148-905	Alite 40	S/15	Black
98-148-910	Alite 40	S/15	Blue
98-148-915	Alite 40	M/17	Black
98-148-920	Alite 40	M/17	Blue
98-148-925	Alite 40	L/19	Black
98-148-930	Alite 40	L/19	Blue
98-148-935	Alite 40 Ladies	S/16L	Crimson
98-148-940	Alite 40 Ladies	S/16L	Teal



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/12	305 / 12	70°	73°	526 / 20.7	425 / 16.7	292 / 11.5	665 / 26.2	110 / 4.3	507 / 20	371 / 14.6
S/15	381 / 15	71°	73°	552 / 21.7	430 / 16.9	302 / 11.9	713 / 28.1	115 / 4.5	506 / 19.9	397 / 15.6
M/17	432 / 17	71°	73°	572 / 22.5	430 / 16.9	302 / 11.9	746 / 29.4	130 / 5.1	520 / 20.5	413 / 16.3
L/19	483 / 19	71°	73°	592 / 23.3	430 / 16.9	302 / 11.9	779 / 30.7	145 / 5.7	534 / 21	429 / 16.9
S/16L	406 / 16	71°	73°	562 / 22.1	430 / 16.9	302 / 11.9	642 / 25.3	130 / 5.1	520 / 20.5	403 / 15.9

BIKE SPECS

Frame	Alloy 6061 w/Replaceable Der Hanger
Fork	Hi-Ten Unicrown
Headset	Threadless 1-1/8"
Rims	Alloy, 26x36H
Hub, Front	14Gx36H, Nuted
Hub, Rear	14Gx36H, Nuted
Tires	Mountain 26X1.95
Spokes	14G Black, 36X36
Derailleur, Front	Shimano FD-TY510, 34.9
Derailleur, Rear	Shimano RD-TY300D
Shifters	Shimano Revo
Chain	KMC Z7
Crankset	Shimano FC-TY301, 48/38/28T, XS-S: 170, M-L: 175, Ladies: 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 14-34T, 7-speed, Mega Range Freewheel
Pedals	Resin ATB Platform w/Boron Axle
Seatpost	KHS Alloy Micro Adjust, 31.6x350mm
Saddle	KHS Sport
Handlebar	30mm Rise/640mm, 6 Degree
Stem	KHS Alloy 4-bolt Threadless, 10 Degree, XS-S: 60mm, M-L: 75mm, Ladies: 60mm
Grips	Kraton For Twist
Brake Levers	Alloy Linear Pull, 2.5F
Brakes	Alloy Linear Pull w/ABS System
Color	Black, Blue, Ladies: Crimson, Teal
Frame Size	XS Black Only, S, M, L, Ladies: S

COMFORT SMOOTHIE DELUXE

New Model




FEATURES

7 Speed
Easy Ride™ technology
6061 Alloy Frame
Rack & Fenders

NEW MODEL FOR 2018

MSRP: \$399-439

PART #	MODEL	SIZE	COLOR
98-139-900	SMOOTHIE DELUXE	Reg	County Blue
98-139-905	SMOOTHIE DELUXE Ladies	Ladies	Teal
98-139-910	SMOOTHIE DELUXE Ladies	Ladies	Pearl



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
Reg	356 / 14	67°	67°	634 / 25	566 / 22.3	302 / 11.9	824 / 32.4	228 / 9	620 / 24.4	273 / 10.8
Ladies	305 / 12	67°	67°	634 / 25	566 / 22.3	302 / 11.9	667 / 26.3	200 / 7.9	594 / 23.4	284 / 11.2

BIKE SPECS

Frame	Alloy 6061, TIG Welded
Fork	Hi-Tensile Unicrown
Headset	1-1/8" Threaded
Rims	Alloy 26"
Hub, Front	Alloy, QR
Hub, Rear	Alloy, QR
Tires	KHS 26x1.95, w/K-shield
Spokes	14G Stainless, 36X36
Derailleur, Rear	Shimano RD-TY300
Shifters	Shimano Revo
Chain	KMC Z50
Crankset	Alloy Forged 42T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 7-speed Mega Range Freewheel, 14-34T
Pedals	Platform w/Non-slip Tread
Seatpost	Alloy Micro-adjust, 27.2
Saddle	Manhattan Comfort
Handlebar	Alloy 95mm Rise/640mm
Stem	Alloy Adjustable Angle, Tall
Grips	Comfort Dual Density
Brake Levers	Promax alloy
Brakes	Promax Alloy Linear Pull, Long Reach
Color	County Blue, Ladies: Teal, Pearl
Frame Size	Mens: Regular, Ladies
Extras	Kickstand, Fenders, Rear Rack


COMFORT SMOOTHIE



FEATURES

7 Speed
Easy Ride™ technology
Shimano drivetrain
Available in 7 color options & 2 frame styles
MSRP: \$369-399

PART #	MODEL	SIZE	COLOR
98-137-900	SMOOTHIE	Reg	Matte Black
98-137-905	SMOOTHIE	Reg	Blue
98-137-910	SMOOTHIE	LRG	Matte Black
98-137-915	SMOOTHIE	LRG	Blue
98-137-920	SMOOTHIE LADIES	Lds	Mint Green
98-137-925	SMOOTHIE LADIES	Lds	Radiant Orchid
98-137-930	SMOOTHIE LADIES	Lds	Pink Sherbet
98-137-935	SMOOTHIE LADIES	Lds	Violet Tulip
98-137-940	SMOOTHIE LADIES	Lds	Freesia Yellow



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
R/14	356 / 14	67°	67°	634 / 25	566 / 22.3	302 / 11.9	824 / 32.4	228 / 9	620 / 24.4	273 / 10.7
L/17	432 / 17	67°	65°	686 / 27	566 / 22.3	302 / 11.9	852 / 33.5	254 / 10	644 / 25.4	288 / 11.3
Step-Thru	305 / 12	67°	67°	634 / 25	566 / 22.3	302 / 11.9	667 / 26.3	200 / 7.9	594 / 23.4	284 / 11.2

BIKE SPECS

Frame	Alloy 6061, TIG Welded
Fork	Hi-Tensile Unicrown
Headset	1-1/8" Threaded
Rims	Alloy 26"
Hub, Front	Alloy, QR
Hub, Rear	Alloy, QR
Tires	KHS 26x1.95, w/K-shield
Spokes	14G Stainless, 36X36
Derailleur, Rear	Shimano RD-TY300
Shifters	Shimano Revo
Chain	KMC Z50
Crankset	Alloy Forged 42T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 7-speed Mega Range Freewheel, 14-34T
Pedals	Platform w/Non-slip Tread
Seatpost	Alloy Micro-adjust, 27.2
Saddle	Manhattan Comfort
Handlebar	Alloy 95mm Rise/640mm
Stem	Alloy Adjustable Angle, Tall
Grips	Comfort Dual Density
Brake Levers	Promax alloy
Brakes	Promax Alloy Linear Pull, Long Reach
Color	Matte Black, Blue, Ladies: Mint Green, Radiant Orchid, Pink Sherbet, Freesia Yellow, Violet Tulip
Frame Size	M:Reg & Lg, Lady Step through
Extras	Kickstand

COMFORT SMOOTHIE 3




FEATURES

3 Speed
Easy Ride™ technology
Step-thru Frame
Shimano Nexus 3 Speed hub
MSRP: \$399-439

PART # MODEL SIZE COLOR

98-138-900	Smoothie 3	Step-Thru	Placid Blue
------------	------------	-----------	-------------



GEOMETRY

SIZE	A s/t c-t	B h/t"	C s/t"	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
Step-Thru	305 / 12	67°	67°	634 / 25	566 / 22.3	302 / 11.9	667 / 26.3	200 / 7.9	594 / 23.4	284 / 11.2

BIKE SPECS

Frame	Alloy 6061, TIG welded
Fork	Hi-Tensile unicrown
Headset	1-1/8" Threaded
Rims	Alloy 26"
Hubs (F/R)	Alloy Ft QR, Shimano Nexus 3 RR w/ Coaster Brake
Tires	KHS 26x1.95, w/K-shield, 30TPI
Spokes	14G Stainless 36x36
Derailleur, Rear	Shimano Inter-3
Shifters	Shimano Twist, 3-speed
Chain	KMC Z410
Crankset	Alloy Forged 42T, 170mm
BB	Cartridge bearing
Freewheel / Cassette	Shimano 18T
Pedals	Platform w/Non-slip Tread
Seatpost	Alloy micro adjust, 27.2
Saddle	Manhattan Comfort
Handlebar	Alloy 95mm rise/640mm
Stem	Alloy Adjustable Angle, Tall
Handlebar tape/Grips	Comfort Dual Density
Brake Levers	Promax alloy
Brakes	Promax Alloy Linear Pull, Long Reach FT, Rear Coaster
Color	Placid Blue
Frame Size	Step-Thru

COMFORT

TC 150



FEATURES

21 Speed

6061 Alloy Frame

Suspension Fork & Seatpost

Shimano Drivetrain

NEW OR CHANGED FOR 2018

Weinmann Rims

26x2.35 Tires

MSRP: \$409-449


PART #	MODEL	SIZE	COLOR
98-191-900	Town & Country SE	S/15	Gloss Black
98-191-905	Town & Country SE	S/15	Matte Blue
98-191-910	Town & Country SE	M/17	Gloss Black
98-191-915	Town & Country SE	M/17	Matte Blue
98-191-920	Town & Country SE	L/19	Gloss Black
98-191-925	Town & Country SE	L/19	Matte Blue
98-191-930	Town & Country SE	XL/21	Gloss Black
98-191-935	Town & Country SE	XL/21	Matte Blue
98-191-940	Town & Country SE Ladies	S/16L	Matte Black
98-191-945	Town & Country SE Ladies	S/16L	Marsala (Purple)

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	350 / 13.8	69°	68.5°	600 / 23.6	470 / 18.5	287 / 11.3	730 / 28.7	140 / 5.5	570 / 22.4	375 / 14.8
M/17	400 / 15.7	69°	68.5°	615 / 24.2	470 / 18.5	287 / 11.3	759 / 29.9	155 / 6.1	584 / 23	385 / 15.2
L/19	450 / 17.7	69°	68.5°	630 / 24.8	470 / 18.5	287 / 11.3	794 / 31.3	170 / 6.7	598 / 23.5	394 / 15.5
XL/21	490 / 19.3	69°	68.5°	645 / 25.4	470 / 18.5	287 / 11.3	825 / 32.5	195 / 7.7	622 / 24.5	400 / 15.7
S/16L	375 / 14.8	69°	68.5°	600 / 23.6	470 / 18.5	287 / 11.3	0 / 0	170 / 6.7	598 / 23.5	364 / 14.3

BIKE SPECS

Frame	Alloy 6061, TIG Welded
Fork	SR 3010, 63mm
Headset	1-1/8" Threaded, Zero Stack w/Alloy Conical Top Cap
Rims	Weinmann Alloy, 26x32H
Hub, Front	Alloy, QR, Rubber Seal
Hub, Rear	Alloy, QR, Rubber Seal
Tires	26x2.35 Skin wall w/Antipuncture
Spokes	14G Stainless, 32X32
Derailleur, Front	Shimano TY510, 31.8, Dual Pull
Derailleur, Rear	Shimano, RD-TY300D
Shifters	Shimano ST-EF510-4
Chain	KMC Z7
Crankset	Shimano FC-TY501, 48/38/28 w/CG, 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 7-speed Mega Range Freewheel, 14-34T
Pedals	Wellgo Platform w/Non-slip Tread, DU Bearings
Seatpost	Alloy Suspension, 27.2X350mm
Saddle	KHS Wide Comfort, Dual Density w/Elastomer Spring & Reflective Back
Handlebar	Alloy 80mm Rise, 640mm
Stem	Alloy Quill, 25 Degree, S: 80mm, M-XL: 100, Ladies:80mm
Grips	Comfort Kraton
Brake Levers	Shimano ST-EF510-4
Brakes	Alloy Linear Pull w/ABS System
Color	Black, Matte Blue, Ladies: Matte Black, Purple(Marsala)
Frame Size	S, M, L, XL, Ladies: S Step Through



COMFORT

TC 100



FEATURES

21 Speed

Hi-Tensile Steel Frame

Shimano Drivetrain

Ultracycle Brake Safe™

NEW OR CHANGED FOR 2018

Weinmann Rims

Straight Blade Fork

MSRP: \$329-359


PART #	MODEL	SIZE	COLOR
98-190-900	Town & Country	S/15	Matte Black
98-190-905	Town & Country	S/15	Red
98-190-910	Town & Country	M/17	Matte Black
98-190-915	Town & Country	M/17	Red
98-190-920	Town & Country	L/19	Matte Black
98-190-925	Town & Country	L/19	Red
98-190-930	Town & Country	XL/21	Matte Black
98-190-935	Town & Country	XL/21	Red
98-190-940	Town & Country Ladies	S/16L	Matte Patina (Green)
98-190-945	Town & Country Ladies	S/16L	Sand

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	350 / 13.8	69°	68.5°	600 / 23.6	470 / 18.5	287 / 11.3	739 / 29.1	175 / 6.9	570 / 22.4	375 / 14.8
M/17	400 / 15.7	69°	68.5°	615 / 24.2	470 / 18.5	287 / 11.3	765 / 30.1	190 / 7.5	584 / 23	385 / 15.2
L/19	450 / 17.7	69°	68.5°	630 / 24.8	470 / 18.5	287 / 11.3	796 / 31.3	205 / 8.1	598 / 23.5	394 / 15.5
XL/21	490 / 19.3	69°	68.5°	645 / 25.4	470 / 18.5	287 / 11.3	826 / 32.5	230 / 9.1	622 / 24.5	400 / 15.7
S/16L	375 / 14.8	69°	68.5°	600 / 23.6	470 / 18.5	302 / 11.9	0 / 0	205 / 8.1	598 / 23.5	364 / 14.3


BIKE SPECS

Frame	TIG-Welded Hi-Ten Steel
Fork	Hi-Ten Unicrown Straight Blades
Headset	1-1/8" Threaded, Zero Stack w/Alloy Conical Top Cap
Rims	Weinmann Alloy, 26x32H
Hub, Front	Alloy, QR, Rubber Seal
Hub, Rear	Alloy, QR, Rubber Seal
Tires	26x2.35 Skin wall w/Antipuncture
Spokes	14G Stainless, 32X32
Derailleur, Front	Shimano TY510, 28.6
Derailleur, Rear	Shimano RD-TY300D
Shifters	Shimano Revo RS36
Chain	KMC Z7
Crankset	Shimano FC-TY501, 48/38/28 w/CG, 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 7-speed Mega Range Freewheel, 14-34T
Pedals	Nylon Platform
Seatpost	Alloy Suspension, 25.4X350mm
Saddle	KHS Wide Comfort, Dual Density w/Elastomer Spring & Reflective Back
Handlebar	Alloy 80mm rise/640mm
Stem	Alloy Quill, 25 Degree, S: 80mm, M-XL: 100, Ladies:80mm
Grips	Comfort Kraton
Brake Levers	Alloy Linear Pull
Brakes	Alloy Linear Pull w/ABS System
Color	Matte Black, Red, Ladies: Matte Patina (Green), Sand
Frame Size	S, M, L, XL, Ladies: S Step Through



COMFORT/HYBRID

WESTWOOD



FEATURES

21 Speed

6061 Alloy Frame

Suspension Fork & Seatpost

700c Wheelset

NEW OR CHANGED FOR 2018

Weinmann Rims

MSRP: \$409-449


PART #	MODEL	SIZE	COLOR
98-194-900	Westwood	S/15	Gloss Black
98-194-905	Westwood	S/15	Matte Silver
98-194-910	Westwood	M/17	Gloss Black
98-194-915	Westwood	M/17	Matte Silver
98-194-920	Westwood	L/19	Gloss Black
98-194-925	Westwood	L/19	Matte Silver
98-194-930	Westwood	XL/21	Gloss Black
98-194-935	Westwood	XL/21	Matte Silver
98-194-940	Westwood Ladies	S/14L	Gloss Mint
98-194-945	Westwood Ladies	S/14L	Gloss Red
98-194-950	Westwood Ladies	M/17L	Gloss Mint
98-194-955	Westwood Ladies	M/17L	Gloss Red

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	350 / 13.8	70.5°	71°	580 / 22.8	465 / 18.3	285 / 11.2	747 / 29.4	127 / 5	608 / 23.9	370 / 14.6
M/17	400 / 15.7	70.5°	71°	592 / 23.3	465 / 18.3	285 / 11.2	780 / 30.7	139 / 5.5	619 / 24.4	378 / 14.9
L/19	450 / 17.7	70.5°	71°	604 / 23.8	465 / 18.3	285 / 11.2	808 / 31.8	151 / 5.9	630 / 24.8	386 / 15.2
XL/21	500 / 19.7	70.5°	71°	616 / 24.3	465 / 18.3	285 / 11.2	837 / 33	163 / 6.4	642 / 25.3	394 / 15.5
S/14L	325 / 12.8	70.5°	71°	576 / 22.7	465 / 18.3	285 / 11.2	0 / 0	135 / 5.3	615 / 24.2	363 / 14.3
M/17L	400 / 15.7	70.5°	71°	590 / 23.2	465 / 18.3	285 / 11.2	0 / 0	150 / 5.9	630 / 24.8	373 / 14.7

BIKE SPECS

Frame	Alloy 6061, TIG welded
Fork	SR 3010, 63mm
Headset	1-1/8" Threaded, Zero Stack w/Alloy Conical Top Cap
Rims	Weinmann Alloy, 700c, 32H
Hub, Front	Alloy, QR, Rubber Seal
Hub, Rear	Alloy, QR, Rubber Seal
Tires	700x38c, Skin Wall w/Anti-puncture
Spokes	14G Stainless, 32X32
Derailleur, Front	Shimano TY510, 31.8, Dual Pull
Derailleur, Rear	Shimano, RD-TY300D
Shifters	Shimano ST-EF510
Chain	KMC Z7
Crankset	Shimano FC-TY501, 48/38/28 w/CG, 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 7-speed Mega Range Freewheel, 14-34T
Pedals	Platform w/Non-slip Tread, DU Bearings
Seatpost	Alloy Suspension, 27.2X350mm
Saddle	KHS Wide Comfort, Dual Density w/Elastomer Spring & Reflective Back
Handlebar	Alloy, 80mm Rise x 640mm
Stem	Alloy Quill, 25 Degree, S: 80mm, M-XL: 100, Ladies:80mm
Grips	Comfort Kraton
Brake Levers	Shimano ST-EF510
Brakes	Alloy Linear Pull w/ABS System
Color	Black, Matte Silver, Ladies: Mint, Red
Frame Size	S, M, L, XL, Ladies: S, M Low Step



COMFORT/HYBRID

BRENTWOOD



FEATURES

21 Speed

Suspension Seatpost

Shimano Drivetrain

Ultracycle Brake Safe™

NEW OR CHANGED FOR 2018

Weinmann Rims

Straight Blade Fork

MSRP: \$329-359


PART #	MODEL	SIZE	COLOR
98-193-900	Brentwood	S/15	Matte Black
98-193-905	Brentwood	S/15	Blue Gray
98-193-910	Brentwood	M/17	Matte Black
98-193-915	Brentwood	M/17	Blue Gray
98-193-920	Brentwood	M/17	Red
98-193-925	Brentwood	L/19	Matte Black
98-193-930	Brentwood	L/19	Blue Gray
98-193-935	Brentwood	L/19	Red
98-193-940	Brentwood	XL/21	Matte Black
98-193-945	Brentwood	XL/21	Blue Gray
98-193-950	Brentwood	XXL/23	Matte Black
98-193-955	Brentwood	XXXL/25	Matte Black

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	350 / 13.8	70.5°	71°	580 / 22.8	465 / 18.3	285 / 11.2	745 / 29.3	167 / 6.6	603 / 23.7	372 / 14.6
M/17	400 / 15.7	70.5°	71°	590 / 23.2	465 / 18.3	285 / 11.2	774 / 30.5	190 / 7.5	614 / 24.2	381 / 15
L/19	450 / 17.7	70.5°	71°	604 / 23.8	465 / 18.3	285 / 11.2	806 / 31.7	191 / 7.5	625 / 24.6	389 / 15.3
XL/21	500 / 19.7	70.5°	71°	616 / 24.3	465 / 18.3	285 / 11.2	839 / 33	203 / 8	637 / 25.1	397 / 15.6
XXL/23	550 / 21.7	70.5°	71°	628 / 24.7	465 / 18.3	285 / 11.2	865 / 34.1	215 / 8.5	648 / 25.5	405 / 15.9
XXXL/25	600 / 23.6	70.5°	71°	641 / 25.2	465 / 18.3	285 / 11.2	894 / 35.2	228 / 9	660 / 26	414 / 16.3

BIKE SPECS

Frame	TIG-Welded Hi-Ten Steel
Fork	Hi-Ten Unicrown Straight Blades
Headset	1-1/8" Threaded, Zero Stack w/Alloy Conical Top Cap
Rims	Weinmann Alloy, 700c, 32H
Hub, Front	Alloy, QR, Rubber Seal
Hub, Rear	Alloy, QR, Rubber Seal
Tires	700x38c, Skin Wall w/Anti-puncture
Spokes	14G Stainless, 32X32
Derailleur, Front	Shimano TY510, 28.6
Derailleur, Rear	Shimano RD-TY300D
Shifters	Shimano Revo RS36
Chain	KMC Z7
Crankset	Shimano FC-TY501, 48/38/28 w/CG, 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 7-speed Mega Range Freewheel, 14-34T
Pedals	Nylon Platform
Seatpost	Alloy Suspension, 25.4 X 350mm
Saddle	KHS Wide Comfort, Dual Density w/Elastomer Spring & Reflective Back
Handlebar	Alloy 80mm rise/640mm
Stem	Alloy Quill, 25 Degree, S: 80mm, M-XL: 100, Ladies:80mm
Grips	Comfort Kraton
Brake Levers	Alloy Linear Pull
Brakes	Alloy Linear Pull w/ABS System
Color	Matte Black, Blue Gray, Red
Frame Size	S, M, L, XL, XXL, XXXL (S & L Matte Black & Blue Gray Only, XXL & XXXL Matte Black Only)



51

All specs are subject to change without notice.



COMFORT/HYBRID

BRENTWOOD LADIES



FEATURES

21 Speed

Suspension Seatpost

Shimano Drivetrain

Ultracycle Brake Safe™


NEW OR CHANGED FOR 2018

Weinmann Rims

Straight Blade Fork

MSRP: \$329-359

PART #	MODEL	SIZE	COLOR
98-193-960	Brentwood Ladies	S/14L	Matte Black
98-193-965	Brentwood Ladies	S14L	Lucite Green
98-193-970	Brentwood Ladies	S/14L	Radiant Orchid
98-193-975	Brentwood Ladies	M/17L	Matte Black
98-193-980	Brentwood Ladies	M/17L	Lucite Green
98-193-985	Brentwood Ladies	M/17L	Radiant Orchid



GEOMETRY


SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/14L	325 / 12.8	70.5°	71°	575 / 22.6	465 / 18.3	285 / 11.2	0 / 0	175 / 6.9	610 / 24	365 / 14.4
M/17L	400 / 15.7	70.5°	71°	590 / 23.2	465 / 18.3	285 / 11.2	0 / 0	190 / 7.5	625 / 24.6	375 / 14.8

BIKE SPECS

Frame	TIG-Welded Hi-Ten Steel
Fork	Hi-Ten Unicrown Straight Blades
Headset	1-1/8" Threaded, Zero Stack w/Alloy Conical Top Cap
Rims	Weinmann Alloy, 700c, 32H
Hub, Front	Alloy, QR, Rubber Seal
Hub, Rear	Alloy, QR, Rubber Seal
Tires	700x38c, Skin Wall w/Anti-puncture
Spokes	14G Stainless, 32X32
Derailleur, Front	Shimano TY510, 28.6
Derailleur, Rear	Shimano RD-TY300D
Shifters	Shimano Revo RS36
Chain	KMC Z7
Crankset	Shimano FC-TY501, 48/38/28 w/CG, 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 7-speed Mega Range Freewheel, 14-34T
Pedals	Nylon Platform
Seatpost	Alloy Suspension, 25.4X350mm
Saddle	KHS Ladies Wide Comfort, Dual Density w/Elastomer Spring & Reflective Back
Handlebar	Alloy 80mm rise/640mm
Stem	Alloy Quill, 25 Degree
Grips	Comfort Kraton
Brake Levers	Alloy Linear Pull
Brakes	Alloy Linear Pull w/ABS System
Color	Matte Black, Green, Orchid
Frame Size	S & M Low Step

COMFORT/HYBRID

EASTWOOD



FEATURES

- 7 Speed
- Shimano 7 speed drivetrain
- Wide comfort, Elastomer spring saddle
- Ultracycle Brake Safe™

NEW OR CHANGED FOR 2018

- Weinmann Rims
- Micro-Adj Seatpost
- Straight Blade Fork

MSRP: \$289-309


PART #	MODEL	SIZE	COLOR
98-192-900	Eastwood	S/15	Black
98-192-905	Eastwood	S/15	Matte Silver
98-192-910	Eastwood	M/17	Black
98-192-915	Eastwood	M/17	Matte Silver
98-192-920	Eastwood	L/19	Black
98-192-925	Eastwood	L/19	Matte Silver
98-192-930	Eastwood	XL/21	Black
98-192-935	Eastwood	XXL/23	Black
98-192-940	Eastwood	XXXL/25	Black
98-192-945	Eastwood Ladies	S/14L	Light Blue
98-192-950	Eastwood Ladies	S/14L	Red
98-192-955	Eastwood Ladies	M/17L	Light Blue
98-192-960	Eastwood Ladies	M/17L	Red

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	350 / 13.8	70.5°	71°	580 / 22.8	465 / 18.3	285 / 11.2	745 / 29.3	167 / 6.6	603 / 23.7	372 / 14.6
M/17	400 / 15.7	70.5°	71°	590 / 23.2	465 / 18.3	285 / 11.2	774 / 30.5	190 / 7.5	614 / 24.2	381 / 15
L/19	450 / 17.7	70.5°	71°	604 / 23.8	465 / 18.3	285 / 11.2	806 / 31.7	191 / 7.5	625 / 24.6	389 / 15.3
XL/21	500 / 19.7	70.5°	71°	616 / 24.3	465 / 18.3	285 / 11.2	839 / 33	203 / 8	637 / 25.1	397 / 15.6
XXL/23	550 / 21.7	70.5°	71°	628 / 24.7	465 / 18.3	285 / 11.2	865 / 34.1	215 / 8.5	648 / 25.5	405 / 15.9
XXXL/25	600 / 23.6	70.5°	71°	641 / 25.2	465 / 18.3	285 / 11.2	894 / 35.2	228 / 9	660 / 26	414 / 16.3
S/14L	325 / 12.8	70.5°	71°	575 / 22.6	465 / 18.3	285 / 11.2	0 / 0	175 / 6.9	610 / 24	365 / 14.4
M/17L	400 / 15.7	70.5°	71°	590 / 23.2	465 / 18.3	285 / 11.2	0 / 0	190 / 7.5	625 / 24.6	375 / 14.8

BIKE SPECS

Frame	TIG-Welded Hi-Ten Steel
Fork	Hi-Ten Unicrown Straight Blades
Headset	1-1/8" Threaded, Zero Stack w/Alloy Conical Top Cap
Rims	Weinmann Alloy, 700c, 36H
Hub, Front	Steel, QR, Rubber Seal
Hub, Rear	Steel, Nuted, Rubber Seal
Tires	700x38c, Skin Wall w/Anti-puncture
Spokes	14G Stainless, 36X36
Derailleur, Rear	Shimano RD-TY300D
Shifters	Shimano Revo RS36
Chain	KMC Z7
Crankset	Alloy Forged, 44T w/Double Guard, 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 7-speed Mega Range Freewheel, 14-34T
Pedals	Nylon Platform
Seatpost	Alloy Micro-adjust, 25.4X350mm
Saddle	KHS Wide Comfort, Dual Density w/Elastomer Spring & Reflective Back
Handlebar	Alloy 80mm rise/640mm
Stem	Alloy Quill, 25 Degree, S: 80mm, M-XL: 100, Ladies:80mm
Grips	Comfort Kraton
Brake Levers	Alloy Linear Pull
Brakes	Alloy Linear Pull w/ABS System
Color	Black, Matte Silver, Ladies: Light Blue, Red
Frame Size	S, M, L, XL, XXL, XXXL (XL, XXL & XXXL Black Only), Ladies: S & M Low Step



COMMUTER


GREEN 8



FEATURES

8 Speed
 Reynolds 520 CrMo Frame
 Nexus 8 Speed Hub
 Rack, Fenders & Bell
 MSRP: \$649-709

PART #	MODEL	SIZE	COLOR
89-023-001	GREEN 8	17	Matte Steel Blue
89-023-002	GREEN 8	20	Matte Steel Blue
89-023-003	GREEN 8	23	Matte Steel Blue
89-023-004	GREEN 8 LADIES	14L	Champagne Mixtie
89-023-005	GREEN 8 LADIES	17L	Champagne Mixtie



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/l°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
M/17	430 / 16.9	72°	73°	556 / 21.9	448 / 17.6	295 / 11.6	738 / 29.1	80 / 3.1	503 / 19.8	402 / 15.8
L/20	508 / 20	72°	73°	570 / 22.4	448 / 17.6	295 / 11.6	777 / 30.6	80 / 3.1	503 / 19.8	416 / 16.4
XL/23	584 / 23	72°	73°	599 / 23.6	448 / 17.6	295 / 11.6	842 / 33.1	140 / 5.5	560 / 22	428 / 16.9
S/14L	356 / 14	72°	73.5°	541 / 21.3	448 / 17.6	295 / 11.6	0 / 0	160 / 6.3	579 / 22.8	370 / 14.6
M/17L	430 / 16.9	72°	73°	555 / 21.9	448 / 17.6	295 / 11.6	0 / 0	160 / 6.3	579 / 22.8	378 / 14.9

BIKE SPECS

Frame	Reynolds 520 DB CrMo Tubing w/Curved Seatstays and Carrier Bosses
Fork	Full CrMo Unicrown, Low-rider and Fender Bosses w/Disc
Headset	1" Threaded
Rims	700x36H, Alloy Double wall
Hub, Front	Alloy
Hub, Rear	Shimano Nexus 8-speed RR, F/W
Tires	Kenda 700X32c, w/K-shield
Spokes	14G Stainless, 36X36
Derailleur, Rear	Shimano Inter-8, F/W
Shifters	Shimano Twist, 8-speed
Chain	KMC Z410
Crankset	Alloy Forged, 44T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 19T
Pedals	Vintage Alloy
Seatpost	Alloy, 25.4X300mm
Saddle	KHS City Men's & City Ladies
Handlebar	Alloy Touring
Stem	Alloy Quill
Grips	Comfort
Brake Levers	Tektro Alloy, 4-Finger
Brakes	Alloy Dual Pivot
Color	Matte Steel Blue, Champagne (Mixtie)
Frame Size	Men: 17, 20, 23, Ladies: 14L, 17L Mixtie
Extras	Fenders, Rear Carrier, Bell

COMMUTER

GREEN 8E



FEATURES

- 8 Speed
- Cassette rear hub
- 3 frame Styles
- Rack, Fenders & Bell
- MSRP: \$329-359


PART #	MODEL	SIZE	COLOR
89-020-001	GREEN 8e	17	Black
89-020-002	GREEN 8e	17	Blood Red
89-020-003	GREEN 8e	20	Black
89-020-004	GREEN 8e	20	Blood Red
89-020-005	GREEN 8e	23	Black
89-020-006	GREEN 8e LADIES (low Step)	14L	Silver
89-020-007	GREEN 8e LADIES (Mixte)	14L	Black
89-020-008	GREEN 8e LADIES (low Step)	17L	Silver
89-020-009	GREEN 8e LADIES (Mixte)	17L	Black

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
M/17	430 / 16.9	72°	73°	556 / 21.9	448 / 17.6	295 / 11.6	738 / 29.1	80 / 3.1	503 / 19.8	402 / 15.8
L/20	508 / 20	72°	73°	570 / 22.4	448 / 17.6	295 / 11.6	777 / 30.6	80 / 3.1	503 / 19.8	416 / 16.4
XL/23	584 / 23	72°	73°	599 / 23.6	448 / 17.6	295 / 11.6	842 / 33.1	140 / 5.5	560 / 22	428 / 16.9
S/14L	356 / 14	72°	73.5°	541 / 21.3	448 / 17.6	295 / 11.6	0 / 0	160 / 6.3	579 / 22.8	370 / 14.6
M/17L	430 / 16.9	72°	73°	555 / 21.9	448 / 17.6	295 / 11.6	0 / 0	160 / 6.3	579 / 22.8	378 / 14.9


BIKE SPECS

Frame	TIG-welded Hi-Ten Steel
Fork	Hi-Ten Unicrown
Headset	1" Threaded
Rims	Alloy 700C, Double wall
Hub, Front	Alloy Nuted
Hub, Rear	Alloy Nuted
Tires	Kenda 700X38c w/ K-Shield
Spokes	14G Stainless, 36X36
Derailleur, Rear	Shimano Altus
Shifters	MicroShift TS-70 Trigger
Chain	KMC Z50
Crankset	Alloy Forged, 48T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS HG31-8 11-34T, 8-speed
Pedals	Vintage Platform
Seatpost	Alloy 25.4 x 300
Saddle	KHS City Men's
Handlebar	Steel Touring
Stem	Alloy Quill
Grips	Comfort
Brake Levers	Promax Alloy Linear Pull
Brakes	Promax Alloy Linear Pull
Color	Black, Blood Red, Ladies: Silver (Low Step), Black (Mixtie)
Frame Size	Men: 17, 20, 23, Ladies: 14L, 17L
Extras	Fenders, Rear Carrier, Bell



COMMUTER

GREEN 3



FEATURES

3 Speed
Nexus 3 Speed Hub
Hi-Tensile Steel Frame
Rack, Fenders & Bell
MSRP: \$359-389


PART #	MODEL	SIZE	COLOR
89-021-001	GREEN 3	17	Black
89-021-002	GREEN 3	17	Matte Silver
89-021-003	GREEN 3	20	Black
89-021-004	GREEN 3	20	Matte Silver
89-021-005	GREEN 3	23	Black
89-021-006	GREEN 3 LADIES	14L Low Step	Black
89-021-007	GREEN 3 LADIES	14L Low Step	Stone Green
89-021-008	GREEN 3 LADIES	17L Low Step	Black
89-021-009	GREEN 3 LADIES	17L Low Step	Stone Green

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
M/17	430 / 16.9	72°	73°	556 / 21.9	448 / 17.6	295 / 11.6	738 / 29.1	80 / 3.1	503 / 19.8	402 / 15.8
L/20	508 / 20	72°	73°	570 / 22.4	448 / 17.6	295 / 11.6	777 / 30.6	80 / 3.1	503 / 19.8	416 / 16.4
XL/23	584 / 23	72°	73°	599 / 23.6	448 / 17.6	295 / 11.6	842 / 33.1	140 / 5.5	560 / 22	428 / 16.9
S/14L	356 / 14	72°	73.5°	541 / 21.3	448 / 17.6	295 / 11.6	0 / 0	160 / 6.3	579 / 22.8	370 / 14.6
M/17L	430 / 16.9	72°	73°	555 / 21.9	448 / 17.6	295 / 11.6	0 / 0	160 / 6.3	579 / 22.8	378 / 14.9

BIKE SPECS

Frame	TIG-welded Hi-Ten Steel
Fork	Hi-Ten Unicrown
Headset	1" Threaded
Rims	Alloy 700C, Double wall
Hub, Front	Alloy Nuted
Hub, Rear	Shimano Nexus 3-speed RR, F/W
Tires	Kenda 700X38c w/ K-Shield
Spokes	14G Stainless, 36X36
Derailleur, Rear	Shimano Inter-3, F/W
Shifters	MicroShift Twist, 3-speed
Chain	KMC Z410
Crankset	Alloy Forged, 44T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 19T
Pedals	Vintage Platform
Seatpost	Alloy 25.4 x 300
Saddle	KHS City Men's
Handlebar	Steel Touring
Stem	Alloy Quill
Grips	Comfort
Brake Levers	Promax Alloy Linear Pull
Brakes	Promax Alloy Linear Pull
Color	Black, Matte Silver, Ladies: Black, Stone Green
Frame Size	Men: 17, 20, 23, Ladies: 14L, 17L
Extras	Fenders, Rear Carrier, Bell



COMMUTER GREEN 1



FEATURES

Single Speed


Hi-Tensile Steel Frame

Rack, Fenders & Bell

Available in Mens & Ladies Frames

MSRP: \$279-299

PART #	MODEL	SIZE	COLOR
89-019-001	GREEN 1	17	Matte Black
89-019-002	GREEN 1	17	County Blue
89-019-003	GREEN 1	20	Matte Black
89-019-004	GREEN 1	20	County Blue
89-019-005	GREEN 1	23	Matte Black
89-019-006	GREEN 1 LADIES	14L Low Step	Pearl
89-019-007	GREEN 1 LADIES	14L Low Step	Mint
89-019-008	GREEN 1 LADIES	17L Low Step	Pearl
89-019-009	GREEN 1 LADIES	17L Low Step	Mint



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
M/17	430 / 16.9	72°	73°	556 / 21.9	448 / 17.6	295 / 11.6	738 / 29.1	80 / 3.1	503 / 19.8	402 / 15.8
L/20	508 / 20	72°	73°	570 / 22.4	448 / 17.6	295 / 11.6	777 / 30.6	80 / 3.1	503 / 19.8	416 / 16.4
XL/23	584 / 23	72°	73°	599 / 23.6	448 / 17.6	295 / 11.6	842 / 33.1	140 / 5.5	560 / 22	428 / 16.9
S/14L	356 / 14	72°	73.5°	541 / 21.3	448 / 17.6	295 / 11.6	0 / 0	160 / 6.3	579 / 22.8	370 / 14.6
M/17L	430 / 16.9	72°	73°	555 / 21.9	448 / 17.6	295 / 11.6	0 / 0	160 / 6.3	579 / 22.8	378 / 14.9

BIKE SPECS

Frame	TIG-welded Hi-Ten Steel
Fork	Hi-Ten Unicrown
Headset	1" Threaded
Rims	Alloy 700C, Double Wall
Hub, Front	Alloy Nuted
Hub, Rear	Alloy Nuted
Tires	Kenda 700X38c w/ K-Shield
Spokes	14G Stainless, 36X36
Chain	KMC Z410
Crankset	Alloy Forged, 44T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	18T Freewheel Men's/ 20T Freewheel Ladies
Pedals	Vintage Platform
Seatpost	Alloy 25.4 x 300L
Saddle	KHS City
Handlebar	Steel Touring
Stem	Alloy Quill
Grips	Comfort
Brake Levers	Promax Alloy Linear Pull
Brakes	Promax Alloy Linear Pull
Color	Matte Black, County Blue, Ladies: Pearl, Mint
Frame Size	Men: 17, 20, 23, Ladies: 14L, 17L
Extras	Fenders, Rear Carrier, Bell

URBAN

URBAN XTREME



FEATURES

16 Speed

Reynolds 520 CrMo Frame

Claris Drivetrain w/ FSA Tempo Crank

Compact gearing

NEW OR CHANGED FOR 2018

New Claris


FSA Tempo Cranks

FSA Adventure Handlebars

Shimano RS305 Mechanical Disc Brakes

MSRP: \$899-979

PART #	MODEL	SIZE	COLOR
98-189-000	Urban Xtreme	S/52	Matte Coal
98-189-001	Urban Xtreme	M/55	Matte Coal
98-189-002	Urban Xtreme	L/58	Matte Coal
98-189-003	Urban Xtreme	XL/61	Matte Coal



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/52	495 / 19.5	71°	73°	533 / 21	432 / 17	282 / 11.1	787 / 31	135 / 5.3	547 / 21.5	361 / 14.2
M/55	534 / 21	72°	73°	558 / 22	432 / 17	282 / 11.1	810 / 31.9	150 / 5.9	582 / 22.9	380 / 15
L/58	572 / 22.5	72°	73°	580 / 22.8	432 / 17	282 / 11.1	840 / 33.1	175 / 6.9	601 / 23.7	396 / 15.6
XL/61	609 / 24	73°	72°	605 / 23.8	432 / 17	282 / 11.1	877 / 34.5	210 / 8.3	624 / 24.6	402 / 15.8

BIKE SPECS

Frame	Reynolds 520 DB CrMo Tubing w/Carrier Bosses & Flat Mount Disc
Fork	Full CrMo Unicrown, Low-rider and Fender Bosses w/Flat Mount Disc, Straight Blade
Headset	FSA Threadless Zero Stack, 1-1/8 w/Alloy Conical Top Cap
Rims	Weinmann XM-25 Disc, 700x32H, Alloy Double wall
Hub, Front	Formula Alloy Disc QR23 w/Rubber Seal
Hub, Rear	Formula Alloy Disc QR23, Cassette, w/Rubber Seal, 135mm
Tires	Maxxis Overdrive Excel, 700x32C, Silkworm Anti-Puncture .60TPI
Spokes	14G Stainless Black, 32X32
Deraillieur, Front	Shimano FD-R2000 Claris, 28.6
Deraillieur, Rear	Shimano RD-R2000SS Claris
Shifters	Shimano STI, ST-R2000 Claris
Chain	KMC Z7
Crankset	FSA Tempo, 50/34, S: 170, M-L: 172.5XL: 175
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31, 11-32T, 8-speed
Pedals	Wellgo Full Alloy w/DU Bearing
Seatpost	Alloy Micro-adjust, 27.2X350mm
Saddle	KHS Urban Sport
Handlebar	FSA Adventure Compact, Double Butted, Ergonomic, 31.8, S-M: 40cm, L: 42cm, XL: 44cm
Stem	Alloy 3D Forged, Threadless 4-bolt, 31.8 O/S, S: 90mm, M-L: 100mm, XL: 110mm
Grips	Cushion Tape
Brake Levers	Shimano Claris ST-R2000
Brakes	Shimano RS305, Flat Mount Road Mechanical Disc Brake w/160mm Rotors Wave 12
Color	Matte Coal
Frame Size	S, M, L, XL

URBAN

URBAN XPRESS DISC



FEATURES

27 Speed

Reynolds 520 CrMo Frame

Cassette rear hub


Bangal Mechanical Disc brakes

NEW OR CHANGED FOR 2018

Wellgo Full Alloy Pedals

MSRP: \$679-739

PART #	MODEL	SIZE	COLOR
98-187-000	Urban Xpress Disc	S/15.5	Urban Green
98-187-001	Urban Xpress Disc	M/18	Urban Green
98-187-002	Urban Xpress Disc	L/20.5	Urban Green
98-187-003	Urban Xpress Disc	XL/23	Urban Green



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	730 / 28.7	130 / 5.1	535 / 21.1	395 / 15.5
M/18	457 / 18	71°	74°	565 / 22.2	450 / 17.7	290 / 11.4	771 / 30.4	150 / 5.9	554 / 21.8	406 / 16
L/20.5	521 / 20.5	71°	74°	578 / 22.8	450 / 17.7	290 / 11.4	811 / 31.9	165 / 6.5	568 / 22.4	415 / 16.3
XL/23	584.4 / 23	71°	74°	590 / 23.2	450 / 17.7	290 / 11.4	851 / 33.5	185 / 7.3	587 / 23.1	422 / 16.6

BIKE SPECS

Frame	Reynolds 520 DB CrMo Tubing w/Carrier Bosses & Disc Mount
Fork	Full CrMo Unicrown, Low-rider and Fender Bosses w/Disc, Straight Blade
Headset	FSA Threadless Zero Stack, 1-1/8 w/Alloy Conical Top Cap
Rims	Weinmann X Star 18, 700x32H, Alloy Double wall
Hub, Front	Formula Alloy Disc QR23 w/Rubber Seal
Hub, Rear	Formula Alloy Disc QR23, Cassette, w/Rubber Seal
Tires	Maxxis Overdrive, 700x35c w/Kevlar Inside Anti-puncture, 60TPI
Spokes	14G Stainless Black, 32X32
Derailleur, Front	MicroShift FD-R353B, 28.6
Derailleur, Rear	Shimano Acera M3000
Shifters	MicroShift R769, 3X9 Triggers
Chain	KMC X9 w/Missing Link
Crankset	FSA Tempo, 50/39/30T, S: 170, M-L: 172.5, XL: 175
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200-9, 11-34T, 9-speed
Pedals	Wellgo Full Alloy w/DU Bearing
Seatpost	Alloy Micro-adjust, 27.2X350mm
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Alloy, 30mm Rise, 600mm, 10 Degree Back
Stem	Alloy 3D Forged, Threadless 4-bolt, 25D, S: 75mm, M-L: 90mm, XL: 105mm
Grips	Velo Dual density
Brake Levers	Promax Alloy Forged Trekking, Knee Saver
Brakes	Bengal Cable Disc, MB606, 160mm Wave12 Rotors, w/ABS System
Color	Urban Green
Frame Size	S, M, L, XL

URBAN

URBAN XPRESS



FEATURES

27 Speed

Reynolds 520 CrMo Frame

Weinmann X Star 18 Double Wall Wheelset

Ultracycle Brake Safe™

NEW OR CHANGED FOR 2018

Wellgo Full Alloy Pedals

MSRP: \$579-629


PART #	MODEL	SIZE	COLOR
98-186-000	Urban Xpress	S/15.5	Black
98-186-001	Urban Xpress	S/15.5	Red
98-186-002	Urban Xpress	M/18	Black
98-186-003	Urban Xpress	M/18	Red
98-186-004	Urban Xpress	L/20.5	Black
98-186-005	Urban Xpress	L/20.5	Red
98-186-006	Urban Xpress	XL/23	Black
98-186-007	Urban Xpress	XL/23	Red
98-186-008	Urban Xpress	XXL/25	Black
98-186-009	Urban Xpress Ladies	S/15.5L	Baby Blue
98-186-010	Urban Xpress Ladies	S/15.5L	Mint
98-186-011	Urban Xpress Ladies	M/17L	Baby Blue
98-186-012	Urban Xpress Ladies	M/17L	Mint

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	732 / 28.8	130 / 5.1	550 / 21.6	390 / 15.3
M/18	457 / 18	71°	74°	565 / 22.2	450 / 17.7	290 / 11.4	774 / 30.5	150 / 5.9	569 / 22.4	402 / 15.8
L/20.5	521 / 20.5	71°	74°	578 / 22.8	450 / 17.7	290 / 11.4	812 / 32	165 / 6.5	583 / 22.9	410 / 16.1
XL/23	584 / 23	71°	74°	590 / 23.2	450 / 17.7	290 / 11.4	853 / 33.6	185 / 7.3	602 / 23.7	417 / 16.4
XXL/25	635 / 25	71°	74°	602 / 23.7	450 / 17.7	290 / 11.4	887 / 34.9	205 / 8.1	621 / 24.4	423 / 16.7
S/15.5L	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	0 / 0	115 / 4.5	536 / 21.1	394 / 15.5
M/17L	432 / 17	71°	74°	555 / 21.9	450 / 17.7	290 / 11.4	0 / 0	130 / 5.1	550 / 21.6	397 / 15.6

BIKE SPECS

Frame	Reynolds 520 DB CrMo Tubing w/Curved Seatstays and Carrier Bosses
Fork	Full CrMo Unicrown, Low-rider and Fender Bosses, Straight Blade
Headset	FSA1 -1/8" Threaded, Zero Stack w/Alloy Conical Top Cap
Rims	Weinmann X-Star 18, 700x32H, Alloy Double wall
Hub, Front	Formula, Alloy QR w/Rubber Seal
Hub, Rear	Formula, Alloy QR, w/Rubber Seal, Cassette
Tires	Maxxis Overdrive, 700x35c w/Kevlar Inside Anti-puncture, 60TPI
Spokes	14G Stainless Black, 32X32
Derailleur, Front	MicroShift FD-R353B, 28.6
Derailleur, Rear	Shimano Acera M3000
Shifters	MicroShift R769, 3X9 Triggers
Chain	KMC X9 w/Missing Link
Crankset	FSA Tempo, 50/39/30T, S: 170, M-L: 172.5, XL-XXL: 175, Ladies: S: 170, M: 172.5
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200-9, 11-34T, 9-speed
Pedals	Wellgo Full Alloy w/DU Bearing
Seatpost	Alloy Micro-adjust, 27.2X350mm
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Alloy, 30mm Rise, 600mm, 10 Degree Back
Stem	KHS Alloy Quill, 25D, 4-bolt, S: 75mm, M-L: 90mm, XL-XXL: 105mm, Ladies: 75mm
Grips	Velo Dual density
Brake Levers	Promax Alloy Forged Trekking, Knee Saver
Brakes	Tektro 855AL, Alloy Linear Pull, Long Reach, w/ABS System
Color	Black, Red, Ladies: Baby Blue, Mint
Frame Size	S, M, L, XL, XXL (XXL Black Only), Ladies: S, M



60

All specs are subject to change without notice.



URBAN

URBAN XCAPE DISC



FEATURES

24 Speed

4130 CrMo Steel Frame

Shimano Drivetrain

Bengal Mechanical Disc brakes


NEW OR CHANGED FOR 2018

Kenda Keen Tires w/ K-Shield

Alloy Handlebars

MSRP: \$469-509

PART #	MODEL	SIZE	COLOR
98-185-900	Urban Xcape Disc	S/15.5	Matte Gray
98-185-905	Urban Xcape Disc	M/18	Matte Gray
98-185-910	Urban Xcape Disc	L/20.5	Matte Gray
98-185-915	Urban Xcape Disc	XL/23	Matte Gray
98-185-920	Urban Xcape Disc	XXL/25	Matte Gray



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	730 / 28.7	130 / 5.1	535 / 21.1	395 / 15.5
M/18	457 / 18	71°	74°	565 / 22.2	450 / 17.7	290 / 11.4	771 / 30.4	150 / 5.9	554 / 21.8	406 / 16
L/20.5	521 / 20.5	71°	74°	578 / 22.8	450 / 17.7	290 / 11.4	811 / 31.9	165 / 6.5	568 / 22.4	415 / 16.3
XL/23	584.4 / 23	71°	74°	590 / 23.2	450 / 17.7	290 / 11.4	851 / 33.5	185 / 7.3	587 / 23.1	422 / 16.6
XXL/25	635 / 25	71°	74°	602 / 23.7	450 / 17.7	290 / 11.4	887 / 34.9	205 / 8.1	606 / 23.9	428 / 16.9

BIKE SPECS

Frame	4130 Dbl Butted CrMo Tubing and Carrier Bosses, Forged Disc Mount
Fork	Hi-Ten Unicrown, Disc, Post mount, Straight Blade
Headset	1-1/8" Threaded, Zero Stack w/Alloy Conical Top Cap
Rims	Alloy 700x32H, Double Wall
Hub, Front	KT Alloy Disc, QR w/Rubber Seal
Hub, Rear	KT Alloy Disc, QR w/Rubber Seal, Cassette
Tires	Kenda Keen, 700X35 w/K-Shield
Spokes	14G Stainless Black, 32X32
Derailleur, Front	Shimano FD-TY710, 28.6, Top Pull
Derailleur, Rear	Shimano Acera M360
Shifters	MicroShift TS39, 3X8 Triggers
Chain	KMC Z7
Crankset	Shimano FC-TY301, 48/38/28T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31-8, 11-34T, 8-speed
Pedals	Resin Platform w/DU Bearings
Seatpost	Alloy Micro-adjust, 27.2X350mm
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Alloy 30mm, 600mm, 10 Degree Back
Stem	KHS Alloy Quill, 25D, 4-bolt, S: 90mm, M-L: 105mm, XL-XXL: 120mm
Grips	Kraton
Brake Levers	Promax Alloy Linear Pull Trekking, 3 Finger
Brakes	Bengal Cable Disc, MB606, 160mm Wave12 Rotors, w/ABS System
Color	Matte Gray
Frame Size	S, M, L, XL, XXL

URBAN

URBAN XCAPE



FEATURES

24 Speed

4130 CrMo Steel Frame

Shimano Drivetrain

Ultracycle Brake Safe™

NEW OR CHANGED FOR 2018

Kenda Keen Tires w/ K-Shield
Alloy Handlebars

MSRP: \$399-439


PART #	MODEL	SIZE	COLOR
98-184-900	Urban Xcape	S/15.5	Matte Black
98-184-905	Urban Xcape	S/15.5	Blue
98-184-910	Urban Xcape	M/18	Matte Black
98-184-915	Urban Xcape	M/18	Blue
98-184-920	Urban Xcape	L/20.5	Matte Black
98-184-925	Urban Xcape	L/20.5	Blue
98-184-930	Urban Xcape	XL/23	Matte Black
98-184-935	Urban Xcape	XL/23	Blue
98-184-940	Urban Xcape	XXL/25	Matte Black
98-184-945	Urban Xcape Ladies	S/15.5L	Stone Green
98-184-950	Urban Xcape Ladies	S/15.5L	Matte Purple
98-184-955	Urban Xcape Ladies	M/17L	Stone Green
98-184-960	Urban Xcape Ladies	M/17L	Matte Purple

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	732 / 28.8	130 / 5.1	550 / 21.6	390 / 15.3
M/18	457 / 18	71°	74°	565 / 22.2	450 / 17.7	290 / 11.4	774 / 30.5	150 / 5.9	569 / 22.4	402 / 15.8
L/20.5	521 / 20.5	71°	74°	578 / 22.8	450 / 17.7	290 / 11.4	812 / 32	165 / 6.5	583 / 22.9	410 / 16.1
XL/23	584 / 23	71°	74°	590 / 23.2	450 / 17.7	290 / 11.4	853 / 33.6	185 / 7.3	602 / 23.7	417 / 16.4
XXL/25	635 / 25	71°	74°	602 / 23.7	450 / 17.7	290 / 11.4	887 / 34.9	205 / 8.1	621 / 24.4	423 / 16.7
S/15.5L	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	0 / 0	115 / 4.5	536 / 21.1	394 / 15.5
M/17L	432 / 17	71°	74°	555 / 21.9	450 / 17.7	290 / 11.4	0 / 0	130 / 5.1	550 / 21.6	397 / 15.6

BIKE SPECS

Frame	4130 Dbl Butted CrMo Tubing w/Curved Seatstays and Carrier Bosses
Fork	Hi-Ten Unicrown, Straight Blade
Headset	1-1/8" Threaded, Zero Stack w/Alloy Conical Top Cap
Rims	Alloy 700x32H, Double Wall
Hub, Front	KT Alloy, QR, w/Rubber Seal
Hub, Rear	KT Alloy, QR, Cassette, w/Rubber Seal
Tires	Kenda Keen, 700X35 w/K-Shield
Spokes	14G Stainless Black, 32X32
Derailleur, Front	Shimano FD-TY710, 28.6
Derailleur, Rear	Shimano Acera M360
Shifters	MicroShift TS39, 3X8 Triggers
Chain	KMC Z7
Crankset	Shimano FC-TY301, 48/38/28T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31-8, 11-34T, 8-speed
Pedals	Resin Platform w/DU Bearings
Seatpost	Alloy Micro-adjust, 27.2X350mm
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Alloy 30mm, 600mm, 10 Degree Back
Stem	KHS Alloy Quill, 25D, 4-bolt, S: 90mm, M-L: 105mm, XL-XXL: 120mm, Ladies: S-M: 90mm
Grips	Kraton
Brake Levers	Promax Alloy Linear Pull Trekking, 3 Finger
Brakes	Promax Alloy Linear Pull, w/ABS System
Color	Matte Black, Blue, Ladies: Stone Green, Matte Purple
Frame Size	S, M, L, XL, XXL (XXL Black Only), Ladies: S, M



62

All specs are subject to change without notice.



URBAN

URBAN X



WTB
27.5 x 47c Plus Tires

FEATURES

24 Speed

4130 CrMo Steel Frame

Shimano Drivetrain

Rack & Fenders


NEW OR CHANGED FOR 2018

WTB Byway 27.5x47C tires
Bengal Hydraulic Disc Brakes

MSRP: \$629-689

PART # MODEL SIZE COLOR

98-183-900	Urban X	S/15.5	Matte Black
98-183-905	Urban X	M/18	Matte Black
98-183-910	Urban X	L/20.5	Matte Black
98-183-915	Urban X	XL/23	Matte Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	730 / 28.7	130 / 5.1	535 / 21.1	395 / 15.5
M/18	457 / 18	71°	74°	565 / 22.2	450 / 17.7	290 / 11.4	771 / 30.4	150 / 5.9	554 / 21.8	406 / 16
L/20.5	521 / 20.5	71°	74°	578 / 22.8	450 / 17.7	290 / 11.4	811 / 31.9	165 / 6.5	568 / 22.4	415 / 16.3
XL/23	584.4 / 23	71°	74°	590 / 23.2	450 / 17.7	290 / 11.4	851 / 33.5	185 / 7.3	587 / 23.1	422 / 16.6

BIKE SPECS

Frame	4130 Dbl Butted CrMo Tubing and Carrier Bosses, Forged Disc Mount
Fork	Hi-Ten Unicrown Straight Blade, 1-1/4 Tapered
Headset	1-1/8" Threaded, Zero Stack w/Alloy Conical Top Cap
Rims	Alloy Disc Double Wall, 27.5X32H
Hub, Front	KT Alloy Disc, QR w/Rubber Seal
Hub, Rear	KT Alloy Disc, QR w/Rubber Seal, Cassette
Tires	WTB Byway, 27.5X47
Spokes	14G Stainless Black, 32X32
Derailleur, Front	Shimano FD-TY710, 28.6
Derailleur, Rear	Shimano Altus M310
Shifters	MicroShift TS39 Triggers, 3x8
Chain	KMC Z7
Crankset	Shimano FC-TY501, 48/38/28T, 170mm, W/CG
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG318, 11-34T, 8-speed
Pedals	Wellgo Full Alloy w/DU Bearing
Seatpost	Alloy Micro-adjust, 27.2X350mm
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Alloy, 30mm Rise/620mm, 10 Degree Back
Stem	KHS Alloy Quill, 4-bolt, S: 90mm, M-XL: 105mm
Grips	Velo Comfort Dual Density
Brake Levers	Bengal Ares 3
Brakes	Bengal Ares 3, Hydraulic Disc, 160mm Wave12 Rotors
Color	Matte Black
Frame Size	S, M, L, XL
Extras	Kickstand, fenders, Alloy Rear carrier



FEATURES

11 Speed

4130 CrMo Steel Frame


Soft Tail

Adjustable Stem

NEW MODEL FOR 2018

MSRP: \$699-769

PART #	MODEL	SIZE	COLOR
98-188-000	Urban One 11	S	Matte Gray
98-188-001	Urban One 11	M	Matte Gray
98-188-002	Urban One 11	L	Matte Gray
98-188-003	Urban One 11	XL	Matte Gray



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S	480 / 18.9	71.5°	74°	523 / 20.6	430 / 16.9	TBD	TBD	145 / 5.7	564 / 22.2	361 / 14.2
M	500 / 19.7	72.5°	73.5°	544 / 21.4	430 / 16.9	TBD	TBD	160 / 6.3	583 / 23	371 / 14.6
L	520 / 20.5	72.5°	73.5°	575 / 22.6	430 / 16.9	TBD	TBD	175 / 6.9	598 / 23.5	398 / 15.7
XL	540 / 21.3	72.5°	73.5°	600 / 23.6	430 / 16.9	TBD	TBD	190 / 7.5	612 / 24.1	419 / 16.5

BIKE SPECS

Frame	4130 CrMo Soft Tail Design
Fork	High Tensile, Unicrown, Straight Blade
Headset	FSA 1 1/8 Threadless
Rims	Alloy, Double Wall, 700C, 24x28H
Hub, Front	Formula Alloy QR
Hub, Rear	Formula Alloy QR, Cassette
Tires	Kenda Kontender, 700X26C, 60TPI
Spokes	14G Stainless Black, 24X28
Derailleur, Rear	MicroShift RD-M62L, 11S
Shifters	MicroShift SL-M851R Right Only, 11S
Chain	KMC X11
Crankset	Alloy Forged, 3pc, 42T w/Alloy Guard, 170
BB	Cartridge Bearing
Freewheel / Cassette	MicroShift CS-H110, 11-42T, 11S
Pedals	Wellgo Resin Platform w/DU Bearings
Seatpost	Alloy Micro-adjust, 27.2X300mm
Saddle	KHS Road Padded
Handlebar	30mm rise, 580mm, 10degree
Stem	Alloy Threadless 4-bolt, S: 75mm, M: 90mm, L-XL:105mm
Grips	Velo Comfort Dual Density
Brake Levers	Promax Linear Pull
Brakes	Promax Alloy Linear Pull, w/ABS System
Color	Matte Gray
Frame Size	S, M, L, XL

URBAN

URBAN SOUL 7



FEATURES

7 Speed
Hi-Tensile Steel Frame
Double Wall Rims

NEW OR CHANGED FOR 2018

MicroShift TS38-7 Trigger Shifter
Resin platform pedals

MSRP: \$309-339


PART #	MODEL	SIZE	COLOR
98-182-900	Urban Soul 7	S/15.5	Brown
98-182-905	Urban Soul 7	S/15.5	Gray
98-182-910	Urban Soul 7	M/18	Brown
98-182-915	Urban Soul 7	M/18	Gray
98-182-920	Urban Soul 7	L/20.5	Brown
98-182-925	Urban Soul 7	L/20.5	Gray
98-182-930	Urban Soul 7	XL/23	Brown
98-182-935	Urban Soul 7	XL/23	Gray

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	72°	75°	525 / 20.7	415 / 16.3	270 / 10.6	704 / 27.7	115 / 4.5	533 / 21	387 / 15.2
M/18	457 / 18	72°	75°	555 / 21.9	415 / 16.3	270 / 10.6	745 / 29.3	140 / 5.5	551 / 21.7	393 / 15.5
L/20.5	521 / 20.5	72°	73.5°	575 / 22.6	415 / 16.3	270 / 10.6	792 / 31.2	165 / 6.5	580 / 22.8	403 / 15.9
XL/23	584 / 23	72°	73.5°	595 / 23.4	415 / 16.3	270 / 10.6	834 / 32.8	190 / 7.5	604 / 23.8	416 / 16.4

BIKE SPECS

Frame	TIG-Welded Hi-Ten Steel w/ Carrier Bosses
Fork	High Ten Straight Blades
Headset	1/1/8 Threadless
Rims	Deep Dish Alloy, Double Wall, 700x32H
Hub, Front	Alloy QR
Hub, Rear	Alloy QR
Tires	700X25C
Spokes	14G 32X32 Stainless BK
Derailleur, Rear	Shimano TY300
Shifters	MicroShift TS38-7 Trigger
Chain	KMC Z7
Crankset	Alloy Forged, 3pc, 44T w/Alloy Dbl. Guard, 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 7-speed Mega Range Freewheel, 14-34T
Pedals	Resin Platform w/Boron Axle
Seatpost	Alloy Micro-adjust 26.0X350mm
Saddle	KHS Road Padded
Handlebar	Steel, 30mm rise, 580mm, 10 degree
Stem	Alloy Threadless 4-bolt, 15 Degree, S: 75mm, M: 90mm, XL/XXL: 100mm
Grips	Soft Kraton
Brake Levers	Alloy 2F
Brakes	Alloy Dual Pivot, Long Reach
Color	Brown, Gray
Frame Size	S, M, L, XL



65

All specs are subject to change without notice.



URBAN

URBAN SOUL



FEATURES

Single Speed
Double Wall Rims
Flip Flop rear hub
Duel Pivot Brakes

NEW OR CHANGED FOR 2018

Freewheel Flip Flop rear hub
16T Freewheel

MSRP: \$269-289


PART #	MODEL	SIZE	COLOR
98-180-900	Urban Soul	S/15.5	Gloss Black
98-180-905	Urban Soul	S/15.5	Matte Red
98-180-910	Urban Soul	M /18	Gloss Black
98-180-915	Urban Soul	M/18	Matte Red
98-180-920	Urban Soul	L/20.5	Gloss Black
98-180-925	Urban Soul	L/20.5	Matte Red
98-180-930	Urban Soul	XL/23	Gloss Black
98-180-935	Urban Soul	XL/23	Matte Red

BIKE SPECS

Frame	TIG-Welded Hi-Ten Steel w/ Carrier Bosses
Fork	High Ten Straight Blades
Headset	1-1/8 Threadless
Rims	Deep Dish Alloy, Double Wall, 700x32H
Hub, Front	Alloy Nuted
Hub, Rear	Alloy , Single Speed, Flip Flop, Nuted
Tires	700 X 25C
Spokes	14G 32X32 Stainless BK
Chain	KMC Z33
Crankset	Alloy Forged, 3pc, 44T w/Alloy Guard
BB	Cartridge Bearing
Freewheel / Cassette	16T Freewheel
Pedals	Resin Platform w/Boron Axle
Seatpost	Alloy Micro-adjust, 26.0x350mm
Saddle	KHS Road Padded
Handlebar	Steel, 20mm Rise, 520mm, 10 Degree
Stem	Alloy Threadless 4-bolt, 15 Degree, S: 75mm, M: 90mm, XL/XXL: 100mm
Grips	Soft Kraton
Brake Levers	Alloy 2F
Brakes	Alloy Dual Pivot, Long Reach
Color	Black, Matte Red
Frame Size	S, M, L, XL

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	72°	75°	525 / 20.7	415 / 16.3	270 / 10.6	704 / 27.7	115 / 4.5	533 / 21	387 / 15.2
M/18	457 / 18	72°	75°	555 / 21.9	415 / 16.3	270 / 10.6	745 / 29.3	140 / 5.5	551 / 21.7	393 / 15.5
L/20.5	521 / 20.5	72°	73.5°	575 / 22.6	415 / 16.3	270 / 10.6	792 / 31.2	165 / 6.5	580 / 22.8	403 / 15.9
XL/23	584 / 23	72°	73.5°	595 / 23.4	415 / 16.3	270 / 10.6	834 / 32.8	190 / 7.5	604 / 23.8	416 / 16.4



FITNESS


VITAMIN C



FEATURES

18 Speed
6061 Alloy Frame
Bengal Ares 3 Hydraulic Disc Brakes
Bar Ends
NEW OR CHANGED FOR 2018
Q2 AR400 Disc Wheelset
Bengal Ares 3 Hydraulic Disc Brakes
MSRP: \$729-799

PART #	MODEL	SIZE	COLOR
98-197-000	Vitamin C	S/15.5	Matte Gray
98-197-001	Vitamin C	M/18	Matte Gray
98-197-002	Vitamin C	L/20.5	Matte Gray
98-197-003	Vitamin C	XL/23	Matte Gray



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	71°	73°	558 / 22	440 / 17.3	282 / 11.1	731 / 28.8	156 / 6.1	550 / 21.7	390 / 15.4
M/18	457 / 18	71°	73°	576 / 22.7	440 / 17.3	282 / 11.1	772 / 30.4	176 / 6.9	569 / 22.4	401 / 15.8
L/20.5	521 / 20.5	72°	73°	589 / 23.2	440 / 17.3	282 / 11.1	819 / 32.2	201 / 7.9	598 / 23.5	406 / 16
XL/23	584 / 23	72°	73°	602 / 23.7	440 / 17.3	282 / 11.1	865 / 34.1	231 / 9.1	627 / 24.7	410 / 16.1

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed Double Butted TT & DT, Bi-Oval Pro Seat Stays, Internal Cable, Disc, Replaceable Derailleur Hanger, Carrier Bosses
Fork	Carbon with Alloy Steerer
Headset	Integrated Cartridge Bearing
Rims	Q2 AR400 Wheelset, Double wall, 700c
Hub, Front	Q2 AR400 Wheelset, Disc, Q/R
Hub, Rear	Q2 AR400 Wheelset, Disc, Cassette, QR
Tires	700X28C w/Anti-puncture, 60tpi, Folding
Spokes	Q2 AR400 Wheelset, 14G Stainless Black 24x28
Derailleur, Front	MicroShift FD-R352B, 31.8
Derailleur, Rear	Shimano Sora RD-R3000SS
Shifters	MicroShift SL-R769-2 Trigger
Chain	KMC Z99 w/Missing Link
Crankset	FSA Vero Pro, Forged, 50x34 Compact, S: 170, M-XL: 175
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200-9, 11-32T, 9-speed
Pedals	Wellgo Resin w/Steel Cage & DU Bearing
Seatpost	KHS Alloy Micro-adjust, 27.2X350mm
Saddle	KHS Road Padded
Handlebar	Alloy 600X20mm rise, 31.8
Stem	Alloy 3D Forged, Threadless 4-bolt, 7-degree, 31.8, S: 80mm, M-L: 90mm, XL: 100mm
Grips	Velo Silicon Foam
Brake Levers	Bengal Ares 3
Brakes	Bengal Ares 3 Hydraulic Disc, 160X160, Wave 12
Color	Matte Gray
Frame Size	S, M, L, XL
Extras	Bar Ends

FITNESS

VITAMIN B



FEATURES

24 Speed
6061 Alloy Frame
Shimano Drivetrain
Q2 Double Wall Rims
MSRP: \$479-519


PART #	MODEL	SIZE	COLOR
98-196-000	Vitamin B	XS/13	Black
98-196-001	Vitamin B	S/15.5	Black
98-196-002	Vitamin B	S/15.5	Red
98-196-003	Vitamin B	M/18	Black
98-196-004	Vitamin B	M/18	Red
98-196-005	Vitamin B	L/20.5	Black
98-196-006	Vitamin B	L/20.5	Red
98-196-007	Vitamin B	XL/23	Black
98-196-008	Vitamin B Ladies	XS/13L	Pearly Purple
98-196-009	Vitamin B Ladies	S/15.5L	Dark Blue
98-196-010	Vitamin B Ladies	S/15.5L	Pearly Purple

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/13	330 / 13	71°	73°	550 / 21.7	440 / 17.3	282 / 11.1	693 / 27.3	105 / 4.1	540 / 21.3	385 / 15.2
S/15.5	394 / 15.5	71°	73°	558 / 22	440 / 17.3	282 / 11.1	730 / 28.7	115 / 4.5	550 / 21.7	390 / 15.4
M/18	457 / 18	71°	73°	576 / 22.7	440 / 17.3	282 / 11.1	774 / 30.5	135 / 5.3	568 / 22.4	402 / 15.8
L/20.5	521 / 20.5	72°	73°	589 / 23.2	440 / 17.3	282 / 11.1	821 / 32.3	160 / 6.3	598 / 23.5	406 / 16
XL/23	584 / 23	72°	73°	602 / 23.7	440 / 17.3	282 / 11.1	866 / 34.1	190 / 7.5	626 / 24.6	410 / 16.1
XS/13L	330 / 13	71°	73°	550 / 21.7	440 / 17.3	282 / 11.1	682 / 26.9	105 / 4.1	540 / 21.3	385 / 15.2
S/15.5L	394 / 15.5	71°	73°	550 / 21.7	440 / 17.3	282 / 11.1	706 / 27.8	115 / 4.5	550 / 21.7	382 / 15

BIKE SPECS

Frame	Alloy 6061, Double Butted w/Custom Formed TT, Internal Cable, Replaceable Derailleur Hanger
Fork	Alloy Straight Leg
Headset	FSA Intellaset, Threadless Slimstack, 1-1/8
Rims	Q2 AR400 Wheelset, Double wall, 700c
Hub, Front	Q2 AR400 Wheelset, Q/R
Hub, Rear	Q2 AR400 Wheelset, Cassette, QR
Tires	700X28C w/Anti-puncture
Spokes	Q2 AR400 Wheelset, 14G Black 24x28
Derailleur, Front	Shimano FD-TY710, 31.8, Dual Pull
Derailleur, Rear	Shimano Acera M360
Shifters	Shimano SL-M310 Triggers
Chain	KMC Z7
Crankset	Shimano FC-M311, 48/38/28T, 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31-8, 11-34T, 8-speed
Pedals	Resin w/Steel Cage & DU Bearing
Seatpost	KHS Alloy Micro-adjust, 27.2X350mm
Saddle	KHS Road Padded, Ladies: KHS Road Padded
Handlebar	Alloy 600X20mm Rise, 31.8, 580mm Ladies
Stem	Alloy 3D Forged, Threadless 4-bolt, 7-degree, 31.8, XS-S: 80mm, M-L: 90mm, XL: 100mm, Ladies: 80mm
Grips	Velo Silicon Foam
Brake Levers	Alloy Liner Pull, 3F
Brakes	Alloy Linear Pull w/ABS System
Color	Black, Red Ladies: Pearly Purple, Dark Blue
Frame Size	XS, S, M, L, XL (XS & XL Only Black), Ladies: XS, S (XS Only Purple)



FITNESS

VITAMIN A



FEATURES

21 Speed

6061 Alloy Frame

Shimano Drivetrain

Ultracycle Brake Safe™

MSRP: \$399-439


PART #	MODEL	SIZE	COLOR
98-195-900	Vitamin A	XS/13	Gloss Black
98-195-905	Vitamin A	S/15.5	Gloss Black
98-195-910	Vitamin A	S/15.5	White
98-195-915	Vitamin A	M/18	Gloss Black
98-195-920	Vitamin A	M/18	White
98-195-925	Vitamin A	L/20.5	Gloss Black
98-195-930	Vitamin A	L/20.5	White
98-195-935	Vitamin A Ladies	XS/13L	Lucite Green
98-195-940	Vitamin A Ladies	S/15.5L	Lucite Green
98-195-945	Vitamin A Ladies	S/15.5L	Pearl

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/13	330 / 13	71°	73°	550 / 21.7	440 / 17.3	282 / 11.1	693 / 27.3	105 / 4.1	540 / 21.3	385 / 15.2
S/15.5	394 / 15.5	71°	73°	558 / 22	440 / 17.3	282 / 11.1	730 / 28.7	115 / 4.5	550 / 21.7	390 / 15.4
M/18	457 / 18	71°	73°	576 / 22.7	440 / 17.3	282 / 11.1	774 / 30.5	135 / 5.3	568 / 22.4	402 / 15.8
L/20.5	521 / 20.5	72°	73°	589 / 23.2	440 / 17.3	282 / 11.1	821 / 32.3	160 / 6.3	598 / 23.5	406 / 16
XS/13L	330 / 13	71°	73°	550 / 21.7	440 / 17.3	282 / 11.1	682 / 26.9	105 / 4.1	540 / 21.3	385 / 15.2
S/15.5L	394 / 15.5	71°	73°	550 / 21.7	440 / 17.3	282 / 11.1	706 / 27.8	115 / 4.5	550 / 21.7	382 / 15

BIKE SPECS

Frame	Alloy 6061, Double Butted w/Custom Formed TT, Internal Cable, Replaceable Derailleur Hanger, carrier bosses
Fork	Hi-Ten Unicrown Straight Blades
Headset	FSA Intellaset, Threadless Slimstack, 1-1/8
Rims	Alloy Double Wall w/CNC side Wall, 700C
Hub, Front	KT Alloy, QR
Hub, Rear	KT Alloy, QR, Cassette
Tires	700X32C w/Anti-puncture
Spokes	14G Black, 24X28
Derailleur, Front	Shimano FD-TY510, 31.8, Dual Pull
Derailleur, Rear	Shimano RD-TY300
Shifters	Shimano ST-EF500
Chain	KMC Z7
Crankset	Shimano FC-TY301, 48/38/28 w/CG, 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG20-7, 12-32T, 7-speed
Pedals	Wellgo Resin w/Alloy Cage & DU Bearing
Seatpost	KHS Alloy Micro-adjust, 27.2X350mm
Saddle	KHS Road Padded, Ladies: KHS Road Padded
Handlebar	Alloy 600X20mm Rise, 31.8, 580mm Ladies
Stem	Alloy 3D Forged, Threadless 4-bolt, 7-degree, 31.8, XS-S: 80mm, M-L: 90mm, XL: 100mm, Ladies: 80mm
Grips	Velo Silicon Foam
Brake Levers	Shimano ST-EF500
Brakes	Alloy Linear Pull w/ABS System
Color	Black, White, Ladies: Lucite Green, Pearl
Frame Size	XS, S, M, L (XS Black Only), Ladies: XS, S (XS Green Only)



69

All specs are subject to change without notice.



FITNESS

ULTRASPORT 3.0



FEATURES

27 Speed

6061 Alloy Frame

Shimano Drivetrain


Bengal Ares 3 Hydraulic Disc Brakes

NEW OR CHANGED FOR 2018

Weinmann XTB26 Wheelset

MSRP: \$629-689

PART #	MODEL	SIZE	COLOR
98-200-000	UltraSport 3.0	S/15	Blue Gray
98-200-001	UltraSport 3.0	M/17	Blue Gray
98-200-002	UltraSport 3.0	L/19	Blue Gray
98-200-003	UltraSport 3.0	XL/21	Blue Gray
98-200-004	UltraSport 3.0 Ladies	M/17L	Matte Purple



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	71°	73°	575 / 22.6	450 / 17.7	290 / 11.4	744 / 29.3	90 / 3.5	604 / 23.8	390 / 15.4
M/17	432 / 17	71°	73°	588 / 23.1	450 / 17.7	290 / 11.4	780 / 30.7	105 / 4.1	617 / 24.3	399 / 15.7
L/19	483 / 19	71°	73°	600 / 23.6	450 / 17.7	290 / 11.4	813 / 32	120 / 4.7	631 / 24.8	406 / 16
XL/21	533 / 21	71°	73°	612 / 24.1	450 / 17.7	290 / 11.4	844 / 33.2	132 / 5.2	643 / 25.3	415 / 16.3

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT & DT w/C/S Disc Mount, w/ Replaceable Derailleur Hanger
Fork	SR NVX HLO, w/Hydraulic Lockout, 75mm, Preload Adj
Headset	Threadless 1-1/8, Zero Stack
Rims	Weinmann XTB26 Alloy, 700c x 32H, Double wall
Hub, Front	Alloy Disc w/CNC Rotor Flange, QR
Hub, Rear	Alloy Disc w/CNC Rotor Flange, QR, Cassette
Tires	700 x 40c, 30 TPI
Spokes	14G Stainless Black, 32X32
Derailleur, Front	Shimano Altus, FD-M370, 34.9, Down Swing
Derailleur, Rear	Shimano Alivio, RD-M4000
Shifters	Shimano Altus, SL-M370
Chain	KMC X9 W/Missing Link
Crankset	Shimano Acera FC-T-3010 Acera, 48/36/26T, S: 170, M-XL: 175, Ladies: 175
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200-9, 11-34T, 9-speed
Pedals	Wellgo Resin Platform w/DU Bearing
Seatpost	KHS Alloy Micro-adjust, 31.6X350mm
Saddle	KHS Sport Dual Density, KHS Ladies Sport Dual Density
Handlebar	Alloy, 31.8, 680X30mm, Ladies: 660mm
Stem	Alloy 3D Forged, Threadless 4-bolt, 7-degree, 31.8, S: 60mm, M-L: 80mm, XL: 90, Ladies: 80mm
Grips	KHS Sport, Dual Compound
Brake Levers	Bengal Ares 3
Brakes	Bengal Ares 3, Hydraulic Disc, 160mm Rotors Wave12
Color	Blue Gray, Ladies: Matte Purple
Frame Size	S, M, L, XL, Ladies: M

FITNESS

ULTRASPORT 2.0



FEATURES

24 Speed

Alloy Frame

Shimano Drivetrain

Bengal MB606 Mechanical Disc brakes

NEW OR CHANGED FOR 2018

Weinmann XTB26 Wheelset

MSRP: \$469-509


PART #	MODEL	SIZE	COLOR
98-199-000	UltraSport 2.0	S/15	Matte Blue
98-199-001	UltraSport 2.0	S/15	Shiny Coal
98-199-002	UltraSport 2.0	M/17	Matte Blue
98-199-003	UltraSport 2.0	M/17	Shiny Coal
98-199-004	UltraSport 2.0	L/19	Matte Blue
98-199-005	UltraSport 2.0	L/19	Shiny Coal
98-199-006	UltraSport 2.0	XL/21	Matte Blue
98-199-007	UltraSport 2.0	XXL/23	Matte Blue
98-199-008	UltraSport 2.0 Ladies	S/15L	Matte Winter Blue
98-199-009	UltraSport 2.0 Ladies	S/15L	Cool Mint
98-199-010	UltraSport 2.0 Ladies	M/17L	Matte Winter Blue
98-199-011	UltraSport 2.0 Ladies	M/17L	Cool Mint

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	71°	73°	575 / 22.6	450 / 17.7	290 / 11.4	744 / 29.3	90 / 3.5	604 / 23.8	390 / 15.4
M/17	432 / 17	71°	73°	588 / 23.1	450 / 17.7	290 / 11.4	780 / 30.7	105 / 4.1	617 / 24.3	399 / 15.7
L/19	483 / 19	71°	73°	600 / 23.6	450 / 17.7	290 / 11.4	813 / 32	120 / 4.7	631 / 24.8	406 / 16
XL/21	533 / 21	71°	73°	612 / 24.1	450 / 17.7	290 / 11.4	844 / 33.2	132 / 5.2	643 / 25.3	415 / 16.3
XXL/23	584 / 23	71°	73°	626 / 24.6	450 / 17.7	290 / 11.4	874 / 34.4	145 / 5.7	655 / 25.8	425 / 16.7

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT w/C/S Disc Mount, w/ Replaceable Derailleur Hanger
Fork	SR M3030, 75mm
Headset	Threadless 1-1/8, Zero Stack
Rims	Weinmann XTB26 Alloy, 700c x 32H, Double wall
Hub, Front	Alloy Disc w/CNC Rotor Flange, QR
Hub, Rear	Alloy Disc w/CNC Rotor Flange, QR, Cassette
Tires	700 x 40c, 30 TPI
Spokes	14G Black, 32X32
Derailleur, Front	Shimano Altus M313, 34.9
Derailleur, Rear	Shimano Acera M360
Shifters	Shimano ST-EF500
Chain	KMC Z7
Crankset	Shimano FC-TY-301, 48/38/28T, S: 170, M-XXL: 175, Ladies: S: 170, M: 175
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31-8, 11-34, 8-speed
Pedals	Wellgo Resin Platform w/DU Bearing
Seatpost	KHS Alloy micro-adjust, 31.6x350mm
Saddle	KHS Sport, Dual Density
Handlebar	Alloy, 31.8, 680X30mm, Ladies: 660mm
Stem	Alloy 3D Forged, Threadless 4-bolt, 7-degree, 31.8, S: 60mm, M-L: 80mm, XL-XXL: 90, Ladies: S: 60mm, M: 80mm
Grips	KHS Sport, Dual Compound
Brake Levers	Shimano ST-EF500
Brakes	Bengal Cable Disc, MB606, 160mm Rotors Wave12 w/ABS System
Color	Matte Blue, Shiny Coal, Ladies: Winter Blue, Cool Mint
Frame Size	S, M, L, XL, XXL (XL & XXL Blue Only), Ladies: S, M



All specs are subject to change without notice.



ULTRASPORT 1.0



FEATURES

21 Speed

6061 Alloy Frame

Shimano Drivetrain

Ultracycle Brake Safe™

NEW OR CHANGED FOR 2018

Weinmann XTB26 Wheelset

MSRP: \$399-439


PART #	MODEL	SIZE	COLOR
98-198-900	UltraSport 1.0	S/15	Matte Black
98-198-905	UltraSport 1.0	S/15	Matte Silver
98-198-915	UltraSport 1.0	M/17	Matte Black
98-198-920	UltraSport 1.0	M/17	Matte Silver
98-198-925	UltraSport 1.0	L/19	Matte Black
98-198-930	UltraSport 1.0	L/19	Matte Silver
98-198-935	UltraSport 1.0	XL/21	Matte Black
98-198-940	UltraSport 1.0	XXL/23	Matte Black
98-198-945	UltraSport 1.0 Ladies	S/15L	Gloss Black
98-198-950	UltraSport 1.0 Ladies	S/15L	Gloss Blue
98-198-955	UltraSport 1.0 Ladies	M/17L	Gloss Black
98-198-960	UltraSport 1.0 Ladies	M/17L	Gloss Blue

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	71°	73°	575 / 22.6	450 / 17.7	290 / 11.4	744 / 29.3	90 / 3.5	604 / 23.8	390 / 15.4
M/17	432 / 17	71°	73°	588 / 23.1	450 / 17.7	290 / 11.4	780 / 30.7	105 / 4.1	617 / 24.3	399 / 15.7
L/19	483 / 19	71°	73°	600 / 23.6	450 / 17.7	290 / 11.4	813 / 32	120 / 4.7	631 / 24.8	406 / 16
XL/21	533 / 21	71°	73°	612 / 24.1	450 / 17.7	290 / 11.4	844 / 33.2	132 / 5.2	643 / 25.3	415 / 16.3
XXL/23	584 / 23	71°	73°	626 / 24.6	450 / 17.7	290 / 11.4	874 / 34.4	145 / 5.7	655 / 25.8	425 / 16.7

BIKE SPECS

Frame	Alloy 6061 w/Replaceable Derailleur Hanger
Fork	SR M3010, 50mm
Headset	Threadless 1-1/8, Zero Stack
Rims	Weinmann XTB26 Alloy, 700c x 32H, Double wall
Hub, Front	KT Alloy QR, Rubber Seal
Hub, Rear	KT Alloy QR, Rubber Seal Cassette
Tires	700 x 40c, 30TPI
Spokes	14G Black, 32X32
Derailleur, Front	Shimano FD-TY710, 34.9
Derailleur, Rear	Shimano RD-TY300
Shifters	Shimano ST-EF500
Chain	KMC Z7
Crankset	Shimano FC-TY-301, 48/38/28T, S-M: 170, L-XXL: 175, Ladies: 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano Cassette, CS-HG20-7, 12-32T, 7speed
Pedals	Resin ATB Platform w/Boron Axle
Seatpost	KHS Alloy micro-adjust, 31.6x350mm
Saddle	KHS Sport
Handlebar	Alloy, 31.8, 680X30mm, Ladies: 660mm
Stem	Alloy 3D Forged, Threadless 4-bolt, 7-degree, 31.8, S: 60mm, M-L: 80mm, XL-XXL: 90, Ladies: S: 60mm, M: 80mm
Grips	KHS Sport
Brake Levers	Shimano ST-EF500
Brakes	Alloy Linear Pull w/ABS System
Color	Matte Black, Matte Silver, Ladies: Black, Blue
Frame Size	S, M, L, XL, XXL (XL & XXL Black Only), Ladies: S, M



YOUTH FLITE 24




FEATURES

14 Speed
6061 Alloy Frame
Double Wall Rims
Cassette rear hub
MSRP: \$469-509

PART # MODEL SIZE COLOR

PART #	MODEL	SIZE	COLOR
98-210-900	Flite 24	24"	Gloss Black



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
One Size	345 / 13.6	71°	74°	441 / 17.4	380 / 15	244 / 9.6	613 / 24.1	100 / 3.9	434 / 17.1	317 / 12.5

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT & DT, Internal Cable w/ Replaceable Derailleur Hanger
Fork	Hi-Ten Unicrown, Straight Blades
Headset	Threadless 1-1/8"
Rims	Alloy Double Wall w/CNC side Wall
Hub, Front	Alloy QR, Rubber Seal
Hub, Rear	Alloy QR, Rubber Seal, Cassette
Tires	24 x 1 (520MM)
Spokes	14G Black, 24X28
Derailleur, Front	Shimano FD-A070, 31.8
Derailleur, Rear	Shimano RD-A070
Shifters	Shimano STI, ST-A070
Chain	KMC Z7
Crankset	Forged Alloy, 46/34 w/CNC Alloy C/R, 152
BB	Cartridge Bearing
Freewheel / Cassette	Shimano Csst, HG20-7, 12-28T, 7-speed
Pedals	Resin w/Steel Cage
Seatpost	KHS Alloy Micro-adjust, 27.2x300mm
Saddle	KHS Junior Road Padded
Handlebar	Alloy Junior Drop, Compact Bend, 31.8 x 36 cm
Stem	Alloy 3D Forged, Threadless 4-bolt, 7-degree, 31.8, 60 mm
Grips	Cushion Tape
Brake Levers	Shimano STI, ST-A070
Brakes	Alloy Dual Pivot
Color	Black
Frame Size	24" Wheel

YOUTH

XC 24




FEATURES

11 speed
 Alloy Horst Link Suspension Frame
 Sram NX1 Drivetrain
 Terkro HD-M286 Hydraulic Short Reach Disc Brakes
 MSRP: \$1499-1599

PART # MODEL SIZE COLOR

98-147-900	XC24	24"	Gray/Black
------------	------	-----	------------



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/12.5	317 / 12.5	67°	73°	523 / 20.6	390 / 15.4	307 / 12.1	679 / 26.7	95 / 3.7	508 / 20	365 / 14.4

BIKE SPECS

Frame	24" Alloy 6061, Horst Bearing Linkage, 100mm Travel, w/ Replaceable Der Hanger
Rear Shock	X-Fusion 02 Pro R, Air, Ext Rebound
Fork	RST First 26 Air, 100mm, Alloy Steerer, Magnesium lowers, Hydraulic Damp, External rebound, Lockout
Headset	FSA Threadless 1-1/8, Zero Stack
Rims	Alloy Disc, Double wall, 24x32H
Hub, Front	KT Alloy Disc w/CNC Rotor Flange, QR
Hub, Rear	KT Alloy Disc w/CNC Rotor Flange, QR, Cassette
Tires	Maxxis Snyder, 24 x 2.0, 60 TPI Folding
Spokes	14G Black w/Alloy Nipples, 32X32
Derailleur, Rear	Sram NX 1, 11s X-Horizon, Type 3
Shifters	Sram NX 1, 11s Trigger, Right Only
Chain	SRAM PC-1110
Crankset	KHS 2pc Forged W/Outboard Bearing, 32T
BB	Outboard Bearing
Freewheel / Cassette	Sun Race, 11-42T, 11-speed
Seatpost	Alloy Micro Adjust, 30.9x 300mm
Saddle	KHS Junior ATB
Handlebar	Alloy Riser, 31.8, 720X12mm, Butted
Stem	Alloy 3D Forged, 4-bolt, 40mm
Grips	Q2 Lock-on
Brake Levers	Tekro HD-M286 Short Reach
Brakes	Tekro HD-M286, Hydraulic Disc, 160mm Rotors
Color	Gray/Black
Frame Size	Boys

YOUTH

ALITE 24



FEATURES

9 Speed
6061 Alloy Frame
Double Wall Rims
Ultracycle Brake Safe™

NEW OR CHANGED FOR 2018

1x Alloy Cranks
Shimano CS-H201-9 11-36 cassette


MSRP: \$509-559

BIKE SPECS

Frame	24" Alloy Butted 6061, w/Custom Formed TT & DT, Replaceable Der Hanger
Fork	SR Suntour XCT-JR, 80mm Travel
Headset	Threadless 1-1/8, Zero Stack
Rims	Alloy Disc, Double wall, 24x32H
Hub, Front	Alloy Disc w/CNC Rotor Flange, QR
Hub, Rear	Alloy Disc w/CNC Rotor Flange, QR, Cassette
Tires	24X1.95, 60 TPI , Folding
Spokes	14G Black, 32X32
Derailleur, Rear	Shimano New Altus 9s, RD-M2000
Shifters	Shimano New SL-M2000 Trigger, 9s
Chain	KMC X9 W/Missing Link
Crankset	Samox Forged, 28T, 160mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG201-9, 11-36T, 9-Speed
Pedals	Resin ATB Platform w/Boron Axle
Seatpost	KHS Alloy Micro Adjust, 27.2x 250mm
Saddle	KHS Junior ATB
Handlebar	Alloy 31.8, 640mm x 20mm
Stem	Alloy 3D Forged 4-bolt, 31.8 x 60mm
Grips	Soft Kraton
Brake Levers	Alloy Linear Pull
Brakes	Bengal Cable Disc, MB606, 160mm Wave 12 Rotors w/ABS System
Color	Bright Blue
Frame Size	Boys

PART # MODEL SIZE COLOR

98-146-900 Alite 24 24" Bright Blue



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/12.5	320 / 12.6	70°	72°	519 / 20.4	424 / 16.7	275 / 10.8	666 / 26.2	110 / 4.3	505 / 19.9	354 / 13.9

YOUTH T-REX



FEATURES

21 Speed

Hi-Tensile Steel Frame

Shimano Drivetrain


Suspension fork

NEW OR CHANGED FOR 2018

15 degree Stem

MSRP: \$289-309

PART #	MODEL	SIZE	COLOR
98-143-900	T-Rex	24"	Matte Army Green
98-143-905	T-Rex Girls	24"	Black



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/12.5	320 / 12.6	70°	72°	518 / 20.4	424 / 16.7	275 / 10.8	666 / 26.2	110 / 4.3	513 / 20.2	353 / 13.9
XS/12.5L	320 / 12.6	70°	72°	518 / 20.4	424 / 16.7	275 / 10.8	0 / 0	110 / 4.3	513 / 20.2	353 / 13.9

BIKE SPECS

Frame	TIG-welded Hi-tensile Steel
Fork	24" Suspension, Alloy Crown, 50mm Travel
Headset	Threadless 1-1/8"
Rims	Alloy, 24"x32H
Hub, Front	Steel Nuted
Hub, Rear	Steel Nuted
Tires	24X1.95 Knobby
Spokes	14G Black, 32X32
Derailleur, Front	Shimano FD-TY500
Derailleur, Rear	Shimano RD-TY300D
Shifters	Shimano Revo
Chain	KMC Z7
Crankset	Alloy 3-pc, 42/34/24 w/CG, 152mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano MF-TZ21, 14-28T, 7-Speed FW
Pedals	MTB w/Boron Axle
Seatpost	Alloy Micro Adjust, 25.4x 250mm
Saddle	Ultracycle Junior
Handlebar	Alloy 30mm Rise/640mm
Stem	Alloy Threadless, 15 Degree, 60mm
Grips	Soft Kraton
Brake Levers	All Alloy Linear Pull
Brakes	Alloy Linear Pull
Color	Matte Army Green, Girls: Black
Frame Size	Boys, Girls
Extras	Rear Der Guard

YOUTH

T-REX 7



FEATURES

7 speeds

Hi-Ten Steel frame

7-Speed Shimano Drivetrain

Rigid fork


NEW OR CHANGED FOR 2018

15 degree Stem

MSRP: \$259-279

PART # MODEL SIZE COLOR

98-142-900	T-Rex 7 Boys	24"	Red
98-142-905	T-Rex 7 Girls	24"	Purple



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/12.5	320 / 12.6	70°	72°	519 / 20.4	424 / 16.7	275 / 10.8	677 / 26.7	110 / 4.3	513 / 20.2	353 / 13.9
XS/12.5L	320 / 12.6	70°	72°	519 / 20.4	424 / 16.7	275 / 10.8	0 / 0	110 / 4.3	513 / 20.2	352 / 13.9

BIKE SPECS

Frame	TIG-welded Hi-Ten Steel
Fork	Rigid Straight Leg Steel
Headset	Threadless 1-1/8"
Rims	Alloy, 24"x32H
Hub, Front	Steel Nuted
Hub, Rear	Steel Nuted
Tires	24X1.95 Knobby
Spokes	14G Black, 32X32
Derailleur, Rear	Shimano RD-TY300D
Shifters	Shimano Revo
Chain	KMC Z7
Crankset	Alloy 3-pc, 36T w/Double Guard, 152
BB	Cartridge Bearing
Freewheel / Cassette	Shimano MF-TZ21, 14-28T, 7-Speed FW
Pedals	MTB w/Boron Axle
Seatpost	Alloy Micro Adjust, 25.4x 250mm
Saddle	Ultracycle Junior
Handlebar	Alloy 30mm Rise/640mm
Stem	Alloy Threadless, 15 Degree, 60mm
Grips	Soft Kraton
Brake Levers	All Alloy Linear Pull
Brakes	Alloy Linear Pull
Color	Red, Girls: Purple
Frame Size	Boys, Girls
Extras	Rear Der Guard

YOUTH SYNTAUR+



FEATURES

21 Speed

6061 Alloy Frame

24" plus knobby tires


Shimano Drivetrain

NEW OR CHANGED FOR 2018

CST Knobby Tires

MSRP: \$329-359

PART #	MODEL	SIZE	COLOR
98-145-900	Syntaur Plus	24"	Red
98-145-905	Syntaur Plus Girls	24"	Teal



GEOMETRY

SIZE	A s/t c-t	B h/t"	C s/t"	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/12.5	320 / 12.6	70°	72°	506 / 19.9	440 / 17.3	304 / 12	684 / 26.9	110 / 4.3	500 / 19.7	343 / 13.5
XS/12.5L	320 / 12.6	70°	72°	506 / 19.9	440 / 17.3	304 / 12	0 / 0	110 / 4.3	500 / 19.7	343 / 13.5

BIKE SPECS

Frame	Alloy Plus 6061 w/Custom Formed TT & Replaceable Der Hanger
Fork	Rigid Straight Leg
Headset	Threadless 1-1/8"
Rims	Alloy, 24" Plus x 32H
Hub, Front	Steel Nuted
Hub, Rear	Steel Nuted
Tires	CST C1918 Knobby, 24X2.8, 60TPI
Spokes	14G Black, 32X32
Derailleur, Front	Shimano FD-TY500, 31.8
Derailleur, Rear	Shimano RD-TY300D
Shifters	Shimano Revo
Chain	KMC Z7
Crankset	Samox Alloy, 42/34/24 w/CG, 152mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano MF-TZ21, 14-28T, 7-Speed FW
Pedals	MTB w/Boron Axle
Seatpost	Alloy Micro Adjust, 27.2x 250mm
Saddle	Ultracycle Junior
Handlebar	Alloy 30mm Rise/640mm
Stem	Alloy Threadless, 15 Degree, 60mm
Grips	Soft Kraton
Brake Levers	All Alloy Linear Pull
Brakes	Alloy Linear Pull
Color	Red, Girls: Teal
Frame Size	24" Plus
Extras	Rear Der Guard

YOUTH SYNTAUR



FEATURES

21 Speed

6061 Alloy Frame

Shimano Drivetrain


Rigid Fork

NEW OR CHANGED FOR 2018

15 degree Stem

MSRP: \$299-329

PART #	MODEL	SIZE	COLOR
98-144-900	Syntaur	24"	Gun Barrel Blue
98-144-905	Syntaur Girls	24"	White



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/12.5	320 / 12.6	70°	72°	518 / 20.4	424 / 16.7	275 / 10.8	642 / 25.3	110 / 4.3	467 / 18.4	356 / 14
XS/12.5L	320 / 12.6	70°	72°	518 / 20.4	424 / 16.7	275 / 10.8	0 / 0	110 / 4.3	467 / 18.4	356 / 14

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT & Replaceable Der Hanger
Fork	Rigid Straight Leg Steel
Headset	Threadless 1-1/8"
Rims	Alloy, 24"x32H
Hub, Front	Steel Nuted
Hub, Rear	Steel Nuted
Tires	24X1.95 Knobby
Spokes	14G Black, 32X32
Derailleur, Front	Shimano FD-TY500, 31.8
Derailleur, Rear	Shimano RD-TY300D
Shifters	Shimano Revo
Chain	KMC Z7
Crankset	Samox Alloy, 42/34/24 w/CG, 152mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano MF-TZ21, 14-28T, 7-Speed FW
Pedals	MTB w/Boron Axle
Seatpost	Alloy Micro Adjust, 27.2x 250mm
Saddle	Ultracycle Junior
Handlebar	Alloy 30mm Rise/640mm
Stem	Alloy Threadless, 15 Degree, 60mm
Grips	Soft Kraton
Brake Levers	All Alloy Linear Pull
Brakes	Alloy Linear Pull
Color	Gun Barrel Blue, Girls: White
Frame Size	Boys, Girls
Extras	Rear Der Guard

YOUTH RAPTOR+




FEATURES

7 speeds
Alloy frame
Shimano drivetrain
20x3.0 Knobby tire
MSRP: \$289-309

PART # MODEL SIZE COLOR

98-141-900 Raptor + 20" Blue



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XXS/11	280 / 11	70°	70°	494 / 19.4	410 / 16.1	274 / 10.8	590 / 23.2	110 / 4.3	418 / 16.5	342 / 13.5

BIKE SPECS

Frame	Alloy Plus 6061 w/Custom Formed TT & Replaceable Der Hanger
Fork	Rigid Straight Leg Steel
Headset	Threadless 1-1/8"
Rims	Alloy, 20" Plus, 32H
Hub, Front	Steel Nuted
Hub, Rear	Steel Nuted
Tires	20X2.8 Knobby
Spokes	14G Black, 32X32
Derailleur, Rear	Shimano RD-TY300D
Shifters	Shimano Revo
Chain	KMC Z7
Crankset	Alloy3-pc 36T w/Double Chainguard, 140
BB	Cartridge Bearing
Freewheel / Cassette	Shimano MF-TZ21, 14-28T, 7-Speed FW
Pedals	MTB w/Boron Axle
Seatpost	Alloy Micro Adjust, 27.2 X 230mm
Saddle	Ultracycle Junior
Handlebar	Alloy 30mm Rise/560mm
Stem	Alloy Threadless, 15 Degree, 60mm
Grips	Soft Kraton
Brake Levers	All Alloy Linear Pull
Brakes	Alloy Linear Pull
Color	Blue
Frame Size	20" Plus
Extras	Rear Der Guard

YOUTH RAPTOR



FEATURES


7 Speed
6061 Alloy Frame
Shimano Drivetrain
Rigid Fork

NEW OR CHANGED FOR 2018

Alloy Micro Adjust Seatpost
Alloy Handlebars

MSRP: \$259-279

PART #	MODEL	SIZE	COLOR
98-140-900	Raptor Boys	20"	Orange
98-140-905	Raptor Girl	20"	Pop Pink



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XXS/11	280 / 11	70°	70°	488 / 19.2	385 / 15.2	248 / 9.8	579 / 22.8	110 / 4.3	431 / 17	332 / 13.1
XXS/11L	280 / 11	70°	70°	488 / 19.2	385 / 15.2	248 / 9.8	0 / 0	110 / 4.3	431 / 17	332 / 13.1

BIKE SPECS

Frame	Alloy 6061 w/Custom Formed TT & Replaceable Der Hanger
Fork	Rigid Straight Leg Steel
Headset	Threadless 1-1/8"
Rims	Alloy, 20", 32H
Hub, Front	Steel Nuted
Hub, Rear	Steel Nuted
Tires	20X2.125 Knobby
Spokes	14G Black, 32X32
Derailleur, Rear	Shimano RD-TY300D
Shifters	Shimano Revo
Chain	KMC Z7
Crankset	Alloy3-pc 36T w/Double Chainguard, 140mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano MF-TZ21, 14-28T, 7-Speed FW
Pedals	MTB w/Boron Axle
Seatpost	Alloy Micro Adjust, 27.2 X 230mm
Saddle	Ultracycle Junior
Handlebar	Alloy 30mm Rise/560mm
Stem	Alloy Threadless, 15 Degree, 60mm
Grips	Soft Kraton
Brake Levers	All Alloy Linear Pull
Brakes	Alloy Linear Pull
Color	Orange, Girls: Pop Pink
Frame Size	Boys, Girls
Extras	Rear Der Guard

YOUTH HOT ROD



FEATURES

Single Speed
Ape Handlebars
Banana saddle w/ Sissy bar
MSRP: \$249-269

PART #	MODEL	SIZE	COLOR
98-129-900	HOT ROD	20"	Black
98-129-910	HOT ROD	20"	Lime

BIKE SPECS

Frame	Steel Cantilever
Fork	Retro Springer Suspension
Headset	Threaded 1"
Rims	CP Steel
Hub, Front	Steel
Hub, Rear	Coaster
Tires	Front: 20x1.75, Rear: 20x2.1 Black wall
Spokes	14G
Chain	KMC Z410
Crankset	1-piece Steel Chrome Plated, 44T
BB	Ball Bearing
Freewheel / Cassette	18T
Pedals	Old School Rubber Black
Seatpost	Chrome Plated Steel
Saddle	Old School Banana
Handlebar	Chrome Plated Steel, Ape Hanger
Stem	Steel Quill
Brakes	Coaster Rear
Color	Black, Lime
Frame Size	1-size
Extras	Kickstand

TANDEM MILANO



FEATURES

30 Speed

6061 Alloy frame

Weinmann XC 180 Disc, Doublewall wheelset

Bengal MB700T, Mechanical Disc brakes


Maxxis Re-Fuse w/Puncture Resistant Maxxshield, 700x28c, 60 TPI Folding Tires

Shimano Tiagra Front & Rear Derailleur

Shimano Tiagra STI Shifters

MSRP: \$1899-1999

PART #	MODEL	SIZE	COLOR
89-010-005	Tandem Milano	S (20" x 16")	Blue Velvet Gloss
89-010-006	Tandem Milano	M (23" x 21")	Blue Velvet Gloss



BIKE SPECS

Frame	Alloy 6061, TIG welded w/Disc Tab
Fork	Oversized Chromalloy Unicrown
Headset	1 1/8" Threadless
Rims	Weinmann XC180 Disc, Double wall, w/ eyelets
Hub, Front	Front: Alloy QR, S/B, Disc
Hub, Rear	Alloy QR, Cassette. S/B, Disc
Tires	Maxxis Re-Fuse w/Puncture Resistant Maxxshield, 700x28c, 60 TPI Folding
Spokes	14G Black, 40X40
Derailleur, Front	Shimano Tiagra
Derailleur, Rear	Shimano Tiagra
Shifters	Shimano Tiagra STI
Chain	KMC X10
Crankset	KHS Forged, 50/39/30 +39T, Alloy CNC C/R's
BB	Cartridge Power Spline
Freewheel / Cassette	Shimano CS-HG500, 11-32T, 10-speed
Pedals	Wellgo Alloy Body & Alloy Cage w/DU Bearings
Seatpost	Captain: Alloy Micro Adj. Stoker: Alloy Suspension, Micro Adj
Saddle	KHS Road Padded & Ladies Road Padded
Handlebar	Alloy Compact Drop, Double Butted, 31.8
Stem	Captain: Threadless 3D Forged Alloy 17D x 31.8, Stoker: Alloy, adjustable
Grips	Cushion Tape
Brake Levers	Shimano Tiagra STI
Brakes	Bengal MB700T, Mechanical Disc, 203mm Rotors
Color	Blue Velvet Gloss
Frame Size	S, M

GEOMETRY

SIZE	A s/t c-t	A° s/t c-t	B h/t°	C s/t°	C° s/t°	D t/t	D° t/t	E c/s	F BB Height	G rake	H s.o.	H° s.o.	I h/t L
S	510 / 20.1	410 / 16.1	73	73	73	569 / 22.4	717 / 28.2	440 / 17.3	298 / 11.7	50 / 1.97	780 / 30.7	632 / 24.9	135 / 5.3
M	582 / 22.9	541 / 21.3	73	73	73	591 / 23.3	717 / 28.2	440 / 17.3	298 / 11.7	50 / 1.97	824 / 32.4	763 / 30	150 / 5.9

TANDEM CROSS



FEATURES

27 Speed

6061 Alloy Frame

Bengal Mechanical Disc Brakes

Shimano Drivetrain

NEW OR CHANGED FOR 2018

WTB Byway Tires 650BX47

Shimano ES25 BB


MSRP: \$1499-1599

BIKE SPECS

Frame	Alloy 6061, TIG welded w/Disc Tab & Carrier Bosses
Fork	Oversized CrMo Unicrown w/ Carrier Bosses
Headset	FSA Intellaset 1 1/8" Threadless Slimstack
Rims	WTB STP I23 (27.5) Disc, Double wall
Hub, Front	Front: Alloy QR, S/B, Disc
Hub, Rear	Alloy QR, Cassette. S/B, Disc
Tires	WTB Byway 650BX47
Spokes	14G Black Stainless, 40X40
Derailleur, Front	Shimano FD-R3030 Sora
Derailleur, Rear	Shimano Deore
Shifters	Shimano SL-R3000/3030 Sora Trigger
Chain	KMC Z99
Crankset	Drive Line Alloy Forged 50/39/30 +39T
BB	Cartridge Power Spline, 68x113
Freewheel / Cassette	Shimano HG20-9, 11-36T, 9-Speed
Seatpost	Captain: Alloy Micro Adj. Stoker: Alloy Suspension, Micro Adj
Saddle	KHS Road Padded & Ladies Road Padded
Handlebar	Alloy, 31.8, 35mm Rise FT, 100mm Rise RR
Stem	Captain: Threadless 3D Forged Stoker: Alloy, adjustable
Grips	KHS Sport, Dual Compound
Brake Levers	Promax Alloy Linear Pull
Brakes	Bengal MB700, Mechanical Disc, 203mm Rotors, WaveR
Color	Dark Red
Frame Size	S, M

PART # MODEL SIZE COLOR

89-011-009	Tandem Cross	S (20"x16")	Dark Red
89-011-010	Tandem Cross	M (23"x21")	Dark Red



GEOMETRY

SIZE	A s/t c-t	A° s/t c-t	B h/t°	C s/t°	C° s/t°	D t/t	D° t/t	E c/s	F BB Height	G rake	H s.o.	H° s.o.	I h/t L
S	510 / 20.1	410 / 16.1	73	73	73	569 / 22.4	717 / 28.2	440 / 17.3	298 / 11.7	50 / 1.97	780 / 30.7	632 / 24.9	135 / 5.3
M	582 / 22.9	541 / 21.3	73	73	73	591 / 23.3	717 / 28.2	440 / 17.3	298 / 11.7	50 / 1.97	824 / 32.4	763 / 30	150 / 5.9

TANDEM SPORT



FEATURES

27 Speed

Bengal Mechanical Disc Brakes

Stoker adjustable stem


Shimano Drivetrain

NEW OR CHANGED FOR 2018

Micro Adj Captain Post

MSRP: \$1199-1299

PART #	MODEL	SIZE	COLOR
89-008-005	Tandem Sport	S (18"x16")	Silver
89-008-006	Tandem Sport	M (20"x16")	Silver



BIKE SPECS

Frame	Hi-Ten w/CrMo Seat & Down Tube, w/Disc Tab
Fork	Oversized CrMo Unicrown w/ Carrier Bosses
Headset	FSA TH888 1 1/8" Threadless
Rims	Weinmann U28 Disc, Double wall, w/ eyelets
Hub, Front	Front: Alloy QR23 , S/B, Disc
Hub, Rear	Alloy QR, Cassette. S/B, Disc
Tires	Maxxis Overdrive, 26" x 1.75, 60 TPI w/Silkworm
Spokes	14G Black Stainless 40X40
Derailleur, Front	Shimano Acera
Derailleur, Rear	Shimano Alivio
Shifters	Shimano Acera Rapidfire
Chain	KMC Z99
Crankset	Drive Line Alloy Forged Tandem, 44/32/22 +38T
BB	Cartridge Power Spline 68x113
Freewheel / Cassette	Shimano CS-HG20, 11-34T, 9-speed
Pedals	Wellgo C28DU all alloy w/ DU bearing
Seatpost	Captain: Alloy Microadjust Stoker: Suspension
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	F: Alloy Riser 31.8, R: Alloy Riser
Stem	Captain: Threadless 3D Forged, 25D, 31.8, Stoker: Alloy, 35 Degree Adjustable
Grips	KHS Sport, Dual Compound
Brake Levers	Promax Alloy Linear Pull
Brakes	Bengal MB700, Mechanical Disc, 203mm Rotors
Color	Silver
Frame Size	S, M

GEOMETRY

SIZE	A s/t c-t	A° s/t c-t	B h/t°	C s/t°	C° s/t°	D t/t	D° t/t	E c/s	F BB Height	G rake	H s.o.	H° s.o.	I h/t L
S	475 / 18.7	405 / 15.9	72.5	73	73	572 / 22.5	699 / 27.5	440 / 17.3	285 / 11.2	50 / 2	710 / 28	657 / 25.9	155 / 6.1
M	515 / 20.3	405 / 15.9	72.5	73	73	598 / 23.5	699 / 27.5	440 / 17.3	285 / 11.2	50 / 2	762 / 30	669 / 26.3	170 / 6.7

FOLDING

F20A



FEATURES

7 Speed
6061 Alloy Folding Frame
Shimano Drivetrain
Rack & Fenders
MSRP: \$399-439

PART #	MODEL	SIZE	COLOR
--------	-------	------	-------

89-007-011	F20A	1-size	Black
------------	------	--------	-------

BIKE SPECS

Frame	Curved Top tube 6061 Alloy, Folding
Fork	Hi-ten steel 28.6 blades
Headset	VP-T3E threaded
Rims	Alloy 36Holes
Hub, Front	KT-512R Alloy w/QR 36Holes RR: Freewheel
Tires	K193 20x1.5 Street
Spokes	14G stainless w/brass Nipples 36x36
Derailleur, Rear	Shimano TX-35D
Shifters	Shimano SL-RS41-7 cap twist
Chain	KMC Z50 1/2X3/32 Brown
Crankset	RCF1552DP 52T 170L alloy ring, double Guard
BB	VB-P32
Freewheel / Cassette	MTF-TZ2111/28T 7-speed
Pedals	VP-FLD50
Seatpost	Sp200 steel 28.6x500mm w/30.4x28.6 shim
Saddle	KHS Padded
Handlebar	MTB-AL-15325.4 580W, 30H, 6 degree alloy
Stem	FB-AL-249-8 Alloy Rise:10 degree, 300mm
Brake Levers	Alloy Linear Pull
Brakes	Alloy TX-117 Linear Pull
Color	Black
Frame Size	1-Size
Extras	Fenders, Bell, Kickstand, Rear Rack

SPECIALTY

IPED



FEATURES

3 & Speed

6061 Alloy Frame

Available in 3 or 8 speed models

Bell & kickstand

MSRP: 8-speed \$389-419

3-speed \$439-479

PART #	MODEL	SIZE	COLOR
--------	-------	------	-------

89-015-001	I-PED (8 SPEED)	One Size	Blue
------------	-----------------	----------	------

89-015-002	I-PED (3 SPEED)	One Size	Red
------------	-----------------	----------	-----

BIKE SPECS

Frame	AL 6061 Alloy
Fork	High-Ten steel
Headset	1-1/8 Threaded
Rims	Weinmann Alloy, 12" FT, 16" RR
Hub, Front	Alloy QR
Hub, Rear	Alloy Cassette RR, QR, (3 Speed =Shimano Nexus 3S, RR w/ Coaster Brake)
Tires	Front 12X1.75 , Rear 16X1.5
Spokes	14G Stainless 16X28°
Deraillieur, Rear	Shimano Sora
Shifters	Sram MRX Twist
Chain	KMC Z82
Crankset	Alloy w/ 40T
BB	Semi-Cartridge
Freewheel / Cassette	Shimano HG40, 11-30T, 8-speed
Pedals	Foldable
Seatpost	Alloy micro-adjust
Saddle	KHS Comfort
Handlebar	Alloy Riser
Stem	Alloy foldable, Telescoping
Brake Levers	Tektro Alloy
Brakes	Alloy Linear Pull
Color	Blue, Red
Frame Size	1-size
Extras	Bell





FEATURES

10 Speed

Deore 1x10 rear derailleur & shifter


Boost

NEW OR CHANGED FOR 2018

SR XCM 32-HLO Fork
Deore Shifter & Rear derailleur
1x Ally Cranks
Shimano CS-HG500 11-42 cassette
Bengal Ares 3 Hydraulic Disc Brakes

MSRP: \$999-1099

PART #	MODEL	SIZE	COLOR
89-012-029	K9	S/15	Matte Black
89-012-030	K9	M/17	Matte Black
89-012-031	K9	L/19	Matte Black
89-012-032	K9	XL/21	Matte Black



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	67.5°	73°	591 / 23.3	430 / 16.9	307 / 12.1	701 / 27.6	90 / 3.5	608 / 23.9	405 / 16
M/17	432 / 17	67.5°	73°	612 / 24.1	430 / 16.9	307 / 12.1	731 / 28.8	100 / 3.9	617 / 24.3	423 / 16.6
L/19	483 / 19	67.5°	73°	635 / 25	430 / 16.9	307 / 12.1	763 / 30	115 / 4.5	631 / 24.8	442 / 17.4
XL/21	533 / 21	67.5°	73°	659 / 25.9	430 / 16.9	307 / 12.1	795 / 31.3	130 / 5.1	645 / 25.4	462 / 18.2

BIKE SPECS

Frame	650B Plus, Alloy 6061 Double Butted Custom Formed TT & DT w/Replaceable Derailleur Hanger, 1.5 Taper, Frame Will Accept 29X2.1, Boost
Fork	SR XCM 32-HLO, 100mm, 1.5 Taper, Hydraulic Lockout, Preload Adj, 15mm x 110 QR, Boost
Headset	Threadless 1 1/8"~1.5, Zero Stack
Rims	Alloy Plus Disc, 27.5, Double Wall, 32H
Hub, Front	Alloy Disc w/CNC Rotor Flange, 15mm x 110mm, Boost
Hub, Rear	Alloy Disc w/CNC Rotor Flange, QR, Cassette, Boost, 10 x 141mm
Tires	Plus Knobby, 27.5 x 2.8, 60 TPI
Spokes	14G Stainless Black, 32X32
Derailleur, Rear	Shimano Deore RD-M6000
Shifters	Shimano Deore SL-M6000
Chain	KMC X10 w/Missing Link
Crankset	Samox 2Pc Forged, 28T, Boost, XS-S: 170, M-XL: 175
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG500-10 11-42T, 10-speed
Seatpost	KHS Alloy Micro-adjust, 31.6X350mm
Saddle	KHS Sport Dual Density
Handlebar	Alloy Riser, Butted 31.8, 700X20mm
Stem	Alloy 3D Forged, Threadless 4-bolt, 7-degree, 31.8, S: 60mm, M: 70mm, L: 80mm, XL: 90mm
Grips	KHS Sport, Dual Compound
Brake Levers	Bengal Ares3
Brakes	Bengal Ares 3 Hydraulic Disc, 180/160mm Rotors Wave 12
Color	Matte Black
Frame Size	S, M, L, XL
Extras	Alloy Rear Carrier, Bag, Decals

SPECIALTY TRIKE



FEATURES

1 & 3 Speed

BIG Baskets for Shopping

3 or single Speed

Steel Single Speed Frame

NEW OR CHANGED FOR 2018

Now in Steel Single Speed Frame

MSRP: 3-Speed \$599-659
1-Speed \$429-469

PART #	MODEL	SIZE	COLOR
89-006-002	TRICYCLE - 3 SPEED	One Size	Champagne
89-006-003	TRICYCLE - 3 SPEED	One Size	Red
89-006-005	TRICYCLE- 1 Speed	One Size	Blue

SINGLE SPEED - STEEL FRAME



BIKE SPECS

Frame	3-Speed: Alloy 7005 1-Speed: TIG-welded Hi-Ten Steel
Fork	Hi-Ten Unicrown
Headset	Threaded 1"
Rims	Alloy
Hub, Front	Alloy Front
Hub, Rear	3-Speed: Shimano Nexus 3-speed Coaster Rear 1-Speed: Coaster
Tires	24x1.75 3-Speed: White Sidewall 1-Speed: Black
Spokes	14G
Shifters	3-Speed: Shimano Revo 1-Speed: N/A
Chain	KMC Z410
Crankset	1-piece Steel Chrome Plated, 36T
BB	Ball Bearing
Freewheel / Cassette	3-Speed: 19T 1-Speed: 20T
Pedals	Platform w/Non-slip Tread
Seatpost	Chrome Plated Steel
Saddle	Foam Padded w/ Coil Springs
Handlebar	Chrome Plated Steel, 650 Wide, 215 Rise
Stem	Alloy Quill
Grips	Black
Brake Levers	Alloy
Brakes	Coaster Rear, Alloy Linear Pull Front
Color	3-Speed: Champagne, Red 1-Speed: Blue
Frame Size	1-size
Extras	3-Speed: Front & Rear Baskets 1-Speed: Rear Basket



KHS Bicycles
2840 East Harcourt St.
Rancho Dominguez, CA 90221
310.632.7173