

KHS



DEALER CATALOG
khsbicycles.com | 2021



KHS BICYCLES

A Global Leader for More Than 40 Years!

OVERVIEW

KHS Bicycles is one of the most respected names in cycling and has been for more than 40 years! KHS continues to grow and expand its manufacturing and worldwide distribution of bicycles based on the principles of providing quality, performance, and value. KHS Co. Ltd. manufactures bicycles, parts, accessories, motorcycles, and musical instruments in factories fully owned by the company.

BRANDS OF CHAMPIONS

KHS, and its family of related brands including Free Agent BMX, Manhattan Cruisers, Q2, and Ultracycle Components, has a rich history in bicycle racing. KHS sponsored riders have won countless races, championships, and set world records. This includes 2 Olympic Gold Medals, 10 World Championships, dozens of National Championships in numerous countries, State Championships and more. KHS has also been the bicycle of choice of amateur athletes, NCAA Champion teams, and hundreds of school, amateur and regional teams around the world.

FAMOUS KHS RACERS

Steven Walton – U.S. National Downhill Champion

Seamus Powell – 2 time U.S. National Enduro Champion

Logan Binggeli – 2 time U.S. Pro GRT Series Champion and U.S. National Downhill Champion

Kevin Aiello – U.S. Pro GRT Series Champion

Maris Strombergs – 2 time Olympic BMX Gold Medalist

Melissa Buhl – Multi-time U.S. National and UCI World Champion Downhill

John Howard – 13 U.S. National Champion, Ironman Triathlon Winner, World Speed Record

Logan Loader – U.S. National Time Trial Champion

Dave Cullinan – World Champion Downhill MTB

Cindy Whitehead – U.S. National Cyclocross Champion

Cheri Elliot – U.S. National Downhill and Dual Slalom Champion

Katrina Miller – UCI Dual Slalom Champion

Kyle Bennett – Multi-time ABA National Champion, UCI World Champion, and Olympic athlete

Dale Holmes – Most awarded UK BMX racer of all time, multi-time British National and UCI World Champion

Tom Haugen – Vans Triple Crown Winner, X-Games Medalist

Daniel Sandoval – BMX Park, X-Games Champion





KHS ACCOMPLISHMENTS

- 1953** KHS Co. Ltd. founded to build motorcycles under license from Yamaha
- 1974** KHS Inc. and KHS brand of bicycles founded in U.S.
- 1974** KHS Co. Ltd. launches bicycle factory in Taiwan
- 1979** First Taiwan-made bicycle to enter U.S. market with Reynolds 531 tubing
- 1996** Mountain Biking "Bike of the Year"
- 1997** Bicycling Magazine "Editor's Choice"
- 1998** Mountain Bike Action's "Best Value" full suspension bike under \$1000
- 1998** First company to introduce "softtails" into U.S. market
- 2002** Voted U.S. Bicycle Dealers "Preferred Bicycle and Parts Distributor"
- 2004** Mountain Bike Action's "10 out of 10" dual suspension bike
- 2008** KHS Racer Melissa Buhl U.S. National Downhill, Dual Slalom and 4x National Champion
- 2012** Free Agent rider, Maris Stombergs, wins Gold in BMX at the London Olympics
- 2012** Logan Binggeli Wins Pro GRT Series National Downhill Championship on KHS DH-650B
- 2014** KHS 7500 Nominated Industry Bike of the Year
- 2014** Kevin Aiello Wins Pro GRT Series National Downhill Championship
- 2017** Seamus Powell Wins U.S. National Enduro Championships
- 2018** Seamus Powell Wins U.S. National Enduro Championships
- 2020** Steven Walton Wins U.S. National Downhill Championship

KHS TODAY

- KHS bicycles are distributed in more than 35 countries worldwide
- KHS owns and operates numerous bicycle and related brands including KHS Bicycles, Free Agent BMX, Manhattan Cruisers, Q2 quality bicycle parts, UltraCycle parts and accessories, and Robix exercise equipment
- KHS management team has more than 200 years combined bicycle industry experience
- More than 100,000 sq. ft. of manufacturing facilities
- KHS continues to grow its global business on the principles of delivering quality, value and performance



ROAD - RACING

FLITE TEAM



FEATURES

22 Speed
Carbon frame & fork
Shimano Dura-Ace
Dura-Ace hydraulic disc brakes

NEW OR CHANGES FOR 2021

Carbon frame & fork
Mid compact gearing
FSA Ion Carbon tubeless wheelset
Dura-Ace hydraulic disc brakes

MSRP: \$5499-5799


PART #	MODEL	SIZE	COLOR
91-222-0000	FLITE TEAM	XS	Matte Black Team
91-222-0001	FLITE TEAM	S	Matte Black Team
91-222-0002	FLITE TEAM	M	Matte Black Team
91-222-0003	FLITE TEAM	M/L	Matte Black Team
91-222-0004	FLITE TEAM	L	Matte Black Team
91-222-0005	FLITE TEAM	XL	Matte Black Team

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/teffctv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
XS/49	450 / 17.7	70.5°	74°	509 / 20	405 / 15.9	265 / 10.4	728 / 28.7	115 / 4.5	515 / 20.3	361 / 14.2
S/52	485 / 19.1	71.5°	74°	526 / 20.7	405 / 15.9	268 / 10.6	761 / 30	140 / 5.5	540 / 21.3	370 / 14.6
M/54	510 / 20.1	72.5°	73.5°	545 / 21.5	410 / 16.1	268 / 10.6	783 / 30.8	155 / 6.1	559 / 22	380 / 15
M/L/56	525 / 20.7	72.5°	73°	565 / 22.2	410 / 16.1	268 / 10.6	800 / 31.5	175 / 6.9	578 / 22.8	388 / 15.3
L/58	545 / 21.5	72.5°	73°	580 / 22.8	410 / 16.1	270 / 10.6	822 / 32.4	200 / 7.9	599 / 23.6	397 / 15.6
XL/61	580 / 22.8	72.5°	72.5°	603 / 23.7	415 / 16.3	270 / 10.6	850 / 33.5	225 / 8.9	623 / 24.5	407 / 16

BIKE SPECS

Frame	KHS Toray High Modulus T800SC(60%)/M40JB(40%) Full Carbon Monocoque, Replaceable Derailleur Hanger, Front/Rear Thru-Axle
Fork	KHS Pro Full Carbon, 1.5 Taper
Headset	FSA Orbit C-40-CF-ACB, N.42CF, 1-1/8"~1.5" Integrated, Carbon Cap
Rims	FSA Ion Carbon 55mm Disc, Tubeless Ready
Hub, Front	FSA Ion 12x100mm Disc, QR
Hub, Rear	FSA Ion 12x142mm Disc, QR
Tires	Kenda Valkyrie, 700x25C, 120TPI, Folding, Tubeless Ready, RC3, KSCT
Spokes	FSA Ion
Derailleur, Front	Shimano Dura Ace FD-R9100
Derailleur, Rear	Shimano Dura Ace, RD-R9100SS
Shifters	Shimano Dura Ace, ST-R9120, Hydraulic
Chain	Shimano 11s Dura Ace, CN-HG901
Crankset	Shimano Dura Ace, FC-R9100, 52/36, Mid Compact, XS:165, S-M:170, ML:172.5, L-XL:175
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS-R8000, 11-28, 11-Speed
Seatpost	Carbon
Saddle	Velo VL-1557 Ultra Light w/Carbon Base & Ti Rail
Handlebar	FSA SL-K Compact Carbon, 31.8, XS:40cm, S-ML:42cm, L-XL:44cm
Stem	FSA 3D Forged, XS-S:90mm, M-L:100mm, XL:110mm
Grips	Anti Slip Cushion Tape
Brake Levers	Shimano Dura Ace, ST-9120 Hydraulic
Brakes	Shimano Dura Ace, ST-R9120 Hydraulic Disc, Flat Mount w/160mm SM-RT800 Center Lock Freeza Rotors
Frame Size	XS/49, S/52, M/54, ML/56, L/58, XL/61



All specs and photos are subject to change without notice.



ROAD – RACING

FLITE 900



FEATURES

22 Speed

Carbon frame & fork

Shimano RS-370 tubeless ready wheelset

Ultegra hydraulic disc brakes

NEW OR CHANGED FOR 2021

Carbon frame & fork

Front & rear Thru-Axles

Shimano RS-370 tubeless ready wheelset

Shimano FC-RS510 crank

Ultegra hydraulic disc brakes

MSRP: \$2999-3299


PART #	MODEL	SIZE	COLOR
91-221-0000	FLITE 900	XS	MATTE BLACK
91-221-0002	FLITE 900	S	MATTE BLACK
91-221-0004	FLITE 900	M	MATTE BLACK
91-221-0006	FLITE 900	ML	MATTE BLACK
91-221-0008	FLITE 900	L	MATTE BLACK
91-221-0010	FLITE 900	XL	MATTE BLACK

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
XS/49	450 / 17.7	70.5°	74°	509 / 20	405 / 15.9	265 / 10.4	728 / 28.7	115 / 4.5	515 / 20.3	361 / 14.2
S/52	485 / 19.1	71.5°	74°	526 / 20.7	405 / 15.9	268 / 10.6	761 / 30	140 / 5.5	540 / 21.3	370 / 14.6
M/54	510 / 20.1	72.5°	73.5°	545 / 21.5	410 / 16.1	268 / 10.6	783 / 30.8	155 / 6.1	559 / 22	380 / 15
M/L/56	525 / 20.7	72.5°	73°	565 / 22.2	410 / 16.1	268 / 10.6	800 / 31.5	175 / 6.9	578 / 22.8	388 / 15.3
L/58	545 / 21.5	72.5°	73°	580 / 22.8	410 / 16.1	270 / 10.6	822 / 32.4	200 / 7.9	599 / 23.6	397 / 15.6
XL/61	580 / 22.8	72.5°	72.5°	603 / 23.7	415 / 16.3	270 / 10.6	850 / 33.5	225 / 8.9	623 / 24.5	407 / 16

BIKE SPECS

Frame	KHS Toray High Modulus T800SC(60%)/M40JB(40%) Full Carbon Monocoque, Replaceable Derailleur Hanger, Front/Rear Thru-Axle
Fork	KHS Pro Full Carbon, 1.5 Taper
Headset	FSA Orbit C-40-CF-ACB, N.42CF, 1-1/8"~1.5" Integrated, Carbon Cap
Rims	Shimano RS-370 Disc, Tubeless Ready
Hub, Front	Shimano RS-370 Disc, 12x100mm
Hub, Rear	Shimano RS-370 Disc, 12x142mm
Tires	Kenda Valkyrie, 700x25C, 120TPI, Folding, Tubeless Ready, RC3, KSCT
Spokes	Shimano RS-370, 24x24
Derailleur, Front	Shimano Ultegra, FD-R8000
Derailleur, Rear	Shimano Ultegra, RD-R8000SS
Shifters	Shimano Ultegra, ST-R8020, Hydraulic
Chain	Shimano Ultegra, CN-HG701-11, 11s
Crankset	Shimano FC-RS510, 52/36T, Mid Compact, XS:165, S-M:170, ML:172.5, L-XL:175
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS-R7000, 11-30, 11-Speed
Seatpost	Carbon
Saddle	Velo Light-weight Road, CrMo Rail
Handlebar	FSA Energy Compact, XS:40cm, S-ML:42cm, L-XL:44cm
Stem	FSA 3D Forged, XS-S:90mm, M-L:100mm, XL:110mm
Grips	Anti Slip Cushion Tape
Brake Levers	Shimano Ultegra ST-R8020 Hydraulic
Brakes	Shimano Ultegra, BR-R8070 Hydraulic Disc, Flat Mount w/160mm Rotors Wave 12
Frame Size	XS/49, S/52, M/54, ML/56, L/58, XL/61



2

All specs and photos are subject to change without notice.



ROAD – RACING

FLITE 750



FEATURES

22 Speed

Carbon frame & fork

Shimano 105 drivetrain

Shimano 105 hydraulic disc brakes


NEW OR CHANGED FOR 2021

12mm axles

Alex GD24P wheelset

MSRP: \$2229-2499

PART #	MODEL	SIZE	COLOR
91-220-0000	FLITE 750	XS	DARK GRAY
91-220-0001	FLITE 750	S	DARK GRAY
91-220-0002	FLITE 750	M	DARK GRAY
91-220-0003	FLITE 750	M/L	DARK GRAY
91-220-0004	FLITE 750	L	DARK GRAY
91-220-0005	FLITE 750	XL	DARK GRAY



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
XS/49	450 / 17.7	70.5°	74°	509 / 20	405 / 15.9	265 / 10.4	728 / 28.7	115 / 4.5	515 / 20.3	361 / 14.2
S/52	485 / 19.1	71.5°	74°	526 / 20.7	405 / 15.9	268 / 10.6	761 / 30	140 / 5.5	540 / 21.3	370 / 14.6
M/54	510 / 20.1	72.5°	73.5°	545 / 21.5	410 / 16.1	268 / 10.6	783 / 30.8	155 / 6.1	559 / 22	380 / 15
M/L/56	525 / 20.7	72.5°	73°	565 / 22.2	410 / 16.1	268 / 10.6	800 / 31.5	175 / 6.9	578 / 22.8	388 / 15.3
L/58	545 / 21.5	72.5°	73°	580 / 22.8	410 / 16.1	270 / 10.6	822 / 32.4	200 / 7.9	599 / 23.6	397 / 15.6
XL/61	580 / 22.8	72.5°	72.5°	603 / 23.7	415 / 16.3	270 / 10.6	850 / 33.5	225 / 8.9	623 / 24.5	407 / 16

BIKE SPECS

Frame	KHS Disc, Full MSD Carbon Monocoque w/Replaceable Derailleur Hanger, 1-1/8-1.5 Taper, Internal cable routing, Flat Mount Disc, 12 x 142 Thru-Axle
Fork	KHS Performance Disc, Carbon w/Aluminum Steerer, 1.5 Taper, w/Aluminum Dropout, Flat Mount w/12mm Thru-Axle
Headset	FSA Integrated Sealed ACB, 1-1/8"~1.5", Aluminum Cap
Rims	Alex GD24P, Disc Double Wall
Hub, Front	Formula RX512 Aluminum Disc, 12mm QR
Hub, Rear	Formula RX142 Aluminum Disc, Cassette, 12mm QR
Tires	Kenda Kadence, 700x28C, 60TPI Folding
Spokes	14G Stainless Black, 24x28 w/Aluminum Nipples
Derailleur, Front	Shimano 105 FD-R7000
Derailleur, Rear	Shimano 105 RD-R7000
Shifters	Shimano 105 ST-R7020, Hydraulic
Chain	KMC X11
Crankset	Shimano FC-R7000 105, Outboard Bearing, 52x36 Mid Compact, XS:165, S-M:170, ML:172.5, L-XL:175
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS-HG700, 11/34 11-Speed
Seatpost	Q2 Carbon
Saddle	KHS Performance Road
Handlebar	FSA Omega Compact, 31.8, XS-M:42cm, L-XL:44cm
Stem	FSA GOSSAMER Forged Aluminum, 31.8, XS-S:90mm, M-L:100mm, XL:110mm
Grips	Cushion Tape
Brake Levers	Shimano 105 ST-R7020 Hydraulic
Brakes	Shimano 105, BR-R7070 Hydraulic Disc, Flat Mount w/160mm Rotors Wave 12
Frame Size	XS/49, S/52, M/54, ML/56, L/58, XL/61

ROAD – PERFORMANCE

FLITE 747



FEATURES

22 Speed

Built for tall riders 6' 4" and over

Shimano 105 drivetrain

200mm crank arms

NEW OF CHANGED FOR 2021

Weinmann Impulse TL rims

FSA Zero stack headset


1.5" Tapered Headtube

50x34 by 11x34 gearing

MSRP: \$2099-2299

PART # MODEL SIZE COLOR

91-217-9000	FLITE 747	XXL	MATTE BLACK
91-217-9001	FLITE 747	XXXL	MATTE BLACK



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XXL/64	570 / 22.4	72°	73°	620 / 24.4	430 / 16.9	292 / 11.5	898 / 35.4	269 / 10.6	665 / 26.2	416 / 16.4
XXXL/66	605 / 28.8	72°	73°	635 / 25	430 / 16.9	292 / 11.5	936 / 36.9	309 / 12.2	703 / 27.7	419 / 16.5

BIKE SPECS

Frame	Reynolds 520 Double Butted, Flat Mount Disc, 1.5 Taper, 12x142 thru-axle
Fork	Full CrMo, Disc, 1.5 Taper, 12 x 100mm thru-axle
Headset	FSA 1.5 Zero Stack Threadless
Rims	Weinmann Impulse TL, Double Wall, 32H
Hub, Front	Formula Disc Aluminum, RX-812 14Gx32Hx100mm For 12mm Thru Axle, QR
Hub, Rear	Formula Disc Aluminum, RX-300, 14Gx32Hx142mm For 12mm Thru Axle, Cassette, QR
Tires	Kenda Flintridge Pro, DTC, 120TPI, Folding 700x35C
Spokes	14g Black Stainless, 32x32
Deraileur, Front	Shimano 105 FD-R7000
Deraileur, Rear	Shimano 105 RD-R7000
Shifters	Shimano 105 ST-R7020, Hydraulic
Chain	Shimano CN-HG600
Crankset	KHS 200mm, 2-pc Forged w/Outboard Bearing, 50x34 Compact
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG700, 11-34, 11-Speed
Seatpost	Q2 Aluminum 31.6
Saddle	KHS Performance Wide Road
Handlebar	FSA Adventure HR-RD-310S 31.8, 46cm
Stem	FSA GOSSAMER Forged Aluminum, 130mm, 31.8mm
Grips	Cushion Tape
Brake Levers	Shimano 105 KSTR7020
Brakes	Shimano 105, BR-R7070 Hydraulic Disc, Flat Mount w/160mm Rotors Wave 12
Frame Size	2XL/64, 3XL/66

ROAD – PERFORMANCE

FLITE 700



FEATURES

20 Speed

Carbon frame & fork

Shimano Tiagra drivetrain

Tektro dual piston cable disc brakes

NEW OR CHANGED FOR 2021

Alex GD24P rims


FSA Vero handlebars

Tektro dual piston cable disc brakes

12mm axles

MSRP: \$1899-1999

PART #	MODEL	SIZE	COLOR
91-219-0000	FLITE 700	XS	MATTE BLACK
91-219-0001	FLITE 700	S	MATTE BLACK
91-219-0002	FLITE 700	M	MATTE BLACK
91-219-0003	FLITE 700	M/L	MATTE BLACK
91-219-0004	FLITE 700	L	MATTE BLACK
91-219-0005	FLITE 700	XL	MATTE BLACK



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
XS/49	450 / 17.7	70.5°	74°	509 / 20	405 / 15.9	265 / 10.4	728 / 28.7	115 / 4.5	515 / 20.3	361 / 14.2
S/52	485 / 19.1	71.5°	74°	526 / 20.7	405 / 15.9	268 / 10.6	761 / 30	140 / 5.5	540 / 21.3	370 / 14.6
M/54	510 / 20.1	72.5°	73.5°	545 / 21.5	410 / 16.1	268 / 10.6	783 / 30.8	155 / 6.1	559 / 22	380 / 15
M/L/56	525 / 20.7	72.5°	73°	565 / 22.2	410 / 16.1	268 / 10.6	800 / 31.5	175 / 6.9	578 / 22.8	388 / 15.3
L/58	545 / 21.5	72.5°	73°	580 / 22.8	410 / 16.1	270 / 10.6	822 / 32.4	200 / 7.9	599 / 23.6	397 / 15.6
XL/61	580 / 22.8	72.5°	72.5°	603 / 23.7	415 / 16.3	270 / 10.6	850 / 33.5	225 / 8.9	623 / 24.5	407 / 16

BIKE SPECS

Frame	KHS Disc, Full MSD Carbon Monocoque w/Replaceable Derailleur Hanger, 1-1/8-1.5 Taper, Internal cable routing, Flat Mount Disc, 12 x 142 Thru-Axle
Fork	KHS Performance Disc, Carbon w/Aluminum Steerer, 1.5 Taper, w/Aluminum Dropout, Flat Mount w/12mm Thru-Axle
Headset	FSA Integrated Sealed ACB, 1-1/8"~1.5", Aluminum Cap
Rims	Alex GD24P, Disc Double Wall
Hub, Front	Formula RX512 Aluminum Disc, 12mm QR
Hub, Rear	Formula RX142 Aluminum Disc, Cassette, 12mm QR
Tires	Kenda Kadence, 700x28C, 60TPI Folding
Spokes	14G Stainless Black, 24x28
Derailleur, Front	Shimano Tiagra FD-4700
Derailleur, Rear	Shimano Tiagra RD-4700GS
Shifters	Shimano Tiagra ST-4700
Chain	KMC X10 w/Missing Link
Crankset	FSA Omega Compact, 2pc Forged w/Outboard Bearing, 50/34, XS:165, S:170, M:172.5, L-XL:175
BB	FSA Mega EXO, Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG500, 11/32T, 10-Speed
Seatpost	Q2 Carbon
Saddle	KHS Performance Road
Handlebar	FSA Vero Compact, 31.8, XS-M:42cm, L-XL:44cm
Stem	Aluminum 3D Forged, Threadless 4 Bolt, 31.8, XS-S:90mm, M-L:100mm, XL:110mm
Grips	Cushion Tape
Brake Levers	Shimano Tiagra ST-4700
Brakes	Tektro MD-C550 Dual Piston, Flat Mount Road Cable Disc Brake w/160mm Rotors
Frame Size	XS/49, S/52, M/54, ML/56, L/58, XL/61

ROAD – PERFORMANCE

FLITE 600



FEATURES

18 Speed

Carbon frame & fork

Shimano Sora drivetrain

Tektro dual piston cable disc brakes

NEW OR CHANGED FOR 2021

Alex GD24P rims

FSA Vero handlebars

Tektro dual piston cable disc brakes

12mm axles

MSRP: \$1599-1699

OUR LOWEST PRICED CARBON ROAD BIKE!


PART #	MODEL	SIZE	COLOR
91-218-0000	FLITE 600	XS	FLICK BLUE
91-218-0001	FLITE 600	S	FLICK BLUE
91-218-0002	FLITE 600	M	FLICK BLUE
91-218-0003	FLITE 600	M/L	FLICK BLUE
91-218-0004	FLITE 600	L	FLICK BLUE
91-218-0005	FLITE 600	XL	FLICK BLUE
91-218-0006	FLITE 600 LADIES	S	CHROME BERRY

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/49	450 / 17.7	70.5°	74°	509 / 20	405 / 15.9	265 / 10.4	728 / 28.7	115 / 4.5	515 / 20.3	361 / 14.2
S/52	485 / 19.1	71.5°	74°	526 / 20.7	405 / 15.9	268 / 10.6	761 / 30	140 / 5.5	540 / 21.3	370 / 14.6
M/54	510 / 20.1	72.5°	73.5°	545 / 21.5	410 / 16.1	268 / 10.6	783 / 30.8	155 / 6.1	559 / 22	380 / 15
M/L/56	525 / 20.7	72.5°	73°	565 / 22.2	410 / 16.1	268 / 10.6	800 / 31.5	175 / 6.9	578 / 22.8	388 / 15.3
L/58	545 / 21.5	72.5°	73°	580 / 22.8	410 / 16.1	270 / 10.6	822 / 32.4	200 / 7.9	599 / 23.6	397 / 15.6
XL/61	580 / 22.8	72.5°	72.5°	603 / 23.7	415 / 16.3	270 / 10.6	850 / 33.5	225 / 8.9	623 / 24.5	407 / 16

BIKE SPECS

Frame	KHS Disc, Full MSD Carbon Monocoque w/Replaceable Derailleur Hanger, 1-1/8-1.5 Taper, Internal cable routing, Flat Mount Disc, 12 x 142 Thru-Axle
Fork	KHS Performance Disc, Carbon w/Aluminum Steerer, 1.5 Taper, w/Aluminum Dropout, Flat Mount w/12mm Thru-Axle
Headset	FSA Integrated Sealed ACB, 1-1/8"~1.5", Aluminum Cap
Rims	Alex GD24P, Disc Double Wall
Hub, Front	Formula RX512 Aluminum Disc, 12mm QR
Hub, Rear	Formula RX142 Aluminum Disc, Cassette, 12mm QR
Tires	Kenda Kadence, 700x28C, 60TPI Folding
Spokes	14G Stainless Black, 24x28
Derailleur, Front	Shimano Sora FD-R3000
Derailleur, Rear	Shimano Sora RD-R3000SS
Shifters	Shimano Sora ST-R3000
Chain	KMC Z9 w/Missing Link
Crankset	FSA Omega Compact, 2pc Forged w/Outboard Bearing, 50/34, XS:165, S:170, M-L:172.5, XL:175
BB	FSA Mega EXO, Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200-9, 11-32T, 9-Speed
Seatpost	Aluminum Micro-Adjust, 27.2
Saddle	KHS Performance Road
Handlebar	FSA Vero Compact, 31.8, XS-M:42cm, L-XL:44cm, Ladies:38cm
Stem	Aluminum 3D Forged, Threadless 4 Bolt, 31.8, XS-S:90mm, M-L:100mm, XL:110mm, Ladies:80mm
Grips	Cushion Tape
Brake Levers	Shimano Sora ST-R3000
Brakes	Tektro MD-C550 Dual Piston, Flat Mount Road Cable Disc Brake w/160mm Rotors
Frame Size	XS/49, S/52, M/54, ML/56, L/58, XL/61, :Ladies: S/52



6

All specs and photos are subject to change without notice.



ROAD – SPORT

FLITE 280



FEATURES

16 Speed

Alloy disc frame & carbon fork

Shimano Claris drivetrain

Tektro dual piston cable disc brakes

NEW OR CHANGED FOR 2021

Alloy disc frame & carbon fork
Weinmann XP-24 aluminum rims
KK disc aluminum hubs
Kenda Kwest tires
FSA BB
FSA Vero handlebars & cranks
Tektro dual piston cable disc brakes

MSRP: \$849-919


PART #	MODEL	SIZE	COLOR
91-216-0000	FLITE 280	XS	BLACK
91-216-0001	FLITE 280	S	BLACK
91-216-0003	FLITE 280	M	BLACK
91-216-0007	FLITE 280	L	BLACK
91-216-0009	FLITE 280	XL	BLACK

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effctv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
XS/49	415 / 16.3	70.5°	74.5°	508 / 20	420 / 16.5	276 / 10.9	728 / 28.6	114 / 4.5	542 / 21.3	357 / 14.1
S/52	450 / 17.7	71.5°	74°	529 / 20.8	420 / 16.5	279 / 11	757 / 29.8	137 / 5.4	564 / 22.2	367 / 14.4
M/55	485 / 19.1	72°	73.5°	551 / 21.7	420 / 16.5	279 / 11	785 / 30.9	159 / 6.3	587 / 23.1	377 / 14.8
L/58	520 / 20.5	72°	73°	574 / 22.6	420 / 16.5	279 / 11	810 / 31.9	183 / 7.2	610 / 24	387 / 15.3
XL/61	555 / 21.9	72°	73°	591 / 23.3	420 / 16.5	276 / 10.9	834 / 32.8	209 / 8.2	633 / 24.9	397 / 15.6

BIKE SPECS

Frame	New Disc Design, 6061 Aluminum w/Custom Formed Double Butted T/T & D/T, Internal Cable, Flat Mount Disc, Replaceable Derailleur Hanger
Fork	Carbon w/Aluminum Steerer, Flat Mount Disc, Straight Blades
Headset	FSA Integrated Cartridge Bearing
Rims	Weinmann XP-24 Aluminum Double Wall
Hub, Front	KK Aluminum Disc, QR
Hub, Rear	KK Aluminum Disc QR, Cassette
Tires	Kenda K-193 Kwest Road, 700x28C
Spokes	14G Stainless Black, 24x28
Derailleur, Front	Shimano Claris FD-R2000, 31.8
Derailleur, Rear	Shimano Claris RD-R2000SS
Shifters	Shimano Claris STI, ST-R2000
Chain	KMC Z8.3 w/Missing Link
Crankset	Shimano Alloy, 50/34, XS:165, S-M:170, L-XL:175
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano HG200-8 12/32 8-Speed
Pedals	Full Aluminum w/DU Bearing
Seatpost	KHS Aluminum Micro-Adjust, 27.2
Saddle	DDK Road Padded
Handlebar	FSA Vero Compact Bend, 31.8, XS-M:42cm, L-XL:44cm, Ladies:38cm
Stem	Aluminum 3D Forged, Threadless 4-bolt, 7-degree, 31.8, XS-S:90mm, M:100mm, L-XL:110mm, Ladies: 80mm
Grips	Cushion Tape
Brake Levers	Shimano Claris ST-R2000
Brakes	Tektro MD-C550 Dual Piston, Flat Mount Road Cable Disc Brake w/160mm Rotors
Frame Size	XS/49, S/52, M/55, L/58, XL/61



ROAD – SPORT

FLITE 150



FEATURES

14 Speed

Aluminum disc frame

Tektro cable disc brakes

Compact cranks

NEW OR CHANGED FOR 2021

Alloy disc frame
Weinmann XP-24 aluminum rims
KK disc aluminum hubs
Kenda Kwest tires
FSA integrated headset
FSA Vero handlebars & cranks
Tektro cable disc brakes

MSRP: \$599-659


PART #	MODEL	SIZE	COLOR
91-215-9000	FLITE 150	XS	BLACK
91-215-9001	FLITE 150	S	BLACK
91-215-9002	FLITE 150	S	MATTE GRAY
91-215-9003	FLITE 150	M	BLACK
91-215-9004	FLITE 150	M	MATTE GRAY
91-215-9005	FLITE 150	L	BLACK
91-215-9006	FLITE 150	L	MATTE GRAY
91-215-9007	FLITE 150	XL	BLACK
91-215-9008	FLITE 150 LADIES	XXS	TEAL
91-215-9009	FLITE 150 LADIES	XS	TEAL
1-215-9010	FLITE 150 LADIES	S	TEAL
91-215-9011	FLITE 150 LADIES	S	LINEN WHITE

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/teffectv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
XXS/44	370 / 14.6	70°	75°	495 / 19.5	420 / 16.5	276 / 10.9	697 / 27.4	100 / 3.9	527 / 20.7	354 / 13.9
XS/49	415 / 16.3	70.5°	74.5°	508 / 20	420 / 16.5	276 / 10.9	728 / 28.6	114 / 4.5	542 / 21.3	357 / 14.1
S/52	450 / 17.7	71.5°	74°	529 / 20.8	420 / 16.5	279 / 11	757 / 29.8	137 / 5.4	564 / 22.2	367 / 14.4
M/55	485 / 19.1	72°	73.5°	551 / 21.7	420 / 16.5	279 / 11	785 / 30.9	159 / 6.3	587 / 23.1	377 / 14.8
L/58	520 / 20.5	72°	73°	574 / 22.6	420 / 16.5	279 / 11	810 / 31.9	183 / 7.2	610 / 24	387 / 15.3
XL/61	555 / 21.9	72°	73°	591 / 23.3	420 / 16.5	276 / 10.9	834 / 32.8	209 / 8.2	633 / 24.9	397 / 15.6

BIKE SPECS

Frame	New Disc Design, 6061 Aluminum w/Custom Formed Double Butted T/T & D/T, Internal Cable, Flat Mount Disc, Replaceable Derailleur Hanger
Fork	Hi-Tensile Unicrown, Flat Mount Disc, Straight Blades
Headset	FSA Integrated Cartridge Bearing
Rims	Weinmann XP-24 Aluminum Double Wall
Hub, Front	KK Aluminum Disc, QR
Hub, Rear	KK Aluminum Disc QR, Cassette
Tires	Kenda K-193 Kwest Road, 700x28C
Spokes	14G Black, 32x32
Derailleur, Front	Shimano Tourney FD-A070, 31.8
Derailleur, Rear	Shimano Tourney RD-A070
Shifters	Shimano Tourney STI, ST-A070
Chain	KMC Z8.3
Crankset	Prowheel Alloy, 3-pc, 50-34T, XS:165, S-XL:170, Ladies: XXS-XS:165, S:170
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano Cassette, HG20-7, 12-28T, 7-Speed
Pedals	Wellgo Resin w/Aluminum Cage & DU Bearing
Seatpost	KHS Aluminum Micro-Adjust, 27.2
Saddle	DDK Road Padded
Handlebar	FSA Vero Compact Bend, 31.8
Stem	Aluminum 3D Forged, Threadless 4-bolt, 7-degree, 31.8, XS-S:90mm, M-ML:100mm, L-XL:110mm, Ladies: 80mm
Grips	Cushion Tape
Brake Levers	Shimano STI, ST-A070
Brakes	Tektro MD-C310, Flat Mount Road Cable Disc Brake w/160mm Rotors
Frame Size	XS/49, S/52, M/55, L/58, XL/61 Ladies: XXS/44, XS/49, SM/52



8

All specs and photos are subject to change without notice.



ROAD – SPECIALTY

TR 101



FEATURES

27 Speed

Suspension comfort seatpost


Cable disc brakes

Rear rack

MSRP: \$1149-1249

PART # MODEL SIZE COLOR

89-500-9000	TR 101	XS	GRAY
89-500-9001	TR 101	S	GRAY
89-500-9002	TR 101	M	GRAY
89-500-9003	TR 101	L	GRAY



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/49	440 / 17.3	70.3°	73.5°	525 / 20.7	450 / 17.7	273 / 10.7	732 / 28.8	105 / 4.1	546 / 21.5	364 / 14.3
S/52	470 / 18.5	71°	73°	537 / 21.1	450 / 17.7	273 / 10.7	754 / 29.7	115 / 4.5	558 / 22	366 / 14.4
M/55	500 / 19.7	71.5°	73°	553 / 21.8	450 / 17.7	273 / 10.7	779 / 30.7	135 / 5.3	580 / 22.8	376 / 14.8
L/58	530 / 20.9	71.5°	73°	568 / 22.4	450 / 17.7	273 / 10.7	800 / 31.5	150 / 5.9	594 / 23.4	387 / 15.2

BIKE SPECS

Frame	Reynolds 520, Double Butted CrMo
Fork	Full CrMo w/ Disc & Rack Bosses
Headset	FSA Threadless 1-1/8", 15mm Top Cap
Rims	Weinmann Aluminum XC-180 Disc, Double wall
Hub, Front	Shimano Alivio, QR
Hub, Rear	Shimano Alivio Cassette, QR,
Tires	Kenda Kwick Journey 700 x 40c, 60TPI, w/K-Shield Anti-Puncture
Spokes	14G Stainless Black, 36x36
Derailleur, Front	Shimano Sora FD-R3030, 31.8mm
Derailleur, Rear	Shimano Alivio RD-M3100
Shifters	Shimano Sora STI, STR3030/3000
Chain	KMC X9 w/MissingLink
Crankset	Shimano Sora FCR-3030, 2-pc Forged, 50/39/30T, XS:165, S:170, M-L:175
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano HG200-9, 11-36T, 9-Speed
Seatpost	Aluminum Suspension Micro-Adjust
Saddle	WTB Rocket V Sport
Handlebar	FSA Vero Compact, Aluminum Double Butted, 31.8mm, XS-M:42cm, L:44cm
Stem	Aluminum 3D Forged, Threadless 4-bolt, 31.8mm, XS-S:90mm, M-L:100mm
Grips	Cushion Tape
Brake Levers	Shimano Sora STI, STR3030/3000
Brakes	Bengal MB700T Cable Disc, 160mm Wave '12'
Frame Size	XS/49, S/52, M/55, L/58

GRAVEL GRIT 440



FEATURES

22 Speed

Carbon frame & fork

Shimano GRX drivetrain


Shimano GRX hydraulic disc brakes

NEW OR CHANGED FOR 2021

Shimano CS-HG700, 11-34 cassette
Shimano Freeza rotors

MSRP: \$2799-2999

PART #	MODEL	SIZE	COLOR
91-230-0000	GRIT 440	S	METALLIC RED
91-230-0001	GRIT 440	M	METALLIC RED
91-230-0002	GRIT 440	M/L	METALLIC RED
91-230-0003	GRIT 440	L	METALLIC RED



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/51	490 / 19.3	70.5°	74.5°	520 / 20.5	435 / 17.1	283 / 11.1	759 / 29.9	120 / 4.7	537 / 21.1	371 / 14.6
M/53	520 / 20.5	71°	74°	535 / 21.1	435 / 17.1	283 / 11.1	786 / 31	140 / 5.5	557 / 21.9	375 / 14.8
M/L/56	560 / 22	72°	73°	565 / 22.2	435 / 17.1	283 / 11.1	823 / 32.4	170 / 6.7	589 / 23.2	385 / 15.1
L/58	580 / 22.8	72°	73°	580 / 22.8	435 / 17.1	283 / 11.1	841 / 33.1	190 / 7.5	608 / 23.9	394 / 15.5

BIKE SPECS

Frame	KHS Full Carbon GG Design, T700 MSD High Modulus Carbon, 1.5 Taper, 12mm Thru-axle, Flat Mount Disc
Fork	Full T700 MSD Carbon Disc, 1.5 Taper, 12 x 100mm Thru Axle, Flat Mount, 12mm Thru-axle
Headset	FSA Orbit C40-ACB, N.42/ACB, Angular Contact Bearings, 1-1/8"~1.5" Integrated Aluminum Cap
Rims	WTB ST-I25 TCS, Disc, Double Wall, 32H, Tubeless-Ready
Hub, Front	Formula CL-712, S.B., Super Light Disc, 12mm x 100mm, CenterLock, QR
Hub, Rear	Formula RXC-142S, Sealed Bearing Super Light, Cassette, 12 x 142mm Thru-axle, CenterLock, QR
Tires	Kenda K1226 Alluvium Pro, 700 x 40c, 120TPI, GCT, Folding, Tubeless-Ready
Spokes	14G Stainless Black, 32x32 w/Aluminum Nipples
Derailleur, Front	Shimano GRX Gravel, FD-RX810
Derailleur, Rear	Shimano GRX Gravel RD-RX810
Shifters	Shimano GRX Gravel ST-RX600, Hydraulic
Chain	KMC X11EL w/MissingLink
Crankset	FSA Gossamer Pro Compact, 2-pc Forged, BB386, 48/32T, S:170, M-M/L: 172.5, L:175
BB	FSA BB386 EVO Threaded
Freewheel / Cassette	Shimano CS-HG700, 11-34T, 11-Speed
Seatpost	Q2 Carbon, 27.2mm
Saddle	KHS Sport Road
Handlebar	FSA Adventure Compact, Double Butted, Ergonomic, 31.8mm, S:40cm, M-M/L:42cm, L:44cm
Stem	FSA Aluminum 3D Forged, Threadless 4-bolt, 31.8mm, S:90mm, M-M/L:100mm, L:110mm
Grips	Cushion Tape
Brake Levers	Shimano New GRX Gravel ST-RX600 Hydraulic
Brakes	Shimano New GRX Gravel, BR-RX400 Hydraulic Disc, Flat Mount w/160mm Shimano Freeza Rotors SM-RT800
Frame Size	S/51, M/53, M/L/56, L/58

GRAVEL GRIT 330

New Model



FEATURES

20 Speed

Carbon frame & fork


Shimano GRX drivetrain

Tubeless ready

NEW MODEL FOR 2021

MSRP: \$2349-2549

PART #	MODEL	SIZE	COLOR
91-229-0000	GRIT 330	S	MATTE AUDI GRAY
91-229-0001	GRIT 330	M	MATTE AUDI GRAY
91-229-0002	GRIT 330	M/L	MATTE AUDI GRAY
91-229-0003	GRIT 330	L	MATTE AUDI GRAY



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/51	490 / 19.3	70.5°	74.5°	520 / 20.5	435 / 17.1	283 / 11.1	759 / 29.9	120 / 4.7	537 / 21.1	371 / 14.6
M/53	520 / 20.5	71°	74°	535 / 21.1	435 / 17.1	283 / 11.1	786 / 31	140 / 5.5	557 / 21.9	375 / 14.8
M/L/56	560 / 22	72°	73°	565 / 22.2	435 / 17.1	283 / 11.1	823 / 32.4	170 / 6.7	589 / 23.2	385 / 15.1
L/58	580 / 22.8	72°	73°	580 / 22.8	435 / 17.1	283 / 11.1	841 / 33.1	190 / 7.5	608 / 23.9	394 / 15.5

BIKE SPECS

Frame	KHS Full Carbon GG Design, T700 MSD High Modulus Carbon, 1.5 Taper, 12mm Thru-axle, Flat Mount Disc
Fork	Full T700 MSD Carbon Disc, 1.5 Taper, 12 x 100mm Thru Axle, Flat Mount, 12mm Thru-axle
Headset	FSA Orbit C40-ACB, N.42/ACB, Angular Contact Bearings, 1-1/8"~1.5" Integrated Aluminum Cap
Rims	Weinmann U28 TL, Disc Double Wall, Tubeless-Ready
Hub, Front	Formula RX-812, S.B., Super Light Disc, 12mm x 100mm, QR
Hub, Rear	Formula RX-142, Sealed Bearing, Cassette, 12 x 142mm Thru-axle, QR
Tires	Kenda K1226 Alluvium Pro, 700 x 40c, 120TPI, GCT, Folding, Tubeless-Ready
Spokes	14G Stainless Black, 32x32 w/Aluminum Nipples
Derailleur, Front	Shimano GRX Gravel, FD-RX400
Derailleur, Rear	Shimano GRX Gravel RD-RX400
Shifters	Shimano GRX Gravel ST-RX400, Hydraulic
Chain	KMC X10 w/MissingLink
Crankset	Shimano FC-RX600, 2-pc, 46-30T, S:170, M-M/L:172.5, L:175
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS-HG50-10, 11-36T, 10-Speed
Seatpost	Q2 Carbon, 27.2mm
Saddle	KHS Sport Road
Handlebar	FSA Adventure Compact, Double Butted, Ergonomic, 31.8mm, S:40cm, M-M/L:42cm, L:44cm
Stem	FSA Aluminum 3D Forged, Threadless 4-bolt, 31.8mm, XS:80mm, S:90mm, M-M/L:100mm, L:110mm
Grips	Cushion Tape
Brake Levers	Shimano GRX Gravel ST-RX400, Hydraulic
Brakes	Shimano GRX Gravel, BR-RX400 Hydraulic Disc, Flat Mount w/160mm Rotors Wave '12'
Frame Size	S/51, M/53, M/L/56, L/58

GRAVEL GRIT 220



FEATURES

18 Speed

12mm Thru-axles

Carbon fork

Shimano Sora drivetrain

NEW OR CHANGED FOR 2021

Weinmann U28 TL, Tubeless Ready wheelset

FSA Omega 2-piece cranks

FSA BB


Shimano HG200-9, 11-36T cassette

12mm Thru-axles

MSRP: \$1099-1199

PART # MODEL SIZE COLOR

91-228-0000	GRIT 220	XS	BLACK
91-228-0001	GRIT 220	S	BLACK
91-228-0002	GRIT 220	M	BLACK
91-228-0003	GRIT 220	L	BLACK



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/49	460 / 18.1	71°	75°	512 / 20.2	432 / 17	282 / 11.1	753 / 29.7	105 / 4.1	533 / 21	369 / 14.5
S/52	495 / 19.5	71°	73°	533 / 21	432 / 17	282 / 11.1	779 / 30.7	120 / 4.7	545 / 21.5	366 / 14.4
M/55	534 / 21	72°	73°	558 / 22	432 / 17	282 / 11.1	804 / 31.7	135 / 5.3	563 / 22.2	386 / 15.2
L/58	572 / 22.5	72°	73°	580 / 22.8	432 / 17	282 / 11.1	835 / 32.9	160 / 6.3	587 / 23.1	401 / 15.8

BIKE SPECS

Frame	6061 Aluminum Double Butted w/Disc Mounts and Internal Cable Routing, 1.5 Taper, 12mm Thru-axle, Flat Mount Disc
Fork	Carbon Disc w/Aluminum Steerer, 1.5 Taper, Flat Mount, 12mm Thru-axle
Headset	FSA Orbit Integrated Sealed ACB, 1-1/8"~1.5"
Rims	Weinmann U28 TL, Disc Double Wall, Tubeless-Ready
Hub, Front	Formula Aluminum Disc, 12mm QR Thru-axle
Hub, Rear	Formula Aluminum Disc 12 x 142mm QR, Cassette
Tires	Kenda K1226 Alluvium Pro, 700 x 40c, 120TPI, GCT, Folding
Spokes	14G Stainless Black, 32x32
Derailleur, Front	Shimano Sora R3000, 31.8mm
Derailleur, Rear	Shimano Sora R3000GS
Shifters	Shimano Sora ST-R3000
Chain	KMC X9 w/MissingLink
Crankset	FSA Omega, 2-pc, Forged, 48/32T, XS:165, S:170, M-L:172.5
BB	FSA Mega EXO Outboard Bearing
Freewheel / Cassette	Shimano HG200-9, 11-36T, 9-Speed
Seatpost	Aluminum Micro-Adjust, 27.2
Saddle	KHS Sport Road
Handlebar	FSA Adventure Compact, Double Butted, Ergonomic, 31.8mm, XS:40cm, S-M:42cm, L:44cm
Stem	Promax Aluminum 3D Forged, Threadless 4-bolt, 31.8mm, XS:90mm, S-L:100mm
Grips	Cushion Tape
Brake Levers	Shimano Sora STI
Brakes	Tektro MD-C550, Dual Piston, Flat Mount, Road Mechanical Disc, 160mm Rotors
Frame Size	XS/49, S/52, M/55, L/58

GRAVEL GRIT 110



FEATURES

16 Speed

Carbon fork

Shimano Claris drivetrain

Tektro dual piston cable disc brakes

NEW OR CHANGED FOR 2021

FSA Orbit headset

Weinmann U28 TL, Tubeless Ready wheelset


FSA BB

Shimano CS-HG31, 11-34T cassette

Promax Adventure handlebar

MSRP: \$959-1039

PART #	MODEL	SIZE	COLOR
91-227-9001	GRIT 110	XS	DARK GRAY
91-227-9002	GRIT 110	S	DARK GRAY
91-227-9003	GRIT 110	M	DARK GRAY
91-227-9004	GRIT 110	L	DARK GRAY



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/l	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/49	460 / 18.1	71°	75°	512 / 20.2	432 / 17	282 / 11.1	753 / 29.7	105 / 4.1	533 / 21	369 / 14.5
S/52	495 / 19.5	71°	73°	533 / 21	432 / 17	282 / 11.1	779 / 30.7	120 / 4.7	545 / 21.5	366 / 14.4
M/55	534 / 21	72°	73°	558 / 22	432 / 17	282 / 11.1	804 / 31.7	135 / 5.3	563 / 22.2	386 / 15.2
L/58	572 / 22.5	72°	73°	580 / 22.8	432 / 17	282 / 11.1	835 / 32.9	160 / 6.3	587 / 23.1	401 / 15.8

BIKE SPECS

Frame	6061 Aluminum Double Butted w/Disc Mounts and Internal Cable Routing, 1.5 Taper, Flat Mount Disc
Fork	Carbon Disc w/Aluminum Steerer, 1.5 Taper, Flat Mount, 12mm Thru-axle
Headset	FSA Orbit Integrated Sealed ACB, 1-1/8"~1.5"
Rims	Weinmann U28 TL, Disc Double Wall, Tubeless-Ready
Hub, Front	Formula Aluminum Disc, 12mm Thru-axle
Hub, Rear	Formula Aluminum Disc QR, Cassette
Tires	Kenda K1152 Flintridge, 700 x 40c, 60TPI, Tubeless-Ready
Spokes	14G Stainless Black, 32x32
Derailleur, Front	Shimano Claris FD-R2000, 31.8mm
Derailleur, Rear	Shimano Claris RD-R2000GS
Shifters	Shimano Claris STI, ST-R2000
Chain	KMC Z8.3
Crankset	Aluminum Forged 3-pc., 48/32T Compact, XS:165, S:170, M-L:172.5
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31, 11-34T, 8-Speed
Pedals	Wellgo Full Aluminum w/DU Bearing
Seatpost	Aluminum Micro-Adjust, 27.2
Saddle	KHS Sport Road
Handlebar	Promax Aluminum Drop, Adventure Compact Bend, 31.8mm, XS:40cm, S-M:42cm, L:44cm
Stem	Promax Aluminum 3D Forged, Threadless 4-bolt, 31.8mm, XS:90mm, S-L:100mm
Grips	Cushion Tape
Brake Levers	Shimano Claris STI
Brakes	Tektro MD-C550, Dual Piston, Flat Mount, Road Mechanical Disc, 160mm Rotors
Frame Size	XS/49, S/52, M/55, L/58

GRAVEL

GRIT 55



FEATURES

16 Speed

Reynolds CrMo frame

Shimano Claris drivetrain

Weinmann U28 TL, Tubeless Ready wheelset

NEW OR CHANGED FOR 2021

FSA headset

Weinmann U28 TL, Tubeless Ready wheelset

Shimano CS-HG318, 11-34T cassette

Promax Adventure handlebar

MSRP: \$799-869


PART #	MODEL	SIZE	COLOR
91-226-0000	GRIT 55	XXS	BLUE
91-226-0001	GRIT 55	XS	BLUE
91-226-0002	GRIT 55	S	BLUE
91-226-0003	GRIT 55	M	BLUE
91-226-0004	GRIT 55	L	BLUE

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XXS/44	370 / 14.6	70°	74°	508 / 20	430 / 16.9	275 / 10.8	699 / 27.5	85 / 3.3	514 / 20.2	359 / 14.1
XS/49	410 / 16.1	70.5°	73°	527 / 20.7	430 / 16.9	275 / 10.8	726 / 28.6	95 / 3.7	525 / 20.7	365 / 14.4
S/52	450 / 17.7	71.5°	73°	545 / 21.5	430 / 16.9	275 / 10.8	757 / 29.8	120 / 4.7	555 / 21.9	375 / 14.8
M/55	490 / 19.3	72°	73°	564 / 22.2	430 / 16.9	275 / 10.8	791 / 31.1	150 / 5.9	585 / 23	385 / 15.2
L/58	530 / 20.9	72°	73°	584 / 23	430 / 16.9	275 / 10.8	828 / 32.6	181 / 7.1	615 / 24.2	395 / 15.6

BIKE SPECS

Frame	Reynolds 520 DB CrMo Tubing w/Carrier Bosses & Disc Mount
Fork	Full CrMo Unicrown, Low-rider and Fender Bosses w/Disc, Straight Blade
Headset	FSA Threadless 1-1/8, Zero Stack
Rims	Weinmann U28 TL, Disc Double Wall, Tubeless Ready
Hub, Front	KK Aluminum Disc, QR w/Rubber Seal
Hub, Rear	KK Aluminum Disc, QR w/Rubber Seal, Cassette
Tires	Kenda K1152 Flintridge, 700x40C, 60TPI
Spokes	14G Stainless Black, 32x32
Derailleur, Front	Shimano Claris FD-R2000, 31.8
Derailleur, Rear	Shimano Claris RD-R2000GS
Shifters	Shimano Claris STI, ST-R2000
Chain	KMC Z8.3
Crankset	Aluminum Forged 3pc., 48x32 Compact, XXS:160, XS:165, S:170, M-L:172.5
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano HG318, 11-34, 8-Speed
Pedals	Wellgo Full Aluminum w/DU Bearing
Seatpost	Aluminum Micro-Adjust, 27.2
Saddle	KHS Sport Road
Handlebar	Promax Aluminum Drop, Adventure Compact Bend, 31.8, XS:40cm, S-M:42cm, L:44cm
Stem	Promax Aluminum 3D Forged, Threadless 4 Bolt, 31.8, XXS:80mm, XS:90mm, S-L:100mm
Grips	Cushion Tape
Brake Levers	Shimano Claris STI
Brakes	Bengal MB700T Cable Disc, 160/160 WAVE12
Frame Size	XXS/44, XS/49, S/52, M/55, L/58



GRAVEL GRIT 24



FEATURES

9 Speed

Alloy frame & fork


Bangal cable disc brakes

NEW OR CHANGED FOR 2021

FSA headset

MSRP: \$779-849

PART #	MODEL	SIZE	COLOR
91-225-9000	GRIT 24	24"	RED



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
One	345 / 13.6	69.5°	74°	445 / 17.5	380 / 15	253 / 10	626 / 24.7	100 / 3.9	453 / 17.8	315 / 12.4

BIKE SPECS

Frame	6061 Aluminum Double Butted w/Disc Mounts and Internal Cable Routing, 1.5 Taper, Flat Mount Disc, fits up 35c tires
Fork	Full Aluminum Unicrown, Fender Bosses w/Disc, Straight Blade
Headset	FSA Integrated Cartridge Bearing
Rims	Weinmann Aquila 21, Disc, 24"
Hub, Front	KK Aluminum Disc, QR w/Rubber Seal
Hub, Rear	KK Aluminum Disc, QR w/Rubber Seal, Cassette
Tires	Kenda Konversion, 24 x 1.5, Iron Cap, 60tpi
Spokes	14G Black, 32x32
Derailleur, Rear	Shimano Altus, RD-M2000
Shifters	Microshift SB-R490, 1 x 9
Chain	KMC X9 w/Missing Link
Crankset	Samox Aluminum, 36T w/CG, 152
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano HG200-9, 11-36T, 9-Speed
Pedals	Wellgo Full Aluminum, DU Bearings
Seatpost	Aluminum Micro-Adjust, 27.2
Saddle	KHS Junior Road Padded
Handlebar	Aluminum Junior Drop, Compact Bend, 31.8 x 36cm
Stem	Promax Aluminum 3D Forged, Threadless 4-bolt, 7-degree, 31.8, 60mm
Grips	Cushion Tape
Brake Levers	Microshift SB-R490
Brakes	Bengal MB700T Cable Disc, 140/140 WAVE12
Frame Size	24"

XC RACING TEAM 29 FS



FEATURES

12 Speed

Carbon frame with Horst Link

100mm Fox Float fork & rear shock

Shimano XT drivetrain

NEW OR CHANGED FOR 2021

Horst Link frame


Shimano XT crank w/ 32T

Fox Float 24 Step Cast fork

Shimano M6100 hydraulic disc brakes

MSRP: \$4699-4999

PART #	MODEL	SIZE	COLOR
91-179-0000	TEAM 29 F/S	S	TEAM MATTE BLACK
91-179-0001	TEAM 29 F/S	M	TEAM MATTE BLACK
91-179-0002	TEAM 29 F/S	L	TEAM MATTE BLACK



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/16	410 / 16.1	67°	77°	579 / 22.8	438 / 17.2	326 / 12.8	0 / 0	95 / 3.7	583 / 23	445 / 17.5
M/17.5	440 / 17.3	67°	77°	612 / 24.1	438 / 17.2	326 / 12.8	0 / 0	105 / 4.1	592 / 23.3	475 / 18.7
L/19	490 / 19.3	67°	77°	640 / 25.2	438 / 17.2	326 / 12.8	0 / 0	120 / 4.7	606 / 23.9	500 / 19.7

BIKE SPECS

Frame	29" Full MSD Carbon, 4-bar Horst 100mm Travel, 1-1/8~ 1.5 Taper, 12x148mm Boost, 27.5 Plus Compatible
Rear Shock	FOX Float DPS, Performance Elite, 2-Pos Remote, Evol
Fork	FOX Float 34 Step Cast, 29 Std/27.5+, Evol Air, Performance, 100mm, Grip, 2-Pos Remote Lock Out, Ext Rebound Adj., 1-1/8~1.5 Taper, 15mm X 110 QR Boost
Headset	FSA Orbit C-40-/48CF, N.42/48CF, 1-1/8"~1.5" Integrated, Carbon Cap
Rims	Shimano XT WH-M8100 12S, 29" Disc, Straight Pull, Tubeless-Ready
Hub, Front	Shimano XT WH-M8100, 15mm x 110 Boost
Hub, Rear	Shimano XT WH-M8100, 12mm x 148 Boost
Tires	Kenda Booster Pro, 120TPI Folding, Tubeless-Ready, 29x2.2
Spokes	Shimano XT WH-M8100
Derailleur, Rear	Shimano XT RD-M8100
Shifters	Shimano XT, SL-M8100, 12s, Trigger, Right Only, I-Spec II
Chain	Shimano CN-M7100
Crankset	Shimano XT M8100, 2-pc Hollowtech II, 32T, Boost, S:170, M-L:175
BB	Shimano Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-M7100, 10-51T, 12-Speed
Seatpost	Q2 Carbon, 31.6
Saddle	WTB SL8 Med CrMo SL, 142mm
Handlebar	FSA SLK CSI, Low Riser, 760mm x 18mm, 31.8mm
Stem	FSA Afterburner, 3D Forged, CNC, 4-Bolt, 6D, 31.8mm, S:70mm, M-L:80mm
Grips	Q2 Lock-on
Brake Levers	Shimano M6100, Servo Wave, I-Spec EV
Brakes	Shimano M6100, Hydraulic Disc, Servo Wave, 180/160mm, Rotors= RT64 CenterLock
Frame Size	S/16, M/17.5, L/19

XC RACING PRESCOTT



FEATURES

12 Speed

Carbon frame with Horst Link

100mm Fox Float fork & rear shock

Shimano SLX drivetrain

NEW OR CHANGED FOR 2021

Horst Link frame

Shimano CN-M6100 chain


Shimano CS-M6100, 10-51T, cassette

WTB Volt Medium SL saddle

Shimano M6100 hydraulic disc brakes

MSRP: \$3599-3899

PART #	MODEL	SIZE	COLOR
91-178-0000	PRESCOTT	S	METALLIC BLUE
91-178-0001	PRESCOTT	M	METALLIC BLUE
91-178-0002	PRESCOTT	L	METALLIC BLUE



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	G h.o.	H h/t L	I Stack	J Reach
S/16	410 / 16.1	67°	77°	579 / 22.8	438 / 17.2	326 / 12.8	0 / 0	95 / 3.7	583 / 23	445 / 17.5
M/17.5	440 / 17.3	67°	77°	612 / 24.1	438 / 17.2	326 / 12.8	0 / 0	105 / 4.1	592 / 23.3	475 / 18.7
L/19	490 / 19.3	67°	77°	640 / 25.2	438 / 17.2	326 / 12.8	0 / 0	120 / 4.7	606 / 23.9	500 / 19.7

BIKE SPECS

Frame	29" Full MSD Carbon, 4-bar Horst 100mm Travel, 1-1/8~ 1.5 Taper, 12x148mm Boost, 27.5 Plus Compatible
Rear Shock	X-Fusion 02 Pro RL, Air, Ext Rebound, Lock-Out
Fork	FOX Float 32, 29 Std/27.5+ Evol Air, Rhythm, 100mm, Grip Sweep Adj., Ext Rebound Adj., 1-1/8~1.5 Taper, 15mm X 110 QR Boost
Headset	FSA Orbit C-40-CF-ACB, N.42/CF/ACB, 1-1/8"~1.5" Integrated
Rims	WTB ST-I25 TCS, Disc, Double Wall, 29x28H, Tubeless-Ready
Hub, Front	Shimano HB-M7110-B CenterLock Disc, 15x110mm Axle, Boost
Hub, Rear	Shimano FH-M7110-B Disc Cassette, 12 x 148mm, Boost
Tires	Kenda Booster Pro, 120TPI Folding, Tubeless-Ready, 29x2.2
Spokes	14/15g Black Stainless, w/Aluminum Nipples 28x28
Derailleur, Rear	Shimano SLX RD-M7100
Shifters	Shimano SLX, SL-M7100, 12s, Trigger, Right Only, I-Spec EV
Chain	Shimano CN-M6100
Crankset	SR Zeron, 2-pc, Boost, 32T Zig/Zag, S:170, M-L:175
BB	SR Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-M6100, 10-51T, 12-speed
Seatpost	Q2 Carbon, 31.6mm
Saddle	WTB Volt Med SL
Handlebar	FSA Comet Low Riser, 31.8mm, 720x15mm
Stem	FSA V-Drive, 3D Forged, 4-bolt, 6 Degree, 31.8mm, S:60mm, M:70mm, L:80mm
Grips	Q2 Lock-on
Brake Levers	Shimano M6100, Servo Wave. I-Spec EV
Brakes	Shimano M6100, Hydraulic Disc, Servo Wave, 180/160mm, Rotors= RT64 CenterLock
Frame Size	S/16, M/17.5, L/19

XC RACING TEAM 29



FEATURES

12 Speed

Carbon frame

100mm Fox Float fork

Shimano XT drivetrain

NEW OR CHANGED FOR 2021


Fox Float 34 Step Cast fork

Shimano XT crank w/ 32T

Shimano M6100 hydraulic disc brakes

MSRP: \$3899-4199

PART #	MODEL	SIZE	COLOR
91-171-0000	TEAM 29	M	MATTE BLACK TEAM
91-171-0001	TEAM 29	L	MATTE BLACK TEAM
91-171-0002	TEAM 29	XL	MATTE BLACK TEAM



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
M/17.5	440 / 17.3	69.5°	73.7°	600 / 23.6	435 / 17.1	310 / 12.2	803 / 31.6	100 / 3.9	610 / 24	422 / 16.6
L/19	480 / 18.9	69.5°	73.7°	625 / 24.6	435 / 17.1	310 / 12.2	831 / 32.7	115 / 4.5	625 / 24.6	442 / 17.4
XL/20.5	520 / 20.5	69.5°	73.7°	650 / 25.6	435 / 17.1	310 / 12.2	850 / 33.8	125 / 4.9	634 / 25	465 / 18.3

BIKE SPECS

Frame	KHS Full MSD Carbon 29er w/1.5 Taper Headtube, Disc Only, Internal Cable Routing, 12x148mm Boost, 27.5 Plus & 29 Compatible
Fork	FOX Float 34 Step Cast, 29 Std/27.5+, Evol Air, Performance, 100mm, Grip, 2-Pos Remote Lock Out, Ext Rebound Adj., 1-1/8~1.5 Taper, 15mm X 110 QR Boost
Headset	FSA Orbit C-40-CF-ACB, N.42/CF/ACB, 1-1/8"~1.5" Integrated
Rims	Shimano XT WH-M8100 12S, 29" Disc, Straight Pull, Tubeless-Ready
Hub, Front	Shimano XT WH-M8100, 15mm x 110 Boost
Hub, Rear	Shimano XT WH-M8100, 12mm x 148 Boost
Tires	Kenda Booster Pro, 120TPI Folding, Tubeless-Ready, 29x2.2
Spokes	Shimano XT WH-M8100
Derailleur, Rear	Shimano New XT RD-M8100
Shifters	Shimano New XT, SL-M8100, 12s, Trigger, Right Only, I-Spec EV
Chain	Shimano CN-M7100
Crankset	Shimano New XT M8100, 2-pc Hollowtech II, 32T, Boost, PF92, M-XL:175
BB	FSA PF92, BB-CFM92
Freewheel / Cassette	Shimano CS-M7100, 10-51T, 12-Speed
Seatpost	Q2 Carbon, 31.6mm
Saddle	WTB SL8 Med CrMo SL, 142mm
Handlebar	FSA SLK CSI, Low Riser, 760mm x 18mm, 31.8mm
Stem	FSA Afterburner, 3D Forged, CNC, 4-Bolt, 6D, 31.8mm, M-L:80mm, XL:90mm
Grips	Q2 Lock-on
Brake Levers	Shimano M6100, Servo Wave, I-Spec EV
Brakes	Shimano M6100, Hydraulic Disc, Servo Wave, 180/160mm, Rotors= RT64 CenterLock
Frame Size	M/17.5, L/19, XL/20.5

XC SPORT TUCSON



FEATURES

12 Speed

Carbon frame

WTB ST-I25 TCS, Tubeless Ready wheelset

Shimano drivetrain

NEW OR CHANGED FOR 2021

Carbon frame

Deore shifter

Shimano CN-M6100 chain


32 tooth chainring

Shimano CS-M6100, 10-51T cassette

WTB Volt Medium SL saddle

MSRP: \$2299-2499

PART #	MODEL	SIZE	COLOR
91-170-0001	TUCSON	M	MATTE RED ROCK
91-170-0002	TUCSON	L	MATTE RED ROCK
91-170-0003	TUCSON	XL	MATTE RED ROCK



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effctv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
M/17.5	440 / 17.3	69.5°	73.7°	600 / 23.6	435 / 17.1	310 / 12.2	803 / 31.6	100 / 3.9	610 / 24	422 / 16.6
L/19	480 / 18.9	69.5°	73.7°	625 / 24.6	435 / 17.1	310 / 12.2	831 / 32.7	115 / 4.5	625 / 24.6	442 / 17.4
XL/20.5	520 / 20.5	69.5°	73.7°	650 / 25.6	435 / 17.1	310 / 12.2	858 / 33.8	125 / 4.9	634 / 25	465 / 18.3

BIKE SPECS

Frame	KHS Full MSD Carbon 29er w/1.5 Taper Headtube, Disc Only, Internal Cable Routing, 12x148mm Boost, 27.5 Plus & 29 Compatible
Fork	SR Raidon 32-LOR, 29 Std/27.5 Plus, 100mm Air, Hydraulic Speed Lock-Out w/Ext. Rebound Dampening Adj, 1-1/8~ 1.5 Aluminum Taper, 15QR x 110 Boost
Headset	FSA Orbit C-40-CF-ACB, N.42/CF/ACB, 1-1/8"~1.5" Integrated
Rims	WTB ST-I25 TCS, Disc, Double Wall, 29x28H, Tubeless-Ready
Hub, Front	Shimano HB-MT410, CenterLock Disc, 15mm x 110mm, Boost
Hub, Rear	Shimano FH-MT410-B Disc Cassette, 12 x 148mm, Boost
Tires	Kenda Booster Pro, 120TPI Folding, Tubeless-Ready, 29x2.2
Spokes	14G Stainless Black w/Aluminum Nipples, 28x28
Derailleur, Rear	Shimano New SLX RD-M7100
Shifters	Shimano New Deore, SL-M6100, 12s, Trigger, Right Only, I-Spec EV
Chain	Shimano CN-M6100
Crankset	SR Zeron, 2-pc, Boost, 32T Zig/Zag
BB	SR Press Fit
Freewheel / Cassette	Shimano CS-M6100, 10-51T, 12-speed
Seatpost	KHS Aluminum Micro-Adjust 31.6mm
Saddle	WTB Volt Med SL
Handlebar	FSA Comet Low Riser, 31.8mm, 760x15mm
Stem	FSA V-Drive, 3D Forged, 4-bolt, 6 Degree, 31.8mm
Grips	Q2 Lock-on
Brake Levers	Shimano M4100, I-Spec EV
Brakes	Shimano MT410 Hydraulic Disc, 180/160mm Rotors= RT54 CenterLock
Frame Size	M/17.5, L/19, XL/20.5

XC SPORT

BNT 29



FEATURES

12 Speed

Built for tall riders 6' 4" and over

Shimano SLX

120mm travel Marzocchi Z2 air fork


NEW OR CHANGED FOR 2021

Marzocchi Z2 air fork
WTB ST-I29 TCS, tubeless ready rims
Shimano Center Lock hubs
Shimano SLX rear derailleur
Shimano Deore shifters
Kenda Boosters Pro tires
WTB Volt Wide SL saddle

MSRP: \$1999-2199

PART # MODEL SIZE COLOR

91-169-0000	BNT 29	XXL	MATTE BLACK
91-169-0001	BNT 29	XXXL	MATTE BLACK



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XXL/23	586 / 23.1	71°	73°	653 / 25.7	455 / 17.9	347 / 13.7	931 / 36.7	141 / 5.6	658 / 25.9	450 / 17.7
XXXL/24.5	626 / 24.6	71°	73°	678 / 26.7	455 / 17.9	347 / 13.7	962 / 37.9	166 / 6.5	681 / 26.8	468 / 18.4

BIKE SPECS

Frame	Reynolds 520 CrMo Double Butted T/T 38.1mm, D/T 40mm, S/T 32.4mm
Fork	29" Marzocchi Z2 AIR, 120mm, Ext Rebound Adj, Sweep Adj to Lock, 1.5 Taper Aluminum Steerer, 15mm x 110 Boost
Headset	FSA 2 (I/I), Orbit E1.5, Zero Stack, 1-1/8"~1.5
Rims	WTB ST-I29 TCS, Disc, Double Wall, 29x36H, Tubeless-Ready
Hub, Front	Shimano HB-MT410, CenterLock Disc, 15mm x 110mm, Boost
Hub, Rear	Shimano FH-MT410-B Disc Cassette, 12 x 148mm, Boost
Tires	Kenda Booster Pro, 120TPI Folding, Tubeless-Ready, 29x2.6
Spokes	14G Black w/Aluminum Nipples, 36x36
Derailleur, Rear	Shimano SLX, RD-M7100
Shifters	Shimano Deore SL-M6100, Right Only, I-Spec EV
Chain	Shimano CN-M6100
Crankset	KHS 2-pc Forged 200mm w/Outboard Bearing, 32T
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Shimano Deore 10-51t, 12-Speed
Seatpost	Aluminum Micro-Adjust 31.6x400mm
Saddle	WTB Volt Wide SL
Handlebar	Aluminum 35mm Riser, 800 x 30mm
Stem	35mm Aluminum 3D Forged, Threadless 4-bolt, 120mm
Grips	Q2 Lock-on
Brake Levers	Shimano M4100, I-Spec EV
Brakes	Shimano MT420 4-Piston Hydraulic Disc, 203mm Rotors= RT64 CenterLock
Frame Size	2XL/23, 3XL/24.5

XC SPORT TEMPE



DWS™ (DUAL WHEEL SIZING)

S M L XL
27.5 29 29 29

FEATURES

12 Speed

Aluminum boost double butted frame

WTB Tubeless ready wheelsset

Shimano drivetrain

NEW OR CHANGED FOR 2021


WTB STi25 rims
SR Raidon 32-LOR fork
Shimano Deore shifter
32 tooth chainring
Shimano CS-M6100, 10-51T cassette
Shimano Deore M410 hydraulic disc brakes
Kenda Booster Pro tires

MSRP: \$1249-1349

PART #	MODEL	SIZE	COLOR
91-168-0001	TEMPE	S	SHIMMERING BLACK
91-168-0002	TEMPE	M	SHIMMERING BLACK
91-168-0003	TEMPE	L	SHIMMERING BLACK
91-168-0004	TEMPE	XL	SHIMMERING BLACK
91-168-0005	TEMPE LADIES	S	SILVER

DWS™ (DUAL WHEEL SIZING)

S M L XL
27.5 29 29 29



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	67.5°	75.1°	591 / 23.3	435 / 17.1	280 / 11	723 / 28.5	90 / 3.5	608 / 23.9	397 / 15.6
M/17	432 / 17	71°	73°	612 / 24.1	435 / 17.1	280 / 11	769 / 30.3	100 / 3.9	633 / 24.9	418 / 16.5
L/19	483 / 19	71°	73°	635 / 25	435 / 17.1	280 / 11	802 / 31.6	115 / 4.5	648 / 25.5	436 / 17.2
XL/21	533 / 21	71°	73°	659 / 25.9	435 / 17.1	280 / 11	833 / 32.8	130 / 5.1	662 / 26	456 / 18

BIKE SPECS

Frame	6061 Aluminum Double Butted w/Custom Formed T/T & D/T, 1.5 Taper, 141mm Boost, w/Replaceable Derailleur Hanger, 27.5 Plus Compatible, Internal Cables
Fork	SR Raidon 32-LOR, 29 Std/27.5 Plus, 100mm Air, Hydraulic Speed Lock-Out w/Ext. Rebound Dampening Adj, 1-1/8~ 1.5 Aluminum Taper, 15QR x 110 Boost
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	WTB ST S:i35:27.5", M-XL: i25:29", TCS, Disc, Double Wall, 32H, Tubeless Ready
Hub, Front	Shimano HB-MT410, Center Lock Disc, 15mm x 110mm, Boost
Hub, Rear	Shimano FH-MT401-B, Center Lock Disc, QR, Cassette, Boost
Tires	S: Kenda Booster Pro, 27.5x2.2, M-XL: Booster Pro, 29x2.2, 120TPI Folding, Tubeless Ready
Spokes	14G Stainless Black w/Aluminum Nipples, 32x32
Derailleur, Rear	Shimano SLX RD-M7100
Shifters	Shimano New Deore, SL-M6100, 12s, Trigger, Right Only, I-Spec EV
Chain	Shimano CN-M6100
Crankset	SR Zeron, 2-pc, Boost, 32T Zig Zag, S:170, M-XL:175, Ladies:170
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Shimano Deore CS-M6100, 10-51T, 12-speed
Seatpost	KHS Aluminum Micro-Adjust 31.6
Saddle	WTB Volt Med, Ladies: KHS Ladies Design
Handlebar	FSA Comet Low Riser, 31.8, 760x15mm, 720 Ladies
Stem	FSA V-Drive, 3D Forged, 4-bolt, 6 Degree, 31.8, S:60mm, M:70mm, L:80mm, XL:90mm
Grips	Q2 Lock-on
Brake Levers	Shimano M4100, I-Spec EV
Brakes	Shimano MT410 Hydraulic Disc, 180/160mm Rotors= RT54 Center Lock
Frame Size	27.5+=S/15 29"=M/17, L/19, XL/21 Ladies 27.5+=S/15

XC SPORT AGUILA



DWS™ (DUAL WHEEL SIZING)

S M L XL
27.5 29 29 29



FEATURES

11 Speed

Shimano Deore

Shimano hydraulic disc brakes

NEW OR CHANGED FOR 2021

Shimano Deore 11 speed rear derailleur

Shimano Deore shifter

Aluminum boost crank

32 tooth chainring


Q2 lock-on grips

Shimano CS-M5100, 11-51T cassette

MSRP: \$899-979

PART #	MODEL	SIZE	COLOR
91-167-0000	AGUILA	S	MID GRAY
91-167-0001	AGUILA	M	MID GRAY
91-167-0002	AGUILA	L	MID GRAY
91-167-0003	AGUILA	XL	MID GRAY
91-167-0004	AGUILA LADIES	S	CABERNET

DWS™ (DUAL WHEEL SIZING)
S M L XL
27.5 29 29 29



GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/l*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	67.5°	73°	591 / 23.3	430 / 16.9	307 / 12.1	701 / 27.6	90 / 3.5	608 / 23.9	405 / 16
M/17	432 / 17	67.5°	73.6°	610 / 24	435 / 17.1	280 / 11	758 / 29.8	100 / 3.9	617 / 24.3	421 / 16.6
L/19	483 / 19	67.5°	73.6°	635 / 25	435 / 17.1	276 / 10.8	783 / 30.8	105 / 4.1	626 / 24.6	449 / 17.7
XL/21	533 / 21	67.5°	76.7°	659 / 25.9	435 / 17.1	276 / 10.8	814 / 32.1	120 / 4.7	639 / 25.2	467 / 18.4

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T, 141mm Boost, w/Replaceable Derailleur Hanger, 1.5 Taper, 29"/27.5 Plus Compatible, Internal Cables
Fork	SR XCM 32-LO, 100mm, w/Hydraulic Lock-Out, 1-1/8~ 1.5 Taper, 15QR x 110 Boost, 29 Std/27.5 Plus
Headset	Threadless 1-1/8"~1.5, Zero Stack
Rims	S: Aluminum Plus Disc, 27.5x32H, Double Wall, M-XL: Aluminum Disc Double Wall, 29x32H
Hub, Front	KT Aluminum Disc w/CNC Rotor Flange, QR, 15mm x 110mm
Hub, Rear	KT Aluminum Disc w/CNC Rotor Flange, QR, Cassette, 141mm Boost
Tires	S: Kenda Havok 27.5x2.6, M-XL: Kenda Booster, 29x2.4
Spokes	14G Stainless Black 32x32
Derailleur, Rear	Shimano Deore RD-M5100
Shifters	Shimano Deore SL-M5100
Chain	KMC X11 w/MissingLink
Crankset	Aluminum 2-pc, Boost, 32T Narrow/Wide, S-M:170, L-XL:175, Ladies:170
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-M5100, 11-51T, 11-Speed
Seatpost	KHS Aluminum Micro-Adjust 31.6mm
Saddle	KHS Sport, Dual Density
Handlebar	Aluminum Riser, 31.8mm, 720x20mm, 680x20mm=Ladies
Stem	Aluminum Threadless 4-bolt, 6-degree, 31.8mm, S:60mm, M-L:75mm, XL:90mm
Grips	Q2 Lock-on
Brake Levers	Shimano MT200
Brakes	Shimano MT200 Hydraulic Disc, 180/160mm Rotors Wave '12'
Frame Size	27.5+=S/15 29"=M/17, L/19, XL/21 Ladies 27.5+=S/15

XC SPORT WINSLOW

DWS™ (DUAL WHEEL SIZING)
XS S M L XL
27.5 27.5 29 29 29



FEATURES

9 Speed
 Aluminum frame
 100mm SRXCT30 fork
 Shimano hydraulic disc brakes

NEW OR CHANGED FOR 2021

Kenda Saber tires
 Aluminum 32 tooth crank
 Outboard BB

MSRP: \$599-659


PART #	MODEL	SIZE	COLOR
91-166-9000	WINSLOW	XS	MATTE BLACK
91-166-9001	WINSLOW	S	MATTE BLACK
91-166-9002	WINSLOW	S	RED
91-166-9003	WINSLOW	M	MATTE BLACK
91-166-9004	WINSLOW	M	RED
91-166-9005	WINSLOW	L	MATTE BLACK
91-166-9006	WINSLOW	L	RED
91-166-9007	WINSLOW	XL	MATTE BLACK
91-166-9008	WINSLOW	XL	RED
91-166-9009	WINSLOW LADIES	XS	CINNAMON STICK
91-166-9010	WINSLOW LADIES	S	MINT
91-166-9011	WINSLOW LADIES	S	CINNAMON STICK
91-166-9012	WINSLOW LADIES	M	MINT

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/13	330 / 13	67°	73°	553 / 21.8	440 / 17.3	295 / 11.6	709 / 27.9	90 / 3.5	583 / 23	375 / 14.7
S/15	381 / 15	67.5°	73°	594 / 23.4	440 / 17.3	295 / 11.6	730 / 28.8	90 / 3.5	585 / 23	415 / 16.4
M/17	432 / 17	67.5°	73.6°	610 / 24	435 / 17.1	314 / 12.4	793 / 31.2	100 / 3.9	617 / 24.3	421 / 16.6
L/19	483 / 19	67.5°	73.6°	632 / 24.9	435 / 17.1	314 / 12.4	825 / 32.5	115 / 4.5	631 / 24.8	445 / 17.5
XL21	533 / 21	67.5°	73.6°	659 / 25.9	435 / 17.1	314 / 12.4	846 / 33.3	130 / 5.1	624 / 24.6	472 / 18.6

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T, w/Replaceable Derailleur Hanger, XS-S:27.5", M-XL:29", Internal Cable Routing
Fork	SR XCT30, HLO. 100mm, Hydraulic Lock-Out, Preload Adj, XS-S:27.5", M-XL:29"
Headset	Threadless Zero Stack, 1-1/8
Rims	Aluminum Disc Double Wall, XS-S: 27.5x32H, M-XL: 29x32H
Hub, Front	Aluminum Disc w/CNC Rotor Flange, QR
Hub, Rear	Aluminum Disc w/CNC Rotor Flange, QR, Cassette
Tires	Kenda Saber, XS-S: 27.5x2.2, M-XL: 29x2.2
Spokes	14G Black 32x32
Derailleur, Front	N/A
Derailleur, Rear	S-Ride RD-M300C 9s
Shifters	S-Ride SL-M300C 9s
Chain	KMC X9 w/Missing Link
Crankset	Aluminum 2-pc, 32T Narrow/Wide, XS-S:170, M-XL:175
BB	Outboard Cartridge Bearing
Freewheel / Cassette	CS-M300C 11-42T, 9-Speed
Pedals	Resin ATB Platform w/DU Bearings
Seatpost	KHS Aluminum Micro-Adjust 31.6
Saddle	KHS Sport
Handlebar	KHS Aluminum Riser, 31.8, 720x20mm, Ladies:680x20mm
Stem	Aluminum Threadless 4-bolt, 6-degree, 31.8, XS-S:60mm, M-L:75mm, XL:90mm
Grips	KHS Sport
Brake Levers	Shimano MT200
Brakes	Shimano MT200 Hydraulic Disc, 180/160mm=27.5", 180/160mm=29" Rotors, Wave 12
Frame Size	27.5"=XS/13, S/15, 29"=M/17, L/19, XL/21 Ladies 27.5"=XS/13, S/15, M/17



23

All specs and photos are subject to change without notice.



XC SPORT ZACA

DWS™ (DUAL WHEEL SIZING)
XS S M L XL
27.5 27.5 29 29 29



FEATURES

8 Speed
 11-42T Cassette
 1x8 Speed drivetrain
 Cable disc brakes

NEW OR CHANGED FOR 2021

S-Ride SL-M300C shifters
 Samox cranks
 S-Ride CS-M20008 11-42T cassette
 Kenda Saber tires 2.2 wide

MSRP: \$499-549


PART #	MODEL	SIZE	COLOR
91-165-9000	ZACA	XS	BLACK
91-165-9001	ZACA	S	BLACK
91-165-9002	ZACA	S	SILVER
91-165-9003	ZACA	M	BLACK
91-165-9004	ZACA	M	SILVER
91-165-9005	ZACA	L	BLACK
91-165-9006	ZACA	L	SILVER
91-165-9007	ZACA	XL	BLACK
91-165-9008	ZACA	XL	SILVER
91-165-9009	ZACA LADIES	XS	MID BLUE
91-165-9010	ZACA LADIES	XS	DARK GRAY
91-165-9011	ZACA LADIES	S	MID BLUE
91-165-9012	ZACA LADIES	S	DARK GRAY
91-165-9013	ZACA LADIES	M	MID BLUE

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/13	330 / 13	67°	73°	580 / 22.8	430 / 16.9	295 / 11.6	708 / 27.9	90 / 3.5	590 / 23.2	400 / 15.7
S/15	381 / 15	67.5°	73°	591 / 23.3	430 / 16.9	295 / 11.6	734 / 28.9	90 / 3.5	590 / 23.2	413 / 16.3
M/17	432 / 17	68°	73.6°	612 / 24.1	435 / 17.1	312 / 12.3	779 / 30.7	100 / 3.9	596 / 23.5	430 / 16.9
L/19	483 / 19	67.5°	73.6°	635 / 25	435 / 17.1	312 / 12.3	823 / 32.4	115 / 4.5	610 / 24	453 / 17.8
XL/21	533 / 21	67.5°	73.6°	636 / 25	435 / 17.1	312 / 12.3	844 / 33.2	130 / 5.1	624 / 24.6	472 / 18.6

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T, w/Replaceable Derailleur Hanger, XS-S:27.5", M-XL:29", Internal Cable Routing
Fork	Zoom 565D, 80mm, XS-S:27.5", M-XL:29"
Headset	Threadless Zero Stack, 1-1/8
Rims	Aluminum Disc Double Wall, XS-S: 27.5x32H, M-XL: 29x32H
Hub, Front	Aluminum Disc w/CNC Rotor Flange, QR
Hub, Rear	Aluminum Disc w/CNC Rotor Flange, QR, Cassette
Tires	Kenda Saber, XS-S: 27.5x2.2, M-XL: 29x2.2
Spokes	14G Black 32x32
Derailleur, Rear	S-Ride RD-M300C, 8s
Shifters	S-Ride SL-M300C 8s
Chain	KMC Z8.3
Crankset	Samox Forged, 30T Narrow/Wide C/R, XS-S:170, M-XL:175
BB	Cartridge Bearing
Freewheel / Cassette	S-Ride CS-M20008 11-42T, 8-Speed
Pedals	Resin ATB Platform w/DU Bearings
Seatpost	KHS Aluminum Micro-Adjust 31.6
Saddle	KHS Sport
Handlebar	Aluminum Riser, 31.8, 720x20mm, Ladies:680mm
Stem	Aluminum Threadless 4-bolt, 6-degree, 31.8, XS-S:60mm, M-L:75mm, XL:90mm
Grips	KHS Sport
Brake Levers	Aluminum Linear Pull, 2.5F
Brakes	Radius Cable Disc BR-CX7, 180/160mm Rotors w/ABS System
Frame Size	27.5"=XS/13, S/15, 29"=M/17, L/19, XL/21 Ladies 27.5"=XS/13, S/15, M/17



ENDURO

7500

DWS™ (DUAL WHEEL SIZING)

S M L XL
27.5* 29 29 29

*These 27.5 wheels are "Plus" compatible.



FEATURES

12 Speed

150mm travel aluminum frame

800mm wide FSA Grid handlebar

Fox Float fork & shock

NEW OR CHANGED FOR 2021

Shimano 6120 4-Piston hydraulic disc brakes

MSRP: \$3699-3999


PART # MODEL SIZE COLOR

91-175-0000	7500	S	DARK GRAY
91-175-0001	7500	M	DARK GRAY
91-175-0002	7500	L	DARK GRAY
91-175-0003	7500	XL	DARK GRAY

DWS™ (DUAL WHEEL SIZING)

S M L XL
27.5* 29 29 29

*These 27.5 wheels are "Plus" compatible.



GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/t*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	380 / 15	65°	75°	593 / 23.3	438 / 17.2	320 / 12.6	734 / 28.9	100 / 3.9	607 / 23.9	430 / 16.9
M/16.5	420 / 16.5	65°	75°	613 / 24.1	438 / 17.2	348 / 13.7	779 / 30.7	100 / 3.9	607 / 23.9	613 / 24.1
L/18	460 / 18.1	65°	75°	635 / 25	438 / 17.2	348 / 13.7	795 / 31.3	110 / 4.3	617 / 24.3	635 / 25
XL/20	500 / 19.7	65°	75°	658 / 25.9	438 / 17.2	348 / 13.7	825 / 32.5	120 / 4.7	626 / 24.6	658 / 25.9

BIKE SPECS

Frame	FSS 29/650B+ 150mm, 6061 Aluminum w/Custom Formed Double Butted T/T & D/T, 1.5 Taper, 12 x 148 Boost Rear Axle, w/Replaceable Derailleur Hanger, 29x2.4
Rear Shock	FOX Float DPX2 Trunnion, Performance, 3-Pos, Evol w/LV Eyelet
Fork	FOX Float 36, 29 Evol Air, Performance, 160mm, Grip w/3-Pos. Lever., Ext Rebound Adj., 1-1/8~1.5 Taper, 15mm x 110 QR Boost, 29 x 2.6 Compatible
Headset	FSA Orbit 1.5E, Zero Stack, 1-1/8"~1.5
Rims	WTB ST=S:i35, M-XL:i29 TCS, Disc, Double Wall, 28H, Tubeless-Ready
Hub, Front	Shimano HB-M7110-B CenterLock Disc, 15x110mm Axle, Boost
Hub, Rear	Shimano FH-M7110-B Disc Cassette, 12 x 148mm, Boost
Tires	Kenda Hellkat, S:27.5x2.6, M-XL:29x2.4, ATC, 120 TPI Folding, Tubeless-Ready
Spokes	14/15G Double Butted Stainless, Black w/Aluminum Nipples, 28x28
Derailleur, Rear	Shimano XT RD-M8100
Shifters	Shimano New SLX, SL-M7100, 12s, Trigger, Right Only, I-Spec EV
Chain	Shimano CN-M7100
Crankset	FSA Gamma Pro, 2-pc., 30T Megatooth, Boost, Mega EXO, S:170, M-XL:175
BB	FSA Mega EXO, Outboard Bearing
Freewheel / Cassette	Shimano CS-M7100, 10-51T, 12-Speed
Seatpost	Kind Shock Rage-I, Integra w/Remote, Travel Adjust, 31.6mm
Saddle	WTB High Tail, CrMo Rail
Handlebar	FSA Grid 35mm, 800mm x 20mm
Stem	FSA Grid 3D Forged, 35mm
Grips	Q2 Lock-on
Brake Levers	Shimano M6100, Servo Wave, I-Spec EV
Brakes	Shimano M6120 4-Piston, Hydraulic Disc, Servo Wave, 180/160mm, Rotors= RT64 CenterLock
Frame Size	27.5+=S/15, 29*=M/16.5, L/18, XL/20



FEATURES

12 Speed

4-Bar Horst Link Carbon frame

WTB tubeless ready wheels

Fox Float fork & shock

NEW OR CHANGED FOR 2021

4-Bar Horst Link Carbon frame

Shimano SLX rear derailleur

Shimano CN-M6100 chain

FSA Mega EXO BB

Shimano CS-M6100, 10-51T cassette

Shimano M420 4-Piston hydraulic disc brakes


MSRP: \$3999-4299

PART #	MODEL	SIZE	COLOR
91-174-0000	6600	S	RAISIN
91-174-0001	6600	M	RAISIN
91-174-0002	6600	L	RAISIN

DWS™ (DUAL WHEEL SIZING)

S M L
27.5* 29 29

*These 27.5 wheels are "Plus" compatible.



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	400 / 15.7	67°	77°	585 / 23	440 / 17.3	345 / 13.6	771 / 30.3	100 / 3.9	605 / 23.8	457 / 18
M/17.5	440 / 17.3	67°	77°	606 / 23.9	440 / 17.3	345 / 13.6	776 / 30.6	105 / 4.1	610 / 24	476 / 18.7
L/19	480 / 18.9	67°	77°	630 / 24.8	440 / 17.3	345 / 13.6	786 / 30.9	120 / 4.7	624 / 24.5	495 / 19.5

BIKE SPECS

Frame	MSD Full Carbon 4-Bar Horst Link, 29/650B+, 135mm, 1.5 Taper, 12 x 148 Boost Rear Axle, w/Replaceable Derailleur Hanger,
Rear Shock	FOX Float DPS, Performance, 3-Pos, Evol w/LV Eyelet
Fork	FOX Float 36, 29 Std/27.5+ Evol Air, Rhythm, 150mm, Grip Sweep Adj., 1-1/8~1.5 Taper, 15mm x 110 QR Boost
Headset	FSA No. 57/52, Zero Stack, 1-1/8"~1.5
Rims	WTB ST-S:i35, M-XL:i29 TCS, Disc, Double Wall, 28H, Tubeless-Ready
Hub, Front	Shimano HB-MT410, CenterLock Disc, 15mm x 110mm, Boost
Hub, Rear	Shimano FH-MT410-B Disc Cassette, 12 x 148mm, Boost
Tires	Kenda Regolith Pro, S:27.5 x 2.6", M-XL:29 x 2.4", 120TPI, Folding, Tubeless-Ready
Spokes	14/15G Double Butted Stainless, Black w/Aluminum Nipples, 28x28
Derailleur, Rear	Shimano SLX, RD-M7100
Shifters	Shimano SLX, SL-M7100, 12s, Trigger, Right Only, I-Spec EV
Chain	Shimano CN-M6100
Crankset	FSA Gamma Pro, 2-pc., 30T Megatooth, Boost, S:170, M-XL:175
BB	FSA MegaExo Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-M6100, 10-51T, 12-Speed
Seatpost	Kind Shock Exa-Form KSP-900-i, Integra w/Remote, Travel Adjust, 31.6mm
Saddle	WTB High Tail, CrMo Rail
Handlebar	FSA Grid 35mm, 800mm x 20mm
Stem	FSA Grid 3D Forged, 35mm
Grips	Q2 Lock-on
Brake Levers	Shimano M4100, I-Spec EV
Brakes	Shimano MT420 4-Piston Hydraulic Disc, 180/160mm Rotors=RT64 CenterLock
Frame Size	27.5+=S/15.5, 29"=M/17.5, L/19

TRAIL

6500

DWS™ (DUAL WHEEL SIZING)

S M L
27.5* 29 29

*These 27.5 wheels are "Plus" compatible.



FEATURES

12 Speed

4-Bar Horst Link aluminum frame

Shimano SLX

KS-900i dropper post

NEW OR CHANGED FOR 2021

Shimano Deore HB-MT410 hubs

X-Fusion O2 Pro RL rear shock

Shimano CN-M6100 chain

Shimano CS-M6100, 10-51T cassette

Shimano M420 4-Piston hydraulic disc brakes

WTB Volt Medium SL saddle


MSRP: \$2999-3299

PART #	MODEL	SIZE	COLOR
91-173-0000	6500	S	MATTE KALE
91-173-0001	6500	M	MATTE KALE
91-173-0002	6500	L	MATTE KALE

DWS™ (DUAL WHEEL SIZING)

S M L
27.5* 29 29

*These 27.5 wheels are "Plus" compatible.



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effctv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
S/15.5	395 / 15.6	65°	76°	571 / 22.5	446 / 17.6	342 / 13.5	798 / 31.4	100 / 3.9	612 / 24.1	420 / 16.5
M/17	430 / 16.9	65°	76°	605 / 23.8	446 / 17.6	342 / 13.5	795 / 31.3	110 / 4.3	621 / 24.4	450 / 17.7
L/18.5	470 / 18.5	65°	75.9°	636 / 25	446 / 17.6	342 / 13.5	821 / 32.3	120 / 4.7	630 / 24.8	478 / 18.8

BIKE SPECS

Frame	4-Bar Horst Link 29/650B+ 130mm, 6061 Aluminum w/Custom Formed Double Butted T/T & D/T, 1.5 Taper, 12 x 148 Rear Axle, w/Replaceable Derailleur Hanger, Internal Cable
Rear Shock	X-Fusion O2 Pro RL, Air, Ext Rebound, Lock-Out
Fork	FOX Float 34, 29 Evol Air, Rhythm, 140mm, Grip Sweep Adj., Ext Rebound Adj., 1-1/8~1.5 Taper, 15mm x 110 QR Boost
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	WTB ST=S:i35, M-L:i29 TCS, Disc, Double Wall, 32H, Tubeless Ready
Hub, Front	Shimano Deore HB-MT410, Center Lock Disc, 15mm x 110mm, Boost
Hub, Rear	Shimano Deore FH-MT410-B Disc Cassette, 12 x 148mm, Boost
Tires	Kenda Regolith Pro, S:27.5x2.6, M-L:29x2.4FT, 120 TPI Folding, Tubeless Ready
Spokes	14/15G Double Butted Stainless, Black w/Aluminum Nipples, 28x28
Derailleur, Rear	Shimano SLX RD-M7100
Shifters	Shimano SLX, SL-M7100, 12s, Trigger, Right Only, I-Spec EV
Chain	Shimano CN-M6100
Crankset	FSA Gamma Pro, 2 pc., 30T Megatooth, Boost, Mega EXO, S:170, M-L:175
BB	FSA Mega EXO, Outboard Bearing
Freewheel / Cassette	Shimano CS-M6100, 10-51T, 12-Speed
Seatpost	Kind Shock Exa-Form KSP-900-i, Integra w/Remote, Travel Adj, 31.6
Saddle	WTB Volt Medium SL
Handlebar	FSA Grid 35mm, 800mm x 20mm
Stem	FSA Grid 3D Forged, 35mm
Grips	Q2 Lock-on
Brake Levers	Shimano M4100, I-Spec EV
Brakes	Shimano MT420 4-Piston Hydraulic Disc, 180/160mm Rotors=RT64 Center Lock
Frame Size	27.5+=S/15.5, 29"=M/17, L/18.5

TRAIL

5500

DWS™ (DUAL WHEEL SIZING)

S M L
27.5* 29 29

*These 27.5 wheels are "Plus" compatible.



FEATURES

12 Speed

4-Bar Horst Link aluminum frame

WTB TCS tubeless ready wheels

Shimano 1x12 drivetrain

NEW OR CHANGED FOR 2021

Shimano Deore 12 speed rear derailleur

Shimano Deore shifter

Shimano CNM6100 chain

Shimano CS-M6100, 10-51T cassette

WTB Volt Medium SL saddle

Shimano MT200 hydraulic disc brakes


MSRP: \$2199-2399

PART #	MODEL	SIZE	COLOR
91-172-0000	5500	S	DEEP TEAL
91-172-0001	5500	M	DEEP TEAL
91-172-0002	5500	L	DEEP TEAL

DWS™ (DUAL WHEEL SIZING)

S M L
27.5* 29 29

*These 27.5 wheels are "Plus" compatible.



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	395 / 15.6	65°	76°	571 / 22.5	446 / 17.6	342 / 13.5	798 / 31.4	100 / 3.9	612 / 24.1	420 / 16.5
M/17	430 / 16.9	65°	76°	605 / 23.8	446 / 17.6	342 / 13.5	795 / 31.3	110 / 4.3	621 / 24.4	450 / 17.7
L/18.5	470 / 18.5	65°	75.9°	636 / 25	446 / 17.6	342 / 13.5	821 / 32.3	120 / 4.7	630 / 24.8	478 / 18.8

BIKE SPECS

Frame	4-Bar Horst Link 29/650B+ 130mm, 6061 Aluminum w/Custom Formed Double Butted T/T & D/T, 1.5 Taper, 12 x 148 Rear Axle, w/Replaceable Derailleur Hanger, Internal Cable
Rear Shock	X-Fusion Q2 Pro RL, Air, Ext Rebound, Lock-Out
Fork	SR XCR34 Boost, LOR Air, S-L:29", 140mm, 34mm Stanchions, Aluminum Steerer, Magnesium Lower, Hydraulic Damp, External rebound, Lock-Out, 1.5 Taper, 15QR x 110mm
Headset	FSA Orbit 1.5E, Zero Stack, 1-1/8"~1.5
Rims	WTB ST= S:i35, M-L:i29 TCS, Disc, Double Wall, 32H, Tubeless-Ready
Hub, Front	Formula Sealed Bearing Aluminum Disc, 15mm, 110mm Boost
Hub, Rear	Formula Sealed Bearing Aluminum Disc, Cassette, 12 x 148mm Boost
Tires	Kenda Regolith Pro, S:27.5 x 2.6", M-L:29 x 2.4", 120TPI, Folding, Tubeless-Ready
Spokes	14G Stainless Black w/Aluminum Nipples, 32x32
Derailleur, Rear	Shimano Deore RD-M6100
Shifters	Shimano Deore, SL-M6100, 12s, Trigger, Right Only
Chain	Shimano CN-M6100
Crankset	SR Zeron, 2-pc, Boost, 30T Zig/Zag, S:170, M-L:175
BB	SR Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-M6100, 10-51T, 12-Speed
Seatpost	Kind Shock Exa-Form KSP-900-i, Integra w/Remote, Travel Adjust, 31.6mm
Saddle	WTB Volt Medium SL
Handlebar	Aluminum 35mm Riser, 780 x 15mm
Stem	35mm Aluminum 3D Forged, Threadless 4-bolt
Grips	Q2 Lock-on
Brake Levers	Shimano MT200
Brakes	Shimano MT200 Hydraulic Disc, 180/160mm Rotors Wave '12'
Frame Size	27.5+=S/15.5, 29"=M/17, L/18.5

4 SEASON

5000



Optional Suspension Fork



FEATURES

12 Speed

Full carbon frame

Shimano XT

KS Rage-I dropper post

NEW OR CHANGED FOR 2021

FSA Comet crank

FSA Mega EXO BB

WTB Volt Medium SL saddle

Shimano M420 4-Piston hydraulic disc brakes

MSRP: Wren: \$3599-3899

Manitou: \$3299-3599

Regular: \$2999-3299


PART #	MODEL	SIZE	COLOR
91-160-0000	4 SEASON 5000 w/Q2 Carbon Fork	S	DARK GRAY
91-160-0001	4 SEASON 5000 w/Mastadon Fork	S	DARK GRAY
91-160-0002	4 SEASON 5000 w/Wren Fork	S	DARK GRAY
91-160-0003	4 SEASON 5000 w/Q2 Carbon Fork	M	DARK GRAY
91-160-0004	4 SEASON 5000 w/Mastadon Fork	M	DARK GRAY
91-160-0005	4 SEASON 5000 w/Wren Fork	M	DARK GRAY
91-160-0006	4 SEASON 5000 w/Q2 Carbon Fork	L	DARK GRAY
91-160-0007	4 SEASON 5000 w/Mastadon Fork	L	DARK GRAY
91-160-0008	4 SEASON 5000 w/Wren Fork	L	DARK GRAY

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	70°	73°	585 / 23.0	460 / 18.1	322 / 12.7	768 / 30.2	110 / 4.3	588 / 23.1	405 / 15.9
M/17.5	440 / 17.3	70.5°	73°	600 / 23.6	460 / 18.1	322 / 12.7	784 / 30.8	120 / 4.7	599 / 23.6	417 / 16.4
L/19	483 / 19	70.5°	73°	615 / 24.2	460 / 18.1	322 / 12.7	816 / 32.1	135 / 5.3	613 / 24.1	428 / 16.9

BIKE SPECS

Frame	KHS High Modulus MSD Full Carbon w/1.5 Taper Headtube, Disc Only, Internal Cable Routing
Fork	High Modulus Full Carbon Straight Blade, w/1.5 Taper 15QR, or Manitou Mastodon Pro 100mm or Wren Fork Option
Headset	FSA Orbit C40-ACB, N.42/CF/ACB, 1-1/8" ~ 1.5" Integrated, Carbon Cap
Rims	Sun Mulefut SL80, Tubeless-Ready, 26x32H
Hub, Front	Aluminum Disc, Full CNC, Sealed Bearing, 15mm Thru-Axle,
Hub, Rear	Powerway Aluminum Disc, Forged, Sealed Bearing, Cassette, 12x197 Thru-Axle
Tires	Maxxis Colossus, 26 x 4.8", 120TPI, Tubeless Ready
Spokes	14G Black Stainless, 32x32, w/Aluminum Nipples
Derailleur, Rear	Shimano New XT RD-M8100
Shifters	Shimano New XT, SL-M8100, 12s, Trigger, Right Only
Chain	Shimano CN-M7100
Crankset	FSA Comet 2-pc w/MegaExo, 30T Mega Tooth, S:170, M-L:175
BB	FSA MegaExo Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-M7100, 10-51T, 12-Speed
Seatpost	Kind Shock Rage-i, Integra w/Remote, Travel Adjust
Saddle	WTB Volt Medium SL
Handlebar	FSA Grid 35mm, 760mm x 20mm
Stem	FSA Grid 3D Forged
Grips	Q2 Lock-on
Brake Levers	Shimano M4100, I-Spec EV
Brakes	Shimano MT420 4-Piston Hydraulic Disc, 180/160mm Rotors, Wave '12'
Frame Size	S/15.5, M/17.5, L/19



4 SEASON

4000



Optional Suspension Fork



FEATURES

12 Speed

Full carbon frame

Aluminum 12 speed tubeless ready wheels

Shimano Deore

NEW MODEL FOR 2021

MSRP: Wren: \$3099-3399
Manitou: \$2799-2999
Regular: \$2499-2699


PART #	MODEL	SIZE	COLOR
91-159-0000	4 SEASON 4000 w/Q2 Carbon Fork	S	MEDIUM GRAY
91-159-0001	4 SEASON 4000 w/Mastadon Fork	S	MEDIUM GRAY
91-159-0002	4 SEASON 4000 w/Wren Fork	S	MEDIUM GRAY
91-159-0003	4 SEASON 4000 w/Q2 Carbon Fork	M	MEDIUM GRAY
91-159-0004	4 SEASON 4000 w/Mastadon Fork	M	MEDIUM GRAY
91-159-0005	4 SEASON 4000 w/Wren Fork	M	MEDIUM GRAY
91-159-0006	4 SEASON 4000 w/Q2 Carbon Fork	L	MEDIUM GRAY
91-159-0007	4 SEASON 4000 w/Mastadon Fork	L	MEDIUM GRAY
91-159-0008	4 SEASON 4000 w/Wren Fork	L	MEDIUM GRAY

BIKE SPECS

Frame	KHS High Modulus MSD Full Carbon w/1.5 Taper Headtube, Disc Only, Internal Cable Routing
Fork	High Modulus Full Carbon Straight Blade, w/1.5 Taper 15QR, or Manitou Mastodon Pro 100mm or Wren Fork Option
Headset	FSA Orbit 1.5E ZS, 1-1/8"~1.5", Aluminum Cap
Rims	Sun Mulefut SL80, Tubeless-Ready, 26x32H
Hub, Front	KT Aluminum Disc, Forged, Sealed Bearing, 15mm Thru-Axle 15x150
Hub, Rear	Powerway Aluminum Disc, Forged, Sealed Bearing, Cassette, 12x197 Thru-Axle
Tires	Maxxis Colossus, 26 x 4.8", 120 TPI, Tubeless Ready
Spokes	14G Black Stainless, 32x32, w/Aluminum Nipples
Derailleur, Rear	Shimano Deore RD-M6100
Shifters	Shimano Deore SL-M6100, Right Only, I-Spec EV
Chain	Shimano CN-M6100
Crankset	FSA Comet 2-pc w/MegaExo, 30T Mega Tooth, S:170, M-L:175
BB	FSA MegaExo Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-M6100, 10-51T, 12-Speed
Seatpost	Kind Shock Exa-Form KSP-900-i, Integra w/Remote, Travel Adjust, 31.6mm
Saddle	WTB Volt Medium SL
Handlebar	Aluminum 35mm Riser, 760 x 15mm
Stem	Aluminum 3D Forged, Threadless 4-bolt, 35mm
Grips	Q2 Lock-on
Brake Levers	Shimano M4100, I-Spec EV
Brakes	Shimano M420 4-Piston Hydraulic Disc, 180/160mm Rotors, Wave '12'
Frame Size	S/15.5, M/17.5, L/19

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	70°	73°	585 / 23.0	460 / 18.1	322 / 12.7	768 / 30.2	110 / 4.3	588 / 23.1	405 / 15.9
M/17.5	440 / 17.3	70.5°	73°	600 / 23.6	460 / 18.1	322 / 12.7	784 / 30.8	120 / 4.7	599 / 23.6	417 / 16.4
L/19	483 / 19	70.5°	73°	615 / 24.2	460 / 18.1	322 / 12.7	816 / 32.1	135 / 5.3	613 / 24.1	428 / 16.9



30

All specs and photos are subject to change without notice.



4 SEASON

3000



Optional Suspension Fork



Shimmering Black

FEATURES

12 Speed

Aluminum frame w/12mm thru axle, rear

Aluminum tubeless ready wheels

Shimano SLX

NEW OR CHANGED FOR 2021

Vee Avalanche tires

30 tooth chainring

Shimano CS-M6100, 10-51T cassette

WTB Volt Medium SL saddle

Shimano MT420 4-Piston hydraulic brakes

MSRP: Wren: \$2299-2499

Manitou: \$1999-2199

Regular: \$1699-1799


PART #	MODEL	SIZE	COLOR
91-158-0000	4 SEASON 3000-Q2 Carbon Fork	S	SHIMMERING BLACK
91-158-0001	4 SEASON 3000-Mastadon Fork	S	SHIMMERING BLACK
91-158-0002	4 SEASON 3000-Wren Fork	S	SHIMMERING BLACK
91-158-0003	4 SEASON 3000-Q2 Carbon Fork	M	SHIMMERING BLACK
91-158-0004	4 SEASON 3000-Mastadon Fork	M	SHIMMERING BLACK
91-158-0005	4 SEASON 3000-Wren Fork	M	SHIMMERING BLACK
91-158-0006	4 SEASON 3000-Q2 Carbon Fork	L	SHIMMERING BLACK
91-158-0007	4 SEASON 3000-Mastadon Fork	L	SHIMMERING BLACK
91-158-0008	4 SEASON 3000-Wren Fork	L	SHIMMERING BLACK
91-158-0009	4 SEASON 3000-Q2 Carbon Fork	XL	SHIMMERING BLACK
91-158-0010	4 SEASON 3000-Mastadon Fork	XL	SHIMMERING BLACK
91-158-0011	4 SEASON 3000-Wren Fork	XL	SHIMMERING BLACK

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	68.5°	73°	583 / 23	450 / 17.7	310 / 12.2	753 / 29.6	105 / 4.1	588 / 23.1	403 / 15.9
M/17	432 / 17	68.5°	73°	602 / 23.7	450 / 17.7	310 / 12.2	783 / 30.8	120 / 4.7	599 / 23.6	419 / 16.5
L/19	483 / 19	68.5°	73°	622 / 24.5	450 / 17.7	310 / 12.2	817 / 32.2	135 / 5.3	616 / 24.2	434 / 17.1
XL/21	533 / 21	68.5°	73°	640 / 25.2	450 / 17.7	310 / 12.2	848 / 33.4	150 / 5.9	627 / 24.7	448 / 17.6

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T, 1.5 Tapered H/T, Replaceable Derailleur Hanger 12x197mm, Internal Cable Routing
Fork	High Modulus Full Carbon Straight Blade, w/1.5 Taper 15QR, or Manitou Mastodon Pro 100mm or Wren Fork Option
Headset	FSA Orbit 1.5E ZS, 1-1/8"~1.5", Aluminum Cap
Rims	Aluminum 80mm w/Rectangular holes, Tubeless-Ready, 26x32H
Hub, Front	KT Aluminum Disc, Forged, Sealed Bearing, 15mm Thru-Axle 15x150
Hub, Rear	Powerway Aluminum Disc, Forged, Sealed Bearing, Cassette, 12x197 Thru-Axle
Tires	Vee Snowshoe XL, 26 x 4.8", 120TPI, Folding, Tubeless-Ready
Spokes	14G Black Stainless, 32x32, w/Aluminum Nipples
Derailleur, Rear	Shimano SLX RD-M7100
Shifters	Shimano SLX, SL-M7100, 12s, Trigger, Right Only, I-Spec EV
Chain	Shimano CN-M6100
Crankset	Samox 2-pc Forged, 30T, Narrow Wide, S:170, M-L:175
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-M6100, 10-51T, 12-Speed
Seatpost	Kind Shock Exa-Form KSP-900-i, Integra w/Remote, Travel Adjust, 31.6mm
Saddle	WTB Volt Medium SL
Handlebar	Aluminum 35mm Riser, 760 x 15mm
Stem	Aluminum 3D Forged, Threadless 4-bolt, 35mm
Grips	Q2 Lock-on
Brake Levers	Shimano M4100, I-Spec EV
Brakes	Shimano MT420 4-Piston Hydraulic Disc, 180/160mm Rotors, Wave '12'
Frame Size	S/15, M/17, L/19, XL/21



31

All specs and photos are subject to change without notice.



4 SEASON

1000



Optional Suspension Fork



FEATURES

12 Speed

Shimano Deore

Aluminum tubeless ready wheel

KS9-00i dropper post

NEW OR CHANGED FOR 2021

- Vee Avalanche tires
- Shimano Deore 12 speed rear derailleur
- Shimano Deore shifter
- Shimano CN-M6100 chain
- 30 tooth chainring
- Shimano CS-M6100, 10-51T cassette
- Shimano M4100 brake levers

MSRP: Manitou: \$1899-1999
Carbon: \$1599-1699
Regular: \$1349-1449


PART #	MODEL	SIZE	COLOR
91-157-0000	4 SEASON 1000 w/Q2 Aluminum Fork	S	METALLIC RED
91-157-0001	4 SEASON 1000 w/Q2 Carbon Fork	S	METALLIC RED
91-157-0002	4 SEASON 1000 w/Manitou Mastadon Fork	S	METALLIC RED
91-157-0003	4 SEASON 1000 w/Q2 Aluminum Fork	M	METALLIC RED
91-157-0004	4 SEASON 1000 w/Q2 Carbon Fork	M	METALLIC RED
91-157-0005	4 SEASON 1000 w/Manitou Mastadon Fork	M	METALLIC RED
91-157-0006	4 SEASON 1000 w/Q2 Aluminum Fork	L	METALLIC RED
91-157-0007	4 SEASON 1000 w/Q2 Carbon Fork	L	METALLIC RED
91-157-0008	4 SEASON 1000 w/Manitou Mastadon Fork	L	METALLIC RED
91-157-0009	4 SEASON 1000 w/Q2 Aluminum Fork	XL	METALLIC RED
91-157-0010	4 SEASON 1000 w/Q2 Carbon Fork	XL	METALLIC RED
91-157-0011	4 SEASON 1000 w/Manitou Mastadon Fork	XL	METALLIC RED

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	68.5°	73°	583 / 23	450 / 17.7	310 / 12.2	753 / 29.6	105 / 4.1	588 / 23.1	403 / 15.9
M/17	432 / 17	68.5°	73°	602 / 23.7	450 / 17.7	310 / 12.2	783 / 30.8	120 / 4.7	599 / 23.6	419 / 16.5
L/19	483 / 19	68.5°	73°	622 / 24.5	450 / 17.7	310 / 12.2	817 / 32.2	135 / 5.3	616 / 24.2	434 / 17.1
XL/21	533 / 21	68.5°	73°	640 / 25.2	450 / 17.7	310 / 12.2	848 / 33.4	150 / 5.9	627 / 24.7	448 / 17.6

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T, 1.5 Tapered H/T, Replaceable Derailleur Hanger 12x197mm, Internal Cable Routing
Fork	Aluminum Straight Blade, 1.5 Taper, 15mm x 150 Thru-Axle or Manitou Mastadon Pro 100mm or Carbon Fork Option
Headset	Threadless 1-1/8~1.5 Tapered, Zero Stack
Rims	Aluminum 80mm w/Rectangular holes, 26x32H
Hub, Front	KT Aluminum Disc, Forged, Sealed Bearing, 15mm Thru-Axle 15x150
Hub, Rear	Powerway Aluminum Disc, Forged, Sealed Bearing, Cassette, 12x197 Thru-Axle
Tires	Vee Avalanche, 26 x 4.8", 120TPI, Folding
Spokes	14G Black Stainless, 32x32
Derailleur, Rear	Shimano Deore RD-M6100
Shifters	Shimano Deore SL-M6100, Right Only, I-Spec EV
Chain	Shimano CN-M6100
Crankset	Samox 2-pc Forged, 30T, Narrow Wide, S:170, M-XL:175
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-M6100, 10-51T, 12-Speed
Seatpost	Kind Shock Exa-Form KSP-900-i, Integra w/Remote, Travel Adjust, 31.6mm
Saddle	KHS Sport Dual Density Padding w/Handle
Handlebar	Aluminum 35mm Riser, 760 x 15mm
Stem	Aluminum 3D Forged, Threadless 4-bolt, 35mm
Grips	Q2 Sport Lock-on
Brake Levers	Shimano M4100, I-Spec EV
Brakes	Shimano MT410 Hydraulic Disc, 180/160mm Rotors, Wave '12'
Frame Size	S/15, M/17, L/19, XL/21



32

All specs and photos are subject to change without notice.



4 SEASON

500



Optional Suspension Fork



FEATURES

11 Speed

Aluminum frame

Shimano Deore 11 speed

760mm wide handlebar

NEW OR CHANGED FOR 2021

Vee Avalanche tires

Shimano Deore 11 speed rear derailleur

Shimano Deore SL-M5100 shifter

KMC X11 chain

Shimano CS-M5100-11, 11/51T cassette

MSRP: Manitou: \$1549-1649

Carbon: \$1249-1349

Alloy: \$1099-1199


PART #	MODEL	SIZE	COLOR
91-156-0000	4 SEASON 500 w/Q2 Aluminum Fork	S	JUMPSUIT BLUE
91-156-0001	4 SEASON 500 w/Q2 Carbon Fork	S	JUMPSUIT BLUE
91-156-0002	4 SEASON 500 w/Manitou Mastadon Fork	S	JUMPSUIT BLUE
91-156-0003	4 SEASON 500 w/Q2 Aluminum Fork	M	JUMPSUIT BLUE
91-156-0004	4 SEASON 500 w/Q2 Carbon Fork	M	JUMPSUIT BLUE
91-156-0005	4 SEASON 500 w/Manitou Mastadon Fork	M	JUMPSUIT BLUE
91-156-0006	4 SEASON 500 w/Q2 Aluminum Fork	L	JUMPSUIT BLUE
91-156-0007	4 SEASON 500 w/Q2 Carbon Fork	L	JUMPSUIT BLUE
91-156-0008	4 SEASON 500 w/Manitou Mastadon Fork	L	JUMPSUIT BLUE
91-156-0009	4 SEASON 500 w/Q2 Aluminum Fork	XL	JUMPSUIT BLUE
91-156-0010	4 SEASON 500 w/Q2 Carbon Fork	XL	JUMPSUIT BLUE
91-156-0011	4 SEASON 500 w/Manitou Mastadon Fork	XL	JUMPSUIT BLUE

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/l	D t/effectv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
S/15	381 / 15	68.5°	73°	583 / 23	450 / 17.7	310 / 12.2	753 / 29.6	105 / 4.1	588 / 23.1	403 / 15.9
M/17	432 / 17	68.5°	73°	602 / 23.7	450 / 17.7	310 / 12.2	783 / 30.8	120 / 4.7	599 / 23.6	419 / 16.5
L/19	483 / 19	68.5°	73°	622 / 24.5	450 / 17.7	310 / 12.2	817 / 32.2	135 / 5.3	616 / 24.2	434 / 17.1
XL/21	533 / 21	68.5°	73°	640 / 25.2	450 / 17.7	310 / 12.2	848 / 33.4	150 / 5.9	627 / 24.7	448 / 17.6


BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T, Replaceable Derailleur Hanger, 1.5 taper, 10x190mm, Internal Cable Routing
Fork	Aluminum Straight Blade, 1.5 Taper, 15mm x 150 Thru-Axle or Manitou Mastadon Pro 100mm or Carbon Fork Option
Headset	Threadless 1-1/8~1.5 Tapered, Zero Stack
Rims	Aluminum 80mm w/Rectangular holes, 26x32H
Hub, Front	KT Aluminum Disc, Forged, Sealed Bearing, 15mm Thru-Axle 15x150
Hub, Rear	KT Aluminum Disc Forged Sealed Bearing, Cassette, QR, 190mm
Tires	Vee Avalanche, 26 x 4.8", 72TPI
Spokes	14G Black, 32x32
Derailleur, Rear	Shimano Deore RD-M5100
Shifters	Shimano Deore SL-M5100 Trigger, Right Only
Chain	KMC X11 w/MissingLink
Crankset	Samox 2-pc Forged, 30T Narrow Wide C/R
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-M5100-11, 11/51T, 11-Speed
Pedals	Wellgo Aluminum Platform w/DU Bearings
Seatpost	KHS Aluminum Micro-Adjust, 31.6mm
Saddle	KHS Sport Dual Density Padding w/Handle
Handlebar	Aluminum 35mm Riser, 760 x 15mm
Stem	Aluminum 3D Forged, Threadless 4-bolt, 35mm
Grips	Q2 Sport Lock-on
Brake Levers	Shimano MT200
Brakes	Shimano MT200 Hydraulic Disc, 180/160mm Rotors Wave '12'
Frame Size	S/15, M/17, L/19, XL/21



XC SPORT

ALITE 50



FEATURES

21 Speed
Disk brake
Suspension fork
Full Shimano drivetrain

NEW OR CHANGED FOR 2021

Vee Rubber Galaxy tires
Men's and Ladies specific saddles

MSRP: \$419-459

BIKE SPECS


Frame	6061 Aluminum w/Replaceable Der Hanger
Fork	Zoom 386A, 60mm
Headset	Threadless 1-1/8"
Rims	Aluminum, 26x32H
Hub, Front	Aluminum Disc QR
Hub, Rear	Aluminum Disc, QR, Cassette
Tires	Mountain 26x2.1
Spokes	14G Black, 32x32
Derailleur, Front	Shimano Tourney FD-TY510
Derailleur, Rear	Shimano Tourney RD-TY300D
Shifters	Shimano ST-EF500
Chain	KMC Z8.3
Crankset	Shimano FC-TY301, 48/38/28T, XS-S:170, M-XL:175
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200-7, 12-32, 7-Speed
Pedals	Resin ATB Platform w/Boron Axle
Seatpost	KHS Aluminum Micro Adjust, 31.6
Saddle	KHS Sport
Handlebar	Aluminum Riser, 31.8, 660mm x 20mm
Stem	Aluminum Threadless 4-bolt, 31.8, XS-S:60mm, M-L:75mm, XL:90mm
Grips	Soft Kraton
Brake Levers	Shimano ST-EF500
Brakes	Radius Cable Disc BR-CX7, 160mm Rotors w/ABS System
Frame Size	XS/13, S/15, M/17, L/19, XL/21, Ladies: S/14, M/17

PART # MODEL SIZE COLOR

91-151-9000	ALITE 50	13	BLACK
91-151-9001	ALITE 50	15	METALLIC RED
91-151-9002	ALITE 50	15	BLACK
91-151-9003	ALITE 50	17	METALLIC RED
91-151-9004	ALITE 50	17	BLACK
91-151-9005	ALITE 50	19	METALLIC RED
91-151-9006	ALITE 50	19	BLACK
91-151-9007	ALITE 50	21	BLACK
91-151-9008	ALITE 50 LADIES	14L	BLACK
91-151-9009	ALITE 50 LADIES	14L	CLASSIC BLUE
91-151-9010	ALITE 50 LADIES	17L	BLACK
91-151-9011	ALITE 50 LADIES	17L	CLASSIC BLUE

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/13	330 / 13	70°	73°	526 / 20.7	430 / 16.9	307 / 12.1	716 / 28.2	120 / 4.7	557 / 21.9	356 / 14
S/15	381 / 15	71°	73°	551 / 21.7	430 / 16.9	307 / 12.1	750 / 29.5	140 / 5.5	580 / 22.8	374 / 14.7
M/17	432 / 17	71°	73°	571 / 22.5	430 / 16.9	307 / 12.1	782 / 30.8	155 / 6.1	594 / 23.4	389 / 15.3
L/19	483 / 19	71°	73°	592 / 23.3	430 / 16.9	307 / 12.1	822 / 32.4	170 / 6.7	617 / 24.3	403 / 15.9
XL/21	533 / 21	71°	73°	606 / 23.9	430 / 16.9	307 / 12.1	852 / 33.6	190 / 7.5	627 / 24.7	414 / 16.3
S/14L	355 / 14	71°	73°	542 / 21.3	430 / 16.9	307 / 12.1	648 / 25.5	145 / 5.7	584 / 23	363 / 14.3
M/17L	432 / 17	71°	73°	559 / 22	430 / 16.9	307 / 12.1	692 / 27.2	170 / 6.7	608 / 23.9	373 / 14.7



34

All specs and photos are subject to change without notice.



XC SPORT

ALITE 40



FEATURES

21 Speed

Full Shimano drivetrain

31.8mm handlebar & stem

Alloy wheels

NEW OR CHANGED FOR 2021

Vee Rubber Galaxy tires

Front hub QR

Men's & ladies specific saddles

MSRP: \$319-349


PART #	MODEL	SIZE	COLOR
91-150-9000	ALITE 40	12	BLACK
91-150-9001	ALITE 40	15	BLACK
91-150-9002	ALITE 40	15	BORA BORA BLUE
91-150-9003	ALITE 40	17	BLACK
91-150-9004	ALITE 40	17	BORA BORA BLUE
91-150-9005	ALITE 40	19	BLACK
91-150-9006	ALITE 40	19	BORA BORA BLUE
91-150-9007	ALITE 40 LADIES	16	BLOOD RED
91-150-9008	ALITE 40 LADIES	16	MID SILVER

BIKE SPECS


Frame	TIG-welded Hi-tensile Steel
Fork	Hi-Tensile Unicrown
Headset	Threadless 1-1/8"
Rims	Aluminum, 26x36H
Hub, Front	14Gx36H, QR
Hub, Rear	14Gx36H, Nuted
Tires	Vee Rubber Galaxy 26x2.1
Spokes	14G Black, 36x36
Derailleur, Front	Shimano Tourney FD-TY510
Derailleur, Rear	Shimano Tourney RD-TY300D
Shifters	Shimano Revo
Chain	KMC Z8.3
Crankset	Shimano FC-TY301, 48/38/28T, XS-S:170, M-XL:175
BB	Cartridge Bearing
Freewheel / Cassette	Shimano MF-TZ500, 14-34T, 7-Speed FW
Pedals	Resin ATB Platform w/Boron Axle
Seatpost	KHS Aluminum Micro Adjust, 25.4
Saddle	KHS Sport
Handlebar	Aluminum Riser, 31.8, 660mm x 20mm
Stem	Aluminum Threadless 4-bolt, 31.8, XS-S:60mm, M-L:75mm, XL:90mm
Grips	Kraton For Twist
Brake Levers	Aluminum Linear Pull, 2.5F
Brakes	Aluminum Linear Pull w/ABS System
Frame Size	XS/12, S/15, M/17, L/19 Ladies: S/16

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/12	305 / 12	70°	73°	526 / 20.7	425 / 16.7	292 / 11.5	665 / 26.2	110 / 4.3	507 / 20	371 / 14.6
S/15	381 / 15	71°	73°	552 / 21.7	430 / 16.9	302 / 11.9	713 / 28.1	115 / 4.5	506 / 19.9	397 / 15.6
M/17	432 / 17	71°	73°	572 / 22.5	430 / 16.9	302 / 11.9	746 / 29.4	130 / 5.1	520 / 20.5	413 / 16.3
L/19	483 / 19	71°	73°	592 / 23.3	430 / 16.9	302 / 11.9	779 / 30.7	145 / 5.7	534 / 21	429 / 16.9
S/16L	406 / 16	71°	73°	562 / 22.1	430 / 16.9	302 / 11.9	642 / 25.3	130 / 5.1	520 / 20.5	403 / 15.9



COMFORT SMOOTHIE DELUXE



FEATURES

7 Speed
Easy Ride™ technology
Upright riding position
Rear rack & fenders

NEW OR CHANGED FOR 2021

Kenda K838 tires
Shimano Tourney RD-TY300 rear derailleur
KMC Z8.3 chain
DDK Wide Comfort, Memory Foam w/Elastomer Spring saddle

MSRP: \$459-499


PART #	MODEL	SIZE	COLOR
91-139-9000	SMOOTHIE DELUXE	REGULAR	DARK BLUE
91-139-9002	SMOOTHIE DELUXE	LARGE	DARK BLUE
91-139-9004	SMOOTHIE DELUXE LADIES	STEP-THRU	LIGHT BLUE
91-139-9005	SMOOTHIE DELUXE LADIES	STEP-THRU	SILVER GOLD
91-139-9006	SMOOTHIE DELUXE LADIES	STEP-THRU	ROSE GOLD
91-139-9007	SMOOTHIE DELUXE LADIES	STEP-THRU	TEAL

GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/t*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
R	400 / 15.7	67°	67.8°	708 / 27.9	612 / 24.1	290 / 11.4	0 / 0	235 / 9.3	609 / 24	295 / 11.6
L	450 / 17.7	67°	67.8°	723 / 28.5	612 / 24.1	290 / 11.4	0 / 0	255 / 10	626 / 24.7	303 / 11.9
Ladies	377 / 14.8	67°	67.8°	708 / 27.9	612 / 24.1	290 / 11.4	0 / 0	235 / 9.3	608 / 23.9	295 / 11.6

BIKE SPECS

Frame	6061 Aluminum, TIG Welded, Internal Cable Routing
Fork	Hi-Tensile Unicrown
Headset	1-1/8" Threaded
Rims	Aluminum 26"
Hub, Front	Aluminum, QR
Hub, Rear	Aluminum, QR
Tires	Kenda K838, 26x1.95, w/K-shield
Spokes	14G Stainless, 36x36
Derailleur, Rear	Shimano Tourney RD-TY300
Shifters	Shimano Revo
Chain	KMC Z8.3
Crankset	Aluminum Forged 42T, 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano Mega Range Freewheel, 14-34T, 7-Speed
Pedals	Platform w/Non-slip Tread
Seatpost	Aluminum Micro-Adjust, 27.2
Saddle	DDK Wide Comfort, Memory Foam w/Elastomer Spring
Handlebar	Aluminum 95mm Rise/640mm
Stem	Aluminum Adjustable Angle, Tall
Grips	Comfort Dual Density
Brake Levers	Promax Aluminum
Brakes	Promax Aluminum Linear Pull, Long Reach
Frame Size	M:Reg & Large Ladies Step-Thru
Extras	Kickstand, Rack, Fenders



COMFORT SMOOTHIE



FEATURES

7 Speed
Easy Ride™ technology
Upright riding position
Easy Step-thru frame option

NEW OR CHANGED FOR 2021

Kenda K838 tires
Shimano Tourney RD-TY300 rear derailleur
KMC Z8.3 chain
DDK Wide Comfort, Memory Foam w/Elastomer Spring saddle

MSRP: \$429-469


PART #	MODEL	SIZE	COLOR
91-138-9000	SMOOTHIE	REGULAR	MATTE BLACK
91-138-9001	SMOOTHIE	REGULAR	RED
91-138-9002	SMOOTHIE	LARGE	MATTE BLACK
91-138-9003	SMOOTHIE	LARGE	RED
91-138-9004	SMOOTHIE LADIES	STEP-THRU	CORAL
91-138-9005	SMOOTHIE LADIES	STEP-THRU	GRAY
91-138-9006	SMOOTHIE LADIES	STEP-THRU	MINT GREEN
91-138-9007	SMOOTHIE LADIES	STEP-THRU	RADIANT ORCHID
91-138-9008	SMOOTHIE LADIES	STEP-THRU	PINK SHERBET
91-138-9009	SMOOTHIE LADIES	STEP-THRU	TEAL

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effect v	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
R	400 / 15.7	67°	67.8°	708 / 27.9	612 / 24.1	290 / 11.4	0 / 0	235 / 9.3	609 / 24	295 / 11.6
L	450 / 17.7	67°	67.8°	723 / 28.5	612 / 24.1	290 / 11.4	0 / 0	255 / 10	626 / 24.7	303 / 11.9
Ladies	377 / 14.8	67°	67.8°	708 / 27.9	612 / 24.1	290 / 11.4	0 / 0	235 / 9.3	608 / 23.9	295 / 11.6

BIKE SPECS

Frame	6061 Aluminum, TIG Welded, Internal Cable Routing
Fork	Hi-Tensile Unicrown
Headset	1-1/8" Threaded
Rims	Aluminum 26"
Hub, Front	Aluminum, QR
Hub, Rear	Aluminum, QR
Tires	Kenda K838, 26x1.95, w/K-shield
Spokes	14G Stainless, 36x36
Derailleur, Rear	Shimano Tourney RD-TY300
Shifters	Shimano Revo
Chain	KMC Z8.3
Crankset	Aluminum Forged 42T, 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano Mega Range Freewheel, 14-34T, 7-Speed
Pedals	Platform w/Non-slip Tread
Seatpost	Aluminum Micro-Adjust, 27.2
Saddle	DDK Wide Comfort, Memory Foam w/Elastomer Spring
Handlebar	Aluminum 95mm Rise/640mm
Stem	Aluminum Adjustable Angle, Tall
Grips	Comfort Dual Density
Brake Levers	Promax Aluminum
Brakes	Promax Aluminum Linear Pull, Long Reach
Frame Size	M:Reg & Large Ladies Step-Thru
Extras	Kickstand



COMFORT SMOOTHIE 3



FEATURES


- 3 Speed
- Easy Ride™ technology
- Upright riding position
- Easy Step-thru frame

NEW OR CHANGED FOR 2021

- Kenda K838 tires
- DDK Wide Comfort, Memory Foam w/Elastomer Spring saddle

MSRP: \$469-509

PART #	MODEL	SIZE	COLOR
91-140-9000	SMOOTHIE 3 SPEED	STEP-THRU	MATTE PLACID BLUE
91-140-9001	SMOOTHIE 3 SPEED	STEP-THRU	TANGERINE



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/l	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
Ladies	377 / 14.8	67°	67.8°	708 / 27.9	612 / 24.1	290 / 11.4	0 / 0	235 / 9.3	608 / 23.9	295 / 11.6

BIKE SPECS

Frame	6061 Aluminum, TIG Welded, Internal Cable Routing
Fork	Hi-Tensile Unicrown
Headset	1-1/8" Threaded
Rims	Aluminum 26"
Hub, Front	Aluminum, QR
Hub, Rear	Shimano Nexus 3-Speed Rear w/Coaster Brake
Tires	Kenda K838, 26 x 1.95", w/K-Shield
Spokes	14G Stainless, 36x36
Derailleur, Rear	Shimano Internal 3-Speed
Shifters	Shimano Twist 3-Speed
Chain	KMC Z410
Crankset	Aluminum Forged 42T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 18T
Pedals	Platform w/Non-slip Tread
Seatpost	Aluminum Micro-Adjust, 27.2
Saddle	DDK Wide Comfort, Memory Foam w/Elastomer Spring
Handlebar	Aluminum 95mm Rise/640mm
Stem	Aluminum Adjustable Angle, Tall
Grips	Comfort Dual Density
Brake Levers	Promax Aluminum
Brakes	Promax Aluminum Linear Pull, Long Reach FT, Rear Coaster
Frame Size	Ladies Step-Thru
Extras	Kickstand

COMFORT

MOVO 2.0



FEATURES

18 Speed

Aluminum frame

Easy Step-thru frame options

Shimano hydraulic disc brakes

NEW OR CHANGED FOR 2021

Alex EV-23 Aluminum double wall rims

Shimano Alivio RD-M3100 rear derailleur

Shimano Alivio SL-M3100 shifter

Shimano FC-MT210-2, 2pc. crank

Shimano Outboard Bearing BB

DDK Wide Comfort, Memory Foam w/Elastomer Spring saddle

MSRP: \$649-709


PART #	MODEL	SIZE	COLOR
91-208-9000	MOVO 2.0	M	BLUE
91-208-9001	MOVO 2.0	L	BLUE
91-208-9002	MOVO 2.0 STEP-THRU	S	GRAY
91-208-9003	MOVO 2.0 STEP-THRU	S	LIGHT PURPLE
91-208-9004	MOVO 2.0 STEP-THRU	M	GRAY
91-208-9005	MOVO 2.0 STEP-THRU	M	LIGHT PURPLE
91-208-9006	MOVO 2.0 STEP-THRU	L	GRAY
91-208-9007	MOVO 2.0 STEP-THRU	L	LIGHT PURPLE

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
M	400 / 15.7	69°	68.5°	615 / 24.2	470 / 18.5	287 / 11.3	750 / 29.5	190 / 7.5	584 / 23	385 / 15.1
L	450 / 17.7	69°	68.5°	630 / 24.8	470 / 18.5	287 / 11.3	780 / 30.7	205 / 8.1	598 / 23.5	394 / 15.5
S/Step	350 / 13.8	69°	68.5°	600 / 23.6	470 / 18.5	287 / 11.3	0 / 0	175 / 6.9	570 / 22.4	375 / 14.8
M/Step	400 / 15.7	69°	68.5°	615 / 24.2	470 / 18.5	287 / 11.3	0 / 0	190 / 7.5	584 / 23	385 / 15.1
L/Step	450 / 17.7	69°	68.5°	630 / 24.8	470 / 18.5	287 / 11.3	0 / 0	205 / 8.1	598 / 23.5	394 / 15.5

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T w/Replaceable Derailleur Hanger, Internal Cable Routing
Fork	Aluminum Straight Leg w/CrMo Steerer
Headset	1-1/8" Threadless, Zero Stack w/Aluminum Conical Top Cap
Rims	Alex EV-23 Aluminum Double Wall, 26x32H
Hub, Front	Aluminum Disc w/CNC Rotor Flange, QR
Hub, Rear	Aluminum Disc w/CNC Rotor Flange, QR
Tires	Kenda Khan, 26 x 2.35" w/Anti-Puncture
Spokes	14G Stainless Black, 32x32
Derailleur, Front	Shimano Acera FD-T3000-2, 31.8mm
Derailleur, Rear	Shimano Alivio RD-M3100
Shifters	Shimano Alivio SL-M3100 Trigger
Chain	KMC Z9 w/MissingLink
Crankset	Shimano FC-MT210-2, 2-pc, 46/30T, 170mm
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS-HG200-9, 11-36T, 9-Speed
Pedals	Wellgo Platform w/Non-slip Tread, DU Bearings
Seatpost	Aluminum Suspension, 27.2
Saddle	DDK Wide Comfort, Memory Foam w/Elastomer Spring
Handlebar	Aluminum 100mm rise/660mm
Stem	Aluminum Threadless, 17 Degree
Grips	Comfort Kraton
Brake Levers	Shimano MT200
Brakes	Shimano MT200 Hydraulic, 160mm Rotors Wave '12'
Frame Size	M, L, Step-Thru: S, M, L



COMFORT

MOVO 1.0



FEATURES

24 Speed

Easy Step-thru frame options

Cable disc brakes

NEW OR CHANGED FOR 2021

Alex EV-23 Aluminum double wall rims

Shimano Altus FD-M310 rear derailleur

Shimano Altus RD-M310 shifter

Shimano FC-TY301, 48/38/28 crank

DDK Wide Comfort, Memory Foam w/Elastomer Spring saddle

MSRP: \$549-599


PART #	MODEL	SIZE	COLOR
91-207-9000	MOVO 1.0	M	BLACK
91-207-9001	MOVO 1.0	L	BLACK
91-207-9002	MOVO 1.0 STEP-THRU	S	METALLIC RED
91-207-9003	MOVO 1.0 STEP-THRU	S	LIGHT TEAL
91-207-9004	MOVO 1.0 STEP-THRU	S	CREAMY WHITE
91-207-9005	MOVO 1.0 STEP-THRU	M	METALLIC RED
91-207-9006	MOVO 1.0 STEP-THRU	M	LIGHT TEAL
91-207-9007	MOVO 1.0 STEP-THRU	M	CREAMY WHITE
91-207-9008	MOVO 1.0 STEP-THRU	L	METALLIC RED
91-207-9009	MOVO 1.0 STEP-THRU	L	LIGHT TEAL
91-207-9010	MOVO 1.0 STEP-THRU	L	CREAMY WHITE

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/teffctv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
M	400 / 15.7	69°	68.5°	615 / 24.2	470 / 18.5	287 / 11.3	750 / 29.5	190 / 7.5	584 / 23	385 / 15.1
L	450 / 17.7	69°	68.5°	630 / 24.8	470 / 18.5	287 / 11.3	780 / 30.7	205 / 8.1	598 / 23.5	394 / 15.5
S/Step	350 / 13.8	69°	68.5°	600 / 23.6	470 / 18.5	287 / 11.3	0 / 0	175 / 6.9	570 / 22.4	375 / 14.8
M/Step	400 / 15.7	69°	68.5°	615 / 24.2	470 / 18.5	287 / 11.3	0 / 0	190 / 7.5	584 / 23	385 / 15.1
L/Step	450 / 17.7	69°	68.5°	630 / 24.8	470 / 18.5	287 / 11.3	0 / 0	205 / 8.1	598 / 23.5	394 / 15.5

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T w/Replaceable Derailleur Hanger, Internal Cable Routing
Fork	Aluminum Straight Leg w/CrMo Steerer
Headset	1-1/8" Threadless, Zero Stack w/Aluminum Conical Top Cap
Rims	Alex EV-23 Aluminum Double Wall, 26x32H
Hub, Front	Aluminum Disc w/CNC Rotor Flange, QR
Hub, Rear	Aluminum Disc w/CNC Rotor Flange, QR
Tires	Kenda Khan, 26 x 2.35" w/Anti-Puncture
Spokes	14G Stainless Black, 32x32
Derailleur, Front	Shimano Altus FD-M310, 31.8mm
Derailleur, Rear	Shimano Altus RD-M310
Shifters	Shimano SL-M315 Trigger
Chain	KMC Z8.3
Crankset	Shimano FC-TY301, 48/38/28T w/CG, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31-8, 11-34T, 8-Speed
Pedals	Wellgo Platform w/Non-slip Tread, DU Bearings
Seatpost	Aluminum Suspension, 27.2
Saddle	DDK Wide Comfort, Memory Foam w/Elastomer Spring
Handlebar	Aluminum 100mm rise/660mm
Stem	Aluminum Threadless, 17 Degree
Grips	Comfort Kraton
Brake Levers	Aluminum Linear Pull
Brakes	Radius Cable Disc BR-CX7, 160mm Rotors w/ABS System
Frame Size	M, L Ladies: S, M, L



COMFORT MOVO ZER.0

New Model



FEATURES

21 Speed

Aluminum frame

Shimano Tourney

Easy Step-thru frame options

NEW MODEL FOR 2021

MSRP: \$499-549


PART #	MODEL	SIZE	COLOR
91-206-9000	MOVO ZERO	M	MATTE BLACK
91-206-9001	MOVO ZERO	L	MATTE BLACK
91-206-9002	MOVO ZERO STEP-THRU	S	MUTE GRAY
91-206-9003	MOVO ZERO STEP-THRU	S	MINT
91-206-9004	MOVO ZERO STEP-THRU	M	MUTE GRAY
91-206-9005	MOVO ZERO STEP-THRU	M	MINT
91-206-9006	MOVO ZERO STEP-THRU	L	MUTE GRAY
91-206-9007	MOVO ZERO STEP-THRU	L	MINT

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
M	400 / 15.7	69°	68.5°	615 / 24.2	470 / 18.5	287 / 11.3	750 / 29.5	190 / 7.5	584 / 23	385 / 15.1
L	450 / 17.7	69°	68.5°	630 / 24.8	470 / 18.5	287 / 11.3	780 / 30.7	205 / 8.1	598 / 23.5	394 / 15.5
S/Step	350 / 13.8	69°	68.5°	600 / 23.6	470 / 18.5	287 / 11.3	0 / 0	175 / 6.9	570 / 22.4	375 / 14.8
M/Step	400 / 15.7	69°	68.5°	615 / 24.2	470 / 18.5	287 / 11.3	0 / 0	190 / 7.5	584 / 23	385 / 15.1
L/Step	450 / 17.7	69°	68.5°	630 / 24.8	470 / 18.5	287 / 11.3	0 / 0	205 / 8.1	598 / 23.5	394 / 15.5

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T w/Replaceable Derailleur Hanger, Internal Cable Routing
Fork	Hi-Tensile Unicrown Straight Leg
Headset	1-1/8" Threadless Zero Stack w/Aluminum Conical Top Cap
Rims	Alex EV-23 Aluminum Double Wall, 26x32H
Hub, Front	Aluminum QR
Hub, Rear	Aluminum QR
Tires	Kenda Khan, 26 x 2.35" w/Anti-Puncture
Spokes	14G Stainless Black, 32x32
Derailleur, Front	Shimano Tourney TY300, 31.8mm
Derailleur, Rear	Shimano Tourney RD-TY300
Shifters	Shimano ST-EF500-4
Chain	KMC Z8.3
Crankset	Shimano FC-TY301, 48/38/28T w/CG, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200, 12-32T, 7-Speed
Pedals	Wellgo Platform w/Non-slip Tread, DU Bearings
Seatpost	Aluminum Suspension, 27.2
Saddle	DDK Wide Comfort, Memory Foam w/Elastomer Spring
Handlebar	Aluminum 100mm rise/660mm
Stem	Aluminum Threadless, 17 Degree
Grips	Comfort Kraton
Brake Levers	Shimano ST-EF500
Brakes	Aluminum Linear Pull w/ABS System
Frame Size	M, L Ladies: S, M, L



COMFORT

TC 150



FEATURES

21 Speed

Aluminum frame

80mm travel fork

Shimano Tourney

NEW OR CHANGED FOR 2021

DDK Wide Comfort saddle

Internal Cable Routing

MSRP: \$529-579


PART #	MODEL	SIZE	COLOR
91-196-9000	TC150	15	BLACK
91-196-9001	TC150	15	AUDI GRAY
91-196-9002	TC150	17	BLACK
91-196-9003	TC150	17	AUDI GRAY
91-196-9004	TC150	19	BLACK
91-196-9005	TC150	19	AUDI GRAY
91-196-9006	TC150	21	BLACK
91-196-9007	TC150	21	AUDI GRAY
91-196-9008	TC150 LADIES	16	ICE BLUE
91-196-9009	TC150 LADIES	16	RUST

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	350 / 13.8	69°	68.5°	600 / 23.6	470 / 18.5	287 / 11.3	730 / 28.7	140 / 5.5	594 / 23.4	366 / 14.4
M/17	400 / 15.7	69°	68.5°	615 / 24.2	470 / 18.5	287 / 11.3	759 / 29.9	155 / 6.1	608 / 23.9	376 / 14.8
L/19	450 / 17.7	69°	68.5°	630 / 24.8	470 / 18.5	287 / 11.3	789 / 31.1	170 / 6.7	622 / 24.5	385 / 15.2
XL/21	490 / 19.3	69°	68.5°	645 / 25.4	470 / 18.5	287 / 11.3	821 / 32.3	195 / 7.7	645 / 25.4	391 / 15.4
S/16L	375 / 14.8	69°	68.5°	600 / 23.6	470 / 18.5	287 / 11.3	0 / 0	170 / 6.7	622 / 24.5	355 / 14

BIKE SPECS

Frame	6061 Aluminum, TIG Welded, Internal Cables
Fork	SR XCE28, 80mm
Headset	1-1/8" Threaded, Zero Stack w/Aluminum Conical Top Cap
Rims	Weinmann Aluminum, 26x32H
Hub, Front	Aluminum, QR, Rubber Seal
Hub, Rear	Aluminum, QR, Rubber Seal
Tires	26 x 2.35", Skin Wall w/Anti-Puncture
Spokes	14G Stainless, 32x32
Derailleur, Front	Shimano Tourney TY510, 31.8mm
Derailleur, Rear	Shimano Tourney RD-TY300D
Shifters	Shimano ST-EF500-4
Chain	KMC Z8.3
Crankset	Shimano FC-TY501, 48/38/28T w/CG, S-M:170, L-XL:175, Ladies: 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano Mega Range Freewheel, 14-34T, 7-Speed
Pedals	Wellgo Platform w/Non-slip Tread, DU Bearings
Seatpost	Aluminum Suspension, 27.2
Saddle	DDK Wide Comfort, Memory Foam w/Elastomer Spring
Handlebar	Aluminum 100mm rise/660mm
Stem	Aluminum Quill, 25 Degree
Grips	Comfort Kraton
Brake Levers	Shimano ST-EF500-4
Brakes	Aluminum Linear Pull w/ABS System
Frame Size	S/15, M/17, L/19, XL/21 Ladies: S/16 Step-Thru



COMFORT

TC 100



FEATURES

7 Speed
Suspension seatpost
Shimano drivetrain
Step-thru frame option

NEW OR CHANGED FOR 2021

KT hubs
Internal cable routing
Kenda Khan tires
DDK Wide Comfort saddle

MSRP: \$379-409


PART #	MODEL	SIZE	COLOR
91-195-9000	TC 100	15	MATTE BLACK
91-195-9001	TC 100	15	KHAKI GREEN
91-195-9002	TC 100	17	MATTE BLACK
91-195-9003	TC 100	17	KHAKI GREEN
91-195-9004	TC 100	19	MATTE BLACK
91-195-9005	TC 100	19	KHAKI GREEN
91-195-9006	TC 100	21	MATTE BLACK
91-195-9007	TC 100	21	KHAKI GREEN
91-195-9008	TC 100 LADIES	16	DARK BLUE
91-195-9009	TC 100 LADIES	16	GOLDIE FAWN

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	350 / 13.8	69°	68.5°	600 / 23.6	470 / 18.5	287 / 11.3	720 / 28.3	175 / 6.9	570 / 22.4	375 / 14.8
M/17	400 / 15.7	69°	68°	615 / 24.2	470 / 18.5	287 / 11.3	752 / 29.6	190 / 7.5	584 / 23	385 / 15.2
L/19	450 / 17.7	69°	68.5°	630 / 24.8	470 / 18.5	287 / 11.3	782 / 30.8	205 / 8.1	598 / 23.5	394 / 15.5
XL/21	490 / 19.3	69°	68.5°	645 / 25.4	470 / 18.5	287 / 11.3	826 / 32.5	230 / 9.1	622 / 24.5	400 / 15.7
S/16L	375 / 14.8	69°	68.5°	600 / 23.6	470 / 18.5	302 / 11.9	0 / 0	205 / 8.1	598 / 23.5	364 / 14.3

BIKE SPECS

Frame	TIG-Welded Hi-Tensile Steel, Internal Cables
Fork	Hi-Tensile Unicrown Straight Blades
Headset	1-1/8" Threaded, Zero Stack w/Aluminum Conical Top Cap
Rims	Aluminum, 26x32H
Hub, Front	KT Aluminum, QR, Rubber Seal
Hub, Rear	KT Aluminum, QR, Rubber Seal
Tires	Kenda Khan, 26x2.35 Skin wall w/Anti-Puncture
Spokes	14G Stainless, 32x32
Derailleur, Rear	Shimano Tourney RD-TY300D
Shifters	Shimano Revo RS36
Chain	KMC Z8.3
Crankset	Forged, 44T w/Double CG, 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 7-Speed Mega Range Freewheel, 14-34T
Pedals	Nylon Platform
Seatpost	Aluminum Suspension, 25.4
Saddle	DDK Wide Comfort, Memory Foam w/Elastomer Spring
Handlebar	Aluminum 100mm rise/660mm
Stem	Aluminum Quill, 25 Degree
Grips	Comfort Kraton
Brake Levers	Aluminum Linear Pull
Brakes	Aluminum Linear Pull w/ABS System
Frame Size	S/15, M/17, L/19, XL/21 Ladies: S/16 Step-Thru



COMFORT/HYBRID

WESTWOOD



FEATURES

21 Speed

Aluminum frame

80mm travel fork

Suspension seatpost

NEW OR CHANGED FOR 2021

Internal cable routing

DDK Wide Comfort saddle

MSRP: \$479-519


PART #	MODEL	SIZE	COLOR
91-199-9000	WESTWOOD	15	BLACK
91-199-9001	WESTWOOD	15	CHROME RED
91-199-9002	WESTWOOD	17	BLACK
91-199-9003	WESTWOOD	17	CHROME RED
91-199-9004	WESTWOOD	19	BLACK
91-199-9005	WESTWOOD	19	CHROME RED
91-199-9006	WESTWOOD	21	BLACK
91-199-9007	WESTWOOD	21	CHROME RED
91-199-9008	WESTWOOD LADIES	14	MINT
91-199-9009	WESTWOOD LADIES	14	ROUGE PINK
91-199-9010	WESTWOOD LADIES	17	MINT
91-199-9011	WESTWOOD LADIES	17	ROUGE PINK

BIKE SPECS

Frame	6061 Aluminum, TIG welded, Internal Cables
Fork	SR XCE28, 80mm
Headset	1-1/8" Threaded, Zero Stack w/Aluminum Conical Top Cap
Rims	Weinmann Aluminum, 700c, 32H
Hub, Front	Aluminum, QR, Rubber Seal
Hub, Rear	Aluminum, QR, Rubber Seal
Tires	Kenda Khan, 700 x 38c, Skin Wall w/Anti-Puncture
Spokes	14G Stainless, 32x32
Derailleur, Front	Shimano Tourney TY510, 31.8mm
Derailleur, Rear	Shimano Tourney RD-TY300D
Shifters	Shimano ST-EF500
Chain	KMC Z8.3
Crankset	Shimano FC-TY501, 48/38/28T w/CG, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano Mega Range Freewheel, 14-34T, 7-Speed
Pedals	Platform w/Non-slip Tread, DU Bearings
Seatpost	Aluminum Suspension, 27.2
Saddle	DDK Wide Comfort, Memory Foam w/Elastomer Spring
Handlebar	Aluminum 100mm rise/660mm
Stem	Aluminum Quill, 25 Degree
Grips	Comfort Kraton
Brake Levers	Shimano ST-EF500
Brakes	Aluminum Linear Pull w/ABS System
Frame Size	S/15, M/17, L/19, XL/21 Ladies: S/14L & M/17L Low Step

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	350 / 13.8	70.5°	71°	580 / 22.8	465 / 18.3	285 / 11.2	747 / 29.4	127 / 5	608 / 23.9	370 / 14.6
M/17	400 / 15.7	70.5°	71°	592 / 23.3	465 / 18.3	285 / 11.2	780 / 30.7	139 / 5.5	619 / 24.4	378 / 14.9
L/19	450 / 17.7	70.5°	71°	604 / 23.8	465 / 18.3	285 / 11.2	808 / 31.8	151 / 5.9	630 / 24.8	386 / 15.2
XL/21	500 / 19.7	70.5°	71°	616 / 24.3	465 / 18.3	285 / 11.2	837 / 33	163 / 6.4	642 / 25.3	394 / 15.5
S/14L	325 / 12.8	70.5°	71°	576 / 22.7	465 / 18.3	285 / 11.2	0 / 0	135 / 5.3	615 / 24.2	363 / 14.3
M/17L	400 / 15.7	70.5°	71°	590 / 23.2	465 / 18.3	285 / 11.2	0 / 0	150 / 5.9	630 / 24.8	373 / 14.7



COMFORT/HYBRID

BRENTWOOD



FEATURES

21 Speed

Suspension seatpost

Wide comfort saddle

Internal cable routing

NEW OR CHANGED FOR 2021

Internal cable routing

DDK Wide Comfort saddle

MSRP: \$379-409


PART #	MODEL	SIZE	COLOR
91-198-9000	BRENTWOOD	15	BLACK
91-198-9001	BRENTWOOD	15	AUDI GRAY
91-198-9002	BRENTWOOD	17	BLACK
91-198-9003	BRENTWOOD	17	MATTE GREEN
91-198-9004	BRENTWOOD	17	AUDI GRAY
91-198-9005	BRENTWOOD	19	BLACK
91-198-9006	BRENTWOOD	19	MATTE GREEN
91-198-9007	BRENTWOOD	19	AUDI GRAY
91-198-9008	BRENTWOOD	21	BLACK
91-198-9009	BRENTWOOD	21	MATTE GREEN
91-198-9010	BRENTWOOD	23	BLACK
91-198-9011	BRENTWOOD	25	BLACK

BIKE SPECS

Frame	TIG-Welded Hi-Tensile Steel, Internal Cables
Fork	Hi-Tensile Unicrown Straight Blades
Headset	1-1/8" Threaded, Zero Stack w/Aluminum Conical Top Cap
Rims	Aluminum, 700c, 32H
Hub, Front	Aluminum, QR, Rubber Seal
Hub, Rear	Aluminum, QR, Rubber Seal
Tires	Kenda Khan, 700 x 38c, Skin Wall w/Anti-Puncture
Spokes	14G Stainless, 32x32
Derailleur, Front	Shimano Tourney TY510, 28.6
Derailleur, Rear	Shimano Tourney RD-TY300D
Shifters	Shimano Revo RS36
Chain	KMC Z8.3
Crankset	Shimano FC-TY501, 48/38/28T w/CG, S-M:170, L-XXXL:175,
BB	Cartridge Bearing
Freewheel / Cassette	Shimano Mega Range Freewheel, 14-34T, 7-Speed
Pedals	Nylon Platform
Seatpost	Aluminum Suspension, 25.4
Saddle	DDK Wide Comfort, Memory Foam w/Elastomer Spring
Handlebar	Aluminum 100mm rise/660mm
Stem	Aluminum Quill, 25 Degree
Grips	Comfort Kraton
Brake Levers	Aluminum Linear Pull
Brakes	Aluminum Linear Pull w/ABS System
Frame Size	S/15, M/17, L/19, XL/21, XXL/23, XXXL/25 (XXL/23 & XXXL/25 Black Only)

GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/t*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	350 / 13.8	70.5°	71°	580 / 22.8	465 / 18.3	285 / 11.2	746 / 29.4	167 / 6.6	603 / 23.7	372 / 14.7
M/17	400 / 15.7	70.5°	71°	592 / 23.3	465 / 18.3	285 / 11.2	776 / 30.5	179 / 7	614 / 24.2	381 / 15
L/19	450 / 17.7	70.5°	71°	604 / 23.8	465 / 18.3	285 / 11.2	809 / 31.9	191 / 7.5	625 / 24.6	389 / 15.3
XL/21	500 / 19.7	70.5°	71°	616 / 24.3	465 / 18.3	285 / 11.2	841 / 33.1	203 / 8	637 / 25.1	397 / 15.6
XXL/23	550 / 21.7	70.5°	71°	628 / 24.7	465 / 18.3	285 / 11.2	871 / 34.3	215 / 8.5	648 / 25.5	405 / 15.9
XXXL/25	600 / 23.6	70.5°	71°	641 / 25.2	465 / 18.3	285 / 11.2	901 / 35.5	228 / 9	660 / 26	414 / 16.3



45

All specs and photos are subject to change without notice.



COMFORT/HYBRID BRENTWOOD LADIES



FEATURES

21 Speed

Suspension seatpost

Wide comfort saddle

Internal cable routing


NEW OR CHANGED FOR 2021

Internal cable routing

DDK Wide Comfort saddle

MSRP: \$379-409

PART #	MODEL	SIZE	COLOR
91-198-9012	BRENTWOOD LADIES	14	BLACK
91-198-9013	BRENTWOOD LADIES	14	CORAL
91-198-9014	BRENTWOOD LADIES	14	STONE GREEN
91-198-9015	BRENTWOOD LADIES	17	BLACK
91-198-9016	BRENTWOOD LADIES	17	CORAL
91-198-9017	BRENTWOOD LADIES	17	STONE GREEN



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/14L	325 / 12.8	70.5°	71°	575 / 22.6	465 / 18.3	285 / 11.2	0 / 0	175 / 6.9	610 / 24	365 / 14.4
M/17L	400 / 15.7	70.5°	71°	590 / 23.2	465 / 18.3	285 / 11.2	0 / 0	190 / 7.5	625 / 24.6	375 / 14.8

BIKE SPECS

Frame	TIG-Welded Hi-Tensile Steel, Internal Cables
Fork	Hi-Tensile Unicrown Straight Blades
Headset	1-1/8" Threaded, Zero Stack w/Aluminum Conical Top Cap
Rims	Aluminum, 700c, 32H
Hub, Front	Aluminum, QR, Rubber Seal
Hub, Rear	Aluminum, QR, Rubber Seal
Tires	Kenda Khan, 700 x 38c, Skin Wall w/Anti-Puncture
Spokes	14G Stainless, 32x32
Derailleur, Front	Shimano Tourney TY510, 28.6
Derailleur, Rear	Shimano Tourney RD-TY300D
Shifters	Shimano Revo RS36
Chain	KMC Z8.3
Crankset	Shimano FC-TY501, 48/38/28T w/CG, Ladies: 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano Mega Range Freewheel, 14-34T, 7-Speed
Pedals	Nylon Platform
Seatpost	Aluminum Suspension, 25.4
Saddle	DDK Wide Comfort, Memory Foam w/Elastomer Spring
Handlebar	Aluminum 100mm rise/660mm
Stem	Aluminum Quill, 25 Degree
Grips	Comfort Kraton
Brake Levers	Aluminum Linear Pull
Brakes	Aluminum Linear Pull w/ABS System
Frame Size	S/14L & M/17L Low Step

COMFORT/HYBRID

EASTWOOD



FEATURES

- 7 Speed
- Steel frame
- Wide comfort saddle
- Internal cable routing

NEW OR CHANGED FOR 2021

- Internal cable routing
- DDK Wide Comfort saddle

MSRP: \$359-389


PART #	MODEL	SIZE	COLOR
91-197-9000	EASTWOOD	15	BLACK
91-197-9001	EASTWOOD	15	BRILLIANT RED
91-197-9002	EASTWOOD	17	BLACK
91-197-9003	EASTWOOD	17	BRILLIANT RED
91-197-9004	EASTWOOD	19	BLACK
91-197-9005	EASTWOOD	19	BRILLIANT RED
91-197-9006	EASTWOOD	21	BLACK
91-197-9007	EASTWOOD	23	BLACK
91-197-9008	EASTWOOD	25	BLACK
91-197-9009	EASTWOOD LADIES	14	MINT
91-197-9010	EASTWOOD LADIES	14	TULIP
91-197-9011	EASTWOOD LADIES	17	MINT
91-197-9012	EASTWOOD LADIES	17	TULIP

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
S/15	350 / 13.8	70.5°	71°	580 / 22.8	465 / 18.3	285 / 11.2	746 / 29.4	167 / 6.6	603 / 23.7	372 / 14.7
M/17	400 / 15.7	70.5°	71°	592 / 23.3	465 / 18.3	285 / 11.2	776 / 30.5	179 / 7	614 / 24.2	381 / 15
L/19	450 / 17.7	70.5°	71°	604 / 23.8	465 / 18.3	285 / 11.2	809 / 31.9	191 / 7.5	625 / 24.6	389 / 15.3
XL/21	500 / 19.7	70.5°	71°	616 / 24.3	465 / 18.3	285 / 11.2	841 / 33.1	203 / 8	637 / 25.1	397 / 15.6
XXL/23	550 / 21.7	70.5°	71°	628 / 24.7	465 / 18.3	285 / 11.2	871 / 34.3	215 / 8.5	648 / 25.5	405 / 15.9
XXXL/25	600 / 23.6	70.5°	71°	641 / 25.2	465 / 18.3	285 / 11.2	901 / 35.5	228 / 9	660 / 26	414 / 16.3
S/14L	325 / 12.8	70.5°	71°	575 / 22.6	465 / 18.3	285 / 11.2	0 / 0	175 / 6.9	610 / 24	365 / 14.4
M/17L	400 / 15.7	70.5°	71°	590 / 23.2	465 / 18.3	285 / 11.2	0 / 0	190 / 7.5	625 / 24.6	375 / 14.8

BIKE SPECS

Frame	TIG-Welded Hi-Tensile Steel, Internal Cables
Fork	Hi-Tensile Unicrown Straight Blades
Headset	1-1/8" Threaded, Zero Stack w/Aluminum Conical Top Cap
Rims	Aluminum, 700c, 32H
Hub, Front	KT Steel, QR
Hub, Rear	KT Steel, Nuted
Tires	Kenda Khan, 700 x 38c, Skin Wall w/Anti-Puncture
Spokes	14G Stainless, 32x32
Derailleur, Rear	Shimano Tourney RD-TY300D
Shifters	Shimano Revo RS36
Chain	KMC Z8.3
Crankset	Aluminum Forged, 44T w/Double Guard, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano Mega Range Freewheel, 14-34T, 7-Speed
Pedals	Nylon Platform
Seatpost	Aluminum Micro-Adjust, 25.4
Saddle	DDK Wide Comfort, Memory Foam w/Elastomer Spring
Handlebar	Aluminum 100mm rise/660mm
Stem	Aluminum Quill, 25 Degree
Grips	Comfort Kraton
Brake Levers	Aluminum Linear Pull
Brakes	Aluminum Linear Pull w/ABS System
Frame Size	S/15, M/17, L/19, XL/21, XXL/23, XXXL/25 Ladies: S/14L & M/17L Low Step



All specs and photos are subject to change without notice.

URBAN

X-ROUTE 300



FEATURES

18 Speed

Aluminum frame & carbon fork

Shimano drivetrain

Shimano hydraulic disc brakes

NEW OR CHANGED FOR 2021

- Shimano Acera front derailleur
- Shimano Altus rear derailleur
- Shimano Altus shifters
- Shimano 2-piece, 46/30 crank
- Shimano Outboard BB
- Shimano CS-HG200-9 11-36T cassette

MSRP: \$749-819


PART #	MODEL	SIZE	COLOR
91-190-9000	XROUTE 300	XS	DARK GRAY
91-190-9001	XROUTE 300	S	DARK GRAY
91-190-9002	XROUTE 300	M	DARK GRAY
91-190-9003	XROUTE 300	L	DARK GRAY
91-190-9004	XROUTE 300	XL	DARK GRAY

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T w/C/S Disc Mount, w/Replaceable Derailleur Hanger
Fork	Carbon w/Aluminum Steerer
Headset	Threadless 1-1/8", Zero Stack
Rims	Weinmann U26 Disc, 700x32H, Double Wall
Hub, Front	KK Aluminum Disc, QR w/Rubber Seal
Hub, Rear	KK Aluminum Disc, QR w/Rubber Seal, Cassette
Tires	Kenda Kwick Bitumen K1068, 700 x 40c
Spokes	14G Stainless Black, 32x32
Derailleur, Front	Shimano Acera FD-T3000, 34.9
Derailleur, Rear	Shimano Altus RDM2000
Shifters	Shimano Altus SL-M2010 9s
Chain	KMC Z9 w/MissingLink
Crankset	Shimano FC-MT210-2, 46/30T, 2-pc, XS-M: 170, L-XL: 175
BB	Shimano Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200-9 11-36T, 9-Speed
Pedals	Wellgo Platform w/Non-slip Tread, DU Bearings
Seatpost	KHS Aluminum Micro-Adjust, 31.6
Saddle	KHS Ultra Comfort Plus, Soft Shell w/Memory Foam
Handlebar	Aluminum Trekking, 630mm, 31.8mm
Stem	KHS Aluminum Threadless, 17D, 4-bolt, XS:80mm, S-L: 90mm, XL: 100mm
Grips	Q2 Ergo Lock-on, Dual Density
Brake Levers	Shimano MT201
Brakes	Shimano MT200 Hydraulic Disc, 160mm Rotors Wave '12'
Frame Size	XS/14, S/15.5, M/18, L/20.5, XL/23

GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/t*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/14	355 / 14	71°	73°	547 / 21.5	450 / 17.7	280 / 11	695 / 27.4	95 / 3.7	542 / 21.3	381 / 15
S/15.5	394 / 15.5	71°	73°	558 / 22	450 / 17.7	280 / 11	722 / 28.4	110 / 4.3	556 / 21.9	388 / 15.3
M/18	457 / 18	71°	73°	576 / 22.7	450 / 17.7	280 / 11	763 / 30	130 / 5.1	575 / 22.6	400 / 15.7
L/20.5	521 / 20.5	71°	73°	588 / 23.1	450 / 17.7	280 / 11	802 / 31.6	145 / 5.7	589 / 23.2	407 / 16
XL/23	584 / 23	71°	73°	601 / 23.7	450 / 17.7	280 / 11	842 / 33.1	165 / 6.5	608 / 23.9	415 / 16.3



URBAN

X-ROUTE 200



FEATURES

16 Speed

Aluminum frame & carbon fork

Shimano drivetrain

Bengal hydraulic disc brakes

NEW OR CHANGED FOR 2021

Shimano SL-315 Trigger shifters
Shimano FC-TY501, 46/30 crank

MSRP: \$639-699


PART #	MODEL	SIZE	COLOR
91-189-9000	XROUTE 200	XS	MID GRAY
91-189-9001	XROUTE 200	S	MID GRAY
91-189-9002	XROUTE 200	M	MID GRAY
91-189-9003	XROUTE 200	L	MID GRAY
91-189-9004	XROUTE 200	XL	MID GRAY
91-189-9006	XROUTE 200 LADIES	XS	MID GRAY
91-189-9007	XROUTE 200 LADIES	S	MID GRAY
91-189-9008	XROUTE 200 LADIES	M	MID GRAY

GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/t*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/14	355 / 14	71°	73°	547 / 21.5	450 / 17.7	280 / 11	695 / 27.4	95 / 3.7	542 / 21.3	381 / 15
S/15.5	394 / 15.5	71°	73°	558 / 22	450 / 17.7	280 / 11	722 / 28.4	110 / 4.3	556 / 21.9	388 / 15.3
M/18	457 / 18	71°	73°	576 / 22.7	450 / 17.7	280 / 11	763 / 30	130 / 5.1	575 / 22.6	400 / 15.7
L/20.5	521 / 20.5	71°	73°	588 / 23.1	450 / 17.7	280 / 11	802 / 31.6	145 / 5.7	589 / 23.2	407 / 16
XL/23	584 / 23	71°	73°	601 / 23.7	450 / 17.7	280 / 11	842 / 33.1	165 / 6.5	608 / 23.9	415 / 16.3

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T w/C/S Disc Mount, w/Replaceable Derailleur Hanger
Fork	Full Aluminum Unicrown, Fender Bosses w/Disc, Straight Blade
Headset	Threadless 1-1/8, Zero Stack
Rims	Weinmann U26 Disc, 700x32H, Double Wall
Hub, Front	KK Aluminum Disc, QR w/Rubber Seal
Hub, Rear	KK Aluminum Disc, QR w/Rubber Seal, Cassette
Tires	Kenda Kwick Bitumen K1068, 700 x 40
Spokes	14G Stainless Black, 32x32
Derailleur, Front	Shimano FD-TY710, 34.9
Derailleur, Rear	Shimano Altus M310
Shifters	Shimano SL-315 Trigger shifters
Chain	KMC Z8.3
Crankset	Shimano FC-TY501, 46/30 w/CG, XS-M:170, L-XL: 175
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31-8, 11-34T, 8-Speed
Pedals	Wellgo Platform w/Non-slip Tread, DU Bearings
Seatpost	KHS Aluminum Micro-Adjust, 31.6
Saddle	KHS Ultra Comfort Plus, Soft Shell w/Memory Foam
Handlebar	Aluminum Trekking, 630mm, 31.8
Stem	KHS Aluminum Threadless, 17D, 4-bolt, XS:80mm, S-L: 90mm, XL: 100mm
Grips	Q2 Ergo Lock-On, Dual Density
Brake Levers	Bengal Aries 3
Brakes	Bengal Aries 3 Hydraulic Disc, 160x160, Wave 12
Frame Size	XS/14, S/15.5, M/18, L/20.5, XL/23 Ladies: XS/14, S/15.5, M/18



URBAN X-ROUTE 100



FEATURES

21 Speed

Aluminum frame

Full Shimano drivetrain


Bengal cable disc brakes

NEW OR CHANGED FOR 2021

KMC Z8.3 chain

MSRP: \$519-569

PART #	MODEL	SIZE	COLOR
91-188-9000	XROUTE 100	XS	LIGHT GRAY
91-188-9001	XROUTE 100	S	LIGHT GRAY
91-188-9002	XROUTE 100	M	LIGHT GRAY
91-188-9003	XROUTE 100	L	LIGHT GRAY
91-188-9004	XROUTE 100	XL	LIGHT GRAY
91-188-9006	XROUTE 100 LADIES	XS	LIGHT GRAY
91-188-9007	XROUTE 100 LADIES	S	LIGHT GRAY
91-188-9008	XROUTE 100 LADIES	M	LIGHT GRAY



GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/t*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/14	355 / 14	71°	73°	547 / 21.5	450 / 17.7	280 / 11	695 / 27.4	95 / 3.7	542 / 21.3	381 / 15
S/15.5	394 / 15.5	71°	73°	558 / 22	450 / 17.7	280 / 11	722 / 28.4	110 / 4.3	556 / 21.9	388 / 15.3
M/18	457 / 18	71°	73°	576 / 22.7	450 / 17.7	280 / 11	763 / 30	130 / 5.1	575 / 22.6	400 / 15.7
L/20.5	521 / 20.5	71°	73°	588 / 23.1	450 / 17.7	280 / 11	802 / 31.6	145 / 5.7	589 / 23.2	407 / 16
XL/23	584 / 23	71°	73°	601 / 23.7	450 / 17.7	280 / 11	842 / 33.1	165 / 6.5	608 / 23.9	415 / 16.3

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T w/C/S Disc Mount, w/Replaceable Derailleur Hanger
Fork	Full CrMo Unicrown, Low-rider and Fender Bosses w/Disc, Straight Blade
Headset	Threadless 1-1/8", Zero Stack
Rims	Weinmann U26 Disc, 700x32H, Double Wall
Hub, Front	KK Aluminum Disc, QR w/Rubber Seal
Hub, Rear	KK Aluminum Disc, QR w/Rubber Seal, Cassette
Tires	Kenda Kwik Bitumen K1068, 700 x 40c
Spokes	14G Black, 32x32
Derailleur, Front	Shimano FD-TY710, 34.9
Derailleur, Rear	Shimano RD-TY300
Shifters	Shimano ST-EF500
Chain	KMC Z8.3
Crankset	Shimano FC-TY-301, 48/38/28T w/CG, XS-S: 170, M-XL: 175
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano Cassette, CS-HG20-7, 12-32T, 7-Speed
Pedals	Wellgo Platform w/Non-slip Tread, DU Bearings
Seatpost	KHS Aluminum Micro-Adjust, 31.6
Saddle	KHS Ultra Comfort Plus, Soft Shell w/Memory Foam
Handlebar	Aluminum Trekking, 630mm, 31.8mm
Stem	KHS Aluminum Threadless, 17D, 4-bolt, XS:80mm, S-L: 90mm, XL: 100mm
Grips	Q2 Ergo Lock-on, Dual Density
Brake Levers	Shimano ST-EF500
Brakes	Bengal Cable Disc, MB606, 160mm Wave '12' Rotors
Frame Size	XS/14, S/15.5, M/18, L/20.5, XL/23 Ladies: XS/14, S/15.5, M/18

URBAN

URBAN XPRESS DISC



FEATURES

- 18 Speed
- 520 Reynolds CrMo steel frame
- Shimano Alivio
- Shimano hydraulic disc brakes

NEW OR CHANGED FOR 2021

- Internal cable routing
- MicroShift FD-T392B front derailleur
- Shimano Alivio M3100 rear derailleur
- Shimano Alivio M3100 shifters

MSRP: \$679-739


PART #	MODEL	SIZE	COLOR
91-186-0000	URBAN XPRESS DISC	S	DARK BLUE
91-186-0001	URBAN XPRESS DISC	M	DARK BLUE
91-186-0002	URBAN XPRESS DISC	L	DARK BLUE
91-186-0003	URBAN XPRESS DISC	XL	DARK BLUE
91-186-0004	URBAN XPRESS DISC LADIES	S	DARK PURPLE

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	732 / 28.8	130 / 5.1	550 / 21.6	389 / 15.3
M/18	457 / 18	71°	74°	565 / 22.2	450 / 17.7	290 / 11.4	771 / 30.4	150 / 5.9	568 / 22.4	401 / 15.8
L/20.5	521 / 20.5	71°	74°	577 / 22.7	450 / 17.7	290 / 11.4	813 / 32	165 / 6.5	582 / 22.9	410 / 16.1
XL/23	584.4 / 23	71°	74°	590 / 23.2	450 / 17.7	290 / 11.4	853 / 33.6	185 / 7.3	602 / 23.7	417 / 16.4
S/15.5L	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	0 / 0	115 / 4.5	535 / 21.1	395 / 15.5

BIKE SPECS

Frame	Reynolds 520 DB CrMo Tubing w/Carrier Bosses & Disc Mount, Internal Cables
Fork	Full CrMo Unicrown, Low-rider and Fender Bosses w/Disc, Straight Blade
Headset	Threadless 1-1/8", Zero Stack
Rims	Weinmann U26 Disc, 700x32H, Double Wall
Hub, Front	KK Aluminum Disc QR23 w/Rubber Seal
Hub, Rear	KK Aluminum Disc QR23, Cassette, w/Rubber Seal
Tires	Kenda Kwick Journey, 700x35c w/K-Shield Anti-Puncture, 60TPI
Spokes	14G Stainless Black, 32x32
Derailleur, Front	MicroShift FD-T392B, 28.6
Derailleur, Rear	Shimano Alivio M3100
Shifters	Shimano Alivio M3100, 2x9 Triggers
Chain	KMC X9 w/MissingLink
Crankset	FSA Tempo, 48/32T, S:170, M-L:172.5, XL:175
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200-9, 11-36T, 9-Speed
Pedals	Wellgo Full Aluminum w/Non-slip Tread, DU Bearings
Seatpost	Aluminum Micro-Adjust, 27.2
Saddle	KHS Ultra Comfort Plus, Soft Shell w/Memory Foam
Handlebar	Aluminum Trekking, 630mm, 31.8mm
Stem	KHS Aluminum Threadless, 25D, 4-bolt, S:80mm, M-L:90mm, XL:100mm
Grips	Q2 Ergo Lock-on, Dual Density
Brake Levers	Shimano MT200
Brakes	Shimano MT200 Hydraulic, 160mm Rotors Wave '12'
Frame Size	S/15.5, M/18, L/20.5, XL/23 Ladies: S/15.5L



URBAN

URBAN XPRESS



FEATURES

18 Speed
520 Reynolds CrMo steel frame
Shimano Alivio
Internal cable routing

NEW OR CHANGED FOR 2021

Internal cable routing
MicroShift FD-T392B front derailleur
Shimano Alivio M3100 rear derailleur
Shimano Alivio M3100 shifters

MSRP: \$599-659


PART #	MODEL	SIZE	COLOR
91-185-0000	URBAN XPRESS	S	BLACK
91-185-0001	URBAN XPRESS	S	MATTE RUST
91-185-0002	URBAN XPRESS	M	BLACK
91-185-0003	URBAN XPRESS	M	MATTE RUST
91-185-0004	URBAN XPRESS	L	BLACK
91-185-0005	URBAN XPRESS	L	MATTE RUST
91-185-0006	URBAN XPRESS	XL	BLACK
91-185-0007	URBAN XPRESS	XL	MATTE RUST
91-185-0008	URBAN XPRESS	XXL	BLACK
91-185-0009	URBAN XPRESS LADIES	S	COUNTY BLUE

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	732 / 28.8	130 / 5.1	550 / 21.6	390 / 15.3
M/18	457 / 18	71°	74°	565 / 22.2	450 / 17.7	290 / 11.4	774 / 30.5	150 / 5.9	569 / 22.4	402 / 15.8
L/20.5	521 / 20.5	71°	74°	577 / 22.7	450 / 17.7	290 / 11.4	813 / 32	165 / 6.5	583 / 22.9	410 / 16.1
XL/23	584 / 23	71°	74°	590 / 23.2	450 / 17.7	290 / 11.4	853 / 33.6	185 / 7.3	602 / 23.7	417 / 16.4
XXL/25	635 / 25	71°	74°	601 / 23.7	450 / 17.7	290 / 11.4	887 / 34.9	205 / 8.1	621 / 24.4	423 / 16.7
S/15.5L	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	0 / 0	115 / 4.5	535 / 21.1	395 / 15.5

BIKE SPECS

Frame	Reynolds 520 DB CrMo Tubing w/Carrier Bosses, Internal Cables
Fork	Full CrMo Unicrown, Low-rider and Fender Bosses, Straight Blade
Headset	Threadless 1-1/8", Zero Stack
Rims	Weinmann XTB26, 700x32H, Double Wall w/CNC Side Wall
Hub, Front	KK Aluminum, QR, w/Rubber Seal
Hub, Rear	KK Aluminum, QR, Cassette, w/Rubber Seal
Tires	Kenda Kwick Journey, 700 x 35c w/K-Shield Anti-Puncture, 60TPI
Spokes	14G Stainless Black, 32x32
Derailleur, Front	MicroShift FD-T392B, 28.6
Derailleur, Rear	Shimano Alivio M3100
Shifters	Shimano Alivio M3100, 2x9 Triggers
Chain	KMC X9 w/MissingLink
Crankset	FSA Tempo, 48/32T, S:170, M-L: 172.5, XL-XXL: 175
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200-9, 11-36T, 9-Speed
Pedals	Wellgo Full Aluminum w/Non-slip Tread, DU Bearings
Seatpost	Aluminum Micro-Adjust, 27.2
Saddle	KHS Ultra Comfort Plus, Soft Shell w/Memory Foam
Handlebar	Aluminum Trekking, 630mm, 31.8mm
Stem	KHS Aluminum Threadless, 25D, 4-bolt, S:80mm, M-L:90mm, XL:100mm, XXL: 110mm
Grips	Q2 Ergo Lock-on, Dual Density
Brake Levers	Promax Aluminum Forged Trekking, Knee Saver
Brakes	Tektro 855AL, Aluminum Linear Pull, Long Reach, w/ABS System
Frame Size	S/15.5, M/18, L/20.5, XL/23, XXL/25, Ladies: S/15.5L



URBAN

URBAN XCAPE DISC



FEATURES

24 Speed

4130 CrMo steel frame

Internal cable routing

Bengal cable disc brakes

NEW OR CHANGED FOR 2021

Internal cable routing

Microshift TS71 shifters

MSRP: \$519-569


PART #	MODEL	SIZE	COLOR
91-184-9000	URBAN XCAPE DISC	S	MIDNIGHT BLUE
91-184-9001	URBAN XCAPE DISC	M	MIDNIGHT BLUE
91-184-9002	URBAN XCAPE DISC	L	MIDNIGHT BLUE
91-184-9003	URBAN XCAPE DISC	XL	MIDNIGHT BLUE
91-184-9004	URBAN XCAPE DISC	XXL	MIDNIGHT BLUE
91-184-9005	URBAN XCAPE DISC LADIES	S	POW GREEN
91-184-9006	URBAN XCAPE DISC LADIES	M	POW GREEN

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	729 / 28.7	115 / 4.5	543 / 21.4	392 / 15.4
M/18	457 / 18	71°	74°	565 / 22.2	450 / 17.7	290 / 11.4	770 / 30.3	135 / 5.3	562 / 22.1	404 / 15.9
L/20.5	521 / 20.5	71°	74°	578 / 22.8	450 / 17.7	290 / 11.4	810 / 31.9	150 / 5.9	576 / 22.7	413 / 16.3
XL/23	584 / 23	71°	74°	590 / 23.2	450 / 17.7	290 / 11.4	850 / 33.5	170 / 6.7	595 / 23.4	419 / 16.5
XXL/25	635 / 25	71°	74°	602 / 23.7	450 / 17.7	290 / 11.4	884 / 34.8	190 / 7.5	614 / 24.2	426 / 16.8
S/15.5L	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	0 / 0	115 / 4.5	535 / 21.1	395 / 15.5
M/17L	432 / 17	71°	74°	555 / 21.9	450 / 17.7	290 / 11.4	0 / 0	130 / 5.1	550 / 21.7	402 / 15.8

BIKE SPECS

Frame	4130 Double Butted CrMo Tubing and Carrier Bosses, Forged Disc Mount, Internal cables
Fork	Hi-Tensile Unicrown, Disc, Post mount, Straight Blade
Headset	Threadless 1-1/8", Zero Stack
Rims	Weinmann U26 Disc, 700x32H, Double Wall
Hub, Front	KK Aluminum Disc QR23 w/Rubber Seal
Hub, Rear	KK Aluminum Disc QR23, Cassette, w/Rubber Seal
Tires	Kenda Keen, 700 x 35c w/K-Shield
Spokes	14G Stainless Black, 32x32
Derailleur, Front	Shimano FD-TY710, 28.6
Derailleur, Rear	Shimano Altus M310
Shifters	Microshift TS71 Triggers, 3x8
Chain	KMC Z8.3
Crankset	Shimano FC-TY301, 48/38/28T w/CG, S-M:170, L-XXL:175
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31-8, 11-34T, 8-Speed
Pedals	Wellgo Platform w/Non-slip Tread, DU Bearings
Seatpost	Aluminum Micro-Adjust, 27.2
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Aluminum Trekking, 630mm, 31.8mm
Stem	KHS Aluminum Threadless, 25D, 4-bolt, S:80mm, M-L:90mm, XL:100mm, XXL: 110mm
Grips	Q2 Ergo Lock-on, Dual Density
Brake Levers	Promax Aluminum Linear Pull Trekking, 3 Finger
Brakes	Bengal Cable Disc, MB606, 160mm Wave '12' Rotors, w/ABS System
Frame Size	S/15.5, M/18, L/20.5, XL/23, XXL/25 Ladies: S/15.5L, M/17L



URBAN

URBAN XCAPE



FEATURES

24 Speed

4130 CrMo steel frame

Internal cable routing

Triple ring crank

NEW OR CHANGED FOR 2021

Internal cable routing

Microshift TS71 shifters

MSRP: \$459-499


PART #	MODEL	SIZE	COLOR
91-183-9000	URBAN XCAPE	S	BLACK
91-183-9001	URBAN XCAPE	S	DARK SILVER
91-183-9002	URBAN XCAPE	M	BLACK
91-183-9003	URBAN XCAPE	M	DARK SILVER
91-183-9004	URBAN XCAPE	L	BLACK
91-183-9005	URBAN XCAPE	L	DARK SILVER
91-183-9006	URBAN XCAPE	XL	BLACK
91-183-9007	URBAN XCAPE	XL	DARK SILVER
91-183-9008	URBAN XCAPE	XXL	BLACK
91-183-9009	URBAN XCAPE LADIES	S	BLACK
91-183-9010	URBAN XCAPE LADIES	S	WINTERGREEN
91-183-9011	URBAN XCAPE LADIES	M	BLACK
91-183-9012	URBAN XCAPE LADIES	M	WINTERGREEN

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	732 / 28.8	130 / 5.1	550 / 21.6	390 / 15.3
M/18	457 / 18	71°	74°	565 / 22.2	450 / 17.7	290 / 11.4	774 / 30.5	150 / 5.9	569 / 22.4	402 / 15.8
L/20.5	521 / 20.5	71°	74°	578 / 22.8	450 / 17.7	290 / 11.4	812 / 32	165 / 6.5	583 / 22.9	410 / 16.1
XL/23	584 / 23	71°	74°	590 / 23.2	450 / 17.7	290 / 11.4	853 / 33.6	185 / 7.3	602 / 23.7	417 / 16.4
XXL/25	635 / 25	71°	74°	602 / 23.7	450 / 17.7	290 / 11.4	887 / 34.9	205 / 8.1	621 / 24.4	423 / 16.7
S/15.5L	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	0 / 0	115 / 4.5	536 / 21.1	394 / 15.5
M/17L	432 / 17	71°	74°	555 / 21.9	450 / 17.7	290 / 11.4	0 / 0	130 / 5.1	550 / 21.6	397 / 15.6

BIKE SPECS

Frame	4130 Double Butted CrMo Tubing w/Carrier Bosses, Internal Cables
Fork	Hi-Tensile Unicrown, Straight Blade
Headset	Threadless 1-1/8", Zero Stack
Rims	Weinmann XTB26, 700x32H, Double Wall w/CNC Side Wall
Hub, Front	KK Aluminum, QR, w/Rubber Seal
Hub, Rear	KK Aluminum, QR, Cassette, w/Rubber Seal
Tires	Kenda Keen, 700 x 35c w/K-Shield
Spokes	14G Stainless Black, 32x32
Derailleur, Front	Shimano FD-TY710, 28.6
Derailleur, Rear	Shimano Altus M310
Shifters	Microshift TS71 Triggers, 3x8
Chain	KMC Z8.3
Crankset	Shimano FC-TY301, 48/38/28T w/CG, S-M:170, L-XXL:175
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31-8, 11-34T, 8-Speed
Pedals	Wellgo Platform w/Non-slip Tread, DU Bearings
Seatpost	Aluminum Micro-Adjust, 27.2
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Aluminum Trekking, 630mm, 31.8mm
Stem	KHS Aluminum Threadless, 25D, 4-bolt, S:80mm, M-L:90mm, XL:100mm, XXL: 110mm
Grips	Q2 Ergo Lock-on, Dual Density
Brake Levers	Promax Aluminum Linear Pull Trekking, 3 Finger
Brakes	Promax Aluminum Linear Pull, w/ABS System
Frame Size	S/15.5, M/18, L/20.5, XL/23, XXL/25 Ladies: S/15.5L, M/17L



54

All specs and photos are subject to change without notice.



URBAN

URBAN X



WTB
27.5 x 47c Plus Tires

FEATURES

24 Speed

4130 CrMo steel frame

Internal cable routing

Hydraulic disc brakes

NEW OR CHANGED FOR 2021


Internal cable routing

Microshift TS71 shifters

MSRP: \$649-709

PART # MODEL SIZE COLOR

91-182-9000	URBAN X	S	MATTE BLACK
91-182-9001	URBAN X	M	MATTE BLACK
91-182-9002	URBAN X	L	MATTE BLACK
91-182-9003	URBAN X	XL	MATTE BLACK



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	732 / 28.8	130 / 5.1	550 / 21.6	389 / 15.3
M/18	457 / 18	71°	74°	565 / 22.2	450 / 17.7	290 / 11.4	772 / 30.4	150 / 5.9	568 / 22.4	401 / 15.8
L/20.5	521 / 20.5	71°	74°	577 / 22.7	450 / 17.7	290 / 11.4	813 / 32	165 / 6.5	583 / 22.9	410 / 16.1
XL/23	584 / 23	71°	74°	589 / 23.2	450 / 17.7	290 / 11.4	853 / 33.6	185 / 7.3	602 / 23.7	417 / 16.4

BIKE SPECS

Frame	4130 Double Butted CrMo Tubing and Carrier Bosses, Forged Disc Mount, Internal Cables
Fork	Hi-Tensile Unicrown Straight Blade, 1-1/4 Tapered
Headset	Threadless 1-1/8", Zero Stack
Rims	Weinmann Aluminum U28, Disc Double Wall, 27.5x32H
Hub, Front	KT Aluminum Disc, QR w/Rubber Seal
Hub, Rear	KT Aluminum Disc, QR w/Rubber Seal, Cassette
Tires	WTB Byway, 27.5 x 47 mm
Spokes	14G Stainless Black, 32x32
Derailleur, Front	Shimano FD-TY710, 28.6
Derailleur, Rear	Shimano Altus M310
Shifters	Microshift TS71 trigger, 3x8
Chain	KMC Z8.3
Crankset	Shimano FC-TY301, 48/38/28T w/CG, S-M:170, L-XL:175
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG318, 11-34T, 8-Speed
Pedals	Wellgo Full Aluminum w/DU Bearing
Seatpost	Aluminum Micro-Adjust, 27.2
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Aluminum Trekking, 630mm, 31.8mm
Stem	KHS Aluminum Threadless, 25D, 4-bolt, S: 80mm, M-L:90mm, XL: 100mm
Grips	Q2 Ergo Lock-on, Dual Density
Brake Levers	Bengal Aries 3
Brakes	Bengal Aries 3, Hydraulic Disc, 160mm Wave '12' Rotors
Frame Size	S/15.5, M/18, L/20.5, XL/23
Extras	Kickstand, fenders, Aluminum Rear carrier

URBAN

URBAN SOUL 8



FEATURES

8 Speed
Shimano rear derailleur
Deep dish double wall rims
44 tooth chainring

NEW OR CHANGED FOR 2021

Microshift TS71 shifters
FSA BB
KHS saddle
Q2 Lock-on grips

MSRP: \$379-409


PART #	MODEL	SIZE	COLOR
91-181-9000	URBAN SOUL 8	S	MATTE BLACK
91-181-9001	URBAN SOUL 8	S	BRIGHT ORANGE
91-181-9002	URBAN SOUL 8	M	MATTE BLACK
91-181-9003	URBAN SOUL 8	M	BRIGHT ORANGE
91-181-9004	URBAN SOUL 8	L	MATTE BLACK
91-181-9005	URBAN SOUL 8	L	BRIGHT ORANGE
91-181-9006	URBAN SOUL 8	XL	MATTE BLACK
91-181-9007	URBAN SOUL 8	XL	BRIGHT ORANGE

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	72°	75.5°	525 / 20.7	415 / 16.3	270 / 10.6	710 / 28	115 / 4.5	546 / 21.5	384 / 15.1
M/18	457 / 18	72°	75°	555 / 21.9	415 / 16.3	270 / 10.6	756 / 29.8	140 / 5.5	575 / 22.6	401 / 15.8
L/20.5	521 / 20.5	72°	73.5°	575 / 22.6	415 / 16.3	270 / 10.6	799 / 31.5	165 / 6.5	546 / 21.5	384 / 15.1
XL/23	584 / 23	72°	73.5°	595 / 23.4	415 / 16.3	270 / 10.6	841 / 33.1	190 / 7.5	617 / 24.3	412 / 16.2

BIKE SPECS

Frame	TIG-Welded Hi-Tensile Steel w/Carrier Bosses
Fork	High Tensile Straight Blades
Headset	Threadless 1-1/8"
Rims	Deep Dish Aluminum, Double Wall, 700x32H
Hub, Front	Aluminum QR
Hub, Rear	Aluminum QR, Cassette
Tires	Kenda Kwest, 700 x 28c
Spokes	14G Black, 32x32
Derailleur, Rear	Shimano RD-TX800
Shifters	MicroShift TS71-8 Trigger
Chain	KMC Z8.3
Crankset	Aluminum Forged, 3-pc, 44T w/Aluminum Double Guard, 170
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200-8, 12-32T, 8-Speed
Pedals	Resin Platform w/Boron Axle
Seatpost	Aluminum Micro-Adjust, 26.0
Saddle	KHS Road Padded
Handlebar	Aluminum 20mm Rise, 600mm, 10 Degree
Stem	Aluminum Threadless 4-bolt, 15 Degree, S: 70mm, M-L: 80mm, XL: 90mm
Grips	Q2 Lock-on
Brake Levers	Aluminum 2F
Brakes	Aluminum Dual Pivot, Long Reach
Frame Size	S/15.5, M/18, L/20.5, XL/23



56

All specs and photos are subject to change without notice.



URBAN

URBAN SOUL



FEATURES

Single Speed
Steel frame
44 tooth chainring
Flip flop rear hub

NEW OR CHANGED FOR 2021

FSA BB
KHS saddle
Q2 Lock-on grips

MSRP: \$329-359


PART #	MODEL	SIZE	COLOR
91-180-9000	URBAN SOUL	S	BLACK
91-180-9001	URBAN SOUL	S	MATTE SMOKE BLUE
91-180-9002	URBAN SOUL	M	BLACK
91-180-9003	URBAN SOUL	M	MATTE SMOKE BLUE
91-180-9004	URBAN SOUL	L	BLACK
91-180-9005	URBAN SOUL	L	MATTE SMOKE BLUE
91-180-9006	URBAN SOUL	XL	BLACK
91-180-9007	URBAN SOUL	XL	MATTE SMOKE BLUE

BIKE SPECS

Frame	TIG-Welded Hi-Tensile Steel w/Carrier Bosses
Fork	High Tensile Straight Blades
Headset	Threadless 1-1/8"
Rims	Deep Dish Aluminum, Double Wall, 700x32H
Hub, Front	Aluminum Nuted
Hub, Rear	Aluminum, Single Speed, Flip Flop, Nuted
Tires	Kenda Kwest, 700 x 28c
Spokes	14G Black, 32x32
Chain	KMC Z6
Crankset	Aluminum Forged, 3-pc, 44T w/Aluminum Guard, 170
BB	FSA Cartridge Bearing
Freewheel / Cassette	16T Freewheel
Pedals	Resin Platform w/Boron Axle
Seatpost	Aluminum Micro-Adjust, 26.0
Saddle	KHS Road Padded
Handlebar	Aluminum 30mm Rise, 540mm, 10 Degree
Stem	Aluminum Threadless 4-bolt, 15 Degree, S: 70mm, M-L: 80mm, XL: 90mm
Grips	Q2 Lock-on
Brake Levers	Aluminum 2F
Brakes	Aluminum Dual Pivot, Long Reach
Frame Size	S/15.5, M/18, L/20.5, XL/23

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	72°	75°	525 / 20.7	415 / 16.3	270 / 10.6	704 / 27.7	115 / 4.5	533 / 21	387 / 15.2
M/18	457 / 18	72°	75°	555 / 21.9	415 / 16.3	270 / 10.6	745 / 29.3	140 / 5.5	551 / 21.7	393 / 15.5
L/20.5	521 / 20.5	72°	73.5°	575 / 22.6	415 / 16.3	270 / 10.6	792 / 31.2	165 / 6.5	580 / 22.8	403 / 15.9
XL/23	584 / 23	72°	73.5°	595 / 23.4	415 / 16.3	270 / 10.6	834 / 32.8	190 / 7.5	604 / 23.8	416 / 16.4



FITNESS VITAMIN C



FEATURES

18 Speed

Aluminum frame

Carbon fork

Hydraulic disc brakes

NEW OR CHANGED FOR 2021

Shimano Alivio RD-M3100 rear derailleur


Shimano CS-HG200-9, 11-36T cassette

Velo Silicone Foam Grips

MSRP: \$799-869

PART # MODEL SIZE COLOR

91-202-0000	VITAMIN C	S	MATTE BLACK
91-202-0001	VITAMIN C	M	MATTE BLACK
91-202-0002	VITAMIN C	L	MATTE BLACK
91-202-0003	VITAMIN C	XL	MATTE BLACK



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	71°	73°	559 / 22	440 / 17.3	280 / 11	714 / 28.1	130 / 5.1	551 / 21.7	390 / 15.4
M/18	457 / 18	71°	73°	575 / 22.6	440 / 17.3	280 / 11	756 / 29.8	150 / 5.9	568 / 22.4	401 / 15.8
L/20.5	521 / 20.5	72°	73°	590 / 23.2	440 / 17.3	280 / 11	800 / 31.5	175 / 6.9	599 / 23.6	406 / 16
XL/23	584 / 23	72°	73°	602 / 23.7	440 / 17.3	280 / 11	845 / 33.3	205 / 8.1	628 / 24.7	410 / 16.1

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed Double Butted T/T & D/T, Bi-Oval Pro Seat Stays, Internal Cable, Disc, Replaceable Derailleur Hanger
Fork	Carbon w/Aluminum Steerer
Headset	Integrated Cartridge Bearing
Rims	Weinmann DNZ18, 700c, Double wall
Hub, Front	Aluminum Disc, QR
Hub, Rear	Aluminum Disc, QR, Cassette
Tires	Kenda Kwick Roller, 700 x 32c w/Anti-Puncture, 60TPI, Folding
Spokes	14G stainless Black, 24x28
Derailleur, Front	Microshift FD-R352B, 31.8mm
Derailleur, Rear	Shimano Alivio RD-M3100
Shifters	Microshift SL-R769-2 Trigger
Chain	KMC Z99 w/MissingLink
Crankset	Aluminum Forged 2-pc, 50/34T Compact, S:170mm, M-XXL:175mm
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200-9, 11-36T, 9-Speed
Pedals	Wellgo 1pc Full Aluminum w/DU Bearing
Seatpost	KHS Aluminum Micro-Adjust, 27.2
Saddle	KHS Fitness Padded
Handlebar	Aluminum Riser 620x20mm, 31.8mm
Stem	KHS Aluminum 3D Forged, Threadless 4-bolt, 7-degree, 31.8mm, S:80mm, M-L:90mm, XL-XXL:100mm
Grips	Velo Silicone Foam
Brake Levers	Bengal Aries 3
Brakes	Bengal Aries 3 Hydraulic Disc, 160x160, Wave '12'
Frame Size	S/15.5, M/18, L/20.5, XL/23,

FITNESS VITAMIN B



FEATURES

16 Speed

Aluminum frame & fork

2x8 drivetrain

Cable disc brakes

NEW OR CHANGED FOR 2021

Weinmann Aluminum, Double wall rims
Shimano Claris FD-R2000 front derailleur
Shimano Altus M310 rear derailleur
Microshift SL-R758 shifters
Aluminum Forged, 50/34 crank
Velo Silicone Foam grips

MSRP: \$599-659


PART #	MODEL	SIZE	COLOR
91-201-0000	VITAMIN B	XS	BLACK
91-201-0001	VITAMIN B	S	BLACK
91-201-0002	VITAMIN B	S	MATTE KHAKI GREEN
91-201-0003	VITAMIN B	M	BLACK
91-201-0004	VITAMIN B	M	MATTE KHAKI GREEN
91-201-0005	VITAMIN B	L	BLACK
91-201-0006	VITAMIN B	L	MATTE KHAKI GREEN
91-201-0007	VITAMIN B	XL	BLACK
91-201-0008	VITAMIN B LADIES	XS	PURPLE
91-201-0009	VITAMIN B LADIES	S	DESERT STORM
91-201-0010	VITAMIN B LADIES	S	PURPLE

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effctv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
XS/13	330 / 13	71°	73°	550 / 21.7	440 / 17.3	282 / 11.1	673 / 26.5	105 / 4.1	540 / 21.3	384 / 15.1
S/15.5	394 / 15.5	71°	73°	558 / 22	440 / 17.3	282 / 11.1	715 / 28.2	115 / 4.5	550 / 21.6	389 / 15.3
M/18	457 / 18	71°	73°	576 / 22.7	440 / 17.3	282 / 11.1	757 / 29.8	135 / 5.3	568 / 22.4	402 / 15.8
L/20.5	521 / 20.5	72°	73°	589 / 23.2	440 / 17.3	282 / 11.1	805 / 31.7	160 / 6.3	596 / 23.4	406 / 16
XL/23	584 / 23	72°	73°	602 / 23.7	440 / 17.3	282 / 11.1	850 / 33.5	190 / 7.5	624 / 24.6	411 / 16.2
XS/13L	330 / 13	71°	73°	550 / 21.7	440 / 17.3	282 / 11.1	673 / 26.5	105 / 4.1	540 / 21.3	384 / 15.1
S/15.5L	394 / 15.5	71°	73°	558 / 22	440 / 17.3	282 / 11.1	715 / 28.2	115 / 4.5	550 / 21.6	389 / 15.3

BIKE SPECS

Frame	6061 Aluminum, Double Butted w/Custom Formed T/T, Internal Cable, Disc, Replaceable Derailleur Hanger
Fork	Aluminum Straight Leg
Headset	FSA Intellaset, Threadless Slimstack, 1-1/8
Rims	Weinmann DNZ18 Aluminum, 700c x 32H, Double wall
Hub, Front	Aluminum Disc QR
Hub, Rear	Aluminum Disc QR, Cassette
Tires	Kenda Kwick Journey, 700 x 32c w/Anti-Puncture
Spokes	14G Black, 32x32
Derailleur, Front	Shimano Claris FD-R2000, 31.8mm
Derailleur, Rear	Shimano Altus M310
Shifters	Microshift SL-R758 Triggers
Chain	KMC Z8.3
Crankset	Aluminum Forged, 50/34T w/CG, XS-S; 170mm, M-XXL: 175mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31-8, 11-34T, 8-Speed
Pedals	Resin w/Steel Cage & DU Bearing
Seatpost	KHS Aluminum Micro-Adjust, 27.2
Saddle	KHS Fitness Padded
Handlebar	Aluminum 620x20mm Rise=Men's, 600x20mm=Ladies, 31.8mm
Stem	KHS Aluminum 3D Forged, Threadless 4-bolt, 7-degree, 31.8mm, S:80mm, M-L:90mm, XL:100mm, Ladies:80mm
Grips	Velo Silicone Foam
Brake Levers	Aluminum Liner Pull, 3F
Brakes	Bengal Cable Disc, MB606, 160mm Rotors Wave '12' w/ABS System
Frame Size	XS/13, S/15.5, M/18, L/20.5, XL/23, Ladies: XS/13, S/15.5



All specs and photos are subject to change without notice.

FITNESS VITAMIN A



FEATURES

14 Speed

Aluminum frame

2x7 drivetrain

Cable disc brakes

NEW OR CHANGED FOR 2021

Weinmann DNZ18 Aluminum, 700c x 28H, double wall

Shimano FD-A050 front derailleur

Sunrace DLM403 Trigger, 2x7 shifters

Aluminum Forged, 50/34 crank

Velo Silicone Foam grips

MSRP: \$499-549


PART #	MODEL	SIZE	COLOR
91-200-9000	VITAMIN A	XS	MATTE BLACK
91-200-9001	VITAMIN A	S	MATTE BLACK
91-200-9002	VITAMIN A	S	BLUE
91-200-9003	VITAMIN A	M	MATTE BLACK
91-200-9004	VITAMIN A	M	BLUE
91-200-9005	VITAMIN A	L	MATTE BLACK
91-200-9006	VITAMIN A	L	BLUE
91-200-9007	VITAMIN A LADIES	XS	LUCITE GREEN
91-200-9008	VITAMIN A LADIES	S	LUCITE GREEN
91-200-9009	VITAMIN A LADIES	S	MATTE GRAY

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
XS/13	330 / 13	71°	73°	550 / 21.7	440 / 17.3	282 / 11.1	673 / 26.5	105 / 4.1	540 / 21.3	384 / 15.1
S/15.5	394 / 15.5	71°	73°	558 / 22	440 / 17.3	282 / 11.1	715 / 28.2	115 / 4.5	550 / 21.6	389 / 15.3
M/18	457 / 18	71°	73°	576 / 22.7	440 / 17.3	282 / 11.1	757 / 29.8	135 / 5.3	568 / 22.4	402 / 15.8
L/20.5	521 / 20.5	72°	73°	589 / 23.2	440 / 17.3	282 / 11.1	805 / 31.7	160 / 6.3	596 / 23.4	406 / 16
XL/23	584 / 23	72°	73°	602 / 23.7	440 / 17.3	282 / 11.1	850 / 33.5	190 / 7.5	624 / 24.6	411 / 16.2
XS/13L	330 / 13	71°	73°	550 / 21.7	440 / 17.3	282 / 11.1	673 / 26.5	105 / 4.1	540 / 21.3	384 / 15.1
S/15.5L	394 / 15.5	71°	73°	558 / 22	440 / 17.3	282 / 11.1	715 / 28.2	115 / 4.5	550 / 21.6	389 / 15.3

BIKE SPECS

Frame	6061 Aluminum, Double Butted w/Custom Formed T/T, Internal Cable, Disc, Replaceable Derailleur Hanger
Fork	Hi-Tensile Unicrown Straight Blades
Headset	FSA Intellaset, Threadless Slimstack, 1-1/8
Rims	Weinmann DNZ18 Aluminum, 700c x 28H, double wall
Hub, Front	Aluminum Disc QR
Hub, Rear	Aluminum Disc QR, Cassette
Tires	Kenda Kwick Journey, 700 x 32c w/Anti-Puncture
Spokes	14G Black, 28x28
Derailleur, Front	Shimano FD-A050, 31.8mm
Derailleur, Rear	Shimano RD-TY300
Shifters	Sunrace DLM403 Trigger, 2x7
Chain	KMC Z8.3
Crankset	Aluminum Forged, 50/34T w/CG, XS-S; 170mm, M-L: 175mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG20-7, 12-32T, 7-Speed
Pedals	Wellgo Resin w/Aluminum Cage & DU Bearing
Seatpost	KHS Aluminum Micro-Adjust, 27.2
Saddle	KHS Fitness Padded
Handlebar	Aluminum 620x20mm Rise=Men's, 600x20mm=Ladies, 31.8mm
Stem	KHS Aluminum 3D Forged, Threadless 4-bolt, 7-degree, 31.8mm, S:80mm, M-L:90mm, Ladies:80mm
Grips	Velo Silicone Foam
Brake Levers	Aluminum Linear Pull
Brakes	Radius Cable Disc BR-CX7, 160mm Rotors w/ABS System
Frame Size	XS/13, S/15.5, M/18, L/20.5 Ladies: XS/13, S/15.5



60

All specs and photos are subject to change without notice.



FITNESS

ULTRASPORT 3.0



FEATURES

18 Speed

Aluminum frame & SR Suspension Fork

Shimano drivetrain

Hydraulic disc brakes

NEW OR CHANGED FOR 2021

Shimano Acera, SL-M3000/3010 shifters

Shimano 2-piece crank


Shimano Outboard BB

Wellgo Aluminum Platform pedals

KHS Sport Lock-on grips

MSRP: \$699-769

PART #	MODEL	SIZE	COLOR
91-205-0000	ULTRASPORT 3.0	15	HAZY GRAY
91-205-0001	ULTRASPORT 3.0	17	HAZY GRAY
91-205-0002	ULTRASPORT 3.0	19	HAZY GRAY
91-205-0003	ULTRASPORT 3.0	21	HAZY GRAY
91-205-0004	ULTRASPORT 3.0 LADIES	17	PUNCHY BLUE



GEOMETRY


SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	71°	73°	575 / 22.6	450 / 17.7	290 / 11.4	744 / 29.3	90 / 3.5	604 / 23.8	390 / 15.4
M/17	432 / 17	71°	73°	588 / 23.1	450 / 17.7	290 / 11.4	780 / 30.7	105 / 4.1	617 / 24.3	399 / 15.7
L/19	483 / 19	71°	73°	600 / 23.6	450 / 17.7	290 / 11.4	813 / 32	120 / 4.7	631 / 24.8	406 / 16
XL/21	533 / 21	71°	73°	612 / 24.1	450 / 17.7	290 / 11.4	844 / 33.2	132 / 5.2	643 / 25.3	415 / 16.3

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & DT with C/S Disc Mount, w/Replaceable Derailleur Hanger, Internal Cable
Fork	SR NVX NLO, w/Hydraulic Lock-Out, 80mm, Preload Adj
Headset	Threadless 1-1/8", Zero Stack
Rims	Weinmann XTB26 Aluminum, 700c x 32H, Double wall
Hub, Front	Aluminum Disc w/CNC Rotor Flange, QR
Hub, Rear	Aluminum Disc w/CNC Rotor Flange, QR, Cassette
Tires	Kenda Happy Medium, 700 x 40c, 30TPI
Spokes	14G Stainless Black, 32x32
Derailleur, Front	Shimano Acera, FD-T3000-2, 34.9
Derailleur, Rear	Shimano Altus, RD-M2000
Shifters	Shimano Acera, SL-M3000/3010 Trigger
Chain	KMC X9 w/MissingLink
Crankset	Shimano FC-MT210-2, 46/30T, 2-pc, S: 170mm, M-XL: 175mm
BB	Shimano Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200-9 11-36T, 9-Speed
Pedals	Wellgo Aluminum Platform w/DU Bearings
Seatpost	KHS Aluminum Micro-Adjust, 31.6
Saddle	KHS Sport
Handlebar	Aluminum Riser, 31.8mm, 680x20mm
Stem	KHS Aluminum Threadless 4-bolt, 6-degree, 31.8mm, S:60mm, M-L:75mm, XL:90mm, Ladies:75mm
Grips	KHS Sport Lock-on
Brake Levers	Bengal Ares 3
Brakes	Bengal Ares 3, Hydraulic Disc, 160mm Rotors Wave '12'
Frame Size	S/15, M/17, L/19, XL/21, Ladies: M/17

FITNESS

ULTRASPORT 2.0



FEATURES

16 Speed

Aluminum frame & SR suspension fork

Shimano drivetrain

Bengal disc brakes

NEW OR CHANGED FOR 2021

Shimano M315 trigger shifters
Shimano Altus M310 rear derailleur
Shimano FC-TY-501, 46/30T crank
KHS Sport lock-on grips

MSRP: \$599-659


PART #	MODEL	SIZE	COLOR
91-204-0000	ULTRASPORT 2.0	15	MATTE BLACK
91-204-0001	ULTRASPORT 2.0	15	CLOUD GRAY
91-204-0002	ULTRASPORT 2.0	17	MATTE BLACK
91-204-0003	ULTRASPORT 2.0	17	CLOUD GRAY
91-204-0004	ULTRASPORT 2.0	19	MATTE BLACK
91-204-0005	ULTRASPORT 2.0	19	CLOUD GRAY
91-204-0006	ULTRASPORT 2.0	21	MATTE BLACK
91-204-0007	ULTRASPORT 2.0	23	CLOUD GRAY
91-204-0008	ULTRASPORT 2.0 LADIES	15	BLACK
91-204-0009	ULTRASPORT 2.0 LADIES	15	DEEP TEAL
91-204-0010	ULTRASPORT 2.0 LADIES	17	BLACK
91-204-0011	ULTRASPORT 2.0 LADIES	17	DEEP TEAL

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	71°	73°	575 / 22.6	450 / 17.7	290 / 11.4	744 / 29.3	90 / 3.5	604 / 23.8	390 / 15.4
M/17	432 / 17	71°	73°	588 / 23.1	450 / 17.7	290 / 11.4	780 / 30.7	105 / 4.1	617 / 24.3	399 / 15.7
L/19	483 / 19	71°	73°	600 / 23.6	450 / 17.7	290 / 11.4	813 / 32	120 / 4.7	631 / 24.8	406 / 16
XL/21	533 / 21	71°	73°	612 / 24.1	450 / 17.7	290 / 11.4	844 / 33.2	132 / 5.2	643 / 25.3	415 / 16.3
XXL/23	584 / 23	71°	73°	626 / 24.6	450 / 17.7	290 / 11.4	874 / 34.4	145 / 5.7	655 / 25.8	425 / 16.7


BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & DT with C/S Disc Mount, w/Replaceable Derailleur Hanger, Internal Cable
Fork	SR XCE28, 80mm
Headset	Threadless 1-1/8", Zero Stack
Rims	Weinmann XTB26 Aluminum, 700c x 32H, Double wall
Hub, Front	Aluminum Disc w/CNC Rotor Flange, QR
Hub, Rear	Aluminum Disc w/CNC Rotor Flange, QR, Cassette
Tires	Kenda Happy Medium, 700 x 40c, 30TPI
Spokes	14G Black, 32x32
Derailleur, Front	Shimano FD-TY710, 34.9
Derailleur, Rear	Shimano Altus M310
Shifters	Shimano SL-M315 Trigger
Chain	KMC Z8.3
Crankset	Shimano FC-TY-501, 46/30T, S: 170mm, M-XXL: 175mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31-8, 11-34T, 8-Speed
Pedals	Resin ATB Platform w/DU Bearings
Seatpost	KHS Aluminum Micro-Adjust, 31.6
Saddle	KHS Sport
Handlebar	Aluminum, 31.8mm, 680x20mm, Ladies: 660
Stem	KHS Aluminum Threadless 4-bolt, 6-degree, 31.8mm, S:60mm, M-L:75mm, XL-XXL:90mm, Ladies: S:60mm, M:75mm
Grips	KHS Sport Lock-on
Brake Levers	Promax All Aluminum Linear Pull
Brakes	Bengal Cable Disc, MB606, 160mm Rotors Wave '12' w/ABS System
Frame Size	S/15, M/17, L/19, XL/21, XXL/23, Ladies: S/15, M/17



FITNESS

ULTRASPORT 1.0



FEATURES

21 Speed

Triple ring crank

Cable disc brakes

NEW OR CHANGED FOR 2021

Internal cable routing

MSRP: \$499-549


PART #	MODEL	SIZE	COLOR
91-203-9000	ULTRASPORT 1.0	S	BLACK
91-203-9001	ULTRASPORT 1.0	S	MATTE BLUE
91-203-9002	ULTRASPORT 1.0	M	BLACK
91-203-9003	ULTRASPORT 1.0	M	MATTE BLUE
91-203-9004	ULTRASPORT 1.0	L	BLACK
91-203-9005	ULTRASPORT 1.0	L	MATTE BLUE
91-203-9006	ULTRASPORT 1.0	XL	BLACK
91-203-9007	ULTRASPORT 1.0	XXL	BLACK
91-203-9008	ULTRASPORT 1.0 LADIES	S	MATTE DARK GRAY
91-203-9009	ULTRASPORT 1.0 LADIES	S	MINT
91-203-9010	ULTRASPORT 1.0 LADIES	M	MATTE DARK GRAY
91-203-9011	ULTRASPORT 1.0 LADIES	M	MINT

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	71°	73°	575 / 22.6	450 / 17.7	290 / 11.4	744 / 29.3	90 / 3.5	604 / 23.8	390 / 15.4
M/17	432 / 17	71°	73°	588 / 23.1	450 / 17.7	290 / 11.4	780 / 30.7	105 / 4.1	617 / 24.3	399 / 15.7
L/19	483 / 19	71°	73°	600 / 23.6	450 / 17.7	290 / 11.4	813 / 32	120 / 4.7	631 / 24.8	406 / 16
XL/21	533 / 21	71°	73°	612 / 24.1	450 / 17.7	290 / 11.4	844 / 33.2	132 / 5.2	643 / 25.3	415 / 16.3
XXL/23	584 / 23	71°	73°	626 / 24.6	450 / 17.7	290 / 11.4	874 / 34.4	145 / 5.7	655 / 25.8	425 / 16.7

BIKE SPECS

Frame	6061 Aluminum with C/S Disc Mount, w/Replaceable Derailleur Hanger, Internal Cable
Fork	Zoom 565D, 80mm
Headset	Threadless 1-1/8", Zero Stack
Rims	Weinmann XTB26 Aluminum, 700c x 32H, Double wall
Hub, Front	Aluminum Disc w/CNC Rotor Flange, QR
Hub, Rear	Aluminum Disc w/CNC Rotor Flange, QR, Cassette
Tires	Kenda Happy Medium, 700 x 40c, 30TPI
Spokes	14G Black, 32x32
Derailleur, Front	Shimano FD-TY710, 34.9
Derailleur, Rear	Shimano RD-TY300
Shifters	Shimano ST-EF500
Chain	KMC Z8.3
Crankset	Shimano FC-TY-301, 48/38/28T, S-M: 170mm, L-XXL: 175mm
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano Cassette, CS-HG20-7, 12-32T, 7-Speed
Pedals	Resin ATB Platform w/Boron Axle
Seatpost	KHS Aluminum Micro-Adjust, 31.6
Saddle	KHS Sport
Handlebar	Aluminum, 31.8mm, 680x20mm, Ladies: 660
Stem	KHS Aluminum Threadless 4-bolt, 6-degree, 31.8mm, S:60mm, M-L:75mm, XL-XXL:90mm, Ladies: S:60mm, M:75mm
Grips	KHS Sport, Dual Compound
Brake Levers	Shimano ST-EF500
Brakes	Radius Cable Disc BR-CX7, 160mm Rotors w/ABS System
Frame Size	S/15, M/17, L/19, XL/21, XXL/23, Ladies: S/15, M/17



YOUTH ALITE 24



FEATURES

8 Speed
Aluminum frame
SR suspension fork
Bengal cable disc brakes

NEW OR CHANGED FOR 2021

S-Ride SL-M300C shifters
KMC X8 chain
S-Ride CS-M20008 11-42T cassette
Q2 Junior Lock-on grips


MSRP: \$549-599

BIKE SPECS

Frame	6061 Aluminum Butted, w/Custom Formed T/T & D/T, Replaceable Der Hanger
Fork	SR Suntour XCT-JR, 80mm Travel
Headset	Threadless 1-1/8", Zero Stack
Rims	Aluminum Disc, Double wall, 24x32H
Hub, Front	Aluminum Disc w/CNC Rotor Flange, QR
Hub, Rear	Aluminum Disc w/CNC Rotor Flange, QR, Cassette
Tires	24 x 2.10", 60TPI, Folding
Spokes	14G Black, 32x32
Derailleur, Rear	S-Ride RD-M300C 8/9s
Shifters	S-Ride SL-M300C 8s
Chain	KMC X8 w/MissingLink
Crankset	Samox Forged, 30T Narrow/Wide C/R, 152mm
BB	Cartridge Bearing
Freewheel / Cassette	S-Ride CS-M20008 11-42T, 8-Speed
Pedals	Resin ATB Platform w/Boron Axle
Seatpost	Aluminum Micro-Adjust 27.2
Saddle	KHS Junior ATB
Handlebar	Aluminum Riser, 31.8mm, 640mm x 30mm
Stem	Aluminum Threadless 4-bolt, 31.8mm 60mm
Grips	Q2 Junior Lock-on
Brake Levers	Aluminum Linear Pull
Brakes	Bengal Cable Disc, MB606, 160mm Wave '12' Rotors w/ABS System
Frame Size	One Size

PART # MODEL SIZE COLOR


91-148-9000 ALITE 24 ONE BLACK



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/12.5	320 / 12.6	70°	72°	518 / 20.4	410 / 16.1	275 / 10.8	670 / 26.4	110 / 4.3	532 / 20.9	345 / 13.6

YOUTH T-REX



FEATURES

21 Speed

40mm travel fork

Triple ring crank

Shimano drivetrain

NEW OR CHANGED FOR 2021


24x2.10" tires

MSRP: \$299-329

PART # MODEL SIZE COLOR

91-145-9000	T-REX	ONE	CHROME RED
-------------	-------	-----	------------

91-145-9001	T-REX GIRLS	ONE	BLACK
-------------	-------------	-----	-------



GEOMETRY

SIZE	A s/t c-t	B h/t"	C s/t"	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
11	285 / 11.2	70°	72°	519 / 20.4	410 / 16.1	324 / 12.7	613 / 24.1	110 / 4.3	512 / 20.1	353 / 13.9

BIKE SPECS

Frame	TIG-welded Hi-tensile
Fork	24" Suspension, Aluminum Crown, 40mm Travel
Headset	Threadless 1-1/8"
Rims	Aluminum, 24"x32H
Hub, Front	Steel Nuted
Hub, Rear	Steel Nuted
Tires	24 x 2.10", Knobby
Spokes	14G Black, 32x32
Derailleur, Front	Shimano Tourney FD-TY500, 28.6
Derailleur, Rear	Shimano Tourney RD-TY300D
Shifters	Shimano Revo
Chain	KMC Z8.3
Crankset	Samox Aluminum, 42/34/24T w/CG, 152mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano MF-TZ500, 14-34T, 7-Speed FW
Pedals	MTB w/ Boron Axle
Seatpost	Aluminum Micro-Adjust 25.4
Saddle	Ultracycle Junior
Handlebar	Aluminum 30mm Rise/600mm
Stem	Aluminum Threadless 4-bolt, 10 Degree, 60mm
Grips	Soft Kraton
Brake Levers	All Aluminum Linear Pull
Brakes	Aluminum Linear Pull
Frame Size	One Size
Extras	Rear Der Guard

YOUTH T-REX 7




FEATURES

7 Speed
Steel frame
Rigid fork
Shimano drivetrain
NEW OR CHANGED FOR 2021
24x2.10" tires
MSRP: \$289-309

PART # MODEL SIZE COLOR

91-144-9000	T-REX 7	ONE	BRIGHT BLUE
91-144-9001	T-REX 7 GIRLS	ONE	OCEAN GREEN



GEOMETRY

SIZE	A s/t c-t	B h/t"	C s/t"	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
11	285 / 11.2	70°	72°	521 / 20.5	410 / 16.1	275 / 10.8	584 / 23	110 / 4.3	464 / 18.2	370 / 14.6

BIKE SPECS

Frame	TIG-welded Hi-tensile
Fork	Rigid Straight Leg
Headset	Threadless 1-1/8"
Rims	Aluminum, 24"x32H
Hub, Front	Steel Nuted
Hub, Rear	Steel Nuted
Tires	24 x 2.10", Knobby
Spokes	14G Black, 32x32
Derailleur, Rear	Shimano Tourney RD-TY300D
Shifters	Shimano Revo
Chain	KMC Z8.3
Crankset	Aluminum 3-pc, 36T w/Double Guard, 152mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano MF-TZ500, 14-34T, 7-Speed FW
Pedals	MTB w/Boron Axle
Seatpost	Aluminum Micro-Adjust 25.4
Saddle	Ultracycle Junior
Handlebar	Aluminum 30mm Rise/600mm
Stem	Aluminum Threadless 4-bolt, 10 Degree, 60mm
Grips	Soft Kraton
Brake Levers	All Aluminum Linear Pull
Brakes	Aluminum Linear Pull
Frame Size	One Size
Extras	Rear Der Guard

YOUTH SYNTAUR+



FEATURES


8 Speed
Aluminum frame
Kenda Slant 6, 24x2.6 tires
Shimano drivetrain

NEW OR CHANGED FOR 2021

Kenda Slant 6, 24x2.6 tires

MSRP: \$379-409

PART #	MODEL	SIZE	COLOR
91-147-9000	SYNTAUR PLUS	ONE	BRIGHT ORANGE
91-147-9001	SYNTAUR PLUS GIRLS	ONE	LIME



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/l	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
11	285 / 11.2	70°	72°	506 / 19.9	410 / 16.1	275 / 10.8	605 / 23.8	110 / 4.3	500 / 19.7	343 / 13.5

BIKE SPECS

Frame	6061 Aluminum Plus w/Custom Formed T/T & Replaceable Der Hanger
Fork	Rigid Straight Leg
Headset	Threadless 1-1/8"
Rims	Aluminum, CNC sidewall, 24" Plus x 32H
Hub, Front	Aluminum Nuted
Hub, Rear	Aluminum Nuted, Cassette
Tires	Kenda Slant 6, 24x2.6 Knobby
Spokes	14G Black, 32x32
Derailleur, Rear	Shimano Tourney RD-TX800
Shifters	Shimano Revo
Chain	KMC Z8.3
Crankset	Samox Aluminum, 30T w/Double CG, 152
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31-8, 11-34T, 8-Speed
Pedals	MTB w/Boron Axle
Seatpost	Aluminum Micro-Adjust 27.2
Saddle	Ultracycle Junior
Handlebar	Aluminum 30mm Rise/600mm
Stem	Aluminum Threadless 4-bolt, 10 Degree, 60mm
Grips	Soft Kraton
Brake Levers	All Aluminum Linear Pull
Brakes	Aluminum Linear Pull
Frame Size	One Size
Extras	Rear Der Guard

YOUTH SYNTAUR



FEATURES


8 Speed
Aluminum frame
Shimano drivetrain
34 tooth chainring

NEW OR CHANGED FOR 2021

24x2.10" tires

MSRP: \$339-369

PART #	MODEL	SIZE	COLOR
91-146-9000	SYNTAUR	ONE	GUN BARREL BLUE
91-146-9001	SYNTAUR	ONE	WHITE



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
11	285 / 11.2	70°	72°	507 / 20	410 / 16.1	275 / 10.8	588 / 23.2	110 / 4.3	466 / 18.4	356 / 14

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & Replaceable Der Hanger
Fork	Rigid Straight Leg
Headset	Threadless 1-1/8"
Rims	Aluminum, 24"x32H
Hub, Front	Aluminum Nuted
Hub, Rear	Aluminum Nuted, Cassette
Tires	24 x 2.10", Knobby
Spokes	14G Black, 32x32
Derailleur, Rear	Shimano Tourney RD-TX800
Shifters	Shimano Revo
Chain	KMC Z8.3
Crankset	Samox Aluminum, 34T w/Double CG, 152mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31-8, 11-34T, 8-Speed
Pedals	MTB w/Boron Axle
Seatpost	Aluminum Micro-Adjust, 27.2
Saddle	Ultracycle Junior
Handlebar	Aluminum 30mm Rise/600mm
Stem	Aluminum Threadless 4-bolt, 10 Degree, 60mm
Grips	Soft Kraton
Brake Levers	All Aluminum Linear Pull
Brakes	Aluminum Linear Pull
Frame Size	One Size
Extras	Rear Der Guard

YOUTH RAPTOR+



FEATURES


7 Speed
Aluminum frame
Kenda Slant 6, 20x2.6 tires
Shimano drivetrain

NEW OR CHANGED FOR 2021

Kenda Slant 6, 20x2.6 tires

MSRP: \$329-359

PART #	MODEL	SIZE	COLOR
91-143-9000	RAPTOR+	ONE	NEON YELLOW
91-143-9001	RAPTOR+ GIRLS	ONE	BERRY



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
10	245 / 9.6	70°	70°	494 / 19.4	385 / 15.2	361 / 14.2	632 / 24.9	110 / 4.3	418 / 16.4	342 / 13.4

BIKE SPECS

Frame	6061 Aluminum Plus w/Custom Formed T/T & Replaceable Der Hanger
Fork	Rigid Straight Leg
Headset	Threadless 1-1/8"
Rims	Aluminum, 20" Plus, 32H
Hub, Front	Steel Nuted
Hub, Rear	Steel Nuted
Tires	Kenda Slant 6, 20 x 2.60", Knobby
Spokes	14G Black, 32x32
Derailleur, Rear	Shimano Tourney RD-TY300D
Shifters	Shimano Revo
Chain	KMC Z8.3
Crankset	Aluminum 3-pc 36T w/Double Chainguard, 140mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano MF-TZ500, 14-34T, 7-Speed FW
Pedals	MTB w/Boron Axle
Seatpost	Aluminum Micro-Adjust, 27.2
Saddle	Ultracycle Junior
Handlebar	Aluminum 30mm Rise/560mm
Stem	Aluminum Threadless 4-bolt, 10 Degree, 60mm
Grips	Soft Kraton
Brake Levers	All Aluminum Linear Pull
Brakes	Aluminum Linear Pull
Frame Size	One Size
Extras	Rear Der Guard

YOUTH RAPTOR




FEATURES

7 Speed
Aluminum frame
Rigid fork
Shimano drivetrain
MSRP: \$299-329

PART # MODEL SIZE COLOR

91-142-9000	RAPTOR	ONE	ORANGE
91-142-9001	RAPTOR GIRLS	ONE	POP PINK



GEOMETRY

SIZE	A s/t c-t	B h/t"	C s/t"	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
10	225 / 8.9	70"	70"	476 / 18.7	375 / 14.8	251 / 9.9	509 / 20	110 / 4.3	394 / 15.5	332 / 13.1

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & Replaceable Der Hanger
Fork	Rigid Straight Leg
Headset	Threadless 1-1/8"
Rims	Aluminum, 20", 32H
Hub, Front	Steel Nuted
Hub, Rear	Steel Nuted
Tires	20 x 2.125", Knobby
Spokes	14G Black, 32x32
Derailleur, Rear	Shimano Tourney RD-TY300D
Shifters	Shimano Revo
Chain	KMC Z8.3
Crankset	Aluminum 3-pc 36T w/Double Chainguard, 140mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano MF-TZ500, 14-34T, 7-Speed FW
Pedals	MTB w/Boron Axle
Seatpost	Aluminum Micro-Adjust, 27.2
Saddle	Ultracycle Junior
Handlebar	Aluminum 30mm Rise/560mm
Stem	Aluminum Threadless 4-bolt, 10 Degree, 60mm
Grips	Soft Kraton
Brake Levers	All Aluminum Linear Pull
Brakes	Aluminum Linear Pull
Frame Size	One Size
Extras	Rear Der Guard

E-ASSIST SIXFIFTY 6555+E



FEATURES

12 Speed

Shimano STEPS MTB E8000A E-Assist motor

Shimano XT/ SLX drivetrain

Tubeless ready


NEW OR CHANGED FOR 2021

Kore XCD handlebar

Kore XCD stem

MSRP: \$5599-5899

PART #	MODEL	SIZE	COLOR
89-100-0001	SF6555+E (11 Speed)	M	BLACK
89-100-0002	SF6555+E (11 Speed)	L	BLACK
89-100-0003	SF6555+E (11 Speed)	XL	BLACK
89-100-0004	SF6555+E	S	BLACK
89-100-0005	SF6555+E	M	BLACK
89-100-0006	SF6555+E	L	BLACK
89-100-0007	SF6555+E	XL	BLACK



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	380 / 15	67.5°	75°	585 / 23	438 / 17.2	333 / 13.1	742 / 29.2	110 / 4.3	600 / 23.6	424 / 16.7
M/16.5	420 / 16.5	67.5°	75°	605 / 23.8	438 / 17.2	333 / 13.1	758 / 29.9	110 / 4.3	600 / 23.6	444 / 17.5
L/18	460 / 18.1	67.5°	75°	625 / 24.6	438 / 17.2	333 / 13.1	782 / 30.8	120 / 4.7	610 / 24	462 / 18.2
XL/20	500 / 19.7	67.5°	75°	645 / 25.4	438 / 17.2	333 / 13.1	813 / 32	130 / 5.1	619 / 24.4	479 / 18.9

BIKE SPECS

Frame	E-FSS 650B 140mm Plus, 6061 Aluminum w/Custom Formed Double Butted T/T & D/T, 1.5 Taper, 12 x 148 Boost Rear Axle, w/Replaceable Derailleur Hanger
Rear Shock	FOX Float DPS, Performance, 3-Pos, No.Evol w/LV Eyelet
Fork	FOX Float 36, 29 Std/27.5+ Evol Air, Rhythm, 150mm, Grip Sweep Adj., Ext Rebound Adj., 1-1/8~1.5 Taper, 15mm x 110 QR Boost
Headset	FSA Orbit 1.5E, Zero Stack, 1-1/8"~1.5
Rims	WTB Scraper i35 TCS Aluminum Plus Disc, 27.5, Double Wall, 28H, Tubeless-Ready
Hub, Front	Shimano HB-M7110-B CenterLock Disc, 15x110mm Axle, Boost
Hub, Rear	Shimano FH-M7110-B Disc Cassette, 12 x 148mm, Boost
Tires	Kenda Havok Pro EMC, 27.5 x 2.6", 120TPI Folding, Tubeless-Ready
Spokes	14G Stainless Black, 28x28
Derailleur, Rear	Shimano New XT RD-M8100
Shifters	Shimano New SLX, SL-M7100, 12-Speed, Trigger, Right Only
Chain	Shimano CN-M7100
Crankset	Samox Aluminum Forged, 34T, S:170, M-XL:175
Motor	Shimano E8000A Motor, 36V x 250W, 70Nm, Class 1, 34T
Battery	Shimano Lithium 36V x 14Ah, 504Wh
Freewheel / Cassette	Shimano CS-M7100, 10-51T, 12-Speed
Seatpost	Kind Shock Rage-I, Integra w/Remote, Travel Adj
Saddle	WTB Volt Sport
Handlebar	Kore XCD 1 Riser, 760 x 18mm, 31.8mm
Stem	Kore XCD, Aluminum 3D Forged, Threadless 4-bolt, 31.8mm S: 60mm, M-L: 70mm, XL: 80mm
Grips	Q2 Lock-on
Brake Levers	Shimano MT501, Servo Wave w/I-Spec II
Brakes	Shimano MT520 4-Piston, Hydraulic Disc, Servo Wave, 203/180mm, Rotors= RT64 CenterLock
Frame Size	S/15, M/16.5, L/18, XL/20


E-ASSIST SIXFIFTY 5555+E



FEATURES

11 Speed
MPF 6S Mid 36V Motor, Class II
Shimano SLX
Tektro hydraulic 4-piston disc brakes
NEW OR CHANGED FOR 2021
Kore XCD handlebar
Kore XCD stem
MSRP: \$4199-4499

PART #	MODEL	SIZE	COLOR
89-102-0001	SIXFIFTY 5555+E	M	BORA BORA BLUE
89-102-0002	SIXFIFTY 5555+E	L	BORA BORA BLUE
89-102-0003	SIXFIFTY 5555+E	XL	BORA BORA BLUE



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
M/16.5	420 / 16.5	67.5°	75°	605 / 23.8	438 / 17.2	333 / 13.1	758 / 29.9	110 / 4.3	600 / 23.6	444 / 17.5
L/18	460 / 18.1	67.5°	75°	625 / 24.6	438 / 17.2	333 / 13.1	782 / 30.8	120 / 4.7	610 / 24	462 / 18.2
XL/20	500 / 19.7	67.5°	75°	645 / 25.4	438 / 17.2	333 / 13.1	813 / 32	130 / 5.1	619 / 24.4	479 / 18.9

BIKE SPECS

Frame	E-6061 Aluminum 4-Bar Horst Link 140mm w/Custom Formed T/T & D/T, 12 x 148mm Boost, 1.5 Taper, 27.5 Plus
Rear Shock	X-Fusion 02 Pro RL, Air, Ext Rebound, Lock-Out
Fork	SR Aion 35 Boost 27.5+, LOR Air, 150mm, 35mm Stanchions, Aluminum Steerer, Magnesium Lowers, Hydraulic Damp, External rebound, Lock-Out, 1.5 Taper, 15QR
Headset	FSA Orbit 1.5E, Zero Stack, 1-1/8"~1.5
Rims	WTB Scraper i35 TCS Aluminum Plus Disc, 27.5, Double Wall, 28H, Tubeless-Ready
Hub, Front	Formula TD711 Sealed Bearing Disc, 15x110mm Axle, Straight Pull, Boost
Hub, Rear	Formula TD-148S Sealed Bearing Disc Cassette, 12 x 148mm, Straight Pull, Boost
Tires	Kenda Havok Pro EMC, 27.5 x 2.6", 120TPI Folding, Tubeless-Ready
Spokes	14G Stainless Black, 28x28
Derailleur, Rear	Shimano SLX RD-M7000
Shifters	Shimano SLX, SL-M7000, 11-Speed, Trigger, Right Only
Chain	KMC E11S Anti Rust
Crankset	Samox Aluminum Forged, 32T, M:170, L-XL:175
Motor	MPF 6S Mid Motor 36V x 250W, 80Nm, Class II, 32T
Battery	Lithium 36V x 14Ah, 504wh
Freewheel / Cassette	Sun Race 11-46T, 11-Speed
Seatpost	Kind Shock Exa-Form KSP-900-i, Integra w/Remote, Travel Adj
Saddle	WTB Volt Sport
Handlebar	Kore XCD 1 Riser, 760 x 18mm, 31.8mm
Stem	Kore XCD, Aluminum 3D Forged, Threadless 4-bolt, 31.8mm S: 60mm, M-L: 70mm, XL: 80mm
Grips	Q2 Lock On
Brake Levers	Tektro HD-E730 Hydraulic w/Sensor
Brakes	Tektro HD-E730 Hydraulic, 4-Piston, 203/180mm Rotors
Frame Size	M/16.5, L/18, XL/20

E-ASSIST ENDURE 1000



FEATURES

12 Speed

MPF 6S Mid Motor, Class II

Aluminum frame

Tektro hydraulic 4-piston disc brakes

NEW OR CHANGED FOR 2021

Shimano Deore RD-M6100 rear derailleur

Shimano Deore SL-M6100 shifters

MPF 6S Mid 48V Motor, Class II

Lithium 48V x 14Ah, 672Wh battery

Shimano CS-M6100, 10-51T cassette


Kind Shock Exa-Form KSP-900-I seatpost

KHS Sport Dual Density saddle w/ handle

Tektro HD-E730 Hydraulic Disc, 4-Piston brakes

MSRP: \$3399-3699

PART #	MODEL	SIZE	COLOR
89-101-0005	ENDURE 1000	M	MATTE BLACK
89-101-0006	ENDURE 1000	L	MATTE BLACK



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
M/17	432 / 17	68°	73°	602 / 23.7	490 / 19.3	320 / 12.6	800 / 31.5	135 / 5.3	599 / 23.6	419 / 16.5
L/19	483 / 19	68°	73°	612 / 24.1	490 / 19.3	320 / 12.6	832 / 32.7	145 / 5.7	616 / 24.2	434 / 17.1

BIKE SPECS

Frame	"6061 Aluminum w/Custom Formed T/T & D/T, 1.5 Tapered H/T, Replaceable Derailleur Hanger 12x197mm"
Fork	Aluminum Straight Blade w/1.5 Taper, 15mm Thru-axle
Headset	Threadless 1-1/8~1.5 Tapered, Zero Stack
Rims	Sun Mulefut SL80, Tubeless-Ready, 26x32H
Hub, Front	KT Aluminum Disc, Forged, Sealed Bearing, 15mm Thru-axle 15x150
Hub, Rear	Powerway Aluminum Disc, Forged, Sealed Bearing, Cassette, 12x197 Thru-axle, Microdrive
Tires	Maxxis Colossus, 26 x 4.8", 120 TPI, Folding
Spokes	14G Black Stainless, 32x32
Derailleur, Rear	Shimano Deore RD-M6100
Shifters	Shimano Deore SL-M6100
Chain	Shimano CN-M6100
Crankset	Samox Aluminum Forged, 32T Narrow/Wide, 165mm
Motor	MPF 6S Mid Motor 48V x 250W, 80Nm, Class 2, 32T
Battery	Lithium 48V x 14Ah, 672Wh
Freewheel / Cassette	Shimano CS-M6100, 10-51T, 12-Speed
Seatpost	Kind Shock Exa-Form KSP-900-i, Integra w/Remote, Travel Adj
Saddle	KHS Sport Dual Density Padding w/Handle
Handlebar	Aluminum 35mm Riser, 720 x 15mm
Stem	Aluminum 35mm 3D Forged, Threadless 4-bolt
Grips	Q2 Lock-on
Brake Levers	Tektro HD-E730 w/Sensor
Brakes	Tektro HD-E730 Hydraulic Disc, 4-Piston, 203/180mm Rotors
Frame Size	M/17, L/19


E-ASSIST EXTENDED 2.0



FEATURES

9 Speed
Bafang RMG020-500DC, 48V Motor, Class II
Lithium 48V x 10.5Ah, 504Wh battery
Aluminum frame
MSRP: \$1699-1799

PART #	MODEL	SIZE	COLOR
89-106-9000	EXTENDED 2.0	15	MATTE DARK GRAY
89-106-9001	EXTENDED 2.0	17	MATTE DARK GRAY
89-106-9002	EXTENDED 2.0	19	MATTE DARK GRAY



BIKE SPECS

Frame	"6061 Aluminum w/Custom Formed T/T w/C/S Disc Mount, w/ Replaceable Derailleur Hanger"
Fork	SR XCE28, 80mm
Headset	Threadless 1-1/8", Zero Stack
Rims	Weinmann XTB26 Aluminum, 700c x 36H, Double wall
Hub, Front	Aluminum QR
Hub, Rear	Bafang, Drum Motor
Tires	Kenda Kwick Bitumen, 700 x 40c, 30TPI
Spokes	14G Black, 36x36, Rear 13G
Derailleur, Rear	Shimano Altus M2000
Shifters	Shimano Altus M2000 Trigger
Chain	KMC E9
Crankset	Samox Forged, 36T w/Guard, 170mm
Motor	Bafang RMG020-500DC, 48V x 500W, 45Nm, Class II
Battery	Lithium 48V x 10.5Ah, 504Wh
Freewheel / Cassette	Shimano CS-HG201-9, 11-36, 9-Speed
Pedals	Resin ATB Platform w/DU Bearings
Seatpost	Aluminum Micro-Adjust, 27.2x350mm
Saddle	KHS Sport, Dual Density
Handlebar	Aluminum, 31.8mm, 680x30mm
Stem	Aluminum 3D Forged, Threadless 4-bolt, 7-degree, 31.8mm
Grips	KHS Sport, Dual Compound
Brake Levers	Bengal Aluminum Linear Pull w/Sensor Control
Brakes	"Bengal Cable Disc, MB606, 180mm Rotors Wave '12"
Frame Size	S/15, M/17, L/19
Extras	Kickstand, Bell

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	71°	73°	574 / 22.6	450 / 17.7	290 / 11.4	831 / 32.7	120 / 4.7	631 / 24.9	380 / 15
M/17	432 / 17	71°	73°	593 / 23.3	450 / 17.7	290 / 11.4	787 / 31	120 / 4.7	631 / 24.9	394 / 15.5
L/19	483 / 19	71°	73°	600 / 23.6	450 / 17.7	290 / 11.4	811 / 31.9	120 / 4.7	631 / 24.9	406 / 16

E-ASSIST


ENVOY 200



FEATURES

8 Speed
Bafang RMG020-500DC, 48V Motor, Class II
Lithium 48V x 10.5Ah, 504Wh battery
Kickstand, fenders & rack
MSRP: \$1699-1799

PART #	MODEL	SIZE	COLOR
89-105-9007	ENVOY 200	18	MATTE DARK GRAY
89-105-9008	ENVOY 200 LADIES	15.5	MATTE DARK GRAY
89-105-9009	ENVOY 200 LADIES	17	MATTE DARK GRAY



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/l	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
M/18	457 / 18	71°	74°	565 / 22.2	450 / 17.7	290 / 11.4	774 / 30.5	150 / 5.9	569 / 22.4	402 / 15.8
S/15.5L	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	0 / 0	115 / 4.5	535 / 21.1	395 / 15.5
M/17L	432 / 17	71°	74°	555 / 21.9	450 / 17.7	290 / 11.4	0 / 0	130 / 5.1	550 / 21.7	402 / 15.8

BIKE SPECS

Frame	4130 Double Butted CrMo Tubing w/Carrier Bosses
Fork	Full CrMo Unicrown, Low-rider and Fender Bosses
Headset	FSA Threadless 1-1/8", Zero Stack
Rims	Weinmann ZAC2000, 700x36H, Double Wall w/CNC Side Wall
Hub, Front	Aluminum QR
Hub, Rear	Bafang, Drum Motor
Tires	Kenda Kwick Journey, 700 x 35c w/K-Shield Anti-Puncture, 60TPI
Spokes	14G Stainless Black, 36x36, Rear 13G
Derailleur, Rear	Shimano Altus M310
Shifters	Shimano Twist
Chain	KMC X8
Crankset	Samox Forged, 36T w/Guard, 175mm
Motor	Bafang RMG020-500DC, 48V x 500W, 45Nm, Class II
Battery	Lithium 48V x 10.5Ah, 504Wh
Freewheel / Cassette	Shimano CS-HG31-8, 11-32T, 8-Speed
Pedals	Wellgo Platform w/Non-slip Tread, DU Bearings
Seatpost	Aluminum Micro-Adjust, 27.2x350mm
Saddle	KHS Ultra Comfort
Handlebar	Aluminum Trekking, 30mm x 630mm, 31.8mm
Stem	KHS Aluminum Threadless, 25 degree
Grips	Velo Dual density
Brake Levers	Bengal Aluminum Linear Pull Trekking 3 Finger w/Sensor Control
Brakes	Tektro Aluminum Linear Pull
Frame Size	M/18, Ladies: S/15.5, M/17
Extras	Kickstand, Fenders, Aluminum Rear Carrier, Bell

E-ASSIST

EASY 24



FEATURES

7 Speed
Zhang Ying Motor 36V Motor, Class II
Aluminum low step-thru frame
Shimano drivetrain
MSRP: \$1699-1799

PART #	MODEL	SIZE	COLOR
89-104-9010	EASY 24 1 STEP-THRU	ONE	LIGHT BLUE
89-104-9011	EASY 24 1 STEP-THRU	ONE	SILVER

BIKE SPECS

Frame	24E 6061 Aluminum Low-Step Custom Formed, Cable Guide
Fork	Full Hi-Tensile steel w/forged drop-outs
Headset	Threaded 1-1/8", Zero stack
Rims	Weinmann SP-17 Aluminum Double Wall, 24x1.5
Hub, Front	KT Aluminum QR
Hub, Rear	Zhang Ying Motor
Tires	24 x 1.50" Black, 60TPI 100PSI
Spokes	FT:14G Stainless Black RR:13G Stainless Black, 36x36
Derailleur, Rear	Shimano Tourney TY500D
Shifters	Shimano Revo Twist
Chain	KMC Z-7RB
Crankset	Prowheel, Aluminum, 44T Black, 165mm
Motor	Zhang Ying Motor 36V x 250W, 45Nm, Class II
Battery	Lithium 36V x 12.8Ah, 460Wh
Freewheel / Cassette	Shimano Tourney, Freewheel, 14-28, 7-Speed
Pedals	Wellgo Platform
Seatpost	Promax, Aluminum, Micro-Adjust, 27.2x300mm
Saddle	KHS Sport, Dual Density
Handlebar	Aluminum 100 rise 15 degree, 620mm
Stem	Aluminum Quill, 80mm
Grips	Comfort Kraton
Brake Levers	Bengal Aluminum Linear Pull Trekking 3 Finger w/Sensor Control
Brakes	Promax, TX-117L, Linear Pull
Frame Size	One
Extras	Front & Rear Lights, Aluminum Rear Carrier, Kickstand, Bell, Front Basket, Fenders

GEOMETRY


SIZE	A s/t c-t	B h/t"	C s/t"	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
16	400 / 15.7	71"	71"	574 / 22.6	420 / 16.5	277 / 10.9	0 / 0	130 / 5.1	477 / 18.8	410 / 16.1



FEATURES

8 Speed
 Bafang RMG020-500DC, 48V Motor, Class II
 Lithium 48V x 10.5Ah, 504Wh battery
 Aluminum frame
NEW MODEL FOR 2021
 MSRP: \$1799-1899

PART #	MODEL	SIZE	COLOR
89-107-9000	MOVO 1.0E	L	DARK GRAY
89-107-9001	MOVO 1.0E STEP-THRU	S	COUNTY BLUE
89-107-9002	MOVO 1.0E STEP-THRU	M	COUNTY BLUE



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
L	450 / 17.7	69°	68.5°	630 / 24.8	470 / 18.5	287 / 11.3	780 / 30.7	205 / 8.1	598 / 23.5	394 / 15.5
S/Step	350 / 13.8	69°	68.5°	600 / 23.6	470 / 18.5	287 / 11.3	0 / 0	175 / 6.9	570 / 22.4	375 / 14.8
M/Step	400 / 15.7	69°	68.5°	615 / 24.2	470 / 18.5	287 / 11.3	0 / 0	190 / 7.5	584 / 23	385 / 15.1

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T w/Replaceable Derailleur Hanger, Internal Cable Routing
Fork	Aluminum Straight Leg w/CrMo Steerer, Disc Mount
Headset	1-1/8" Threadless, Zero Stack w/Aluminum Conical Top Cap
Rims	Alex EV-23 Aluminum Double Wall, 26x36H
Hub, Front	Aluminum Disc w/CNC Rotor Flange, QR
Hub, Rear	Bafang, Drum Motor
Tires	Kenda Khan, 26 x 2.35" w/Anti-Puncture
Spokes	14G Black, 36x36, Rear: 13G
Derailleur, Rear	Shimano Altus RD-M310
Shifters	Shimano SL-M315 Trigger
Chain	KMC E8S
Crankset	Samox Forged, 36T w/Guard, 170mm
Motor	Bafang RMG020-500DC, 48V x 500W, 45Nm, Class II
Battery	Lithium 48V x 10.5Ah, 504Wh
Freewheel / Cassette	Shimano CS-HG31-8, 11-34T, 8-Speed
Pedals	Wellgo Platform w/Non-slip Tread, DU Bearings
Seatpost	Aluminum Suspension
Saddle	DDK Wide Comfort, Memory Foam w/Elastomer Spring
Handlebar	Aluminum 100mm rise/660mm
Stem	Aluminum Threadless, 17 Degree
Grips	Comfort Kraton
Brake Levers	Bengal Aluminum Linear Pull Trekking 3 Finger w/Sensor Control
Brakes	Radius Cable Disc BR-CX7, 160mm Rotors w/ABS System
Frame Size	Mens: L, Step-Thru: S,M
Extras	Aluminum Rear Carrier, Kickstand, Bell

TANDEM MILANO



FEATURES

20 Speed

Aluminum frame

2x10 drivetrain

Cable disc brakes

NEW OR CHANGED FOR 2021

Kenda Kwick Roller Sport K-1029, 700x32c, 60 TPI tires


Shimano GRX RD-RX400 rear derailleur

Shimano CS-HG50, 11-36T cassette

12mm axles w/ 220mm rotors

MSRP: \$2199-2399

PART #	MODEL	SIZE	COLOR
89-402-9000	TANDEM MILANO	S	DARK GRAY
89-402-9001	TANDEM MILANO	M	DARK GRAY



BIKE SPECS

Frame	6061 Aluminum, TIG welded w/Disc Tab, 12 x 148 Thru-axle
Fork	Oversized CrMo Unicrown, 1.5 Taper, 12 x 110 Thru-axle
Headset	FSA Orbit 1.5E ZS, 1-1/8"~1.5", Aluminum Cap
Rims	Weinmann XC180 Disc, Double Wall, w/Eyelets
Hub, Front	Powerway 12x110 Thru-axle, Sealed Bearing, Disc
Hub, Rear	Powerway 12x148 Thru-axle, Cassette. Sealed Bearing, Disc
Tires	Kenda Kwick Roller Sport K-1029, 700 x 32c, 60TPI Iron Cap
Spokes	14G Black, 40x40
Derailleur, Front	Shimano Tiagra, 31.8mm
Derailleur, Rear	Shimano GRX RD-RX400
Shifters	Shimano Tiagra STI
Chain	KMC X10 w/ missing link
Crankset	Driveline 2-pc Aluminum Forged Tandem, Captain: 50/34T, 175mm, Stoker: 39T, 170
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG50, 11-36T, 10-Speed
Seatpost	Captain: Aluminum Micro Adj., 27.2, Stoker: Aluminum Suspension, Micro Adj, 27.2
Saddle	KHS Road Padded & Ladies Road Padded w/ handles
Handlebar	FSA Vero Aluminum Compact Drop, Double Butted, 31.8mm
Stem	Captain: Threadless 3D Forged, 17D, 31.8mm, 90mm, Stoker: Aluminum, 35 Degree Adjustable
Grips	Cushion Tape
Brake Levers	Shimano Tiagra STI
Brakes	Bengal MB700T, Mechanical Disc, 220mm Rotors
Frame Size	S: 20" x 16", M: 23" x 21"

GEOMETRY

SIZE	A s/t c-t	A° s/t c-t	B h/t°	C s/t°	C° s/t°	D t/t	D° t/t	E c/s	F BB Height	G rake	H s.o.	H° s.o.	I h/t L
S	510 / 20.1	410 / 16.1	73	73	73	569 / 22.4	717 / 28.2	436 / 17.2	298 / 11.7	50 / 1.97	780 / 30.7	632 / 24.9	135 / 5.3
M	582 / 22.9	541 / 21.3	73	73	73	591 / 23.3	717 / 28.2	436 / 17.2	298 / 11.7	50 / 1.97	824 / 32.4	763 / 30	150 / 5.9

TANDEM CROSS



WTB
27.5 x 47c Plus Tires

FEATURES

27 Speed

Aluminum frame

Shimano drivetrain


WTB STI 25 Disc, Double Wall, Tubeless Ready rims

NEW OR CHANGED FOR 2021

WTB STI 25 Disc, Double Wall, Tubeless Ready rims
12mm axles w/ 220 rotors

MSRP: \$1899-1999

PART #	MODEL	SIZE	COLOR
89-403-9002	TANDEM CROSS	S	GREEN
89-403-9003	TANDEM CROSS	M	GREEN



BIKE SPECS

Frame	6061 Aluminum, TIG welded w/Disc Tab, 12 x 148 Thru-axle
Fork	Oversized CrMo Unicrown, 1.5 Taper, 12 x 110 Thru-axle
Headset	FSA Orbit 1.5E ZS, 1-1/8"~1.5", Aluminum Cap
Rims	WTB STI 25 (27.5) Disc, Double Wall, Tubeless-Ready
Hub, Front	Powerway 12x110 Thru-axle, Sealed Bearing, Disc
Hub, Rear	Powerway 12x148 Thru-axle, Cassette. Sealed Bearing, Disc
Tires	WTB Byway 650B x 47mm
Spokes	14G Black, 40x40
Derailleur, Front	Shimano Sora, 31.8mm
Derailleur, Rear	Shimano Deore
Shifters	Shimano Sora Trigger
Chain	KMC Z99 w/ missing link
Crankset	Drive Line 2-pc Aluminum Forged Tandem, Captain: 50/39/30T, 175mm, Stoker: 39T, 170mm
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Shimano HG20-9, 11-36T, 9-Speed
Seatpost	Captain: Aluminum Micro Adj, 27.2, Stoker: Aluminum Suspension, Micro Adj, 27.2
Saddle	KHS Road Padded & Ladies Road Padded with handles
Handlebar	F: Aluminum Riser 31.8mm, R: Aluminum Riser
Stem	Captain: Threadless 3D Forged, 25D, 31.8mm, 90mm, Stoker: Aluminum, 35 Degree Adjustable
Grips	KHS Sport, Dual Compound
Brake Levers	Promax Aluminum Linear Pull
Brakes	Bengal MB700, Mechanical Disc, 220mm Rotors
Frame Size	S: 20" x 16", M: 23" x 21"

GEOMETRY

SIZE	A s/t c-t	A° s/t c-t	B h/t°	C s/t°	C° s/t°	D t/t	D° t/t	E c/s	F BB Height	G rake	H s.o.	H° s.o.	I h/t L
S	510 / 20.1	410 / 16.1	73	73	73	569 / 22.4	717 / 28.2	440 / 17.3	298 / 11.7	50 / 1.97	780 / 30.7	632 / 24.9	135 / 5.3
M	582 / 22.9	541 / 21.3	73	73	73	591 / 23.3	717 / 28.2	440 / 17.3	298 / 11.7	50 / 1.97	824 / 32.4	763 / 30	150 / 5.9

TANDEM SPORT



FEATURES

27 Speed

Steel frame

Shimano drivetrain

Bengal disc brakes

NEW OR CHANGED FOR 2021

12mm front & rear axles


Shimano Alivio Rapidfire shifters

KHS Ultra Comfort, Soft Shell w/ handles saddles

220mm rotors

MSRP: \$1599-1699

PART #	MODEL	SIZE	COLOR
89-400-9002	TANDEM SPORT	S	BLACK
89-400-9003	TANDEM SPORT	M	BLACK



BIKE SPECS

Frame	Hi-Tensile w/CrMo Seat & Down Tube, w/Disc Tab, 12 x 148 Thru-axle
Fork	Oversized CrMo Unicrown, 1.5 Taper, 12 x 110 Thru-axle
Headset	FSA Orbit 1.5E ZS, 1-1/8"~1.5", Aluminum Cap
Rims	Weinmann U28 Disc, Double Wall, w/ eyelets
Hub, Front	Powerway 12x110 Thru-axle, Sealed Bearing, Disc
Hub, Rear	Powerway 12x148 Thru-axle, Cassette. Sealed Bearing, Disc
Tires	Kenda Kwick Drumlín K1216, 26 x 2.2", 60TPI w/K-Shield
Spokes	14G Black, 40x40
Derailleur, Front	Shimano Acera, 28.6mm
Derailleur, Rear	Shimano Alivio
Shifters	Shimano Alivio Rapidfire
Chain	KMC Z9 w/MissingLink
Crankset	Drive Line 2-pc Aluminum Forged Tandem, Captain: 44/32/22T, 175mm, Stoker: 38T, 170mm
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200-9, 11-34T, 9-Speed
Pedals	Wellgo C28DU, All Aluminum w/DU Bearing
Seatpost	Captain: Aluminum Micro Adjust, 26, Stoker: Suspension, 26
Saddle	KHS Ultra Comfort, Soft Shell w/Handles
Handlebar	F: Aluminum Riser 31.8mm, R: Aluminum Riser
Stem	Captain: Threadless 3D Forged, 25D, 31.8mm, 90mm, Stoker: Aluminum, 35 Degree Adjustable
Grips	Q2 Lock-on
Brake Levers	Promax Aluminum Linear Pull
Brakes	Bengal MB700, Mechanical Disc, 220mm Rotors
Frame Size	S: 18" x 16", M: 20" x 16"

GEOMETRY

SIZE	A s/t c-t	A° s/t c-t	B h/t°	C s/t°	C° s/t°	D t/t	D° t/t	E c/s	F BB Height	G rake	H s.o.	H° s.o.	I h/t L
S	475 / 18.7	405 / 15.9	72.5	73	73	572 / 22.5	699 / 27.5	440 / 17.3	285 / 11.2	50 / 2	710 / 28	657 / 25.9	145 / 5.7
M	515 / 20.3	405 / 15.9	72.5	73	73	598 / 23.5	699 / 27.5	440 / 17.3	285 / 11.2	50 / 2	762 / 30	669 / 26.3	160 / 6.3

TANDEM AERO DUO



FEATURES

7 Speed
Low Step-thru steel frame
Shimano 7 Speed drivetrain
Aluminum rims
MSRP: \$699-769

PART #	MODEL	SIZE	COLOR
--------	-------	------	-------

89-404-0000	TANDEM AERO DUO	ONE	RED
-------------	-----------------	-----	-----

BIKE SPECS

Frame	TIG-welded Hi-Tensile Steel
Fork	Hi-Tensile Unicrown
Headset	Threaded 1 1/8"
Rims	Aluminum 26" double wall
Hub, Front	Aluminum Nuted
Hub, Rear	Aluminum Nuted cassette
Tires	26 x 2.125", White Wall
Spokes	13G Stainless, 36x36
Derailleur, Rear	Shimano M310 Altus
Shifters	Shimano Revo
Chain	KMC Z7
Crankset	Aluminum Forged, 3-pc, 40T
BB	Cartridge Bearing
Freewheel / Cassette	Shimano Cassette, 12-32T, 7-Speed
Pedals	Resin Platform
Seatpost	Chrome Plated Steel
Saddle	Foam Padded w/ Coil Springs
Handlebar	Chrome Plated Cruiser
Stem	Aluminum Quill
Grips	Black
Brake Levers	Aluminum Linear Pull
Brakes	Aluminum Linear Pull, Long Reach
Frame Size	One
Extras	Fenders, Kickstand

FOLDING

AMERICANO

(T20)



FEATURES

27 Speed
4130 CrMo Folding Frame
Shimano Shifting System
Rack & Fenders
MSRP: \$1699-1799

PART #	MODEL	SIZE	COLOR
89-405-9000	TANDEM AMERICANO T20 FOLDING	ONE	

BIKE SPECS

Frame	Folding, 4130 CrMo Tubing w/Carrier Bosses
Fork	Full CrMo Unicrown, w/Fender Bosses
Headset	Aluminum Threaded 1-1/8"
Rims	Weinmann SP-17, 20"x32H, Double Wall w/CNC Side Wall
Hub, Front	Formula Aluminum QR
Hub, Rear	Formula Aluminum QR, Cassette
Tires	Maxxis Gypsy M2015, 20x1.5" w/Silkworm
Spokes	14G Stainless, 32x32
Derailleur, Front	MicroShift FD-R539 Braze On
Derailleur, Rear	Shimano 105 RD-R5701
Shifters	Shimano Sora Trigger
Chain	KMC Z9
Crankset	Drive Line 3-pc Aluminum Forged, 52/42/30T
BB	ISIS Cartridge Bearing
Freewheel / Cassette	SRAM PG-950, 11-28T, 9-Speed
Pedals	VP VPE-527 Aluminum Platform w/DU Bearing
Seatpost	Aluminum 2-bolt FT, Aluminum Suspension RR
Saddle	KHS Sport
Handlebar	Aluminum Riser
Stem	Captain: Threadless 3D Forged, 10D, 25.4mm, Stoker: Aluminum, 35 Degree Adjustable
Grips	Velo Ergo Triple Density
Brake Levers	Tektro BL-39B Linear Pull with Bell
Brakes	Tektro Linear Pull
Frame Size	1-size
Extras	Rear Carrier, Fenders, Pannier Bags, Kickstand

FOLDING

CAPPUCCINO

(F20-T3B)



FEATURES

30 Speed

Reynolds 500 Soft-Tail Folding Frame

Shimano Shifting System

MSRP: \$1149-1249

PART #	MODEL	SIZE	COLOR
89-202-9000	F20-T3B CAPPUCCINO FOLDING	ONE	WHITE

BIKE SPECS

Frame	KHS Soft-Tail Folding, Reynolds 500 CrMo
Fork	Full Aluminum Unicrown
Headset	FSA Threadless 1-1/8"
Rims	Weinmann SP-17, 20"x32H, Double Wall w/CNC Side Wall
Hub, Front	Formula Aluminum QR
Hub, Rear	Formula Aluminum QR, Cassette
Tires	Maxxis Torch, 20x1-1/8" w/Silkworm
Spokes	14G Stainless, 32x32
Derailleur, Front	Shimano Tiagra
Derailleur, Rear	Shimano Tiagra
Shifters	Shimano Tiagra Triggers
Chain	KMC X10 w/MissingLink
Crankset	Shimano Tiagra 2-pc, 50/39/30T
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS-HG500-10, 11-32T, 10-Speed
Pedals	VP-465 Aluminum 1-pc
Seatpost	Aluminum Micro-adjust, 27.2x400mm
Saddle	KHS Road Padded
Handlebar	Aluminum Riser
Stem	Aluminum Forged, Threadless 2-bolt
Grips	Velo Ergo Triple Density
Brake Levers	Promax BL-39B Linear Pull with Bell
Brakes	Tektro Linear Pull
Frame Size	1-size
Extras	Kickstand

FOLDING

MOCHA

(F20-JJ)



FEATURES

16 Speed
4130 CrMo Folding Frame
Micro-Shift Shifting System
Alloy Chainguard
MSRP: \$599-659

PART #	MODEL	SIZE	COLOR
89-201-9000	F20-JJ MOCHA FOLDING	ONE	RED

BIKE SPECS

Frame	4130 Full CrMo Folding
Fork	Full CrMo Unicrown
Headset	Aluminum Threaded 1-1/8"
Rims	Weinmann SP-17, 20"x32H, Double Wall w/CNC Side Wall
Hub, Front	Formula Aluminum QR
Hub, Rear	Formula Aluminum QR, Cassette
Tires	Innova IA-2023, 20 x 1.35"
Spokes	14G Stainless, 32x32
Derailleur, Front	MicroShift FD-R42-F Braze On
Derailleur, Rear	MicroShift RD-M45S
Shifters	MicroShift TS73-8 Triggers
Chain	KMC Z8.3
Crankset	Driveline Forged, 50/34 w/Aluminum Guard
BB	Cartridge Bearing
Freewheel / Cassette	Shimano HG40, 11-30T, 8-Speed
Pedals	Nylon Platform
Seatpost	Aluminum Micro-adjust, 27.2x400mm
Saddle	KHS Sport
Handlebar	Aluminum Riser
Stem	Aluminum Forged, Threadless 2-bolt
Grips	Velo Ergo Triple Density
Brake Levers	Promax BL-39B Linear Pull with Bell
Brakes	Tektro Linear Pull
Frame Size	1-size
Extras	Kickstand

FOLDING

EXPRESSO

(F16-D)



FEATURES

6 Speed
6061 Alloy Folding Frame
Shimano Shifting System
Alloy Chainguard
MSRP: \$439-479

PART #	MODEL	SIZE	COLOR
89-203-9000	F16-D EXPRESSO FOLDING	ONE	BLUE

BIKE SPECS

Frame	6061 Aluminum Folding
Fork	Hi-Tensile Unicrown
Headset	Threaded 1-1/8"
Rims	Aluminum 16", 28H
Hub, Front	Aluminum Nuted
Hub, Rear	Aluminum Nuted
Tires	16x1.75" Street
Spokes	14G, 28x28
Derailleur, Rear	Shimano RD-FT35
Shifters	Shimano Revo
Chain	KMC Z6
Crankset	Prowheel Forged Aluminum, 40T w/Dual Guard
BB	Square Taper
Freewheel / Cassette	Shimano MF-TZ500, 14-28T 6-Speed
Pedals	Foldable right side
Seatpost	Aluminum 31.8mm x 500mm
Saddle	KHS Sport
Handlebar	Aluminum
Stem	Aluminum Foldable, Telescoping
Grips	Black
Brake Levers	Promax Aluminum Linear Pull
Brakes	Promax Aluminum Linear Pull
Frame Size	1-size
Extras	Kickstand

FOLDING

LATTE

(F20A-H7)



FEATURES

7 Speed
6061 Alloy Folding Frame
Shimano Shifting System
Rack & Fenders
MSRP: \$449-489

PART #	MODEL	SIZE	COLOR
89-200-9000	F20-H7 LATTE FOLDING	ONE	BLACK
89-200-9001	F20-H7 LATTE FOLDING	ONE	WHITE

BIKE SPECS

Frame	6061 Aluminum Folding w/Carrier Bosses
Fork	Hi-Tensile Unicrown
Headset	Threaded 1-1/8"
Rims	Aluminum 20", 20H Ft x 28H RR
Hub, Front	Aluminum QR
Hub, Rear	Aluminum Nuted
Tires	Kenda K909A, 20 x 1.75" Slick
Spokes	14G, 28x28
Derailleur, Rear	Shimano RD-FT35
Shifters	Shimano Revo
Chain	KMC Z-51
Crankset	Prowheel Forged Aluminum, 52T w/Aluminum Guard
BB	VP-B32
Freewheel / Cassette	Shimano MF-TZ21, 14-28T, 7-Speed
Pedals	Foldable right side
Seatpost	Aluminum 33.9 x 530mm
Saddle	KHS Comfort
Handlebar	Aluminum Riser
Stem	Aluminum Foldable, Telescoping
Grips	Black
Brake Levers	Linear Pull
Brakes	Aluminum Linear Pull
Frame Size	1-size
Extras	Rear Carrier, Fenders, Kickstand

SPECIALTY

IPED



FEATURES

3 Speed
6061 Alloy Frame
Bell & kickstand
MSRP: \$459-499

PART #	MODEL	SIZE	COLOR
89-900-9001	iPED 3 Speed	ONE	RED

BIKE SPECS

Frame	AL 6061 Alloy
Fork	High-Tensile steel
Headset	1-1/8 Threaded
Rims	Weinmann Alloy, 12" FT, 16" RR
Hub, Front	Alloy QR
Hub, Rear	3 Speed =Shimano Nexus 3S, RR w/ Coaster Brake
Tires	Front 12x1.75 , Rear 16x1.5
Spokes	14G Stainless 16x28°
Shifters	Microshift Twist
Chain	KMC 410
Crankset	Alloy w/ 40T
BB	Semi-Cartridge
Freewheel / Cassette	Shimano HG40, 18T
Pedals	Foldable
Seatpost	Alloy micro-adjust
Saddle	KHS Comfort
Handlebar	Alloy Riser
Stem	Alloy foldable, Telescoping
Brake Levers	Tektro Alloy
Brakes	Promax Alloy Linear Pull
Extras	Bell, Kickstand

SPECIALTY

K9

DWS™ (DUAL WHEEL SIZING)

S M L XL
27.5 29 29 29



FEATURES

9 Speed
Aluminum frame
100mm SRXCT30 fork
Shimano hydraulic disc brakes

NEW OR CHANGED FOR 2021


Aluminum 32 tooth crank
Outboard BB

MSRP: \$649-709

PART #	MODEL	SIZE	COLOR
89-012-0330	K9 POLICE	S	MATTE BLACK
89-012-0340	K9 POLICE	M	MATTE BLACK
89-012-0350	K9 POLICE	L	MATTE BLACK
89-012-0360	K9 POLICE	XL	MATTE BLACK

DWS™ (DUAL WHEEL SIZING)

S M L XL
27.5 29 29 29



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effctv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	67.5°	73°	591 / 23.3	430 / 16.9	307 / 12.1	701 / 27.6	90 / 3.5	608 / 23.9	405 / 16
M/17	432 / 17	67.5°	73°	612 / 24.1	430 / 16.9	307 / 12.1	731 / 28.8	100 / 3.9	617 / 24.3	423 / 16.6
L/19	483 / 19	67.5°	73°	635 / 25	430 / 16.9	307 / 12.1	763 / 30	115 / 4.5	631 / 24.8	442 / 17.4
XL/21	533 / 21	67.5°	73°	659 / 25.9	430 / 16.9	307 / 12.1	795 / 31.3	130 / 5.1	645 / 25.4	462 / 18.2

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T, w/Replaceable Derailleur Hanger, XS-S:27.5", M-XL:29", Internal Cable Routing
Fork	SR XCT30, HLO. 100mm, Hydraulic Lock-Out, Preload Adj, S:27.5", M-XL:29"
Headset	Threadless Zero Stack, 1-1/8
Rims	Aluminum Disc Double Wall, S:27.5x32H, M-XL: 29x32H
Hub, Front	Aluminum Disc w/CNC Rotor Flange, QR
Hub, Rear	Aluminum Disc w/CNC Rotor Flange, QR, Cassette
Tires	Kenda Knobby, S:27.5 x 2.25", M-XL: 29 x 2.25"
Spokes	14G Black 32x32
Derailleur, Rear	S-Ride RD-M300C 9s
Shifters	S-Ride SL-M300C 9s
Chain	KMC X9 w/MissingLink
Crankset	Aluminum 2-pc, 32T Narrow/Wide, XS-M:170mm, L-XL:175mm
BB	Outboard Cartridge Bearing
Freewheel / Cassette	CS-M300C 11-42T, 9-Speed
Pedals	Resin ATB Platform w/DU Bearings
Seatpost	KHS Aluminum Micro-Adjust 31.6
Saddle	KHS Sport
Handlebar	KHS Aluminum Riser, 31.8mm, 720x20mm, Ladies:680x20mm
Stem	KHS Aluminum Threadless 4-bolt, 6-degree, 31.8mm, XS-S:60mm, M:75mm, L-XL:90mm
Grips	KHS Sport
Brake Levers	Shimano MT200
Brakes	Shimano MT200 Hydraulic Disc, f:180/r:160mm Rotors, Wave '12'
Frame Size	27.5"=S/15, 29"= M/17, L/19, XL/21
Extras	Aluminum Rear Carrier Bag, Kickstand, Water Bottle Cages

SPECIALTY TRIKE



Alloy Frame

FEATURES

1, 3, or 7 Speed

BIG Baskets for Shopping

Steel or alloy frame

Available in single speed with 3 or 7 speed kits

MSRP: **Alloy** 1-Speed: \$629-689
Steel 1-Speed: \$569-619
 3 & 7 Speed Conversion Kits: \$129

PART #	MODEL	SIZE	COLOR
89-600-9000	TRICYCLE 1 SPEED - ALLOY	ONE	CHAMPAGNE
89-600-9001	TRICYCLE 1 SPEED - ALLOY	ONE	RED
89-601-9000	TRICYCLE 1 SPEED - STEEL	ONE	CHAMPAGNE
89-601-9001	TRICYCLE 1 SPEED - STEEL	ONE	BLUE
89-601-9002	TRICYCLE 1 SPEED - STEEL	ONE	MINT
89-601-9003	TRICYCLE 1 SPEED - STEEL	ONE	RED
50-179-1026	3 SPEED CONVERSION KIT	ONE	N/A
50-179-1027	7 SPEED CONVERSION KIT	ONE	N/A



Steel Frame

BIKE SPECS

Frame	Alloy: Aluminum 7005 Steel: TIG-welded Hi-Tensile Steel
Fork	Hi-Tensile Unicrown
Headset	Threaded 1"
Rims	Aluminum 24"
Hub, Front	Steel Notted
Hub, Rear	Coaster Rear
Tires	24 x 1.75" Aluminum: White Sidewall Steel: Black
Spokes	14G, 36x36
Chain	KMC Z410
Crankset	1-piece Steel, Chrome Plated, 36T
BB	Ball Bearing
Freewheel / Cassette	20T
Pedals	Platform w/Non-slip Tread
Seatpost	Chrome Plated Steel
Saddle	Foam Padded w/ Coil Springs
Handlebar	Chrome Plated Steel, 650 Wide, 215 Rise
Stem	Aluminum Quill
Grips	Black
Brake Levers	Aluminum
Brakes	Coaster Rear, Aluminum Linear Pull Front
Frame Size	One
Extras	Aluminum: Front & Rear Baskets, Fenders, Bell, 3-Speed & 7-Speed Conversion Kits Steel: Rear Basket, Fenders, Bell, 3-Speed & 7-Speed Conversion Kits



KHS Bicycles
2840 East Harcourt St.
Rancho Dominguez, CA 90221
310.632.7173