

KHS



DEALER CATALOG
khsbicycles.com | 2023/24



KHS BICYCLES

A Global Leader for More Than 40 Years!

OVERVIEW

KHS Bicycles is one of the most respected names in cycling and has been for more than 40 years! KHS continues to grow and expand its manufacturing and worldwide distribution of bicycles based on the principles of providing quality, performance, and value. KHS Co. Ltd. manufactures bicycles, parts, accessories, motorcycles, and musical instruments in factories fully owned by the company.

BRANDS OF CHAMPIONS

KHS, and its family of related brands including Free Agent BMX, Manhattan Cruisers, Q2, and Ultracycle Components, has a rich history in bicycle racing. KHS sponsored riders have won countless races, championships, and set world records. This includes 2 Olympic Gold Medals, 10 World Championships, dozens of National Championships in numerous countries, State Championships and more. KHS has also been the bicycle of choice of amateur athletes, NCAA Champion teams, and hundreds of school, amateur and regional teams around the world.

FAMOUS KHS RACERS

Kailey Skelton – U.S. National Downhill Women's Champion

Steven Walton – U.S. National Downhill Champion

Seamus Powell – 2 time U.S. National Enduro Champion

Logan Binggeli – 2 time U.S. Pro GRT Series Champion and U.S. National Downhill Champion

Kevin Aiello – U.S. Pro GRT Series Champion

Maris Strombergs – 2 time Olympic BMX Gold Medalist

Melissa Buhl – Multi-time U.S. National and UCI World Champion Downhill

John Howard – 13 U.S. National Champion, Ironman Triathlon Winner, World Speed Record

Logan Loader – U.S. National Time Trial Champion

Dave Cullinan – World Champion Downhill MTB

Cindy Whitehead – U.S. National Cyclocross Champion

Cheri Elliot – U.S. National Downhill and Dual Slalom Champion

Katrina Miller – UCI Dual Slalom Champion

Kyle Bennett – Multi-time ABA National Champion, UCI World Champion, and Olympic athlete

Dale Holmes – Most awarded UK BMX racer of all time, multi-time British National and UCI World Champion

Tom Haugen – Vans Triple Crown Winner, X-Games Medalist

Daniel Sandoval – BMX Park, X-Games Champion





KHS ACCOMPLISHMENTS

- 1953** KHS Co. Ltd. founded to build motorcycles under license from Yamaha
- 1974** KHS Inc. and KHS brand of bicycles founded in U.S.
- 1974** KHS Co. Ltd. launches bicycle factory in Taiwan
- 1979** First Taiwan-made bicycle to enter U.S. market with Reynolds 531 tubing
- 1996** Mountain Biking "Bike of the Year"
- 1997** Bicycling Magazine "Editor's Choice"
- 1998** Mountain Bike Action's "Best Value" full suspension bike under \$1000
- 1998** First company to introduce "softtails" into U.S. market
- 2002** Voted U.S. Bicycle Dealers "Preferred Bicycle and Parts Distributor"
- 2004** Mountain Bike Action's "10 out of 10" dual suspension bike
- 2008** KHS Racer Melissa Buhl U.S. National Downhill, Dual Slalom and 4x National Champion
- 2012** Free Agent rider, Maris Stombergs, wins Gold in BMX at the London Olympics
- 2012** Logan Binggeli Wins Pro GRT Series National Downhill Championship on KHS DH-650B
- 2014** KHS 7500 Nominated Industry Bike of the Year
- 2014** Kevin Aiello Wins Pro GRT Series National Downhill Championship
- 2017** Seamus Powell Wins U.S. National Enduro Championships
- 2018** Seamus Powell Wins U.S. National Enduro Championships
- 2020** Steven Walton Wins U.S. National Downhill Championship
- 2021** Kailey Skelton Wins U.S. National Women's Downhill Championship
- 2022** Kailey Skelton Wins U.S. National Women's Downhill Championship

KHS TODAY

- KHS bicycles are distributed in more than 35 countries worldwide
- KHS owns and operates numerous bicycle and related brands including KHS Bicycles, Free Agent BMX, Manhattan Cruisers, Q2 quality bicycle parts, UltraCycle parts and accessories, and Robix exercise equipment
- KHS management team has more than 200 years combined bicycle industry experience
- More than 100,000 sq. ft. of manufacturing facilities
- KHS continues to grow its global business on the principles of delivering quality, value and performance



ROAD – RACING

FLITE 900



FEATURES

24 Speed

Carbon frame & fork new design full internal cables

Shimano RS-710 full carbon disc tubeless ready wheelset

Ultegra electronic Di2 w/ hydraulic disc brakes

NEW OR CHANGED FOR 2023

Carbon frame & fork new design full internal cables

KHS Team saddle

Ultegra electronic Di2 w/ hydraulic disc brakes

Shimano RS-710 full carbon disc tubeless ready wheelset


PART #	MODEL	SIZE	COLOR
93-221-0000	FLITE 900	XS	MATTE BLACK
93-221-0001	FLITE 900	S	MATTE BLACK
93-221-0002	FLITE 900	M	MATTE BLACK
93-221-0003	FLITE 900	M/L	MATTE BLACK
93-221-0004	FLITE 900	L	MATTE BLACK
93-221-0005	FLITE 900	XL	MATTE BLACK

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D U/effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/49	430 / 16.9	70.5°	74°	509 / 20	410 / 16.1	273 / 10.7	733 / 28.9	113 / 4.4	515 / 20.3	361 / 14.2
S/52	445 / 18.3	71.5°	74°	526 / 20.7	410 / 16.1	276 / 10.8	765 / 30.1	138 / 5.4	539 / 21.2	372 / 14.6
M/54	490 / 19.3	72.5°	73°	545 / 21.5	410 / 16.1	276 / 10.8	786 / 30.9	153 / 6	559 / 22	380 / 15
M/L/56	505 / 19.9	72.5°	73°	565 / 22.2	410 / 16.1	276 / 10.8	802 / 31.6	173 / 6.8	578 / 22.8	388 / 15.3
L/58	525 / 20.7	72.5°	73°	580 / 22.8	410 / 16.1	278 / 10.9	825 / 32.5	190 / 7.5	600 / 23.6	397 / 15.6
XL/61	560 / 22	72.5°	72.5°	603 / 23.7	415 / 16.3	278 / 10.9	853 / 33.6	223 / 8.8	623 / 24.5	407 / 16

BIKE SPECS

Frame	KHS Toray High Modulus T800SC(60%)/M40JB(40%) Full Carbon Monocoque, Replaceable Derailleur Hanger, Front/Rear Thru-Axle
Fork	KHS Pro Full Carbon, 1.5 Taper
Headset	FSA SSR/ACR 1.5" Integrated
Rims	Shimano RS-710 Disc, Tubeless Ready, Full Carbon, C46
Hub, Front	Shimano RS-710 Disc, 12x100mm
Hub, Rear	Shimano RS-710 Disc, 12x142mm
Tires	Kenda Valkyrie, 700x28C, 120TPI, Folding, Tubeless Ready, RC3, KSCT
Spokes	Shimano RS-710, 24x24
Derailleur, Front	Shimano Ultegra, Di2 FD-R8150
Derailleur, Rear	Shimano Ultegra, Di2 RD-R8150
Shifters	Shimano Ultegra, Di2 ST-R8170, Hydraulic
Chain	Shimano Ultegra, CN-M710D, 12s
Crankset	Shimano Ultegra FC-R8100, 52/36T, Mid Compact, XS:165, S:170, M-ML:172.5, L-XL:175
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano Ultegra CS-R8100, 11-34, 12-Speed
Seatpost	FSA SLK Carbon 27.2x350
Saddle	KHS Team Road Cut Out
Handlebar	FSA Trimax Aero, XS-S:40cm, M-ML:42cm, L-XL:44cm
Stem	FSA SMR, XS-S:90mm, M-ML:100mm, L-XL:110mm
Grips	Anti Slip Cushion Tape
Brake Levers	Shimano Ultegra ST-8170 Hydraulic
Brakes	Shimano Ultegra, BR-R8170 Hydraulic Disc, Flat Mount w/160mm Shimano CTR Lock Ice Tech Rotors
Frame Size	XS/49, S/52, M/54, ML/56, L/58, XL/61



All specs and photos are subject to change without notice.



ROAD – RACING

FLITE 750



FEATURES

24 Speed


Carbon frame & fork new design full internal cables

Shimano 105 electronic Di2 w/ hydraulic disc brakes

NEW OR CHANGED FOR 2023

Shimano 105 electronic Di2 w/ hydraulic disc brakes
Shimano RS-710 full carbon disc tubeless ready wheelset
KHS Team saddle

PART #	MODEL	SIZE	COLOR
93-220-0000	FLITE 750	XS	METALLIC RED
93-220-0001	FLITE 750	S	METALLIC RED
93-220-0002	FLITE 750	M	METALLIC RED
93-220-0003	FLITE 750	M/L	METALLIC RED
93-220-0004	FLITE 750	L	METALLIC RED
93-220-0005	FLITE 750	XL	METALLIC RED



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
XS/49	430 / 16.9	70.5°	74°	509 / 20	410 / 16.1	273 / 10.7	733 / 28.9	113 / 4.4	515 / 20.3	361 / 14.2
S/52	465 / 18.3	71.5°	74°	526 / 20.7	410 / 16.1	276 / 10.8	765 / 30.1	138 / 5.4	539 / 21.2	372 / 14.6
M/54	490 / 19.3	72.5°	73°	545 / 21.5	410 / 16.1	276 / 10.8	786 / 30.9	153 / 6	559 / 22	380 / 15
M/L/56	505 / 19.9	72.5°	73°	565 / 22.2	410 / 16.1	276 / 10.8	802 / 31.6	173 / 6.8	578 / 22.8	388 / 15.3
L/58	525 / 20.7	72.5°	73°	580 / 22.8	410 / 16.1	278 / 10.9	825 / 32.5	190 / 7.5	600 / 23.6	397 / 15.6
XL/61	560 / 22	72.5°	72.5°	603 / 23.7	415 / 16.3	278 / 10.9	853 / 33.6	223 / 8.8	623 / 24.5	407 / 16

BIKE SPECS

Frame	KHS Toray High Modulus T800SC(60%)/M40JB(40%) Full Carbon Monocoque, Replaceable Derailleur Hanger, Front/Rear Thru-Axle
Fork	KHS Pro Full Carbon, 1.5 Taper
Headset	FSA SSR/ACR 1.5" Integrated
Rims	Shimano RS-710 Disc, Tubeless Ready, Full Carbon, C46
Hub, Front	Shimano RS-710 Disc, 12x100mm
Hub, Rear	Shimano RS-710 Disc, 12x142mm
Tires	Kenda Valkyrie, 700x28C, 120TPI, Folding, Tubeless Ready, RC3, KSCT
Spokes	Shimano RS-710, 24x24
Derailleur, Front	Shimano 105 Di2 FD-R7150
Derailleur, Rear	Shimano 105 Di2 RD-R7150 GS
Shifters	Shimano 105 Di2 ST-R7170, Hydraulic
Chain	Shimano Ultegra, CN-M710D, 12s
Crankset	Shimano 105 FC-R7100, Outboard Bearing, 52x36 Mid Compact, XS:165, S:170, M-ML:172.5, L-XL:175
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS-HG710, 11/36 12-Speed
Seatpost	FSA SLK Carbon 27.2x350
Saddle	KHS Team Road Cut Out
Handlebar	FSA Trimax Aero, XS-X: 40cm, M-ML:42cm, L-XL:44cm
Stem	FSA SMR, XS-S:90mm, M-ML:100mm, L-XL:110mm
Grips	Cushion Tape
Brake Levers	Shimano 105 ST-R7070 Hydraulic
Brakes	Shimano 105, BR-R7170 Hydraulic Disc, Flat Mount w/160mm Shimano CTR Lock Ice Tech Rotors
Frame Size	XS/49, S/52, M/54, ML/56, L/58, XL/61

ROAD – PERFORMANCE

FLITE 747



FEATURES

24 Speed

Built for tall riders 6' 4" and over

Shimano 105 drivetrain

200mm crank arms

NEW OF CHANGED FOR 2023

Weinmann Impulse TL rims


FSA Zero stack headset

1.5" Tapered Headtube

50x34 by 11x34 gearing

PART # MODEL SIZE COLOR

93-217-9000	FLITE 747	2XL	MATTE BLACK
93-217-9001	FLITE 747	3XL	MATTE BLACK



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XXL/64	570 / 22.4	72°	73°	620 / 24.4	430 / 16.9	292 / 11.5	898 / 35.4	269 / 10.6	665 / 26.2	416 / 16.4
XXXL/66	605 / 28.8	72°	73°	635 / 25	430 / 16.9	292 / 11.5	936 / 36.9	309 / 12.2	703 / 27.7	419 / 16.5

BIKE SPECS

Frame	Reynolds 520 Double Butted, Flat Mount Disc, 1.5 Taper, 12x142 thru-axle
Fork	Full CrMo, Disc, 1.5 Taper, 12 x 100mm thru-axle
Headset	FSA 1.5 Zero Stack Threadless
Rims	Weinmann Impulse TL, Double Wall, 36H
Hub, Front	Powerway Disc Aluminum, 14Gx36Hx100mm For 12mm Thru Axle, QR
Hub, Rear	Powerway Disc Aluminum, 14Gx36Hx142mm For 12mm Thru Axle, Cassette, QR
Tires	Kenda Flintridge Pro, DTC, 120TPI, Folding 700x35C
Spokes	14g Black Stainless, 36x36
Derailleur, Front	Shimano 105 Di2
Derailleur, Rear	Shimano 105 Di2
Shifters	Shimano 105 Di2, Hydraulic
Chain	Shimano CN-M7100
Crankset	KHS 200mm, 2-pc Forged w/Outboard Bearing, 50x34 Compact
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG710, 11-36, 12-Speed
Seatpost	Q2 Aluminum 31.6x400
Saddle	KHS Performance Wide Road
Handlebar	FSA Adventure HR-RD-310S 31.8, 46cm
Stem	FSA GOSSAMER Forged Aluminum, 130mm, 31.8mm
Grips	Cushion Tape
Brake Levers	Shimano 105 KSTR7020
Brakes	Shimano 105, BR-R7070 Hydraulic Disc, Flat Mount w/160mm Rotors Wave 12
Frame Size	2XL/64, 3XL/66

ROAD – PERFORMANCE

FLITE 700



FEATURES

24 Speed

Carbon frame & fork new design full internal cables

Shimano 105 12-speed drivetrain w/ hydraulic disc brakes

NEW OR CHANGED FOR 2023


Carbon frame & fork new design full internal cables

Shimano 105 12-speed drivetrain w/ hydraulic disc brakes

FSA Omega handlebars

KHS Team saddle

PART #	MODEL	SIZE	COLOR
93-219-0000	FLITE 700	XS	MINT MIAMI GREEN
93-219-0001	FLITE 700	S	MINT MIAMI GREEN
93-219-0002	FLITE 700	M	MINT MIAMI GREEN
93-219-0003	FLITE 700	M/L	MINT MIAMI GREEN
93-219-0004	FLITE 700	L	MINT MIAMI GREEN
93-219-0005	FLITE 700	XL	MINT MIAMI GREEN



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
XS/49	430 / 16.9	70.5°	74°	509 / 20	410 / 16.1	273 / 10.7	733 / 28.9	113 / 4.4	515 / 20.3	361 / 14.2
S/52	465 / 18.3	71.5°	74°	526 / 20.7	410 / 16.1	276 / 10.8	765 / 30.1	138 / 5.4	539 / 21.2	372 / 14.6
M/54	490 / 19.3	72.5°	73°	545 / 21.5	410 / 16.1	276 / 10.8	786 / 30.9	153 / 6	559 / 22	380 / 15
M/L/56	505 / 19.9	72.5°	73°	565 / 22.2	410 / 16.1	276 / 10.8	802 / 31.6	173 / 6.8	578 / 22.8	388 / 15.3
L/58	525 / 20.7	72.5°	73°	580 / 22.8	410 / 16.1	278 / 10.9	825 / 32.5	190 / 7.5	600 / 23.6	397 / 15.6
XL/61	560 / 22	72.5°	72.5°	603 / 23.7	415 / 16.3	278 / 10.9	853 / 33.6	223 / 8.8	623 / 24.5	407 / 16

BIKE SPECS

Frame	KHS Disc, Full MSD Carbon Monocoque w/Replaceable Derailleur Hanger, Internal cable routing, Flat Mount Disc, 12 x 142 Thru-Axle
Fork	KHS Performance Disc, Full Carbon, Flat Mount w/12mm Thru-Axle
Headset	FSA Integrated 69 SRS, Aluminum Cap
Rims	Alex GD24P, Disc Double Wall
Hub, Front	Formula RX512 Aluminum Disc, 12mm QR
Hub, Rear	Formula RX142 Aluminum Disc, Cassette, 12mm QR
Tires	Kenda Kriterium, 700x28C, 60TPI Folding
Spokes	14G Stainless Black, 24x28
Derailleur, Front	Shimano 105 FD-R7100
Derailleur, Rear	Shimano 105 RD-R7100
Shifters	Shimano 105 Hydraulic ST-R7120
Chain	Shimano CM-M7100 12S
Crankset	Shimano FC-RS520 Compact, 2pc w/Outboard Bearing, 50/34, XS:165, S:170, M-ML:172.5, L-XL:175
BB	FSA, Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG710, 11/36T, 12-Speed
Seatpost	Q2 Carbon 27.2x350
Saddle	KHS Team Road Cut Out
Handlebar	FSA Omega Compact, 31.8, XS-S:40cm, M-ML:42cm, L-XL:44cm
Stem	Aluminum 3D Forged, Threadless 4 Bolt, 31.8, XS-S:90mm, M-ML:100mm, L-XL:110mm
Grips	Cushion Tape
Brake Levers	Shimano 105 ST-R7120 Hydraulic
Brakes	Shimano BR-R7170 Hydraulic Disc, Flat Mount w/160mm Rotors
Frame Size	XS/49, S/52, M/54, ML/56, L/58, XL/61

ROAD – PERFORMANCE

FLITE 600



FEATURES

18 Speed

Carbon frame & fork new design full internal cables

Shimano Sora drivetrain

Tektro dual piston cable disc brakes

NEW OR CHANGED FOR 2023


Carbon frame & fork new design full internal cables

FSA Omega handlebars

KHS Team saddle

OUR LOWEST PRICED CARBON ROAD BIKE!

PART #	MODEL	SIZE	COLOR
93-218-0000	FLITE 600	XS	DARK GRAY
93-218-0001	FLITE 600	S	DARK GRAY
93-218-0002	FLITE 600	M	DARK GRAY
93-218-0003	FLITE 600	M/L	DARK GRAY
93-218-0004	FLITE 600	L	DARK GRAY
93-218-0005	FLITE 600	XL	DARK GRAY
93-218-0006	FLITE 600 LADIES	S	SOFT BLUE



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/49	430 / 16.9	70.5°	74°	509 / 20	410 / 16.1	273 / 10.7	733 / 28.9	113 / 4.4	515 / 20.3	361 / 14.2
S/52	445 / 18.3	71.5°	74°	526 / 20.7	410 / 16.1	276 / 10.8	765 / 30.1	138 / 5.4	539 / 21.2	372 / 14.6
M/54	490 / 19.3	72.5°	73°	545 / 21.5	410 / 16.1	276 / 10.8	786 / 30.9	153 / 6	559 / 22	380 / 15
M/L/56	505 / 19.9	72.5°	73°	565 / 22.2	410 / 16.1	276 / 10.8	802 / 31.6	173 / 6.8	578 / 22.8	388 / 15.3
L/58	525 / 20.7	72.5°	73°	580 / 22.8	410 / 16.1	278 / 10.9	825 / 32.5	190 / 7.5	600 / 23.6	397 / 15.6
XL/61	560 / 22	72.5°	72.5°	603 / 23.7	415 / 16.3	278 / 10.9	853 / 33.6	223 / 8.8	623 / 24.5	407 / 16

BIKE SPECS

Frame	KHS Disc, Full MSD Carbon Monocoque w/Replaceable Derailleur Hanger, Internal cable routing, Flat Mount Disc, 12 x 142 Thru-Axle
Fork	KHS Performance Disc, Full Carbon, Flat Mount w/12mm Thru-Axle
Headset	FSA Integrated 69 SRS, Aluminum Cap
Rims	Alex GD24P, Disc Double Wall
Hub, Front	Formula RX512 Aluminum Disc, 12mm QR
Hub, Rear	Formula RX142 Aluminum Disc, Cassette, 12mm QR
Tires	Kenda Kriterium, 700x28C, 60TPI Folding
Spokes	14G Stainless Black, 24x28
Derailleur, Front	Shimano Sora FD-R3000
Derailleur, Rear	Shimano Sora RD-R3000SS
Shifters	Shimano Sora ST-R3000
Chain	KMC Z9 w/Missing Link
Crankset	FSA Omega Compact, 2pc Forged w/Outboard Bearing, 50/34, XS:165, S:170, M-ML:172.5, L-XL:175
BB	FSA Mega EXO, Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200-9, 11-32T, 9-Speed
Seatpost	Aluminum Micro-Adjust, 27.2
Saddle	KHS Team Road Cut Out
Handlebar	FSA Omega Compact, 31.8, XS-S: 40cm, M-ML:42cm, L-XL:44cm, Ladies: 38cm
Stem	Aluminum 3D Forged, Threadless 4 Bolt, 31.8, XS-S:90mm, M-ML:100mm, L-XL:110mm, Ladies:80mm
Grips	Cushion Tape
Brake Levers	Shimano Sora ST-R3000
Brakes	Tektro MD-C550 Dual Piston, Flat Mount Road Cable Disc Brake w/160mm Rotors
Frame Size	XS/49, S/52, M/54, ML/56, L/58, XL/61, :Ladies: S/52

ROAD – SPORT


FLITE 280



FEATURES

- 16 Speed
- Alloy disc frame & carbon fork
- Shimano Claris drivetrain
- Tektro dual piston cable disc brakes
- FSA Omega handlebars

PART #	MODEL	SIZE	COLOR
93-216-0000	FLITE 280	XS	BLACK
93-216-0001	FLITE 280	S	BLACK
93-216-0002	FLITE 280	M	BLACK
93-216-0003	FLITE 280	L	BLACK
93-216-0004	FLITE 280	XL	BLACK



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/l°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/49	415 / 16.3	70.5°	74.5°	508 / 20	420 / 16.5	276 / 10.9	728 / 28.6	114 / 4.5	542 / 21.3	357 / 14.1
S/52	450 / 17.7	71.5°	74°	529 / 20.8	420 / 16.5	279 / 11	757 / 29.8	137 / 5.4	564 / 22.2	367 / 14.4
M/55	485 / 19.1	72°	73.5°	551 / 21.7	420 / 16.5	279 / 11	785 / 30.9	159 / 6.3	587 / 23.1	377 / 14.8
L/58	520 / 20.5	72°	73°	574 / 22.6	420 / 16.5	279 / 11	810 / 31.9	183 / 7.2	610 / 24	387 / 15.3
XL/61	555 / 21.9	72°	73°	591 / 23.3	420 / 16.5	276 / 10.9	834 / 32.8	209 / 8.2	633 / 24.9	397 / 15.6

BIKE SPECS

Frame	Disc Design, 6061 Aluminum w/Custom Formed Double Butted T/T & D/T, Internal Cable, Flat Mount Disc, Replaceable Derailleur Hanger
Fork	Carbon w/Aluminum Steerer, Flat Mount Disc, Straight Blades
Headset	FSA Integrated Cartridge Bearing
Rims	Weinmann XP-24 Aluminum Double Wall
Hub, Front	KK Aluminum Disc, QR
Hub, Rear	KK Aluminum Disc QR, Cassette
Tires	Kenda K-193 Kwest Road, 700x28C
Spokes	14G Stainless Black, 32x32
Derailleur, Front	Shimano Claris FD-R2000, 31.8
Derailleur, Rear	Shimano Claris RD-R2000SS
Shifters	Shimano Claris STI, ST-R2000
Chain	KMC Z8.3 w/Missing Link
Crankset	Shimano Alloy, 50/34, XS:165, S-M:170, L-XL-175
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano HG200-8 12/32 8-Speed
Pedals	Full Aluminum w/DU Bearing
Seatpost	KHS Aluminum Micro-Adjust, 27.2x350
Saddle	DDK Road Padded
Handlebar	FSA Omega Compact Bend, 31.8, XS-S:40cm, M:42cm, L-XL:44cm, Ladies:38cm
Stem	Aluminum 3D Forged, Threadless 4-bolt, 7-degree, 31.8, XS:90mm, S-L:100mm, XL:110mm, Ladies: 80mm
Grips	Cushion Tape
Brake Levers	Shimano Claris ST-R2000
Brakes	Tektro MD-C550 Dual Piston, Flat Mount Road Cable Disc Brake w/160mm Rotors
Frame Size	XS/49, S/52, M/55, L/58, XL/61

ROAD – SPORT

FLITE 150



FEATURES

14 Speed

Aluminum disc frame

Tektro cable disc brakes

Compact cranks


PART #	MODEL	SIZE	COLOR
93-215-9000	FLITE 150	XS	BLACK
93-215-9001	FLITE 150	S	BLACK
93-215-9002	FLITE 150	S	MATTE GRAY
93-215-9003	FLITE 150	M	BLACK
93-215-9004	FLITE 150	M	MATTE GRAY
93-215-9005	FLITE 150	L	BLACK
93-215-9006	FLITE 150	L	MATTE GRAY
93-215-9007	FLITE 150	XL	BLACK
93-215-9008	FLITE 150 LADIES	XXS	TEAL
93-215-9009	FLITE 150 LADIES	XS	TEAL
93-215-9010	FLITE 150 LADIES	S	TEAL
93-215-9011	FLITE 150 LADIES	S	LINEN WHITE

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
XXS/44	370 / 14.6	70°	75°	495 / 19.5	420 / 16.5	276 / 10.9	697 / 27.4	100 / 3.9	527 / 20.7	354 / 13.9
XS/49	415 / 16.3	70.5°	74.5°	508 / 20	420 / 16.5	276 / 10.9	728 / 28.6	114 / 4.5	542 / 21.3	357 / 14.1
S/52	450 / 17.7	71.5°	74°	529 / 20.8	420 / 16.5	279 / 11	757 / 29.8	137 / 5.4	564 / 22.2	367 / 14.4
M/55	485 / 19.1	72°	73.5°	551 / 21.7	420 / 16.5	279 / 11	785 / 30.9	159 / 6.3	587 / 23.1	377 / 14.8
L/58	520 / 20.5	72°	73°	574 / 22.6	420 / 16.5	279 / 11	810 / 31.9	183 / 7.2	610 / 24	387 / 15.3
XL/61	555 / 21.9	72°	73°	591 / 23.3	420 / 16.5	276 / 10.9	834 / 32.8	209 / 8.2	633 / 24.9	397 / 15.6

BIKE SPECS

Frame	Disc Design, 6061 Aluminum w/Custom Formed Double Butted T/T & D/T, Internal Cable, Flat Mount Disc, Replaceable Derailleur Hanger
Fork	Hi-Tensile Unicrown, Flat Mount Disc, Straight Blades
Headset	FSA Integrated Cartridge Bearing
Rims	Weinmann XP-24 Aluminum Double Wall
Hub, Front	KK Aluminum Disc, QR
Hub, Rear	KK Aluminum Disc QR, Cassette
Tires	Kenda K-193 Kwest Road, 700x28C
Spokes	14G Black, 32x32
Derailleur, Front	Shimano Tourney FD-A070, 31.8
Derailleur, Rear	Shimano Tourney RD-A070
Shifters	Shimano Tourney STI, ST-A070
Chain	KMC Z8.3
Crankset	Prowheel Alloy, 3-pc, 50-34T, XS-S:165, M-XL:170, Ladies: XXS-XS:165, S:170
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano Cassette, HG20-7, 12-28T, 7-Speed
Pedals	Wellgo Resin w/Aluminum Cage & DU Bearing
Seatpost	KHS Aluminum Micro-Adjust, 27.2x350
Saddle	DDK Road Padded
Handlebar	FSA Omega Compact Bend, 31.8, XXS: 380, XS-S: 400, M: 420, L-XL: 440
Stem	Aluminum 3D Forged, Threadless 4-bolt, 7-degree, 31.8 XXS: 80mm, XS:90mm, S-L:100mm, XL:110mm
Grips	Cushion Tape
Brake Levers	Shimano STI, ST-A070
Brakes	Tektro MD-C310, Flat Mount Road Cable Disc Brake w/160mm Rotors
Frame Size	XS/49, S/52, M/55, L/58, XL/61 Ladies: XXS/44, XS/49, SM/52



All specs and photos are subject to change without notice.

ROAD – SPECIALTY

TR 101




FEATURES

- 27 Speed
- Suspension comfort seatpost
- Cable disc brakes
- Rear rack

PART # MODEL SIZE COLOR

89-500-9000	TR101	XS	GRAY
89-500-9001	TR101	S	GRAY
89-500-9002	TR101	M	GRAY
89-500-9003	TR101	L	GRAY



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
XS/49	440 / 17.3	70.3°	73.5°	525 / 20.7	450 / 17.7	273 / 10.7	732 / 28.8	105 / 4.1	546 / 21.5	364 / 14.3
S/52	470 / 18.5	71°	73°	537 / 21.1	450 / 17.7	273 / 10.7	754 / 29.7	115 / 4.5	558 / 22	366 / 14.4
M/55	500 / 19.7	71.5°	73°	553 / 21.8	450 / 17.7	273 / 10.7	779 / 30.7	135 / 5.3	580 / 22.8	376 / 14.8
L/58	530 / 20.9	71.5°	73°	568 / 22.4	450 / 17.7	273 / 10.7	800 / 31.5	150 / 5.9	594 / 23.4	387 / 15.2

BIKE SPECS

Frame	Reynolds 520, Double Butted CrMo
Fork	Full CrMo w/ Disc & Rack Bosses
Headset	FSA Threadless 1-1/8", 15mm Top Cap
Rims	Weinmann Aluminum XC-180 Disc, Double wall
Hub, Front	Shimano HB-M4050, QR
Hub, Rear	Shimano FH-M4050 Cassette, QR
Tires	Kenda Kwick Journey 700 x 40c, 60TPI, w/K-Shield Anti-Puncture
Spokes	14G Stainless Black, 36x36
Derailleur, Front	Shimano Sora FD-R3030, 31.8mm
Derailleur, Rear	Shimano Alivio RD-M3100
Shifters	Shimano Sora STI, STR3030/3000
Chain	KMC X9 w/MissingLink
Crankset	Shimano Sora FCR-3030, 2-pc Forged, 50/39/30T, XS:165, S:170, M-L:175
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano HG200-9, 11-36T, 9-Speed
Seatpost	Aluminum Suspension Micro-Adjust, 27.2x350
Saddle	WTB Rocket V Sport
Handlebar	FSA Vero Compact, Aluminum Double Butted, 31.8mm, XS-M:42cm, L:44cm
Stem	Aluminum 3D Forged, Threadless 4-bolt, 31.8mm, XS-S:90mm, M:100mm, L: 110mm
Grips	Cushion Tape
Brake Levers	Shimano Sora STI, STR3030/3000
Brakes	Bengal MB700T Cable Disc, 160mm Wave '12'
Frame Size	XS/49, S/52, M/55, L/58

GRAVEL GRIT 440




FEATURES

- 22 Speed
- Carbon frame & fork
- Shimano GRX drivetrain
- Shimano GRX hydraulic disc brakes
- Shimano CS-HG700, 11-34 cassette
- Shimano Freeza rotors

PART # MODEL SIZE COLOR

93-230-0000	GRIT 440	S	METALLIC RED
93-230-0001	GRIT 440	M	METALLIC RED
93-230-0002	GRIT 440	M/L	METALLIC RED
93-230-0003	GRIT 440	L	METALLIC RED



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/51	490 / 19.3	70.5°	74.5°	520 / 20.5	435 / 17.1	283 / 11.1	759 / 29.9	120 / 4.7	537 / 21.1	371 / 14.6
M/53	520 / 20.5	71°	74°	535 / 21.1	435 / 17.1	283 / 11.1	786 / 31	140 / 5.5	557 / 21.9	375 / 14.8
M/L/56	560 / 22	72°	73°	565 / 22.2	435 / 17.1	283 / 11.1	823 / 32.4	170 / 6.7	589 / 23.2	385 / 15.1
L/58	580 / 22.8	72°	73°	580 / 22.8	435 / 17.1	283 / 11.1	841 / 33.1	190 / 7.5	608 / 23.9	394 / 15.5

BIKE SPECS

Frame	KHS Full Carbon GG Design, T700 MSD High Modulus Carbon, 1.5 Taper, 12mm Thru-axle, Flat Mount Disc
Fork	Full T700 MSD Carbon Disc, 1.5 Taper, 12 x 100mm Thru Axle, Flat Mount, 12mm Thru-axle
Headset	FSA Orbit C40-ACB, N.42/ACB, Angular Contact Bearings, 1-1/8"~1.5" Integrated Aluminum Cap
Rims	WTB ST-I25 TCS, Disc, Double Wall, 32H, Tubeless-Ready
Hub, Front	Formula CL-712, S.B., Super Light Disc, 12mm x 100mm, CenterLock, QR
Hub, Rear	Formula RXC-142S, Sealed Bearing Super Light, Cassette, 12 x 142mm Thru-axle, CenterLock, QR
Tires	Kenda K1226 Alluvium Pro, 700 x 40c, 120TPI, GCT, Folding, Tubeless-Ready
Spokes	14G Stainless Black, 32x32 w/Aluminum Nipples
Derailleur, Front	Shimano GRX Gravel, FD-RX810
Derailleur, Rear	Shimano GRX Gravel RD-RX810
Shifters	Shimano GRX Gravel ST-RX600, Hydraulic
Chain	KMC X11EL w/MissingLink
Crankset	FSA Gossamer Pro Compact, 2-pc Forged, BB386, 48/32T, S:170, M-M/L: 172.5, L:175
BB	FSA BB386 EVO Threaded
Freewheel / Cassette	Shimano CS-HG700, 11-34T, 11-Speed
Seatpost	Q2 Carbon, 27.2mm, 350
Saddle	KHS Sport Road
Handlebar	FSA Adventure Compact, Double Butted, Ergonomic, 31.8mm, S:40cm, M-M/L:42cm, L:44cm
Stem	FSA Aluminum 3D Forged, Threadless 4-bolt, 31.8mm, S:90mm, M-M/L:100mm, L:110mm
Grips	Cushion Tape
Brake Levers	Shimano New GRX Gravel ST-RX600 Hydraulic
Brakes	Shimano New GRX Gravel, BR-RX400 Hydraulic Disc, Flat Mount w/160mm Shimano Freeza Rotors SM-RT800
Frame Size	S/51, M/53, M/L/56, L/58

GRAVEL GRIT 330



FEATURES

20 Speed


Carbon frame & fork

Shimano GRX drivetrain

Tubeless ready

PART # MODEL SIZE COLOR

93-229-9000	GRIT 330	S	MATTE AUDI GRAY
93-229-9001	GRIT 330	M	MATTE AUDI GRAY
93-229-9002	GRIT 330	M/L	MATTE AUDI GRAY
93-229-9003	GRIT 330	L	MATTE AUDI GRAY



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/51	490 / 19.3	70.5°	74.5°	520 / 20.5	435 / 17.1	283 / 11.1	759 / 29.9	120 / 4.7	537 / 21.1	371 / 14.6
M/53	520 / 20.5	71°	74°	535 / 21.1	435 / 17.1	283 / 11.1	786 / 31	140 / 5.5	557 / 21.9	375 / 14.8
ML/56	560 / 22	72°	73°	565 / 22.2	435 / 17.1	283 / 11.1	823 / 32.4	170 / 6.7	589 / 23.2	385 / 15.1
L/58	580 / 22.8	72°	73°	580 / 22.8	435 / 17.1	283 / 11.1	841 / 33.1	190 / 7.5	608 / 23.9	394 / 15.5

BIKE SPECS

Frame	KHS Full Carbon GG Design, T700 MSD High Modulus Carbon, 1.5 Taper, 12mm Thru-axle, Flat Mount Disc
Fork	Full T700 MSD Carbon Disc, 1.5 Taper, 12 x 100mm Thru Axle, Flat Mount, 12mm Thru-axle
Headset	FSA Orbit C40-ACB, N.42/ACB, Angular Contact Bearings, 1-1/8"~1.5" Integrated Aluminum Cap
Rims	Weinmann U28 TL, Disc Double Wall, Tubeless-Ready
Hub, Front	Formula RX-812, S.B.. Super Light Disc, 12mm x 100mm, QR
Hub, Rear	Formula RX-142, Sealed Bearing, Cassette, 12 x 142mm Thru-axle, QR
Tires	Kenda K1226 Alluvium Pro, 700 x 40c, 120TPI, GCT, Folding, Tubeless-Ready
Spokes	14G Stainless Black, 32x32 w/Aluminum Nipples
Derailleur, Front	Shimano GRX Gravel, FD-RX400
Derailleur, Rear	Shimano GRX Gravel RD-RX400
Shifters	Shimano GRX Gravel ST-RX400, Hydraulic
Chain	KMC X10 w/MissingLink
Crankset	Shimano FC-RX600, 2-pc, 46-30T, S:170, M-M/L:172.5, L:175
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS-HG50-10, 11-36T, 10-Speed
Seatpost	Q2 Carbon, 27.2mm, 350
Saddle	KHS Sport Road
Handlebar	FSA Adventure Compact, Double Butted, Ergonomic, 31.8mm, S:40cm, M-M/L:42cm, L:44cm
Stem	FSA Aluminum 3D Forged, Threadless 4-bolt, 31.8mm, S:90mm, M-M/L:100mm, L:110mm
Grips	Cushion Tape
Brake Levers	Shimano GRX Gravel ST-RX400, Hydraulic
Brakes	Shimano GRX Gravel, BR-RX400 Hydraulic Disc, Flat Mount w/160mm Rotors Wave '12'
Frame Size	S/51, M/53, ML/56, L/58


GRAVEL GRIT 220



FEATURES

18 Speed
Carbon fork
Shimano Sora drivetrain
Weinmann U28 TL, Tubeless Ready wheelset
FSA Omega 2-piece cranks
Shimano HG200-9, 11-36T cassette
12mm Thru-axles

PART #	MODEL	SIZE	COLOR
93-228-0001	GRIT 220	S	OLIVE GREEN
93-228-0002	GRIT 220	M	OLIVE GREEN
93-228-0003	GRIT 220	L	OLIVE GREEN



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	G s.o.	H h/t L	I Stack	J Reach
S/52	495 / 19.5	71°	73°	533 / 21	432 / 17	282 / 11.1	779 / 30.7	120 / 4.7	545 / 21.5	366 / 14.4
M/55	534 / 21	72°	73°	558 / 22	432 / 17	282 / 11.1	804 / 31.7	135 / 5.3	563 / 22.2	386 / 15.2
L/58	572 / 22.5	72°	73°	580 / 22.8	432 / 17	282 / 11.1	835 / 32.9	160 / 6.3	587 / 23.1	401 / 15.8

BIKE SPECS

Frame	6061 Aluminum Double Butted w/Disc Mounts and Internal Cable Routing, 1.5 Taper, 12mm Thru-axle, Flat Mount Disc
Fork	Carbon Disc w/Aluminum Steerer, 1.5 Taper, Flat Mount, 12mm Thru-axle
Headset	FSA Orbit Integrated Sealed ACB, 1-1/8" ~1.5"
Rims	Weinmann U28 TL, Disc Double Wall, Tubeless-Ready
Hub, Front	Formula Aluminum Disc, 12mm QR Thru-axle
Hub, Rear	Formula Aluminum Disc 12 x 142mm QR, Cassette
Tires	Kenda K1226 Alluvium Pro, 700 x 40c, 120TPI, GCT, Folding, Tubeless Ready
Spokes	14G Stainless Black, 32x32
Derailleur, Front	Shimano Sora R3000, 31.8mm
Derailleur, Rear	Shimano Sora R3000GS
Shifters	Shimano Sora ST-R3000
Chain	KMC X9 w/MissingLink
Crankset	FSA Omega, 2-pc, Forged, 48/32T, XS:165, S:170, M-L:172.5
BB	FSA Mega EXO Outboard Bearing
Freewheel / Cassette	Shimano HG400-9, 11-34T, 9-Speed
Seatpost	Aluminum Micro-Adjust, 27.2x350
Saddle	KHS Sport Road
Handlebar	FSA Adventure Compact, Double Butted, Ergonomic, 31.8mm, XS:40cm, S-M:42cm, L:44cm
Stem	Promax Aluminum 3D Forged, Threadless 4-bolt, 31.8mm, XS:90mm, S-L:100mm
Grips	Cushion Tape
Brake Levers	Shimano Sora STI
Brakes	Tektro MD-C550, Dual Piston, Flat Mount, Road Mechanical Disc, 160mm Rotors
Frame Size	S/52, M/55, L/58


GRAVEL GRIT 110



FEATURES

16 Speed
Carbon fork
Shimano Claris drivetrain
Tektro dual piston cable disc brakes
FSA Orbit headset
Weinmann U28 TL, Tubeless Ready wheelset
Promax Adventure handlebar

PART #	MODEL	SIZE	COLOR
93-227-9001	GRIT 110	XS	RUST
93-227-9002	GRIT 110	S	RUST
93-227-9003	GRIT 110	M	RUST
93-227-9004	GRIT 110	L	RUST



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/49	460 / 18.1	71°	75°	512 / 20.2	432 / 17	282 / 11.1	753 / 29.7	105 / 4.1	533 / 21	369 / 14.5
S/52	495 / 19.5	71°	73°	533 / 21	432 / 17	282 / 11.1	779 / 30.7	120 / 4.7	545 / 21.5	366 / 14.4
M/55	534 / 21	72°	73°	558 / 22	432 / 17	282 / 11.1	804 / 31.7	135 / 5.3	563 / 22.2	386 / 15.2
L/58	572 / 22.5	72°	73°	580 / 22.8	432 / 17	282 / 11.1	835 / 32.9	160 / 6.3	587 / 23.1	401 / 15.8

BIKE SPECS

Frame	6061 Aluminum Double Butted w/Disc Mounts and Internal Cable Routing, 1.5 Taper, Flat Mount Disc
Fork	Carbon Disc w/Aluminum Steerer, 1.5 Taper, Flat Mount, 12mm Thru-axle
Headset	FSA Orbit Integrated Sealed ACB, 1-1/8"~1.5"
Rims	Weinmann U28 TL, Disc Double Wall, Tubeless-Ready
Hub, Front	Formula Aluminum Disc, 12mm Thru-axle
Hub, Rear	Formula Aluminum Disc QR, Cassette
Tires	Kenda K1152 Flintridge, 700 x 40c, 60TPI, Tubeless-Ready
Spokes	14G Stainless Black, 32x32
Derailleur, Front	Shimano Claris FD-R2000, 31.8mm
Derailleur, Rear	Shimano Claris RD-R2000GS
Shifters	Shimano Claris STI, ST-R2000
Chain	KMC Z8.3
Crankset	Aluminum Forged 3-pc., 48/32T Compact, XS:165, S:170, M-L:172.5
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31, 11-34T, 8-Speed
Pedals	Wellgo Full Aluminum w/DU Bearing
Seatpost	Aluminum Micro-Adjust, 27.2x350
Saddle	KHS Sport Road
Handlebar	Promax Aluminum Drop, Adventure Compact Bend, 31.8mm, XS:40cm, S-M:42cm, L:44cm
Stem	Promax Aluminum 3D Forged, Threadless 4-bolt, 31.8mm, XS:90mm, S-L:100mm
Grips	Cushion Tape
Brake Levers	Shimano Claris STI
Brakes	Tektro MD-C550, Dual Piston, Flat Mount, Road Mechanical Disc, 160mm Rotors
Frame Size	XS/49, S/52, M/55, L/58

GRAVEL GRIT 55



FEATURES

16 Speed

Reynolds CrMo frame

Shimano Claris drivetrain

Weinmann U28 TL, Tubeless Ready wheelset

Promax Adventure handlebar


PART #	MODEL	SIZE	COLOR
93-226-0000	GRIT 55	XXS	GRAY
93-226-0001	GRIT 55	XS	GRAY
93-226-0002	GRIT 55	S	GRAY
93-226-0003	GRIT 55	M	GRAY
93-226-0004	GRIT 55	L	GRAY

BIKE SPECS

Frame	Reynolds 520 DB CrMo Tubing w/Carrier Bosses & Disc Mount
Fork	Full CrMo Unicrown, Low-rider and Fender Bosses w/Disc, Straight Blade
Headset	FSA Threadless 1-1/8, Zero Stack
Rims	Weinmann U28 TL, Disc Double Wall, Tubeless Ready
Hub, Front	KK Aluminum Disc, QR w/Rubber Seal
Hub, Rear	KK Aluminum Disc, QR w/Rubber Seal, Cassette
Tires	Kenda K1152 Flintridge, 700x40C, 60TPI
Spokes	14G Stainless Black, 32x32
Derailleur, Front	Shimano Claris FD-R2000, 28.6
Derailleur, Rear	Shimano Claris RD-R2000GS
Shifters	Shimano Claris STI, ST-R2000
Chain	KMC Z8.3
Crankset	Aluminum Forged 3pc., 48x32 Compact, XXS:160, XS:165, S:170, M-L:172.5
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano HG318, 11-34, 8-Speed
Pedals	Wellgo Full Aluminum w/DU Bearing
Seatpost	Aluminum Micro-Adjust, 27.2x350
Saddle	KHS Sport Road
Handlebar	Promax Aluminum Drop, Adventure Compact Bend, 31.8, XS:40cm, S-M:42cm, L:44cm
Stem	Promax Aluminum 3D Forged, Threadless 4 Bolt, 31.8, XXS:80mm, XS:90mm, S-L:100mm
Grips	Cushion Tape
Brake Levers	Shimano Claris STI
Brakes	Bengal MB700T Cable Disc, 160/160 WAVE12
Frame Size	XXS/44, XS/49, S/52, M/55, L/58

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XXS/44	370 / 14.6	70°	74°	508 / 20	430 / 16.9	275 / 10.8	699 / 27.5	85 / 3.3	514 / 20.2	359 / 14.1
XS/49	410 / 16.1	70.5°	73°	527 / 20.7	430 / 16.9	275 / 10.8	726 / 28.6	95 / 3.7	525 / 20.7	365 / 14.4
S/52	450 / 17.7	71.5°	73°	545 / 21.5	430 / 16.9	275 / 10.8	757 / 29.8	120 / 4.7	555 / 21.9	375 / 14.8
M/55	490 / 19.3	72°	73°	564 / 22.2	430 / 16.9	275 / 10.8	791 / 31.1	150 / 5.9	585 / 23	385 / 15.2
L/58	530 / 20.9	72°	73°	584 / 23	430 / 16.9	275 / 10.8	828 / 32.6	181 / 7.1	615 / 24.2	395 / 15.6




GRAVEL GRIT 24



FEATURES

9 Speed
Alloy frame & fork
Bengal cable disc brakes

PART #	MODEL	SIZE	COLOR
93-225-9000	GRIT 24	ONE	RED



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
One	345 / 13.6	69.5°	74°	445 / 17.5	380 / 15	253 / 10	626 / 24.7	100 / 3.9	453 / 17.8	315 / 12.4

BIKE SPECS

Frame	6061 Aluminum Double Butted w/Disc Mounts and Internal Cable Routing, 1.5 Taper, Flat Mount Disc, fits up 35c tires
Fork	Full Aluminum Unicrown, Fender Bosses w/Disc, Straight Blade
Headset	FSA Integrated Cartridge Bearing
Rims	Weinmann Aquila 21, Disc, 24"
Hub, Front	KK Aluminum Disc, QR w/Rubber Seal
Hub, Rear	KK Aluminum Disc, QR w/Rubber Seal, Cassette
Tires	Kenda Konversion, 24 x 1.5, Iron Cap, 60tpi
Spokes	14G Black, 32x32
Derailleur, Rear	Shimano Sora
Shifters	Microshift SB-R490, 1 x 9
Chain	KMC X9 w/Missing Link
Crankset	Samox Aluminum, 36T w/CG, 152
BB	FSA Cartridge Bearing
Freewheel / Cassette	Shimano HG400-9, 11-34T, 9-Speed
Pedals	Wellgo Full Aluminum, DU Bearings
Seatpost	Aluminum Micro-Adjust, 27.2x300
Saddle	KHS Junior Road Padded
Handlebar	Aluminum Junior Drop, Compact Bend, 31.8 x 36cm
Stem	Promax Aluminum 3D Forged, Threadless 4-bolt, 7-degree, 31.8, 60mm
Grips	Cushion Tape
Brake Levers	Microshift SB-R490
Brakes	Bengal MB700T Cable Disc, 140/140 WAVE12
Frame Size	24"

XC RACING PRESCOTT



FEATURES

12 Speed

Carbon frame with Horst Link

120mm Fox Float step cast fork & rear shock

Shimano drivetrain


NEW OR CHANGED FOR 2023

Shimano XT wheels

Shimano XT rear derailleur

120mm Fox Float step cast fork & rear shock

PART #	MODEL	SIZE	COLOR
93-178-0000	PRESCOTT	S	METALLIC BLUE
93-178-0001	PRESCOTT	M	METALLIC BLUE
93-178-0002	PRESCOTT	L	METALLIC BLUE



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/l	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/16	410 / 16.1	67°	77°	579 / 22.8	438 / 17.2	326 / 12.8	0 / 0	95 / 3.7	583 / 23	445 / 17.5
M/17.5	440 / 17.3	67°	77°	612 / 24.1	438 / 17.2	326 / 12.8	0 / 0	105 / 4.1	592 / 23.3	475 / 18.7
L/19	490 / 19.3	67°	77°	640 / 25.2	438 / 17.2	326 / 12.8	0 / 0	120 / 4.7	606 / 23.9	500 / 19.7

BIKE SPECS

Frame	29" Full MSD Carbon, 4-bar Horst 110mm Travel, 1-1/8~ 1.5 Taper, 12x148mm Boost, 27.5 Plus Compatible
Rear Shock	Fox Float DPS, Air, Ext Rebound, Lock-Out, 165x45
Fork	FOX Float 34 Step Cast, 29 Std/27.5+ Evol Air, Rhythm, 120mm, Performance Evolair, Grip, 3 POS, Ext Rebound Adj., 1-1/8~1.5 Taper, 15mm X 110 QR Boost
Headset	FSA Orbit C-40-CF-ACB, N.42/CF/ACB, 1-1/8"~1.5" Integrated
Rims	Shimano XT WH-M8100 12S, 29" Disc, Straight Pull, Tubeless-Ready
Hub, Front	Shimano XT WH-M8100, 15mm x 110 Boost
Hub, Rear	Shimano XT WH-M8100, 12mm x 148 Boost
Tires	Kenda Booster Pro, 120TPI Folding, Tubeless-Ready, 29x2.2
Spokes	Shimano XT WH-M8100
Derailleur, Rear	Shimano XT RD-M8100
Shifters	Shimano SLX, SL-M7100, 12s, Trigger, Right Only, I-Spec EV
Chain	Shimano CN-M6100
Crankset	Shimano FC-MT511, 2-pc, Boost, 32T, S:170, M-L:175
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS-M6100, 10-51T, 12-speed
Seatpost	Q2 Carbon, 31.6mmx350
Saddle	WTB Volt Med SL
Handlebar	FSA Comet Low Riser, 31.8mm, 760x15mm
Stem	FSA V-Drive, 3D Forged, 4-bolt, 6 Degree, 31.8mm, S:60mm, M:70mm, L:80mm
Grips	Q2 Lock-on
Brake Levers	Shimano M6100, Servo Wave. I-Spec EV
Brakes	Shimano M6100, Hydraulic Disc, Servo Wave, 180/160mm, Rotors= RT64 CenterLock
Frame Size	S/16, M/17.5, L/19

XC SPORT TUCSON



FEATURES


12 Speed

Carbon frame

WTB ST-I25 TCS, Tubeless Ready wheelset

Shimano drivetrain

PART #	MODEL	SIZE	COLOR
93-170-0001	TUCSON	M	MATTE RED ROCK
93-170-0002	TUCSON	L	MATTE RED ROCK
93-170-0003	TUCSON	XL	MATTE RED ROCK



GEOMETRY

SIZE	A s/t c-t	B h/A°	C s/l°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
M/17.5	440 / 17.3	69.5°	73.7°	600 / 23.6	435 / 17.1	310 / 12.2	803 / 31.6	100 / 3.9	610 / 24	422 / 16.6
L/19	480 / 18.9	69.5°	73.7°	625 / 24.6	435 / 17.1	310 / 12.2	831 / 32.7	115 / 4.5	625 / 24.6	442 / 17.4
XL/20.5	520 / 20.5	69.5°	73.7°	650 / 25.6	435 / 17.1	310 / 12.2	858 / 33.8	125 / 4.9	634 / 25	465 / 18.3

BIKE SPECS

Frame	KHS Full MSD Carbon 29er w/1.5 Taper Headtube, Disc Only, Internal Cable Routing, 12x148mm Boost, 27.5 Plus & 29 Compatible
Fork	SR Raidon 32-LOR, 29 Std/27.5 Plus, 100mm Air, Hydraulic Speed Lock-Out w/Ext. Rebound Dampening Adj, 1-1/8~ 1.5 Aluminum Taper, 15QR x 110 Boost
Headset	FSA Orbit C-40-CF-ACB, N.42/CF/ACB, 1-1/8"~1.5" Integrated
Rims	WTB ST-I25 TCS, Disc, Double Wall, 29x28H, Tubeless-Ready
Hub, Front	Shimano HB-MT410, CenterLock Disc, 15mm x 110mm, Boost
Hub, Rear	Shimano FH-MT410-B Disc Cassette, 12 x 148mm, Boost
Tires	Kenda Booster Pro, 120TPI Folding, Tubeless-Ready, 29x2.2
Spokes	14G Stainless Black w/Aluminum Nipples, 28x28
Derailleur, Rear	Shimano New SLX RD-M7100
Shifters	Shimano New Deore, SL-M6100, 12s, Trigger, Right Only, I-Spec EV
Chain	Shimano CN-M6100
Crankset	SR Zeron, 2-pc, Boost, 32T
BB	FSA Press Fit
Freewheel / Cassette	Shimano CS-M6100, 10-51T, 12-speed
Seatpost	KHS Aluminum Micro-Adjust 31.6mmx350mm
Saddle	WTB Volt Med SL
Handlebar	FSA Comet Low Riser, 31.8mm, 760x15mm
Stem	FSA V-Drive, 3D Forged, 4-bolt, 6 Degree, 31.8mm, M: 70, L: 80, XL: 90
Grips	Q2 Lock-on
Brake Levers	Shimano M4100, I-Spec EV
Brakes	Shimano MT410 Hydraulic Disc, 180/160mm Rotors= RT54 CenterLock
Frame Size	M/17.5, L/19, XL/20.5

XC SPORT TEMPE



DWS™ (DUAL WHEEL SIZING)

S M L XL
27.5 29 29 29

FEATURES

12 Speed

Aluminum boost double butted frame

WTB Tubeless ready wheelsset

Shimano drivetrain


NEW OR CHANGED FOR 2023

SR Axom 32-LORC fork

PART #	MODEL	SIZE	COLOR
93-168-0001	TEMPE	S	SHIMMERING BLACK
93-168-0002	TEMPE	M	SHIMMERING BLACK
93-168-0003	TEMPE	L	SHIMMERING BLACK
93-168-0004	TEMPE	XL	SHIMMERING BLACK
93-168-0005	TEMPE LADIES	S	SILVER

DWS™ (DUAL WHEEL SIZING)

S M L XL
27.5 29 29 29



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	67.5°	75.1°	591 / 23.3	435 / 17.1	280 / 11	723 / 28.5	90 / 3.5	608 / 23.9	397 / 15.6
M/17	432 / 17	71°	73°	612 / 24.1	435 / 17.1	280 / 11	769 / 30.3	100 / 3.9	633 / 24.9	418 / 16.5
L/19	483 / 19	71°	73°	635 / 25	435 / 17.1	280 / 11	802 / 31.6	115 / 4.5	648 / 25.5	436 / 17.2
XL/21	533 / 21	71°	73°	659 / 25.9	435 / 17.1	280 / 11	833 / 32.8	130 / 5.1	662 / 26	456 / 18

BIKE SPECS

Frame	6061 Aluminum Double Butted w/Custom Formed T/T & D/T, 1.5 Taper, 141mm Boost, w/Replaceable Derailleur Hanger, 27.5 Plus Compatible, Internal Cables
Fork	SR Axom 32-LORC, 29 Std/27.5 Plus, 100mm Air, Hydraulic Speed Lock-Out w/Ext. Rebound & Compression Dampening Adj, 1-1/8~ 1.5 Aluminum Taper, 15QR x 110 Boost
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	WTB ST S:i35:27.5", M-XL: i25:29", TCS, Disc, Double Wall, 32H, Tubeless Ready
Hub, Front	Shimano HB-MT410, Center Lock Disc, 15mm x 110mm, Boost
Hub, Rear	Shimano FH-MT401-B, Center Lock Disc, QR, Cassette, Boost
Tires	S: Kenda Booster Pro, 27.5x2.6, M-XL: Booster Pro, 29x2.2, 120TPI Folding, Tubeless Ready
Spokes	14G Stainless Black w/Aluminum Nipples, 32x32
Derailleur, Rear	Shimano SLX RD-M7100
Shifters	Shimano New Deore, SL-M6100, 12s, Trigger, Right Only, I-Spec EV
Chain	Shimano CN-M6100
Crankset	Shimano FC-MT511, 2-pc, Boost, 32T, S:170, M-XL:175, Ladies:170
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Shimano Deore CS-M6100, 10-51T, 12-speed
Seatpost	KHS Aluminum Micro-Adjust 31.6x350
Saddle	WTB Volt Med, Ladies: KHS Ladies Design
Handlebar	FSA Comet Low Riser, 31.8, 760x15mm, 720 Ladies
Stem	FSA V-Drive, 3D Forged, 4-bolt, 6 Degree, 31.8, S:60mm, M:70mm, L:80mm, XL:90mm
Grips	Q2 Lock-on
Brake Levers	Shimano M4100, I-Spec EV
Brakes	Shimano MT410 Hydraulic Disc, 180/160mm Rotors= RT54 Center Lock
Frame Size	27.5+=S/15 29"=M/17, L/19, XL/21 Ladies 27.5+=S/15

XC SPORT AGUILA

LIMITED EDITION GRAPHIC

DWS™ (DUAL WHEEL SIZING)

S M L XL
27.5 29 29 29



FEATURES

- 11 Speed
- Shimano hydraulic disc brakes
- Shimano Deore 11 speed rear derailleur
- Shimano Deore shifter
- 30 tooth chainring
- Shimano 11-51T cassette


PART #	MODEL	SIZE	COLOR
93-167-0000	AGUILA	S	BLACK (Limited Edition)
93-167-0001	AGUILA	M	BLACK (Limited Edition)
93-167-0002	AGUILA	L	BLACK (Limited Edition)
93-167-0003	AGUILA	XL	BLACK (Limited Edition)
93-167-0004	AGUILA LADIES	S	CABERNET

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T, 141mm Boost, w/Replaceable Derailleur Hanger, 1.5 Taper, 29"/27.5 Plus Compatible, Internal Cables
Fork	SR XCM 32-LO, 100mm, w/Hydraulic Lock-Out, 1-1/8~ 1.5 Taper, 15QR x 110 Boost, 29 Std/27.5 Plus
Headset	Threadless 1-1/8"~1.5, Zero Stack
Rims	S: Aluminum Plus Disc, 27.5x32H, Double Wall, M-XL: Aluminum Disc Double Wall, 29x32H
Hub, Front	KT Aluminum Disc w/CNC Rotor Flange, QR, 15mm x 110mm
Hub, Rear	KT Aluminum Disc w/CNC Rotor Flange, QR, Cassette, 141mm Boost
Tires	S: Kenda Havok 27.5x2.6, M-XL: Kenda Booster, 29x2.4
Spokes	14G Stainless Black 32x32
Derailleur, Rear	Shimano Deore RD-M5100
Shifters	Shimano Deore SL-M5100
Chain	KMC X11 w/MissingLink
Crankset	Samox Forged, Boost, 30T Narrow/Wide, S:170, M-XL:175, Ladies:170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-M5100, 11-51T,11-Speed
Seatpost	KHS Aluminum Micro-Adjust 31.6mmx350
Saddle	KHS Sport, Dual Density
Handlebar	Aluminum Riser, 31.8mm, 720x20mm, 680x20mm=Ladies
Stem	Aluminum Threadless 4-bolt, 6-degree, 31.8mm, S:60mm, M-L:75mm, XL:90mm
Grips	Q2 Lock-on
Brake Levers	Shimano MT200
Brakes	Shimano MT200 Hydraulic Disc, 180/160mm Rotors Wave '12'
Frame Size	27.5+~S/15 29"=M/17, L/19, XL/21 Ladies 27.5+~S/15

DWS™ (DUAL WHEEL SIZING)

S M L XL
27.5 29 29 29



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	67.5°	73°	591 / 23.3	430 / 16.9	307 / 12.1	701 / 27.6	90 / 3.5	608 / 23.9	405 / 16
M/17	432 / 17	67.5°	73.6°	610 / 24	435 / 17.1	280 / 11	758 / 29.8	100 / 3.9	617 / 24.3	421 / 16.6
L/19	483 / 19	67.5°	73.6°	635 / 25	435 / 17.1	276 / 10.8	783 / 30.8	105 / 4.1	626 / 24.6	449 / 17.7
XL/21	533 / 21	67.5°	76.7°	659 / 25.9	435 / 17.1	276 / 10.8	814 / 32.1	120 / 4.7	639 / 25.2	467 / 18.4

XC SPORT WINSLOW

LIMITED EDITION GRAPHIC

DWS™ (DUAL WHEEL SIZING)
XS S M L XL
27.5 27.5 29 29 29



FEATURES

9 Speed

Aluminum frame

100mm SRXCT30 fork

Shimano hydraulic disc brakes

NEW OR CHANGED FOR 2023

RD-M410C rear derailleur

11-46T cassette


PART #	MODEL	SIZE	COLOR
93-166-9000	WINSLOW	XS	MATTE BLACK
93-166-9001	WINSLOW	S	MATTE BLACK
93-166-9002	WINSLOW	S	LEATHER (Limited Edition)
93-166-9003	WINSLOW	M	MATTE BLACK
93-166-9004	WINSLOW	M	LEATHER (Limited Edition)
93-166-9005	WINSLOW	L	MATTE BLACK
93-166-9006	WINSLOW	L	LEATHER (Limited Edition)
93-166-9007	WINSLOW	XL	MATTE BLACK
93-166-9008	WINSLOW	XL	LEATHER (Limited Edition)
93-166-9009	WINSLOW LADIES	XS	CINNAMON STICK
93-166-9010	WINSLOW LADIES	S	MINT
93-166-9011	WINSLOW LADIES	S	CINNAMON STICK
93-166-9012	WINSLOW LADIES	M	MINT

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/13	330 / 13	67°	73°	553 / 21.8	440 / 17.3	295 / 11.6	709 / 27.9	90 / 3.5	583 / 23	375 / 14.7
S/15	381 / 15	67.5°	73°	594 / 23.4	440 / 17.3	295 / 11.6	730 / 28.8	90 / 3.5	585 / 23	415 / 16.4
M/17	432 / 17	67.5°	73.6°	610 / 24	435 / 17.1	314 / 12.4	793 / 31.2	100 / 3.9	617 / 24.3	421 / 16.6
L/19	483 / 19	67.5°	73.6°	632 / 24.9	435 / 17.1	314 / 12.4	825 / 32.5	115 / 4.5	631 / 24.8	445 / 17.5
XL/21	533 / 21	67.5°	73.6°	659 / 25.9	435 / 17.1	314 / 12.4	846 / 33.3	130 / 5.1	624 / 24.6	472 / 18.6

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T, w/Replaceable Derailleur Hanger, XS-S:27.5", M-XL:29", Internal Cable Routing
Fork	SR XCT30, H.L.O. 100mm, Hydraulic Lock-Out, Preload Adj, XS-S:27.5", M-XL:29"
Headset	Threadless Zero Stack, 1-1/8
Rims	Aluminum Disc Double Wall, XS-S: 27.5x32H, M-XL: 29x32H
Hub, Front	Aluminum Disc w/CNC Rotor Flange, QR
Hub, Rear	Aluminum Disc w/CNC Rotor Flange, QR, Cassette
Tires	Kenda Saber, XS-S: 27.5x2.2, M-XL: 29x2.2
Spokes	14G Black 32x32
Derailleur, Rear	S-Ride RD-M410C 9s
Shifters	S-Ride SL-M300C 9s
Chain	KMC X9 w/Missing Link
Crankset	Samox Forged, 30T Narrow/Wide, XS-S:170, M-XL:175
BB	Cartridge Bearing
Freewheel / Cassette	CS-M300C 11-46T, 9-Speed
Pedals	Resin ATB Platform w/DU Bearings
Seatpost	KHS Aluminum Micro-Adjust 31.6x350
Saddle	KHS Sport
Handlebar	KHS Aluminum Riser, 31.8, 720x20mm, Ladies:680x20mm
Stem	Aluminum Threadless 4-bolt, 6-degree, 31.8, XS:60mm, S-M:75mm, L-XL:90mm
Grips	KHS Sport
Brake Levers	Shimano MT200
Brakes	Shimano MT200 Hydraulic Disc, 180/160mm=27.5", 180/160mm=29" Rotors, Wave 12
Frame Size	27.5"=XS/13, S/15, 29"=M/17, L/19, XL/21 Ladies 27.5"=XS/13, S/15, M/17



19

All specs and photos are subject to change without notice.

KHS

XC SPORT ZACA

DWS™ (DUAL WHEEL SIZING)
XS S M L XL
27.5 27.5 29 29 29



FEATURES

8 Speed
 1x8 Speed drivetrain
 Cable disc brakes
 S-Ride shifters
 Samox cranks
 S-Ride 11-42T cassette
 Kenda Saber tires 2.2 wide


PART #	MODEL	SIZE	COLOR
93-165-9000	ZACA	XS	BLACK
93-165-9001	ZACA	S	BLACK
93-165-9002	ZACA	S	SILVER
93-165-9003	ZACA	M	BLACK
93-165-9004	ZACA	M	SILVER
93-165-9005	ZACA	L	BLACK
93-165-9006	ZACA	L	SILVER
93-165-9007	ZACA	XL	BLACK
93-165-9008	ZACA	XL	SILVER
93-165-9009	ZACA LADIES	XS	MID BLUE
93-165-9010	ZACA LADIES	XS	DARK GRAY
93-165-9011	ZACA LADIES	S	MID BLUE
93-165-9012	ZACA LADIES	S	DARK GRAY
93-165-9013	ZACA LADIES	M	MID BLUE

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T, w/Replaceable Derailleur Hanger, XS-S:27.5", M-XL:29", Internal Cable Routing
Fork	Zoom 565D, 80mm, XS-S:27.5", M-XL:29"
Headset	Threadless Zero Stack, 1-1/8
Rims	Aluminum Disc Double Wall, XS-S: 27.5x32H, M-XL: 29x32H
Hub, Front	Aluminum Disc w/CNC Rotor Flange, QR
Hub, Rear	Aluminum Disc w/CNC Rotor Flange, QR, Cassette
Tires	Kenda Saber, XS-S: 27.5x2.2, M-XL: 29x2.2
Spokes	14G Black 32x32
Derailleur, Rear	S-Ride RD-M300C, 8s
Shifters	S-Ride SL-M300C 8s
Chain	KMC Z8.3
Crankset	Samox Forged, 30T Narrow/Wide C/R, XS-S:170, M-XL:175
BB	Cartridge Bearing
Freewheel / Cassette	S-Ride CS-M20008 11-42T, 8-Speed
Pedals	Resin ATB Platform w/DU Bearings
Seatpost	KHS Aluminum Micro-Adjust 31.6x350mm
Saddle	KHS Sport
Handlebar	Aluminum Riser, 31.8, 720x20mm, Ladies:680mm
Stem	Aluminum Threadless 4-bolt, 6-degree, 31.8, XS-S:60mm, M-L:75mm, XL:90mm
Grips	KHS Sport
Brake Levers	Aluminum Linear Pull, 2.5F
Brakes	Radius Cable Disc BR-CX7, 180/160mm Rotors w/ABS System
Frame Size	27.5"=XS/13, S/15, 29"=M/17, L/19, XL/21 Ladies 27.5"=XS/13, S/15, M/17

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/13	330 / 13	67°	73°	580 / 22.8	430 / 16.9	295 / 11.6	708 / 27.9	90 / 3.5	590 / 23.2	400 / 15.7
S/15	381 / 15	67.5°	73°	591 / 23.3	430 / 16.9	295 / 11.6	734 / 28.9	90 / 3.5	590 / 23.2	413 / 16.3
M/17	432 / 17	68°	73.6°	612 / 24.1	435 / 17.1	312 / 12.3	779 / 30.7	100 / 3.9	596 / 23.5	430 / 16.9
L/19	483 / 19	67.5°	73.6°	635 / 25	435 / 17.1	312 / 12.3	823 / 32.4	115 / 4.5	610 / 24	453 / 17.8
XL/21	533 / 21	67.5°	73.6°	636 / 25	435 / 17.1	312 / 12.3	844 / 33.2	130 / 5.1	624 / 24.6	472 / 18.6



20

All specs and photos are subject to change without notice.

KHS

XC SPORT

BNT 29




FEATURES

12 Speed
Built for tall riders 6' 4" and over
Shimano SLX
120mm travel Marzocchi Z2 air fork
WTB ST-I29 TCS, tubeless ready rims
Shimano Deore shifters

PART # MODEL SIZE COLOR

93-169-0000	BNT 29	2XL	MATTE BLACK
93-169-0001	BNT 29	3XL	MATTE BLACK



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XXL/23	586 / 23.1	71°	73°	653 / 25.7	455 / 17.9	347 / 13.7	931 / 36.7	141 / 5.6	658 / 25.9	450 / 17.7
XXXL/24.5	626 / 24.6	71°	73°	678 / 26.7	455 / 17.9	347 / 13.7	962 / 37.9	166 / 6.5	681 / 26.8	468 / 18.4

BIKE SPECS

Frame	Reynolds 520 CrMo Double Butted T/T 38.1mm, D/T 40mm, S/T 32.4mm
Fork	29" Marzocchi Z2 AIR, 120mm, Ext Rebound Adj, Sweep Adj to Lock, 1.5 Taper Aluminum Steerer, 15mm x 110 Boost
Headset	FSA 57EP, Zero Stack, 1-1/8"~1.5
Rims	WTB ST-I29 TCS, Disc, Double Wall, 29x36H, Tubeless-Ready
Hub, Front	Shimano HB-MT410, CenterLock Disc, 15mm x 110mm, Boost
Hub, Rear	Shimano FH-MT410-B Disc Cassette, 12 x 148mm, Boost
Tires	Kenda Booster Pro, 120TPI Folding, Tubeless-Ready, 29x2.6
Spokes	14G Black w/Aluminum Nipples, 36x36
Derailleur, Rear	Shimano SLX, RD-M7100
Shifters	Shimano Deore SL-M6100, Right Only, I-Spec EV
Chain	Shimano CN-M6100
Crankset	KHS 2-pc Forged 200mm w/Outboard Bearing, 32T
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Shimano Deore 10-51t, 12-Speed
Seatpost	Aluminum Micro-Adjust 31.6x400mm
Saddle	WTB Volt Wide SL
Handlebar	Aluminum 35mm Riser, 800 x 30mm
Stem	35mm Aluminum 3D Forged, Threadless 4-bolt, 120mm
Grips	WTB Moto Dual Clamp
Brake Levers	Shimano M4100, I-Spec EV
Brakes	Shimano MT420 4-Piston Hydraulic Disc, 203mm, 180mm Rotors= RT64 CenterLock
Frame Size	2XL/23, 3XL/24.5

DWS™ (DUAL WHEEL SIZING)

S M L XL

27.5* 29 29 29

*These 27.5 wheels are "Plus" compatible.



FEATURES

12 Speed

Fox Float fork & shock

150mm travel aluminum frame

Shimano 4-Piston hydraulic disc brakes

800mm wide FSA Grid handlebar

Kind Shock dropper post

PART #	MODEL	SIZE	COLOR
93-175-0000	7500	S	BLACK (Limited Edition)
93-175-0001	7500	M	BLACK (Limited Edition)
93-175-0002	7500	L	BLACK (Limited Edition)
93-175-0003	7500	XL	BLACK (Limited Edition)


PART #	MODEL	SIZE	COLOR
93-175-0000	7500	S	BLACK (Limited Edition)
93-175-0001	7500	M	BLACK (Limited Edition)
93-175-0002	7500	L	BLACK (Limited Edition)
93-175-0003	7500	XL	BLACK (Limited Edition)

DWS™ (DUAL WHEEL SIZING)

S M L XL

27.5* 29 29 29

*These 27.5 wheels are "Plus" compatible.



GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/t*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	380 / 15	65°	75°	593 / 23.3	438 / 17.2	320 / 12.6	734 / 28.9	100 / 3.9	607 / 23.9	430 / 16.9
M/16.5	420 / 16.5	65°	75°	613 / 24.1	438 / 17.2	348 / 13.7	779 / 30.7	100 / 3.9	607 / 23.9	613 / 24.1
L/18	460 / 18.1	65°	75°	635 / 25	438 / 17.2	348 / 13.7	795 / 31.3	110 / 4.3	617 / 24.3	635 / 25
XL/20	500 / 19.7	65°	75°	658 / 25.9	438 / 17.2	348 / 13.7	825 / 32.5	120 / 4.7	626 / 24.6	658 / 25.9

BIKE SPECS

Frame	FSS 29/650B+ 150mm, 6061 Aluminum w/Custom Formed Double Butted T/T & D/T, 1.5 Taper, 12 x 148 Boost Rear Axle, w/Replaceable Derailleur Hanger, 29x2.4
Rear Shock	FOX Float DPX2 Trunnion, Performance, 3-Pos, Evol w/LV Eyelet 205x65
Fork	FOX Float 36, 29 Evol Air, Performance, 160mm, Grip w/3-Pos. Lever., Ext Rebound Adj., 1-1/8~1.5 Taper, 15mm x 110 QR Boost, 29 x 2.6 Compatible
Headset	FSA Orbit 1.5E, Zero Stack, 1-1/8"~1.5
Rims	WTB ST=S:i35, M-XL:i29 TCS, Disc, Double Wall, 28H, Tubeless-Ready
Hub, Front	Shimano HB-M7110-B CenterLock Disc, 15x110mm Axle, Boost
Hub, Rear	Shimano FH-M7110-B Disc Cassette, 12 x 148mm, Boost
Tires	Kenda Hellkat, S:27.5x2.6, M-XL:29x2.4, ATC, 120 TPI Folding, Tubeless-Ready
Spokes	14/15G Double Butted Stainless, Black w/Aluminum Nipples, 28x28
Derailleur, Rear	Shimano XT RD-M8100
Shifters	Shimano New SLX, SL-M7100, 12s, Trigger, Right Only, I-Spec EV
Chain	Shimano CN-M7100
Crankset	FSA Comet, 2-pc., 30T Megatooth, Boost, Mega EXO, S:170, M-XL:175
BB	FSA Mega EXO, Outboard Bearing
Freewheel / Cassette	Shimano CS-M7100, 10-51T, 12-Speed
Seatpost	Kind Shock Rage-I, Integra w/Remote, Travel Adjust, 31.6mm S:110x345, M-XL: 125x395
Saddle	WTB High Tail, CrMo Rail
Handlebar	FSA Grid 35mm, 800mm x 20mm
Stem	FSA Grid 3D Forged, 35mm
Grips	Q2 Lock-on
Brake Levers	Shimano M6100, Servo Wave, I-Spec EV
Brakes	Shimano M6120 4-Piston, Hydraulic Disc, Servo Wave, 203/180mm, Rotors= RT64 CenterLock
Frame Size	27.5+=S/15, 29"=M/16.5, L/18, XL/20

ENDURO

6600

DWS™ (DUAL WHEEL SIZING)

S M L XL

27.5* 29 29 29

*These 27.5 wheels are "Plus" compatible.



FEATURES

- 12 Speed
- 4-Bar Horst Link Carbon frame
- Fox Float fork & shock
- Shimano SLX rear derailleur
- Shimano 10-51T cassette
- Shimano 4-Piston hydraulic disc brakes
- WTB tubeless ready wheels
- Kind Shock dropper post

PART #	MODEL	SIZE	COLOR
93-174-0000	6600	S	RAISIN
93-174-0001	6600	M	RAISIN
93-174-0002	6600	L	RAISIN
93-174-0003	6600	XL	RAISIN

BIKE SPECS


Frame	MSD Full Carbon 4-Bar Horst Link, 29/650B+, 135mm, 1.5 Taper, 12 x 148 Boost Rear Axle, w/Replaceable Derailleur Hanger
Rear Shock	FOX Float DPS, Trunnion Performance, 3-Pos, Evol w/LV Eyelet, 185x55
Fork	FOX Float 36, 29 Std/27.5+ Evol Air, Rhythm, 150mm, Grip Sweep Adj., 1-1/8~1.5 Taper, 15mm x 110 QR Boost
Headset	FSA No. 57/52, Zero Stack, 1-1/8"~1.5
Rims	WTB ST=S:i35, M-XL:i29 TCS, Disc, Double Wall, 28H, Tubeless-Ready
Hub, Front	Shimano HB-MT410, CenterLock Disc, 15mm x 110mm, Boost
Hub, Rear	Shimano FH-MT410-B Disc Cassette, 12 x 148mm, Boost
Tires	Kenda Regolith Pro, S:27.5 x 2.6", M-XL:29 x 2.4", 120TPI, Folding, Tubeless-Ready
Spokes	14/15G Double Butted Stainless, Black w/Aluminum Nipples, 28x28
Derailleur, Rear	Shimano SLX, RD-M7100
Shifters	Shimano SLX, SL-M7100, 12s, Trigger, Right Only, I-Spec EV
Chain	Shimano CN-M6100
Crankset	FSA Comet, 2-pc., 30T Megatooth, Boost, S:170, M-XL:175
BB	FSA MegaExo Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-M6100, 10-51T, 12-Speed
Seatpost	Kind Shock Exa-Form KSP-900-i, Integra w/Remote, Travel Adjust, 30.9mm, S: 100x345, M-XL: 125x395
Saddle	WTB High Tail, CrMo Rail
Handlebar	FSA Grid 35mm, 800mm x 20mm
Stem	FSA Grid 3D Forged, 35mm x 50mm
Grips	Q2 Lock-on
Brake Levers	Shimano M4100, I-Spec EV
Brakes	Shimano MT420 4-Piston Hydraulic Disc, 203/180mm Rotors=RT64 CenterLock
Frame Size	27.5+=S/15, 29"=M/16, L/17.5, XL/19

DWS™ (DUAL WHEEL SIZING)

S M L XL

27.5* 29 29 29

*These 27.5 wheels are "Plus" compatible.



GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/t*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	380 / 15	65.5"	78.3°	553 / 21.8	440 / 17.3	332 / 13.1	752 / 29.6	100 / 3.9	597 / 23.5	430 / 16.9
M/16	410 / 16.1	65.5"	78.3°	575 / 22.6	440 / 17.3	350 / 13.8	776 / 30.6	105 / 4.1	601 / 23.7	450 / 17.7
L/17.5	440 / 17.3	65.5"	78.1°	601 / 23.7	440 / 17.3	350 / 13.8	786 / 30.9	120 / 4.7	615 / 24.2	472 / 18.6
XL/19	470 / 18.5	65.5"	78.1°	627 / 24.7	440 / 17.3	350 / 13.8	786 / 30.9	130 / 5.1	624 / 24.6	495 / 19.5



DWS™ (DUAL WHEEL SIZING)

S M L
27.5* 29 29

*These 27.5 wheels are "Plus" compatible.



FEATURES

- 12 Speed
- 4-Bar Horst Link aluminum frame
- Shimano SLX shifter & derailleur
- Kind Shock dropper post
- Shimano 10-51T cassette
- Shimano 4-Piston hydraulic disc brakes

NEW OR CHANGED FOR 2023

- 203x180mm Rotors
- FSA Comet Crank

PART #	MODEL	SIZE	COLOR
93-173-0000	6500	S	MID GRAY (Limited Edition)
93-173-0001	6500	M	MID GRAY (Limited Edition)
93-173-0002	6500	L	MID GRAY (Limited Edition)


BIKE SPECS

Frame	4-Bar Horst Link 29/650B+ 130mm, 6061 Aluminum w/Custom Formed Double Butted T/T & D/T, 1.5 Taper, 12 x 148 Rear Axle, w/Replaceable Derailleur Hanger, Internal Cable
Rear Shock	X-Fusion Q2 Pro RL, Air, Ext Rebound, Lock-Out, 200x51mm
Fork	FOX Float 34, 29 Evol Air, Rhythm, 140mm, Grip Sweep Adj., Ext Rebound Adj., 1-1/8~1.5 Taper, 15mm x 110 QR Boost
Headset	FSA Orbit 1.5E, Zero Stack, 1 1/8"~1.5
Rims	WTB ST=S:i35, M-L:i29 TCS, Disc, Double Wall, 32H, Tubeless Ready
Hub, Front	Shimano Deore HB-MT410, Center Lock Disc, 15mm x 110mm, Boost
Hub, Rear	Shimano Deore FH-MT410-B Disc Cassette, 12 x 148mm, Boost
Tires	Kenda Regolith Pro, S:27.5x2.6, M-L:29x2.4FT, 120 TPI Folding, Tubeless Ready
Spokes	14/15G Double Butted Stainless, Black w/Aluminum Nipples, 28x28
Derailleur, Rear	Shimano SLX RD-M7100
Shifters	Shimano SLX, SL-M7100, 12s, Trigger, Right Only, I-Spec EV
Chain	Shimano CN-M6100
Crankset	FSA Comet, 2 pc., 30T Megatooth, Boost, Mega EXO, S:170, M-L:175
BB	FSA Mega EXO, Outboard Bearing
Freewheel / Cassette	Shimano CS-M6100, 10-51T, 12-Speed
Seatpost	Kind Shock Exa-Form KSP-900-i, Integra w/Remote, Travel Adj, 31.6, S: 100x345, M-L: 125x395
Saddle	WTB Volt Medium SL
Handlebar	FSA Grid 35mm, 800mm x 20mm
Stem	FSA Grid 3D Forged, 35mm x 50mm
Grips	Q2 Lock-on
Brake Levers	Shimano M4100, I-Spec EV
Brakes	Shimano MT420 4-Piston Hydraulic Disc, 203/180mm Rotors=RT64 Center Lock
Frame Size	27.5+=S/15.5, 29"=M/17, L/18.5

DWS™ (DUAL WHEEL SIZING)

S M L
27.5* 29 29

*These 27.5 wheels are "Plus" compatible.



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
S/15.5	395 / 15.6	65°	76°	571 / 22.5	446 / 17.6	342 / 13.5	798 / 31.4	100 / 3.9	612 / 24.1	420 / 16.5
M/17	430 / 16.9	65°	76°	605 / 23.8	446 / 17.6	342 / 13.5	795 / 31.3	110 / 4.3	621 / 24.4	450 / 17.7
L/18.5	470 / 18.5	65°	75.9°	636 / 25	446 / 17.6	342 / 13.5	821 / 32.3	120 / 4.7	630 / 24.8	478 / 18.8

TRAIL

5500

DWS™ (DUAL WHEEL SIZING)

S M L
27.5* 29 29

*These 27.5 wheels are "Plus" compatible.



FEATURES

- 12 Speed
- 4-Bar Horst Link aluminum frame
- WTB TCS tubeless ready wheels
- Shimano Deore shifter & derailleur
- Shimano 10-51T cassette
- Kind Shock dropper post

NEW OR CHANGED FOR 2023


- FSA Comet Crank
- 203/180mm rotors

PART #	MODEL	SIZE	COLOR
93-172-0000	5500	S	DEEP TEAL
93-172-0001	5500	M	DEEP TEAL
93-172-0002	5500	L	DEEP TEAL

DWS™ (DUAL WHEEL SIZING)

S M L
27.5* 29 29

*These 27.5 wheels are "Plus" compatible.



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	395 / 15.6	65°	76°	571 / 22.5	446 / 17.6	342 / 13.5	798 / 31.4	100 / 3.9	612 / 24.1	420 / 16.5
M/17	430 / 16.9	65°	76°	605 / 23.8	446 / 17.6	342 / 13.5	795 / 31.3	110 / 4.3	621 / 24.4	450 / 17.7
L/18.5	470 / 18.5	65°	75.9°	636 / 25	446 / 17.6	342 / 13.5	821 / 32.3	120 / 4.7	630 / 24.8	478 / 18.8

BIKE SPECS

Frame	4-Bar Horst Link 29/650B+ 130mm, 6061 Aluminum w/Custom Formed Double Butted T/T & D/T, 1.5 Taper, 12 x 148 Rear Axle, w/Replaceable Derailleur Hanger, Internal Cable
Rear Shock	X-Fusion Q2 Pro RL, Air, Ext Rebound, Lock-Out, 200x51
Fork	SR Zeron 35, EQ RC Boost, Air, S:27.5", M-L:29", 140mm, 34mm Stanchions, Aluminum Steerer, Magnesium Lowers, Hydraulic Damp, External rebound, Lock-Out, 1.5 Taper, 15QR x 110mm
Headset	FSA Orbit 1.5E, Zero Stack, 1-1/8"~1.5
Rims	WTB ST= S:i35, M-L:i29 TCS, Disc, Double Wall, 32H, Tubeless-Ready
Hub, Front	Formula Sealed Bearing Aluminum Disc, 15mm, 110mm Boost
Hub, Rear	Formula Sealed Bearing Aluminum Disc, Cassette, 12 x 148mm Boost
Tires	Kenda Regolith Pro, S:27.5 x 2.6", M-L:29 x 2.4", 120TPI, Folding, Tubeless-Ready
Spokes	14G Black w/Aluminum Nipples, 32x32
Derailleur, Rear	Shimano Deore RD-M6100
Shifters	Shimano Deore, SL-M6100, 12s, Trigger, Right Only
Chain	Shimano CN-M6100
Crankset	FSA Comet, 2-pc., 30T Megatooth, Boost, S:170, M-XL:175
BB	FSA MegaExo Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-M6100, 10-51T, 12-Speed
Seatpost	Kind Shock Exa-Form KSP-900-i, Integra w/Remote, Travel Adjust, 31.6mm, S:110x345, M-L:125x395
Saddle	WTB Volt Medium SL
Handlebar	Aluminum 35mm Riser, 780 x 15mm
Stem	35mm Aluminum 3D Forged, Threadless 4-bolt, 45mm Ext
Grips	Q2 Lock-on
Brake Levers	Shimano MT200
Brakes	Shimano MT200 Hydraulic Disc, 203/180mm Rotors Wave '12'
Frame Size	27.5+ = S/15.5, 29" = M/17, L/18.5

4 SEASON

5000




Optional Suspension Fork



FEATURES

- 12 Speed
- Full carbon frame & fork
- Shimano XT shifter & derailleur
- Kind Shock Rage-I dropper post
- FSA Comet crank
- Shimano 4-Piston hydraulic disc brakes
- Wren or Manitou fork option

PART #	MODEL	SIZE	COLOR
93-160-0000	4 SEASON 5000	S	DARK GRAY
93-160-0001	4 SEASON 5000	M	DARK GRAY
93-160-0002	4 SEASON 5000	L	DARK GRAY



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	70°	73°	585 / 23.0	460 / 18.1	322 / 12.7	768 / 30.2	110 / 4.3	588 / 23.1	405 / 15.9
M/17.5	440 / 17.3	70.5°	73°	600 / 23.6	460 / 18.1	322 / 12.7	784 / 30.8	120 / 4.7	599 / 23.6	417 / 16.4
L/19	483 / 19	70.5°	73°	615 / 24.2	460 / 18.1	322 / 12.7	816 / 32.1	135 / 5.3	613 / 24.1	428 / 16.9

BIKE SPECS

Frame	KHS High Modulus MSD Full Carbon w/1.5 Taper Headtube, Disc Only, Internal Cable Routing
Fork	High Modulus Full Carbon Straight Blade, w/1.5 Taper 15QR, or Manitou Mastodon Pro 100mm or Wren Fork Option
Headset	FSA Orbit C40-ACB, N.42/CF/ACB, 1-1/8" ~ 1.5" Integrated, Carbon Cap
Rims	Sun Mulefut SL80, Tubeless-Ready, 26x32H
Hub, Front	Aluminum Disc, Full CNC, Sealed Bearing, 15mm x 150mm Thru-Axle
Hub, Rear	Powerway Aluminum Disc, Forged, Sealed Bearing, Cassette, 12x197 Thru-Axle
Tires	Maxxis Colossus, 26 x 4.8", 120TPI, Tubeless Ready
Spokes	14G Black Stainless, 32x32, w/Aluminum Nipples
Derailleur, Rear	Shimano New XT RD-M8100
Shifters	Shimano New XT, SL-M8100, 12s, Trigger, Right Only
Chain	Shimano CN-M7100
Crankset	FSA Comet 2-pc w/MegaExo, 30T Mega Tooth, S:170, M-L:175
BB	FSA MegaExo Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-M7100, 10-51T, 12-Speed
Seatpost	Kind Shock Rage-i, Integra w/Remote, Travel Adjust, S:100x345, M:125x390, L-XL:150x445
Saddle	WTB Volt Medium SL
Handlebar	FSA Grid 35mm, 760mm x 20mm
Stem	FSA Grid 3D Forged, 35x50mm
Grips	Q2 Lock-on
Brake Levers	Shimano M4100, I-Spec EV
Brakes	Shimano MT420 4-Piston Hydraulic Disc, 180/160mm Rotors, Wave '12'
Frame Size	S/15.5, M/17.5, L/19

4 SEASON

4000




Optional Suspension Fork



FEATURES

- 12 Speed
- Full carbon frame & fork
- Sun Mulefut tubeless ready wheels
- Shimano Deore shifter & derailleur
- Shimano 4-piston hydraulic disc brakes
- Wren or Manitou fork option

PART #	MODEL	SIZE	COLOR
93-159-0000	4 SEASON 4000	S	MEDIUM GRAY
93-159-0001	4 SEASON 4000	M	MEDIUM GRAY
93-159-0002	4 SEASON 4000	L	MEDIUM GRAY



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	70°	73°	585 / 23.0	460 / 18.1	322 / 12.7	768 / 30.2	110 / 4.3	588 / 23.1	405 / 15.9
M/17.5	440 / 17.3	70.5°	73°	600 / 23.6	460 / 18.1	322 / 12.7	784 / 30.8	120 / 4.7	599 / 23.6	417 / 16.4
L/19	483 / 19	70.5°	73°	615 / 24.2	460 / 18.1	322 / 12.7	816 / 32.1	135 / 5.3	613 / 24.1	428 / 16.9

BIKE SPECS

Frame	KHS High Modulus MSD Full Carbon w/1.5 Taper Headtube, Disc Only, Internal Cable Routing
Fork	High Modulus Full Carbon Straight Blade, w/1.5 Taper 15QR, or Manitou Mastodon Pro 100mm or Wren Fork Option
Headset	FSA Orbit 1.5E ZS, 1-1/8"~1.5", Aluminum Cap
Rims	Sun Mulefut SL80, Tubeless-Ready, 26x32H
Hub, Front	KT Aluminum Disc, Forged, Sealed Bearing, 15mm Thru-Axle 15x150
Hub, Rear	Powerway Aluminum Disc, Forged, Sealed Bearing, Cassette, 12x197 Thru-Axle
Tires	Maxxis Colossus, 26 x 4.8", 120 TPI, Tubeless Ready
Spokes	14G Black Stainless, 32x32, w/Aluminum Nipples
Derailleur, Rear	Shimano Deore RD-M6100
Shifters	Shimano Deore SL-M6100, Right Only, I-Spec EV
Chain	Shimano CN-M6100
Crankset	FSA Comet 2-pc w/MegaExo, 30T Mega Tooth, S:170, M-L:175
BB	FSA MegaExo Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-M6100, 10-51T, 12-Speed
Seatpost	Kind Shock Exa-Form KSP-900-i, Integra w/Remote, Travel Adjust, 31.6mm, S:110x345, M:125x395, L-XL:150x445
Saddle	WTB Volt Medium SL
Handlebar	Aluminum 35mm Riser, 760 x 15mm
Stem	Aluminum 3D Forged, Threadless 4-bolt, 35mm, S:60mm, M-L:70mm
Grips	Q2 Lock-on
Brake Levers	Shimano M4100, I-Spec EV
Brakes	Shimano M420 4-Piston Hydraulic Disc, 180/160mm Rotors, Wave '12'
Frame Size	S/15.5, M/17.5, L/19

4 SEASON

3000




Optional Suspension Fork



FEATURES

- 12 Speed
- Aluminum frame w/12mm thru axle, rear
- Aluminum tubeless ready wheels
- Shimano SLX shifter & derailleur
- Vee Avalanche tires
- Shimano 10-51T cassette
- Shimano 4-Piston hydraulic brakes
- Wren or Manitou fork option

PART #	MODEL	SIZE	COLOR
93-158-0000	4 SEASON 3000	S	PEA GREEN
93-158-0001	4 SEASON 3000	M	PEA GREEN
93-158-0002	4 SEASON 3000	L	PEA GREEN
93-158-0003	4 SEASON 3000	XL	PEA GREEN



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	68.5°	73°	583 / 23	450 / 17.7	310 / 12.2	753 / 29.6	105 / 4.1	588 / 23.1	403 / 15.9
M/17	432 / 17	68.5°	73°	602 / 23.7	450 / 17.7	310 / 12.2	783 / 30.8	120 / 4.7	599 / 23.6	419 / 16.5
L/19	483 / 19	68.5°	73°	622 / 24.5	450 / 17.7	310 / 12.2	817 / 32.2	135 / 5.3	616 / 24.2	434 / 17.1
XL/21	533 / 21	68.5°	73°	640 / 25.2	450 / 17.7	310 / 12.2	848 / 33.4	150 / 5.9	627 / 24.7	448 / 17.6

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T, 1.5 Tapered H/T, Replaceable Derailleur Hanger 12x197mm, Internal Cable Routing
Fork	High Modulus Full Carbon Straight Blade, w/1.5 Taper 15QR, or Manitou Mastodon Pro 100mm or Wren Fork Option
Headset	FSA Orbit 1.5E ZS, 1-1/8"~1.5", Aluminum Cap
Rims	Aluminum 80mm w/Rectangular holes, Tubeless-Ready, 26x32H
Hub, Front	KT Aluminum Disc, Forged, Sealed Bearing, 15mm Thru-Axle 15x150
Hub, Rear	Powerway Aluminum Disc, Forged, Sealed Bearing, Cassette, 12x197 Thru-Axle
Tires	Vee Avalanche, 26 x 4.8", 120TPI, Folding, Tubeless-Ready
Spokes	14G Black Stainless, 32x32, w/Aluminum Nipples
Derailleur, Rear	Shimano SLX RD-M7100
Shifters	Shimano SLX, SL-M7100, 12s, Trigger, Right Only, I-Spec EV
Chain	Shimano CN-M6100
Crankset	Samox 2-pc Forged, 30T, Narrow Wide, S:170, M-L:175
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-M6100, 10-51T, 12-Speed
Seatpost	Kind Shock Exa-Form KSP-900-i, Integra w/Remote, Travel Adjust, 31.6mm, S:110x345, M:125x395, L-XL:150x445
Saddle	WTB Volt Medium SL
Handlebar	Aluminum 35mm Riser, 760 x 15mm
Stem	Aluminum 3D Forged, Threadless 4-bolt, 35mm, S=60mm, M-XL=70mm
Grips	Q2 Lock-on
Brake Levers	Shimano M4100, I-Spec EV
Brakes	Shimano MT420 4-Piston Hydraulic Disc, 180/160mm Rotors, Wave '12'
Frame Size	S/15, M/17, L/19, XL/21

4 SEASON

1000




Optional Suspension Fork



FEATURES

- 12 Speed
- Shimano Deore shifter & derailleur
- Aluminum tubeless ready wheel
- Kind Shock-900i dropper post
- Vee Avalanche tires
- Shimano 10-51T cassette
- Shimano hydraulic disc brakes
- Manitou or Carbon fork option

PART #	MODEL	SIZE	COLOR
93-157-0000	4 SEASON 1000	S	GRAY
93-157-0001	4 SEASON 1000	M	GRAY
93-157-0002	4 SEASON 1000	L	GRAY
93-157-0003	4 SEASON 1000	XL	GRAY



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	68.5°	73°	583 / 23	450 / 17.7	310 / 12.2	753 / 29.6	105 / 4.1	588 / 23.1	403 / 15.9
M/17	432 / 17	68.5°	73°	602 / 23.7	450 / 17.7	310 / 12.2	783 / 30.8	120 / 4.7	599 / 23.6	419 / 16.5
L/19	483 / 19	68.5°	73°	622 / 24.5	450 / 17.7	310 / 12.2	817 / 32.2	135 / 5.3	616 / 24.2	434 / 17.1
XL/21	533 / 21	68.5°	73°	640 / 25.2	450 / 17.7	310 / 12.2	848 / 33.4	150 / 5.9	627 / 24.7	448 / 17.6

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T, 1.5 Tapered H/T, Replaceable Derailleur Hanger 12x197mm, Internal Cable Routing
Fork	Aluminum Straight Blade, 1,5 Taper, 15mm x 150 Thru-Axle or Manitou Mastodon Pro 100mm or Carbon Fork Option
Headset	Threadless 1-1/8~1.5 Tapered, Zero Stack
Rims	Aluminum 80mm w/Rectangular holes, 26x32H
Hub, Front	KT Aluminum Disc, Forged, Sealed Bearing, 15mm Thru-Axle 15x150
Hub, Rear	Powerway Aluminum Disc, Forged, Sealed Bearing, Cassette, 12x197 Thru-Axle
Tires	Vee Avalanche, 26 x 4.8", 120TPI, Folding
Spokes	14G Black Stainless, 32x32
Derailleur, Rear	Shimano Deore RD-M6100
Shifters	Shimano Deore SL-M6100, Right Only, I-Spec EV
Chain	Shimano CN-M6100
Crankset	Samox 2-pc Forged, 30T, Narrow Wide, S:170, M-XL:175
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-M6100, 10-51T, 12-Speed
Seatpost	Kind Shock Exa-Form KSP-900-i, Integra w/Remote, Travel Adjust, 31.6mm, S:110x345, M:125x345, L-XL:150x440
Saddle	KHS Sport Dual Density Padding w/Handle
Handlebar	Aluminum 35mm Riser, 760 x 15mm
Stem	Aluminum 3D Forged, Threadless 4-bolt, 35mm, S=60mm, M-XL=70mm
Grips	Q2 Sport Lock-on
Brake Levers	Shimano M4100, I-Spec EV
Brakes	Shimano MT410 Hydraulic Disc, 180/160mm Rotors, Wave '12'
Frame Size	S/15, M/17, L/19, XL/21

4 SEASON

500



Optional Carbon Fork



FEATURES

- 11 Speed
- Aluminum frame
- Shimano Deore shifter & derailleur
- Shimano hydraulic disc brakes
- Vee Avalanche 4.8" tires
- Shimano 11/51T cassette
- Manitou or Carbon fork option


PART #	MODEL	SIZE	COLOR
93-156-0000	4 SEASON 500	S	BLACK
93-156-0001	4 SEASON 500	M	BLACK
93-156-0002	4 SEASON 500	L	BLACK
93-156-0003	4 SEASON 500	XL	BLACK

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T, Replaceable Derailleur Hanger, 1.5 taper, 10x190mm, Internal Cable Routing
Fork	Aluminum Straight Blade, 1.5 Taper, 15mm x 150 Thru-Axle or Manitou Mastodon Pro 100mm or Carbon Fork Option
Headset	Threadless 1-1/8~1.5 Tapered, Zero Stack
Rims	Aluminum 80mm w/Rectangular holes, 26x32H
Hub, Front	KT Aluminum Disc, Forged, Sealed Bearing, 15mm Thru-Axle 15x150
Hub, Rear	KT Aluminum Disc Forged Sealed Bearing, Cassette, QR, 190mm
Tires	Vee Avalanche, 26 x 4.8", 72TPI
Spokes	14G Black, 32x32
Derailleur, Rear	Shimano Deore RD-M5100
Shifters	Shimano Deore SL-M5100 Trigger, Right Only
Chain	KMC X11 w/MissingLink
Crankset	Samox 2-pc Forged, 30T Narrow Wide C/R
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-M5100-11, 11/51T, 11-Speed
Pedals	Wellgo Aluminum Platform w/DU Bearings
Seatpost	KHS Aluminum Micro-Adjust, 31.6mm x 350mm
Saddle	KHS Sport Dual Density Padding w/Handle
Handlebar	Aluminum 35mm Riser, 760 x 15mm
Stem	Aluminum 3D Forged, Threadless 4-bolt, 35mm, S=60mm, M-XL=70mm
Grips	Q2 Sport Lock-on
Brake Levers	Shimano MT200
Brakes	Shimano MT200 Hydraulic Disc, 180/160mm Rotors Wave '12'
Frame Size	S/15, M/17, L/19, XL/21

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/l	D t/effectv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
S/15	381 / 15	68.5°	73°	583 / 23	450 / 17.7	310 / 12.2	753 / 29.6	105 / 4.1	588 / 23.1	403 / 15.9
M/17	432 / 17	68.5°	73°	602 / 23.7	450 / 17.7	310 / 12.2	783 / 30.8	120 / 4.7	599 / 23.6	419 / 16.5
L/19	483 / 19	68.5°	73°	622 / 24.5	450 / 17.7	310 / 12.2	817 / 32.2	135 / 5.3	616 / 24.2	434 / 17.1
XL/21	533 / 21	68.5°	73°	640 / 25.2	450 / 17.7	310 / 12.2	848 / 33.4	150 / 5.9	627 / 24.7	448 / 17.6



XC SPORT

ALITE 50



FEATURES

- 21 Speed
- Disk brakes
- Suspension fork
- Full Shimano drivetrain
- Vee Rubber Galaxy tires
- Men's and Ladies specific saddles


PART #	MODEL	SIZE	COLOR
93-151-9000	ALITE 50	XS	BLACK
93-151-9001	ALITE 50	S	RED
93-151-9002	ALITE 50	S	BLACK
93-151-9003	ALITE 50	M	RED
93-151-9004	ALITE 50	M	BLACK
93-151-9005	ALITE 50	L	RED
93-151-9006	ALITE 50	L	BLACK
93-151-9007	ALITE 50	XL	BLACK
93-151-9008	ALITE 50 LADIES	S	BLACK
93-151-9009	ALITE 50 LADIES	S	BLUE
93-151-9010	ALITE 50 LADIES	M	BLACK
93-151-9011	ALITE 50 LADIES	M	BLUE

BIKE SPECS

Frame	6061 Aluminum w/Replaceable Der Hanger
Fork	Zoom 386A, 60mm
Headset	Threadless 1-1/8"
Rims	Aluminum, 26x32H
Hub, Front	Aluminum Disc QR
Hub, Rear	Aluminum Disc, QR, Cassette
Tires	Vee Galaxy 26x2.1
Spokes	14G Black, 32x32
Derailleur, Front	Shimano Tourney FD-TY510
Derailleur, Rear	Shimano Tourney RD-TY300D
Shifters	Shimano ST-EF500
Chain	KMC Z8.3
Crankset	Shimano FC-TY301, 48/38/28T, XS-S:170, M-XL:175
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200-7, 12-32, 7-Speed
Pedals	Resin ATB Platform w/Boron Axle
Seatpost	KHS Aluminum Micro Adjust, 31.6x350
Saddle	KHS Sport
Handlebar	Aluminum Riser, 31.8, 700mm x 20mm, 660mm Ladies
Stem	Aluminum Threadless 4-bolt, 31.8, XS-S:60mm, M-L:75mm, XL:90mm
Grips	Soft Kraton
Brake Levers	Shimano ST-EF500
Brakes	Radius Cable Disc BR-CX7, 160mm Rotors w/ABS System
Frame Size	XS/13, S/15, M/17, L/19, XL/21, Ladies: S/14, M/17

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/13	330 / 13	70°	73°	526 / 20.7	430 / 16.9	307 / 12.1	716 / 28.2	120 / 4.7	557 / 21.9	356 / 14
S/15	381 / 15	71°	73°	551 / 21.7	430 / 16.9	307 / 12.1	750 / 29.5	140 / 5.5	580 / 22.8	374 / 14.7
M/17	432 / 17	71°	73°	571 / 22.5	430 / 16.9	307 / 12.1	782 / 30.8	155 / 6.1	594 / 23.4	389 / 15.3
L/19	483 / 19	71°	73°	592 / 23.3	430 / 16.9	307 / 12.1	822 / 32.4	170 / 6.7	617 / 24.3	403 / 15.9
XL/21	533 / 21	71°	73°	606 / 23.9	430 / 16.9	307 / 12.1	852 / 33.6	190 / 7.5	627 / 24.7	414 / 16.3
S/14L	355 / 14	71°	73°	542 / 21.3	430 / 16.9	307 / 12.1	648 / 25.5	145 / 5.7	584 / 23	363 / 14.3
M/17L	432 / 17	71°	73°	559 / 22	430 / 16.9	307 / 12.1	692 / 27.2	170 / 6.7	608 / 23.9	373 / 14.7



31

All specs and photos are subject to change without notice.



XC SPORT

ALITE 40



FEATURES

- 21 Speed
- Full Shimano drivetrain
- 31.8mm handlebar & stem
- Alloy wheels
- Men's & ladies specific saddles


PART #	MODEL	SIZE	COLOR
93-150-9000	ALITE 40	XS	BLACK
93-150-9001	ALITE 40	S	BLACK
93-150-9002	ALITE 40	S	METALLIC BLUE
93-150-9003	ALITE 40	M	BLACK
93-150-9004	ALITE 40	M	METALLIC BLUE
93-150-9005	ALITE 40	L	BLACK
93-150-9006	ALITE 40	L	METALLIC BLUE
93-150-9007	ALITE 40 LADIES	S	BLOOD RED
93-150-9008	ALITE 40 LADIES	S	SILVER

BIKE SPECS



Frame	TIG-welded Hi-tensile Steel
Fork	Hi-Tensile Unicrown
Headset	Threadless 1-1/8"
Rims	Aluminum, 26x36H
Hub, Front	14Gx36H, QR
Hub, Rear	14Gx36H, Nuted
Tires	Vee Rubber Galaxy 26x2.1
Spokes	14G Black, 36x36
Derailleur, Front	Shimano Tourney FD-TY510
Derailleur, Rear	Shimano Tourney RD-TY300D
Shifters	Shimano Revo
Chain	KMC Z8.3
Crankset	Shimano FC-TY301, 48/38/28T, XS-S:170, M-XL:175
BB	Cartridge Bearing
Freewheel / Cassette	Shimano MF-TZ500, 14-34T, 7-Speed FW
Pedals	Resin ATB Platform w/Boron Axle
Seatpost	KHS Aluminum Micro Adjust, 25.4x350
Saddle	KHS Sport
Handlebar	Aluminum Riser, 31.8, 700mm x 20mm, 660mm Ladies
Stem	Aluminum Threadless 4-bolt, 31.8, XS-S:60mm, M-L:75mm, XL:90mm
Grips	Kraton For Twist
Brake Levers	Aluminum Linear Pull, 2.5F
Brakes	Aluminum Linear Pull w/ABS System
Frame Size	XS/12, S/15, M/17, L/19 Ladies: S/16

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/12	305 / 12	70°	73°	526 / 20.7	425 / 16.7	292 / 11.5	665 / 26.2	110 / 4.3	507 / 20	371 / 14.6
S/15	381 / 15	71°	73°	552 / 21.7	430 / 16.9	302 / 11.9	713 / 28.1	115 / 4.5	506 / 19.9	397 / 15.6
M/17	432 / 17	71°	73°	572 / 22.5	430 / 16.9	302 / 11.9	746 / 29.4	130 / 5.1	520 / 20.5	413 / 16.3
L/19	483 / 19	71°	73°	592 / 23.3	430 / 16.9	302 / 11.9	779 / 30.7	145 / 5.7	534 / 21	429 / 16.9
S/16L	406 / 16	71°	73°	562 / 22.1	430 / 16.9	302 / 11.9	642 / 25.3	130 / 5.1	520 / 20.5	403 / 15.9



COMFORT SMOOTHIE DELUXE



FEATURES

- 7 Speed
- Easy Ride™ technology
- Upright riding position
- Rear rack & fenders
- Kenda tires
- Shimano Tourney rear derailleur
- DDK Wide Comfort, Memory Foam w/Elastomer Spring saddle


PART #	MODEL	SIZE	COLOR
93-139-9000	SMOOTHIE DELUXE	REGULAR	DARK BLUE
93-139-9002	SMOOTHIE DELUXE	LARGE	DARK BLUE
93-139-9003	SMOOTHIE DELUXE LADIES	STEP-THRU	LIGHT BLUE
93-139-9004	SMOOTHIE DELUXE LADIES	STEP-THRU	SILVER GOLD
93-139-9005	SMOOTHIE DELUXE LADIES	STEP-THRU	ROSE GOLD
93-139-9006	SMOOTHIE DELUXE LADIES	STEP-THRU	TEAL

BIKE SPECS


Frame	Easy Ride 6061 Aluminum, TIG Welded, Internal Cable Routing
Fork	Hi-Tensile Unicrown
Headset	1-1/8" Threaded
Rims	Aluminum 26"
Hub, Front	Aluminum, QR
Hub, Rear	Aluminum, QR
Tires	Kenda K838, 26x1.95, w/K-shield
Spokes	14G Stainless, 36x36
Derailleur, Rear	Shimano Tourney RD-TY300
Shifters	Shimano Revo
Chain	KMC Z8.3
Crankset	Aluminum Forged 42T, 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano Mega Range Freewheel, 14-34T, 7-Speed
Pedals	Platform w/Non-slip Tread
Seatpost	Aluminum Micro-Adjust, 27.2x350
Saddle	DDK Wide Comfort, Memory Foam w/Elastomer Spring
Handlebar	Aluminum 95mm Rise/640mm
Stem	Aluminum Adjustable Angle, Tall
Grips	Comfort Dual Density
Brake Levers	Promax Aluminum
Brakes	Promax Aluminum Linear Pull, Long Reach
Frame Size	M:Reg & Large Ladies Step-Thru
Extras	Kickstand, Rack, Fenders

GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/l*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
R	400 / 15.7	67°	67.8°	708 / 27.9	612 / 24.1	290 / 11.4	0 / 0	235 / 9.3	609 / 24	295 / 11.6
L	450 / 17.7	67°	67.8°	723 / 28.5	612 / 24.1	290 / 11.4	0 / 0	255 / 10	626 / 24.7	303 / 11.9
Ladies	377 / 14.8	67°	67.8°	708 / 27.9	612 / 24.1	290 / 11.4	0 / 0	235 / 9.3	608 / 23.9	295 / 11.6



COMFORT SMOOTHIE



FEATURES

- 7 Speed
- Easy Ride™ technology
- Upright riding position
- Easy Step-thru frame option
- Kenda tires
- Shimano Tourney rear derailleur
- DDK Wide Comfort, Memory Foam w/Elastomer Spring saddle


BIKE SPECS

Frame	Easy Ride 6061 Aluminum, TIG Welded, Internal Cable Routing
Fork	Hi-Tensile Unicrown
Headset	1-1/8" Threaded
Rims	Aluminum 26"
Hub, Front	Aluminum, QR
Hub, Rear	Aluminum, QR
Tires	Kenda K838, 26x1.95, w/K-shield
Spokes	14G Stainless, 36x36
Derailleur, Rear	Shimano Tourney RD-TY300
Shifters	Shimano Revo
Chain	KMC Z8.3
Crankset	Aluminum Forged 42T, 170
BB	Cartridge Bearing
Freewheel / Cassette	Shimano Mega Range Freewheel, 14-34T, 7-Speed
Pedals	Platform w/Non-slip Tread
Seatpost	Aluminum Micro-Adjust, 27.2x350
Saddle	DDK Wide Comfort, Memory Foam w/Elastomer Spring
Handlebar	Aluminum 95mm Rise/640mm
Stem	Aluminum Adjustable Angle, Tall
Grips	Comfort Dual Density
Brake Levers	Promax Aluminum
Brakes	Promax Aluminum Linear Pull, Long Reach
Frame Size	M:Reg & Large Ladies Step-Thru
Extras	Kickstand

PART #	MODEL	SIZE	COLOR
93-138-9000	SMOOTHIE	REGULAR	BLACK
93-138-9001	SMOOTHIE	REGULAR	RED
93-138-9002	SMOOTHIE	LARGE	BLACK
93-138-9003	SMOOTHIE	LARGE	RED
93-138-9004	SMOOTHIE LADIES	STEP-THRU	CORAL
93-138-9005	SMOOTHIE LADIES	STEP-THRU	GRAY
93-138-9006	SMOOTHIE LADIES	STEP-THRU	MINT
93-138-9007	SMOOTHIE LADIES	STEP-THRU	ORCHID
93-138-9008	SMOOTHIE LADIES	STEP-THRU	PINK
93-138-9009	SMOOTHIE LADIES	STEP-THRU	TEAL

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
R	400 / 15.7	67°	67.8°	708 / 27.9	612 / 24.1	290 / 11.4	0 / 0	235 / 9.3	609 / 24	295 / 11.6
L	450 / 17.7	67°	67.8°	723 / 28.5	612 / 24.1	290 / 11.4	0 / 0	255 / 10	626 / 24.7	303 / 11.9
Ladies	377 / 14.8	67°	67.8°	708 / 27.9	612 / 24.1	290 / 11.4	0 / 0	235 / 9.3	608 / 23.9	295 / 11.6




COMFORT SMOOTHIE 3



FEATURES

- 3 Speed
- Easy Ride™ technology
- Upright riding position
- Easy Step-thru frame
- Kenda tires
- DDK Wide Comfort, Memory Foam w/Elastomer Spring saddle

PART #	MODEL	SIZE	COLOR
93-140-9000	SMOOTHIE 3-SPEED	STEP-THRU	MATTE PLACID BLUE
93-140-9001	SMOOTHIE 3-SPEED	STEP-THRU	TANGERINE



GEOMETRY

SIZE	A s/t c-t	B h/t"	C s/t"	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
Ladies	377 / 14.8	67°	67.8°	708 / 27.9	612 / 24.1	290 / 11.4	0 / 0	235 / 9.3	608 / 23.9	295 / 11.6

BIKE SPECS

Frame	Easy Ride 6061 Aluminum, TIG Welded, Internal Cable Routing
Fork	Hi-Tensile Unicrown
Headset	1-1/8" Threaded
Rims	Aluminum 26"
Hub, Front	Aluminum, QR
Hub, Rear	Shimano Nexus 3-Speed Rear w/Coaster Brake
Tires	Kenda K838, 26 x 1.95", w/K-Shield
Spokes	14G Stainless, 36x36
Derailleur, Rear	Shimano Internal 3-Speed
Shifters	Shimano Twist 3-Speed
Chain	KMC Z410
Crankset	Aluminum Forged 42T, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano 20T
Pedals	Platform w/Non-slip Tread
Seatpost	Aluminum Micro-Adjust, 27.2x350
Saddle	DDK Wide Comfort, Memory Foam w/Elastomer Spring
Handlebar	Aluminum 95mm Rise/640mm
Stem	Aluminum Adjustable Angle, Tall
Grips	Comfort Dual Density
Brake Levers	Promax Aluminum
Brakes	Promax Aluminum Linear Pull, Long Reach FT, Rear Coaster
Frame Size	Ladies Step-Thru
Extras	Kickstand

COMFORT

MOVO 2.0



FEATURES

18 Speed

Aluminum frame

Easy Step-thru frame options

Shimano hydraulic disc brakes

Alex EV-23 Aluminum double wall rims

DDK Wide Comfort, Memory Foam w/Elastomer Spring saddle


PART #	MODEL	SIZE	COLOR
93-208-9000	MOVO 2.0	M	BLUE
93-208-9001	MOVO 2.0	L	BLUE
93-208-9002	MOVO 2.0 STEP-THRU	S	GRAY
93-208-9003	MOVO 2.0 STEP-THRU	S	LIGHT PURPLE
93-208-9004	MOVO 2.0 STEP-THRU	M	GRAY
93-208-9005	MOVO 2.0 STEP-THRU	M	LIGHT PURPLE
93-208-9006	MOVO 2.0 STEP-THRU	L	GRAY
93-208-9007	MOVO 2.0 STEP-THRU	L	LIGHT PURPLE

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
M	400 / 15.7	69°	68.5°	615 / 24.2	470 / 18.5	287 / 11.3	750 / 29.5	190 / 7.5	584 / 23	385 / 15.1
L	450 / 17.7	69°	68.5°	630 / 24.8	470 / 18.5	287 / 11.3	780 / 30.7	205 / 8.1	598 / 23.5	394 / 15.5
S/Step	350 / 13.8	69°	68.5°	600 / 23.6	470 / 18.5	287 / 11.3	0 / 0	175 / 6.9	570 / 22.4	375 / 14.8
M/Step	400 / 15.7	69°	68.5°	615 / 24.2	470 / 18.5	287 / 11.3	0 / 0	190 / 7.5	584 / 23	385 / 15.1
L/Step	450 / 17.7	69°	68.5°	630 / 24.8	470 / 18.5	287 / 11.3	0 / 0	205 / 8.1	598 / 23.5	394 / 15.5

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T w/Replaceable Derailleur Hanger, Internal Cable Routing
Fork	Aluminum Straight Leg w/CrMo Steerer
Headset	1-1/8" Threadless, Zero Stack w/Aluminum Conical Top Cap
Rims	Alex EV-23 Aluminum Double Wall, 26x32H
Hub, Front	Aluminum Disc w/CNC Rotor Flange, QR
Hub, Rear	Aluminum Disc w/CNC Rotor Flange, QR
Tires	Kenda Khan, 26 x 2.35" w/Anti-Puncture
Spokes	14G Stainless Black, 32x32
Derailleur, Front	Shimano Cues, 31.8mm
Derailleur, Rear	Shimano Cues
Shifters	Shimano Cues Trigger
Chain	KMC w/MissingLink
Crankset	Shimano, 2-pc, 46/30T, 170mm
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS-LG300-9, 11-36T, 9-Speed
Pedals	Wellgo Platform w/Non-slip Tread, DU Bearings
Seatpost	Aluminum Suspension, 27.2x350
Saddle	DDK Wide Comfort, Memory Foam w/Elastomer Spring
Handlebar	Aluminum 100mm rise/660mm
Stem	Aluminum Threadless, 17 Degree x 80mm
Grips	Comfort Kraton
Brake Levers	Shimano MT200
Brakes	Shimano MT200 Hydraulic, 160mm Rotors Wave '12'
Frame Size	M, L, Step-Thru: S, M, L



COMFORT

MOVO 1.0



FEATURES

24 Speed

Easy Step-thru frame options

Cable disc brakes

Shimano drivetrain

Alex EV-23 Aluminum double wall rims

DDK Wide Comfort, Memory Foam w/Elastomer Spring saddle


PART #	MODEL	SIZE	COLOR
93-207-9000	MOVO 1.0	M	BLACK
93-207-9001	MOVO 1.0	L	BLACK
93-207-9002	MOVO 1.0 STEP-THRU	S	METALLIC RED
93-207-9003	MOVO 1.0 STEP-THRU	S	LIGHT TEAL
93-207-9004	MOVO 1.0 STEP-THRU	S	BRIGHT SILVER
93-207-9005	MOVO 1.0 STEP-THRU	M	METALLIC RED
93-207-9006	MOVO 1.0 STEP-THRU	M	LIGHT TEAL
93-207-9007	MOVO 1.0 STEP-THRU	M	BRIGHT SILVER
93-207-9008	MOVO 1.0 STEP-THRU	L	METALLIC RED
93-207-9009	MOVO 1.0 STEP-THRU	L	LIGHT TEAL
93-207-9010	MOVO 1.0 STEP-THRU	L	BRIGHT SILVER

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T w/Replaceable Derailleur Hanger, Internal Cable Routing
Fork	Aluminum Straight Leg w/CrMo Steerer
Headset	1-1/8" Threadless, Zero Stack w/Aluminum Conical Top Cap
Rims	Alex EV-23 Aluminum Double Wall, 26x32H
Hub, Front	Aluminum Disc w/CNC Rotor Flange, QR
Hub, Rear	Aluminum Disc w/CNC Rotor Flange, QR
Tires	Kenda Khan, 26 x 2.35" w/Anti-Puncture
Spokes	14G Stainless Black, 32x32
Derailleur, Front	Shimano Altus FD-M310, 31.8mm
Derailleur, Rear	Shimano Altus RD-M310
Shifters	Shimano SL-M315 Trigger
Chain	KMC Z8.3
Crankset	Shimano FC-TY301, 48/38/28T w/CG, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG31-8, 11-34T, 8-Speed
Pedals	Wellgo Platform w/Non-slip Tread, DU Bearings
Seatpost	Aluminum Suspension, 27.2x350
Saddle	DDK Wide Comfort, Memory Foam w/Elastomer Spring
Handlebar	Aluminum 100mm rise/660mm
Stem	Aluminum Threadless, 17 Degree x 80mm
Grips	Comfort Kraton
Brake Levers	Aluminum Linear Pull
Brakes	Radius Cable Disc BR-CX7, 160mm Rotors w/ABS System
Frame Size	M, L Ladies: S, M, L

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
M	400 / 15.7	69°	68.5°	615 / 24.2	470 / 18.5	287 / 11.3	750 / 29.5	190 / 7.5	584 / 23	385 / 15.1
L	450 / 17.7	69°	68.5°	630 / 24.8	470 / 18.5	287 / 11.3	780 / 30.7	205 / 8.1	598 / 23.5	394 / 15.5
S/Step	350 / 13.8	69°	68.5°	600 / 23.6	470 / 18.5	287 / 11.3	0 / 0	175 / 6.9	570 / 22.4	375 / 14.8
M/Step	400 / 15.7	69°	68.5°	615 / 24.2	470 / 18.5	287 / 11.3	0 / 0	190 / 7.5	584 / 23	385 / 15.1
L/Step	450 / 17.7	69°	68.5°	630 / 24.8	470 / 18.5	287 / 11.3	0 / 0	205 / 8.1	598 / 23.5	394 / 15.5



COMFORT

MOVO ZER.0



FEATURES

21 Speed

Aluminum frame

Shimano drivetrain

Easy Step-thru frame options

DDK Wide Comfort, Memory Foam w/Elastomer Spring saddle


PART #	MODEL	SIZE	COLOR
93-206-9000	MOVO ZER.0	M	MATTE BLACK
93-206-9001	MOVO ZER.0	L	MATTE BLACK
93-206-9002	MOVO ZER.0 STEP-THRU	S	MUTE GRAY
93-206-9003	MOVO ZER.0 STEP-THRU	S	MINT
93-206-9004	MOVO ZER.0 STEP-THRU	M	MUTE GRAY
93-206-9005	MOVO ZER.0 STEP-THRU	M	MINT
93-206-9006	MOVO ZER.0 STEP-THRU	L	MUTE GRAY
93-206-9007	MOVO ZER.0 STEP-THRU	L	MINT

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
M	400 / 15.7	69°	68.5°	615 / 24.2	470 / 18.5	287 / 11.3	750 / 29.5	190 / 7.5	584 / 23	385 / 15.1
L	450 / 17.7	69°	68.5°	630 / 24.8	470 / 18.5	287 / 11.3	780 / 30.7	205 / 8.1	598 / 23.5	394 / 15.5
S/Step	350 / 13.8	69°	68.5°	600 / 23.6	470 / 18.5	287 / 11.3	0 / 0	175 / 6.9	570 / 22.4	375 / 14.8
M/Step	400 / 15.7	69°	68.5°	615 / 24.2	470 / 18.5	287 / 11.3	0 / 0	190 / 7.5	584 / 23	385 / 15.1
L/Step	450 / 17.7	69°	68.5°	630 / 24.8	470 / 18.5	287 / 11.3	0 / 0	205 / 8.1	598 / 23.5	394 / 15.5


BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T w/Replaceable Derailleur Hanger, Internal Cable Routing
Fork	Hi-Tensile Unicrown Straight Leg
Headset	1-1/8" Threadless Zero Stack w/Aluminum Conical Top Cap
Rims	Alex EV-23 Aluminum Double Wall, 26x32H
Hub, Front	Aluminum Cassette QR
Hub, Rear	Aluminum QR
Tires	Kenda Khan, 26 x 2.35" w/Anti-Puncture
Spokes	14G Stainless Black, 32x32
Derailleur, Front	Shimano Tourney TY510, 31.8mm
Derailleur, Rear	Shimano Tourney RD-TY300
Shifters	Shimano ST-EF500-4
Chain	KMC Z8.3
Crankset	Shimano FC-TY301, 48/38/28T w/CG, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG200, 12-32T, 7-Speed
Pedals	Wellgo Platform w/Non-slip Tread, DU Bearings
Seatpost	Aluminum Suspension, 27.2x350
Saddle	DDK Wide Comfort, Memory Foam w/Elastomer Spring
Handlebar	Aluminum 100mm rise/660mm
Stem	Aluminum Threadless, 17 Degree x 80mm
Grips	Comfort Kraton
Brake Levers	Shimano ST-EF500
Brakes	Aluminum Linear Pull w/ABS System
Frame Size	M, L Ladies: S, M, L



COMFORT

TC 150



FEATURES

21 Speed

Aluminum frame

80mm travel fork

Shimano drivetrain

DDK Wide Comfort saddle & suspension seatpost

Internal Cable Routing


PART #	MODEL	SIZE	COLOR
93-196-9000	TC150	S	BLACK
93-196-9001	TC150	S	AUDI GRAY
93-196-9002	TC150	M	BLACK
93-196-9003	TC150	M	AUDI GRAY
93-196-9004	TC150	L	BLACK
93-196-9005	TC150	L	AUDI GRAY
93-196-9006	TC150	XL	BLACK
93-196-9007	TC150	XL	AUDI GRAY
93-196-9008	TC150 LADIES	S	ICE BLUE
93-196-9009	TC150 LADIES	S	RUST

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	350 / 13.8	69°	68.5°	600 / 23.6	470 / 18.5	287 / 11.3	730 / 28.7	140 / 5.5	594 / 23.4	366 / 14.4
M/17	400 / 15.7	69°	68.5°	615 / 24.2	470 / 18.5	287 / 11.3	759 / 29.9	155 / 6.1	608 / 23.9	376 / 14.8
L/19	450 / 17.7	69°	68.5°	630 / 24.8	470 / 18.5	287 / 11.3	789 / 31.1	170 / 6.7	622 / 24.5	385 / 15.2
XL/21	490 / 19.3	69°	68.5°	645 / 25.4	470 / 18.5	287 / 11.3	821 / 32.3	195 / 7.7	645 / 25.4	391 / 15.4
S/16L	375 / 14.8	69°	68.5°	600 / 23.6	470 / 18.5	287 / 11.3	0 / 0	170 / 6.7	622 / 24.5	355 / 14

BIKE SPECS

Frame	6061 Aluminum, TIG Welded, Internal Cables
Fork	SR XCE28, 80mm
Headset	1-1/8" Threaded, Zero Stack w/Aluminum Conical Top Cap
Rims	Weinmann Aluminum, 26x32H
Hub, Front	Aluminum, QR, Rubber Seal
Hub, Rear	Aluminum, QR, Rubber Seal
Tires	26 x 2.35", Skin Wall w/Anti-Puncture
Spokes	14G Stainless, 32x32
Derailleur, Front	Shimano Tourney TY510, 31.8mm
Derailleur, Rear	Shimano Tourney RD-M310
Shifters	Shimano ST-EF500-4
Chain	KMC Z8.3
Crankset	Shimano FC-TY501, 48/38/28T w/CG, S-M:170, L-XL:175, Ladies: 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano Mega Range Freewheel, 14-34T, 7-Speed
Pedals	Wellgo Platform w/Non-slip Tread, DU Bearings
Seatpost	Aluminum Suspension, 27.2x350
Saddle	DDK Wide Comfort, Memory Foam w/Elastomer Spring
Handlebar	Aluminum 100mm rise/660mm
Stem	Aluminum Quill, 25 Degree, S=80mm, M-XL=100mm, Ladies S=80mm
Grips	Comfort Kraton
Brake Levers	Shimano ST-EF500-4
Brakes	Aluminum Linear Pull w/ABS System
Frame Size	S/15, M/17, L/19, XL/21 Ladies: S/16 Step-Thru



COMFORT

TC 100



FEATURES

- 7 Speed
- Shimano drivetrain
- Step-thru frame option
- Internal cable routing
- Kenda Khan tires
- DDK Wide Comfort saddle
- Suspension seatpost


PART #	MODEL	SIZE	COLOR
93-195-9000	TC100	S	MATTE BLACK
93-195-9001	TC100	S	KHAKI GREEN
93-195-9002	TC100	M	MATTE BLACK
93-195-9003	TC100	M	KHAKI GREEN
93-195-9004	TC100	L	MATTE BLACK
93-195-9005	TC100	L	KHAKI GREEN
93-195-9006	TC100	XL	MATTE BLACK
93-195-9007	TC100	XL	KHAKI GREEN
93-195-9008	TC100 LADIES	S	DARK BLUE
93-195-9009	TC100 LADIES	S	GOLDIE FAWN

BIKE SPECS

Frame	TIG-Welded Hi-Tensile Steel, Internal Cables
Fork	Hi-Tensile Unicrown Straight Blades
Headset	1-1/8" Threaded, Zero Stack w/Aluminum Conical Top Cap
Rims	Aluminum, 26x32H
Hub, Front	KT Aluminum, QR, Rubber Seal
Hub, Rear	KT Aluminum, QR, Rubber Seal
Tires	Kenda Khan, 26x2.35 Skin wall w/Anti-Puncture
Spokes	14G Stainless, 32x32
Derailleur, Rear	Shimano Tourney RD-TY300D
Shifters	Shimano Revo
Chain	KMC Z8.3
Crankset	Forged, 44T w/Double CG, 170
BB	Cartridge Bearing, 122.5
Freewheel / Cassette	Shimano 7-Speed Mega Range Freewheel, 14-34T
Pedals	Nylon Platform
Seatpost	Aluminum Suspension, 25.4x350
Saddle	DDK Wide Comfort, Memory Foam w/Elastomer Spring
Handlebar	Aluminum 100mm rise/660mm
Stem	Aluminum Quill, 25 Degree, S=80mm, M-XL=100mm, Ladies S=80mm
Grips	Comfort Kraton
Brake Levers	Aluminum Linear Pull
Brakes	Aluminum Linear Pull w/ABS System
Frame Size	S/15, M/17, L/19, XL/21 Ladies: S/16 Step-Thru


GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	350 / 13.8	69°	68.5°	600 / 23.6	470 / 18.5	287 / 11.3	720 / 28.3	175 / 6.9	570 / 22.4	375 / 14.8
M/17	400 / 15.7	69°	68°	615 / 24.2	470 / 18.5	287 / 11.3	752 / 29.6	190 / 7.5	584 / 23	385 / 15.2
L/19	450 / 17.7	69°	68.5°	630 / 24.8	470 / 18.5	287 / 11.3	782 / 30.8	205 / 8.1	598 / 23.5	394 / 15.5
XL/21	490 / 19.3	69°	68.5°	645 / 25.4	470 / 18.5	287 / 11.3	826 / 32.5	230 / 9.1	622 / 24.5	400 / 15.7
S/16L	375 / 14.8	69°	68.5°	600 / 23.6	470 / 18.5	302 / 11.9	0 / 0	205 / 8.1	598 / 23.5	364 / 14.3



COMFORT/HYBRID

WESTWOOD



FEATURES

21 Speed

Aluminum frame

80mm travel fork

Internal cable routing

DDK Wide Comfort saddle

Suspension seatpost


PART #	MODEL	SIZE	COLOR
93-199-9000	WESTWOOD	S	BLACK
93-199-9001	WESTWOOD	S	CHROME RED
93-199-9002	WESTWOOD	M	BLACK
93-199-9003	WESTWOOD	M	CHROME RED
93-199-9004	WESTWOOD	L	BLACK
93-199-9005	WESTWOOD	L	CHROME RED
93-199-9006	WESTWOOD	XL	BLACK
93-199-9007	WESTWOOD	XL	CHROME RED
93-199-9008	WESTWOOD LADIES	S	MINT
93-199-9009	WESTWOOD LADIES	S	BLUE
93-199-9010	WESTWOOD LADIES	M	MINT
93-199-9011	WESTWOOD LADIES	M	BLUE

BIKE SPECS

Frame	6061 Aluminum, TIG welded, Internal Cables
Fork	SR XCE28, 80mm
Headset	1-1/8" Threaded, Zero Stack w/Aluminum Conical Top Cap
Rims	Weinmann Aluminum, 700c, 32H
Hub, Front	Aluminum, QR, Rubber Seal
Hub, Rear	Aluminum, QR, Rubber Seal
Tires	Kenda Khan, 700 x 38c, Skin Wall w/Anti-Puncture
Spokes	14G Stainless, 32x32
Derailleur, Front	Shimano Tourney TY510, 31.8mm
Derailleur, Rear	Shimano Tourney RD-TY300D
Shifters	Shimano ST-EF500
Chain	KMC Z8.3
Crankset	Shimano FC-TY501, 48/38/28T w/CG, 170mm
BB	Cartridge Bearing
Freewheel / Cassette	Shimano Mega Range Freewheel, 14-34T, 7-Speed
Pedals	Platform w/Non-slip Tread, DU Bearings
Seatpost	Aluminum Suspension, 27.2x350
Saddle	DDK Wide Comfort, Memory Foam w/Elastomer Spring
Handlebar	Aluminum 100mm rise/660mm
Stem	Aluminum Quill, 25 Degree, S=80mm, M-XL=100mm
Grips	Comfort Kraton
Brake Levers	Shimano ST-EF500
Brakes	Aluminum Linear Pull w/ABS System
Frame Size	S/15, M/17, L/19, XL/21 Ladies: S/14L & M/17L Low Step

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	350 / 13.8	70.5°	71°	580 / 22.8	465 / 18.3	285 / 11.2	747 / 29.4	127 / 5	608 / 23.9	370 / 14.6
M/17	400 / 15.7	70.5°	71°	592 / 23.3	465 / 18.3	285 / 11.2	780 / 30.7	139 / 5.5	619 / 24.4	378 / 14.9
L/19	450 / 17.7	70.5°	71°	604 / 23.8	465 / 18.3	285 / 11.2	808 / 31.8	151 / 5.9	630 / 24.8	386 / 15.2
XL/21	500 / 19.7	70.5°	71°	616 / 24.3	465 / 18.3	285 / 11.2	837 / 33	163 / 6.4	642 / 25.3	394 / 15.5
S/14L	325 / 12.8	70.5°	71°	576 / 22.7	465 / 18.3	285 / 11.2	0 / 0	135 / 5.3	615 / 24.2	363 / 14.3
M/17L	400 / 15.7	70.5°	71°	590 / 23.2	465 / 18.3	285 / 11.2	0 / 0	150 / 5.9	630 / 24.8	373 / 14.7



COMFORT/HYBRID BRENTWOOD



FEATURES

21 Speed

Shimano drivetrain

Alloy rims

Stainless spokes

Internal cable routing

DDK Wide Comfort saddle


PART #	MODEL	SIZE	COLOR
93-198-9000	BRENTWOOD	S	BLACK
93-198-9001	BRENTWOOD	S	AUDI GRAY
93-198-9002	BRENTWOOD	M	BLACK
93-198-9003	BRENTWOOD	M	MATTE GREEN
93-198-9004	BRENTWOOD	M	AUDI GRAY
93-198-9005	BRENTWOOD	L	BLACK
93-198-9006	BRENTWOOD	L	MATTE GREEN
93-198-9007	BRENTWOOD	L	AUDI GRAY
93-198-9008	BRENTWOOD	XL	BLACK
93-198-9009	BRENTWOOD	XL	AUDI GRAY
93-198-9010	BRENTWOOD	XXL	BLACK
93-198-9011	BRENTWOOD	XXXL	BLACK

BIKE SPECS

Frame	TIG-Welded Hi-Tensile Steel, Internal Cables
Fork	Hi-Tensile Unicrown Straight Blades
Headset	1-1/8" Threaded, Zero Stack w/Aluminum Conical Top Cap
Rims	Aluminum, 700c, 32H
Hub, Front	Aluminum, QR, Rubber Seal
Hub, Rear	Aluminum, QR, Rubber Seal
Tires	Kenda Khan, 700 x 38c, Skin Wall w/Anti-Puncture
Spokes	14G Stainless, 32x32
Derailleur, Front	Shimano Tourney TY510, 28.6
Derailleur, Rear	Shimano Tourney RD-TY300D
Shifters	Shimano Revo
Chain	KMC Z8.3
Crankset	Shimano FC-TY501, 48/38/28T w/CG, S-M:170, L-XXXL:175,
BB	Cartridge Bearing, 122.5
Freewheel / Cassette	Shimano Mega Range Freewheel, 14-34T, 7-Speed
Pedals	Nylon Platform
Seatpost	Aluminum Suspension, 25.4x350
Saddle	DDK Wide Comfort, Memory Foam w/Elastomer Spring
Handlebar	Aluminum 100mm rise/660mm
Stem	Aluminum Quill, 25 Degree, S=80mm, M-XXXL=100mm
Grips	Comfort Kraton
Brake Levers	Aluminum Linear Pull
Brakes	Aluminum Linear Pull w/ABS System
Frame Size	S/15, M/17, L/19, XL/21, XXL/23, XXXL/25 (XXL/23 & XXXL/25 Black Only)

GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/t*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	350 / 13.8	70.5°	71°	580 / 22.8	465 / 18.3	285 / 11.2	746 / 29.4	167 / 6.6	603 / 23.7	372 / 14.7
M/17	400 / 15.7	70.5°	71°	592 / 23.3	465 / 18.3	285 / 11.2	776 / 30.5	179 / 7	614 / 24.2	381 / 15
L/19	450 / 17.7	70.5°	71°	604 / 23.8	465 / 18.3	285 / 11.2	809 / 31.9	191 / 7.5	625 / 24.6	389 / 15.3
XL/21	500 / 19.7	70.5°	71°	616 / 24.3	465 / 18.3	285 / 11.2	841 / 33.1	203 / 8	637 / 25.1	397 / 15.6
XXL/23	550 / 21.7	70.5°	71°	628 / 24.7	465 / 18.3	285 / 11.2	871 / 34.3	215 / 8.5	648 / 25.5	405 / 15.9
XXXL/25	600 / 23.6	70.5°	71°	641 / 25.2	465 / 18.3	285 / 11.2	901 / 35.5	228 / 9	660 / 26	414 / 16.3



COMFORT/HYBRID

BRENTWOOD LADIES



FEATURES

21 Speed

Shimano drivetrain


Alloy rims

Stainless spokes

Internal cable routing

DDK Wide Comfort saddle

PART #	MODEL	SIZE	COLOR
93-198-9012	BRENTWOOD LADIES	S	BLACK
93-198-9013	BRENTWOOD LADIES	S	CORAL
93-198-9014	BRENTWOOD LADIES	S	GREEN
93-198-9015	BRENTWOOD LADIES	M	BLACK
93-198-9016	BRENTWOOD LADIES	M	CORAL
93-198-9017	BRENTWOOD LADIES	M	GREEN



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/14L	325 / 12.8	70.5°	71°	575 / 22.6	465 / 18.3	285 / 11.2	0 / 0	175 / 6.9	610 / 24	365 / 14.4
M/17L	400 / 15.7	70.5°	71°	590 / 23.2	465 / 18.3	285 / 11.2	0 / 0	190 / 7.5	625 / 24.6	375 / 14.8

BIKE SPECS

Frame	TIG-Welded Hi-Tensile Steel, Internal Cables
Fork	Hi-Tensile Unicrown Straight Blades
Headset	1-1/8" Threaded, Zero Stack w/Aluminum Conical Top Cap
Rims	Aluminum, 700c, 32H
Hub, Front	Aluminum, QR, Rubber Seal
Hub, Rear	Aluminum, QR, Rubber Seal
Tires	Kenda Khan, 700 x 38c, Skin Wall w/Anti-Puncture
Spokes	14G Stainless, 32x32
Derailleur, Front	Shimano Tourney TY510, 28.6
Derailleur, Rear	Shimano Tourney RD-TY300D
Shifters	Shimano Revo
Chain	KMC Z8.3
Crankset	Shimano FC-TY501, 48/38/28T w/CG, Ladies: 170
BB	Cartridge Bearing, 122.5
Freewheel / Cassette	Shimano Mega Range Freewheel, 14-34T, 7-Speed
Pedals	Nylon Platform
Seatpost	Aluminum Suspension, 25.4x350
Saddle	DDK Wide Comfort, Memory Foam w/Elastomer Spring
Handlebar	Aluminum 100mm rise/660mm
Stem	Aluminum Quill, 25 Degree, S=80mm, M=100mm
Grips	Comfort Kraton
Brake Levers	Aluminum Linear Pull
Brakes	Aluminum Linear Pull w/ABS System
Frame Size	S/14L & M/17L Low Step

COMFORT/HYBRID

EASTWOOD



FEATURES

- 7 Speed
- Steel frame
- Wide comfort saddle
- Internal cable routing
- DDK Wide Comfort saddle


PART #	MODEL	SIZE	COLOR
93-197-9000	EASTWOOD	S	BLACK
93-197-9001	EASTWOOD	S	BRILLIANT RED
93-197-9002	EASTWOOD	M	BLACK
93-197-9003	EASTWOOD	M	BRILLIANT RED
93-197-9004	EASTWOOD	L	BLACK
93-197-9005	EASTWOOD	L	BRILLIANT RED
93-197-9006	EASTWOOD	XL	BLACK
93-197-9007	EASTWOOD	XL	BRILLIANT RED
93-197-9008	EASTWOOD	XXL	BLACK
93-197-9009	EASTWOOD LADIES	S	MINT
93-197-9010	EASTWOOD LADIES	S	TULIP
93-197-9011	EASTWOOD LADIES	M	MINT
93-197-9012	EASTWOOD LADIES	M	TULIP

BIKE SPECS

Frame	TIG-Welded Hi-Tensile Steel, Internal Cables
Fork	Hi-Tensile Unicrown Straight Blades
Headset	1-1/8" Threaded, Zero Stack w/Aluminum Conical Top Cap
Rims	Aluminum, 700c, 32H
Hub, Front	KT Steel, QR
Hub, Rear	KT Steel, Nuted
Tires	Kenda Khan, 700 x 38c, Skin Wall w/Anti-Puncture
Spokes	14G Stainless, 32x32
Derailleur, Rear	Shimano Tourney RD-TY300D
Shifters	Shimano Revo
Chain	KMC Z8.3
Crankset	Aluminum Forged, 44T w/Double Guard, 170mm
BB	Cartridge Bearing, 124.5mm
Freewheel / Cassette	Shimano Mega Range Freewheel, 14-34T, 7-Speed
Pedals	Nylon Platform
Seatpost	Aluminum Micro-Adjust, 25.4x350
Saddle	DDK Wide Comfort, Memory Foam w/Elastomer Spring
Handlebar	Aluminum 100mm rise/660mm
Stem	Aluminum Quill, 25 Degree, S=80mm, M-XXXL=100mm
Grips	Comfort Kraton
Brake Levers	Aluminum Linear Pull
Brakes	Aluminum Linear Pull w/ABS System
Frame Size	S/15, M/17, L/19, XL/21, XXL/23, XXXL/25 Ladies: S/14L & M/17L Low Step

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/teffectv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
S/15	350 / 13.8	70.5°	71°	580 / 22.8	465 / 18.3	285 / 11.2	746 / 29.4	167 / 6.6	603 / 23.7	372 / 14.7
M/17	400 / 15.7	70.5°	71°	592 / 23.3	465 / 18.3	285 / 11.2	776 / 30.5	179 / 7	614 / 24.2	381 / 15
L/19	450 / 17.7	70.5°	71°	604 / 23.8	465 / 18.3	285 / 11.2	809 / 31.9	191 / 7.5	625 / 24.6	389 / 15.3
XL/21	500 / 19.7	70.5°	71°	616 / 24.3	465 / 18.3	285 / 11.2	841 / 33.1	203 / 8	637 / 25.1	397 / 15.6
XXL/23	550 / 21.7	70.5°	71°	628 / 24.7	465 / 18.3	285 / 11.2	871 / 34.3	215 / 8.5	648 / 25.5	405 / 15.9
XXXL/25	600 / 23.6	70.5°	71°	641 / 25.2	465 / 18.3	285 / 11.2	901 / 35.5	228 / 9	660 / 26	414 / 16.3
S/14L	325 / 12.8	70.5°	71°	575 / 22.6	465 / 18.3	285 / 11.2	0 / 0	175 / 6.9	610 / 24	365 / 14.4
M/17L	400 / 15.7	70.5°	71°	590 / 23.2	465 / 18.3	285 / 11.2	0 / 0	190 / 7.5	625 / 24.6	375 / 14.8



URBAN

X-ROUTE 300



FEATURES


- 18 Speed
- Aluminum frame & carbon fork
- Shimano drivetrain
- Shimano hydraulic disc brakes

PART # MODEL SIZE COLOR

93-190-9000	X-ROUTE 300	XS	DARK GRAY
93-190-9001	X-ROUTE 300	S	DARK GRAY
93-190-9002	X-ROUTE 300	M	DARK GRAY
93-190-9003	X-ROUTE 300	L	DARK GRAY
93-190-9004	X-ROUTE 300	XL	DARK GRAY

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T w/C/S Disc Mount, w/Replaceable Derailleur Hanger
Fork	Carbon w/Aluminum Steerer
Headset	Threadless 1-1/8", Zero Stack
Rims	Weinmann U26 Disc, 700x32H, Double Wall
Hub, Front	KK Aluminum Disc, QR w/Rubber Seal
Hub, Rear	KK Aluminum Disc, QR w/Rubber Seal, Cassette
Tires	Kenda Kwick Bitumen K1068, 700 x 40c
Spokes	14G Stainless Black, 32x32
Derailleur, Front	Shimano Cues, 34.9
Derailleur, Rear	Shimano Cues
Shifters	Shimano Cues 9s
Chain	KMC w/MissingLink
Crankset	Shimano, 46/30T, 2-pc, XS-S: 170, M-XL: 175
BB	Shimano Outboard Cartridge Bearing
Freewheel / Cassette	Shimano Cues 11-36T, 9-Speed
Pedals	Wellgo Platform w/Non-slip Tread, DU Bearings
Seatpost	KHS Aluminum Micro-Adjust, 31.6x350
Saddle	KHS Ultra Comfort Plus, Soft Shell w/Memory Foam
Handlebar	Aluminum Trekking, 630mm, 31.8mm
Stem	KHS Aluminum Threadless, 17D, 4-bolt, XS:80mm, S-L: 90mm, XL: 100mm
Grips	Q2 Ergo Lock-on, Dual Density
Brake Levers	Shimano MT201
Brakes	Shimano MT200 Hydraulic Disc, 160mm Rotors Wave 12
Frame Size	XS/14, S/15.5, M/18, L/20.5, XL/23



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/14	355 / 14	71°	73°	547 / 21.5	450 / 17.7	280 / 11	695 / 27.4	95 / 3.7	542 / 21.3	381 / 15
S/15.5	394 / 15.5	71°	73°	558 / 22	450 / 17.7	280 / 11	722 / 28.4	110 / 4.3	556 / 21.9	388 / 15.3
M/18	457 / 18	71°	73°	576 / 22.7	450 / 17.7	280 / 11	763 / 30	130 / 5.1	575 / 22.6	400 / 15.7
L/20.5	521 / 20.5	71°	73°	588 / 23.1	450 / 17.7	280 / 11	802 / 31.6	145 / 5.7	589 / 23.2	407 / 16
XL/23	584 / 23	71°	73°	601 / 23.7	450 / 17.7	280 / 11	842 / 33.1	165 / 6.5	608 / 23.9	415 / 16.3

URBAN


X-ROUTE 200



FEATURES

- 16 Speed
- Aluminum frame & carbon fork
- Shimano drivetrain
- Bengal hydraulic disc brakes
- Shimano Trigger shifters

PART #	MODEL	SIZE	COLOR
93-189-9000	X-ROUTE 200	XS	MID GRAY
93-189-9001	X-ROUTE 200	S	MID GRAY
93-189-9002	X-ROUTE 200	M	MID GRAY
93-189-9003	X-ROUTE 200	L	MID GRAY
93-189-9004	X-ROUTE 200	XL	MID GRAY
93-189-9005	X-ROUTE 200 LADIES	XS	MID GRAY
93-189-9006	X-ROUTE 200 LADIES	S	MID GRAY
93-189-9007	X-ROUTE 200 LADIES	M	MID GRAY



GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/t*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/14	355 / 14	71°	73°	547 / 21.5	450 / 17.7	280 / 11	695 / 27.4	95 / 3.7	542 / 21.3	381 / 15
S/15.5	394 / 15.5	71°	73°	558 / 22	450 / 17.7	280 / 11	722 / 28.4	110 / 4.3	556 / 21.9	388 / 15.3
M/18	457 / 18	71°	73°	576 / 22.7	450 / 17.7	280 / 11	763 / 30	130 / 5.1	575 / 22.6	400 / 15.7
L/20.5	521 / 20.5	71°	73°	588 / 23.1	450 / 17.7	280 / 11	802 / 31.6	145 / 5.7	589 / 23.2	407 / 16
XL/23	584 / 23	71°	73°	601 / 23.7	450 / 17.7	280 / 11	842 / 33.1	165 / 6.5	608 / 23.9	415 / 16.3

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T w/C/S Disc Mount, w/Replaceable Derailleur Hanger
Fork	Full Aluminum Unicrown, Fender Bosses w/Disc, Straight Blade
Headset	Threadless 1-1/8, Zero Stack
Rims	Weinmann U26 Disc, 700x32H, Double Wall
Hub, Front	KK Aluminum Disc, QR w/Rubber Seal
Hub, Rear	KK Aluminum Disc, QR w/Rubber Seal, Cassette
Tires	Kenda Kwick Bitumen K1068, 700 x 40
Spokes	14G Stainless Black, 32x32
Derailleur, Front	Shimano FD-TY710, 34.9
Derailleur, Rear	Shimano Altus M310
Shifters	Shimano SL-315 Trigger shifters
Chain	KMC Z8.3
Crankset	Shimano FC-TY501, 46/30 w/CG, XS-S:170, M-XL: 175
BB	FSA Cartridge Bearing, 122.5mm
Freewheel / Cassette	Shimano CS-HG31-8, 11-34T, 8-Speed
Pedals	Wellgo Platform w/Non-slip Tread, DU Bearings
Seatpost	KHS Aluminum Micro-Adjust, 31.6x350
Saddle	KHS Ultra Comfort Plus, Soft Shell w/Memory Foam
Handlebar	Aluminum Trekking, 630mm, 31.8
Stem	KHS Aluminum Threadless, 17D, 4-bolt, XS:80mm, S-L: 90mm, XL: 100mm
Grips	Q2 Ergo Lock-On, Dual Density
Brake Levers	Bengal Aries 3
Brakes	Bengal Aries 3 Hydraulic Disc, 160x160, Wave 12
Frame Size	XS/14, S/15.5, M/18, L/20.5, XL/23 Ladies: XS/14, S/15.5, M/18

URBAN

X-ROUTE 100



FEATURES


21 Speed

Aluminum frame

Full Shimano drivetrain

Bengal cable disc brakes

PART #	MODEL	SIZE	COLOR
93-188-9000	X-ROUTE 100	XS	LIGHT GRAY
93-188-9001	X-ROUTE 100	S	LIGHT GRAY
93-188-9002	X-ROUTE 100	M	LIGHT GRAY
93-188-9003	X-ROUTE 100	L	LIGHT GRAY
93-188-9004	X-ROUTE 100	XL	LIGHT GRAY
93-188-9005	X-ROUTE 100 LADIES	XS	LIGHT GRAY
93-188-9006	X-ROUTE 100 LADIES	S	LIGHT GRAY
93-188-9007	X-ROUTE 100 LADIES	M	LIGHT GRAY



GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/t*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/14	355 / 14	71°	73°	547 / 21.5	450 / 17.7	280 / 11	695 / 27.4	95 / 3.7	542 / 21.3	381 / 15
S/15.5	394 / 15.5	71°	73°	558 / 22	450 / 17.7	280 / 11	722 / 28.4	110 / 4.3	556 / 21.9	388 / 15.3
M/18	457 / 18	71°	73°	576 / 22.7	450 / 17.7	280 / 11	763 / 30	130 / 5.1	575 / 22.6	400 / 15.7
L/20.5	521 / 20.5	71°	73°	588 / 23.1	450 / 17.7	280 / 11	802 / 31.6	145 / 5.7	589 / 23.2	407 / 16
XL/23	584 / 23	71°	73°	601 / 23.7	450 / 17.7	280 / 11	842 / 33.1	165 / 6.5	608 / 23.9	415 / 16.3

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T w/C/S Disc Mount, w/Replaceable Derailleur Hanger
Fork	Full CrMo Unicrown, Low-rider and Fender Bosses w/Disc, Straight Blade
Headset	Threadless 1-1/8", Zero Stack
Rims	Weinmann U26 Disc, 700x32H, Double Wall
Hub, Front	KK Aluminum Disc, QR w/Rubber Seal
Hub, Rear	KK Aluminum Disc, QR w/Rubber Seal, Cassette
Tires	Kenda Kwick Bitumen K1068, 700 x 40c
Spokes	14G Black, 32x32
Derailleur, Front	Shimano FD-TY601, 34.9
Derailleur, Rear	Shimano RD-TY300
Shifters	Shimano ST-EF500
Chain	KMC Z8.3
Crankset	Shimano FC-TY-301, 48/38/28T w/CG, XS-S: 170, M-XL: 175
BB	FSA Cartridge Bearing, 122.5mm
Freewheel / Cassette	Shimano Cassette, CS-HG20-7, 12-32T, 7-Speed
Pedals	Wellgo Platform w/Non-slip Tread, DU Bearings
Seatpost	KHS Aluminum Micro-Adjust, 31.6x350
Saddle	KHS Ultra Comfort Plus, Soft Shell w/Memory Foam
Handlebar	Aluminum Trekking, 630mm, 31.8mm
Stem	KHS Aluminum Threadless, 17D, 4-bolt, XS:80mm, S-L: 90mm, XL: 100mm
Grips	Q2 Ergo Lock-on, Dual Density
Brake Levers	Shimano ST-EF500
Brakes	Bengal Cable Disc, MB606, 160mm Wave '12' Rotors
Frame Size	XS/14, S/15.5, M/18, L/20.5, XL/23 Ladies: XS/14, S/15.5, M/18

URBAN

URBAN XPRESS



FEATURES

18 Speed

520 Reynolds CrMo steel frame

Internal cable routing


PART #	MODEL	SIZE	COLOR
93-185-0000	URBAN XPRESS	S	BLACK
93-185-0001	URBAN XPRESS	S	MATTE RUST
93-185-0002	URBAN XPRESS	M	BLACK
93-185-0003	URBAN XPRESS	M	MATTE RUST
93-185-0004	URBAN XPRESS	L	BLACK
93-185-0005	URBAN XPRESS	L	MATTE RUST
93-185-0006	URBAN XPRESS	XL	BLACK
93-185-0007	URBAN XPRESS	XL	MATTE RUST
93-185-0008	URBAN XPRESS LADIES	S	COUNTY BLUE

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
S/15.5	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	732 / 28.8	130 / 5.1	550 / 21.6	390 / 15.3
M/18	457 / 18	71°	74°	565 / 22.2	450 / 17.7	290 / 11.4	774 / 30.5	150 / 5.9	569 / 22.4	402 / 15.8
L/20.5	521 / 20.5	71°	74°	577 / 22.7	450 / 17.7	290 / 11.4	813 / 32	165 / 6.5	583 / 22.9	410 / 16.1
XL/23	584 / 23	71°	74°	590 / 23.2	450 / 17.7	290 / 11.4	853 / 33.6	185 / 7.3	602 / 23.7	417 / 16.4
XXL/25	635 / 25	71°	74°	601 / 23.7	450 / 17.7	290 / 11.4	887 / 34.9	205 / 8.1	621 / 24.4	423 / 16.7
S/15.5L	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	0 / 0	115 / 4.5	535 / 21.1	395 / 15.5

BIKE SPECS

Frame	Reynolds 520 DB CrMo Tubing w/Carrier Bosses, Internal Cables
Fork	Full CrMo Unicrown, Low-rider and Fender Bosses, Straight Blade
Headset	Threadless 1-1/8", Zero Stack
Rims	Weinmann XTB26, 700x32H, Double Wall w/CNC Side Wall
Hub, Front	KK Aluminum, QR, w/Rubber Seal
Hub, Rear	KK Aluminum, QR, Cassette, w/Rubber Seal
Tires	Kenda Kwick Journey, 700 x 35c w/K-Shield Anti-Puncture, 60TPI
Spokes	14G Stainless Black, 32x32
Derailleur, Front	MicroShift FD-T392B, 28.6
Derailleur, Rear	Shimano Cues
Shifters	Shimano Cues, 2x9 Triggers
Chain	KMC w/MissingLink
Crankset	FSA Tempo, 48/32T, S:170, M-L: 172.5, XL-XXL: 175
BB	FSA Cartridge Bearing, 124.5mm
Freewheel / Cassette	Shimano CS-HG200-9, 11-36T, 9-Speed
Pedals	Wellgo Full Aluminum w/Non-slip Tread, DU Bearings
Seatpost	Aluminum Micro-Adjust, 27.2x350
Saddle	KHS Ultra Comfort Plus, Soft Shell w/Memory Foam
Handlebar	Aluminum Trekking, 630mm, 31.8mm
Stem	KHS Aluminum Threadless, 25D, 4-bolt, S:80mm, M-L:90mm, XL:100mm, XXL: 110mm
Grips	Q2 Ergo Lock-on, Dual Density
Brake Levers	Promax Aluminum Forged Trekking, Knee Saver
Brakes	Tektro 855AL, Aluminum Linear Pull, Long Reach, w/ABS System
Frame Size	S/15.5, M/18, L/20.5, XL/23, XXL/25, Ladies: S/15.5L



URBAN

URBAN XCAPE DISC



FEATURES

24 Speed

4130 CrMo steel frame

Internal cable routing

Bengal cable disc brakes


PART #	MODEL	SIZE	COLOR
93-184-9000	URBAN XCAPE DISC	S	LIGHT GRAY
93-184-9001	URBAN XCAPE DISC	S	BLUE
93-184-9002	URBAN XCAPE DISC	M	LIGHT GRAY
93-184-9003	URBAN XCAPE DISC	M	BLUE
93-184-9004	URBAN XCAPE DISC	L	LIGHT GRAY
93-184-9005	URBAN XCAPE DISC	L	BLUE
93-184-9006	URBAN XCAPE DISC	XL	LIGHT GRAY
93-184-9007	URBAN XCAPE DISC	XL	BLUE
93-184-9008	URBAN XCAPE DISC LADIES	S	MATTE BLACK
93-184-9009	URBAN XCAPE DISC LADIES	S	POW GREEN
93-184-9010	URBAN XCAPE DISC LADIES	M	MATTE BLACK

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	729 / 28.7	115 / 4.5	543 / 21.4	392 / 15.4
M/18	457 / 18	71°	74°	565 / 22.2	450 / 17.7	290 / 11.4	770 / 30.3	135 / 5.3	562 / 22.1	404 / 15.9
L/20.5	521 / 20.5	71°	74°	578 / 22.8	450 / 17.7	290 / 11.4	810 / 31.9	150 / 5.9	576 / 22.7	413 / 16.3
XL/23	584 / 23	71°	74°	590 / 23.2	450 / 17.7	290 / 11.4	850 / 33.5	170 / 6.7	595 / 23.4	419 / 16.5
XXL/25	635 / 25	71°	74°	602 / 23.7	450 / 17.7	290 / 11.4	884 / 34.8	190 / 7.5	614 / 24.2	426 / 16.8
S/15.5L	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	0 / 0	115 / 4.5	535 / 21.1	395 / 15.5
M/17L	432 / 17	71°	74°	555 / 21.9	450 / 17.7	290 / 11.4	0 / 0	130 / 5.1	550 / 21.7	402 / 15.8

BIKE SPECS

Frame	4130 Double Butted CrMo Tubing and Carrier Bosses, Forged Disc Mount, Internal cables
Fork	Hi-Tensile Unicrown, Disc, Post mount, Straight Blade
Headset	Threadless 1-1/8", Zero Stack
Rims	Weinmann U26 Disc, 700x32H, Double Wall
Hub, Front	Formula Aluminum Disc QR23 w/Rubber Seal
Hub, Rear	Formula Aluminum Disc QR23, Cassette, w/Rubber Seal
Tires	Kenda Keen, 700 x 35c w/K-Shield
Spokes	14G Stainless Black, 32x32
Derailleur, Front	Shimano FD-TY710, 28.6
Derailleur, Rear	Shimano Altus M310
Shifters	Microshift TS71 Triggers, 3x8
Chain	KMC Z8.3
Crankset	Shimano FC-TY301, 48/38/28T w/CG, S-M:170, L-XXL:175
BB	FSA Cartridge Bearing, 122.5mm
Freewheel / Cassette	Shimano CS-HG31-8, 11-34T, 8-Speed
Pedals	Wellgo Platform w/Non-slip Tread, DU Bearings
Seatpost	Aluminum Micro-Adjust, 27.2x350
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Aluminum Trekking, 630mm, 31.8mm
Stem	KHS Aluminum Threadless, 25D, 4-bolt, S:80mm, M-L:90mm, XL:100mm, XXL: 110mm
Grips	Q2 Ergo Lock-on, Dual Density
Brake Levers	Promax Aluminum Linear Pull Trekking, 3 Finger
Brakes	Bengal Cable Disc, MB606, 160mm Wave 12 Rotors, w/ABS System
Frame Size	S/15.5, M/18, L/20.5, XL/23, XXL/25 Ladies: S/15.5L, M/17L



URBAN

URBAN XCAPE



FEATURES

24 Speed

4130 CrMo steel frame

Internal cable routing

Triple ring crank


PART #	MODEL	SIZE	COLOR
93-183-9000	URBAN XCAPE	S	BLACK
93-183-9001	URBAN XCAPE	S	DARK SILVER
93-183-9002	URBAN XCAPE	M	BLACK
93-183-9003	URBAN XCAPE	M	DARK SILVER
93-183-9004	URBAN XCAPE	L	BLACK
93-183-9005	URBAN XCAPE	L	DARK SILVER
93-183-9006	URBAN XCAPE	XL	BLACK
93-183-9007	URBAN XCAPE	XL	DARK SILVER
93-183-9008	URBAN XCAPE	2XL	BLACK
93-183-9009	URBAN XCAPE LADIES	S	BLACK
93-183-9010	URBAN XCAPE LADIES	S	WINTERGREEN
93-183-9011	URBAN XCAPE LADIES	M	BLACK
93-183-9012	URBAN XCAPE LADIES	M	WINTERGREEN

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	732 / 28.8	130 / 5.1	550 / 21.6	390 / 15.3
M/18	457 / 18	71°	74°	565 / 22.2	450 / 17.7	290 / 11.4	774 / 30.5	150 / 5.9	569 / 22.4	402 / 15.8
L/20.5	521 / 20.5	71°	74°	578 / 22.8	450 / 17.7	290 / 11.4	812 / 32	165 / 6.5	583 / 22.9	410 / 16.1
XL/23	584 / 23	71°	74°	590 / 23.2	450 / 17.7	290 / 11.4	853 / 33.6	185 / 7.3	602 / 23.7	417 / 16.4
XXL/25	635 / 25	71°	74°	602 / 23.7	450 / 17.7	290 / 11.4	887 / 34.9	205 / 8.1	621 / 24.4	423 / 16.7
S/15.5L	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	0 / 0	115 / 4.5	536 / 21.1	394 / 15.5
M/17L	432 / 17	71°	74°	555 / 21.9	450 / 17.7	290 / 11.4	0 / 0	130 / 5.1	550 / 21.6	397 / 15.6

BIKE SPECS

Frame	4130 Double Butted CrMo Tubing w/Carrier Bosses, Internal Cables
Fork	Hi-Tensile Unicrown, Straight Blade
Headset	Threadless 1-1/8", Zero Stack
Rims	Weinmann XTB26, 700x32H, Double Wall w/CNC Side Wall
Hub, Front	Formula Aluminum, QR, w/Rubber Seal
Hub, Rear	Formula Aluminum, QR, Cassette, w/Rubber Seal
Tires	Kenda Keen, 700 x 35c w/K-Shield
Spokes	14G Stainless Black, 32x32
Derailleur, Front	Shimano FD-TY710, 28.6
Derailleur, Rear	Shimano Altus M310
Shifters	Microshift TS71 Triggers, 3x8
Chain	KMC Z8.3
Crankset	Shimano FC-TY301, 48/38/28T w/CG, S-M:170, L-XXL:175
BB	FSA Cartridge Bearing, 122.5mm
Freewheel / Cassette	Shimano CS-HG31-8, 11-34T, 8-Speed
Pedals	Wellgo Platform w/Non-slip Tread, DU Bearings
Seatpost	Aluminum Micro-Adjust, 27.2x350
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Aluminum Trekking, 630mm, 31.8mm
Stem	KHS Aluminum Threadless, 25D, 4-bolt, S:80mm, M-L:90mm, XL:100mm, XXL: 110mm
Grips	Q2 Ergo Lock-on, Dual Density
Brake Levers	Promax Aluminum Linear Pull Trekking, 3 Finger
Brakes	Promax Aluminum Linear Pull, w/ABS System
Frame Size	S/15.5, M/18, L/20.5, XL/23, XXL/25 Ladies: S/15.5L, M/17L



50

All specs and photos are subject to change without notice.



URBAN URBAN X




WTB
27.5 x 47c Plus Tires

FEATURES

24 Speed
4130 CrMo steel frame
Internal cable routing
Hydraulic disc brakes

PART # MODEL SIZE COLOR

93-182-9000	URBAN X	S	MATTE BLACK
93-182-9001	URBAN X	M	MATTE BLACK
93-182-9002	URBAN X	L	MATTE BLACK
93-182-9003	URBAN X	XL	MATTE BLACK



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	732 / 28.8	130 / 5.1	550 / 21.6	389 / 15.3
M/18	457 / 18	71°	74°	565 / 22.2	450 / 17.7	290 / 11.4	772 / 30.4	150 / 5.9	568 / 22.4	401 / 15.8
L/20.5	521 / 20.5	71°	74°	577 / 22.7	450 / 17.7	290 / 11.4	813 / 32	165 / 6.5	583 / 22.9	410 / 16.1
XL/23	584 / 23	71°	74°	589 / 23.2	450 / 17.7	290 / 11.4	853 / 33.6	185 / 7.3	602 / 23.7	417 / 16.4

BIKE SPECS

Frame	4130 Double Butted CrMo Tubing and Carrier Bosses, Forged Disc Mount, Internal Cables
Fork	Hi-Tensile Unicrown Straight Blade, 1-1/4 Tapered
Headset	Threadless 1-1/8", Zero Stack
Rims	Weinmann Aluminum U28, Disc Double Wall, 27.5x32H
Hub, Front	KT Aluminum Disc, QR w/Rubber Seal
Hub, Rear	KT Aluminum Disc, QR w/Rubber Seal, Cassette
Tires	WTB Byway, 27.5 x 47 mm
Spokes	14G Stainless Black, 32x32
Derailleur, Front	Shimano FD-TY710, 28.6
Derailleur, Rear	Shimano Altus M310
Shifters	Microshift TS71 trigger, 3x8
Chain	KMC Z8.3
Crankset	Shimano FC-TY301, 48/38/28T w/CG, S-M:170, L-XL:175
BB	FSA Cartridge Bearing, 122.5
Freewheel / Cassette	Shimano CS-HG318, 11-34T, 8-Speed
Pedals	Wellgo Full Aluminum w/DU Bearing
Seatpost	Aluminum Micro-Adjust, 27.2x350
Saddle	KHS Ultra Comfort, Soft Shell
Handlebar	Aluminum Trekking, 630mm, 31.8mm
Stem	KHS Aluminum Threadless, 25D, 4-bolt, S: 80mm, M-L:90mm, XL: 100mm
Grips	Q2 Ergo Lock-on, Dual Density
Brake Levers	Bengal Aries 3
Brakes	Bengal Aries 3, Hydraulic Disc, 160mm Wave 12 Rotors
Frame Size	S/15.5, M/18, L/20.5, XL/23
Extras	Kickstand, fenders, Aluminum Rear carrier

URBAN

URBAN SOUL 8



FEATURES

- 8 Speed
- Shimano rear derailleur
- Deep dish double wall rims
- 44 tooth chainring


PART #	MODEL	SIZE	COLOR
93-181-9000	URBAN SOUL 8	S	MATTE BLACK
93-181-9001	URBAN SOUL 8	S	TORONTO GREEN
93-181-9002	URBAN SOUL 8	M	MATTE BLACK
93-181-9003	URBAN SOUL 8	M	TORONTO GREEN
93-181-9004	URBAN SOUL 8	L	MATTE BLACK
93-181-9005	URBAN SOUL 8	L	TORONTO GREEN
93-181-9006	URBAN SOUL 8	XL	MATTE BLACK
93-181-9007	URBAN SOUL 8	XL	TORONTO GREEN

BIKE SPECS

Frame	TIG-Welded Hi-Tensile Steel w/Carrier Bosses
Fork	High Tensile Straight Blades
Headset	Threadless 1-1/8"
Rims	Deep Dish Aluminum, Double Wall, 700x32H
Hub, Front	Aluminum QR
Hub, Rear	Aluminum QR, Cassette
Tires	Kenda Kwest, 700 x 28c
Spokes	14G Black, 32x32
Derailleur, Rear	Shimano RD-TX800
Shifters	MicroShift TS71-8 Trigger
Chain	KMC Z8.3
Crankset	Aluminum Forged, 3-pc, 44T w/Aluminum Double Guard, 170
BB	FSA Cartridge Bearing, 118mm
Freewheel / Cassette	Shimano CS-HG200-8, 12-32T, 8-Speed
Pedals	Resin Platform w/Boron Axle
Seatpost	Aluminum Micro-Adjust, 26.0x350
Saddle	KHS Road Padded
Handlebar	Aluminum 30mm Rise, 600mm, 10 Degree
Stem	Aluminum Threadless 4-bolt, 15 Degree, S: 70mm, M-L: 80mm, XL: 90mm
Grips	Q2 Lock-on
Brake Levers	Aluminum 2F
Brakes	Aluminum Dual Pivot, Long Reach
Frame Size	S/15.5, M/18, L/20.5, XL/23

GEOMETRY


SIZE	A s/t c-t	B h/t*	C s/t*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	72°	75.5°	525 / 20.7	415 / 16.3	270 / 10.6	710 / 28	115 / 4.5	546 / 21.5	384 / 15.1
M/18	457 / 18	72°	75°	555 / 21.9	415 / 16.3	270 / 10.6	756 / 29.8	140 / 5.5	575 / 22.6	401 / 15.8
L/20.5	521 / 20.5	72°	73.5°	575 / 22.6	415 / 16.3	270 / 10.6	799 / 31.5	165 / 6.5	546 / 21.5	384 / 15.1
XL/23	584 / 23	72°	73.5°	595 / 23.4	415 / 16.3	270 / 10.6	841 / 33.1	190 / 7.5	617 / 24.3	412 / 16.2



URBAN

URBAN SOUL

LIMITED EDITION GRAPHIC



FEATURES

Single Speed
Steel frame
44 tooth chainring
Flip flop rear hub
Q2 Lock-on grips


PART #	MODEL	SIZE	COLOR
93-180-9000	URBAN SOUL	S	BLACK
93-180-9001	URBAN SOUL	S	WHITE (Limited Edition)
93-180-9002	URBAN SOUL	M	BLACK
93-180-9003	URBAN SOUL	M	WHITE (Limited Edition)
93-180-9004	URBAN SOUL	L	BLACK
93-180-9005	URBAN SOUL	L	WHITE (Limited Edition)
93-180-9006	URBAN SOUL	XL	BLACK
93-180-9007	URBAN SOUL	XL	WHITE (Limited Edition)

BIKE SPECS

Frame	TIG-Welded Hi-Tensile Steel w/Carrier Bosses
Fork	High Tensile Straight Blades
Headset	Threadless 1-1/8"
Rims	Deep Dish Aluminum, Double Wall, 700x32H
Hub, Front	Aluminum Nuted
Hub, Rear	Aluminum, Single Speed, Flip Flop, Nuted
Tires	Kenda Kwest, 700 x 28c
Spokes	14G Black, 32x32
Chain	KMC Z6
Crankset	Aluminum Forged, 3-pc, 44T w/Aluminum Guard, 170
BB	FSA Cartridge Bearing, 118mm
Freewheel / Cassette	16T Freewheel
Pedals	Resin Platform w/Boron Axle
Seatpost	Aluminum Micro-Adjust, 26.0x350
Saddle	KHS Road Padded
Handlebar	Aluminum 30mm Rise, 540mm, 10 Degree
Stem	Aluminum Threadless 4-bolt, 15 Degree, S: 70mm, M-L:80mm, XL: 90mm
Grips	Q2 Lock-on
Brake Levers	Aluminum 2F
Brakes	Aluminum Dual Pivot, Long Reach
Frame Size	S/15.5, M/18, L/20.5, XL/23

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	72°	75°	525 / 20.7	415 / 16.3	270 / 10.6	704 / 27.7	115 / 4.5	533 / 21	387 / 15.2
M/18	457 / 18	72°	75°	555 / 21.9	415 / 16.3	270 / 10.6	745 / 29.3	140 / 5.5	551 / 21.7	393 / 15.5
L/20.5	521 / 20.5	72°	73.5°	575 / 22.6	415 / 16.3	270 / 10.6	792 / 31.2	165 / 6.5	580 / 22.8	403 / 15.9
XL/23	584 / 23	72°	73.5°	595 / 23.4	415 / 16.3	270 / 10.6	834 / 32.8	190 / 7.5	604 / 23.8	416 / 16.4



FITNESS VITAMIN C




FEATURES

18 Speed
Aluminum frame
Carbon fork
Hydraulic disc brakes
Velo Silicone Foam Grips

PART #	MODEL	SIZE	COLOR
93-202-0000	VITAMIN C	S	MATTE BLACK
93-202-0001	VITAMIN C	M	MATTE BLACK
93-202-0002	VITAMIN C	L	MATTE BLACK
93-202-0003	VITAMIN C	XL	MATTE BLACK

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed Double Butted T/T & D/T, Bi-Oval Pro Seat Stays, Internal Cable, Disc, Replaceable Derailleur Hanger
Fork	Carbon w/Aluminum Steerer
Headset	Integrated Cartridge Bearing
Rims	Weinmann Aquila 21, 700c, Double wall disc
Hub, Front	KT Aluminum Disc, QR
Hub, Rear	KT Aluminum Disc, QR, Cassette
Tires	Kenda Kwick Roller, 700 x 32c w/Anti-Puncture, 60TPI, Folding
Spokes	14G stainless Black, 24x28
Derailleur, Front	Microshift FD-R352B, 31.8mm
Derailleur, Rear	Shimano Sora
Shifters	Microshift SL-R769-2 Trigger
Chain	KMC Z99 w/MissingLink
Crankset	Aluminum Forged 2-pc, 50/34T Compact, S:170mm, M-XXL:175mm
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG400-9, 11-34T, 9-Speed
Pedals	Wellgo 1pc Full Aluminum w/DU Bearing
Seatpost	KHS Aluminum Micro-Adjust, 27.2x350
Saddle	KHS Fitness Padded
Handlebar	Aluminum Riser 620x20mm, 31.8mm
Stem	KHS Aluminum 3D Forged, Threadless 4-bolt, 7-degree, 31.8mm, S:80mm, M-L:90mm, XL-XXL:100mm
Grips	Velo Silicone Foam
Brake Levers	Bengal Aries 3
Brakes	Bengal Aries 3 Hydraulic Disc, 160x160, Wave '12'
Frame Size	S/15.5, M/18, L/20.5, XL/23,



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15.5	394 / 15.5	71°	73°	559 / 22	440 / 17.3	280 / 11	714 / 28.1	130 / 5.1	551 / 21.7	390 / 15.4
M/18	457 / 18	71°	73°	575 / 22.6	440 / 17.3	280 / 11	756 / 29.8	150 / 5.9	568 / 22.4	401 / 15.8
L/20.5	521 / 20.5	72°	73°	590 / 23.2	440 / 17.3	280 / 11	800 / 31.5	175 / 6.9	599 / 23.6	406 / 16
XL/23	584 / 23	72°	73°	602 / 23.7	440 / 17.3	280 / 11	845 / 33.3	205 / 8.1	628 / 24.7	410 / 16.1

FITNESS VITAMIN B



FEATURES

16 Speed

Aluminum frame & fork

2x8 drivetrain

Cable disc brakes

Shimano rear derailleur


PART #	MODEL	SIZE	COLOR
93-201-0000	VITAMIN B	XS	BLACK
93-201-0001	VITAMIN B	S	BLACK
93-201-0002	VITAMIN B	S	RED
93-201-0003	VITAMIN B	M	BLACK
93-201-0004	VITAMIN B	M	RED
93-201-0005	VITAMIN B	L	BLACK
93-201-0006	VITAMIN B	L	RED
93-201-0007	VITAMIN B	XL	BLACK
93-201-0008	VITAMIN B LADIES	XS	PURPLE
93-201-0009	VITAMIN B LADIES	S	DESERT STORM
93-201-0010	VITAMIN B LADIES	S	PURPLE

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effectv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
XS/13	330 / 13	71°	73°	550 / 21.7	440 / 17.3	282 / 11.1	673 / 26.5	105 / 4.1	540 / 21.3	384 / 15.1
S/15.5	394 / 15.5	71°	73°	558 / 22	440 / 17.3	282 / 11.1	715 / 28.2	115 / 4.5	550 / 21.6	389 / 15.3
M/18	457 / 18	71°	73°	576 / 22.7	440 / 17.3	282 / 11.1	757 / 29.8	135 / 5.3	568 / 22.4	402 / 15.8
L/20.5	521 / 20.5	72°	73°	589 / 23.2	440 / 17.3	282 / 11.1	805 / 31.7	160 / 6.3	596 / 23.4	406 / 16
XL/23	584 / 23	72°	73°	602 / 23.7	440 / 17.3	282 / 11.1	850 / 33.5	190 / 7.5	624 / 24.6	411 / 16.2
XS/13L	330 / 13	71°	73°	550 / 21.7	440 / 17.3	282 / 11.1	673 / 26.5	105 / 4.1	540 / 21.3	384 / 15.1
S/15.5L	394 / 15.5	71°	73°	558 / 22	440 / 17.3	282 / 11.1	715 / 28.2	115 / 4.5	550 / 21.6	389 / 15.3

BIKE SPECS

Frame	6061 Aluminum, Double Butted w/Custom Formed T/T, Internal Cable, Disc, Replaceable Derailleur Hanger
Fork	Aluminum Straight Leg
Headset	FSA Intellaset, Threadless Slimstack, 1-1/8
Rims	Weinmann Aquila 21 Aluminum, 700c x 32H, Double wall
Hub, Front	KK Aluminum Disc QR
Hub, Rear	KK Aluminum Disc QR, Cassette
Tires	Kenda Kwick Journey, 700 x 32c w/Anti-Puncture
Spokes	14G Black, 32x32
Derailleur, Front	Shimano Claris FD-R2000, 31.8mm
Derailleur, Rear	Shimano Altus M310
Shifters	Microshift SL-R758 Triggers
Chain	KMC Z8.3
Crankset	Aluminum Forged, 50/34T w/CG, XS-S; 170mm, M-XXL: 175mm
BB	Cartridge Bearing, 110.5
Freewheel / Cassette	Shimano CS-HG31-8, 11-34T, 8-Speed
Pedals	Resin w/Steel Cage & DU Bearing
Seatpost	KHS Aluminum Micro-Adjust, 27.2x350
Saddle	KHS Fitness Padded
Handlebar	Aluminum 620x20mm Rise=Men's, 600x20mm=Ladies, 31.8mm
Stem	KHS Aluminum 3D Forged, Threadless 4-bolt, 7-degree, 31.8mm, S:80mm, M-L:90mm, XL:100mm, Ladies:80mm
Grips	Velo Silicone Foam
Brake Levers	Aluminum Liner Pull, 3F
Brakes	Bengal Cable Disc, MB606, 160mm Rotors Wave '12' w/ABS System
Frame Size	XS/13, S/15.5, M/18, L/20.5, XL/23, Ladies: XS/13, S/15.5



All specs and photos are subject to change without notice.

FITNESS VITAMIN A



FEATURES

14 Speed

Aluminum frame

2x7 drivetrain

Cable disc brakes


PART #	MODEL	SIZE	COLOR
93-200-9000	VITAMIN A	XS	MATTE BLACK
93-200-9001	VITAMIN A	S	MATTE BLACK
93-200-9002	VITAMIN A	S	BLUE
93-200-9003	VITAMIN A	M	MATTE BLACK
93-200-9004	VITAMIN A	M	BLUE
93-200-9005	VITAMIN A	L	MATTE BLACK
93-200-9006	VITAMIN A	L	BLUE
93-200-9007	VITAMIN A LADIES	XS	LUCITE GREEN
93-200-9008	VITAMIN A LADIES	S	LUCITE GREEN
93-200-9009	VITAMIN A LADIES	S	MATTE GRAY

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/13	330 / 13	71°	73°	550 / 21.7	440 / 17.3	282 / 11.1	673 / 26.5	105 / 4.1	540 / 21.3	384 / 15.1
S/15.5	394 / 15.5	71°	73°	558 / 22	440 / 17.3	282 / 11.1	715 / 28.2	115 / 4.5	550 / 21.6	389 / 15.3
M/18	457 / 18	71°	73°	576 / 22.7	440 / 17.3	282 / 11.1	757 / 29.8	135 / 5.3	568 / 22.4	402 / 15.8
L/20.5	521 / 20.5	72°	73°	589 / 23.2	440 / 17.3	282 / 11.1	805 / 31.7	160 / 6.3	596 / 23.4	406 / 16
XL/23	584 / 23	72°	73°	602 / 23.7	440 / 17.3	282 / 11.1	850 / 33.5	190 / 7.5	624 / 24.6	411 / 16.2
XS/13L	330 / 13	71°	73°	550 / 21.7	440 / 17.3	282 / 11.1	673 / 26.5	105 / 4.1	540 / 21.3	384 / 15.1
S/15.5L	394 / 15.5	71°	73°	558 / 22	440 / 17.3	282 / 11.1	715 / 28.2	115 / 4.5	550 / 21.6	389 / 15.3

BIKE SPECS

Frame	6061 Aluminum, Double Butted w/Custom Formed T/T, Internal Cable, Disc, Replaceable Derailleur Hanger
Fork	Hi-Tensile Unicrown Straight Blades
Headset	FSA Intellaset, Threadless Slimstack, 1-1/8
Rims	Weinmann Aquila 21 Aluminum, 700c x 32H, double wall
Hub, Front	KK Aluminum Disc QR
Hub, Rear	KK Aluminum Disc QR, Cassette
Tires	Kenda Kwick Journey, 700 x 32c w/Anti-Puncture
Spokes	14G Black, 32x32
Derailleur, Front	Shimano FD-A050, 31.8mm
Derailleur, Rear	Shimano RD-TY300
Shifters	Sunrace DLM403 Trigger, 2x7
Chain	KMC Z8.3
Crankset	Aluminum Forged, 50/34T w/CG, XS-S; 170mm, M-L: 175mm
BB	Cartridge Bearing, 110.5mm
Freewheel / Cassette	Shimano CS-HG20-7, 12-32T, 7-Speed
Pedals	Wellgo Resin w/Aluminum Cage & DU Bearing
Seatpost	KHS Aluminum Micro-Adjust, 27.2x350
Saddle	KHS Fitness Padded
Handlebar	Aluminum 620x20mm Rise=Men's, 600x20mm=Ladies, 31.8mm
Stem	KHS Aluminum 3D Forged, Threadless 4-bolt, 7-degree, 31.8mm, XS-S:80mm, M:90mm, L:100mm
Grips	Velo Silicone Foam
Brake Levers	Aluminum Linear Pull
Brakes	Radius Cable Disc BR-CX7, 160mm Rotors w/ABS System
Frame Size	XS/13, S/15.5, M/18, L/20.5 Ladies: XS/13, S/15.5



FITNESS


ULTRASPORT 3.0



FEATURES

- 18 Speed
- Aluminum frame & SR Suspension Fork
- Shimano drivetrain
- Hydraulic disc brakes
- Shimano 2-piece crank

PART #	MODEL	SIZE	COLOR
93-205-0000	ULTRASPORT 3.0	S	HAZY GRAY
93-205-0001	ULTRASPORT 3.0	M	HAZY GRAY
93-205-0002	ULTRASPORT 3.0	L	HAZY GRAY
93-205-0003	ULTRASPORT 3.0	XL	HAZY GRAY
93-205-0004	ULTRASPORT 3.0 LADIES	M	PUNCHY BLUE



GEOMETRY


SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	71°	73°	575 / 22.6	450 / 17.7	290 / 11.4	744 / 29.3	90 / 3.5	604 / 23.8	390 / 15.4
M/17	432 / 17	71°	73°	588 / 23.1	450 / 17.7	290 / 11.4	780 / 30.7	105 / 4.1	617 / 24.3	399 / 15.7
L/19	483 / 19	71°	73°	600 / 23.6	450 / 17.7	290 / 11.4	813 / 32	120 / 4.7	631 / 24.8	406 / 16
XL/21	533 / 21	71°	73°	612 / 24.1	450 / 17.7	290 / 11.4	844 / 33.2	132 / 5.2	643 / 25.3	415 / 16.3

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & DT with C/S Disc Mount, w/Replaceable Derailleur Hanger, Internal Cable
Fork	SR NVX NLO, w/Hydraulic Lock-Out, 80mm, Preload Adj
Headset	Threadless 1-1/8", Zero Stack
Rims	Aluminum, 700c x 32H, Double wall
Hub, Front	KT Aluminum Disc w/CNC Rotor Flange, QR
Hub, Rear	KT Aluminum Disc w/CNC Rotor Flange, QR, Cassette
Tires	Kenda Happy Medium, 700 x 40c, 30TPI
Spokes	14G Stainless Black, 32x32
Derailleur, Front	Shimano Acera Cues, 34.9
Derailleur, Rear	Shimano Cues
Shifters	Shimano Acera Cues Trigger
Chain	KMC w/MissingLink
Crankset	Shimano Cues, 46/30T, 2-pc, S: 170mm, M-XL: 175mm
BB	Shimano Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG300-9 11-36T, 9-Speed
Pedals	Wellgo Aluminum Platform w/DU Bearings
Seatpost	KHS Aluminum Micro-Adjust, 31.6x350
Saddle	KHS Sport
Handlebar	Aluminum Riser, 31.8mm, 680x20mm, Ladies: 660x20mm
Stem	KHS Aluminum Threadless 4-bolt, 6-degree, 31.8mm, S:60mm, M-L:75mm, XL:90mm, Ladies:75mm
Grips	KHS Sport Lock-on
Brake Levers	Bengal Ares 3
Brakes	Bengal Ares 3, Hydraulic Disc, 160mm Rotors Wave 12
Frame Size	S/15, M/17, L/19, XL/21, Ladies: M/17

FITNESS

ULTRASPORT 2.0



FEATURES

16 Speed

Aluminum frame & SR suspension fork

Shimano drivetrain

Bengal disc brakes

NEW OR CHANGED FOR 2023

Shimano Acera M3020 rear derailleur
CS-HG400-8 11/40 cassette


PART #	MODEL	SIZE	COLOR
93-204-0000	ULTRASPORT 2.0	S	MATTE BLACK
93-204-0001	ULTRASPORT 2.0	S	GRAY GREEN
93-204-0002	ULTRASPORT 2.0	M	MATTE BLACK
93-204-0003	ULTRASPORT 2.0	M	GRAY GREEN
93-204-0004	ULTRASPORT 2.0	L	MATTE BLACK
93-204-0005	ULTRASPORT 2.0	L	GRAY GREEN
93-204-0006	ULTRASPORT 2.0	XL	MATTE BLACK
93-204-0007	ULTRASPORT 2.0	XXL	GRAY GREEN
93-204-0008	ULTRASPORT 2.0 LADIES	S	BLACK
93-204-0009	ULTRASPORT 2.0 LADIES	S	DEEP TEAL
93-204-0010	ULTRASPORT 2.0 LADIES	M	BLACK
93-204-0011	ULTRASPORT 2.0 LADIES	M	DEEP TEAL

GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	71°	73°	575 / 22.6	450 / 17.7	290 / 11.4	744 / 29.3	90 / 3.5	604 / 23.8	390 / 15.4
M/17	432 / 17	71°	73°	588 / 23.1	450 / 17.7	290 / 11.4	780 / 30.7	105 / 4.1	617 / 24.3	399 / 15.7
L/19	483 / 19	71°	73°	600 / 23.6	450 / 17.7	290 / 11.4	813 / 32	120 / 4.7	631 / 24.8	406 / 16
XL/21	533 / 21	71°	73°	612 / 24.1	450 / 17.7	290 / 11.4	844 / 33.2	132 / 5.2	643 / 25.3	415 / 16.3
XXL/23	584 / 23	71°	73°	626 / 24.6	450 / 17.7	290 / 11.4	874 / 34.4	145 / 5.7	655 / 25.8	425 / 16.7

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & DT with C/S Disc Mount, w/Replaceable Derailleur Hanger, Internal Cable
Fork	SR XCE28, 80mm
Headset	Threadless 1-1/8", Zero Stack
Rims	Aluminum, 700c x 32H, Double wall
Hub, Front	KT Aluminum Disc w/CNC Rotor Flange, QR
Hub, Rear	KT Aluminum Disc w/CNC Rotor Flange, QR, Cassette
Tires	Kenda Happy Medium, 700 x 40c, 30TPI
Spokes	14G Black, 32x32
Derailleur, Front	Shimano FD-TY606, 34.9
Derailleur, Rear	Shimano Acera M3020
Shifters	Shimano SL-M315 Trigger
Chain	KMC Z8.3
Crankset	Shimano FC-TY-501, 46/30T, S: 170mm, M-XXL: 175mm
BB	Cartridge Bearing, 122.5mm
Freewheel / Cassette	Shimano CS-HG400-8, 11-40T, 8-Speed
Pedals	Resin ATB Platform w/DU Bearings
Seatpost	KHS Aluminum Micro-Adjust, 31.6x350
Saddle	KHS Sport
Handlebar	Aluminum, 31.8mm, 680x20mm, Ladies: 660x20mm
Stem	KHS Aluminum Threadless 4-bolt, 6-degree, 31.8mm, S:60mm, M-L:75mm, XL-XXL:90mm, Ladies: S:60mm, M:75mm
Grips	KHS Sport Lock-on
Brake Levers	Promax All Aluminum Linear Pull
Brakes	Bengal Cable Disc, MB606, 160mm Rotors Wave 12 w/ABS System
Frame Size	S/15, M/17, L/19, XL/21, XXL/23, Ladies: S/15, M/17



FITNESS

ULTRASPORT 1.0



FEATURES

21 Speed

Shimano drivetrain

Cable disc brakes

Internal cable routing

Triple ring crank


PART #	MODEL	SIZE	COLOR
93-203-9000	ULTRASPORT 1.0	S	BLACK
93-203-9001	ULTRASPORT 1.0	S	MATTE BLUE
93-203-9002	ULTRASPORT 1.0	M	BLACK
93-203-9003	ULTRASPORT 1.0	M	MATTE BLUE
93-203-9004	ULTRASPORT 1.0	L	BLACK
93-203-9005	ULTRASPORT 1.0	L	MATTE BLUE
93-203-9006	ULTRASPORT 1.0	XL	BLACK
93-203-9007	ULTRASPORT 1.0	XXL	BLACK
93-203-9008	ULTRASPORT 1.0 LADIES	S	MATTE GRAY
93-203-9009	ULTRASPORT 1.0 LADIES	S	MINT
93-203-9010	ULTRASPORT 1.0 LADIES	M	MATTE GRAY
93-203-9011	ULTRASPORT 1.0 LADIES	M	MINT

GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	71°	73°	575 / 22.6	450 / 17.7	290 / 11.4	744 / 29.3	90 / 3.5	604 / 23.8	390 / 15.4
M/17	432 / 17	71°	73°	588 / 23.1	450 / 17.7	290 / 11.4	780 / 30.7	105 / 4.1	617 / 24.3	399 / 15.7
L/19	483 / 19	71°	73°	600 / 23.6	450 / 17.7	290 / 11.4	813 / 32	120 / 4.7	631 / 24.8	406 / 16
XL/21	533 / 21	71°	73°	612 / 24.1	450 / 17.7	290 / 11.4	844 / 33.2	132 / 5.2	643 / 25.3	415 / 16.3
XXL/23	584 / 23	71°	73°	626 / 24.6	450 / 17.7	290 / 11.4	874 / 34.4	145 / 5.7	655 / 25.8	425 / 16.7

BIKE SPECS

Frame	6061 Aluminum with C/S Disc Mount, w/Replaceable Derailleur Hanger, Internal Cable
Fork	Zoom 565D, 80mm
Headset	Threadless 1-1/8", Zero Stack
Rims	Aluminum, 700c x 32H, Double wall
Hub, Front	KT Aluminum Disc w/CNC Rotor Flange, QR
Hub, Rear	KT Aluminum Disc w/CNC Rotor Flange, QR, Cassette
Tires	Kenda Happy Medium, 700 x 40c, 30TPI
Spokes	14G Black, 32x32
Derailleur, Front	Shimano FD-TY601, 34.9
Derailleur, Rear	Shimano RD-TY300
Shifters	Shimano ST-EF500
Chain	KMC Z8.3
Crankset	Shimano FC-TY-301, 48/38/28T, S: 170mm, M-XXL: 175mm
BB	FSA Cartridge Bearing, 122.5
Freewheel / Cassette	Shimano Cassette, CS-HG20-7, 12-32T, 7-Speed
Pedals	Resin ATB Platform w/Boron Axle
Seatpost	KHS Aluminum Micro-Adjust, 31.6x350
Saddle	KHS Sport
Handlebar	Aluminum, 31.8mm, 680x20mm, Ladies: 660x20mm
Stem	KHS Aluminum Threadless 4-bolt, 6-degree, 31.8mm, S:60mm, M-L:75mm, XL-XXL:90mm, Ladies: S:60mm, M:75mm
Grips	KHS Sport, Dual Compound
Brake Levers	Shimano ST-EF500
Brakes	Radius Cable Disc BR-CX7, 160mm Rotors w/ABS System
Frame Size	S/15, M/17, L/19, XL/21, XXL/23, Ladies: S/15, M/17



YOUTH ALITE 24




FEATURES

- 8 Speed
- Aluminum frame
- Suspension fork
- Bengal cable disc brakes
- S-Ride 11-42T cassette

PART # MODEL SIZE COLOR

93-148-9000	ALITE 24	ONE	BLACK
-------------	----------	-----	-------



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
XS/12.5	320 / 12.6	70°	72°	518 / 20.4	410 / 16.1	275 / 10.8	670 / 26.4	110 / 4.3	532 / 20.9	345 / 13.6

BIKE SPECS

Frame	6061 Aluminum Butted, w/Custom Formed T/T & D/T, Replaceable Der Hanger
Fork	Zoom 565D, 24", 80mm Travel
Headset	Threadless 1-1/8", Zero Stack
Rims	Aluminum Disc, Double wall, 24x32H
Hub, Front	Aluminum Disc w/CNC Rotor Flange, QR
Hub, Rear	Aluminum Disc w/CNC Rotor Flange, QR, Cassette
Tires	24 x 2.10", 60TPI, Folding
Spokes	14G Black, 32x32
Derailleur, Rear	S-Ride RD-M300C 8/9s
Shifters	S-Ride SL-M300C 8s
Chain	KMC X8 w/MissingLink
Crankset	Samox Forged, 30T Narrow/Wide C/R, 152mm
BB	Cartridge Bearing, 68x113.5
Freewheel / Cassette	S-Ride CS-M20008 11-42T, 8-Speed
Pedals	Resin ATB Platform w/Boron Axle
Seatpost	Aluminum Micro-Adjust 27.2x250
Saddle	KHS Junior ATB
Handlebar	Aluminum Riser, 31.8mm, 640mm x 30mm
Stem	Aluminum Threadless 4-bolt, 31.8mm 60mm
Grips	Q2 Junior Lock-on
Brake Levers	Aluminum Linear Pull
Brakes	Bengal Cable Disc, MB606, 160mm Wave '12' Rotors w/ABS System
Frame Size	One Size

YOUTH T-REX



FEATURES


21 Speed

40mm travel fork

Triple ring crank

Shimano derailleurs & shifters

PART #	MODEL	SIZE	COLOR
93-145-9000	T-REX	ONE	CHROME RED
93-145-9001	T-REX GIRLS	ONE	BLACK



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
11	285 / 11.2	70°	72°	519 / 20.4	410 / 16.1	324 / 12.7	613 / 24.1	110 / 4.3	512 / 20.1	353 / 13.9

BIKE SPECS

Frame	TIG-welded Hi-tensile
Fork	24" Suspension, Aluminum Crown, 40mm Travel
Headset	Threadless 1-1/8"
Rims	Aluminum, 24"x32H
Hub, Front	Steel Nuted
Hub, Rear	Steel Nuted
Tires	24 x 2.10", Knobby
Spokes	14G Black, 32x32
Derailleur, Front	Shimano Tourney FD-TX800, 28.6
Derailleur, Rear	Shimano Tourney RD-TY300D
Shifters	Shimano Revo
Chain	KMC Z8.3
Crankset	Samox Aluminum, 42/34/24T w/CG, 152mm
BB	Cartridge Bearing, 68x118
Freewheel / Cassette	14-34T, 7-Speed FW
Pedals	MTB w/ Boron Axle
Seatpost	Aluminum Micro-Adjust 25.4x300
Saddle	Ultracycle Junior
Handlebar	Aluminum 30mm Rise/600mm
Stem	Aluminum Threadless 4-bolt, 10 Degree, 60mm
Grips	Soft Kraton
Brake Levers	All Aluminum Linear Pull
Brakes	Aluminum Linear Pull
Frame Size	One Size
Extras	Rear Der Guard

YOUTH T-REX 7




FEATURES

7 Speed
Steel frame
Rigid fork
Shimano derailleur & shifter

PART # MODEL SIZE COLOR

93-144-9000	T-REX 7	ONE	BRIGHT BLUE
93-144-9001	T-REX 7 GIRLS	ONE	OCEAN GREEN



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
11	285 / 11.2	70°	72°	521 / 20.5	410 / 16.1	275 / 10.8	584 / 23	110 / 4.3	464 / 18.2	370 / 14.6

BIKE SPECS

Frame	TIG-welded Hi-tensile
Fork	Rigid Straight Leg
Headset	Threadless 1-1/8"
Rims	Aluminum, 24"x32H
Hub, Front	Steel Nuted
Hub, Rear	Steel Nuted
Tires	24 x 2.10", Knobby
Spokes	14G Black, 32x32
Derailleur, Rear	Shimano Tourney RD-TY300D
Shifters	Shimano Revo
Chain	KMC Z8.3
Crankset	Aluminum 3-pc, 36T w/Double Guard, 152mm
BB	Cartridge Bearing, 68x118mm
Freewheel / Cassette	14-34T, 7-Speed FW
Pedals	MTB w/Boron Axle
Seatpost	Aluminum Micro-Adjust 25.4x300
Saddle	Ultracycle Junior
Handlebar	Aluminum 30mm Rise/600mm
Stem	Aluminum Threadless 4-bolt, 10 Degree, 60mm
Grips	Soft Kraton
Brake Levers	All Aluminum Linear Pull
Brakes	Aluminum Linear Pull
Frame Size	One Size
Extras	Rear Der Guard


YOUTH SYNTAUR+



FEATURES

- 8 Speed
- Aluminum frame
- Shimano derailleur & shifter
- Kenda El Capo 24x2.6 tires

PART #	MODEL	SIZE	COLOR
93-147-9000	SYNTAUR+	ONE	BRIGHT ORANGE
93-147-9001	SYNTAUR+ GIRLS	ONE	LIME



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/l°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
11	285 / 11.2	70°	72°	506 / 19.9	410 / 16.1	275 / 10.8	605 / 23.8	110 / 4.3	500 / 19.7	343 / 13.5

BIKE SPECS

Frame	6061 Aluminum Plus w/Custom Formed T/T & Replaceable Der Hanger
Fork	Rigid Straight Leg
Headset	Threadless 1-1/8"
Rims	Aluminum, CNC sidewall, 24" Plus x 32H
Hub, Front	Aluminum Nuted
Hub, Rear	Aluminum Nuted, Cassette
Tires	Kenda El Capo, 24x2.6 Knobby
Spokes	14G Black, 32x32
Derailleur, Rear	Shimano Tourney RD-TX800
Shifters	Shimano Revo
Chain	KMC Z8.3
Crankset	Samox Aluminum, 30T w/Double CG, 152
BB	Cartridge Bearing, 73x127.5
Freewheel / Cassette	11-32T, 8-Speed
Pedals	MTB w/Boron Axle
Seatpost	Aluminum Micro-Adjust 27.2x300
Saddle	Ultracycle Junior
Handlebar	Aluminum 30mm Rise/600mm
Stem	Aluminum Threadless 4-bolt, 10 Degree, 60mm
Grips	Soft Kraton
Brake Levers	All Aluminum Linear Pull
Brakes	Aluminum Linear Pull
Frame Size	One Size
Extras	Rear Der Guard


YOUTH SYNTAUR



FEATURES

8 Speed
Aluminum frame
Shimano derailleur & shifter
24x2.10" tires

PART #	MODEL	SIZE	COLOR
93-146-9000	SYNTAUR	ONE	GUN BARREL BLUE
93-146-9001	SYNTAUR GIRLS	ONE	WHITE




GEOMETRY

SIZE	A s/t c-t	B h/t*	C s/t*	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
11	285 / 11.2	70°	72°	507 / 20	410 / 16.1	275 / 10.8	588 / 23.2	110 / 4.3	466 / 18.4	356 / 14

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & Replaceable Der Hanger
Fork	Rigid Straight Leg
Headset	Threadless 1-1/8"
Rims	Aluminum, 24"x32H
Hub, Front	Aluminum Nuted
Hub, Rear	Aluminum Nuted, Cassette
Tires	24 x 2.10", Knobby
Spokes	14G Black, 32x32
Derailleur, Rear	Shimano Tourney RD-TX800
Shifters	Shimano Revo
Chain	KMC Z8.3
Crankset	Samox Aluminum, 34T w/Double CG, 152mm
BB	Cartridge Bearing, 68x119
Freewheel / Cassette	11-32T, 8-Speed
Pedals	MTB w/Boron Axle
Seatpost	Aluminum Micro-Adjust, 27.2x300
Saddle	Ultracycle Junior
Handlebar	Aluminum 30mm Rise/600mm
Stem	Aluminum Threadless 4-bolt, 10 Degree, 60mm
Grips	Soft Kraton
Brake Levers	All Aluminum Linear Pull
Brakes	Aluminum Linear Pull
Frame Size	One Size
Extras	Rear Der Guard


YOUTH RAPTOR+



FEATURES

7 Speed
Aluminum frame
Shimano derailleur & shifter
Kenda El Capo 20x2.6 tires

PART #	MODEL	SIZE	COLOR
93-143-9000	RAPTOR+	ONE	NEON YELLOW
93-143-9001	RAPTOR+ GIRLS	ONE	BERRY



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
10	245 / 9.6	70°	70°	494 / 19.4	385 / 15.2	361 / 14.2	632 / 24.9	110 / 4.3	418 / 16.4	342 / 13.4

BIKE SPECS

Frame	6061 Aluminum Plus w/Custom Formed T/T & Replaceable Der Hanger
Fork	Rigid Straight Leg
Headset	Threadless 1-1/8"
Rims	Aluminum, 20" Plus, 32H
Hub, Front	Steel Nuted
Hub, Rear	Steel Nuted
Tires	Kenda El Capo, 20 x 2.60", Knobby
Spokes	14G Black, 32x32
Derailleur, Rear	Shimano Tourney RD-TY300D
Shifters	Shimano Revo
Chain	KMC Z8.3
Crankset	Aluminum 3-pc 36T w/Double Chainguard, 140mm
BB	Cartridge Bearing, 73x127.5
Freewheel / Cassette	14-34T, 7-Speed FW
Pedals	MTB w/Boron Axle
Seatpost	Aluminum Micro-Adjust, 27.2x250mm
Saddle	Ultracycle Junior
Handlebar	Aluminum 30mm Rise/560mm
Stem	Aluminum Threadless 4-bolt, 10 Degree, 60mm
Grips	Soft Kraton
Brake Levers	All Aluminum Linear Pull
Brakes	Aluminum Linear Pull
Frame Size	One Size
Extras	Rear Der Guard


YOUTH RAPTOR



FEATURES

7 Speed
Aluminum frame
Rigid fork
Shimano derailleur & shifter

PART #	MODEL	SIZE	COLOR
93-142-9000	RAPTOR	ONE	ORANGE
93-142-9001	RAPTOR GIRLS	ONE	POP PINK



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
10	225 / 8.9	70°	70°	476 / 18.7	375 / 14.8	251 / 9.9	509 / 20	110 / 4.3	394 / 15.5	332 / 13.1

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & Replaceable Der Hanger
Fork	Rigid Straight Leg
Headset	Threadless 1-1/8"
Rims	Aluminum, 20", 32H
Hub, Front	Steel Nuted
Hub, Rear	Steel Nuted
Tires	20 x 2.125", Knobby
Spokes	14G Black, 32x32
Derailleur, Rear	Shimano Tourney RD-TY300D
Shifters	Shimano Revo
Chain	KMC Z8.3
Crankset	Aluminum 3-pc 36T w/Double Chainguard, 140mm
BB	Cartridge Bearing, 68x113.5
Freewheel / Cassette	14-34T, 7-Speed FW
Pedals	MTB w/Boron Axle
Seatpost	Aluminum Micro-Adjust, 27.2x250mm
Saddle	Ultracycle Junior
Handlebar	Aluminum 30mm Rise/560mm
Stem	Aluminum Threadless 4-bolt, 10 Degree, 60mm
Grips	Soft Kraton
Brake Levers	All Aluminum Linear Pull
Brakes	Aluminum Linear Pull
Frame Size	One Size
Extras	Rear Der Guard

E-ASSIST SIXFIFTY 6555+E




FEATURES

12 Speed
Shimano STEPS MTB EP-801 E-Assist motor
Shimano XT drivetrain
Tubeless ready

NEW OR CHANGED FOR 2023

Internal DT battery
FSA Grid handlebar & stem
Shimano EP801 motor

PART #	MODEL	SIZE	COLOR
89-100-0013	SIXFIFTY 6555 E	M	BLACK
89-100-0014	SIXFIFTY 6555 E	L	BLACK
89-100-0015	SIXFIFTY 6555 E	XL	BLACK



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	H s.o.	I h/L	K Stack	J Reach
M/16.5	425 / 16.7	64.5°	75°	604 / 23.8	475 / 18.7	353 / 13.9	773 / 30.4	120 / 4.7	627 / 24.7	452 / 17.8
L/18	460 / 18.1	64.5°	75°	632 / 24.9	475 / 18.7	353 / 13.9	790 / 31.1	130 / 5.1	636 / 25	477 / 18.8
XL/19.5	500 / 19.7	64.5°	75°	657 / 25.9	475 / 18.7	353 / 13.9	815 / 32.1	140 / 5.5	645 / 25.4	500 / 19.7

BIKE SPECS

Frame	4Bar Horst Link 150mm Plus, 6061 Aluminum w/Custom Formed Double Butted T/T & D/T, 1.5 Taper, 12 x 148 Boost Rear Axle, w/Replaceable Derailleur Hanger
Rear Shock	FOX Float DPS, Performance, 3-Pos, Evol w/LV Eyelet, 210x50
Fork	FOX Float 36, 29 Std/27.5+ Evol Air, Rhythm, 160mm, Grip Sweep Adj., Ext Rebound Adj., 1-1/8~1.5 Taper, 15mm x 110 QR Boost
Headset	FSA Orbit 1.5E, Zero Stack, 1-1/8"~1.5
Rims	WTB Scraper i30 TCS Aluminum Plus Disc, 29, Double Wall, 32H, Tubeless-Ready
Hub, Front	Shimano HB-M7110-B CenterLock Disc, 15x110mm Axle, Boost
Hub, Rear	Shimano FH-M7110-B Disc Cassette, 12 x 148mm, Boost
Tires	Kenda Regolith Pro, 29 x 2.6", FT: 120TPI Folding, Tubeless-Ready, RR: Pinner Pro 29x2.4
Spokes	14G Stainless Black, 32x32
Derailleur, Rear	Shimano XT RD-M8100
Shifters	Shimano XT, SL-M8100, 12-Speed, Trigger, Right Only
Chain	Shimano CN-M7100
Crankset	Shimano FC-EM600 34T, S:160, M-XL:165
Motor	Shimano EP-801 Motor, 36V x 250W, 85Nm, Class 1, 34T
Battery	Shimano Lithium 36V x 17.5Ah, 630Wh
Freewheel / Cassette	Shimano CS-M7100, 10-51T, 12-Speed
Seatpost	Kind Shock Rage-I, Integra w/Remote, Travel Adj, 31.6mm, M:395x125, L-XL:440x150
Saddle	WTB Volt Sport, Medium
Handlebar	FSA Grid 1 Riser, 800 x 20mm, 35mm
Stem	FSA Grid, Aluminum 3D Forged, Threadless 4-bolt, 35mm dia M: 35mm, L-XL: 50mm
Grips	Q2 Lock-on
Brake Levers	Shimano MT401, Servo Wave w/I-Spec II
Brakes	Shimano MT420 4-Piston, Hydraulic Disc, Servo Wave, 203, Rotors= RT64 CenterLock
Frame Size	M/16.5, L/18, XL/19.5

E-ASSIST SIXFIFTY 5555+E



FEATURES

12 Speed

MPF 6S Mid 48V Motor, Class II


Shimano Deore

Tektro hydraulic 4-piston disc brakes

NEW OR CHANGED FOR 2023

Internal DT Battery
29" Wheels

PART #	MODEL	SIZE	COLOR
89-102-0009	SIXFIFTY 5555 E	M	BORA BORA BLUE
89-102-0010	SIXFIFTY 5555 E	L	BORA BORA BLUE
89-102-0011	SIXFIFTY 5555 E	XL	BORA BORA BLUE



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
M/17.5	440 / 17.3	66.5°	73.9°	609 / 24	495 / 19.5	360 / 14.2	800 / 31.5	110 / 4.3	611 / 24.1	432 / 17
L/19	483 / 19	66.5°	73.9°	636 / 25	495 / 19.5	360 / 14.2	805 / 31.7	130 / 5.1	629 / 24.8	455 / 17.9
XL/20.5	520 / 20.5	66.5°	73.9°	664 / 26.1	495 / 19.5	360 / 14.2	819 / 32.2	140 / 5.5	638 / 25.1	480 / 18.9

BIKE SPECS

Frame	E-6061 Aluminum 4-Bar Horst Link 150mm w/Custom Formed T/T & D/T, 12 x 148mm Boost, 1.5 Taper
Rear Shock	X-Fusion 02 Pro RL, Air, Ext Rebound, Lock-Out
Fork	SR Aion 36 Boost 29 STD/27.5+, EQ Air, 150mm, 35mm Stanchions, Aluminum Steerer, Magnesium Lowers, Hydraulic Damp, External rebound, Lock-Out, 1.5 Taper, 15QR
Headset	FSA Orbit 1.5E, Zero Stack, 1-1/8"~1.5
Rims	WTB Scraper i30 TCS Aluminum Plus Disc, 29, Double Wall, 32H, Tubeless-Ready
Hub, Front	Shimano HB-MT410, CenterLock Disc, 15mm x 110mm, Boost
Hub, Rear	Shimano FH-MT410-B Disc Cassette, 12 x 148mm, Boost
Tires	Kenda Regolith Pro RFC, 29 x 2.6", 120TPI Folding, Tubeless-Ready
Spokes	14G Stainless Black
Derailleur, Rear	Shimano Deore RD-M6100
Shifters	Shimano Deore, SL-M6100, 12-Speed, Trigger, Right Only
Chain	Shimano CN-M6100
Crankset	Samox Aluminum Forged, 34T, 165
Motor	MPF 6S Mid Motor 36V x 250W, 80Nm, Class II, 34T
Battery	Lithium 48V x 14Ah, 655wh
Freewheel / Cassette	Shimano CS-M6100, 10-51T
Seatpost	Kind Shock Exa-Form KSP-900-i, Integra w/Remote, Travel Adj, 31.6mm, M: 395x125, L-XL: 440x150
Saddle	WTB Volt Medium
Handlebar	35mm 1 Riser, 80 x 30mm, 35mm
Stem	Aluminum 2D Forged, Threadless 4-bolt, M: 35mm, L-XL: 45mm
Grips	Q2 Lock On
Brake Levers	Tektro HD-E725 Hydraulic w/Sensor
Brakes	Tektro HD-E725 Hydraulic, 4-Piston, 203mm Rotors
Frame Size	M/17.5, L/19, XL/20.5

E-ASSIST ENDURE 1000



FEATURES

12 Speed

MPF 6S Mid Motor, Class II

Aluminum frame w/ integrated battery

Tektro hydraulic 4-piston disc brakes

NEW OR CHANGED FOR 2023


Aluminum frame w/ integrated battery

Lithium 48V x 17.5Ah, 840Wh battery

PART #	MODEL	SIZE	COLOR
89-101-0009	ENDURE 1000	M	MATTE BLACK
89-101-0010	ENDURE 1000	L	MATTE BLACK

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T, 1.5 Tapered H/T, Replaceable Derailleur Hanger 12x197mm
Fork	Aluminum Straight Blade w/1.5 Taper, 15mm Thru-axle
Headset	Threadless 1-1/8~1.5 Tapered, Zero Stack
Rims	Sun Mulefut SL80, Tubeless-Ready, 26x32H
Hub, Front	KT Aluminum Disc, Forged, Sealed Bearing, 15mm Thru-axle 15x150
Hub, Rear	Powerway Aluminum Disc, Forged, Sealed Bearing, Cassette, 12x197 Thru-axle, Microdrive
Tires	Maxxis Colossus, 26 x 4.8", 120 TPI, Folding, Tubeless ready
Spokes	14G Black Stainless, 32x32
Derailleur, Rear	Shimano Deore RD-M6100
Shifters	Shimano Deore SL-M6100
Chain	Shimano CN-M6100
Crankset	Aluminum Forged, 32T Narrow/Wide, 165mm
Motor	MPF 6S Mid Motor 48V x 250W, 80Nm, Class 2, 32T
Battery	Lithium 48V x 17.5Ah, 840Wh
Freewheel / Cassette	Shimano CS-M6100, 10-51T, 12-Speed
Seatpost	Kind Shock Exa-Form KSP-900-i, Integra w/Remote, Travel Adj, 31.6mm, M: 395x125, L: 440x150
Saddle	KHS Sport Dual Density Padding w/Handle
Handlebar	Aluminum 35mm Riser, 800 x 30mm
Stem	Aluminum 35mm 3D Forged, Threadless 4-bolt, 70mm
Grips	Q2 Lock-on
Brake Levers	Bengal Ares3 w/Sensor
Brakes	Bengal Ares3 Hydraulic Disc, 203/180mm Rotors
Frame Size	M/17, L/19



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
M/17	432 / 17	68°	73°	672 / 26.5	490 / 19.3	320 / 12.6	786 / 30.9	135 / 5.3	614 / 24.2	483 / 19
L/19	483 / 19	68°	73°	681 / 26.8	490 / 19.3	320 / 12.6	832 / 32.7	145 / 5.7	624 / 24.6	493 / 19.4

E-ASSIST EXTENDED 2.0



FEATURES

9 Speed


Bafang RMG020-500DC, 48V Motor, Class II

Lithium 48V x 10.5Ah, 504Wh battery

NEW OR CHANGED FOR 2023

Aluminum frame w/ internal DT battery

PART #	MODEL	SIZE	COLOR
89-106-9009	EXTENDED 2.0E	S	MATTE DARK GRAY
89-106-9010	EXTENDED 2.0E	M	MATTE DARK GRAY
89-106-9011	EXTENDED 2.0E	L	MATTE DARK GRAY



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/t effectv	E c/s	F BB Height	G s.o.	H h/t L	I Stack	J Reach
S/15	381 / 15	71°	73°	574 / 22.6	450 / 17.7	290 / 11.4	680 / 26.8	150 / 5.9	629 / 24.7	381 / 15
M/17	432 / 17	71°	73°	590 / 23.2	450 / 17.7	290 / 11.4	788 / 31	155 / 6.1	633 / 24.9	396 / 15.6
L/19	483 / 19	71°	73°	604 / 23.8	450 / 17.7	290 / 11.4	815 / 32.1	160 / 6.3	638 / 25.1	408 / 16.1

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T w/C/S Disc Mount, w/ Replaceable Derailleur Hanger
Fork	SR NEX, 50mm
Headset	Threadless 1-1/8", Zero Stack
Rims	Weinmann XTB26 Aluminum, 700c x 36H, Double wall
Hub, Front	Aluminum QR
Hub, Rear	Bafang, Drum Motor
Tires	Kenda Kwick Bitumen, 700 x 40c, 30TPI
Spokes	14G Black, 36x36, Rear 13G
Derailleur, Rear	Shimano Cues
Shifters	Shimano Cues Trigger
Chain	KMC E500
Crankset	Forged, 36T w/Guard, 170mm
Motor	Bafang RMG020-500DC, 48V x 500W, 45Nm, Class II
Battery	Lithium 48V x 10.5Ah, 504Wh
Freewheel / Cassette	Shimano CS-LG300-9, 11-36, 9-Speed
Pedals	Resin ATB Platform w/DU Bearings
Seatpost	Aluminum Micro-Adjust, 27.2x350mm
Saddle	KHS Sport, Dual Density
Handlebar	Aluminum, 31.8mm, 680x30mm
Stem	Aluminum 3D Forged, Threadless 4-bolt, 7-degree, 31.8mm, S: 60mm, M-L: 80mm
Grips	KHS Sport, Dual Compound
Brake Levers	Bengal Aluminum Linear Pull w/Sensor Control
Brakes	Bengal Cable Disc, 180mm Rotors Wave 12
Frame Size	S/15, M/17, L/19
Extras	Kickstand, Bell

E-ASSIST


ENVOY 200



FEATURES

8 Speed
Bafang RMG020-500DC, 48V Motor, Class II
Lithium 48V x 10.5Ah, 504Wh battery
Kickstand, fenders & rack

PART #	MODEL	SIZE	COLOR
89-105-9010	ENVOY 200	M	MATTE DARK GRAY
89-105-9011	ENVOY 200 LADIES	S	MATTE DARK GRAY
89-105-9012	ENVOY 200 LADIES	M	MATTE DARK GRAY



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
M/18	457 / 18	71°	74°	565 / 22.2	450 / 17.7	290 / 11.4	774 / 30.5	150 / 5.9	569 / 22.4	402 / 15.8
S/15.5L	394 / 15.5	71°	74°	548 / 21.6	450 / 17.7	290 / 11.4	0 / 0	115 / 4.5	535 / 21.1	395 / 15.5
M/17L	432 / 17	71°	74°	555 / 21.9	450 / 17.7	290 / 11.4	0 / 0	130 / 5.1	550 / 21.7	402 / 15.8

BIKE SPECS

Frame	4130 Double Butted CrMo Tubing w/Carrier Bosses
Fork	Full CrMo Unicrown, Low-rider and Fender Bosses
Headset	FSA Threadless 1-1/8", Zero Stack
Rims	Weinmann ZAC2000, 700x36H, Double Wall w/CNC Side Wall
Hub, Front	Aluminum QR
Hub, Rear	Bafang, Drum Motor
Tires	Kenda Kwick Journey, 700 x 35c w/K-Shield Anti-Puncture, 60TPI
Spokes	14G Stainless Black, 36x36, Rear 13G
Deraileur, Rear	Shimano Altus M310
Shifters	Shimano Twist
Chain	KMC E8
Crankset	Samox Forged, 36T w/Guard, 175mm
Motor	Bafang RMG020-500DC, 48V x 500W, 45Nm, Class II
Battery	Lithium 48V x 10.5Ah, 504Wh
Freewheel / Cassette	Shimano CS-HG31-8, 11-32T, 8-Speed
Pedals	Wellgo Platform w/Non-slip Tread, DU Bearings
Seatpost	Aluminum Micro-Adjust, 27.2x350mm
Saddle	KHS Ultra Comfort
Handlebar	Aluminum Trekking, 30mm x 630mm, 31.8mm
Stem	KHS Aluminum Threadless, 25 degree, Ladies: 70mm, Mens: 80mm
Grips	Velo Dual density
Brake Levers	Bengal Aluminum Linear Pull Trekking 3 Finger w/Sensor Control
Brakes	Tektro Aluminum Linear Pull
Frame Size	M/18, Ladies: S/15.5, M/17
Extras	Kickstand, Fenders, Aluminum Rear Carrier

E-ASSIST


MOVO 1.0E



FEATURES

8 Speed
 Aluminum frame
 Bafang RMG020-500DC, 48V Motor, Class II
 Lithium 48V x 10.5Ah, 504Wh battery

PART #	MODEL	SIZE	COLOR
89-107-9003	MOVO 1.0E	L	DARK GRAY
89-107-9004	MOVO 1.0E LADIES	S	COUNTY BLUE
89-107-9005	MOVO 1.0E LADIES	M	COUNTY BLUE



GEOMETRY

SIZE	A s/t c-t	B h/t°	C s/t°	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
L	450 / 17.7	69°	68.5°	630 / 24.8	470 / 18.5	287 / 11.3	780 / 30.7	205 / 8.1	598 / 23.5	394 / 15.5
S/Step	350 / 13.8	69°	68.5°	600 / 23.6	470 / 18.5	287 / 11.3	0 / 0	175 / 6.9	570 / 22.4	375 / 14.8
M/Step	400 / 15.7	69°	68.5°	615 / 24.2	470 / 18.5	287 / 11.3	0 / 0	190 / 7.5	584 / 23	385 / 15.1

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T w/Replaceable Derailleur Hanger, Internal Cable Routing
Fork	Aluminum Straight Leg w/CrMo Steerer, Disc Mount
Headset	1-1/8" Threadless, Zero Stack w/Aluminum Conical Top Cap
Rims	Weinmann Aluminum Double Wall, 26x36H
Hub, Front	Aluminum Disc w/CNC Rotor Flange, QR
Hub, Rear	Bafang, Drum Motor
Tires	Innova, 26 x 2.35" w/Anti-Puncture
Spokes	14G Black, 36x36, Rear: 13G
Derailleur, Rear	Shimano Altus RD-M310
Shifters	Shimano SL-M315 Trigger
Chain	KMC E8S
Crankset	Forged, 36T w/Guard, 170mm
Motor	Bafang RMG020-500DC, 48V x 500W, 45Nm, Class II
Battery	Lithium 48V x 10.5Ah, 504Wh
Freewheel / Cassette	Shimano CS-HG31-8, 11-34T, 8-Speed
Pedals	Wellgo Platform w/Non-slip Tread, DU Bearings
Seatpost	Aluminum Suspension, 27.2x350
Saddle	DDK Wide Comfort, Memory Foam w/Elastomer Spring
Handlebar	Aluminum 100mm rise/660mm, 25.4
Stem	Aluminum Threadless, 17 Degree, 90mm
Grips	Comfort Kraton
Brake Levers	Bengal Aluminum Linear Pull Trekking 3 Finger w/Sensor Control
Brakes	Radius Cable Disc BR-CX7, 160mm Rotors w/ABS System
Frame Size	Mens: L, Step-Thru: S,M
Extras	Aluminum Rear Carrier, Kickstand

E-ASSIST EASY 24



FEATURES

7 Speed
Zhang Ying Motor 36V Motor, Class II
Aluminum low step-thru frame
Shimano drivetrain

PART #	MODEL	SIZE	COLOR
89-104-9012	EASY 24	ONE	BLUE
89-104-9013	EASY 24	ONE	GRAY

BIKE SPECS

Frame	24E 6061 Aluminum Low-Step Custom Formed, Cable Guide
Fork	Full Hi-Tensile steel w/forged drop-outs
Headset	Threaded 1-1/8", Zero stack
Rims	Weinmann SP-17 Aluminum Double Wall, 24x1.5
Hub, Front	KT Aluminum QR
Hub, Rear	Zhang Ying Motor
Tires	24 x 1.50" Black, 60TPI 100PSI
Spokes	FT:14G Stainless Black RR:13G Stainless Black, 36x36
Derailleur, Rear	Shimano Tourney TY500D
Shifters	Shimano Revo Twist
Chain	KMC Z-7RB
Crankset	Prowheel, Aluminum, 44T Black, 165mm
Motor	Zhang Ying Motor 36V x 250W, 45Nm, Class II
Battery	Lithium 36V x 12.8Ah, 460Wh
Freewheel / Cassette	Shimano Tourney, Freewheel, 14-28, 7-Speed
Pedals	Wellgo Platform
Seatpost	Promax, Aluminum, Micro-Adjust, 27.2x300mm
Saddle	KHS Sport, Dual Density
Handlebar	Aluminum 100 rise 15 degree, 620mm
Stem	Aluminum Quill, 80mm
Grips	Comfort Kraton
Brake Levers	Bengal Aluminum Linear Pull Trekking 3 Finger w/Sensor Control
Brakes	Promax, TX-117L, Linear Pull
Frame Size	One
Extras	Front & Rear Lights, Aluminum Rear Carrier, Kickstand, Bell, Front Basket, Fenders

GEOMETRY

SIZE	A s/t c-t	B h/t"	C s/l"	D t/t effectv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
16	400 / 15.7	71"	71"	574 / 22.6	420 / 16.5	277 / 10.9	0 / 0	130 / 5.1	477 / 18.8	410 / 16.1


TANDEM MILANO



FEATURES

20 Speed
Aluminum frame
2x10 drivetrain
Cable disc brakes
Kenda Kwick Roller Sport, 700x32c, 60 TPI tires
Shimano GRX rear derailleur
Shimano 11-36T cassette
12mm axles w/ 220mm rotors

PART #	MODEL	SIZE	COLOR
89-402-9002	TANDEM MILANO	S	DARK GRAY
89-402-9003	TANDEM MILANO	M	DARK GRAY



BIKE SPECS

Frame	6061 Aluminum, TIG welded w/Disc Tab, 12 x 148 Thru-axle
Fork	Oversized CrMo Unicrown, 1.5 Taper, 12 x 110 Thru-axle
Headset	FSA Orbit 1.5E ZS, 1-1/8"~1.5", Aluminum Cap
Rims	Weinmann XC180 Disc, Double Wall, w/Eyelets
Hub, Front	Powerway 12x110 Thru-axle, Sealed Bearing, Disc
Hub, Rear	Powerway 12x148 Thru-axle, Cassette. Sealed Bearing, Disc
Tires	Kenda Kwick Roller Sport K-1029, 700 x 32c, 60TPI Iron Cap
Spokes	14G Black, 40x40
Derailleur, Front	Shimano Tiagra, 31.8mm
Derailleur, Rear	Shimano GRX RD-RX400
Shifters	Shimano Tiagra STI
Chain	KMC X10 w/ missing link
Crankset	Driveline 2-pc Aluminum Forged Tandem, Captain: 50/34T, 175mm, Stoker: 39T, 170
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-HG50, 11-36T, 10-Speed
Seatpost	Captain: Aluminum Micro Adj., 27.2, Stoker: Aluminum Suspension, Micro Adj, 27.2
Saddle	KHS Road Padded & Ladies Road Padded w/ handles
Handlebar	FSA Vero Aluminum Compact Drop, Double Butted, 31.8mm
Stem	Captain: Threadless 3D Forged, 17D, 31.8mm, 90mm, Stoker: Aluminum, 35 Degree Adjustable
Grips	Cushion Tape
Brake Levers	Shimano Tiagra STI
Brakes	Bengal MB700T, Mechanical Disc, 220mm Rotors
Frame Size	S: 20" x 16", M: 23" x 21"

GEOMETRY

SIZE	A s/t c-t	A° s/t c-t	B h/t°	C s/t°	C° s/t°	D t/t	D° t/t	E c/s	F BB Height	G rake	H s.o.	H° s.o.	I h/t L
S	510 / 20.1	410 / 16.1	73	73	73	569 / 22.4	717 / 28.2	436 / 17.2	298 / 11.7	50 / 1.97	780 / 30.7	632 / 24.9	135 / 5.3
M	582 / 22.9	541 / 21.3	73	73	73	591 / 23.3	717 / 28.2	436 / 17.2	298 / 11.7	50 / 1.97	824 / 32.4	763 / 30	150 / 5.9

TANDEM CROSS



WTB
27.5 x 47c Plus Tires

FEATURES

27 Speed


Aluminum frame

Shimano drivetrain

WTB STI 25 Disc, Double Wall, Tubeless Ready rims

12mm axles w/ 220 rotors

PART #	MODEL	SIZE	COLOR
89-403-9002	TANDEM CROSS	S	GREEN
89-403-9003	TANDEM CROSS	M	GREEN



BIKE SPECS

Frame	6061 Aluminum, TIG welded w/Disc Tab, 12 x 148 Thru-axle
Fork	Oversized CrMo Unicrown, 1.5 Taper, 12 x 110 Thru-axle
Headset	FSA Orbit 1.5E ZS, 1-1/8"~1.5", Aluminum Cap
Rims	WTB STI 25 (27.5) Disc, Double Wall, Tubeless-Ready
Hub, Front	Powerway 12x110 Thru-axle, Sealed Bearing, Disc
Hub, Rear	Powerway 12x148 Thru-axle, Cassette. Sealed Bearing, Disc
Tires	WTB Byway 650B x 47mm
Spokes	14G Black, 40x40
Derailleur, Front	Shimano Sora, 31.8mm
Derailleur, Rear	Shimano Sora
Shifters	Shimano Sora Trigger
Chain	KMC Z9 w/ missing link
Crankset	Drive Line 2-pc Aluminum Forged Tandem, Captain: 50/39/30T, 175mm, Stoker: 39T, 170mm
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Shimano HG400-9, 11-34T, 9-Speed
Seatpost	Captain: Aluminum Micro Adj, 27.2x350, Stoker: Aluminum Suspension, Micro Adj, 27.2x300
Saddle	KHS Road Padded & Ladies Road Padded with handles
Handlebar	F: Aluminum Riser 680x35x31.8, R: Aluminum Riser, 580x100x25.4
Stem	Captain: Threadless 3D Forged, 25D, 31.8mm, 90mm, Stoker: Aluminum, 35 Degree Adjustable
Grips	KHS Sport, Dual Compound
Brake Levers	Promax Aluminum Linear Pull
Brakes	Bengal MB700, Mechanical Disc, 220mm Rotors
Frame Size	S: 20" x 16", M: 23" x 21"

GEOMETRY

SIZE	A s/t c-t	A° s/t c-t	B h/t°	C s/t°	C° s/t°	D t/t	D° t/t	E c/s	F BB Height	G rake	H s.o.	H° s.o.	I h/t L
S	510 / 20.1	410 / 16.1	73	73	73	569 / 22.4	717 / 28.2	440 / 17.3	298 / 11.7	50 / 1.97	780 / 30.7	632 / 24.9	135 / 5.3
M	582 / 22.9	541 / 21.3	73	73	73	591 / 23.3	717 / 28.2	440 / 17.3	298 / 11.7	50 / 1.97	824 / 32.4	763 / 30	150 / 5.9


TANDEM SPORT



FEATURES

- 18 Speed
- Steel frame
- Shimano drivetrain
- Bengal disc brakes
- 12mm front & rear axles
- KHS Ultra Comfort, Soft Shell w/ handles saddles
- 220mm rotors

PART #	MODEL	SIZE	COLOR
89-400-9002	TANDEM SPORT	S	BLACK
89-400-9003	TANDEM SPORT	M	BLACK



BIKE SPECS

Frame	Hi-Tensile w/CrMo Seat & Down Tube, w/Disc Tab, 12 x 148 Thru-axle
Fork	Oversized CrMo Unicrown, 1.5 Taper, 12 x 110 Thru-axle
Headset	FSA Orbit 1.5E ZS, 1-1/8"~1.5", Aluminum Cap
Rims	Weinmann U28 Disc, Double Wall, w/ eyelets
Hub, Front	Powerway 12x110 Thru-axle, Sealed Bearing, Disc
Hub, Rear	Powerway 12x148 Thru-axle, Cassette. Sealed Bearing, Disc
Tires	Kenda Kwick Drumlín K1216, 26 x 2.2", 60TPI w/K-Shield
Spokes	14G Black, 40x40
Derailleur, Front	Shimano Cues Direct Mount
Derailleur, Rear	Shimano Cues
Shifters	Shimano Cues Rapidfire
Chain	Shimano Cues
Crankset	Drive Line 2-pc Aluminum Forged Tandem, Captain: 40/26T, 175mm, Stoker: 38T, 170mm
BB	Outboard Cartridge Bearing
Freewheel / Cassette	Shimano CS-LG300-9, 11-36T, 9-Speed
Pedals	Wellgo C28DU, All Aluminum w/DU Bearing
Seatpost	Captain: Aluminum Micro Adjust, 26.0x350, Stoker: Suspension, 26.0x350
Saddle	KHS Ultra Comfort, Soft Shell w/Handles
Handlebar	F: Aluminum Riser 31.8mm 700x45, R: Aluminum Riser, 580x100
Stem	Captain: Threadless 3D Forged, 25D, 31.8mm, 90mm, Stoker: Aluminum, 35 Degree Adjustable
Grips	Q2 Lock-on
Brake Levers	Promax Aluminum Linear Pull
Brakes	Bengal MB700, Mechanical Disc, 220mm Rotors
Frame Size	S: 18" x 16", M: 20" x 16"

GEOMETRY

SIZE	A s/t c-t	A° s/t c-t	B h/t°	C s/t°	C° s/t°	D t/t	D° t/t	E c/s	F BB Height	G rake	H s.o.	H° s.o.	I h/t L
S	475 / 18.7	405 / 15.9	72.5	73	73	572 / 22.5	699 / 27.5	440 / 17.3	285 / 11.2	50 / 2	710 / 28	657 / 25.9	145 / 5.7
M	515 / 20.3	405 / 15.9	72.5	73	73	598 / 23.5	699 / 27.5	440 / 17.3	285 / 11.2	50 / 2	762 / 30	669 / 26.3	160 / 6.3

TANDEM AERO DUO



FEATURES

7 Speed
Low Step-thru steel frame
Shimano 7 Speed drivetrain
Aluminum rims

PART #	MODEL	SIZE	COLOR
--------	-------	------	-------

89-404-9000	TANDEM DUO	ONE	RED
-------------	------------	-----	-----

BIKE SPECS

Frame	TIG-welded Hi-Tensile Steel
Fork	Hi-Tensile Unicrown
Headset	Threaded 1 1/8"
Rims	Aluminum 26" double wall
Hub, Front	Aluminum Nitted
Hub, Rear	Aluminum Nitted cassette
Tires	26 x 2.125", White Wall
Spokes	13G Stainless, 36x36
Derailleur, Rear	Shimano M310 Altus
Shifters	Shimano Revo
Chain	KMC Z7
Crankset	Aluminum Forged, 3-pc, 40T
BB	Cartridge Bearing
Freewheel / Cassette	Shimano Cassette, 12-32T, 7-Speed
Pedals	Resin Platform
Seatpost	Chrome Plated Steel, 25.4x300
Saddle	Foam Padded w/ Coil Springs
Handlebar	Chrome Plated Cruiser
Stem	Aluminum Quill
Grips	Black
Brake Levers	Aluminum Linear Pull
Brakes	Aluminum Linear Pull, Long Reach
Frame Size	One
Extras	Fenders, Kickstand

FOLDING

AMERICANO

(T20)



FEATURES

27 Speed
 Reynolds CrMo Folding Frame
 Shimano Shifting System
 Rack & Fenders

PART #	MODEL	SIZE	COLOR
89-405-9000	AMERICANO	ONE	GRAY

BIKE SPECS

Frame	Folding, Reynolds CrMo Tubing w/Carrier Bosses
Fork	Full CrMo Unicrown, w/Fender Bosses
Headset	Aluminum Threaded 1-1/8"
Rims	Weinmann SP-17, 20"x32H, Double Wall w/CNC Side Wall
Hub, Front	Formula Aluminum QR
Hub, Rear	Formula Aluminum QR, Cassette
Tires	Kenda Kwest, 20x1.5" w/Anti Puncture, 100PSI
Spokes	14G Stainless, 32x32
Derailleur, Front	MicroShift FD-R539 Braze On
Derailleur, Rear	Shimano Sora
Shifters	Shimano Sora Trigger
Chain	KMC Z9
Crankset	Drive Line 3-pc Aluminum Forged, 52/42/30T
BB	ISIS Cartridge Bearing
Freewheel / Cassette	SRAM PG-950, 11-28T, 9-Speed
Pedals	VP VPE-527 Aluminum Platform w/DU Bearing
Seatpost	Aluminum 2-bolt FT: 29.2x400, Aluminum Suspension RR: 27.2x400
Saddle	KHS Sport
Handlebar	Aluminum Riser, F: 580x30, R: 565x100
Stem	Captain: Threadless 3D Forged, 10D, 25.4mm, Stoker: Aluminum, 35 Degree Adjustable
Grips	Velo Ergo Triple Density
Brake Levers	Tektro BL-39B Linear Pull with Bell
Brakes	Tektro Linear Pull
Frame Size	1-size
Extras	Rear Carrier, Fenders, Pannier Bags, Kickstand

FOLDING

CAPPUCCINO

(F20-T3B)



FEATURES

30 Speed
 Reynolds 500 Soft-Tail Folding Frame
 Shimano Shifting System

PART #	MODEL	SIZE	COLOR
89-202-9001	CAPPUCCINO	ONE	WHITE

BIKE SPECS

Frame	KHS Soft-Tail Folding, Reynolds 500 CrMo
Fork	Full Aluminum Unicrown
Headset	FSA Threadless 1-1/8"
Rims	Weinmann SP-17, 20"x32H, Double Wall w/CNC Side Wall
Hub, Front	Formula Aluminum QR
Hub, Rear	Formula Aluminum QR, Cassette
Tires	Maxxis Torch, 20x1-1/8" w/Silkworm
Spokes	14G Stainless, 32x32
Derailleur, Front	Shimano Tiagra
Derailleur, Rear	Shimano Tiagra
Shifters	Shimano Tiagra Triggers
Chain	KMC X10 w/MissingLink
Crankset	Shimano Tiagra 2-pc, 50/39/30T
BB	Shimano Outboard Bearing
Freewheel / Cassette	Shimano CS-HG500-10, 11-32T, 10-Speed
Pedals	VP-465 Aluminum 1-pc
Seatpost	Aluminum Micro-adjust, 27.2x400mm
Saddle	KHS Road Padded
Handlebar	Aluminum Riser, 580x30mm
Stem	Aluminum Forged, Threadless 2-bolt
Grips	Velo Ergo Triple Density
Brake Levers	Promax BL-39B Linear Pull with Bell
Brakes	Tektro Linear Pull
Frame Size	1-size
Extras	Kickstand

FOLDING

MOCHA

(F20-JJ)



FEATURES

16 Speed
4130 CrMo Folding Frame
Micro-Shift Shifting System
Alloy Chainguard

PART #	MODEL	SIZE	COLOR
89-201-9000	MOCHA	ONE	RED
89-201-9001	MOCHA	ONE	BLUE

BIKE SPECS

Frame	4130 Full CrMo Folding
Fork	Full CrMo Unicrown
Headset	Aluminum Threaded 1-1/8"
Rims	Weinmann SP-17, 20"x32H, Double Wall w/CNC Side Wall
Hub, Front	Formula Aluminum QR
Hub, Rear	Formula Aluminum QR, Cassette
Tires	Innova IA-2023, 20 x 1.35"
Spokes	14G Stainless, 32x32
Derailleur, Front	MicroShift FD-R42-F Braze On
Derailleur, Rear	MicroShift RD-M45S
Shifters	MicroShift TS73-8 Triggers
Chain	KMC Z8.3
Crankset	Driveline Forged, 50/34 w/Aluminum Guard
BB	Cartridge Bearing
Freewheel / Cassette	Shimano HG40, 11-30T, 8-Speed
Pedals	Nylon Platform
Seatpost	Aluminum Micro-adjust, 27.2x400mm
Saddle	KHS Sport
Handlebar	Aluminum Riser, 580x30
Stem	Aluminum Forged, Threadless 2-bolt, 50x75mm
Grips	Velo Ergo Triple Density
Brake Levers	Promax BL-39B Linear Pull with Bell
Brakes	Tektro Linear Pull
Frame Size	1-size
Extras	Kickstand

FOLDING

EXPRESSO

(F16-D)



FEATURES

6 Speed
6061 Alloy Folding Frame
Shimano Shifting System
Alloy Chainguard

PART #	MODEL	SIZE	COLOR
89-203-9000	EXPRESSO	ONE	BLUE
89-203-9001	EXPRESSO	ONE	YELLOW
89-203-9002	EXPRESSO	ONE	GRAY

BIKE SPECS

Frame	6061 Aluminum Folding
Fork	Hi-Tensile Unicrown
Headset	Threaded 1-1/8"
Rims	Aluminum 16", 28H
Hub, Front	Aluminum Nuted
Hub, Rear	Aluminum Nuted
Tires	16x1.75" Street
Spokes	14G, 28x28
Derailleur, Rear	Shimano RD-FT35
Shifters	Shimano Revo
Chain	KMC Z6
Crankset	Prowheel Forged Aluminum, 40T w/Dual Guard
BB	Square Taper
Freewheel / Cassette	Shimano MF-TZ500, 14-28T 6-Speed
Pedals	Foldable right side
Seatpost	Aluminum 31.8mm x 500mm
Saddle	KHS Sport
Handlebar	Aluminum
Stem	Aluminum Foldable, Telescoping
Grips	Black
Brake Levers	Promax Aluminum Linear Pull
Brakes	Promax Aluminum Linear Pull
Frame Size	1-size
Extras	Kickstand

FOLDING

LATTE

(F20A-H7)



FEATURES

7 Speed
6061 Alloy Folding Frame
Shimano Shifting System
Rack & Fenders

PART #	MODEL	SIZE	COLOR
89-200-9000	LATTE	ONE	BLACK
89-200-9001	LATTE	ONE	WHITE

BIKE SPECS

Frame	6061 Aluminum Folding w/Carrier Bosses
Fork	Hi-Tensile Unicrown
Headset	Threaded 1-1/8"
Rims	Aluminum 20", 20H Ft x 28H RR
Hub, Front	Aluminum QR
Hub, Rear	Aluminum Nuted
Tires	Kenda K909A, 20 x 1.75" Slick
Spokes	14G, 20x28
Derailleur, Rear	Shimano RD-FT35
Shifters	Shimano Revo
Chain	KMC Z-51
Crankset	Prowheel Forged Aluminum, 52T w/Aluminum Guard
BB	VP-B32
Freewheel / Cassette	Shimano MF-TZ21, 14-28T, 7-Speed
Pedals	Foldable right side
Seatpost	Aluminum 33.9 x 530mm
Saddle	KHS Comfort
Handlebar	Aluminum 560mm
Stem	Aluminum Foldable, Telescoping
Grips	Black
Brake Levers	Linear Pull
Brakes	Aluminum Linear Pull
Frame Size	1-size
Extras	Rear Carrier, Fenders, Kickstand

SPECIALTY

K9

DWS™ (DUAL WHEEL SIZING)

S M L XL
27.5 29 29 29



FEATURES

9 Speed

Aluminum frame

100mm SRXCT30 fork

Shimano hydraulic disc brakes

NEW OR CHANGED FOR 2023


RD-M410C Rear Der

11-46T Cassette

PART #	MODEL	SIZE	COLOR
89-012-0330	K9 POLICE	S	MATTE BLACK
89-012-0340	K9 POLICE	M	MATTE BLACK
89-012-0350	K9 POLICE	L	MATTE BLACK
89-012-0360	K9 POLICE	XL	MATTE BLACK

DWS™ (DUAL WHEEL SIZING)

S M L XL
27.5 29 29 29



GEOMETRY

SIZE	A s/t c-t	B h/t	C s/t	D t/effctv	E c/s	F BB Height	H s.o.	I h/t L	K Stack	J Reach
S/15	381 / 15	67.5°	73°	591 / 23.3	430 / 16.9	307 / 12.1	701 / 27.6	90 / 3.5	608 / 23.9	405 / 16
M/17	432 / 17	67.5°	73°	612 / 24.1	430 / 16.9	307 / 12.1	731 / 28.8	100 / 3.9	617 / 24.3	423 / 16.6
L/19	483 / 19	67.5°	73°	635 / 25	430 / 16.9	307 / 12.1	763 / 30	115 / 4.5	631 / 24.8	442 / 17.4
XL/21	533 / 21	67.5°	73°	659 / 25.9	430 / 16.9	307 / 12.1	795 / 31.3	130 / 5.1	645 / 25.4	462 / 18.2

BIKE SPECS

Frame	6061 Aluminum w/Custom Formed T/T & D/T, w/Replaceable Derailleur Hanger, XS-S:27.5", M-XL:29", Internal Cable Routing
Fork	SR XCT30, HLO. 100mm, Hydraulic Lock-Out, Preload Adj, S:27.5", M-XL:29"
Headset	Threadless Zero Stack, 1-1/8
Rims	Aluminum Disc Double Wall, S:27.5x32H, M-XL: 29x32H
Hub, Front	Aluminum Disc w/CNC Rotor Flange, QR
Hub, Rear	Aluminum Disc w/CNC Rotor Flange, QR, Cassette
Tires	Kenda Saber, S:27.5 x 2.25", M-XL: 29 x 2.25"
Spokes	14G Black 32x32
Derailleur, Rear	S-Ride RD-M410C 9s
Shifters	S-Ride SL-M300C 9s
Chain	KMC X9 w/MissingLink
Crankset	Aluminum 2-pc, Samox Forged 30T Narrow/Wide, XS-M:170mm, L-XL:175mm
BB	Cartridge Bearing
Freewheel / Cassette	CS-M300C 11-46T, 9-Speed
Pedals	Resin ATB Platform w/DU Bearings
Seatpost	KHS Aluminum Micro-Adjust 31.6x350
Saddle	KHS Sport
Handlebar	KHS Aluminum Riser, 31.8mm, 720x20mm
Stem	KHS Aluminum Threadless 4-bolt, 6-degree, 31.8mm, S-M: 75mm, L-XL: 90mm
Grips	KHS Sport
Brake Levers	Shimano MT200
Brakes	Shimano MT200 Hydraulic Disc, f:180/r:160mm Rotors, Wave 12
Frame Size	27.5"=S/15, 29"= M/17, L/19, XL/21
Extras	Aluminum Rear Carrier Bag, Kickstand, Water Bottle Cages

SPECIALTY TRIKE



FEATURES

1, 3, or 7 Speed

BIG Baskets for Shopping

Steel or alloy frame

Available in single or 7 speed with 3 speed kits

PART #	MODEL	SIZE	COLOR
89-600-9000	TRICYCLE ALLOY 1-SPEED	ONE	CHAMPAGNE
89-600-9001	TRICYCLE ALLOY 1-SPEED	ONE	RED
89-600-9050	TRICYCLE ALLOY 7-SPEED	ONE	CHAMPAGNE
89-600-9051	TRICYCLE ALLOY 7-SPEED	ONE	RED
89-601-9000	TRICYCLE STEEL 1-SPEED	ONE	CHAMPAGNE
89-601-9001	TRICYCLE STEEL 1-SPEED	ONE	BLUE
89-601-9003	TRICYCLE STEEL 1-SPEED	ONE	RED
89-601-9050	TRICYCLE STEEL 7-SPEED	ONE	CHAMPAGNE
89-601-9051	TRICYCLE STEEL 7-SPEED	ONE	BLUE

BIKE SPECS

Frame	Alloy: Aluminum 7005 Steel: TIG-welded Hi-Tensile Steel
Fork	Hi-Tensile Unicrown
Headset	Threaded 1"
Rims	Aluminum 24"
Hub, Front	Steel Nuted
Hub, Rear	Coaster Rear
Tires	24 x 1.75" Alloy: White Sidewall Steel: Black
Spokes	14G, 36x36
Chain	KMC Z410
Crankset	1-piece Steel, Chrome Plated, 36T
BB	Ball Bearing
Freewheel / Cassette	20T
Pedals	Platform w/Non-slip Tread
Seatpost	Chrome Plated Steel
Saddle	Foam Padded w/ Coil Springs
Handlebar	Chrome Plated Steel, 650 Wide, 215 Rise
Stem	Aluminum Quill
Grips	Black
Brake Levers	Aluminum
Brakes	Coaster Rear, Aluminum Linear Pull Front
Frame Size	One
Extras	Aluminum: Front & Rear Baskets, Fenders, Bell, 3-Speed & 7-Speed Conversion Kits Steel: Rear Basket, Fenders, Bell, 3-Speed & 7-Speed Conversion Kits





KHS Bicycles
2840 East Harcourt St.
Rancho Dominguez, CA 90221
310.632.7173