



+07 Ride Now

MARIN
→ [MARINBIKES.COM](https://marinbikes.com)



TWENTY YEARS OF CYCLING

The 2007 model season from Marin Bikes brings sweeping change in the form of new technologies, better bike fit and an expanded assortment of models for all riding styles.



DESIGNED IN MARIN COUNTY, CALIFORNIA

After 20 years of business, we haven't lost sight of our core values. We are committed to building a bicycle that is superbly engineered, lightweight yet durable, and designed to give riders the highest quality experiences for years to come.

We invite you to browse through this catalog to find information on the perfect bike that fits your current riding style or to find the dream machine that



COMMITMENT

you wish to one day call your own. You'll find that whether it's a quick trip to the corner store or racing down your favorite single track, we've got a bike just for you.

Feel free to contact us for advice and recommendations. We can answer your questions because we ride (and dream), just like you.

Ride, rest, repeat... Enjoy!



CONTENTS

4	BIKE LOCATOR
8	FRAME DESIGN & TECHNOLOGY
11	WOMEN'S FIT GEOMETRY
12	QUAD-LINK SUSPENSION OVERVIEW
18	BIKE MODELS
92	FRAME SIZE FITTING CHARTS
93	COMPONENT & GEOMETRY SPECS
114	WARRANTY INFORMATION



MARIN[®]
→ [MARINBIKES.COM](https://marinbikes.com)



+ Mountain FRS

20 **QUAD XC**

25 **QUAD XLT**

29 **QUAD TARA**

21 **MOUNT VISION PRO**

22 **MOUNT VISION**

23 **RIFT ZONE**

24 **EAST PEAK**

26 **QUAKE 7.3**

27 **QUAKE 7.2**

28 **QUAKE 7.1**

30 **WOLF RIDGE**



+ Mountain

31 **HYDRO-LIGHT**

36 **ALLOY HT**

32 **NAIL TRAIL**

33 **JUNIPER TRAIL**

34 **PALISADES TRAIL**

35 **ELDRIDGE GRADE**

37 **HAWK HILL SE**

38 **BEAR VALLEY**

39 **BOBCAT TRAIL**

40 **ALPINE TRAIL**

41 **BOLINAS RIDGE**

42 **PIONEER TRAIL**





HT

43 **AXC**

47 **EXOTIC HT**



+ Road

51 **ALP**

55 **PRO-FIT**

58 **NATURAL-FIT**

44 ROCKY RIDGE

45 B-17

46 NORTHSIDE TRAIL

48 INDIAN FIRE TRAIL

49 TEAM TITANIUM

50 PINE MOUNTAIN

52 HIGHWAY ONE

53 LUCAS VALLEY

54 FAIRFAX

56 STELVIO

57 SAN MARINO

59 VERONA

60 TREVISO

61 ARGENTA

62 VENEZIA

63 PORTOFINA

64 PORTOFINO



MARIN
→ MARINBIKES.COM



+ Street

65 URBAN

69 CITY

75 COMMUTER

66 POINT REYES

67 NOVATO

68 MUIRWOODS

70 SAUSALITO

71 SAN ANSELMO

72 SAN RAFAEL

73 LARKSPUR

74 KENTFIELD

76 CORTE MADERA

77 BELVEDERE



+ Path

78 COMFORT

82 CRUISERS

79 REDWOOD

80 STINSON

81 COAST TRAIL

83 DRAKE'S BEACH

84 HEART'S DESIRE



+ Kids

86 **AXC**

87 **ALLOY HT**

89 **CRUISERS**

90 **BMX**

92 **FIRST BIKE**

86 WILDCAT TRAIL

87 BAYVIEW TRAIL

88 HIDDEN CANYON

89 MUIR BEACH

90 MBX 250

91 MBX 150

92 MBX 50

92 TINY TRAIL



Frame Tech

A bicycle frame is a complicated creature. There exists a delicate balance between materials and construction, geometry and ride quality, and looks and performance. Changing one attribute, even in the slightest way, can affect them all. Two bikes with identical angles and components may feel very different on the trail because of a difference in material, or a difference in how a material is used. Whether it's a cromoly bike for daily urban abuse, or a hydroformed suspension bike for world class off-road performance, we work very hard to construct the best frame for every riding condition.

We expect nothing less from the companies we partner with than to produce the finest, most technologically advanced tubing to our unique specifications. After carefully studying the stresses transmitted through each frame, we determine the optimum profiling of our Edge, Edge II, and Hydro-Edge tubes. We then remove unnecessary material through processes such as butting, drawing, tapering and hydroforming. Each tube for every size in every bike is then custom shaped in Titanium, Steel or Aluminum, depending upon the model.

When you experience the outstanding ride qualities of every model in the Marin range you'll realize that we have taken the time to design a bike just for you, no matter what your riding style.



Butting : Every tube used in the construction of a Marin bike begins life as a simple, plain round tube. Butting is a process by which a plain round tube has material removed in order to make it lighter without sacrificing its useful strength. This basic process lies at the foundation of all of the shaped tubing used on Marin bikes.

In the case of a frame tube, it is logical that the material needs to be thicker near a weld, since the ends will experience the greatest amount of stress and strain. However, thicker material adds unnecessary weight towards the middle of the tube, and adds very little to the overall strength of the frame. So the tube is “butted”, which makes the wall of the tube thinner towards its center, and thicker near the welded junctions.

Butting specifications are different from model to model, and from size to size within each model. For example, a frame designed to be used by a rider that is over 6 feet tall will need to have a different butting profile than a frame built with a 5 foot 2 inch rider in mind. Virtually every tube on every bike in the Marin line has been carefully considered, and butted accordingly.

Hydroforming : Hydroforming takes butting and shaping a step further by allowing complicated 3-dimensional engineered shapes to be readily manufactured. By changing the shape of a tube you can tune how it will behave under the riders load. Increasing the size of a tube near a welded junction increases its strength in a similar way as butting, but spreads the load over a larger area.

Our Hydro-Edge tubing starts as a butted round tube that is connected at both ends to a high pressure hydraulic pump. The tube is then placed into the mold and the press is closed. Hydraulic fluid is delivered at extremely high pressures and the tube is expanded out to the shape of the mold. This advanced manufacturing process produces tubes of remarkable strength, low weight, and striking aesthetic appeal.



Frame Geometry

The frame is the single most important component in your bicycle. Like the foundation of a house, the frame is what a great bike is built upon. We have carefully considered the fit of every model in our line, and built frames for all types of riders, and every type of ride. We strive to build not only superbly constructed frames that are lightweight and durable, but frames that are engineered utilizing cutting edge technology to support and emphasize specific ride characteristics.

To achieve this, we use AutoCad to conceptually design Marin frames through 3- dimensional drafting and detailing in order to attain the perfect geometry for every bike. Different categories of bikes are intended for different riding conditions. For example, we carefully model and test a rider's fit and frame geometry until we achieve the optimal desired results. While computer modeling enables our Product Development department to begin the testing process steps ahead of the drafting table and calculator, we believe that there is no alternative to actual bicycle riding.

Every Marin bike is painstakingly designed and tested before it reaches the production floor. You can rest assured that whether

it's a slacker head tube angle on the Quake 7.1 or telescoping headtube on the Redwood or Fairfax, each bike was designed with performance, comfort, and aesthetics in mind. If it is an upright riding position with confident steering, an aggressive and responsive position on a road racing model, or a low slung center of gravity on a XC trail bike, the Marin Product Department has stressed the small stuff so you won't have to.





We started from scratch to create a selection of bicycles that fit the shape of a woman's body better than ever before.

With the same attention to detail as our other models, we use custom drawn and butted tubesets in each size to tailor the ride feel. We specifically tune suspension forks to better match a woman's weight distribution, and carefully chose parts to improve comfort and fit at all contact points.

Based on women riders' feedback, we have designed a custom handlebar and unique grip system that is slightly smaller in diameter for smaller hands to comfortably hold onto without excessive fatigue. Included with this system are a set of shims that allow the brake levers and shift levers to be positioned in the most effective positions for performance and comfort.

Typically a woman's body is in different proportions than a man's. Her longer legs relative to her torso may mean that some women fit better on a bike adjusted for these factors than a standard frame. Marin Women's Fit Geometry bikes like the Juniper Trail take this into consideration and are built with frame compartments shorter than corresponding conventional models. The end result is a near custom feel with our new Women's Fit Geometry.

How the Women's Fit Geometry bikes are different:

- Shorter top tube reduces the reach to the handlebars
- Slightly relaxed steering geometry makes bike feel more stable
- Smaller diameter handlebars and grips reduce fatigue for smaller hands
- Custom tuned suspension components maximize performance for a woman's body weight distribution
- Women's specific saddles provide more consistent support for a woman's anatomy



A portion of the proceeds from the sale of Women's Fit Geometry bikes will be donated to Breast Cancer Research in hopes of helping to find a cure for a disease that effects so many.





07 BIKES

QUAD-LINK

THE SUSPENSION SYSTEM AT THE CORE

The Quad-Link suspension system first appeared on Marin bikes in 2003 on the 4" Travel Quad XC models. This revolutionary floating swingarm suspension system redefined what was possible with mountain bike suspension.

Designed by Jon Whyte, a former Formula One suspension engineer, the Quad-Link suspension system addressed every weakness of previous single pivot designs. It is reactive to small bumps, resists bottoming on large impacts, and is not affected by pedaling forces.

In 2006 the Quad XLT was introduced, again changing the perceptions of what was possible with mountain bike suspension; long travel, efficient pedaling, reactive to small bumps, and a nearly bottomless feel on the larger hits and drops. For 2007 the Quad XC system has been completely reengineered to incorporate the design features of the Quad XLT, while maintaining the lightweight and efficient ride of the original Quad XC.





Q U A D X C



Q U A D X L T



Q U A D T A R A



I N S T A N T A N E O U S R E S P O N S E

The key to the effectiveness of the Quad-Link suspension system lies in the Instantaneous Pivot Center (IPC) concept and a specific tuned axle path. On all Quad-Link bikes, the IPC works with the specified axle path to optimize the leverage on the shock and keep the wheel firmly in contact with the ground. The IPC, which is a location in space around which the rear wheel rotates, or pivots, is constantly changing throughout the suspension cycle. The net effect is that the Quad-Link suspension is highly sensitive to small variation in the terrain, yet capable of handling larger hits without upsetting the forward momentum of the bike, and without bottoming out. The best of both worlds; small bump traction and big hit control. For indepth informtaion on the technology behind the Quad-Link, visit the Marin Bikes website Tech section.

QUAD XC: Simply put, the most efficient riding XC trail bike that exists today. The innovative 2007 Quad XC series of full suspension bikes has grown from our proven 4-bar link platform with major frame evolution and innovations. The hydroformed mainframe is a work of art that maximizes standover for a superior fit, efficiently minimizes stress to typical points of liability, and provides an exceptionally stiff platform from which to anchor the Quad linkage. While the wheel path is similar to that of the 2006 bikes, the linkage system has been completely redesigned to give more travel (120mm) and lower the leverage on the rear shock. This means a bike with better all-mountain abilities, greater small bump compliance, and time-proven pedaling performance.



QUAD XC

CROSS-COUNTRY SUSPENSION

QUAD XLT: Fast? We think so. Speed, however, is nothing without control. With nearly 7" of travel, these bikes can rip. The Quad XLT suspension system works on a four pivot, floating swingarm principle, with the path of the rear axle tuned to cancel out pedaling forces and to conform to terrain effectively. Complex engineering, yet simple operation helps us keep the weight down on our longest travel bike. We've designed the bike to be



QUAD XLT

incredibly stable by capturing the shock within the suspension parts to lower the bike's center of gravity. Capitalizing on its fast acting links this low slung beauty can be fired down the sickest trails with aggression and confidence in equal measure. With its tough hydroformed frame and precision sealed bearings your Quad XLT will be ready when you are, even if you have to pedal back to the top!

QUAD TARA: Updated from 2006, the Wolf Ridge enjoys a modified Monocoque stamping on the main frame. The travel is fixed for 2007 at 150mm (6"), and the adjustable frame geometry has been completely updated. The relaxed headtube and seat tube angles combined with a lowered BB and shortened chainstays make for a bike that is at home on technical trails, where tight and twisty is the norm. The linkage locations have been changed to optimize the leverage for the fixed 150mm travel. This provides more consistent leverage ratios throughout the travel, without sacrificing the pedaling efficiency the Quad system has been praised for. The Wolf Ridge may look familiar, but inside, it's a whole new beast.



6.8" FREERIDE SUSPENSION



QUAD TARA

ALL MOUNTAIN ADJUSTABLE TRAVEL

QUAD XLT

QUAD FULL SUSPENSION TECHNOLOGY PUT TO THE TEST

There are at least two athletes we know who seem to be on their bikes almost every day of the year. Downhill and Freeride champions Shaums March and Mike Jones understand the torture that their bikes go through and have selected the Marin Quad XLT as their ride of choice.

As the founder of Mad March Racing Camps, Shaums March provides his students with detailed instruction geared to improve their riding skills. The Quad XLT is the perfect bike for Shaums and Mike to teach on, relying on it's efficient pedaling platform, perfectly

executed frame geometry and the bottomless feel to its suspension design. If you ask them what makes their coaching and training superior to any other camp around, they'll tell you that it is the caliber of their personable and internationally recognized rider instructors, but we know that it's really the bikes they ride!

To improve your riding skills, visit the Mad March Racing website, and to get on a better All Mountain Freeride bike, visit your local Marin dealer to ride one of the new 2007 Quad XLT's.





QUAKE 7.3



QUAD XC

THE NEXT GENERATION OF PERFORMANCE SUSPENSION

A highly efficient 5" travel bike developed from our championship winning Quad XC 4 Bar Linkage designed to cope with the most arduous conditions the trail can throw at you.



MOUNT VISION PRO

MOUNTAIN FRS

ANODIZED BLACK

FRAME

6061 Aluminum, Fully Hydroformed Mainframe and Swing-arm, Quad-Link XC 2.0 Suspension System, Disc Specific

REAR SUSPENSION

Fox Float RP23 with Rebound Adjustment, Dual Position ProPedal with 3 Position ProPedal Lever Adjustment

FORK

Fox 32 Float RLC, 120mm with Compression and Rebound Adjustment, Lockout, Blow-Off Threshold Adjustment and Air Spring Preload

HUBS

DT 240S, 32 Hole Disc with Centerlock

RIMS

Mavic XC-717, 32 Hole Disc

SHIFTERS

Shimano XTR, with 2 Way Release, 9 Speed

REAR DERAILLEUR

Shimano XTR

CRANKSET

Shimano XTR, 44/32/22 with HollowTech II

BRAKES

Shimano XTR Hydraulic Disc

FULL SPECS : PG. 94



Short linkages allow the Quad-Link suspension system to instantaneously tune itself to create the most ideal riding conditions. The axle path moves rearward early in its travel then about one third the way through, it moves forward to eliminate pedal induced feedback.

QUAD XC



MOUNT VISION

GLOSS SLATE BLUE

FRAME

6061 Aluminum, Fully Hydroformed Mainframe and Swing-arm, Quad-Link XC 2.0 Suspension System, Disc Specific

REAR SUSPENSION

Fox Float RP23 with Rebound Adjustment, Dual Position ProPedal with 3 Position ProPedal Lever Adjustment

FORK

Fox 32 Float RL, 120mm with Rebound Adjustment, Lockout, and Air Spring Preload

HUBS

WTB LaserDisc Lite, 32 Hole

RIMS

Mavic XM-317, 32 Hole Disc

SHIFTERS

Shimano XT, with 2 Way Release, 9 Speed

REAR DERAILLEUR

Shimano XTR

CRANKSET

Shimano XT, 44/32/22 with HollowTech II

BRAKES

Avid Juicy 7 Hydraulic Disc

FULL SPECS : PG. 94



GLOSS OCEAN

FRAME
6061 Aluminum, Fully Hydroformed Mainframe and Swing-arm, Quad-Link XC 2.0 Suspension System, Disc Specific

REAR SUSPENSION
Fox Float R with Rebound Adjustment

FORK
Fox 32 Float R, 120mm with Rebound Adjustment, and Air Spring Preload

HUBS
WTB LaserDisc Lite, 32 Hole

RIMS
Mavic XM-317, 32 Hole Disc

SHIFTERS
Shimano LX, with 2 Way Release, 9 Speed

REAR DERAILLEUR
Shimano XT

CRANKSET
TruVativ Firex 3.2, 44/32/22 with 2 Alloy Chainrings and Giga X Pipe Exterior BB System

BRAKES
Avid Juicy 5 Hydraulic Disc

FULL SPECS : PG. 94



COLOR OPTION : Gloss Pink



The hydroformed top and down tubes allow for expanded tubing diameters, resulting in increased weld surfaces, material interface and superior strength. The application of intricate 3 dimensional shaping not only improves the quality of the ride, but turns this bike into a virtual work of art.

QUAD XC

EAST PEAK



COLOR OPTION : Gloss Pewter

GLOSS BRIGHT RED

FRAME

6061 Aluminum, Fully Hydroformed Mainframe and Swing-arm, Quad-Link XC 2.0 Suspension System, Disc Specific

REAR SUSPENSION

Fox Float R with Rebound Adjustment

FORK

Marzocchi MX Pro Lo, 120mm with Preload, Rebound Adjustment and Lockout

HUBS

Shimano Deore Disc, 32 Hole

RIMS

Mavic XM-117, 32 Hole Disc

SHIFTERS

Shimano LX, with 2 Way Release, 9 Speed

REAR DERAILLEUR

Shimano LX

CRANKSET

TruVativ Five D, 44/32/22 with Alloy Outer Chaining

BRAKES

Avid Juicy 3 Hydraulic Disc

FULL SPECS : PG. 94



By sloping the hydroformed top tube in the Quad XC series, we've designed a bike with the optimum riding geometry while maintaining maximum standover and enough room for your favorite water bottle.

QUAD XLT

LONG TRAVEL FREERIDE, GO EVERYWHERE

Built with long travel, big hit durability blended with our efficient pedaling IPC design, the Quad XLT bikes tackles new school style bike parks yet can still be pedaled back to the top when lifts stop running.



QUAD XLT

QUAKE 7.3



ANODIZED BLACK

FRAME

6061 QUAD XLT Aluminum with Edge II Plus Top Tube and Hydroformed Down Tube, 6061 QUAD XLT 6.8" Travel, 4 Bar Link Aluminum Swingarm with Disc Mounts

REAR SUSPENSION

Fox DHX Air 5.0 with Air Spring Adjustment, Rebound Adjustment, ProPedal Adjustment, Boost Valve Adjustment, Bottom Resistance Schraeder Tuning Range Adjustment

FORK

Fox 36 TALAS RC2, 100+130+160mm with Rebound Adjustment, High and Low Speed Compression Adjustment, Position Sensitive Damper and Air Spring Preload

HUBS

WTB LaserDisc Super Duty, 32 Hole with 20mm Through Axle, 32 Hole Rear

RIMS

Mavic EX-325, 32 Hole Disc

SHIFTERS

SRAM X-9, 9 Speed Trigger

REAR DERAILLEUR

SSRAM X-9

CRANKSET

TruVativ Holzfeiler 2.2 RG DH, 36/24 with E-13 Shift Guide Dual Ring Security and Bash Guard

BRAKES

Hayes HFX Mag Hydraulic Disc, with V8 Rotor Front, V7 Rotor Rear

FULL SPECS : PG. 95



QUAKE 7.2

MOUNTAIN FRS

GLOSS PEARL

FRAME
6061 QUAD XLT Aluminum with Edge II Plus Top Tube and Hydroformed Down Tube, 6061 QUAD XLT 6.8" Travel, 4 Bar Link Aluminum Swingarm with Disc Mounts

REAR SUSPENSION
Fox DHX 5.0 with Coil Spring Preload, Rebound Adjustment, ProPedal Adjustment, Boost Valve Adjustment, Bottom Resistance Schraeder Tuning Range Adjustment

FORK
Marzocchi 66 RCV, 160mm, 1.5" Steerer with Air Spring Preload, External Rebound and Compression Adjustment

HUBS
WTB LaserDisc Super Duty, 32 Hole with 20mm Through Axle, 32 Hole Rear

RIMS
WTB SpeedDisc XL, 32 Hole Disc

SHIFTERS
SRAM X-7, 9 Speed Trigger

REAR DERAILLEUR
SSRAM X-7

CRANKSET
TruVativ Hussefelt 2.2 RG DH, 36/24 with E-13 Shift Guide Dual Ring Security and Bash Guard

BRAKES
Hayes HFX-9 Hydraulic Disc, with V8 Rotor Front, V7 Rotor Rear

FULL SPECS : PG. 95



The shock is captured within the suspension system to achieve a low center of gravity, resulting in an incredibly stable ride. The system works on a four pivot, floating swingarm principle, with the path of the rear axle tuned to cancel out pedaling forces and to conform to terrain effectively.

QUAD XLT

QUAKE 7.1



COLOR OPTION : Gloss Black Pearl



Whether it is the Marzocchi AM 4 fork or the top of the line Marzocchi Rocco rear shock, the parts selection on the Quake 7.1 has been chosen for performance and reliability. The 7.1 is the work horse of the Quad XLT crew.

GLOSS BRIGHT RED

FRAME

6061 QUAD XLT Aluminum with Edge II Plus Top Tube and Hydroformed Down Tube, 6061 QUAD XLT 6.8" Travel, 4 Bar Link Aluminum Swingarm with Disc Mounts

REAR SUSPENSION

Marzocchi Rocco TST with Coil Spring Preload, Rebound Adjustment, and 5 position TST compression Adjustment

FORK

Marzocchi AM 4, 160mm with QR20 Front Axle, External Air Preload and Internal Rebound Adjustment

HUBS

Pro Alloy Quad Sealed, 32 Hole Disc with 20mm Through Axle, Shimano Deore, 32 Hole Disc, Rear

RIMS

WTB Dual Duty Freeride, Double Wall, 32 Hole

SHIFTERS

SRAM X-5, 8 Speed Trigger

REAR DERAILLEUR

SRAM X-7

CRANKSET

TruVativ Ruktion, 32/22 with E-13 Shift Guide Dual Ring Security and Bash Guard

BRAKES

Hayes HFX-9 Hydraulic Disc, with V8 Rotor Front, V7 Rotor Rear

FULL SPECS : PG. 95

QUAD TARA

ALL MOUNTAIN TRAIL BIKE

The Wolf Ridge is an all mountain trail bike with 6" of travel designed to feel at home on technical trails, where tight and twisty is the norm. Slack geometry with a low center of gravity and short chainstays insure a controlled and riveting ride.



QUAD TARA

WOLF RIDGE



Shorter links are faster to react, lighter, and considerably stiffer. The high speed at which the links can move allows the Instantaneous Pivot Center to tune itself and create the most ideal leverage rate and maximum ground traction.

MATTE JADE

FRAME

6061 TARA Aluminum, Twin Monocoque Front, New 6061 TARA 6" Travel Monocoque with Adjustable Ride Height, Quad-Link Aluminum Swingarm, Disc Specific

REAR SUSPENSION

Fox Float RP23 with Rebound Adjustment, DOHC ProPedal 2 Position Plus ProPedal with 3 Position Lever Adjustment

FORK

Fox 32 Float RL, 140mm with Rebound Adjustment, Lockout, and Air Spring Preload

HUBS

WTB LaserDisc Lite, 32 Hole

RIMS

WTB SpeedDisc All Mountain, Double Wall, 32 Hole Disc

SHIFTERS

Shimano LX, with 2 Way Release, 9 Speed

REAR DERAILLEUR

Shimano XT

CRANKSET

TruVativ Firex 2.0 AM, 36/24 with Alloy All Mountain Bash Guard and Giga X Pipe Exterior BB System

BRAKES

Hayes HFX-9 Hydraulic Disc, with V7 Rotor Front, V6 Rotor Rear

FULL SPECS : PG. 95

MOUNTAIN HT

HYDRO-LIGHT HT

ALL NEW PERFORMANCE HARDTAIL

Leading edge manufacturing processes, Aerospace grade materials and ride tested geometries make these all new, hydroformed hardtails responsive, fast, and efficient.



HYDRO-LIGHT HT

NAIL TRAIL



GLOSS STEEL

FRAME

6061 Aluminum, New Double Butted Hydro-Edge Top and Down Tubes, New Double Butted 4-Side Seat and Chain Stays, Disc Specific

FORK

Fox 32 F100R, 100mm with Rebound Adjustment and Air Spring Preload

HUBS

Shimano Deore, 32 Hole Disc

RIMS

Mavic XM-117, 32 Hole Disc

SHIFTERS

Shimano LX, with 2 Way Release, 9 Speed

FRONT DERAILLEUR

Shimano Deore

REAR DERAILLEUR

Shimano XT

CRANKSET

TruVativ Firex 3.2, 44/32/22 with 2 Alloy Chainrings and Giga X Pipe Exterior BB System

BRAKES

Avid Juicy 3 Hydraulic Disc

FULL SPECS : PG. 97



With a compartment longer than the Alloy HT category, the Hydro-Light HT series is designed with performance and aesthetics in mind. Carefully shaped tubesets allow for maximum rigidity and responsiveness.

JUNIPER TRAIL



MOUNTAIN HT

GLOSS VAPOR

FRAME

6061 Double Butted Aluminum with Women's Fit Geometry, New Double Butted Hydro-Edge Top and Down Tubes, New 4-Side Seat and Chain Stays, Disc Specific

FORK

Marzocchi MZ Race, 100mm, Tuned for Women with Preload Adjustment and Lockout

HUBS

Shimano, 32 Hole Disc

RIMS

WTB SX24, Double Wall, 32 Hole Disc

HANDLEBAR

Women's Custom Taper Double Butted Alloy, 31.8mm Center Tapering to 19.1mm Control Section, with 25.4mm Rise, Shift and Brake Lever Adjustment Shims with 0-3mm of Adjustment

SHIFTERS

Shimano LX, with 2 Way Release, 9 Speed

FRONT DERAILLEUR

Shimano Deore

REAR DERAILLEUR

Shimano LX

CRANKSET

TruVativ Five D 3.1, 44/32/22 with Alloy Outer Chaining and Power Spline

BRAKES

Hayes Sole Hydraulic Disc with V6 Rotors



FULL SPECS : PG. 97

HYDRO-LIGHT HT



PALISADES TRAIL

MATTE RED ROCK

FRAME

6061 Aluminum, New Double Butted Hydro-Edge Top and Down Tubes, New Double Butted 4-Side Seat and Chain Stays, Disc Specific

FORK

Marzocchi MZ Race, 100mm with Preload Adjustment and Lockout

HUBS

Shimano, 32 Hole Disc

RIMS

WTB SX24, Double Wall, 32 Hole Disc

SHIFTERS

Shimano LX, with 2 Way Release, 9 Speed

FRONT DERAILLEUR

Shimano Deore

REAR DERAILLEUR

Shimano LX

CRANKSET

TruVativ Five D 3.1, 44/32/22 with Alloy Outer Chainring and Power Spline

BRAKES

Hayes Sole Hydraulic Disc with V6 Rotors

FULL SPECS : PG. 97



ELDRIDGE GRADE

MOUNTAIN HT

MATTE SLATE

FRAME
6061 Aluminum, New Double Butted Hydro-Edge Top and Down Tubes, New Double Butted 4-Side Seat and Chain Stays, Disc Specific
FORK
Marzocchi MZ Super Comp, 100mm with Preload and Rebound Adjustment
HUBS
Shimano, 32 Hole Disc
RIMS
WTB SX24, Double Wall, 32 Hole Disc
SHIFTERS
Shimano Deore, 9 Speed
FRONT DERAILLEUR
Shimano Deore
REAR DERAILLEUR
Shimano LX
CRANKSET
TruVativ Five D 3.1, 44/32/22 with Alloy Outer Chaining and Power Spline
BRAKES
Hayes MX-2 XC Mechanical Disc with V6 Rotors

FULL SPECS : PG. 97



With the attention to detail like a CNC'd brake bridge on each of the Hydro-Light framesets, it is clear that every last component and geometry measurement was carefully considered in order to provide the most ideal ride possible.

ALLOY HT

CLASSIC HARDTAIL PERFORMANCE, THE MARIN WAY

Classic Marin bikes utilizing the most modern materials and construction techniques, our size specific custom drawn triple butted tubesets provide custom ride quality at production pricing.



HAWK HILL SE

MOUNTAIN HT

GLOSS STEEL

FRAME
7005 Aluminum with Edge II Top Tube and Triple Butted Down Tube, New 4-Side Seat Stay, Disc Specific
FORK
Marzocchi MZ Comp, 100mm with Preload Adjustment
HUBS
Alloy Double Sealed, 32 Hole Disc with QR
RIMS
WTB DX23, Double Wall, 32 Hole Disc
SHIFTERS
Shimano Deore, 9 Speed
FRONT DERAILLEUR
Shimano Deore
REAR DERAILLEUR
Shimano Deore
CRANKSET
TruVativ IsoFlow 3.0, 44/32/22 with Power Spline
BRAKES
Hayes MX-2 XC Mechanical Disc with V6 Rotors



FULL SPECS : PG. 98



Careful attention is taken in order to skillfully draw double and triple butted tubes that minimize weight while increasing strength and torsional rigidity. Flaring the stress areas of a tube result in a stiffer and better performing bike.

ALLOY HT



BEAR VALLEY



COLOR OPTION : Gloss Mica

GLOSS PINK

FRAME

7005 Triple Butted Aluminum, Women's Fit Geometry, with Edge II Top Tube and Triple Butted Down Tube, New 4-Side Seat Stay, Disc Specific

FORK

Rock Shox Dart 1, 100mm, Tuned for Women with Preload Adjustment

HUBS

Alloy Double Sealed, 32 Hole Disc with QR

RIMS

WTB DX23, Double Wall, 32 Hole Disc

HANDLEBAR

Women's Custom Taper Double Butted Alloy, 31.8mm Center Tapering to 19.1mm Control Section, with 25.4mm Rise. Shift and Brake Lever Adjustment Shims with 0-3mm of Adjustment

SHIFTERS

Shimano EF50 EZ-FIRE Plus, 8 Speed

FRONT DERAILLEUR

Shimano Acera

REAR DERAILLEUR

Shimano Deore

CRANKSET

TruVativ X-Flow 3.0, 42/32/22

BRAKES

Hayes MX-2 XC Mechanical Disc with V6 Rotors

FULL SPECS : PG. 98



The Marin Women's bar feels more comfortable and gives more control than a conventional handlebar. We achieved this by narrowing the width and reducing the diameter. This bike is built with women's specific requirements in mind.

BOBCAT TRAIL

MOUNTAIN HT

MATTE BRUSHED POLISH

FRAME

7005 Aluminum with Edge II Top Tube and Triple Butted Down Tube, New 4-Side Seat Stay, Disc Specific

FORK

Rock Shox Dart 1, 100mm with Preload Adjustment

HUBS

Alloy Double Sealed, 32 Hole Disc with QR

RIMS

WTB DX23, Double Wall, 32 Hole Disc

SHIFTERS

Shimano EF50 EZ-FIRE Plus, 8 Speed

FRONT DERAILLEUR

Shimano Acera

REAR DERAILLEUR

Shimano Deore

CRANKSET

TruVativ X-Flow 3.0, 42/32/22

BRAKES

Hayes MX-2 XC Mechanical Disc with V6 Rotors



COLOR OPTION : Matte Bronze



FULL SPECS : PG. 98



ALLOY HT



 STEP-THRU : Gloss Black Pearl



ALPINE TRAIL

GLOSS BLACK PEARL

FRAME

7005 Aluminum with Edge II Top Tube and Triple Butted Down Tube, New 4-Side Seat Stay with Disc Mounts

FORK

Rock Shox Dart 1, 100mm with Preload Adjustment

HUBS

Alloy Double Sealed, 32 Hole with QR

RIMS

Alex TA-19, Double Wall, 32 Hole with CNC Side Walls

SHIFTERS

Shimano EF50 EZ-FIRE Plus, 8 Speed

FRONT DERAILLEUR

Shimano Acera

REAR DERAILLEUR

Shimano Alivio

CRANKSET

TruVativ X-Flow 3.0, 42/32/22

BRAKES

Forged Alloy Linear Pull

FULL SPECS : PG. 98

BOLINAS RIDGE

MOUNTAIN HT

MATTE VAPOR

FRAME
7005 Aluminum with Edge II Top Tube and Down Tube, New 4-Side Seat Stay
FORK
Spinner Grind OS 2, 100mm with Oversize 28.6mm Legs and Preload Adjustment
HUBS
Alloy Double Sealed, 32 Hole with QR
RIMS
Alex TA-19, Double Wall, 32 Hole with CNC Side Walls
SHIFTERS
Shimano EF50 EZ-FIRE Plus, 8 Speed
FRONT DERAILLEUR
Shimano Acera
REAR DERAILLEUR
Shimano Acera
CRANKSET
TruVativ X-Flow 3.0, 42/32/22
BRAKES
Forged Alloy Linear Pull

FULL SPECS : PG. 99



COLOR OPTION : Gloss Amethyst



STEP-THRU : Gloss Amethyst



New Four Side Seat Stays stiffen the rear triangle of Marin bicycles making them more efficient to ride. This translates into a better transfer of power from rider to trail, and less energy expended.

ALLOY HT



STEP-THRU : Matte Slate Blue



COLOR OPTION : Matte Red Rock



PIONEER TRAIL

MATTE GRANITE

FRAME

7005 Aluminum with Edge II Top Tube and Down Tube, New 4-Side Seat Stay

FORK

Spinner Grind OS 2, 100mm with Oversize 28.6mm Legs and Preload Adjustment

HUBS

Alloy Double Sealed, 32 Hole with QR

RIMS

Alloy, 36 Hole with QR

SHIFTERS

Shimano EF50 EZ-FIRE Plus, 7 Speed

FRONT DERAILLEUR

Shimano C050

REAR DERAILLEUR

Shimano Altus

CRANKSET

TruVativ X-Flow 3.0, 42/34/24

BRAKES

Forged Alloy Linear Pull

FULL SPECS : PG. 99



A suspension fork and upright riding position make the Pioneer Trail an ideal first mountain bike for either light trail riding or just getting around town.

AXC

THE MOST FUN YOU'LL HAVE ON A HARDTAIL

Long fast and low, the AXC range of trail hardtails are built to thrive in the toughest XC environments.



AXC

ROCKY RIDGE



MATTE STEEL

FRAME

7005 Aluminum, Oversize Double Butted Edge II Top and Oversize Double Butted Edge Plus II Down Tube, AXC XXL Tri-Burner Seat and Chain Stays

FORK

Rock Shox TORA 318 U-Turn, 85-130mm with External Rebound, Compression Adjustment and Lock Out

HUBS

Shimano, 32 Hole Disc

RIMS

WTB SpeedDisc All Mountain, Double Wall, 32 Hole Disc

SHIFTERS

SRAM X-5, 9 Speed Trigger

FRONT DERAILLEUR

Shimano Deore

REAR DERAILLEUR

SRAM X-9

CRANKSET

TruVativ Firex 2.0 AM, 36/24 with Alloy All Mountain Bash Guard and Giga X Pipe Exterior BB System

BRAKES

Hayes HFX-9 Hydraulic Disc, with V7 Rotor Front, V6 Rotor Rear

FULL SPECS : PG. 99



MATTE BRONZE**FRAME**

7005 Aluminum, Oversize Double Butted Edge II Top and Oversize Double Butted Edge Plus II Down Tube, AXC XXL Tri-Burner Seat and Chain Stays

FORK

Rock Shox TORA 289 U-Turn, 85mm-130mm with External Rebound Adjustment

HUBS

Shimano, 32 Hole Disc

RIMS

WTB SpeedDisc All Mountain, Double Wall, 32 Hole Disc

SHIFTERS

SRAM X-5, 8 Speed Trigger

FRONT DERAILLEUR

Shimano Alivio

REAR DERAILLEUR

SRAM X-7

CRANKSET

TruVativ Blaze 2.0 AM, 36/24 with Power Spline and Alloy All Mountain Bash Guard

BRAKES

Hayes Sole Hydraulic Disc, with V7 Rotor Front, V6 Rotor Rear

FULL SPECS : PG. 99



The fully gusseted headtube of the AXC series of trail hardtails is slack enough to feel solid on the more aggressive terrain, but perfectly balanced to be responsive on tight twisty singletrack. This is the play bike that every rider needs to have in his garage.

AXC



NORTHSIDE TRAIL

MATTE COAL

FRAME

7005 Aluminum, Oversize Edge II Top and Oversize Edge Plus II Down Tube, AXC XXL Tri-Burner Seat and Chain Stays

FORK

Marzocchi MZ Comp, 120mm with Preload Adjustment

HUBS

Shimano, 32 Hole Disc

RIMS

WTB SpeedDisc All Mountain, Double Wall, 32 Hole Disc

SHIFTERS

SRAM X-5, 8 Speed Trigger

FRONT DERAILLEUR

Shimano Alivio

REAR DERAILLEUR

SRAM X-4

CRANKSET

TruVativ Blaze 2.0 RG, 36/24 with Power Spline and Composite Rock Guard

BRAKES

Hayes MX-2 HD Mechanical Disc, with V7 Rotor Front, V6 Rotor Rear

FULL SPECS : PG. 100



Double butted Edge II top and down tubes, longer travel forks, and reliable SRAM drivetrain make the Northside Trail the ideal bike for all-around riding. This model is for the young at heart who aren't afraid to have fun.

EXOTIC HT

NOTHING BUT THE BEST

Designing frames you'd expect to order from a custom builder, the Team Titanium, steel Pine Mountain, or Hydroformed 6061 Indian Fire Trail are works of art worthy of any fine collector.



EXOTIC HT

INDIAN FIRE TRAIL



GLOSS PEARL

FRAME

6061 Aluminum, New Double Butted Hydro-Edge Top and Down Tubes, New Double Butted 4-Side Seat and Chain Stays, Disc Specific

FORK

Fox 32 F100RL, 100mm with Rebound Adjustment, Lockout and Air Spring Preload

HUBS

WTB LaserDisc Lite, 32 Hole

RIMS

Mavic XM-317, 32 Hole Disc

SHIFTERS

Shimano LX, with 2 Way Release, 9 Speed

FRONT DERAILLEUR

Shimano LX

REAR DERAILLEUR

Shimano XTR

CRANKSET

TruVativ Stylo XR, 44/32/22 with 2 Alloy Chainrings and Giga X Pipe Exterior BB System

BRAKES

Avid Juicy 5 Hydraulic Disc

FULL SPECS : PG. 100



TEAM TITANIUM

MOUNTAIN HT

NATURAL TITANIUM

FRAME

Titanium Hardtail, Special 20th Anniversary Edition

FORK

Fox 32 F100RLC, 100mm with Rebound and Compression Adjustment, Lockout and Air Spring Preload

HUBS

DT 240S, 32 Hole Disc with Centerlock

RIMS

Mavic XC-717, 32 Hole Disc

SHIFTERS

Shimano XTR, with 2 Way Release, 9 Speed

FRONT DERAILLEUR

Shimano XTR

REAR DERAILLEUR

Shimano XTR

CRANKSET

Shimano XTR, 44/32/22 with HollowTech II

BRAKES

Shimano XTR Hydraulic Disc



FULL SPECS : PG. 100



This special edition hand built titanium hardtail commemorates Marin Bikes' 20th anniversary. It was a commitment to excellence that put Marin on the map 20 years ago with our first edition of the Team Titanium race bike. No detail was overlooked to create the original or today's rideable work of art.

EXOTIC HT



PINE MOUNTAIN

GLOSS BRONZE

FRAME

Full Double Butted Columbus Zona Cromoly Tubing with Mega Top and Down Tubes, Double Butted Anti-Flex Tri-Burner Seat and Chain Stays, Disc Specific

FORK

Fox 32 F100R, 100mm with Rebound Adjustment and Air Spring Preload

HUBS

WTB LaserDisc Lite, 32 Hole

RIMS

WTB LaserDisc Lite, 32 Hole Disc

SHIFTERS

Shimano LX, with 2 Way Release, 9 Speed

FRONT DERAILLEUR

Shimano LX

REAR DERAILLEUR

Shimano XT

CRANKSET

TruVativ Stylo XR, 44/32/22 with 2 Alloy Chainrings and Giga X Pipe Exterior BB System

BRAKES

Avid Juicy 3 Hydraulic Disc

FULL SPECS : PG. 100



Still the standard by which other materials are measured, the Pine Mountain is built with Columbus Zona Cromoly tubing. Steel is for every rider who appreciates its solid, reliable and natural dampening qualities. Still real.

ALP

AERODYNAMIC LIGHTWEIGHT PERFORMANCE

Road bike fast, mountain bike style! With fast rolling 700c wheels these bikes can hang with the fastest riders in the bunch. The flat handlebar and bar ends give you the comfort of a riding position you already know so well.



ALP

HIGHWAY ONE



CARBON GLOSS BLACK

FRAME

CXR Venus 7 Carbon with Alloy Junctions

FORK

Carbon Monocoque Rigid 1 1/8"

HUBS

Mavic Aksium

RIMS

Mavic Aksium, 20 Hole Front, 24 Hole Rear, Wheelset

SHIFTERS

Shimano SL-R770, 10 Speed

FRONT DERAILLEUR

Shimano R773

REAR DERAILLEUR

Shimano Ultegra

CRANKSET

FSA K-Force, 53/39/30 with Carbon Monocoque Arms and MegaExo BB System

BRAKES

Avid Single Digit 7 with Shimano Front Power Modulator

FULL SPECS : PG. 101



Carefully woven carbon fiber, whether as a complete frame or component of the frame, delivers a ride that is fast, efficient, and comfortable. No other material has the properties of carbon, and no other flat bar road bike is as comfortable as a Marin.

LUCAS VALLEY

ROAD

GLOSS TITANIUM

FRAME

7005 Aluminum, Full Triple Butted Edge II Shaped Tubing with Carbon Seat Stays and Double Butted Tri-Burner Chain Stays

FORK

Carbon Monocoque Rigid 1 1/8"

HUBS

Formula, 32 Hole

RIMS

Alex DC-19, Double Wall, 28 Hole Front, 32 Hole Rear with CNC Side Walls

SHIFTERS

Shimano ST-R225, EZ-Fire Plus, 8 Speed

FRONT DERAILLEUR

Shimano R453

REAR DERAILLEUR

Shimano Tiagra

CRANKSET

FSA CFM, 52/42/30

BRAKES

Forged Alloy Linear Pull with Front Power Modulator



FULL SPECS : PG. 101



ALP

FAIRFAX



GLOSS SMOKE

FRAME

7005 Aluminum, Full Triple Butted Edge II Shaped Tubing with Double Butted Tri-Burner Seat and Chain Stays

FORK

Carbon Monocoque Rigid 1 1/8"

HUBS

Formula, 32 Hole

RIMS

Alex DC-19, Double Wall, 28 Hole Front, 32 Hole Rear with CNC Side Walls

SHIFTERS

Shimano ST-R225, EZ-Fire Plus, 8 Speed

FRONT DERAILLEUR

Shimano R453

REAR DERAILLEUR

Shimano RD-2200

CRANKSET

TruVativ Touro 3.0, 52/42/30

BRAKES

Forged Alloy Linear Pull with Front Power Modulator

FULL SPECS : PG. 101



The design of the Fairfax combines the upright and comfortable riding position of a City bike with the efficient aerodynamics and low rolling resistance of a light weight road bike.

ROAD

PRO-FIT

NO COMPROMISE PERFORMANCE

With well balanced fit and race tuned geometry, professional level component groups are built on a CXR Venus 7 monocoque carbon fiber frame and fork. The Stelvio and San Marino are performance road bikes built with precision and elegance in mind.



PRO FIT

STELVIO



CUSTOM CARBON

FRAME

Full Carbon Monocoque

FORK

Custom Carbon Road 1 1/8"

HUBS

Mavic Ksyrium Elite

RIMS

Mavic Ksyrium Elite, Wheelset

SHIFTERS

Shimano Dura-Ace, 10 Speed

FRONT DERAILLEUR

Shimano Dura-Ace

REAR DERAILLEUR

Shimano Dura-Ace

CRANKSET

FSA K-Force, 53/39 with Carbon Monocoque Arms and MegaExo BB System

BRAKES

Shimano Dura-Ace Dual-Pivot Calipers

FULL SPECS : PG. 102



The complete CXR Venus 7 carbon monocoque with Dura-Ace drivetrain was designed for riders who appreciate craftsmanship, attention to detail, and perfect balance. This bike is designed for the serious cyclist who will have nothing but the best.

SAN MARINO

ROAD

CUSTOM CARBON

FRAME

Full Carbon Monocoque

FORK

Custom Carbon Road 1 1/8"

HUBS

Mavic Aksium

RIMS

Mavic Aksium, 20 Hole Front, 24 Hole Rear, Wheelset

SHIFTERS

Shimano Ultegra, 10 Speed

FRONT DERAILLEUR

Shimano Ultegra

REAR DERAILLEUR

Shimano Ultegra

CRANKSET


FSA K-Force Compact, 50/34 with Carbon Monocoque Arms and MegaExo BB System

BRAKES

Shimano Ultegra Dual-Pivot Calipers



FULL SPECS : PG. 102





NATURAL-FIT

FAST, EFFICIENT AND COMFORTABLE

Longer head tubes and shorter top tubes create a riding position that is more upright and Natural. These bikes were created for riders who are seeking a more comfortable ride, without sacrificing quality or efficiency.



VERONA

ROAD

GLOSS MERCURY

FRAME

7005 Triple Butted Aluminum, Edge II Mainframe with Carbon Seat Stay and New 4-Side Chain Stays

FORK

Carbon Road 1 1/8"

HUBS

Mavic Aksium

RIMS

Mavic Aksium, 20 Hole Front, 24 Hole Rear, Wheelset

SHIFTERS

Shimano 105 STI, 10 Speed

FRONT DERAILLEUR

Shimano 105

REAR DERAILLEUR

Shimano Ultegra

CRANKSET

FSA SLK Compact, 50/34 with Carbon Monocoque Arms and MegaExo BB System

BRAKES

Shimano 105 Dual-Pivot Calipers



FULL SPECS : PG. 102

NATURAL FIT



TREVISO



GLOSS OCEAN

FRAME

7005 Triple Butted Aluminum, Women's Fit Geometry, Edge II Mainframe with Carbon Seat Stay and New 4-Side Chain Stay

FORK

Carbon Road 1 1/8"

HUBS

Shimano WH-R500

RIMS

Shimano WH-R500, Wheelset

SHIFTERS

Shimano ST-R700 10 Speed with levers designed for riders with smaller hands

FRONT DERAILLEUR

Shimano 105

REAR DERAILLEUR

Shimano 105

CRANKSET

FSA Gossamer, 50/39/30 with Alloy Outer Chainring

BRAKES

Dual-Pivot Calipers

FULL SPECS : PG. 102



Along with frame innovations and components specific for a woman, the Marin Plush Women's saddle fits a women's body and is supportive in different areas than a traditional men's saddle.

ARGENTA

ROAD

GLOSS COAL

FRAME

7005 Triple Butted Aluminum, Natural Fit Geometry Edge II Mainframe with Carbon Seat Stay and New 4-Side Chain Stays

FORK

Carbon Road 1 1/8"

HUBS

Shimano WH-R500

RIMS

Shimano WH-R500, Wheelset

SHIFTERS

Shimano 105 STI, 10 Speed

FRONT DERAILLEUR

Shimano 105

REAR DERAILLEUR

Shimano 105

CRANKSET

FSA Gossamer, 50/39/30 with Alloy Outer Chainring

BRAKES

Dual-Pivot Calipers



FULL SPECS : PG. 103



NATURAL FIT

VENEZIA



GLOSS STEEL

FRAME

7005 Triple Butted Aluminum, Natural Fit Geometry Edge II Mainframe with Carbon Seat Stay and New 4-Side Chain Stays

FORK

Carbon Road 1 1/8"

HUBS

Formula, 32 Hole

RIMS

Alex R450, Double Wall, 28 Hole Front, 32 Hole Rear with CNC Side Walls

SHIFTERS

Shimano Sora STI, 8 Speed

FRONT DERAILLEUR

Shimano 2203

REAR DERAILLEUR

Shimano Tiagra

CRANKSET

FSA CFM, 52/42/30

BRAKES

Dual-Pivot Calipers

FULL SPECS : PG. 103



The carbon fiber seat stay and fork provide for an ride that is responsive and agile, but comfortable as well. A light weight Edge II tubeset complements the carbon to deliver a world class ride at a remarkably reasonable price.

GLOSS PEARL**FRAME**

7005 Triple Butted Aluminum, Women's Fit Geometry, Edge II Mainframe with New 4-Side Seat and Chain Stays

FORK

Carbon Road 1 1/8"

HUBS

Formula, 32 Hole

RIMS

Alex R450, Double Wall, 28 Hole Front, 32 Hole Rear with CNC Side Walls

SHIFTERS

Shimano Sora STI, 8 Speed

FRONT DERAILLEUR

Shimano 2203

REAR DERAILLEUR

Shimano Sora

CRANKSET

FSA CFM, 52/42/30

BRAKES

Dual-Pivot Calipers



COLOR OPTION : Gloss Pink



FULL SPECS : PG. 103

NATURAL FIT

PORTOFINO



COLOR OPTION : Gloss Pearl

GLOSS SILVER

FRAME

7005 Triple Butted Aluminum, Edge II Mainframe with New 4-Side Seat and Chain Stays

FORK

Carbon Road 1 1/8"

HUBS

Formula, 32 Hole

RIMS

Alex R450, Double Wall, 28 Hole Front, 32 Hole Rear with CNC Side Walls

SHIFTERS

Shimano Sora STI, 8 Speed

FRONT DERAILLEUR

Shimano 2203

REAR DERAILLEUR

Shimano Sora

CRANKSET

FSA CFM, 52/42/30

BRAKES

Dual-Pivot Calipers

FULL SPECS : PG. 103



The adjustable stem and suspension seatposts are just two of the many innovations incorporated into the Portofino and Women's Portofino. They are designed with the rider's comfort and enjoyment in mind. These bikes are ideal for your first benefit ride or vineyard tour.

URBAN

FORM FOLLOWS FUNCTION

Fly below the radar with these stealthy bikes in double butted steel and triple butted aluminum. The frames are mountain bike tough and the lightweight rigid forks are maintenance free. With 26" wheels and fast rolling tires it's time to hit the streets.



URBAN

POINT REYES



MATTE SMOKE

FRAME

7005 Aluminum, Triple Butted Edge Shaped Tubing with Double Butted New 4-Side Seat and Chain Stays, Disc Specific

FORK

RFE Carbon 1 1/8"

HUBS

Alloy Double Sealed, 32 Hole Disc with Locking QR

RIMS

WTB SX24, Double Wall, 32 Hole Disc

SHIFTERS

Shimano Deore, 9 Speed

FRONT DERAILLEUR

Shimano Deore

REAR DERAILLEUR

Shimano LX

CRANKSET

TruVativ Five D 3.1, 48/36/26 with Alloy Outer Chaining

BRAKES

Hayes MX-2 XC Mechanical Disc with V6 Rotors

FULL SPECS : PG. 106



NOVATO

STREET

MATTE GRANITE

FRAME

7005 Aluminum Triple Butted Edge Shaped Tubing with New 4-Side Seat and Chain Stays, Disc Specific

FORK

Aluminum Rigid 1 1/8" with Disc Mount

HUBS

Alloy Double Sealed, 32 Hole Disc with QR

RIMS

WTB Dual Duty XC, Double Wall, 32 Hole with CNC Side Walls

SHIFTERS

Shimano EF50 EZ-FIRE Plus, 8 Speed

FRONT DERAILLEUR

Shimano C-100

REAR DERAILLEUR

Shimano Deore

CRANKSET

TruVativ X-Flow C 3.0, 48/38/28

BRAKES

Tektro 10 Mechanical Disc



FULL SPECS : PG. 106



Disk brakes ensure that stopping will never be an issue anywhere this bike may go. An action oriented position, rigid fork and quick release levers are all components of the perfect urban machine.

URBAN



MUIRWOODS

MATTE COAL

FRAME

Double Butted Cromoly Front Triangle, with Edge II Shaped Tubing with Double Butted Anti-Flex Tri-Burner Seat and Chain Stays

FORK

Cromoly Rigid 1 1/8"

HUBS

Alloy Double Sealed, 32 Hole with QR

RIMS

Alex TA-19, Double Wall, 32 Hole with CNC Side Walls

SHIFTERS

Shimano EF50 EZ-FIRE Plus, 8 Speed

FRONT DERAILLEUR

Shimano C-100

REAR DERAILLEUR

Shimano Alivio

CRANKSET

TruVativ X-Flow C 3.0, 48/38/28

BRAKES

Forged Alloy Linear Pull

FULL SPECS : PG. 106

CITY

CLASSIC DESIGN, PROVEN RELIABILITY

These lightweight aluminum bikes roll fast on 700c wheels for those quick rides across town or the casual country ride. Light, tough and dependable these bikes are ready to ride when you are.



CITY

SAUSALITO



MATTE GRANITE

FRAME

7005 Aluminum with New Edge II Flared Top Tube and Triple Butted Edge Down Tube, New Double Butted 4-Side Seat Stay and Chain Stay

FORK

SR Suntour NCXD, 63mm with Preload Adjustment and Lockout

HUBS

Shimano Deore, 36 Hole

RIMS

WTB Dual Duty, Double Wall, 36 Hole with CNC Side Walls

SHIFTERS

Shimano Deore, 9 Speed

FRONT DERAILLEUR

Shimano Deore

REAR DERAILLEUR

Shimano LX

CRANKSET

Shimano Deore, 48/36/26 with Hollowtech and Octalink

BRAKES

Shimano Deore with Front Power Modulator

FULL SPECS : PG. 107

SAN ANSELMO

STREET

MATTE STEEL

FRAME

7005 Aluminum with New Edge II Flared Top Tube and Triple Butted Edge Down Tube, New 4-Side Seat and Chain Stay

FORK

SR Suntour NCXD, 63mm with Preload Adjustment and Lockout

HUBS

Alloy Double Sealed, 36 Hole with QR Front, Shimano, 36 Hole Rear

RIMS

WTB Dual Duty, Double Wall, 36 Hole with CNC Side Walls

SHIFTERS

Shimano Alivio, 8 Speed

FRONT DERAILLEUR

Shimano Nexave T300

REAR DERAILLEUR

Shimano Deore

CRANKSET

Suntour NCX-420, 48/38/28 with Alloy Outer Chaining

BRAKES

Forged Alloy Linear Pull with Front Power Modulator

FULL SPECS : PG. 107



 STEP-THRU : Matte Steel



Lock out the fork for maximum stiffness and efficiency or keep the suspension active for the bumpier roads. No other City bike models have the suspension options and adjustability that the Marin San Rafael, San Anselmo and Sausalito offer.

CITY



STEP-THRU : Gloss Mica



SAN RAFAEL

GLOSS MICA

FRAME

7005 Aluminum with New Edge II Flared Top Tube and Triple Butted Edge Down Tube, New 4-Side Seat and Chain Stay

FORK

Spinner Odesa LX, 63mm with Preload Adjustment and Lockout

HUBS

Alloy Double Sealed, 36 Hole with QR

RIMS

WTB DX23, Double Wall, 36 Hole with CNC Side Walls

SHIFTERS

Shimano EF50 EZ-FIRE Plus, 8 Speed

FRONT DERAILLEUR

Shimano C-100

REAR DERAILLEUR

Shimano Alivio

CRANKSET

Suntour NCX410, 48/38/28 with Chain Guard

BRAKES

Forged Alloy Linear Pull with Front Power Modulator

FULL SPECS : PG. 107



LARKSPUR

STREET

GLOSS BRUSHED POLISH

FRAME
7005 Aluminum with New Edge II Flared Top Tube and Triple Butted Edge Down Tube, New 4-Side Seat and Chain Stay

FORK
Cromoly Rigid 1 1/8"

HUBS
Alloy Double Sealed, 36 Hole with QR

RIMS
Alex TA-19, Double Wall, 36 Hole with CNC Side Walls

SHIFTERS
Shimano EF50 EZ-FIRE Plus, 8 Speed

FRONT DERAILLEUR
Shimano C-100

REAR DERAILLEUR
Shimano Acera

CRANKSET
Suntour NCX410, 48/38/28 with Chain Guard

BRAKES
Forged Alloy Linear Pull with Front Power Modulator

FULL SPECS : PG. 108



COLOR OPTION : Gloss Black Pearl



STEP-THRU : Gloss Brushed Polish



Adjustable stems come standard on most Marin City bike models. This feature allows riders to custom fit their position to a more comfortable riding position, minimizing lower back and shoulder strain and maximizing fun and efficiency.

CITY



 STEP-THRU : Gloss Smoke



COLOR OPTION : Gloss Smoke



KENTFIELD

GLOSS PEWTER

FRAME

7005 Aluminum with New Edge II Flared Top Tube and Edge Down Tube, New 4-Side Seat Stay

FORK

Cromoly Rigid 1 1/8"

HUBS

Alloy Double Sealed, 36 Hole with QR

RIMS

Alloy, 36 Hole with QR

SHIFTERS

Shimano EF50 EZ-FIRE Plus, 7 Speed

FRONT DERAILLEUR

Shimano C051

REAR DERAILLEUR

Shimano Acera

CRANKSET

SR Suntour NEX, 48/38/28 with Chain Guard

BRAKES

Forged Alloy Linear Pull with Front Power Modulator

FULL SPECS : PG. 108

SPORTS COMMUTER

FUNCTIONAL, FAST AND DEPENDABLE

Bike To Work Week? No way, it's Bike To Work Year! With fenders and a full complement of rack mounts these versatile, dependable bikes will make sure you get there.



SPORT COMMUTER

CORTE MADERA

GLOSS VAPOR

FRAME

7005 Aluminum, Full Triple Butted Edge II Shaped Tubing with New Double Butted 4-Side Seat and Chain Stays

FORK

Alloy Rigid 1 1/8"

HUBS

Formula, 32 Hole

RIMS

Alex DC-19, Double Wall, 32 Hole with CNC Side Walls

SHIFTERS

Shimano Alivio, 8 Speed

FRONT DERAILLEUR

Shimano Nexave T300

REAR DERAILLEUR

Shimano Tiagra

CRANKSET

TruVativ IsoFlow C 3.0, 48/38/28 with Power Spline and Chain Guard

BRAKES

Avid Single Digit 3 with Shimano Front Power Modulator

FULL SPECS : PG. 108



BELVEDERE

CITY

MATTE COAL

FRAME
7005 Aluminum, Double Butted Edge II Shaped Tubing with New 4-Side Seat and Chain Stays

FORK
Cromoly Rigid 1 1/8"

HUBS
Formula, 32 Hole

RIMS
Alex DC-19, Double Wall, 32 Hole with CNC Side Walls

SHIFTERS
Shimano EF50 EZ-FIRE Plus, 8 Speed

FRONT DERAILLEUR
Shimano Nexave T300

REAR DERAILLEUR
Shimano Sora

CRANKSET
TruVativ X-Flow C 3.0, 48/38/28

BRAKES
Forged Alloy Linear Pull with Front Power Modulator



COLOR OPTION : Matte Steel



FULL SPECS : PG. 108



As gas prices soar, Marin Sport Commuter bikes become a necessity. Custom painted fenders are the finishing touches on this bike, which was designed for efficiency and utility. A gusseted frameset and Edge II tubing ensure that every ounce of energy you invest will move you further ahead in life.



COMFORT



CASUAL TRAVEL, FOR FITNESS OR FUN

With their lightweight Aluminum frames these Comfort bikes make getting fit fun! Comfort comes from the well chosen contact points, suspension forks and comfortable seats, coupled with the high adjustable handle-bars to give a great heads up position.



REDWOOD

PATH

GLOSS PEWTER

FRAME
7005 Butted Aluminum with Edge II Top and Down Tubes
FORK
Spinner EnRoute AC, 63mm with Lockout and Preload Adjustment
HUBS
Alloy Double Sealed, 32 Hole with QR
RIMS
Alex TA-19, Double Wall, 32 Hole with CNC Side Walls
SHIFTERS
Shimano Alivio, 8 Speed
FRONT DERAILLEUR
Shimano Nexave T300
REAR DERAILLEUR
Shimano Alivio
CRANKSET
Suntour NCX-420, 48/38/28 with Alloy Outer Chainring
BRAKES
Forged Alloy with Linear Spring



FULL SPECS : PG. 109



Our most versatile Comfort bike, the lockout equipped Redwood is nearly two bikes in one. Make the suspension fork rigid for a fast and efficient ride or activate the suspension with the flip of a lever to maximize comfort.

COMFORT



COLOR OPTION : Gloss Amethyst



COLOR OPTION : Gloss Amethyst

STINSON

GLOSS SLATE

FRAME

7005 Butted Aluminum with Edge II Top and Down Tubes

FORK

Spinner EnRoute AC, 63mm with Preload Adjustment

HUBS

Alloy Double Sealed, 36 Hole with QR

RIMS

Alloy, 36 Hole with QR

SHIFTERS

Shimano EF50 EZ-FIRE Plus, 7 Speed

FRONT DERAILLEUR

Shimano C051

REAR DERAILLEUR

Shimano Altus

CRANKSET

SR Suntour XCC, 48/38/28 with Chain Guard

BRAKES

Forged Alloy Linear Pull with Front Power Modulator

FULL SPECS : PG. 109



COAST TRAIL

PATH

GLOSS MICA

FRAME

7005 Butted Aluminum with Edge II Top and Down Tubes

FORK

Spinner EnRoute AC, 63mm with Preload Adjustment

HUBS

Alloy Double Sealed, 36 Hole with QR

RIMS

Alloy, 36 Hole with QR

SHIFTERS

SRAM ESP 3.0, 7 Speed

FRONT DERAILLEUR

Shimano C051

REAR DERAILLEUR

SRAM 3.0

CRANKSET

SR Suntour XCC, 48/38/28 with Chain Guard

BRAKES

Forged Alloy Linear Pull with Front Power Modulator



COLOR OPTION : Gloss Slate Blue



STEP-THRU : Gloss Slate Blue



FULL SPECS : PG. 109



Marin Comfort bikes all come with ergonomic and upright handlebars, which deliver a ride that feels safe and secure. Think couch on wheels.

CRUISERS

IT'S A LIFESTYLE THING

Reminiscent of a different era these boardwalk cruisers are manufactured in modern lightweight aluminum. With stylish colors and optional step through frame this is the perfect time machine, so relax and watch the world slip by.



DRAKE'S BEACH

SINGLE SPEED & 3-SPEED MODELS

GLOSS TITANIUM

FRAME (3 SPEED)

7005 Aluminum with a "European" BB Shell

FRAME (SINGLE SPEED)

7005 Aluminum with a "European" BB Shell

FORK

Cromoly Rigid

REAR HUB (3 SPEED)

Shimano Nexus, 3 speed Internal Gear with Coaster Brake, 36 Hole

REAR HUB (SINGLE SPEED)

Coaster Brake, 36 Hole

RIMS

Alloy, 36 Hole

TIRES

Kenda Flame, 26" x 2.125"

CRANKSET

Alloy Cruiser, 42T x 170mm

SADDLE

Lounge Chair Comfort

HANDLEBAR

Alloy Long Horn

BRAKES

Rear Coaster Brake



SINGLE SPEED OPTION : Matte Coal



FULL SPECS : PG. 110



With bikes for both men and women, Marin Cruisers are designed with style and function in mind. Choose from the new 3 speed internally geared version or the traditional single speed model. Sit back, relax, and enjoy a simple trip into the past.

CRUISERS



SINGLE SPEED OPTION : Gloss Pearl

HEART'S DESIRE BEACH SINGLE SPEED & 3-SPEED MODELS

GLOSS VAPOR

FRAME (3 SPEED)

7005 Aluminum Women's Frame with a "European" BB Shell

FRAME (SINGLE SPEED)

7005 Aluminum Women's Frame with a "European" BB Shell

FORK

Cromoly Rigid

REAR HUB (3 SPEED)

Shimano Nexus, 3 Speed Internal Gear with Coaster Brake, 36 Hole

REAR HUB (SINGLE SPEED)

Coaster Brake, 36 Hole

RIMS

Alloy, 36 Hole

TIRES

Kenda Flame, 26" x 2.125"

CRANKSET

Alloy Cruiser, 42T x 170mm

SADDLE

Lounge Chair Comfort

HANDLEBAR

Alloy Long Horn

BRAKES

Rear Coaster Brake



FULL SPECS : PG. 110

KIDS

REAL BIKES FOR REAL (LITTLE) RIDERS

With the same thoughtful attention to detail in our adult line, these little bikes pack big tech. From the 16" Tiny Trail to the 24" AXC durability, your child's safety is of paramount importance to us. You can put your trust in our product like your kids put their trust in you.





WILDCAT TRAIL 24

MATTE GUNMETAL

FRAME

7005 Aluminum, 24" Wheel, Edge II Top and Edge Plus II Down Tube, A-XC XL Tri-Burner Seat and Chain Stays, Disc Specific

FORK

Marzocchi MZ III, 100mm of Travel, with Preload Adjustment

HUBS

Shimano, 32 Hole Disc

RIMS

Alex ACE20, Double wall, 32 Hole, 24"

SHIFTERS

Shimano Alivio, 8 Speed

FRONT DERAILLEUR

Shimano Alivio

REAR DERAILLEUR

Shimano Acera

CRANKSET

TruVativ Ruktion, 32/22, 165mm with Rock Guard

BRAKES

Hayes MX-2 HD Mechanical Disc with V6 Rotors

FULL SPECS : PG. 111

BAYVIEW TRAIL 24

GLOSS BRUSHED POLISH

FRAME
7005 Double Butted Aluminum 24" Wheel with Edge II Top and Down Tubes
FORK
Spinner Grind 1, 70mm, 24"
HUBS
Alloy Double Sealed, 32 Hole with QR
RIMS
Alloy, 32 Hole, 24"
SHIFTERS
Shimano EF50 EZ-FIRE Plus, 7 Speed
FRONT DERAILLEUR
Shimano CQ50
REAR DERAILLEUR
Shimano Altus
CRANKSET
TruVativ X-Flow 3.0, 42/34/24
BRAKES
Forged Alloy Linear Pull



COLOR OPTION : Glass Steel



STEP-THRU : Glass Pink



FULL SPECS : PG. 111



The Bayview Trail is built to the rigorous standards of a Marin adult performance bike, while it is stylized and executed as a kid's fun bike. The second "real" mountain bike that your little rider will own, after the Hidden Canyon of course. This bike is safe, reliable and built for years of enjoyment.

ALLOY HT KIDS

HIDDEN CANYON 20



STEP-THRU : Matte Vapor



COLOR OPTION : Matte Red Rock



MATTE SMOKE

FRAME

7005 Double Butted Aluminum 20" Wheel with Edge II Top and Down Tubes

FORK

Spinner Grind 2, 50mm, 20"

HUBS

Alloy Double Sealed, 32 Hole

RIMS

Alloy, 32 Hole, 20"

SHIFTERS

SRAM MRX, 7 Speed

FRONT DERAILLEUR

Shimano

REAR DERAILLEUR

Shimano TY-22

CRANKSET

Alloy MTB, 42/32 with Chain Guard

BRAKES

Forged Alloy Linear Pull

FULL SPECS : PG. 111



MUIR BEACH 20

GLOSS PINK

FRAME (BOY'S)
7005 Aluminum, Boy's 20" Wheel Single Speed Cruiser Frame

FRAME (GIRL'S)
7005 Aluminum, Girl's 20" Wheel Single Speed Cruiser Frame

FORK
Cromoly Rigid

HUBS
Alloy Sealed, 36 Hole

RIMS
Alloy, 32 Hole, 20"

CRANKSET
Alloy, 44T x 152mm

BRAKES
Rear Coaster Brake



Boy's Cruiser Option : Gloss Red Rock



KIDS CRUISERS

FULL SPECS : PG. 112



Cruising in style isn't just reserved for Mom and Dad. The Muir Beach Boy's or Girl's models are geared for kids' shorter legs and have been designed as the ultimate in schoolyard cool.

BMX KIDS

MBX 250



GLOSS MICA

FRAME

7005 Aluminum 20" Wheel with Edge Top and Down Tubes

FORK

Taper Cut Oversize

BRAKES

Forged Alloy Linear Pull Rear

HUBS

Alloy Double Sealed, 36 Hole Front, Alloy Sealed, 36 Hole Rear

RIMS

Alex DM-24 Alloy, Double Wall, 36 Hole

CRANKSET

Cro-mo 3 Piece, 165mm, 44 Tooth

FULL SPECS : PG. 112



MBX 150 JUNIOR

GLOSS VAPOR

FRAME
7005 Aluminum 20" Wheel with Edge Top and Down Tubes

FORK
Taper Cut Oversize

BRAKES
Coaster Brake Rear and Hand Brake Rear

HUBS
Alloy Double Sealed, 36 Hole Front, Coaster Brake, 36 Hole Rear

RIMS
Alex X-303 Alloy, with Eyelet, 36 Hole

CRANKSET
Cro-mo 1 Piece, 165mm, 44 Tooth



FULL SPECS : PG. 113



If mountain bikes aren't your kid's style, go for the Marin MBX 250 or MBX 150. These models are designed for the ride to school or cross town adventure. Our sidewalk BMX bikes are tough, reliable, and built for the rigors that your new rider will surely bring their way.

FIRST BIKE KIDS

MBX 50 / TINY TRAIL

MATTE GRANITE & GLOSS PINK

FRAME

7005 Aluminum 16" Wheel with Edge Top and Down Tubes

FORK

Suspension, 40mm of Travel, 16"

HUBS

BMX, 28 Hole

RIMS

Alloy, 32 Hole, 16"

CRANKSET

Steel BMX, 36T x 114mm

BRAKES

Coaster Brake Rear and Hand Brake Rear



FULL SPECS : PG. 113



Built with the same Edge shaped tubing as our adult bikes, these are among the lightest 16" kid's bikes available. Unique with suspension forks, they are not only light, but tough and ready to ride.

FRAME SIZE FIT CHARTS

This tool should be used as a guideline to determine what range of sizes fit you best. Inseam, torso length, arm length and physical fitness are all components of a proper fit. While this chart will provide you with an excellent starting point, this should only be used

as the most base line recommendation. The best and most effective way to fit yourself on your new bicycle is in person at you local Marin dealer. Visit the Marin Bikes website at www.marinbikes.com to search for a dealer near you.

ADULT FRAME SIZE CHART

RIDER HEIGHT	4'11"	5'0"	5'1"	5'2"	5'3"	5'4"	5'5"	5'6"	5'7"	5'8"	5'9"	5'10"	5'11"	6'0"	6'1"	6'2"	6'3"	6'4"
QUAD XC			X-SMALL					SMALL			MEDIUM				LARGE			
QUAD XLT							SMALL					MEDIUM				LARGE		
QUAD TARA																LARGE		
AXC							SMALL					MEDIUM				LARGE		
HYDRO-LIGHT HT			13					15			17		19			20.5		22
ALLOY HT			13					15			17		19			20.5		22
EXOTIC HT			13					15			17		19			20.5		22
ALP			13.5					15.5			17.5				19			20.5
PRO ROAD			50XS					52S		54M		56L		58XL				
NATURAL ROAD			52XS						54S		56M			58L		61XL		
URBAN			13					15				17		18.5				20
CITY/HYBRID			13.5 or 13W					15.5 or 15W				17.5		19				20.5
COMMUTER			13.5					15.5				17.5		19				20.5
COMFORT			13 or 13W					15			17			18.5				20

KIDS FRAME SIZE CHART

AGE	3	4	5	6	7	8	9	10	11	12	13
WILDCAT 24"											WILDCAT 24"
BAYVIEW TRAIL											BAYVIEW TRAIL
MUIR BEACH						MUIR BEACH					
HIDDEN CANYON						HIDDEN CANYON					
MBX-250											MBX-250
MBX-150											
MBX-50											
TINY TRAIL											

This is intended to be used as a guide only. Age ranges are very subjective. Parents are the only determiners of appropriate size, fit and child's safety.



	MODEL NAME	MOUNT VISION PRO	MOUNT VISION	RIFT ZONE	EAST PEAK
FRAMESET	COLOR	Anodized Black	Gloss Slate Blue	Gloss Ocean, Gloss Pink	Gloss Pewter, Gloss Bright Red
	SIZES	XS, S, M, L	XS, S, M, L	XS, S, M, L	XS, S, M, L
	FRAME	6061 Aluminum, Fully Hydroformed Mainframe and Swingarm, Quad-Link XC 2.0 Suspension System, Disc Specific	6061 Aluminum, Fully Hydroformed Mainframe and Swingarm, Quad-Link XC 2.0 Suspension System, Disc Specific	6061 Aluminum, Fully Hydroformed Mainframe and Swingarm, Quad-Link XC 2.0 Suspension System, Disc Specific	6061 Aluminum, Fully Hydroformed Mainframe and Swingarm, Quad-Link XC 2.0 Suspension System, Disc Specific
	REAR SUSPENSION	Fox Float RP23 with Rebound Adjustment, Dual Position ProPedal with 3 Position ProPedal Lever Adjustment	Fox Float RP23 with Rebound Adjustment, Dual Position ProPedal with 3 Position ProPedal Lever Adjustment	Fox Float R with Rebound Adjustment	Fox Float R with Rebound Adjustment
	FORK	Fox 32 Float RLC, 120mm with Compression and Rebound Adjustment, Lockout, Blow-Off Threshold Adjustment and Air Spring Preload	Fox 32 Float RL, 120mm with Rebound Adjustment, Lockout, and Air Spring Preload	Fox 32 Float R, 120mm with Rebound Adjustment, and Air Spring Preload	Marzocchi MX Pro Lo, 120mm with Preload, Rebound Adjustment and Lockout
WHEELSET	HEADSET	FSA Orbit MX, 1 1/8" Threadless, Alloy	FSA Orbit MX, 1 1/8" Threadless, Alloy	TH-857, 1 1/8", Threadless, Alloy	TH-888, 1 1/8", Threadless
	REAR HUB	DT 240S, 32 Hole Disc with Centerlock	WTB LaserDisc Lite, 32 Hole Disc	WTB LaserDisc Lite, 32 Hole Disc	Shimano Deore, 32 Hole Disc
	FRONT HUB	DT 240S, 32 Hole Disc with Centerlock	WTB LaserDisc Lite, 32 Hole Disc	WTB LaserDisc Lite, 32 Hole Disc	Shimano Deore, 32 Hole Disc
	SPOKES	DT Super Comp 14/16.5/15 Butted, Black Stainless with Alloy Nipples	DT Competition 14/15/14 Double Butted, Black Stainless with Alloy Nipples	WTB 15 Gauge Black Stainless	WTB 15 Gauge Black Stainless
	RIMS	Mavic XC-717, 32 Hole Disc	Mavic XM-317, 32 Hole Disc	Mavic XM-317, 32 Hole Disc	Mavic XM-117, 32 Hole Disc
DRIVETRAIN	TIRES	WTB MotoRaptor Race, 26" x 2.14" (49/52) with DNA Compound Tread and Folding Aramid Bead	WTB MotoRaptor Race, 26" x 2.14" (49/52) with DNA Compound Tread and Folding Aramid Bead	WTB MotoRaptor Comp, 26" x 2.14" (49/52)	WTB MotoRaptor Comp, 26" x 2.14" (49/52)
	SHIFTERS	Shimano XTR, with 2 Way Release, 9 Speed	Shimano XT, with 2 Way Release, 9 Speed	Shimano LX, with 2 Way Release, 9 Speed	Shimano LX, with 2 Way Release, 9 Speed
	FRONT DERAILLEUR	Shimano XTR	Shimano New XT	Shimano Deore	Shimano Deore
	REAR DERAILLEUR	Shimano XTR	Shimano XTR	Shimano XT	Shimano LX
	CASSETTE	Shimano XTR, 11-34, 9 Speed	Shimano XT, 11-32, 9 Speed	Shimano, 11-32, 9 Speed	Shimano, 11-32, 9 Speed
COCKPIT	CHAIN	Shimano XTR	Shimano XT	Shimano HG53	Shimano HG53
	CRANKSET	Shimano XTR, 44/32/22 with HollowTech II	Shimano XT, 44/32/22 with HollowTech II	TruVativ Firex 3.2, 44/32/22 with 2 Alloy Chainrings and Giga X Pipe Exterior BB System	TruVativ Five D, 44/32/22 with Alloy Outer Chainring
	BOTTOM BRACKET	Shimano XTR Big Pipe Billet Integrated with Crankset	Shimano XT Big Pipe Billet Integrated with Crankset	TruVativ with Giga X Pipe Exterior System Integrated with Crankset	TruVativ with Sealed Cartridge
	SEATPOST	Easton EC70 Carbon 30.9mm	FSA SL-K, Carbon, 30.9mm x 350mm	Comp Alloy Micro Adjust, 30.9mm x 350mm	Comp Alloy Micro Adjust, 30.9mm x 350mm
	SADDLE	WTB Devo Team with Micro Tubular Rails	WTB Devo Team with Cromo Rails	WTB Laser V Comp with Love Channel, Comfort Zone and Cromoly Rails	WTB Speed V ATB with Love Channel and Comfort Zone
OTHER	HANDLEBAR	Easton EC70 Monkey Lite XC Carbon, OS-31.8mm, Low Rise	Easton EA70, OS-31.8mm, Low Rise	Double Butted 6061 Alloy, OS-31.8mm, 25.4mm Rise	Double Butted 6061 Alloy, OS-31.8mm, 25.4mm Rise
	STEM	FSA OS115 Threadless with Carbon Face Plate and 31.8mm Bar Clamp	FSA OS150 Threadless with Alloy Face Plate and 31.8mm Bar Clamp	FSA OS170 Threadless with Alloy Face Plate and 31.8mm Bar Clamp	Marin OS Alloy Threadless, with 31.8mm Bar Clamp
	GRIPS	WTB Moto Grip	WTB Moto Grip	WTB Moto Grip	WTB Moto Grip
	BRAKES	Shimano XTR Hydraulic Disc	Avid Juicy 7 Hydraulic Disc	Avid Juicy 5 Hydraulic Disc	Avid Juicy 3 Hydraulic Disc
	BRAKE LEVERS	Shimano XTR Hydraulic Disc	Avid Hydraulic	Avid Hydraulic	Avid Hydraulic
OTHER	PEDALS	Crank Bros Egg Beater	Crank Bros Candy C	Shimano M520 Clipless	Ritchey Logic Mountain V4 Clipless



25 QUAD XLT
29 QUAD TARA

	MODEL NAME	QUAKE 7.3	QUAKE 7.2	QUAKE 7.1	WOLF RIDGE
FRAMESET	COLOR	Anodized Black	Gloss Pearl	Gloss Black Pearl, Gloss Bright Red	Matte Jade
	SIZES	S, M, L	S, M, L	S, M, L	S, M, L
	FRAME	6061 QUAD XLT Aluminum with Edge II Plus Top Tube and New Hydroformed Down Tube, 6061 QUAD XLT 6.8" Travel 4 Bar Link Aluminum Swingarm with Disc Mounts	6061 QUAD XLT Aluminum with Edge II Plus Top Tube and New Hydroformed Down Tube, 6061 QUAD XLT 6.8" Travel 4 Bar Link Aluminum Swingarm with Disc Mounts	6061 QUAD XLT Aluminum with Edge II Plus Top Tube and New Hydroformed Down Tube, 6061 QUAD XLT 6.8" Travel 4 Bar Link Aluminum Swingarm with Disc Mounts	6061 TARA Aluminum, Twin Monocoque Front, New 6061 TARA 6" Travel Monocoque with Adjustable Ride Height, Quad-Link Aluminum Swingarm, Disc Specific
	REAR SUSPENSION	Fox DHX Air 5.0 with Air Spring Adjustment, Rebound Adjustment, ProPedal Adjustment, Boost Valve Adjustment, Bottom Resistance Schraeder Tuning Range Adjustment	Fox DHX 5.0 with Coil Spring Preload, Rebound Adjustment, ProPedal Adjustment, Boost Valve Adjustment, Bottom Resistance Schraeder Tuning Range Adjustment	Marzocchi Rocco TST with Coil Spring Preload, Rebound Adjustment, and 5 position TST compression Adjustment	Fox Float RP23 with Rebound Adjustment, DORC ProPedal 2 Position Plus ProPedal with 3 Position Lever Adjustment
	FORK	Fox 36 TALAS RC2.100+130+160mm with Rebound Adjustment, High and Low Speed Compression Adjustment, Position Sensitive Damper and Air Spring Preload	Marzocchi 66 RCV, 160mm, 1.5" Steerer with Air Spring Preload, External Rebound and Compression Adjustment	Marzocchi AM 4, 160mm with QR20 Front Axle, External Air Preload and Internal Rebound Adjustment	Fox 32 Float RL, 140mm with Rebound Adjustment, Lockout, and Air Spring Preload
WHEELSET	HEADSET	FSA Orbit DL R, 1.5", Threadless with Forged Alloy Cups and reduction to 1 1/8"	FSA Orbit DL, 1.5", Threadless with Forged Alloy Cups	FSA The Big Fat Pig R, 1.5" Threadless with Forged Alloy Cups and reduction to 1 1/8"	TH-857, 1 1/8", Threadless, Alloy
	REAR HUB	WTB LaserDisc Lite, 32 Hole Disc	Shimano Deore, 32 Hole Disc	Shimano Deore, 32 Hole Disc	WTB LaserDisc Lite, 32 Hole Disc
	FRONT HUB	WTB LaserDisc Super Duty, 32 Hole with 20mm Through Axle	WTB LaserDisc Super Duty, 32 Hole with 20mm Through Axle	Pro Alloy Quad Sealed, 32 Hole Disc with 20mm Through Axle	WTB LaserDisc Lite, 32 Hole Disc
	SPOKES	DT 14 Gauge Black Stainless	DT 14 Gauge Black Stainless	DT 14 Gauge Black Stainless	WTB 15 Gauge Black Stainless
	RIMS	Mavic EX-325, 32 Hole Disc	WTB SpeedDisc XL, 32 Hole Disc	WTB Dual Duty Freeride, Double Wall, 32 Hole	WTB SpeedDisc All Mountain, Double Wall, 32 Hole Disc
DRIVETRAIN	TIRES	WTB TimberWolf, 26" x 2.3"	WTB TimberWolf, 26" x 2.5"	Kenda Kinetics, 26" x 2.35", Knobby	WTB MotoRaptor Comp, 26" x 2.24" (52/54)
	SHIFTERS	SRAM X-9, 9 Speed Trigger	SRAM X-7, 9 Speed Trigger	SRAM X-5, 8 Speed Trigger	Shimano LX, with 2 Way Release, 9 Speed
	FRONT DERAILLEUR	Shimano XT	Shimano Deore	Shimano Alivio	Shimano Deore
	REAR DERAILLEUR	SRAM X-9	SRAM X-7	SRAM X-7	Shimano XT
	CASSETTE	SRAM PG-980, Power Glide II, 11-34, 9 Speed	SRAM PG-950, Power Glide II, 11-34, 9 Speed	SRAM PG-830, Power Glide II, 11-32, 8 Speed	SRAM PG-970, Power Glide II, 11-34, 9 Speed
COCKPIT	CHAIN	SRAM PC-991	SRAM PC-991	Shimano HG50	Shimano HG53
	CRANKSET	TruVativ Hussefeller 2.2 RG DH, 36/24 with E-13 Shift Guide Dual Ring Security and Bash Guard	TruVativ Hussefeller 2.2 RG DH, 36/24 with E-13 Shift Guide Dual Ring Security and Bash Guard	TruVativ Ruktion, 32/22 with E-13 Shift Guide Dual Ring Security and Bash Guard	TruVativ Firex 2.0 AM, 36/24 with Alloy All Mountain Bash Guard and Giga X Pipe Exterior BB System
	BOTTOM BRACKET	TruVativ Howitzer XR	TruVativ Howitzer XR	TruVativ Howitzer XR	TruVativ with Giga X Pipe Exterior System Integrated with Crankset
	SEATPOST	Gravity SPDH-300, 7075, 31.6mm x 350mm	Gravity SPDH-300, 7075, 31.6mm x 350mm	FSA FR-270, 2014, 31.6mm x 350mm	FSA SL-280, 6061, 30.9mm x 350mm
	SADDLE	WTB Pure V Race with Love Channel and Comfort Zone, Cromoly Rails	WTB Pure V Race with Love Channel and Comfort Zone, Cromoly Rails	WTB Pure V Comp with Love Channel and Comfort Zone	WTB Pure V Comp with Love Channel and Comfort Zone
OTHER	HANDLEBAR	TruVativ Holzfeller Riser Bar, OS-31.8mm, 35mm Rise	FSA Maximus, Double Butted Alloy, OS-31.8, 40mm Rise	All Mountain Double Butted 6061 Alloy, OS-31.8mm, 42mm Rise	FSA Maximus, Double Butted Alloy, OS-31.8, 40mm Rise
	STEM	Gravity FR200 OS Threadless with Alloy Face Plate and 31.8mm Bar Clamp	Gap ST-FR-230 OS 1.5" Threadless with Alloy Face Plate, with 31.8mm Bar Clamp	Gap FR200 OS Threadless with Alloy Face Plate, with 31.8mm Bar Clamp	Gravity FR200 OS Threadless with Alloy Face Plate and 31.8mm Bar Clamp
	GRIPS	WTB MotoTec Locking with Drop Guard End Plugs	WTB MotoTec Locking with Drop Guard End Plugs	WTB Moto Grip	WTB MotoTec Locking with Drop Guard End Plugs
	BRAKES	Hayes HFX Mag Hydraulic Disc, with V8 Rotor Front, V7 Rotor Rear	Hayes HFX-9 Hydraulic Disc, with V8 Rotor Front, V7 Rotor Rear	Hayes HFX-9 Hydraulic Disc, with V8 Rotor Front, V7 Rotor Rear	Hayes HFX-9 Hydraulic Disc, with V7 Rotor Front, V6 Rotor Rear
	LEVERS	Hayes HFX Mag Full Hydraulic Disc	Hayes HFX-9 Full Hydraulic Disc with Alloy Levers	Hayes HFX-9 Full Hydraulic Disc with Alloy Levers	Hayes HFX-9 Full Hydraulic Disc with Alloy Levers
OTHER	PEDALS	Crank Bros 50/50 XX	Crank Bros 50/50 XX	BMX Platform	Crank Bros Acid

SPECIFICATIONS DISCLAIMER: Measurements are accurate at time of catalog production. Specifications are subject to change without notice.

MODEL NAME	MOUNT VISION PRO				MOUNT VISION				RIFT ZONE				EAST PEAK			
FRAME SIZE	XS	S	M	L	XS	S	M	L	XS	S	M	L	XS	S	M	L
HEAD ANGLE	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°
SEAT ANGLE	72.0°	72.0°	72.0°	72.0°	72.0°	72.0°	72.0°	72.0°	72.0°	72.0°	72.0°	72.0°	72.0°	72.0°	72.0°	72.0°
TOP TUBE: ACTUAL	21.3"	21.8"	22.3"	22.8"	21.3"	21.8"	22.3"	22.8"	21.3"	21.8"	22.3"	22.8"	21.3"	21.8"	22.3"	22.8"
TOP TUBE: EFFEC.	22.3"	22.8"	23.3"	23.8"	22.3"	22.8"	23.3"	23.8"	22.3"	22.8"	23.3"	23.8"	22.3"	22.8"	23.3"	23.8"
BB HEIGHT	12.8"	12.8"	12.8"	12.8"	12.8"	12.8"	12.8"	12.8"	12.8"	12.8"	12.8"	12.8"	12.8"	12.8"	12.8"	12.8"
STANDOVER	30.1"	30.1"	31.2"	31.7"	30.1"	30.1"	31.2"	31.7"	30.1"	30.1"	31.2"	31.7"	30.1"	30.1"	31.2"	31.7"
WHEEL BASE	41.2"	41.7"	42.2"	42.8"	41.2"	41.7"	42.2"	42.8"	41.2"	41.7"	42.2"	42.8"	41.2"	41.7"	42.2"	42.8"
CHAIN STAY	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"
SEAT POST	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm
HEAD TUBE LENGTH	100mm	120mm	135mm	150mm	100mm	120mm	135mm	150mm	100mm	120mm	135mm	150mm	100mm	120mm	135mm	150mm

MODEL NAME	FOR ALL QUAD XLT BIKES: QUAKE AL 7.3, QUAKE CL 7.2, QUAKE ML 7.1									
FRAME SIZE	LOW BB POSITION	SMALL 16.9"	HIGH BB POSITION	LOW BB POSITION	MEDIUM 17.7"	HIGH BB POSITION	LOW BB POSITION	LARGE 18.9"	HIGH BB POSITION	
HEAD ANGLE	67.0°		68.0°	67.0°		68.0°	67.0°		68.0°	
SEAT ANGLE	69.5°		70.5°	69.5°		70.5°	69.5°		70.5°	
BB HEIGHT, NO SAG	13.9"		14.5"	13.9"		14.5"	13.9"		14.5"	
BB HEIGHT, 30% SAG	12.2"		12.9"	12.2"		12.9"	12.2"		12.9"	
STANDOVER	31.1"		31.7"	31.1"		31.7"	31.4"		32.0"	
TOP TUBE: ACTUAL		21.8"			22.8"			23.6"		
TOP TUBE: EFFEC.		23.3"			24.0"			25.1"		
WHEEL BASE		44.2"			45.1"			46.0"		
CHAIN STAY		17.3"			17.3"			17.3"		
SEAT POST		31.6mm			31.6mm			31.6mm		
HEAD TUBE LENGTH		130mm			130mm			130mm		

MODEL NAME	WOLF RIDGE									
FRAME SIZE	LOW BB POSITION	SMALL 15.5"	HIGH BB POSITION	LOW BB POSITION	MEDIUM 17.5"	HIGH BB POSITION	LOW BB POSITION	LARGE 19.0"	HIGH BB POSITION	
HEAD TUBE ANGLE	67.8°		68.9°	67.8°		68.9°	67.8°		68.9°	
SEAT TUBE ANGLE	70.1°		71.1°	70.1°		71.1°	70.1°		71.1°	
BB HEIGHT, NO SAG	13.3"		13.8"	13.3"		13.8"	13.3"		13.8"	
BB HEIGHT, 30% SAG	11.8"		12.3"	11.8"		12.3"	11.8"		12.3"	
REAR, 20mm FRONT										
STANDOVER	29.6"		30.0"	29.6"		30.0"	30.2"		30.7"	
TOP TUBE: CENTER TO CENTER		21.6"			22.1"			22.9"		
TOP TUBE: HORIZ.		22.8"			23.2"			23.9"		
WHEEL BASE		42.5"			42.9"			43.7"		
CHAIN STAY		16.8"			16.8"			16.8"		
SEAT POST		30.9mm			30.9mm			30.9mm		
HEAD TUBE LENGTH		120mm			120mm			150mm		



	MODEL NAME	NAIL TRAIL	JUNIPER TRAIL WOMEN'S	PALISADES TRAIL	ELDRIDGE GRADE
FRAMESET	COLOR	Gloss Steel	Gloss Vapor	Matte Red Rock	Matte Slate
	SIZES	13", 15", 17", 19", 20.5", 22"	13", 15", 17"	13", 15", 17", 19", 20.5", 22"	13", 15", 17", 19", 20.5", 22"
	FRAME	6061 Aluminum, New Double Butted Hydro-Edge Top and Down Tubes, New Double Butted 4-Side Seat and Chain Stays, Disc Specific	6061 Double Butted Aluminum with Women's Fit Geometry, New Double Butted, Hydro-Edge Top and Down Tubes, New 4-Side Seat and Chain Stays, Disc Specific	6061 Aluminum, New Double Butted Hydro-Edge Top and Down Tubes, New Double Butted 4-Side Seat and Chain Stays, Disc Specific	6061 Aluminum, New Double Butted Hydro-Edge Top and Down Tubes, New Double Butted 4-Side Seat and Chain Stays, Disc Specific
	FORK	Fox 32 F100R, 100mm with Rebound Adjustment and Air Spring Preload	Marzocchi MZ Race, 100mm, Tuned for Women with Preload Adjustment and Lockout	Marzocchi MZ Race, 100mm with Preload Adjustment and Lockout	Marzocchi MZ Super Comp, 100mm with Preload and Rebound Adjustment
WHEELSET	HEADSET	TH-888, 1 1/8", Threadless	TH-888, 1 1/8", Threadless	TH-888, 1 1/8", Threadless	TH-888, 1 1/8", Threadless
	REAR HUB	Shimano Deore, 32 Hole Disc	Shimano, 32 Hole Disc	Shimano, 32 Hole Disc	Shimano, 32 Hole Disc
	FRONT HUB	Shimano Deore, 32 Hole Disc	Shimano, 32 Hole Disc	Shimano, 32 Hole Disc	Shimano, 32 Hole Disc
	SPOKES	WTB 15 Gauge Black Stainless	WTB 15 Gauge Black Stainless	WTB 15 Gauge Black Stainless	15 Gauge Stainless
DRIVETRAIN	RIMS	Mavic XM-117, 32 Hole Disc	WTB SX24, Double Wall, 32 Hole Disc	WTB SX24, Double Wall, 32 Hole Disc	WTB SX24, Double Wall, 32 Hole Disc
	TIRES	WTB MotoRaptor, 26" x 2.14" (49/52) with DNA Compound Tread	WTB MotoRaptor Comp, 26" x 2.1" (49/52)	WTB MotoRaptor Comp, 26" x 2.1" (49/52)	WTB MotoRaptor Comp, 26" x 2.1" (49/52)
	SHIFTERS	Shimano LX, with 2 Way Release, 9 Speed	Shimano LX, with 2 Way Release, 9 Speed	Shimano LX, with 2 Way Release, 9 Speed	Shimano Deore, 9 Speed
	FRONT DERAILLEUR	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore
COCKPIT	REAR DERAILLEUR	Shimano XT	Shimano LX	Shimano LX	Shimano LX
	CASSETTE	Shimano, 11-32, 9 Speed	Shimano, 11-32, 9 Speed	Shimano, 11-32, 9 Speed	Shimano, 11-32, 9 Speed
	CHAIN	Shimano HG53	Shimano HG53	Shimano HG53	Shimano HG53
	CRANKSET	TruVativ Firex 3.2, 44/32/22 with 2 Alloy Chainrings and Giga X Pipe Exterior BB System	TruVativ Five D 3.1, 44/32/22 with Alloy Outer Chaining and Power Spline	TruVativ Five D 3.1, 44/32/22 with Alloy Outer Chaining and Power Spline	TruVativ Five D 3.1, 44/32/22 with Alloy Outer Chaining and Power Spline
OTHER	BOTTOM BRACKET	TruVativ with Giga X Pipe Exterior System Integrated with Crankset	TruVativ with Sealed Cartridge and Power Spline	TruVativ with Sealed Cartridge and Power Spline	TruVativ with Sealed Cartridge and Power Spline
	SEATPOST	FSA SL-280, 6061, 30.9mm x 350mm	FSA SL-280, 6061, 30.9mm x 350mm	FSA SL-280, 6061, 30.9mm x 350mm	Comp Alloy Micro Adjust, 30.9mm x 350mm
	SADDLE	WTB Speed V Comp with Love Channel and Comfort Zone	WTB Speed She Comp with Love Channel and Comfort Zone	WTB Speed V ATB with Love Channel and Comfort Zone	WTB Speed V Sport SE with Love Channel and Comfort Zone
	HANDLEBAR	Double Butted 6061 Alloy, OS-31.8mm, 25.4mm Rise	Women's Custom Taper Double Butted Alloy, 31.8mm Center Tapering to 19.1mm Control Section, with 25.4mm Rise. Shift and Brake Lever Adjustment Shims with 0-3mm of Adjustment	Double Butted 6061 Alloy, OS-31.8mm, 25.4mm Rise	Double Butted 6061 Alloy, OS-31.8mm, 25.4mm Rise
GEOMETRY	STEM	FSA OS170 Threadless with Alloy Face Plate and 31.8mm Bar Clamp	FSA OS170 Threadless with Alloy Face Plate and 31.8mm Bar Clamp	FSA OS170 Threadless with Alloy Face Plate and 31.8mm Bar Clamp	FSA OS190 Threadless with Alloy Face Plate and 31.8mm Bar Clamp
	GRIPS	WTB Moto Grip	New Marin Custom Dual Density Women's Grips for 19.1mm Bars and Smaller Hands	Marin Dual Density	Marin Dual Density
	BRAKES	Avid Juicy 3 Hydraulic Disc	Hayes Syle Hydraulic Disc with V6 Rotors	Hayes Syle Hydraulic Disc with V6 Rotors	Hayes MX-2 XC Mechanical Disc with V6 Rotors
	BRAKE LEVERS	Avid Hydraulic	Hayes Hydraulic Disc	Hayes Hydraulic Disc	Pro 3 Finger with Dual Position Leverage Adjustment
GEOMETRY	PEDALS	Ritchey Logic Mountain V4 Cleppers	Alloy Double Sided Mountain	Alloy Double Sided Mountain	Composite with Alloy Cage
	FRAME SIZE	13" 15" 17" 19" 20.5" 22"	13" 15" 17"	13" 15" 17" 19" 20.5" 22"	13" 15" 17" 19" 20.5" 22"
	HEAD ANGLE	71.0° 71.0° 71.0° 71.0° 71.0° 71.0°	70.5° 70.5° 70.5°	71.0° 71.0° 71.0° 71.0° 71.0° 71.0°	71.0° 71.0° 71.0° 71.0° 71.0° 71.0°
	SEAT ANGLE	73.5° 73.5° 73.5° 73.5° 73.5° 73.5°	74.0° 74.0° 74.0°	73.5° 73.5° 73.5° 73.5° 73.5° 73.5°	73.5° 73.5° 73.5° 73.5° 73.5° 73.5°
GEOMETRY	TOP TUBE: ACTUAL	21.0" 21.3" 21.9" 22.6" 23.4" 24.1"	21.0" 21.3" 21.7"	21.0" 21.3" 21.9" 22.6" 23.4" 24.1"	21.0" 21.3" 21.9" 22.6" 23.4" 24.1"
	TOP TUBE: EFFEC.	20.9" 21.8" 22.7" 23.5" 24.3" 25.0"	20.7" 21.6" 22.3"	20.9" 21.8" 22.7" 23.5" 24.3" 25.0"	20.9" 21.8" 22.7" 23.5" 24.3" 25.0"
	BB HEIGHT	11.6" 11.6" 11.6" 11.6" 11.6" 11.6"	11.6" 11.6" 11.6"	11.6" 11.6" 11.6" 11.6" 11.6" 11.6"	11.6" 11.6" 11.6" 11.6" 11.6" 11.6"
	STANDOVER	27.8" 28.9" 30.1" 31.3" 32.4" 33.6"	27.8" 28.9" 30.1"	27.8" 28.9" 30.1" 31.3" 32.4" 33.6"	27.8" 28.9" 30.1" 31.3" 32.4" 33.6"
GEOMETRY	WHEEL BASE	39.4" 40.5" 41.5" 42.4" 43.3" 44.1"	40.0" 41.0" 41.7"	39.4" 40.5" 41.5" 42.4" 43.3" 44.1"	39.4" 40.5" 41.5" 42.4" 43.3" 44.1"
	CHAIN STAY	16.8" 16.8" 16.8" 16.8" 16.8" 16.8"	16.8" 16.8" 16.8"	16.8" 16.8" 16.8" 16.8" 16.8" 16.8"	16.8" 16.8" 16.8" 16.8" 16.8" 16.8"
	SEAT POST	30.9mm 30.9mm 30.9mm 30.9mm 30.9mm 30.9mm	30.9mm 30.9mm 30.9mm	30.9mm 30.9mm 30.9mm 30.9mm 30.9mm 30.9mm	30.9mm 30.9mm 30.9mm 30.9mm 30.9mm 30.9mm
	HEAD TUBE LENGTH	105mm 110mm 120mm 135mm 150mm 180mm	105mm 110mm 120mm	105mm 110mm 120mm 135mm 150mm 180mm	105mm 110mm 120mm 135mm 150mm 180mm

	MODEL NAME	HAWK HILL SE	BEAR VALLEY WOMEN'S	BOBCAT TRAIL	ALPINE TRAIL
FRAMESET	COLOR	Gloss Steel	Gloss Mica, Gloss Pink	Matte Brushed Polish, Matte Bronze	Gloss Black Pearl
	SIZES	13", 15", 17", 19", 20.5", 22"	13", 15", 17"	13", 15", 17", 19", 20.5", 22"	13", 15", 17", 19", 20.5", 22", 15"(W)
	FRAME	7005 Aluminum with Edge II Top Tube and Triple Butted Down Tube, New 4-Side Seat Stay, Disc Specific	7005 Triple Butted Aluminum, Women's Fit Geometry, with Edge II Top Tube and Triple Butted Down Tube, New 4-Side Seat Stay, Disc Specific	7005 Aluminum with Edge II Top Tube and Triple Butted Down Tube, New 4-Side Seat Stay, Disc Specific	7005 Aluminum with Edge II Top Tube and Triple Butted Down Tube, New 4-Side Seat Stay with Disc Mounts
	FORK	Marzocchi M2 Comp, 100mm with Preload Adjustment	Rock Shox Dart 1, 100mm, Tuned for Women with Preload Adjustment	Rock Shox Dart 1, 100mm with Preload Adjustment	Rock Shox Dart 1, 100mm with Preload Adjustment
WHEELSET	HEADSET	TH-888, 1 1/8", Threadless	TH-888, 1 1/8", Threadless	TH-888, 1 1/8", Threadless	Ritchey LB, 1 1/8" Threadless
	REAR HUB	Alloy Double Sealed, 32 Hole Disc with QR	Alloy Double Sealed, 32 Hole Disc with QR	Alloy Double Sealed, 32 Hole Disc with QR	Alloy Double Sealed, 32 Hole with QR
	FRONT HUB	Alloy Double Sealed, 32 Hole Disc with QR	Alloy Double Sealed, 32 Hole Disc with QR	Alloy Double Sealed, 32 Hole Disc with QR	Alloy Double Sealed, 32 Hole with QR
	SPOKES	15 Gauge Stainless	15 Gauge Stainless	15 Gauge Stainless	15 Gauge Stainless
DRIVETRAIN	RIMS	WTB DX23, Double Wall, 32 Hole Disc	WTB DX23, Double Wall, 32 Hole Disc	WTB DX23, Double Wall, 32 Hole Disc	Alex TA-19, Double Wall, 32 Hole with CNC Side Walls
	TIRES	WTB MotoRaptor Comp, 26" x 2.1" (49/52)	WTB MotoRaptor Comp, 26" x 2.1" (49/52)	WTB MotoRaptor Comp, 26" x 2.1" (49/52)	Kenda Koyote, 26" x 2.1", Knobby
	SHIFTERS	Shimano Deore, 9 Speed	Shimano EF50 EZ-FIRE Plus, 8 Speed	Shimano EF50 EZ-FIRE Plus, 8 Speed	Shimano EF50 EZ-FIRE Plus, 8 Speed
	FRONT DERAILLEUR	Shimano Deore	Shimano Acera	Shimano Acera	Shimano Acera
COCKPIT	REAR DERAILLEUR	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Alivio
	CASSETTE	Shimano, 11-32, 9 Speed	Shimano HG 30, 11-32, 8 Speed	Shimano HG 30, 11-32, 8 Speed	Shimano HG 30, 11-32, 8 Speed
	CHAIN	Shimano HG53	HG40	HG40	HG40
	CRANKSET	TruVativ IsoFlow 3.0, 44/32/22 with Power Spline	TruVativ X-Flow 3.0, 42/32/22	TruVativ X-Flow 3.0, 42/32/22	TruVativ X-Flow 3.0, 42/32/22
OTHER	BOTTOM BRACKET	TruVativ with Sealed Cartridge and Power Spline	TruVativ with Sealed Cartridge	TruVativ with Sealed Cartridge	TruVativ with Sealed Cartridge
	SEATPOST	Alloy Micro Adjust, 30.9mm x 350mm	Alloy Micro Adjust, 272mm x 350mm	Alloy Micro Adjust, 272mm x 350mm	Alloy Micro Adjust, 272mm x 350mm
	SADDLE	WTB Speed V Sport SE with Love Channel and Comfort Zone	WTB Speed V Sport SE with Love Channel and Comfort Zone	WTB Speed V Sport SE with Love Channel and Comfort Zone	WTB Speed V Sport SE with Love Channel and Comfort Zone
	HANDLEBAR	Double Butted 6061 Alloy, OS-31.8mm, 25.4mm Rise	Women's Custom Taper Double Butted Alloy, 31.8mm Center Tapering to 19.1mm Control Section, with 25.4mm Rise. Shift and Brake Lever Adjustment Shims with 0-3mm of Adjustment	Double Butted 6061 Alloy, OS-31.8mm, 25.4mm Rise	Double Butted 6061 Alloy, OS-31.8mm, 38mm Rise
GEOMETRY	STEM	Forged Alloy, Threadless with 31.8mm Bar Clamp	Forged Alloy, Threadless with 31.8mm Bar Clamp	Forged Alloy, Threadless with 31.8mm Bar Clamp	Forged Alloy, Threadless with 31.8mm Bar Clamp
	GRIPS	Marin Dual Density	New Marin Custom Dual Density Women's Grips for 19.1mm Bars and Smaller Hands	Marin Dual Density	Marin Comfort Dual Density
	BRAKES	Hayes MX-2 XC Mechanical Disc with V6 Rotors	Hayes MX-2 XC Mechanical Disc with V6 Rotors	Hayes MX-2 XC Mechanical Disc with V6 Rotors	Forged Alloy Linear Pull
	BRAKE LEVERS	Forged Alloy 3 Finger	Shimano with Integrated Shifters	Shimano with Integrated Shifters	Shimano with Integrated Shifters
GEOMETRY	PEDALS	Composite	Composite	Composite	Composite
	FRAME SIZE	13" 15" 17" 19" 20.5" 22"	13" 15" 17"	13" 15" 17" 19" 20.5" 22"	13" 15" 17" 19" 20.5" 22" 15"W
	HEAD ANGLE	70.5° 70.5° 70.5° 70.5° 70.5° 70.5°	70.0° 70.0° 70.0°	70.5° 70.5° 70.5° 70.5° 70.5° 70.5°	70.5° 70.5° 70.5° 70.5° 70.5° 70.5°
	SEAT ANGLE	73.0° 73.0° 73.0° 73.0° 73.0° 73.0°	74.0° 74.0° 74.0°	73.0° 73.0° 73.0° 73.0° 73.0° 73.0°	73.0° 73.0° 73.0° 73.0° 73.0° 73.0°
	TOP TUBE: ACTUAL	20.9" 20.8" 21.2" 21.9" 22.7" 23.4"	21.0" 21.1" 21.5"	20.9" 20.8" 21.2" 21.9" 22.7" 23.4"	20.9" 20.8" 21.2" 21.9" 22.7" 23.4" 21.8"
	TOP TUBE: EFFEC.	21.2" 21.5" 22.1" 22.8" 23.6" 24.3"	20.8" 21.4" 22.1"	21.2" 21.5" 22.1" 22.8" 23.6" 24.3"	21.2" 21.5" 22.1" 22.8" 23.6" 24.3" 21.5"
	BB HEIGHT	11.6" 11.6" 11.6" 11.6" 11.6" 11.6"	11.6" 11.6" 11.6"	11.6" 11.6" 11.6" 11.6" 11.6" 11.6"	11.6" 11.6" 11.6" 11.6" 11.6" 11.6" 11.8"
	STANDOVER	28.3" 29.4" 30.4" 31.7" 32.7" 33.9"	28.3" 29.5" 30.5"	28.3" 29.4" 30.4" 31.7" 32.7" 33.9"	28.3" 29.4" 30.4" 31.7" 32.7" 33.9" 27.4"
	WHEEL BASE	40.1" 40.4" 41.0" 41.8" 42.6" 43.3"	40.4" 41.0" 41.8"	40.1" 40.4" 41.0" 41.8" 42.6" 43.3"	40.1" 40.4" 41.0" 41.8" 42.6" 43.3" 40.4"
	CHAIN STAY	16.8" 16.8" 16.8" 16.8" 16.8" 16.8"	16.8" 16.8" 16.8"	16.8" 16.8" 16.8" 16.8" 16.8" 16.8"	16.8" 16.8" 16.8" 16.8" 16.8" 16.8" 16.8"
	SEAT POST	27.2MM 27.2MM 27.2MM 27.2MM 27.2MM 27.2MM	27.2MM 27.2MM 27.2MM	27.2MM 27.2MM 27.2MM 27.2MM 27.2MM 27.2MM	27.2MM 27.2MM 27.2MM 27.2MM 27.2MM 27.2MM 27.2MM
	HEAD TUBE LENGTH	105MM 110MM 120MM 135MM 150MM 180MM	105MM 110MM 120MM	105MM 110MM 120MM 135MM 150MM 180MM	105MM 110MM 120MM 135MM 150MM 180MM 110MM

41 ALLOY HT CONT'D

43 AXC

FRAMESET	MODEL NAME	BOLINAS RIDGE							PIONEER TRAIL							ROCKY RIDGE				B-17		
	COLOR	Matte Vapor, Gloss Amethyst							Matte Granite, Matte Red Rock, Matte Slate Blue (W)							Matte Steel				Matte Bronze		
	SIZES	13", 15", 17", 19", 20.5", 22", 15"W (Amethyst Only)							13", 15", 17", 19", 20.5", 22", 15"W							S, M, L				S, M, L		
	FRAME	7005 Aluminum with Edge II Top Tube and Down Tube, New 4-Side Seat Stay							7005 Aluminum with Edge II Top Tube and Down Tube, New 4-Side Seat Stay							7005 Aluminum, Oversize Double Butted Edge II Top and Oversize Double Butted Edge Plus II Down Tube, AXC XXL Tri-Burner Seat and Chain Stays				7005 Aluminum, Oversize Double Butted Edge II Top and Oversize Double Butted Edge Plus II Down Tube, AXC XXL Tri-Burner Seat and Chain Stays		
	FORK	Spinner Grind OS 2, 100mm with Oversize 28.6mm Legs and Preload Adjustment							Spinner Grind OS 2, 100mm with Oversize 28.6mm Legs and Preload Adjustment							Rock Shox TORA 318 U-Turn, 85-130mm with External Rebound, Compression Adjustment and Lock Out				Rock Shox TORA 289 U-Turn, 85mm-130mm with External Rebound Adjustment		
HEADSET	Ritchey LB, 1 1/8" Threadless							Ritchey LB, 1 1/8" Threadless							TH-857, 1 1/8", Threadless, Alloy				Ritchey LB, 1 1/8" Threadless			
WHEELSET	REAR HUB	Alloy Double Sealed, 32 Hole with QR							Alloy Double Sealed, 36 Hole with QR							Shimano, 32 Hole Disc				Shimano, 32 Hole Disc		
	FRONT HUB	Alloy Double Sealed, 32 Hole with QR							Alloy Double Sealed, 36 Hole with QR							Shimano, 32 Hole Disc				Shimano, 32 Hole Disc		
	SPOKES	15 Gauge Stainless							15 Gauge Stainless							WTB 14 Gauge Black Stainless				14 Gauge Stainless with Brass Nipples		
	RIMS	Alex TA-19, Double Wall, 32 Hole with CNC Side Walls							Alloy, 36 Hole with QR							WTB SpeedDisc All Mountain, Double Wall, 32 Hole Disc				WTB SpeedDisc All Mountain, Double Wall, 32 Hole Disc		
	TIRES	Kenda Koyote, 26" x 2.1", Knobby							Kenda, 26" x 1.95", All Condition							WTB TimberWolf, 26" x 2.3"				Kenda Kinetics, 26"x 2.35", Knobby		
DRIVETRAIN	SHIFTERS	Shimano EF50 EZ-FIRE Plus, 8 Speed							Shimano EF50 EZ-FIRE Plus, 7 Speed							SRAM X-5, 9 Speed Trigger				SRAM X-5, 8 Speed Trigger		
	FRONT DERAILLEUR	Shimano Acera							Shimano C050							Shimano Deore				Shimano Alivio		
	REAR DERAILLEUR	Shimano Acera							Shimano Altus							SRAM X-9				SRAM X-7		
	CASSETTE	Shimano HG 30, 11-32, 8 Speed							Shimano, 14-28, 7 Speed							Shimano, 11-32, 9 Speed				Shimano HG 30, 11-32, 8 Speed		
	CHAIN	HG40							UG50							Shimano HG53				HG40		
	CRANKSET	TruVativ X-Flow 3.0, 42/32/22							TruVativ X-Flow 3.0, 42/34/24							TruVativ Firex 2.0 AM, 36/24 with Alloy All Mountain Bash Guard and Giga X Pipe Exterior BB System				TruVativ Blaze 2.0 AM, 36/24 with Power Spline and Alloy All Mountain Bash Guard		
	BOTTOM BRACKET	TruVativ with Sealed Cartridge							TruVativ with Sealed Cartridge							TruVativ with Giga X Pipe Exterior System Integrated with Crankset				TruVativ with Sealed Cartridge and Power Spline		
	SEATPOST	Alloy Micro Adjust, 27.2mm x 350mm							Alloy Micro Adjust, 27.2mm x 350mm							Camp Alloy Micro Adjust, 30.9mm x 400mm				Alloy Micro Adjust, 30.9mm x 400mm		
COCKPIT	SADDLE	WTB Speed V Sport SE with Love Channel and Comfort Zone							WTB Speed V Sport SE with Love Channel and Comfort Zone							WTB Pure V Comp with Love Channel and Comfort Zone				Marin AXC		
	HANDLEBAR	Double Butted 6061 Alloy, OS-31.8mm, 38mm Rise							Double Butted 6061 Alloy, OS-31.8mm, 38mm Rise							FSA Maximus, Double Butted Alloy, OS-31.8, 40mm Rise				FSA Maximus, Double Butted Alloy, OS-31.8, 40mm Rise		
	STEM	Forged Alloy, Threadless with 31.8mm Bar Clamp							Forged Alloy, Threadless with 31.8mm Bar Clamp							Gap FR230 OS Threadless with Alloy Face Plate, with 31.8mm Bar Clamp				Forged Alloy, Threadless A-XC, with 31.8mm Bar Clamp		
	GRIPS	Marin Comfort Dual Density							Marin Comfort Dual Density							WTB MotoTec Locking with Drop Guard End Plugs				WTB Weirwolf with Drop Guard End Plugs		
	BRAKES	Forged Alloy Linear Pull							Forged Alloy Linear Pull							Hayes HFX-9 Hydraulic Disc, with V7 Rotor Front, V6 Rotor Rear				Hayes Sole Hydraulic Disc, with V7 Rotor Front, V6 Rotor Rear		
OTHER	BRAKE LEVERS	Shimano with Integrated Shifters							Shimano with Integrated Shifters							Hayes Hydraulic Disc				Hayes Hydraulic Disc		
	PEDALS	Composite							Composite							BMX Platform				BMX Platform		
	FRAME SIZE	13"	15"	17"	19"	20.5"	22"	15"W	13"	15"	17"	19"	20.5"	22"	15"W	SMALL (13")	MEDIUM (14")	LARGE (16")	SMALL (13")	MEDIUM (14")	LARGE (16")	
	HEAD ANGLE	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	68°	68°	68°	68.5°	68.5°	68.5°		
	SEAT ANGLE	73.0°	73.0°	73.0°	73.0°	73.0°	73.0°	73.0°	73.0°	73.0°	73.0°	73.0°	73.0°	73.0°	71°	71°	71°	71.5°	71.5°	71.5°		
	TOP TUBE: ACTUAL	20.9"	20.8"	21.2"	21.9"	22.7"	23.4"	21.8"	20.9"	20.8"	21.2"	21.9"	22.7"	23.4"	21.8"	22.0"	22.5"	23.0"	22.0"	22.5"	23.0"	
	TOP TUBE: EFFEC.	21.2"	21.5"	22.1"	22.8"	23.6"	24.3"	21.5"	21.2"	21.5"	22.1"	22.8"	23.6"	24.3"	21.5"	22.5"	23.2"	23.8"	22.8"	23.5"	24.1"	
	BB HEIGHT	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	12.0"	12.0"	12.0"	11.8"	11.8"	11.8"		
	STANDOVER	27.9"	29.0"	30.1"	31.3"	32.3"	33.6"	27.1"	27.9"	29.0"	30.1"	31.3"	32.3"	33.6"	27.1"	28.9"	29.5"	30.8"	28.7"	29.3"	30.6"	
	WHEEL BASE	40.1"	40.4"	41.0"	41.8"	42.6"	43.3"	40.4"	40.1"	40.4"	41.0"	41.8"	42.6"	43.3"	40.4"	42.6"	43.3"	43.9"	42.4"	43.1"	43.7"	
CHAIN STAY	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.9"	16.9"	16.9"	16.9"	16.9"	16.9"		
SEAT POST	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm		
HEAD TUBE LENGTH	105mm	110mm	120mm	135mm	150mm	180mm	110mm	105mm	110mm	120mm	135mm	150mm	180mm	110mm	120mm	130mm	150mm	120mm	130mm	150mm		

46 AXC CONT'D

47 EXOTIC HT

COMPONENTS AND GEOMETRY

FRAMESET	MODEL NAME	NORTHSIDE TRAIL							INDIAN FIRE TRAIL							TEAM TITANIUM							PINE MOUNTAIN						
	COLOR	Matte Coal							Gloss Pearl							Natural Titanium							Gloss Bronze						
	SIZES	S, M, L							13", 15", 17", 19", 20.5", 22"							15", 17", 19", 20.5"							13", 15", 17", 19", 20.5", 22"						
	FRAME	7005 Aluminum, Oversize Edge II Top and Oversize Edge Plus II Down Tube, AXC XXL Tri-Burner Seat and Chain Stays							6061 Aluminum, New Double Butted Hydro-Edge Top and Down Tubes, New Double Butted 4-Side Seat and Chain Stays, Disc Specific							Titanium Hardtail, Special 20th Anniversary Edition							Full Double Butted Columbus Zona Cromoly Tubing with Mega Top and Down Tubes, Double Butted Anti-Flex Tri-Burner Seat and Chain Stays, Disc Specific						
	FORK	Marzocchi MZ Comp, 120mm with Preload Adjustment							Fox 32 F100RL, 100mm with Rebound Adjustment, Lockout and Air Spring Preload							Fox 32 F100RLC, 100mm with Rebound and Compression Adjustment, Lockout and Air Spring Preload							Fox 32 F100R, 100mm with Rebound Adjustment and Air Spring Preload						
WHEELSET	HEADSET	Ritchey LB, 1 1/8" Threadless							TH-857, 1 1/8", Threadless, Alloy							WTB Grease Guard, 1 1/8", Threadless							TH-857, 1 1/8", Threadless, Alloy						
	REAR HUB	Shimano, 32 Hole Disc							WTB LaserDisc Lite, 32 Hole Disc							DT 240S, 32 Hole Disc with Centerlock							WTB LaserDisc Lite, 32 Hole Disc						
	FRONT HUB	Alloy Double Sealed, 32 Hole Disc with QR							WTB LaserDisc Lite, 32 Hole Disc							DT 240S, 32 Hole Disc with Centerlock							WTB LaserDisc Lite, 32 Hole Disc						
	SPOKES	14 Gauge Stainless with Brass Nipples							DT Competition 14/15/14 Double Butted, Black Stainless with Alloy Nipples							DT Super Comp 14/16/5/15 Butted, Black Stainless with Alloy Nipples							WTB 15/17 Gauge Black Stainless, with Brass Nipples						
	RIMS	WTB SpeedDisc All Mountain, Double Wall, 32 Hole Disc							Mavic XM-317, 32 Hole Disc							Mavic XC-717, 32 Hole Disc							WTB LaserDisc Lite, 32 Hole Disc						
DRIVETRAIN	TIRES	Kenda Kinetics, 26" x 2.35", Knobby							WTB MotoRaptor Race, 26" x 2.14" (49/52) with DNA Compound Tread and Folding Aramid Bead							WTB MotoRaptor Race, 26" x 2.14" (49/52) with DNA Compound Tread and Folding Aramid Bead							WTB MotoRaptor, 26" x 2.14" (49/52) with DNA Compound Tread						
	SHIFTERS	SRAM X-5, 8 Speed Trigger							Shimano LX, with 2 Way Release, 9 Speed							Shimano XTR, with 2 Way Release, 9 Speed							Shimano LX, with 2 Way Release, 9 Speed						
	FRONT DERAILLEUR	Shimano Alivio							Shimano LX							Shimano XTR							Shimano LX						
	REAR DERAILLEUR	SRAM X-4							Shimano XTR							Shimano XTR							Shimano XT						
	CASSETTE	Shimano HG 30, 11-32, 8 Speed							SRAM PG-980, Power Glide II, 11-32, 9 Speed							Shimano XTR, 11-34, 9 Speed							Shimano, 11-32, 9 Speed						
COCKPIT	CHAIN	HG40							Shimano HG73							Shimano XTR							Shimano HG73						
	CRANKSET	TruVativ Blaze 2.0 RG, 36/24 with Power Spline and Composite Rock Guard							TruVativ Stylo XR, 44/32/22 with 2 Alloy Chainrings and Giga X Pipe Exterior BB System							Shimano XTR, 44/32/22 with HollowTech II							TruVativ Stylo XR, 44/32/22 with 2 Alloy Chainrings and Giga X Pipe Drive Exterior BB System						
	BOTTOM BRACKET	TruVativ with Sealed Cartridge and Power Spline							TruVativ with Giga X Pipe Exterior System Integrated with Crankset							Shimano XTR Big Pipe Billet Integrated with Crankset							TruVativ with Giga X Pipe Exterior System Integrated with Crankset						
	SEATPOST	Alloy Micro Adjust, 30.9mm x 400mm							FSA SL-K, Carbon, 30.9mm x 350mm							Easton EC70 Carbon 272mm							FSA SL-K, Carbon, 272mm x 350mm						
	SADDLE	Marin AXC							WTB Devo Team							WTB Devo Team with Micro Tubular Rails							WTB Laser V Comp with Love Channel, Comfort Zone and Cromoly Rails						
OTHER	HANDLEBAR	Double Butted 6061 Alloy, OS-31.8mm, 25.4mm Rise							Double Butted 6061 Alloy, OS-31.8mm, 25.4mm Rise							Easton EC70 Monkey Lite XC Carbon, OS-31.8mm, Low Rise							Double Butted 6061 Alloy, OS-31.8mm, 25.4mm Rise						
	STEM	Forged Alloy, Threadless A-XC, with 31.8mm Bar Clamp							FSA OS115 Threadless with Alloy Face Plate and 31.8mm Bar Clamp							FSA OS115 Threadless with Carbon Face Plate and 31.8mm Bar Clamp							FSA OS150 Threadless with Alloy Face Plate and 31.8mm Bar Clamp						
	GRIPS	WTB Weirwolf with Drop Guard End Plugs							WTB Moto Grip							WTB Moto Grip							WTB Moto Grip						
	BRAKES	Hayes MX-2 HD Mechanical Disc, with V7 Rotor Front, V6 Rotor Rear							Avid Juicy 5 Hydraulic Disc							Shimano XTR Hydraulic Disc							Avid Juicy 3 Hydraulic Disc						
	BRAKE LEVERS	Forged Alloy 3 Finger							Avid Hydraulic							Shimano XTR Hydraulic Disc							Avid Hydraulic						
GEOMETRY	PEDALS	BMX Platform							Shimano M520 Clipless							Crank Bros Egg Beater							Shimano M520 Clipless						
	FRAME SIZE	SMALL (13")	MEDIUM (14")	LARGE (16")	13"	15"	17"	19"	20.5"	22"	15"	17"	19"	20.5"	13"	15"	17"	19"	20.5"	22"									
	HEAD ANGLE	69.0°	69.0°	69.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°									
	SEAT ANGLE	72.0°	72.0°	72.0°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°									
	TOP TUBE: ACTUAL	22.0"	22.5"	23.0"	21.0"	21.3"	21.9"	22.6"	23.4"	24.1"	21.3"	21.9"	22.6"	23.4"	21.0"	21.3"	21.9"	22.6"	23.4"	24.1"									
	TOP TUBE: EFFEC.	22.8"	23.5"	24.1"	20.9"	21.8"	22.7"	23.5"	24.3"	25.0"	21.8"	22.7"	23.5"	24.3"	20.9"	21.8"	22.7"	23.5"	24.3"	25.0"									
	BB HEIGHT	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"									
	STANDOVER	28.7"	29.3"	30.6"	27.8"	28.9"	30.1"	31.3"	32.4"	33.6"	28.9"	30.1"	31.3"	32.4"	27.8"	28.9"	30.1"	31.3"	32.4"	33.6"									
	WHEEL BASE	42.2"	42.9"	43.5"	39.4"	40.5"	41.5"	42.4"	43.3"	44.1"	40.5"	41.5"	42.4"	43.3"	39.4"	40.5"	41.5"	42.4"	43.3"	44.1"									
	CHAIN STAY	16.9"	16.9"	16.9"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"									
	SEAT POST	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm									
	HEAD TUBE LENGTH	120mm	130mm	150mm	105mm	110mm	120mm	135mm	150mm	180mm	110mm	120mm	135mm	150mm	105mm	110mm	120mm	135mm	150mm	180mm									

	MODEL NAME	HIGHWAY ONE					LUCAS VALLEY					FAIRFAX				
FRAMESET	COLOR	Carbon Gloss Black					Gloss Titanium					Gloss Smoke				
	SIZES	15.5", 17.5", 19", 20.5"					13.5", 15.5", 17.5", 19", 20.5"					13.5", 15.5", 17.5", 19", 20.5", 15"W				
	FRAME	CXR Venus 7 Carbon with Alloy Junctions					7005 Aluminum, Full Triple Butted Edge II Shaped Tubing with Carbon Seat Stays and Double Butted Tri-Burner Chain Stays					7005 Aluminum, Full Triple Butted Edge II Shaped Tubing with Double Butted Tri-Burner Seat and Chain Stays				
	FORK	Carbon Monocoque Rigid 1 1/8"					Carbon Monocoque Rigid 1 1/8"					Carbon Monocoque Rigid 1 1/8"				
	HEADSET	FSA Orbit C, 1 1/8", Threadless for Campagnolo Hiddenset System					Double Sealed, 1 1/8", Threadless					Double Sealed, 1 1/8", Threadless				
WHEELSET	REAR HUB	Mavic Aksium					Formula, 32 Hole					Formula, 32 Hole				
	FRONT HUB	Mavic Aksium					Formula, 28 Hole					Formula, 28 Hole				
	SPOKES	Mavic					14 Gauge Stainless with Brass Nipples					14 Gauge Stainless with Brass Nipples				
	RIMS	Mavic Aksium, 20 Hole Front, 24 Hole Rear, Wheelset					Alex DC-19, Double Wall, 28 Hole Front, 32 Hole Rear with CNC Side Walls					Alex DC-19, Double Wall, 28 Hole Front, 32 Hole Rear with CNC Side Walls				
	TIRES	Vittoria Zaffiro, 700 x 28c with Folding Kevlar Bead and Puncture Resistant Belt					Kenda Road, 700 x 28c					Kenda Road, 700 x 28c				
DRIVETRAIN	SHIFTERS	Shimano SL-R770, 10 Speed					Shimano ST-R225, EZ-Fire Plus, 8 Speed					Shimano ST-R225, EZ-Fire Plus, 8 Speed				
	FRONT DERAILLEUR	Shimano R773					Shimano R453					Shimano R453				
	REAR DERAILLEUR	Shimano Ultegra					Shimano Tiagra					Shimano RD-2200				
	CASSETTE	Shimano 105, 12-27, 10 Speed					12-24, 8 Speed					12-24, 8 Speed				
	CHAIN	Shimano 105					Shimano HG40					Shimano HG40				
COCKPIT	CRANKSET	FSA K-Force, 53/39/30 with Carbon Monocoque Arms and MegaExo BB System					FSA CFM, 52/42/30					TruVativ Touro 3.0, 52/42/30				
	BOTTOM BRACKET	FSA MegaExo System Integrated with Crankset					Sealed Cartridge					Sealed Cartridge				
	SEATPOST	FSA SL-K, Carbon, 272mm x 350mm					Comp Alloy Micro Adjust, 272mm x 300mm					Suspension Post, 272mm x 300mm				
	SADDLE	WTB Silverado Race with Cromoly Rails					WTB Silverado Sport with Comfort Zone					WTB Speed V Sport SE with Love Channel and Comfort Zone				
	HANDLEBAR	Carbon XC, OS-31.8mm, Flat					Double Butted 6061 Alloy, OS-31.8mm, Flat					Double Butted 6061 Alloy, Flat				
OTHER	STEM	FSA OS115 Threadless with Alloy Face Plate and 31.8mm Bar Clamp					FSA OS170 Threadless with Alloy Face Plate and 31.8mm Bar Clamp					Marin Alloy, Threadless				
	GRIPS	Marin Dual Density					Dual Density					Dual Density				
	BRAKES	Avid Single Digit 7 with Shimano Front Power Modulator					Forged Alloy Linear Pull with Front Power Modulator					Forged Alloy Linear Pull with Front Power Modulator				
	BRAKE LEVERS	Shimano BL-M420					Shimano with Integrated Shifters					Shimano with Integrated Shifters				
	PEDALS	None					Composite with Alloy Cage					Composite with Alloy Cage				
GEOMETRY	FRAME SIZE	15.5"	17.5"	19"	20.5"		13.5"	15.5"	17.5"	19"	20.5"	13.5"	15.5"	17.5"	19"	20.5"
	HEAD ANGLE	71°	71°	71°	71°		71°	71°	71°	71°	71°	71°	71°	71°	71°	71°
	SEAT ANGLE	73°	73°	73°	73°		73°	73°	73°	73°	73°	73°	73°	73°	73°	73°
	TOP TUBE: ACTUAL	21.0"	21.9"	22.7"	23.1"		20.5"	21.0"	21.9"	22.7"	23.1"	20.5"	21.0"	21.9"	22.7"	23.1"
	TOP TUBE: EFFEC.	21.8"	22.4"	23.2"	23.6"		21.4"	21.8"	22.4"	23.2"	23.6"	21.4"	21.8"	22.4"	23.2"	23.6"
	BB HEIGHT	11.4"	11.4"	11.4"	11.4"		11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"
	STANDOVER	29.0"	30.4"	31.6"	32.9"		27.7"	28.9"	30.2"	31.4"	32.7"	27.7"	28.9"	30.2"	31.4"	32.7"
	WHEEL BASE	41.0"	41.7"	42.4"	42.9"		40.6"	41.0"	41.7"	42.4"	42.9"	40.6"	41.0"	41.7"	42.4"	42.9"
	CHAIN STAY	17.3"	17.3"	17.3"	17.3"		17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"
	SEAT POST	27.2MM	27.2MM	27.2MM	27.2MM		27.2MM	27.2MM	27.2MM	27.2MM	27.2MM	27.2MM	27.2MM	27.2MM	27.2MM	27.2MM
	HEAD TUBE LENGTH	130.0	150.0	180.0	210.0		100MM	112MM	130MM	160MM	190MM	100MM	112MM	130MM	160MM	190MM



55 PRO FIT ROAD
58 NATURAL FIT ROAD
COMPONENTS

	MODEL NAME	STELVIO	SAN MARINO	VERONA	TREVISO 10 SPD WOMEN'S
FRAMESET	COLOR	Clear Carbon with Red Accents	Clear Carbon with Blue Accents	Gloss Mercury with Gloss Carbon Seat Stays	Gloss Ocean
	SIZES	50XS, 52S, 54M, 56L, 58XL	50XS, 52S, 54M, 56L, 58XL	52XS, 54S, 56M, 58L, 61XL	52XS, 54S, 56M
	FRAME	Full Carbon Monocoque	Full Carbon Monocoque	700S Triple Butted Aluminum, Edge II Mainframe with Carbon Seat Stay and New 4-Side Chain Stays	700S Triple Butted Aluminum, Women's Fit Geometry, Edge II Mainframe with Carbon Seat Stay and New 4-Side Chain Stay
	FORK	Custom Carbon Road 1 1/8"	Custom Carbon Road 1 1/8"	Carbon Road 1 1/8"	Carbon Road 1 1/8"
WHEELSET	HEADSET	FSA Orbit CS Plus, 1 1/8", Threadless for Campagnolo Hiddenset System	FSA Orbit C, 1 1/8", Threadless for Campagnolo Hiddenset System	Ritchey Logic Comp Zero Integrated Drop-in, 1 1/8", Threadless for Campagnolo Hiddenset System	Ritchey Logic Comp Zero Integrated Drop-in, 1 1/8", Threadless for Campagnolo Hiddenset System
	REAR HUB	Mavic Ksyrium Elite	Mavic Aksium	Mavic Aksium	Shimano WH-R500
	FRONT HUB	Mavic Ksyrium Elite	Mavic Aksium	Mavic Aksium	Shimano WH-R500
	SPOKES	Mavic	Mavic	Mavic	Shimano
DRIVETRAIN	RIMS	Mavic Ksyrium Elite, Wheelset	Mavic Aksium, 20 Hole Front, 24 Hole Rear, Wheelset	Mavic Aksium, 20 Hole Front, 24 Hole Rear, Wheelset	Shimano WH-R500, Wheelset
	TIRES	Vittoria Diamante Pro, 700 x 23c with Kevlar Bead Vittoria	Vittoria Zaffiro Pro, 700 x 23c with Kevlar Bead	Kenda Konzept Lite, 700 x 23c with Kevlar Bead	Kenda Konzept Lite, 700 x 23c with Kevlar Bead
	SHIFTERS	Shimano Dura-Ace, 10 Speed	Shimano Ultegra, 10 Speed	Shimano 105 STI, 10 Speed	Shimano ST-R700 10 Speed with levers designed for riders with smaller hands
	FRONT DERAILLEUR	Shimano Dura-Ace	Shimano Ultegra	Shimano 105	Shimano 105
COCKPIT	REAR DERAILLEUR	Shimano Dura-Ace	Shimano Ultegra	Shimano Ultegra	Shimano 105
	CASSETTE	Shimano Ultegra, 12-25, 10 Speed	Shimano 105, 12-25, 10 Speed	Shimano 105, 12-27, 10 Speed	Shimano 105, 12-27, 10 Speed
	CHAIN	Shimano Ultegra	Shimano 105	Shimano 105	Shimano 105
	CRANKSET	FSA K-Force, 53/39 with Carbon Monocoque Arms and MegaExo BB System	FSA K-Force Compact, 50/34 with Carbon Monocoque Arms and MegaExo BB System	FSA SLK Compact, 50/34 with Carbon Monocoque Arms and MegaExo BB System	FSA Gossamer, 50/39/30 with Alloy Outer Chaining
OTHER	BOTTOM BRACKET	FSA MegaExo System Integrated with Crankset	FSA MegaExo System Integrated with Crankset	FSA MegaExo System Integrated with Crankset	Sealed Cartridge
	SEATPOST	FSA SL-K, Carbon, 272mm x 350mm	FSA SL-K, Carbon, 272mm x 350mm	Pro Carbon Fiber Micro Adjust, 272mm x 250mm	Comp Alloy Micro Adjust, 272mm x 300mm
	SADDLE	Selle Italia SLR-XP	Selle Italia C2 Special	Selle Italia X2 Special Edition	Marin Women's Plush Road
	HANDLEBAR	FSA K-Wing, OS-31.8mm, Aero Anatomic Carbon	FSA Wing Pro, OS-31.8mm, Aero-Anatomic	FSA Wing, OS-31.8mm, Aero-Anatomic	6061 Alloy, OS-31.8mm, Sized for Women
	STEM	FSA OS115 Threadless with Carbon Face Plate and 31.8mm Bar Clamp	FSA OS150 Threadless with Carbon Face Plate and 31.8mm Bar Clamp	FSA OS150 Threadless with Alloy Face Plate and 31.8mm Bar Clamp	FSA OS170 Threadless with Alloy Face Plate and 31.8mm Bar Clamp
	GRIPS	Cork	Cork	Cork with Plush Gel	Cork with Plush Gel
	BRAKES	Shimano Dura-Ace Dual-Pivot Calipers	Shimano Ultegra Dual-Pivot Calipers	Shimano 105 Dual-Pivot Calipers	Dual-Pivot Calipers
	BRAKE LEVERS	Shimano with Integrated Shifters	Shimano with Integrated Shifters	Shimano with Integrated Shifters	Shimano with Integrated Shifters
	PEDALS	None	None	None	Composite with Alloy Cage

For additional detailed information about the quality components featured in our 2007 line, visit the websites of the following companies.



	MODEL NAME	ARGENTA 10 SPD	VENEZIA	PORTOFINO	PORTOFINO WOMEN'S
FRAMESET	COLOR	Gloss Coal	Gloss Steel	Gloss Silver, Gloss Pearl	Gloss Pearl, Gloss Pink
	SIZES	52XS, 54S, 56M, 58L, 61XL	52XS, 54S, 56M, 58L, 61XL	52XS, 54S, 56M, 58L (Silver Only), 61XL (Silver Only)	52XS, 54S, 56M, 58L (Pink Only), 61XL (Pink Only)
	FRAME	7005 Triple Butted Aluminum, Natural Fit Geometry Edge II Mainframe with Carbon Seat Stay and New 4-Side Chain Stays	7005 Triple Butted Aluminum, Natural Fit Geometry Edge II Mainframe with Carbon Seat Stay and New 4-Side Chain Stays	7005 Triple Butted Aluminum, Edge II Mainframe with New 4-Side Seat and Chain Stays	7005 Triple Butted Aluminum, Women's Fit Geometry, Edge II Mainframe with New 4-Side Seat and Chain Stays
	FORK	Carbon Road 1 1/8"	Carbon Road 1 1/8"	Carbon Road 1 1/8"	Carbon Road 1 1/8"
	HEADSET	Ritchey Logic Comp Zero Integrated Drop-in, 1 1/8", Threadless for Campagnolo Hiddenset System	Ritchey Logic Comp Zero Integrated Drop-in, 1 1/8", Threadless for Campagnolo Hiddenset System	Ritchey Logic Comp, 1 1/8", Threadless	Ritchey Logic Comp, 1 1/8", Threadless
WHEELSET	REAR HUB	Shimano WH-R500	Formula, 32 Hole	Formula, 32 Hole	Formula, 32 Hole
	FRONT HUB	Shimano WH-R500	Formula, 28 Hole	Formula, 28 Hole	Formula, 28 Hole
	SPOKES	Shimano	15 Gauge Stainless	15 Gauge Stainless	15 Gauge Stainless
	RIMS	Shimano WH-R500, Wheelset	Alex R450, Double Wall, 28 Hole Front, 32 Hole Rear with CNC Side Walls	Alex R450, Double Wall, 28 Hole Front, 32 Hole Rear with CNC Side Walls	Alex R450, Double Wall, 28 Hole Front, 32 Hole Rear with CNC Side Walls
	TIRES	Kenda Concept Lite, 700 x 23c with Kevlar Bead	Kenda Konzept, 700 x 23c	Kenda Konzept, 700 x 23c	Kenda Konzept, 700 x 23c
DRIVETRAIN	SHIFTERS	Shimano 105 STI, 10 Speed	Shimano Sora STI, 8 Speed	Shimano Sora STI, 8 Speed	Shimano Sora STI, 8 Speed
	FRONT DERAILLEUR	Shimano 105	Shimano 2203	Shimano 2203	Shimano 2203
	REAR DERAILLEUR	Shimano 105	Shimano Tiagra	Shimano Sora	Shimano Sora
	CASSETTE	Shimano 105, 12-27, 10 Speed	12-24, 8 Speed	12-24, 8 Speed	12-24, 8 Speed
	CHAIN	Shimano 105	Shimano HG40	Shimano HG40	Shimano HG40
COCKPIT	CRANKSET	FSA Gossamer, 50/39/30 with Alloy Outer Chaining	FSA CFM, 52/42/30	FSA CFM, 52/42/30	FSA CFM, 52/42/30
	BOTTOM BRACKET	Sealed Cartridge	Sealed Cartridge	Sealed Cartridge	Sealed Cartridge
	SEATPOST	Comp Alloy Micro Adjust, 27.2mm x 300mm	Comp Alloy Micro Adjust, 27.2mm x 300mm	Suspension Post, 27.2mm x 300mm	Suspension Post, 27.2mm x 300mm
	SADDLE	Selle Italia X0	Marin Plush Road	Marin Plush Road	Marin Women's Plush Road
	HANDLEBAR	6061 Alloy, OS-31.8mm	6061 Alloy, OS-31.8mm	6061 Alloy, OS-31.8mm	6061 Alloy, OS-31.8mm, Sized for Women
OTHER	STEM	FSA OS170 Threadless with Alloy Face Plate and 31.8mm Bar Clamp	Marin OS Alloy Threadless, with 31.8mm Bar Clamp	Alloy Adjustable with 0° to 60° Rise, with 31.8mm Bar Clamp	Alloy Adjustable with 0° to 60° Rise, with 31.8mm Bar Clamp
	GRIPS	Cork with Plush Gel	Cork with Plush Gel	Cork with Plush Gel	Cork with Plush Gel
	BRAKES	Dual-Pivot Calipers	Dual-Pivot Calipers	Dual-Pivot Calipers	Dual-Pivot Calipers
	BRAKE LEVERS	Shimano with Integrated Shifters	Shimano with Integrated Shifters	Shimano with Integrated Shifters	Shimano with Integrated Shifters
	PEDALS	Composite with Alloy Cage	Composite with Alloy Cage	Composite with Alloy Cage	Composite with Alloy Cage



FULLSPEEDAHEAD.COM



SELLEITALIA.COM



WTB.COM



EASTONBIKE.COM



FOXRACINGSHOX.COM



RITCHEYLOGIC.COM



MARZOCCHI.COM

55 PRO FIT ROAD GEOMETRY

GEOMETRY	MODEL NAME	STELVIO					SAN MARINO					VERONA					TREVISO 10 SPD WOMEN'S		
	FRAME SIZE	XS	S	M	L	XL	XS	S	M	L	XL	XS	S	M	L	XL	XS	S	M
	SEAT TUBE: THEORETICAL LEVEL TOP TUBE CENTER TO CENTER	50cm	52cm	54cm	56cm	58cm	50cm	52cm	54cm	56cm	58cm	52cm	54cm	56cm	58cm	61cm	52cm	54cm	56cm
	SEAT TUBE: ACTUAL CENTER TO TOP	50cm	52cm	54cm	56cm	58cm	50cm	52cm	54cm	56cm	58cm	46.5cm	49.5cm	54.5cm	56.5cm	58.5cm	46.5cm	49.5cm	54.5cm
	TOP TUBE: EFFECTIVE	525mm	531mm	545mm	565mm	572mm	525mm	531mm	545mm	565mm	572mm	520mm	535mm	543mm	551mm	571mm	520mm	535mm	543mm
	TOP TUBE: ACTUAL	512mm	519mm	534mm	553mm	561mm	512mm	519mm	534mm	553mm	561mm	506mm	521mm	529mm	537mm	555mm	506mm	521mm	529mm
	STANDOVER	756mm	771mm	771mm	808mm	822mm	756mm	771mm	771mm	808mm	822mm	739mm	763mm	783mm	805mm	836mm	739mm	763mm	783mm
	HEAD TUBE ANGLE	72.0°	72.5°	73.0°	73.5°	73.5°	72.0°	72.5°	73.0°	73.5°	73.5°	71.5°	72.0°	72.0°	72.0°	73.0°	71.5°	72.0°	72.0°
	SEAT TUBE ANGLE	75.0°	75.0°	74.0°	73.5°	73.0°	75.0°	75.0°	74.0°	73.5°	73.0°	75.0°	74.0°	74.0°	73.0°	73.0°	75.0°	75.0°	74.0°
	HEAD TUBE LENGTH	130mm	145mm	160mm	175mm	190mm	130mm	145mm	160mm	175mm	190mm	135mm	155mm	170mm	185mm	215mm	135mm	155mm	170mm
	CHAIN STAY	405mm	405mm	405mm	405mm	405mm	405mm	405mm	405mm	405mm	405mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm
	BB HEIGHT	270mm	270mm	270mm	270mm	270mm	270mm	270mm	270mm	270mm	270mm	270mm	270mm	270mm	270mm	270mm	270mm	270mm	270mm
	FORK OFFSET	43mm	43mm	43mm	43mm	43mm	43mm	43mm	43mm	43mm	43mm	50mm	50mm	50mm	45mm	45mm	50mm	50mm	50mm
	SEAT POST	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm

58 NATURAL FIT ROAD GEOMETRY

LOCATION IS EVERYTHING.

We design our bikes based on the geography that makes up Marin County, from trails to towns, the bikes are named after the locations where we love to ride. To learn more about Marin visit our interactive map: www.marinbikes.com/map

MARIN COUNTY, CALIFORNIA



GEOMETRY	MODEL NAME	ARGENTA 10 SPD					VENEZIA					PORTOFINO					PORTOFINO WOMEN'S		
	FRAME SIZE	XS	S	M	L	XL	XS	S	M	L	XL	XS	S	M	L	XL	XS	S	M
	SEAT TUBE: THEORETICAL LEVEL TOP TUBE CENTER TO CENTER	52cm	54cm	56cm	58cm	61cm	52cm	54cm	56cm	58cm	61cm	52cm	54cm	56cm	58cm	61cm	52cm	54cm	56cm
	SEAT TUBE: ACTUAL CENTER TO TOP	46.5cm	49.5cm	54.5cm	56.5cm	58.5cm	46.5cm	49.5cm	54.5cm	56.5cm	58.5cm	46.5cm	49.5cm	54.5cm	56.5cm	58.5cm	46.5cm	49.5cm	54.5cm
	TOP TUBE: EFFECTIVE	520mm	535mm	543mm	551mm	571mm	520mm	535mm	543mm	551mm	571mm	520mm	535mm	543mm	551mm	571mm	520mm	535mm	543mm
	TOP TUBE: ACTUAL	506mm	521mm	529mm	537mm	555mm	506mm	521mm	529mm	537mm	555mm	506mm	521mm	529mm	537mm	555mm	506mm	521mm	529mm
	STANDOVER	739mm	763mm	783mm	805mm	836mm	739mm	763mm	783mm	805mm	836mm	739mm	763mm	783mm	805mm	836mm	739mm	763mm	783mm
	HEAD TUBE ANGLE	71.5°	72.0°	72.0°	72.0°	73.0°	71.5°	72.0°	72.0°	72.0°	73.0°	71.5°	72.0°	72.0°	72.0°	73.0°	71.5°	72.0°	72.0°
	SEAT TUBE ANGLE	75.0°	75.0°	74.0°	73.0°	73.0°	75.0°	75.0°	74.0°	73.0°	73.0°	75.0°	75.0°	74.0°	73.0°	73.0°	75.0°	75.0°	74.0°
	HEAD TUBE LENGTH	135mm	155mm	170mm	185mm	215mm	135mm	155mm	170mm	185mm	215mm	135mm	155mm	170mm	185mm	215mm	135mm	155mm	170mm
	CHAIN STAY	415mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm	415mm
	BB HEIGHT	270mm	270mm	270mm	270mm	270mm	270mm	270mm	270mm	270mm	270mm	270mm	270mm	270mm	270mm	270mm	270mm	270mm	270mm
	FORK OFFSET	50mm	50mm	50mm	45mm	45mm	50mm	50mm	50mm	45mm	45mm	50mm	50mm	50mm	45mm	45mm	50mm	50mm	50mm
	SEAT POST	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm



TRAILS

- Bobcat Trail
- Northside Trail
- Rock Springs
- Rocky Ridge
- Wolf Ridge

LANDMARKS

- Bolinas Ridge
- East Peak
- Hawk Hill
- Highway One
- Muirwoods

TOWNS

- Kentfield
- Larkspur
- Mill Valley
- Sausalito
- Stinson

	MODEL NAME	POINT REYES	NOVATO	MUIRWOODS
FRAMESET	COLOR	Matte Smoke	Matte Granite	Matte Coal
	SIZES	13", 15", 17", 18.5", 20"	13", 15", 17", 18.5", 20"	13", 15", 17", 18.5", 20"
	FRAME	7005 Aluminum, Triple Butted Edge Shaped Tubing with Double Butted New 4-Side Seat and Chain Stays, Disc Specific	7005 Aluminum Triple Butted Edge Shaped Tubing with New 4-Side Seat and Chain Stays, Disc Specific	Double Butted Cromoly Front Triangle, with Edge II Shaped Tubing with Double Butted Anti-Flex Tri-Burner Seat and Chain Stays
	FORK	RFE Carbon 1 1/8"	Aluminum Rigid 1 1/8" with Disc Mount	Cromoly Rigid 1 1/8"
WHEELSET	HEADSET	TH-888, 1 1/8", Threadless	Ritchey LB, 1 1/8" Threadless	Ritchey LB, 1 1/8" Threadless
	REAR HUB	Alloy Double Sealed, 32 Hole Disc with Locking QR	Alloy Double Sealed, 32 Hole Disc with QR	Alloy Double Sealed, 32 Hole with QR
	FRONT HUB	Alloy Double Sealed, 32 Hole Disc with Locking QR	Alloy Double Sealed, 32 Hole Disc with QR	Alloy Double Sealed, 32 Hole with QR
	SPOKES	WTB 14 Gauge Black Stainless	WTB 14 Gauge Black Stainless	WTB 14 Gauge Black Stainless
DRIVETRAIN	RIMS	WTB SX24, Double Wall, 32 Hole Disc	WTB Dual Duty XC, Double Wall, 32 Hole with CNC Side Walls	Alex TA-19, Double Wall, 32 Hole with CNC Side Walls
	TIRES	Continental Sport Contact, 26" x 1.6" with Safety System	CST Urban, 26" x 1.4" with Kevlar Inside Puncture Protection	CST Urban, 26" x 1.4"
	SHIFTERS	Shimano Deore, 9 Speed	Shimano EF50 EZ-FIRE Plus, 8 Speed	Shimano EF50 EZ-FIRE Plus, 8 Speed
	FRONT DERAILLEUR	Shimano Deore	Shimano C-100	Shimano C-100
COCKPIT	REAR DERAILLEUR	Shimano LX	Shimano Deore	Shimano Alivio
	CASSETTE	Shimano, 11-32, 9 Speed	Shimano HG 30, 11-32, 8 Speed	Shimano HG 30, 11-32, 8 Speed
	CHAIN	Shimano HG53	HG40	HG40
	CRANKSET	TruVativ Five D 3.1, 48/36/26 with Alloy Outer Chaining	TruVativ X-Flow C 3.0, 48/38/28	TruVativ X-Flow C 3.0, 48/38/28
OTHER	BOTTOM BRACKET	TruVativ with Sealed Cartridge	TruVativ with Sealed Cartridge	TruVativ with Sealed Cartridge
	SEATPOST	Comp Alloy Micro Adjust, 27.2mm x 350mm	Alloy Micro Adjust, 27.2mm x 300mm	Alloy Micro Adjust, 27.2mm x 300mm
	SADDLE	WTB Speed V Comp with Love Channel and Comfort Zone	WTB Speed V Sport SE with Love Channel and Comfort Zone	WTB Speed V Sport SE with Love Channel and Comfort Zone
	HANDLEBAR	Double Butted 6061 Alloy, OS-31.8mm, 25.4mm Rise	Double Butted 6061 Alloy, OS-31.8mm, 25.4mm Rise	Double Butted 6061 Alloy, OS-31.8mm, 25.4mm Rise
GEOMETRY	STEM	Marin OS Alloy Threadless, with 31.8mm Bar Clamp	Marin OS Alloy Threadless, with 31.8mm Bar Clamp	Marin OS Alloy Threadless, with 31.8mm Bar Clamp
	GRIPS	WTB Street Smart with Drop Guard End Plugs	WTB Street Smart with Drop Guard End Plugs	WTB Street Smart with Drop Guard End Plugs
	BRAKES	Hayes MX-2 XC Mechanical Disc with V6 Rotors	Tektro 10 Mechanical Disc	Forged Alloy Linear Pull
	RAKE LEVERS	Forged Alloy 3 Finger	Shimano with Integrated Shifters	Shimano with Integrated Shifters
GEOMETRY	PEDALS	BMX Platform	Composite with Alloy Cage	Composite with Alloy Cage
	FRAME SIZE	13" 15" 17" 18.5" 20"	13" 15" 17" 18.5" 20"	13" 15" 17" 18.5" 20"
	HEAD ANGLE	70° 70° 70° 70° 70°	71° 71° 71° 71° 71°	71° 71° 71° 71° 71°
	SEAT ANGLE	73° 73° 73° 73° 73°	73.5° 73.5° 73.5° 73.5° 73.5°	73.5° 73.5° 73.5° 73.5° 73.5°
GEOMETRY	TOP TUBE: ACTUAL	20.5" 21.0" 21.7" 22.5" 23.0"	20.5" 21.0" 21.7" 22.5" 23.0"	20.5" 21.0" 21.7" 22.5" 23.0"
	TOP TUBE: EFFEC.	21.3" 21.8" 22.5" 23.2" 23.6"	21.3" 21.8" 22.5" 23.2" 23.6"	21.3" 21.8" 22.5" 23.2" 23.6"
	BB HEIGHT	11.6" 11.6" 11.6" 11.6" 11.6"	11.6" 11.6" 11.6" 11.6" 11.6"	11.6" 11.6" 11.6" 11.6" 11.6"
	STANDOVER	27.6" 28.5" 29.8" 31.0" 32.3"	28.2" 29.2" 30.5" 31.7" 33.0"	28.2" 29.2" 30.5" 31.7" 33.0"
GEOMETRY	WHEEL BASE	40.6" 41.1" 41.8" 42.6" 43.0"	40.2" 40.8" 41.5" 42.3" 42.7"	40.2" 40.8" 41.5" 42.3" 42.7"
	CHAIN STAY	16.8" 16.8" 16.8" 16.8" 16.8"	16.8" 16.8" 16.8" 16.8" 16.8"	16.8" 16.8" 16.8" 16.8" 16.8"
	SEAT POST	27.2mm 27.2mm 27.2mm 27.2mm 27.2mm	27.2mm 27.2mm 27.2mm 27.2mm 27.2mm	27.2mm 27.2mm 27.2mm 27.2mm 27.2mm
	HEAD TUBE LENGTH	102mm 102mm 120mm 150mm 180mm	102mm 102mm 120mm 150mm 180mm	102mm 102mm 120mm 150mm 180mm



	MODEL NAME	SAUSALITO	SAN ANSELMO	SAN RAFAEL
FRAMESET	COLOR	Matte Granite	Matte Steel	Gloss Mica
	SIZES	13.5", 15.5", 17.5", 19", 20.5"	13.5", 15.5", 17.5", 19", 20.5", 13"W, 15"W	13.5", 15.5", 17.5", 19", 20.5", 13"W, 15"W
	FRAME	7005 Aluminum with New Edge II Flared Top Tube and Triple Butted Edge Down Tube, New Double Butted 4-Side Seat and Chain Stay	7005 Aluminum with New Edge II Flared Top Tube and Triple Butted Edge Down Tube, New 4-Side Seat and Chain Stay	7005 Aluminum with New Edge II Flared Top Tube and Triple Butted Edge Down Tube, New 4-Side Seat and Chain Stay
	FORK	SR Suntour NCXD, 63mm with Preload Adjustment and Lockout	SR Suntour NCXD, 63mm with Preload Adjustment and Lockout	Spinner Odesa LX, 63mm with Preload Adjustment and Lockout
WHEELSET	HEADSET	TH-888, 1 1/8", Threadless	TH-888, 1 1/8", Threadless	TH-888, 1 1/8", Threadless
	REAR HUB	Shimano Deore, 36 Hole	Shimano RM-30, 36 Hole	Alloy Double Sealed, 36 Hole with QR
	FRONT HUB	Shimano Deore, 36 Hole	Alloy Double Sealed, 36 Hole with QR	Alloy Double Sealed, 36 Hole with QR
	SPOKES	DT 14 Gauge Black Stainless	14 Gauge Stainless	14 Gauge Stainless
DRIVETRAIN	RIMS	WTB Dual Duty, Double Wall, 36 Hole with CNC Side Walls	WTB Dual Duty, Double Wall, 36 Hole with CNC Side Walls	WTB DX23, Double Wall, 36 Hole with CNC Side Walls
	TIRES	WTB All Terrainasaurus, 700 x 32/30c	Maxxis Overdrive, 700 x 35c with Kevlar Inside Puncture Protection	Kenda Kwest, 700 x 35c with K-Shield Puncture Protection
	SHIFTERS	Shimano Deore, 9 Speed	Shimano Alivio 8 Speed	Shimano EF50 EZ-FIRE Plus, 8 Speed
	FRONT DERAILLEUR	Shimano Deore	Shimano Nexave T300	Shimano C-100
COCKPIT	REAR DERAILLEUR	Shimano LX	Shimano Deore	Shimano Alivio
	CASSETTE	Shimano, 11-32, 9 Speed	Shimano HG 30, 11-32, 8 Speed	Mini Mega Range, 11-28, 8 Speed
	CHAIN	Shimano HG53	HG40	HG40
	CRANKSET	Shimano Deore, 48/36/26 with Hollowtech and Octalink	Suntour NCX-420, 48/38/28 with Alloy Outer Chainring	Suntour NCX410, 48/38/28 with Chain Guard
OTHER	BOTTOM BRACKET	Shimano with Spline Octalink	TruVativ with Sealed Cartridge	Sealed Cartridge
	SEATPOST	Suspension Post, 272mm x 300mm	Suspension Post, 272mm x 300mm	Suspension Post, 272mm x 300mm
	SADDLE	WTB Comfort V Dual Density, Soft Shell with Love Channel	WTB Comfort V with Love Channel and Comfort Zone	WTB Comfort V with Love Channel and Comfort Zone
	HANDLEBAR	Double Butted 6061 Alloy, 25.4mm Rise	Double Butted 6061 Alloy, 25.4mm Rise	Double Butted 6061 Alloy, 30mm Rise
GEOMETRY	STEM	Alloy Threadless, Adjustable with 0° to 60° Rise	Alloy Threadless, Adjustable with 0° to 60° Rise	Alloy Threadless, Adjustable with 0° to 60° Rise
	GRIPS	Marin Comfort Dual Density	Marin Comfort	Dual Density
	BRAKES	Shimano Deore with Front Power Modulator	Forged Alloy Linear Pull with Front Power Modulator	Forged Alloy Linear Pull with Front Power Modulator
	BRAKE LEVERS	Shimano with Integrated Shifters	Forged Alloy 3 Finger	Shimano with Integrated Shifters
GEOMETRY	PEDALS	Composite with Alloy Cage	Composite with Alloy Cage	Composite
	FRAME SIZE	13.5" 15.5" 17.5" 19" 20.5"	13.5" 15.5" 17.5" 19" 20.5" 13"W 15"W	13.5" 15.5" 17.5" 19" 20.5" 13"W 15"W
	HEAD ANGLE	70° 70° 70° 70° 70°	70° 70° 70° 70° 70° 70°	70° 70° 70° 70° 70° 70°
	SEAT ANGLE	73° 73° 73° 73° 73°	73° 73° 73° 73° 73° 73°	73° 73° 73° 73° 73° 73°
	TOP TUBE: ACTUAL	20.5" 21.0" 21.7" 22.5" 23.0"	20.5" 21.0" 21.7" 22.5" 23.0" 20.5" 21.0"	20.5" 21.0" 21.7" 22.5" 23.0" 20.5" 21.0"
	TOP TUBE: EFFEC.	21.1" 21.8" 22.6" 23.5" 24.0"	21.1" 21.8" 22.6" 23.5" 24.0" 21.1" 21.8"	21.1" 21.8" 22.6" 23.5" 24.0" 21.1" 21.8"
	BB HEIGHT	11.7" 11.7" 11.7" 11.7" 11.7"	11.7" 11.7" 11.7" 11.7" 11.7" 11.7"	11.7" 11.7" 11.7" 11.7" 11.7" 11.7"
	STANDOVER	29.4" 30.6" 31.9" 33.1" 34.3"	29.4" 30.6" 31.9" 33.1" 34.3" 27.7" 27.9"	29.4" 30.6" 31.9" 33.1" 34.3" 27.7" 27.9"
	WHEEL BASE	40.9" 41.7" 42.6" 43.5" 44.0"	40.9" 41.7" 42.6" 43.5" 44.0" 40.9" 41.7"	40.9" 41.7" 42.6" 43.5" 44.0" 40.9" 41.7"
	CHAIN STAY	17.3" 17.3" 17.3" 17.3" 17.3"	17.3" 17.3" 17.3" 17.3" 17.3" 17.3"	17.3" 17.3" 17.3" 17.3" 17.3" 17.3"
	SEAT POST	27.2mm 27.2mm 27.2mm 27.2mm 27.2mm	27.2mm 27.2mm 27.2mm 27.2mm 27.2mm 27.2mm	27.2mm 27.2mm 27.2mm 27.2mm 27.2mm 27.2mm
	HEAD TUBE LENGTH	90mm 102mm 120mm 150mm 180mm	90mm 102mm 120mm 150mm 180mm 90mm 102mm	90mm 102mm 120mm 150mm 180mm 90mm 102mm



73 CITY CONT'D

75 SPORTS COMMUTER

COMPONENTS AND GEOMETRY

	MODEL NAME	LARKSPUR	KENTFIELD	CORTE MADERA	BELVEDERE
FRAMESET	COLOR	Gloss Brushed Polish, Gloss Black Pearl	Gloss Pewter, Gloss Smoke	Gloss Vapor	Matte Coal, Matte Steel
	SIZES	13.5", 15.5", 17.5", 19", 20.5", 13"W, 15"W	13.5", 15.5", 17.5", 19", 20.5", 13"W, 15"W	13.5", 15.5", 17.5", 19", 20.5"	13.5", 15.5", 17.5", 19", 20.5"
	FRAME	7005 Aluminum with New Edge II Flared Top Tube and Triple Butted Edge Down Tube, New 4-Side Seat and Chain Stay	7005 Aluminum with New Edge II Flared Top Tube and Edge Down Tube, New 4-Side Seat Stay	7005 Aluminum, Full Triple Butted Edge II Shaped Tubing with New Double Butted 4-Side Seat and Chain Stays	7005 Aluminum, Double Butted Edge II Shaped Tubing with New 4-Side Seat and Chain Stays
	FORK	Cromoly Rigid 1 1/8"	Cromoly Rigid 1 1/8"	Alloy Rigid 1 1/8"	Cromoly Rigid 1 1/8"
WHEELSET	HEADSET	TH-888, 1 1/8", Threadless	Double Sealed, 1 1/8", Threaded	Double Sealed O/S, 1 1/8", Threadless, Alloy	Double Sealed O/S, 1 1/8", Threadless, Alloy
	REAR HUB	Alloy Double Sealed, 36 Hole with QR	Alloy Double Sealed, 36 Hole with QR	Formula, 32 Hole	Formula, 32 Hole
	FRONT HUB	Alloy Double Sealed, 36 Hole with QR	Alloy Double Sealed, 36 Hole with QR	Formula, 32 Hole	Formula, 32 Hole
	SPOKES	14 Gauge Stainless	14 Gauge Stainless	14 Gauge Stainless with Brass Nipples	14 Gauge Stainless with Brass Nipples
DRIVETRAIN	RIMS	Alex 1A-19, Double Wall, 36 Hole with CNC Side Walls	Alloy, 36 Hole with QR	Alex DC-19, Double Wall, 32 Hole with CNC Side Walls	Alex DC-19, Double Wall, 32 Hole with CNC Side Walls
	TIRES	Kenda Kwest, 700 x 35c with K-Shield Puncture Protection	Kenda Kwest, 700 x 35c with K-Shield Puncture Protection	Kenda Kwick Roller Sport, 700 x 28c with K-Shield Puncture Protection	Kenda Kwick Roller Sport, 700 x 28c with K-Shield Puncture Protection
	SHIFTERS	Shimano EF50 EZ-FIRE Plus, 8 Speed	Shimano EF50 EZ-FIRE Plus, 7 Speed	Shimano Alivio, 8 Speed	Shimano EF50 EZ-FIRE Plus, 8 Speed
	FRONT DERAILLEUR	Shimano C-100	Shimano CQ51	Shimano Nexave T300	Shimano Nexave T300
COCKPIT	REAR DERAILLEUR	Shimano Acera	Shimano Acera	Shimano Tiagra	Shimano Sora
	CASSETTE	Shimano HG 30, 11-32, 8 Speed	Shimano, 14-28, 7 Speed	12-24, 8 Speed	12-24, 8 Speed
	CHAIN	HC40	UC50	HC40	HC40
	CRANKSET	Suntour NCX410, 48/38/28 with Chain Guard	SR Suntour NEX, 48/38/28 with Chain Guard	TruVativ IsoFlow C 3.0, 48/38/28 with Power Spline and Chain Guard	TruVativ X-Flow C 3.0, 48/38/28
OTHER	BOTTOM BRACKET	Sealed Cartridge	Sealed Cartridge	TruVativ with Sealed Cartridge and Power Spline	TruVativ with Sealed Cartridge
	SEATPOST	Suspension Post, 272mm x 300mm	Suspension Post, 272mm x 300mm	Suspension Post, 272mm x 300mm	Suspension Post, 272mm x 300mm
	SADDLE	WTB Comfort V with Love Channel and Comfort Zone	Marin Comfort with Extra Soft Base	Marin Sport with Integrated LED Light	Marin Sport with Integrated LED Light
	HANDLEBAR	Double Butted 6061 Alloy, 30mm Rise	Double Butted 6061 Alloy, 50mm Rise	Double Butted 6061 Alloy, OS-31.8mm, 25.4mm Rise	Double Butted 6061 Alloy, OS-31.8mm, 25.4mm Rise
GEOMETRY	STEM	Alloy Threadless, Adjustable with 0° to 60° Rise	Forged Alloy, Threadless with 30° Rise	Alloy Adjustable with 0° to 60° Rise, with 31.8mm Bar Clamp	Alloy Adjustable with 0° to 60° Rise, with 31.8mm Bar Clamp
	GRIPS	Dual Density	Dual Density	WTB Street Smart with Drop Guard End Plugs	WTB Street Smart with Drop Guard End Plugs
	BRAKES	Forged Alloy Linear Pull with Front Power Modulator	Forged Alloy Linear Pull with Front Power Modulator	Avid Single Digit 3 with Shimano Front Power Modulator	Forged Alloy Linear Pull with Front Power Modulator
	RAKE LEVERS	Shimano with Integrated Shifters	Shimano with Integrated Shifters	Shimano with Integrated Shifters	Shimano with Integrated Shifters
GEOMETRY	PEDALS	Composite	Composite	Composite with Alloy Cage	Composite with Alloy Cage
	FRAME SIZE	13.5" 15.5" 17.5" 19" 20.5" 13"L 15"L	13.5" 15.5" 17.5" 19" 20.5" 13"L 15"L	13.5" 15.5" 17.5" 19" 20.5"	13.5" 15.5" 17.5" 19" 20.5"
	HEAD ANGLE	70° 70° 70° 70° 70° 70°	70° 70° 70° 70° 70° 70°	71° 71° 71° 71° 71°	71° 71° 71° 71° 71°
	SEAT ANGLE	73° 73° 73° 73° 73° 73°	73° 73° 73° 73° 73° 73°	73° 73° 73° 73° 73°	73° 73° 73° 73° 73°
GEOMETRY	TOP TUBE: ACTUAL	20.5" 21.0" 21.7" 22.5" 23.0" 20.5" 21.0"	20.5" 21.0" 21.7" 22.5" 23.0" 20.5" 21.0"	21.5" 21.5" 21.9" 22.1" 22.6"	21.5" 21.5" 21.9" 22.1" 22.6"
	TOP TUBE: EFFEC.	21.1" 21.8" 22.6" 23.5" 24.0" 21.1" 21.8"	21.1" 21.8" 22.6" 23.5" 24.0" 21.1" 21.8"	22.5" 22.5" 22.7" 22.8" 23.3"	22.5" 22.5" 22.7" 22.8" 23.3"
	BB HEIGHT	11.7" 11.7" 11.7" 11.7" 11.7" 11.7" 11.7"	11.7" 11.7" 11.7" 11.7" 11.7" 11.7" 11.7"	12.4" 12.4" 12.4" 12.4" 12.4"	12.4" 12.4" 12.4" 12.4" 12.4"
	STANDOVER	28.1" 29.3" 30.8" 31.8" 33.1" 26.4" 26.7"	28.1" 29.3" 30.8" 31.8" 33.1" 26.4" 26.7"	28.7" 29.9" 31.2" 32.4" 33.7"	28.7" 29.9" 31.2" 32.4" 33.7"
GEOMETRY	WHEEL BASE	40.9" 41.7" 42.6" 43.5" 44.0" 40.9" 41.7"	40.9" 41.7" 42.6" 43.5" 44.0" 40.9" 41.7"	41.3" 41.3" 41.5" 41.8" 42.2"	41.3" 41.3" 41.5" 41.8" 42.2"
	CHAIN STAY	17.3" 17.3" 17.3" 17.3" 17.3" 17.3" 17.3"	17.3" 17.3" 17.3" 17.3" 17.3" 17.3" 17.3"	16.9" 16.9" 16.9" 16.9" 16.9"	16.9" 16.9" 16.9" 16.9" 16.9"
	SEAT POST	27.2MM 27.2MM 27.2MM 27.2MM 27.2MM 27.2MM 27.2MM	27.2MM 27.2MM 27.2MM 27.2MM 27.2MM 27.2MM 27.2MM	27.2MM 27.2MM 27.2MM 27.2MM 27.2MM	27.2MM 27.2MM 27.2MM 27.2MM 27.2MM
	HEAD TUBE LENGTH	90MM 102MM 120MM 150MM 180MM 90MM 102MM	90MM 102MM 120MM 150MM 180MM 90MM 102MM	110MM 120MM 140MM 170MM 200MM	110MM 120MM 140MM 170MM 200MM

78 COMFORT
COMPONENTS AND GEOMETRY

	MODEL NAME	REDWOOD								STINSON								COAST TRAIL							
FRAMESET	COLOR	Gloss Pewter, Gloss Red Rock (W)								Gloss Slate, Gloss Amethyst								Gloss Mica, Gloss Slate Blue							
	SIZES	13", 15", 17", 18.5", 20", 13"W, 15"W								13", 15", 17", 18.5", 20", 13"W (Amethyst Only), 15"W (Amethyst Only)								13", 15", 17", 18.5", 20", 13"W (Slate Blue Only), 15"W (Slate Blue Only)							
	FRAME	7005 Butted Aluminum with Edge II Top and Down Tubes								7005 Butted Aluminum with Edge II Top and Down Tubes								7005 Butted Aluminum with Edge II Top and Down Tubes							
	FORK	Spinner EnRoute AC, 63mm with Lockout and Preload Adjustment								Spinner EnRoute AC, 63mm with Preload Adjustment								Spinner EnRoute AC, 63mm with Preload Adjustment							
WHEELSET	HEADSET	TH-888, 1 1/8", Threadless								Double Sealed, 1 1/8", Threaded								Double Sealed, 1 1/8", Threaded							
	REAR HUB	Alloy Double Sealed, 32 Hole with QR								Alloy Double Sealed, 36 Hole with QR								Alloy Double Sealed, 36 Hole with QR							
	FRONT HUB	Alloy Double Sealed, 32 Hole with QR								Alloy Double Sealed, 36 Hole with QR								Alloy Double Sealed, 36 Hole with QR							
	SPOKES	15 Gauge Stainless								15 Gauge Stainless								15 Gauge Stainless							
DRIVETRAIN	RIMS	Alex 1A-19, Double Wall, 32 Hole with CNC Side Walls								Alloy, 36 Hole with QR								Alloy, 36 Hole with QR							
	TIRES	Kenda Krossplus, 26" x 1.95", Dirt-Street Combo								Kenda Krossplus, 26" x 1.95", Dirt-Street Combo								Kenda Krossplus, 26" x 1.95", Dirt-Street Combo							
	SHIFTERS	Shimano Alivio, 8 Speed								Shimano EF50 EZ-FIRE Plus, 7 Speed								SRAM ESP 3.0, 7 Speed							
	FRONT DERAILLEUR	Shimano Nexave T300								Shimano CQ51								Shimano CQ51							
COCKPIT	REAR DERAILLEUR	Shimano Alivio								Shimano Altus								SRAM 3.0							
	CASSETTE	Shimano HG 30, 11-32, 8 Speed								Shimano, 14-28, 7 Speed								Shimano, 14-28, 7 Speed							
	CHAIN	HG40								UC50								UC50							
	CRANKSET	Suntour NCX-420, 48/38/28 with Alloy Outer Chaining								SR Suntour XCC, 48/38/28 with Chain Guard								SR Suntour XCC, 48/38/28 with Chain Guard							
OTHER	BOTTOM BRACKET	Sealed Cartridge								Sealed Cartridge								Sealed Cartridge							
	SEATPOST	Suspension Post, 272mm x 300mm								Suspension Post, 272mm x 300mm								Alloy Micro Adjust, 272mm x 300mm							
	SADDLE	Marin Comfort								Marin Comfort								Marin Comfort							
	HANDLEBAR	Double Butted 6061 Alloy, 50mm Rise, Comfort								Double Butted 6061 Alloy, 50mm Rise, Comfort								Double Butted 6061 Alloy, 50mm Rise, Comfort							
GEOMETRY	STEM	Alloy Threadless, Adjustable with 0° to 60° Rise								Forged Alloy, Adjustable with 0° to 60° Rise								Forged Alloy, Threadless with 30° Rise							
	GRIPS	Dual Density								Dual Density								Marin Comfort Dual Density							
	BRAKES	Forged Alloy with Linear Spring								Forged Alloy Linear Pull with Front Power Modulator								Forged Alloy Linear Pull with Front Power Modulator							
	LEVERS	Forged Alloy 3 Finger								Shimano with Integrated Shifters								Forged Alloy 3 Finger							
GEOMETRY	PEDALS	Composite with Alloy Cage								Composite								Composite							
	FRAME SIZE	13"	15"	17"	18.5"	20"	13"L	15"L		13"	15"	17"	18.5"	20"	13"L	15"L		13"	15"	17"	18.5"	20"	13"L	15"L	
	HEAD ANGLE	70°	70°	70°	70°	70°	70°	70°		70°	70°	70°	70°	70°	70°	70°		70°	70°	70°	70°	70°	70°	70°	
	SEAT ANGLE	73°	73°	73°	73°	73°	73°	73°		73°	73°	73°	73°	73°	73°	73°		73°	73°	73°	73°	73°	73°	73°	
	TOP TUBE: ACTUAL	20.5"	21.0"	21.7"	22.5"	23.0"	20.5"	21.0"		20.5"	21.0"	21.7"	22.5"	23.0"	20.5"	21.0"		20.5"	21.0"	21.7"	22.5"	23.0"	20.5"	21.0"	
	TOP TUBE: EFFEC.	21.1"	21.8"	22.6"	23.5"	24.0"	21.1"	21.8"		21.1"	21.8"	22.6"	23.5"	24.0"	21.1"	21.8"		21.1"	21.8"	22.6"	23.5"	24.0"	21.1"	21.8"	
	BB HEIGHT	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"		11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"		11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	
	STANDOVER	28.9"	30.2"	31.8"	33.2"	34.1"	26.9"	27.2"		28.9"	30.2"	31.8"	33.2"	34.1"	26.9"	27.2"		28.9"	30.2"	31.8"	33.2"	34.1"	26.9"	27.2"	
	WHEEL BASE	40.9"	41.7"	42.6"	43.5"	44.0"	40.9"	41.7"		40.9"	41.7"	42.6"	43.5"	44.0"	40.9"	41.7"		40.9"	41.7"	42.6"	43.5"	44.0"	40.9"	41.7"	
	CHAIN STAY	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"		17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"		17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	
	SEAT POST	27.2MM	27.2MM	27.2MM	27.2MM	27.2MM	27.2MM	27.2MM		27.2MM	27.2MM	27.2MM	27.2MM	27.2MM	27.2MM	27.2MM		27.2MM	27.2MM	27.2MM	27.2MM	27.2MM	27.2MM	27.2MM	
	HEAD TUBE LENGTH	120MM	140MM	175MM	215MM	225MM	120MM	140MM		120MM	140MM	175MM	215MM	225MM	120MM	140MM		120MM	140MM	175MM	215MM	225MM	120MM	140MM	



B2 CRUISERS

COMPONENTS AND GEOMETRY

	MODEL NAME	DRAKES BEACH 3 SPD	DRAKES BEACH	HEARTS DESIRE 3 SPD WOMEN'S	HEARTS DESIRE WOMEN'S
FRAMESET	COLOR	Gloss Titanium	Matte Coal	Gloss Vapor	Gloss Pearl
	SIZES	17", 15" W	17", 15" W	15" W	15" W
	FRAMES	7005 Aluminum with a "European" BB Shell	7005 Aluminum with a "European" BB Shell	7005 Aluminum Women's Frame with a "European" BB Shell	7005 Aluminum Women's Frame with a "European" BB Shell
	FORK	Cromoly Rigid	Cromoly Rigid	Cromoly Rigid	Cromoly Rigid
WHEELSET	HEADSET	Double Sealed, 1", Threaded	Double Sealed, 1", Threaded	Double Sealed, 1", Threaded	Double Sealed, 1", Threaded
	REAR HUB	Shimano Nexus, 3 speed Internal Gear with Coaster Brake, 36 Hole	Coaster Brake, 36 Hole	Shimano Nexus, 3 speed Internal Gear with Coaster Brake, 36 Hole	Coaster Brake, 36 Hole
	FRONT HUB	Alloy Sealed, 36 Hole	Alloy Sealed, 36 Hole	Alloy Sealed, 36 Hole	Alloy Sealed, 36 Hole
	SPOKES	14 Gauge Black Stainless with Brass Nipples	14 Gauge Black Stainless with Brass Nipples	14 Gauge Stainless with Brass Nipples	14 Gauge Stainless with Brass Nipples
DRIVETRAIN	RIMS	Alloy, 36 Hole	Alloy, 36 Hole	Alloy, 36 Hole	Alloy, 36 Hole
	TIRES	Kenda Flame, 26" x 2.125"	Kenda Flame, 26" x 2.125"	Kenda Flame, 26" x 2.125"	Kenda Flame, 26" x 2.125"
	SHIFTERS	Shimano Nexus, 3 Speed Revolver Shifter	NA	Shimano Nexus, 3 Speed Revolver Shifter	NA
	FRONT DERAILLEUR	NA	NA	NA	NA
COCKPIT	REAR DERAILLEUR	NA	NA	NA	NA
	CASSETTE	22T Cog	18T Cog	22T Cog	18T Cog
	CHAIN	KMC	KMC	KMC	KMC
	CRANKSET	Alloy Cruiser, 42T x 170mm	Alloy Cruiser, 42T x 170mm	Alloy Cruiser, 42T x 170mm	Alloy Cruiser, 42T x 170mm
OTHER	BOTTOM BRACKET	Sealed Semi-Cartridge	Sealed Semi-Cartridge	Sealed Semi-cartridge	Sealed Semi-Cartridge
	SEATPOST	Alloy Micro Adjust, 272mm x 350mm	Alloy Micro Adjust, 272mm x 350mm	Alloy Micro Adjust, 272mm x 300mm	Alloy Micro Adjust, 272mm x 300mm
	SADDLE	Lounge Chair Comfort	Lounge Chair Comfort	Lounge Chair Comfort	Lounge Chair Comfort
	HANDLEBAR	Alloy Long Horn	Alloy Long Horn	Alloy Long Horn	Alloy Long Horn
GEOMETRY	STEM	Alloy	Alloy	Alloy	Alloy
	GRIPS	Marin Comfort Dual Density	Marin Comfort Dual Density	Marin Comfort Dual Density	Marin Comfort Dual Density
	BRAKE	Rear Coaster Brake	Rear Coaster Brake	Rear Coaster Brake	Rear Coaster Brake
	BRAKE LEVERS	NA	NA	NA	NA
GEOMETRY	PEDALS	Slipper/Flip Flop Compatible Composite	Slipper/Flip Flop Compatible Composite	Slipper/Flip Flop Compatible Composite	Slipper/Flip Flop Compatible Composite
	EXTRAS	Front and Rear Fenders, Alloy Kick Stand	Front and Rear Fenders, Alloy Kick Stand	Front and Rear Fenders, Alloy Kick Stand	Front and Rear Fenders, Alloy Kick Stand
	FRAME SIZE	17" 15" W	17" 15" W	15" W	15" W
	HEAD ANGLE	69°	69°	69°	69°
GEOMETRY	SEAT ANGLE	71°	71°	71°	71°
	TOP TUBE: ACTUAL	23.3"	23.3"	22.2"	22.2"
	BB HEIGHT	11.5"	11.5"	11.5"	11.5"
	STANDOVER	29.9"	29.9"	26.3"	26.3"
GEOMETRY	WHEEL BASE	43.9"	43.9"	43.1"	43.1"
	SEAT POST	27.2MM	27.2MM	27.2MM	27.2MM

SPECIFICATIONS DISCLAIMER: Measurements are accurate at time of catalog production. Specifications are subject to change without notice.

	MODEL NAME	WILDCAT TRAIL 24"	BAYVIEW TRAIL 24"	BAYVIEW TRAIL 24" GIRL'S	HIDDEN CANYON 20"
FRAMESET	COLOR	Matte Gunmetal	Gloss Brushed Polish, Gloss Steel	Gloss Pink	Matte Smoke
	SIZES	24" Wheel	24" Wheel	24" Wheel	20" Wheel
	FRAMES	700S Aluminum, 24" Wheel, Edge II Top and Edge Plus II Down Tube, A-XC XL Tri-Burner Seat and Chain Stays, Disc Specific	700S Double Butted Aluminum with Edge II Top and Down Tubes	700S Double Butted Aluminum with Edge II Top and Down Tubes	700S Double Butted Aluminum with Edge II Top and Down Tubes
	FORK	Marzocchi MZ III, 100mm of Travel, with Preload Adjustment	Spinner Grind 1, 70mm, 24"	Spinner Grind 1, 70mm, 24"	Spinner Grind 2, 50mm, 20"
WHEELSET	HEADSET	Ritchey LB, 1 1/8" Threadless	Ritchey LB, 1 1/8" Threadless	Ritchey LB, 1 1/8" Threadless	Ritchey LB, 1 1/8" Threadless
	REAR HUB	Shimano, 32 Hole Disc	Alloy Double Sealed, 32 Hole with QR	Alloy Double Sealed, 32 Hole with QR	Alloy Double Sealed, 32 Hole
	FRONT HUB	Shimano, 32 Hole Disc	Alloy Double Sealed, 32 Hole with QR	Alloy Double Sealed, 32 Hole with QR	Alloy Double Sealed, 32 Hole
	SPOKES	14 Gauge Stainless with Brass Nipples	14 Gauge Stainless	14 Gauge Stainless	14 Gauge
DRIVETRAIN	RIMS	Alex ACE20, Double Wall, 32 Hole	Alloy, 32 Hole	Alloy, 32 Hole	Alloy, 32 Hole
	TIRES	Kenda Kinetics, 24" x 2.35", Knobby	Kenda, 24" x 1.95", All Condition	Kenda, 24" x 1.95", All Condition	Kenda, 20" x 2.1", Dirt-Street Combo
	SHIFTERS	Shimano Alivio 8 Speed	Shimano EF50 EZ-FIRE Plus, 7 Speed	Shimano EF50 EZ-FIRE Plus, 7 Speed	SRAM MRX
	FRONT DERAILLEUR	Shimano Alivio	Shimano C050	Shimano C050	Shimano
COCKPIT	REAR DERAILLEUR	Shimano Acera	Shimano Altus	Shimano Altus	Shimano TY-22
	CASSETTE	11-32, 8 Speed	Shimano, 14-28, 7 Speed	Shimano, 14-28, 7 Speed	13-28, 7 Speed
	CHAIN	HG40	HG50	HG50	UG50
	CRANKSET	TruVativ Ruktion, 32/22, 165mm with Rock Guard	TruVativ X-Flow 3.0, 42/34/24	TruVativ X-Flow 3.0, 42/34/24	Alloy MTB, 42/32 with Chain Guard
OTHER	BOTTOM BRACKET	TruVativ Howitzer XR	TruVativ with Sealed Cartridge	TruVativ with Sealed Cartridge	Sealed
	SEATPOST	Comp Alloy Micro Adjust, 30.9mm x 350mm	Alloy Micro Adjust, 27.2mm x 300mm	Alloy Micro Adjust, 27.2mm x 300mm	Alloy Micro Adjust, 27.2mm x 300mm
	SADDLE	Marin AXC	Kids 24"	Kids 24"	Kids 20"
	HANDLEBAR	Double Butted 6061 Alloy, OS-31.8mm, 38mm Rise	Double Butted 6061 Alloy, 30mm Rise	Double Butted 6061 Alloy, 30mm Rise	Alloy MTB
GEOMETRY	STEM	Forged Alloy, Threadless A-XC, with 31.8mm Bar Clamp	Forged Alloy, Threadless with 40° Rise	Forged Alloy, Threadless with 40° Rise	Forged Alloy, Threadless with 40° Rise
	GRIPS	WTB Weirwolf with Drop Guard End Plugs	Marin Dual Density	Marin Dual Density	Kids MTB
	BRAKE	Hayes MX-2 HD Mechanical Disc with V6 Rotors	Forged Alloy Linear Pull	Forged Alloy Linear Pull	Forged Alloy Linear Pull
	BRAKE LEVERS	Forged Alloy Kid's 3 Finger	Shimano with Integrated Shifters	Shimano with Integrated Shifters	Composite Body with Alloy Levers
	PEDALS	Composite	Composite	Composite	Composite
	EXTRAS	NA	NA	NA	NA
	FRAME SIZE	11.5"	11"	11"	10"
	HEAD ANGLE	70°	70°	70°	70°
	SEAT ANGLE	73°	73°	73°	73°
	TOP TUBE: ACTUAL	18.5"	18.5"	16.5"	16.5"
	BB HEIGHT	10.8"	11.0"	11.0"	9.0"
	STANDOVER	26.0"	26.3"	24.9"	22.6"
	WHEEL BASE	37.4"	37.3"	37.3"	34.3"
	SEAT POST	30.9mm	27.2mm	27.2mm	27.2mm

	MODEL NAME	HIDDEN CANYON 20" GIRL'S	MUIR BEACH 20"	MUIR BEACH 20" GIRL'S	MBX 250 20" EXPERT
FRAMESET	COLOR	Matte Vapor	Gloss Red Rock	Gloss Pink	Gloss Mica
	SIZES	20" Wheel	20" Wheel	20" Wheel	13
	FRAMES	7005 Double Butted Aluminum with Edge II Top and Down Tubes	7005 Aluminum, Boy's 20" Wheel Single Speed Cruiser Frame	7005 Aluminum, Girl's 20" Wheel Single Speed Cruiser Frame	7005 Aluminum with Edge Top and Down Tubes
	FORK	Spinner Grind 2, 50mm, 20"	Cromoly Rigid*	Cromoly Rigid	Taper Cut Oversize
WHEELSET	HEADSET	Ritchey LB, 1 1/8" Threadless	Double Sealed, 1", Threaded	Double Sealed, 1", Threaded	1 1/8" Threadless
	REAR HUB	Alloy Double Sealed, 32 Hole	Coaster Brake, 36 Hole	Coaster Brake, 36 Hole	Alloy Sealed, 36 Hole
	FRONT HUB	Alloy Double Sealed, 32 Hole	Alloy Sealed, 36 Hole	Alloy Sealed, 36 Hole	Alloy Double Sealed, 36 Hole
	SPOKES	14 Gauge	14 Gauge Stainless with Brass Nipples	14 Gauge Stainless with Brass Nipples	14 Gauge Stainless
DRIVETRAIN	RIMS	Alloy, 32 Hole	Alloy, 36 Hole	Alloy, 36 Hole	Alex DM-24 Alloy, Double Wall, 36 Hole
	TIRES	Kenda, 20" x 2.1", Dirt-Street Combo	Kenda Flame, 20" x 2.125"	Kenda Flame, 20" x 2.125"	Kenda Kinetics 20" x 2.1"
	SHIFTERS	SRAM MRX	NA	NA	NA
	FRONT DERAILLEUR	Shimano	NA	NA	NA
COCKPIT	REAR DERAILLEUR	Shimano TY-22	NA	NA	NA
	CASSETTE	13-28, 7 Speed	18T Cog	18T Cog	16 Tooth, 1/2" x 1/8"
	CHAIN	UG50	KMC	KMC	KMC, 1/2" x 1/8"
	CRANKSET	Alloy MTB, 42/32 with Chain Guard	Alloy, 44T x 152mm	Alloy, 44T x 152mm	Cro-mo 3 Piece, 165mm, 44 Tooth
OTHER	BOTTOM BRACKET	Sealed	Sealed Semi-Cartridge	Sealed Semi-Cartridge	Sealed Cartridge BB
	SEATPOST	Alloy Micro Adjust, 27.2mm x 300mm	Alloy Micro Adjust, 27.2mm x 300mm	Alloy Micro Adjust, 27.2mm x 300mm	Alloy Micro Adjust 1"
	SADDLE	Kids 20"	Kid's Lounge Chair Comfort	Kid's Lounge Chair Comfort	BMX Race
	HANDLEBAR	Alloy MTB	Alloy Long Horn	Alloy Long Horn	Cro-mo 25.5" Wide, 7" Tall
GEOMETRY	STEM	Forged Alloy, Threadless with 40° Rise	Alloy	Alloy	Alloy Threadless, 4 Bolt
	GRIPS	Kids MTB	Marin Comfort Dual Density	Marin Comfort Dual Density	Marin BMX
	BRAKE	Forged Alloy Linear Pull	Rear Coaster Brake	Rear Coaster Brake	Forged Alloy Linear Pull Rear
	BRAKE LEVERS	Composite Body with Alloy Levers	NA	NA	Forged Alloy 3 Finger
GEOMETRY	PEDALS	Composite	Slipper/Flip Flop Compatible Composite	Slipper/Flip Flop Compatible Composite	Alloy BMX
	EXTRAS	NA	Front and Rear Fenders, Alloy Kick Stand	Front and Rear Fenders, Alloy Kick Stand	NA
	FRAME SIZE	10"	13"	10"	13"
	HEAD ANGLE	70°	70°	70°	74°
GEOMETRY	SEAT ANGLE	73°	71°	71°	71°
	TOP TUBE: ACTUAL	16.5"	17.9"	17.1"	19.3"
	BB HEIGHT	9.0"	10.0"	10.0"	11.3"
	STANDOVER	20.6"	24.8"	21.5"	23.2"
GEOMETRY	WHEEL BASE	34.3"	34.8"	34.4"	36.3"
	SEAT POST	27.2MM	27.2MM	27.2MM	25.4MM

	MODEL NAME	MBX 150 20" JUNIOR	MBX-50 16"	TINY TRAIL 16"
FRAMESET	COLOR	Gloss Vapor	Matte Granite	Gloss Pink
	SIZES	13	16" Wheel	16" Wheel
	FRAMES	7005 Aluminum with Edge Top and Down Tubes	7005 Aluminum with Edge Top and Down Tubes	7005 Aluminum with Edge Top and Down Tubes
	FORK	Taper Cut Oversize	Suspension, 40mm of Travel, 16"	Suspension, 40mm of Travel, 16"
WHEELSET	HEADSET	1 1/8" Threadless	1"	1"
	REAR HUB	Coaster Brake, 36 Hole	Coaster Brake, 28 Hole	Coaster Brake, 28 Hole
	FRONT HUB	Alloy Double Sealed, 36 Hole	BMX, 28 Hole	BMX, 28 Hole
	SPOKES	14 Gauge Stainless	14 Gauge	14 Gauge
DRIVETRAIN	RIMS	Alex X-303 Alloy, with Eyelet, 36 Hole	Alloy, 28 Hole	Alloy, 28 Hole
	TIRES	Kenda Kinetics 20" x 2.1"	Kenda BMX, 16" x 2.125"	Kenda BMX, 16" x 2.125"
	SHIFTERS	NA	NA	NA
	FRONT DERAILLEUR	NA	NA	NA
COCKPIT	REAR DERAILLEUR	NA	NA	NA
	CASSETTE	16 Tooth, 1/2" x 1/8"	16T Cog	16T Cog
	CHAIN	KMC, 1/2" X 1/8"	KMC	KMC
	CRANKSET	Cro-mo 1 Piece, 165mm, 44 Tooth	Steel BMX, 36T x 114mm	Steel BMX, 36T x 114mm
OTHER	BOTTOM BRACKET	L.B. Bearings	BMX	BMX
	SEATPOST	Steel 1"	Steel 1"	Steel 1"
	SADDLE	BMX	Kids 16"	Kids 16"
	HANDLEBAR	Cro-mo 25.5" Wide, 7" Tall	Alloy BMX	Alloy BMX
GEOMETRY	STEM	Alloy Threadless, 4 Bolt	BMX with Quill	BMX with Quill
	GRIPS	Marin BMX	Kids BMX	Kids BMX
	BRAKE	Coaster Brake Rear and Hand Brake Rear	Coaster Brake Rear and Hand Brake Rear	Coaster Brake Rear and Hand Brake Rear
	BRAKE LEVERS	Composite Body and Levers	Composite Body and Levers	Composite Body and Levers
	PEDALS	Composite BMX	Composite	Composite
	EXTRAS	NA	Training Wheels	Training Wheels
	FRAME SIZE	11"	7"	7"
	HEAD ANGLE	74°	70°	70°
	SEAT ANGLE	71°	73°	73°
	TOP TUBE: ACTUAL	16.7"	14.1"	14.1"
	BB HEIGHT	11.3"	9.0"	9.0"
	STANDOVER	22.3"	19.3"	18.2"
	WHEEL BASE	33.8"	29.3"	29.3"
	SEAT POST	25.4MM	25.4MM	25.4MM



2007 MARIN BIKES LIMITED WARRANTY

We take every precaution to insure the longevity, strength and quality of your Marin® bicycle. We are sure that with proper care, your Marin® bicycle will give you many years of riding pleasure. It is important that you are aware that bicycle riding has risks and you can decrease those risks by riding responsibly. Many of our bikes are designed for off-road use. However, it is not to be implied or assumed that our bikes are designed for all types or areas of off-road use. Our mountain bikes are designed for traditional fire road and trail riding, not Extreme use. Our road, city and comfort bikes are designed for traditional paved road riding. By using your Marin® bicycle responsibly and in the appropriate manner for which it was designed, you will have many safe riding experiences. However, Marin® frames and components do have a limited and finite service life. The length of time a frame or part will last is dependent on the construction and materials used in that frame and or component and is also dependent on the maintenance, care, and use or abuse a frame or part is subjected to over its lifetime. With routine inspection and maintenance, as described in your Marin® owner's manual, it is unlikely that parts or frames will fail suddenly. Inspection of fatigue prone parts allows the owner or mechanic to spot fatigue, stress or cracking prior to what could potentially be catastrophic failure. These inspections, like responsible riding, reduce risk. Please note that we do not recommend using child carriers, nor does our warranty cover any bicycle equipped with a child carrier. They can put stresses on your frame that it may not be designed for. They also can be dangerous to your child, as they are not designed to properly protect your child in the event of an accident.

MARIN BIKES LIMITED 2007 FRAME & PARTS WARRANTY

(PLEASE NOTE THAT THIS WARRANTY DOES NOT APPLY TO MARIN BIKES INTERNATIONAL DISTRIBUTORS.)

If you purchased your Marin® bicycle outside the USA or Canada, please contact the Marin Bike's authorized distributor in the country of purchase for its WARRANTY. The following LIMITED WARRANTY is only valid in the United States of America and Canada.

This LIMITED WARRANTY is only offered to Marin Bike Authorized dealers and only applies to the original owner of each new Marin® bicycle that is purchased in and remains in Canada, the United States of America, and its territories. This warranty is only valid, provided the bicycle is purchased from an authorized Marin® Bicycle Dealer. The original owner must provide proof of purchase, to Marin Bikes. This warranty applies only to the original owner and is not transferable. All warranty claims must be processed, through the dealer from whom you purchased your Marin® bicycle, or an authorized Marin® Bicycle Dealer. This warranty is expressly limited to the repair or replacement of a defective frame, fork, or defective part and is the sole remedy of the warranty. Items deemed as warranty will be replaced with; similar model. In the case of a model no longer in stock or production, a credit amount, determined by Marin Bikes towards the purchase of a new item will be given. Subject to the terms, conditions and limitations set forth herein, Marin Bikes, Inc. (a California Corporation) located in Novato, California warrants to the original owner of each new Marin® bicycle:

All Marin® Bikes frames, (Except AXC and QUAD XLT Frames as covered below) shall be free from defects in workmanship and materials for a period of 5 years from the date of purchase by the original owner.

If you are looking for a bike to ride in bike parks or resorts, do jumps or moderate drops, purchase a bike that is appropriate for that type of use. Marin Quake bikes and to a lesser degree, AXC bikes, are better suited to that type of riding. Cross Country bikes are not designed for extreme use and consequently will not be covered under warranty.

Marin® AXC and QUAD XLT bike frames shall be free from defects in workmanship and materials for a period of one year from the date of purchase by the original owner.

The pivot hardware and bearings of Full suspension Marin® frames shall be free from defects in workmanship and materials for a period of 10 years from the date of purchase by the original owner.

Suspension forks, and Rear shocks on suspension bikes are not covered under this warranty. They are covered under the stated warranty of the original manufacturer. Such original manufacturer's warranties are to be processed through the manufacturer or the manufacturer's authorized Warranty Center.

Bicycles with carbon fiber rear stays or forks are not intended to have racks attached to them. Any damage incurred through the installation or use of a rack is not covered in this limited warranty.

Bicycles that are used for Rentals are warranted for a period of one year from date of purchase. Resold rental or used bicycles are not covered under the Marin Bikes Limited warranty.

All of our warranties are solely under the condition that the bicycle was operated under normal conditions and use and was properly maintained. The user assumes the risk of any personal injury or damage to the bicycle or other losses if the bicycle is used at any time for stunt or trick riding, jumping, drops, acrobatics, dirt biking or similar activities, Bicycle Motocross, competitive riding, commercial use, with power or motor assistance of any kind, riding with heavy loads, extreme riding or anything other than normal and intended use. Please note: Riding off of buildings, cliffs, bridges, car-sized boulders and other types of large drops do not constitute what we consider normal and intended uses. This warranty does not cover any Marin® frame or bicycle part that has; deteriorated through usage or wear and tear, or gets corrosion that was caused by climatic conditions. This warranty does not apply to any Marin® frame or bicycle part that has; been damaged or fails as a result of accident, crash, collision, abuse, neglect, misuse, alterations, modifications, improper assembly, repairs improperly performed, Sandblasting, sanding, grinding, wire brushing, filing, welding, brazing, drilled holes, anodizing, repainting, chrome plating, frame tube deformation caused by bike stand clamping, has damage caused by lack of reasonable and proper periodic maintenance, or has damages caused by installation of parts & accessories not originally intended or compatible with the bicycle as sold. This warranty does not apply to paint or finish. This warranty does not apply if the original factory installed decals are removed or original finish has been modified or removed. Marin Bikes Inc. shall not be responsible for incidental or consequential damages. Labor charges for parts changes, frame swaps, or incidental costs such as transportation to and from an authorized dealer for repair or replacement of any defective part or accessory are not covered in the warranty. All Labor charges for warranty service are the responsibility of the bicycle's owner. The use of replacement parts and accessories not conforming to Marin® specifications, or modifications not recommended or approved in writing by Marin® will cause this warranty to be nullified. Please note that sometimes the salt on the roads or in the air can cause internal rust perforation on cro-moly steel frames. This is not covered under this warranty. A broken or bent part or frame does not necessarily indicate a defect in workmanship or materials. Marin Bikes Inc. reserves the right to solely determine what constitutes a defect in workmanship or materials on any Marin® bicycle frame or original equipment bicycle part. Warranty applies only to those bicycles assembled by an authorized Marin Bikes dealer.



This warranty gives you specific legal rights, which may vary from state to state. Marin Bikes Inc. does not authorize or permit anyone else, including Marin® dealers, representatives or distributors, to enlarge, to extend, to modify, or to make any other warranties, expressed or implied, for Marin Bikes Inc.

© 2007 MARIN BIKES, INC.

Specifications subject to change without notice. Not all models available in all sizes in all countries.

Marin, Pine Mountain, Eldridge Grade, Bear Valley, Highway One, Mill Valley, Lucas Valley, Fairfax, Muirwoods, Novato, Point Reyes, Pioneer Trail, Bolinas Ridge, Bobcat Trail, Hawk Hill, Palisades Trail, Nail Trail, Indian Fire Trail, Stinson, Redwood, Kentfield, Larkspur, San Rafael, San Anselmo, Sausalito, Venezia, Argentina, Verona, San Marino, Stelvio, Bayview Trail, Hidden Canyon, Drakes Beach, Hearts Desire Beach, East Peak, Rift Zone, Mount Vision, Rock Springs, Wolf Ridge, Attack Trail, Northside Trail, B-17, Wildcat Trail, Rocky Ridge, Quake, Quad-Link, FRS, TARA, Madrone Trail, Coast Trail, Muir Beach, Portofino, Alpine Trail, Treviso, Corte Madera, and Belvedere are registered trademarks of Marin Bikes, Inc.

Please take time to read the Owner's Manual that comes with your bike.

All bikes come fully equipped with CPSC approved reflectors; however, for night time riding, it is the rider's responsibility to use an adequate lighting system that consists of front and rear lights.

Ride Now

Many models come with long arm, V brakes or disc brakes. These brakes are extremely powerful and we recommend that you practice on a flat surface until you are comfortable with the performance of these brakes.

Lightweight handlebars should be inspected before each ride and replaced periodically.

Please wear a helmet while riding, respect and share the trails.

Action Photography: Grant Barta, Warwick Patterson or Rob Broadman

Catalog Design: StudioAspect.com

Catalog Heros: Rob Pauley, Raymond Chiang, Steve Glazer

MARIN®
→ MARINBIKES.COM

RIDE NOW
+ 07

IN ADDITION TO THE UNITED STATES, OUR EXTENSIVE NETWORK OF RETAILERS AND DISTRIBUTORS ARE ALSO LOCATED INTERNATIONALLY.

ANYWHERE MARIN BIKES ARE SOLD YOU CAN BE SURE THAT THE RETAILER IS AN INDUSTRY EXPERT WHO WILL PUT YOU AT EASE AND ASK THE RIGHT QUESTIONS SO THAT YOUR BIKE PURCHASE IS AS SMOOTH AS YOUR RIDE. OUR GOAL IS TO NOT

ONLY PUT YOU ON A BIKE, BUT TO PUT YOU ON THE RIGHT BIKE. WE WANT YOU TO GET OUT & RIDE WHEREVER YOU ARE AND OUR RETAILERS ARE THERE TO MAKE THAT AS EASY AS POSSIBLE FOR YOU.

OUR DOMESTIC AND INTERNATIONAL RETAILERS WILL BE HAPPY TO DISCUSS THE WARRANTY POLICIES THAT ARE AVAILABLE TO MARIN CUSTOMERS WORLDWIDE.

INTERNATIONAL DISTRIBUTORS:

AUSTRIA	Marin Europe	499119612340	ISRAEL	Pedlim	97226729904	SLOVENIA	Narava d.o.o.	38642802000
CANARY ISLAND	A. Suanze	34928483050	JAPAN	Fun Fancy Co. Ltd.	81727859525	SLOVAK REPUBLIC	Komersia Praha v.o.s.	420244401574
COLOMBIA	BTT de Colombia	5726612456	KOREA	Bumil Trading Co.	8225516992	SOUTH AFRICA	West Rand Cycles	27119554342
COSTA RICA	Xoesso	5062903382	MEXICO	Bike Stop S.A. de C.V.	4422241089	SPAIN	High Quality Brands Dist	34916491462
CYPRUS	Goodtones	35722661517	NOUMEA, NEW CALEDONIA	Riviere Cycles	687274305	SWEDEN	Cyklennet	4618381340
CROATIA	TCT DOO	38513632944	NORTH NEW ZEALAND	Cycles NZ	6496259979	TRINIDAD	Merlin	8686239184
CZECH REPUBLIC	Komersia Praha v.o.s.	420244401574	SOUTH NEW ZEALAND	Penny Sports Cycles	6433791520	UKRAINE	EuroCycle	380482210647
DENMARK	ByCycle	4546141301	OSLO, NORWAY	Sorensen Sykler	4722192060	UNITED KINGDOM	ATB Sales	441424753566
ECUADOR	Bemep Scc	59322920201	POLAND	Bikershop	48124233262	VENEZUELA	Rep. Tres Continentes	0212 2371509 / 1693
ESTONIA	OU A.M.K. Velo	3724427919	PORTUGAL	Tecnocycle	351253273985	FOR A LIST OF MARIN DEALERS VISIT: WWW.MARINBIKES.COM		
FINLAND	Bike Stuff Finland Oy	35832606086	RUSSIA	AlpineTrade	70957881248			
GERMANY	Marin Europe	499119612340	SINGAPORE	Trekology Bikes	6564662673			
INTERNATIONAL OFFICES:			CANADA	Marin Bikes Canada	1950 Woobank Rd., Nanaimo, BC V9X 1H4	• T 250.722.2868 / 888.655.5333 F 250.722.2080		

MARIN BIKES → 265 BEL MARIN KEYS BLVD., NOVATO, CA 94949 **T** → 415-382-6000 800-222-7557 **F** → 415-382-6100

ITEM NUMBER: ACA-SWCUS-REG • DESCRIPTION: 07 WC PRODUCT GUIDE USA DEALER BIKE CATALOG • PRICE: US \$1.00



MARIN
→ MARINBIKES.COM