


MONGOOSE

INTEGRATION



FRAME: TOMAC Design Monostay
Titanium/Chromoly 1-1/4" T/T, 1-3/8" D/T,
1-1/8" S/T

FORK: Tange Prestige

BRAZE ON FITTINGS: 2 cable stops, 2 sets
of W/B fittings D/T & S/T, BB guides,
brake mounts

HEADSET: Shimano Deore-XT

STEM: Tioga Cr-Mo 120/135mm w/tunnel

HANDLEBARS: Mongoose Flat bulge x 6
degree bend x 23" wide

GRIPS: Mongoose Bi-Density foam

FRONT BRAKE: Shimano Deore XT

cantilever w/OPC brake shoes

REAR BRAKE: Shimano Deore XT

cantilever w/OPC brake shoes

BRAKE LEVERS: Shimano Deore XT
(short) w/STI shifter

FRONT DERAILLEUR: Shimano Deore XT

REAR DERAILLEUR: Shimano Deore XT
SIS

SHIFT LEVERS: Shimano Deore XT STI
SIS

FREEWHEEL: Shimano HG

12x14x16x18x21x24x28 silver 7-speed

CHAIN: Shimano HG 1/2x3/32 silver

CRANKSET: Shimano Deore XT

46x36x26T Superglide

PEDALS: Shimano Deore-XT low profile
with Shimano toe clips

TOP CLIPS/STRAPS: Nylon straps

RIMS: Araya RM-14 super hard anodized
26x1.4 alloy 32 hole

FRONT HUB: Shimano Deore XT 32 hole

Q/R sealed

REAR HUB: Shimano Deore XT 32 hole Q/R
sealed

SPOKES: 14GA stainless w/brass nipples

TIRES: Tioga 26x1.95 Trail Dog skinwall

SEAT: Mongoose Air leather competition

SEAT POST: Shimano Deore XT Cr-Mo
27.2mm

ACCESSORIES: Chain stay cover,
reflectors, clear coat, owners manual

CATEGORY: Mountain

WHEELBASE: 1032mm

TOP TUBE LENGTH: 560 mm

SEAT TUBE LENGTH: 482mm

CHAIN STAY LENGTH: 425 mm

HEAD ANGLE: 72 degrees

SEAT ANGLE: 73 degrees

FORK RAKE: 40 mm

BB HEIGHT: 35mm

MENS SIZES: 17, 19, 21in.

FRAME COLORS: Titanium/Black

IBOC-SIGNATURE™



The IBOC-Signature is the champion's model. It is a handmade combination of Titanium and Chromoly. The bicycle is built to the exact frame specifications of John Tomac (the #1 Mountain bike Rider in the world). The head angle is 72 degrees and the seat angle is 73 degrees with responsive 16-1/4" chain stays. To add to the uniqueness of this special model, it has new Shimano Deore XT components with STI, Tioga tires, Tioga stem and handlebars, Araya RM-14 super hard rims, along with a long list of components which are the finest in the world. The IBOC-Signature model is truly a champions bicycle.

FRAME: Mongoose design Tange Prestige 1-1/4" T/T, 1-3/8" D/T, 1-1/8" S/T
FORK: Mongoose Cr-Mo Unicrown
BRAZE ON FITTINGS: 2 cable stops, 2 sets of W/B fittings D/T & S/T, BB guides, brake
HEADSET: Shimano Deore-XT
STEM: Tioga Cr-Mo 120/135mm w/tunnel
HANDLEBARS: Mongoose Flat bulge x 6 degree bend x 23" wide
GRIPS: Mongoose Bi-Density foam
FRONT BRAKE: Shimano Deore XT cantilever w/OPC brake shoes
REAR BRAKE: Shimano Deore XT cantilever w/OPC brake shoes

BRAKE LEVER: Shimano Deore XT (short) w/STI shifter
FRONT DERAILLEUR: Shimano Deore XT
REAR DERAILLEUR: Shimano Deore XT SIS
SHIFT LEVERS: Shimano Deore XT STI SIS
FREEWHEEL: Shimano HG 12x14x16x18x21x24x28 silver 7-speed
CHAIN: Shimano HG 1/2x3/32 silver
CRANKSET: Shimano Deore XT 46x36x26T Superglide
PEDALS: Shimano Deore-XT low profile with Shimano toe clips
TOE CLIPS/STRAPS: Nylon straps

RIMS: Araya RM-14 super hard anodized 26x1.4 alloy 32 hole
FRONT HUB: Shimano Deore XT 32 hole Q/R sealed
REAR HUB: Shimano Deore XT 32 hole Q/R sealed
SPOKES: 14GA stainless w/brass nipples
TIRES: Tioga 26x1.95 Trail Dog skinwall
SEAT: Mongoose Air leather competition
SEAT POST: Shimano Deore XT Cr-Mo 26.6mm
ACCESSORIES: Chain stay cover, reflectors, clear coat, owners manual
CATEGORY: Mountain

WEIGHT: 26 Lbs.
WHEELBASE: 1028mm
TOP TUBE LENGTH: 60 mm
SEAT TUBE LENGTH: 482 mm
CHAIN STAY LENGTH: 425 mm
HEAD ANGLE: 72 degrees
SEAT ANGLE: 73 degrees
FORK RAKE: 40 mm
BB HEIGHT: 35mm
MENS SIZES: 17, 19, 21in.
FRAME COLORS: Black/blue/white web

IBOC-TEAM™



The IBOC-Team is the Mongoose competition edition. It has a lightweight Tange Prestige frame which is hand finished and has a high performance Chromoly fork. The frame geometry is designed for precise quick handling with a 72 degree head angle and a 73 degree seat angle. It is equipped with Shimano Deore XT with STI, the same equipment used by the winning Mongoose mountain bike team. Get an IBOC-Team and find out what it's like to ride a winner.

FRAME: Mongoose design Double Butted CR-MO, 1-1/4" T/T & 1-3/8" T/T 1-1/8" S/T
FORK: Mongoose CR-MO unicrown
BRAZE ON FITTINGS: 2 cable stops, 2 sets of W/B fittings D/T & S/T, BB guides, brake mounts
HEADSET: Sealed mechanism
STEM: Mongoose Cr-Mo 120/135mm w/ hole
HANDLEBARS: Mongoose Flat bulge x 6 degree bend x 23" wide
GRIPS: Mongoose Bi-Density foam
FRONT BRAKE: Shimano Deore DX cantilever w/OPC brake shoes

REAR BRAKE: Shimano Deore DX cantilever w/OPC brake shoes
BRAKE LEVERS: Shimano Deore DX (short) w/STI shifter
FRONT DERAILLEUR: Shimano Deore DX
REAR DERAILLEUR: Shimano Deore DX SIS
SHIFT LEVERS: Shimano Deore DX STI SIS
FREEWHEEL: Shimano HG 12x14x16x18x21x24x28 silver 7-speed
CHAIN: Shimano HG 1/2x3/32 silver
CRANKSET: Shimano Deore DX 46x36x26T Superglide

PEDALS: Mongoose low profile alloy with reflectors
TOP CLIPS/STRAPS: Nylon clips/straps
RIMS: Araya RM-17 26x1.4 alloy 32 hole
FRONT HUB: Shimano Deore DX 32 hole Q/R sealed
REAR HUB: Shimano Deore DX 32 hole Q/R sealed
SPOKES: 14GA stainless w/brass nipples
TIRES: Mongoose 26x1.95 MTB black skinwall
SEAT: Mongoose Air Protron competition
SEAT POST: Delta Cr-Mo 26.6x300mm
ACCESSORIES: Chain stay cover, reflectors, clear coat, owners manual
CATEGORY: Mountain

WEIGHT: 27 Lbs.
WHEELBASE: 1043mm
TOP TUBE LENGTH: 546 mm
SEAT TUBE LENGTH: 457 mm
CHAIN STAY LENGTH: 430 mm
HEAD ANGLE: 70 degrees
SEAT ANGLE: 73 degrees
FORK RAKE: 45 mm
BB HEIGHT: 40 mm
MENS SIZES: 16, 18, 20, 22in
FRAME COLORS: Teal/black web

IBOC-PRO™



Designed for a professional level of performance, the IBOC-Pro is a special competition bicycle with many of the same features as the bikes our race team uses. It combines a full Tange Chromoly double-butted monostay frame design with a straight Chromoly fork. It is equipped with the new Shimano Deore DX with STI, combined with Chromoly handlebars and stem, Araya's new RM-17 rims, competition 26" tires, and a Mongoose IBOC Air proton racing saddle. The IBOC-Pro is designed to win.

FRAME: Mongoose design CR-MO DB Main, 1-1/4" T/T, 1-3/8" D/T, 1-1/8" S/T
FORK: Mongoose CR-MO unicrown
BRAZE ON FITTINGS: 2 cable stops, 2 sets of W/B fittings D/T & S/T, BB guides, brake mounts
HEADSET: Sealed mechanism
STEM: Mongoose Cr-Mo 120/135mm w/ hole
HANDLEBARS: Mongoose Flat bulge x 6 degree bend x 23" wide
GRIPS: Mongoose Bi-Density foam
FRONT BRAKE: Shimano Exage 500LX cantilever w/OPC brake shoes
REAR BRAKE: Shimano Exage 500LX cantilever w/OPC brake shoes

BRAKE LEVERS: Shimano Exage 500LX w/STI shifter
FRONT DERAILLEUR: Shimano Exage 500LX
REAR DERAILLEUR: Shimano Exage 500LX SIS
SHIFT LEVERS: Shimano Exage 500 STI w/gauge
FREEWHEEL: Shimano HG 12x14x16x18x21x24x28 black 7-speed
CHAIN: Shimano HG 1/2x3/32 black
CRANKSET: Shimano Exage 500LX 48x38x28T Superglide
PEDALS: Mongoose low profile resin with reflectors

TOE CLIP/STRAPS: Nylon clips/straps
RIMS: Araya 7XN 26x1.5 alloy 36 hole
FRONT HUB: Shimano Exage 500LX 36 hole Q/R sealed
REAR HUB: Shimano Exage 500LX 36 hole Q/R sealed
SPOKES: 14GA stainless w/brass nipples
TIRES: Mongoose 26x1.95 MTB black skinwall
SEAT: Mongoose Air Protron competition
SEAT POST: Delta alloy 26.6x300mm
ACCESSORIES: Chain stay cover, reflectors, clear coat, owners manual
CATEGORY: Mountain
WEIGHT: 28 Lbs.

WHEELBASE: 1043mm
TOP TUBE LENGTH: 546 mm
SEAT TUBE LENGTH: 457 mm
CHAIN STAY LENGTH: 430 mm
HEAD ANGLE: 70 degrees
SEAT ANGLE: 73 degrees
FORK RAKE: 45 mm
BB HEIGHT: 40 mm
MENS SIZES: 16, 18, 20, 22in
FRAME COLORS: White/teal spangle

IBOC-COMP™



The IBOC-Comp is a high performance competition machine at an affordable price. It comes equipped with the Shimano Exage 500LX STI component group which includes the new STI shifting system. It is mounted on a high-tech Tange Chromoly double butted monostay style frame with a new competition straight fork. The new high performance Araya RX-7 rims are standard equipment with special Mongoose designed 26" off-road tires, an IBOC Air lycra maxi saddle and Mongoose designed Chromoly handlebars and stem. The IBOC-Comp model is the best competition bicycle available at an affordable price.



FRAME: Mongoose design Cr-Mo DB, 1-1/4" T/T & 1-3/8" D/T 1-1/4" S/T
FORK: Mongoose CR-MO unicrown
BRAZE ON FITTINGS: 2 cable stops, 2 sets of W/B fittings D/T & S/T, BB guides, brake mounts
HEADSET: Sealed mechanism
STEM: Mongoose Cr-Mo 120/135mm w/ hole
HANDLEBARS: Mongoose Flat bulge x 6 degree bend x 23" wide
GRIPS: Mongoose Bi-Density
FRONT BRAKE: Shimano Exage 300LX cantilever w/OPC brake shoes
REAR BRAKE: Shimano Exage 300LX cantilever w/OPC brake shoes

BRAKE LEVERS: Shimano Exage 300LX w/STI shifter
FRONT DERAILLEUR: Shimano Exage 300LX
REAR DERAILLEUR: Shimano Exage 300LX SIS
SHIFT LEVERS: Shimano Exage 300 STI w/gauge
FREEWHEEL: Shimano HG 12x14x16x18x21x24x28 black 7-speed
CHAIN: Shimano UG 1/2x3/32 black
CRANKSET: Shimano Exage 300LX 48x38x28T Superglide
PEDALS: Mongoose low profile resin with reflectors

TOE CLIPS/STRAPS: Nylon clips/straps
RIMS: Araya VP-20 26x1.5 alloy 36 hole
FRONT HUB: Shimano 36 hole Q/R w/ sealed mechanism
REAR HUB: Shimano 36 hole Q/R w/sealed mechanism
SPOKES: 14GA stainless w/brass nipples
TIRES: Mongoose 26x1.95 MTB black skinwall
SEAT: Mongoose Air Protron competition
SEAT POST: Delta alloy 26.6x300mm
ACCESSORIES: Chain stay cover, reflectors, clear coat, owners manual
CATEGORY: Mountain

WHEELBASE: 1043mm
TOP TUBE LENGTH: 546 mm
SEAT TUBE LENGTH: 457 mm
CHAIN STAY LENGTH: 430 mm
HEAD ANGLE: 70 degrees
SEAT ANGLE: 73 degrees
FORK RAKE: 45 mm
BB HEIGHT: 40 mm
MENS SIZES: 16, 18, 20, 22in
FRAME COLORS: Red/grey web

IBOC-SPORT™



The IBOC Sport is the newest addition to the popular Mongoose IBOC series of mountain bikes. It features the newest Shimano Exage LX STI component selection along with high performance features including: 21 speeds, high performance Araya wheels, Mongoose off-road tires, a competition straight fork, a Mongoose Air-ergonomic saddle, and Chromoly handlebars and stem. All these are carefully assembled on the race proven IBOC monostay frame style used by the world champion Mongoose racing team.



FRAME: Mongoose design CR-MO, 1-1/4" T/T & D/T 1-1/8" S/T
FORK: Mongoose CR-MO uncrown
BRAZE ON FITTINGS: 2 cable stops, 2 sets of W/B fittings D/T & S/T, BB guides, brake mounts
HEADSET: Sealed mechanism
STEM: Mongoose 100mm w/tunnel & computer bracket painted
HANDLEBARS: Mongoose flat bulge x 15 degree bend x 25" wide painted
GRIPS: Mongoose Hi-Density foam
FRONT BRAKE: Dia Compe XCT cantilever w/OPC

REAR BRAKE: Dia Compe XCT cantilever w/OPC
BRAKE LEVERS: Dia Compe XCT w/Ex-Press shifter
FRONT DERAILLEUR: Sun Tour XCT
REAR DERAILLEUR: Sun Tour XCT Accushift
SHIFT LEVERS: Sun Tour XCT Ex-Press Accushift
FREEWHEEL: Sun Tour 13x14x16x18x21x24x28 black 7-speed
CHAIN: Sun Tour "Z" 1/2x3/32 black
CRANKSET: Sugino XCT 48x38x28T Powering

PEDALS: Mongoose resin with reflectors
TOE CLIPS/STRAPS: Nylon clips/straps
RIMS: Araya MP-22 26x1.5 alloy 36 hole
FRONT HUB: Alloy 36 hole Q/R sealed mechanism
REAR HUB: Alloy 36 hole Q/R sealed mechanism
SPOKES: 14GA UPC finish w/brass nipples
TIRES: Mongoose 26x1.95 ATB skinwall
SEAT: Mongoose lycra gel maxi
SEAT POST: Delta alloy 26.0x300mm
ACCESSORIES: Mongoose computer, Stay cover, reflectors, clear coat, owners manual

CATEGORY: All Terrain
WHEELBASE: 1043mm
TOP TUBE LENGTH: 546 mm
SEAT TUBE LENGTH: 457 mm
CHAIN STAY LENGTH: 430 mm
HEAD ANGLE: 70 degrees
SEAT ANGLE: 73 degrees
FORK RAKE: 50 mm
BB HEIGHT: 40 mm
MENS SIZES: 16, 18, 20, 22in
FRAME COLORS: Black/white spangle, Metallic french blue

SYCAMORE™

Metallc french blue



The Mongoose Sycamore is a great all terrain bicycle. It features a Tange Chromoly double-butted monostay style frame with a Chromoly front fork. It is equipped with a Suntour XCT component selection coupled with Araya alloy quick release wheels, a comfortable Mongoose Bio-Tex lycra saddle, aggressive 26x1.95 tires, a high performance Mongoose computer integrated stem and Mongoose designed toe clips, straps and grips. The Sycamore is ready for the most rugged terrain.

FRAME: Mongoose design CR-MO main, 1-1/4" T/T & D/T
FORK: Mongoose CR-MO unicrown
BRAZE ON FITTINGS: 2 cable stops, 2 sets of W/B fittings D/T & S/T, BB guides, brake mounts
HEADSET: Sealed mechanism
STEM: Mongoose 100mm w/tunnel painted
HANDLEBARS: Mongoose flat x 15 degree bend x 25" wide painted
GRIPS: Mongoose Bi-Density foam
FRONT BRAKE: Shimano 200GS cantilever w/OPC brake shoes

REAR BRAKE: Shimano 200GS cantilever w/OPC brake shoes
BRAKE LEVERS: Shimano 200GS w/STI shifter
FRONT DERAILLEUR: Shimano 200GS
REAR DERAILLEUR: Shimano 200GS SIS
SHIFT LEVERS: Shimano 200GS STI w/ gauge
FREEWHEEL: Shimano HG13x15x17x20x23x26x30 black 7-speed
CHAIN: Shimano UG 1/2x3/32 black
CRANKSET: Shimano 200GS 48x38x28T Superglide
PEDALS: Mongoose resin with reflectors

TOP CLIPS/STRAPS: None
RIMS: Araya MP-22 26x1.5 alloy 36 hole
FRONT HUB: Alloy 36 hole Q/R sealed mechanism
REAR HUB: Shimano 36 hole Q/R sealed mechanism
SPOKES: 14GA UPC finish w/brass nipples
TIRES: Mongoose 26x1.50 ATB skinwall
SEAT: Mongoose lycra gel maxi
SEAT POST: Delta silver 26.0x300mm
ACCESSORIES: Chain stay cover, reflectors, clear coat, owners manual
CATEGORY: All Terrain

WHEELBASE: 1043mm
TOP TUBE LENGTH: 546 mm
SEAT TUBE LENGTH: V457 mm
CHAIN STAY LENGTH: 430 mm
HEAD ANGLE: 70 degrees
SEAT ANGLE: 73 degrees
FORK RAKE: 50 mm
BB HEIGHT: 41 mm
MENS SIZES: 16, 18, 20, 22in
LADIES SIZES: 17, 19in stagger
FRAME COLORS: Pearl white, Pearl aqua

Pearl white



ALTA™

The Alta is one of our most popular models with the latest component equipment available. The Alta has a Tange Chromoly monostay frame design with an oval blade Chromoly front fork, and is equipped with the new Shimano STI component group. The Alta's high performance component selection includes: 21 speed indexed Hyperglide gearing, Shimano SLR cantilever brakes, Biopace alloy crankset, Araya alloy quick release wheels, and a Mongoose Bio-Tex lycra padded maxi saddle.


FRAME: Mongoose 24" CR-MO, 1-1/8" T/T & 1-1/4" D/T
FORK: Mongoose CR-MO unicrown
BRAZE ON FITTINGS: 2 cable stops, 2 sets of W/B fittings D/T & S/T, BB guides, brake mounts
HEADSET: Sealed Mechanism
STEM: Mongoose Cr-Mo 120mm w/hole
HANDLEBARS: Mongoose Cr-Mo Flat x 6 degree bend x 24" wide painted
GRIPS: Mongoose Bi-Density foam
FRONT BRAKE: Dia Compe XCT cantilever w/OPC
REAR BRAKE: Dia Compe XCM U-Brake w/

OPC
BRAKE LEVERS: Mongoose 2 finger w/Ex-Press shifter
FRONT DERAILLEUR: Sun Tour XCT
REAR DERAILLEUR: Sun Tour XCT Accushift
SHIFT LEVERS: Sun Tour XCT Ex-Press Accushift
FREEWHEEL: Sun Tour 13x14x16x18x21x24x28 black 7-speed
CHAIN: Sun Tour "Z" 1/2x3/32 black
CRANKSET: Sugino XCT 48x38x28T Powering
PEDALS: Mongoose resin with reflectors

TOE CLIPS/STRAPS: None
RIMS: Araya 24x1.5 alloy 36 hole
FRONT HUB: Alloy 36 hole Q/R sealed mechanism
REAR HUB: Alloy 36 hole Q/R sealed mechanism
SPOKES: 14GA UPC finish w/brass nipples
TIRES: Tioga 24x1.95 Farmer John's Nephew
SEAT: Mongoose lycra junior maxi
SEAT POST: Delta alloy 26.0x400mm
ACCESSORIES: Chain stay cover, reflectors, clear coat, owners manual
CATEGORY: Racing

WHEELBASE: 1006mm
TOP TUBE LENGTH: 530 mm
SEAT TUBE LENGTH: 305mm
CHAIN STAY LENGTH: 422 mm
HEAD ANGLE: 72 degrees
SEAT ANGLE: 71degrees
FORK RAKE: 32 mm
BB HEIGHT: 2 mm
BOYS SIZES: 24in
FRAME COLORS: Black/blue spangle

MANEUVER™



The Maneuver is one of the hottest developments in bicycles. It combines the best features of competition mountain bicycles with a size and style to fit teens and small adults. Special features include: Tange Chromoly tubing which is handcrafted to offer spectacular performance both on and off the road, Sun Tour 21 speed index Express gearing, a Sugino 48x38x28 crankset, Mongoose designed Chromoly stem and handlebars, Araya alloy 24x1.50 wheels, Tioga Farmer John's Nephew 24x1.95 Hi-Performance tires, a Chromoly fork, and a competition designed lycra top saddle. It all adds up to one of the most maneuverable bicycles available.

FRAME: Mongoose design Cr-Mo S/T, w/Hi-Ten others, 1-1/4" D/T, 1-1/8" T/T
FORK: Mongoose Hi-Ten unicrown
BRAZE ON FITTINGS: 2 cable stops, 2 sets of W/B fittings D/T & S/T, BB guides, brake mounts
HEADSET: Chromed
STEM: Mongoose 100mm w/tunnel & computer bracket painted
HANDLEBARS: Mongoose flat x 15 degree bend x 25" wide painted
GRIPS: Mongoose Bi-Density foam
FRONT BRAKE: Shimano Town & Country cantilever w/OPC shoes

REAR BRAKE: Shimano Town & Country cantilever w/OPC shoes
BRAKE LEVERS: Shimano Town & Country
FRONT DERAILLEUR: Shimano Town & Country
REAR DERAILLEUR: Shimano Town & Country
SHIFT LEVERS: Shimano Town & Country SIS
FREEWHEEL: Shimano HG 14x16x18x21x24x28 black 6-speed
CHAIN: Shimano UG 1/2x3/32 black
CRANKSET: Shimano Town & Country

48x38x28T Superglide
PEDALS: Mongoose resin with reflectors
TOE CLIPS/STRAPS: None
RIMS: Araya MP-22 26x1.5 alloy 36 hole
FRONT HUB: Mongoose black quick release 36 hole
REAR HUB: Chromed 36 hole nutted
SPOKES: 14GA UPC finish w/brass nipples
TIRES: Mongoose 26x1.50 ATB gumwall
SEAT: Mongoose lycra maxi
SEAT POST: Chromed 26.0x300mm
ACCESSORIES: Mongoose computer, Stay cover, reflectors, clear coat, owners manual

CATEGORY: All Terrain
WHEELBASE: 1056mm
TOP TUBE LENGTH: 576 mm
SEAT TUBE LENGTH: 457 mm
CHAIN STAY LENGTH: 436 mm
HEAD ANGLE: 70 degrees
SEAT ANGLE: 70 degrees
FORK: 50 mm
BB HEIGHT: 40mm
MENS SIZES: 16, 18, 20, 22in
LADIES SIZES: 19in stagger
FRAME COLORS: Bright blue, Black chrome

HILL TOPPER™



The best balance of performance and value, the Hill Topper is a great all terrain bicycle. It features a Chromoly monostay constructed frame with a complete selection of Shimano Town and Country components. It is equipped with 18 speed SIS Hyperglide gearing, Araya alloy rims, a quick release front wheel, and lycra top Bio-Tex comfort saddle. The unique computer integrated stem and anatomically fitted handlebars make the Hill Topper equally at home on the streets or up in the hills.

FRAME: Mongoose design 1-1/8" T/T, D/T & S/T

FORK: Mongoose Hi-Ten unicrown

BRAZE ON FITTINGS: 2 cable stops, 2 sets of W/B fittings D/T & S/T, BB guides, brake mounts

HEADSET: Chromed

STEM: Mongoose 100mm w/hole painted

HANDLEBARS: Mongoose 100mm rise x 15 degree bend x 25" wide painted

GRIPS: Mongoose Bi-Density foam

FRONT BRAKE: Mongoose cantilever w/ OPC brake shoes

REAR BRAKE: Mongoose cantilever w/OPC brake shoes

BRAKE LEVERS: Mongoose resin mountain levers

FRONT DERAILLEUR: Shimano Tourney

REAR DERAILLEUR: Shimano Tourney SIS

SHIFT LEVERS: Shimano Tourney SIS

FREEWHEEL: Shimano HG14x16x18x21x24x28 black 6-speed

CHAIN: Shimano HG 1/2x3/32 black

CRANKSET: Mongoose 48x40T w/sealed mechanism

PEDALS: Mongoose resin with reflectors

TOE CLIPS/STRAPS: None

RIMS: Chromed 26x1.5 36 hole

FRONT HUB: Mongoose quick release 36 hole

REAR HUB: Chromed 36 hole nutted

SPOKES: 14GA UPC finish w/brass nipples

TIRES: Mongoose 26x1.50 ATB gumwall

SEAT: Mongoose lycra maxi

SEAT POST: Chromed 26.0x300mm

ACCESSORIES: Chain stay cover, reflectors, clear coat, owners manual

CATEGORY: City

WHEELBASE: 1056mm

TOP TUBE LENGTH: 576 mm

SEAT TUBE LENGTH: 457 mm


Midnight black

CHAIN STAY LENGTH: 436 mm

HEAD ANGLE: 70 degrees

SEAT ANGLE: 70 degrees

FORK RAKE: 50 mm

BB HEIGHT: 40mm

MENS SIZES: 16, 18, 20, 22in

LADIES SIZES: 17in stagger

BOYS SIZES: None

GIRLS SIZES: None

FRAME COLORS: Ferarri red, Midnight black

SWITCHBACK™



The Mongoose Switchback is styled and equipped for versatility, performance and comfort. The Shimano SIS Hyperglide indexed 12 speed gearing, cantilever brakes, a lycra top Bio-Tex comfort saddle, and a quick change front wheel make the Switchback ideal for city use or trail riding. The Switchback is an affordable around town bike.



FITNESS™

Fitness is becoming a daily part of each of our lives. Mongoose continues to pioneer new avenues to accomplish maximum fitness with the evolution of the fitness bicycle. This creation integrates various important product innovations to achieve maximum body and aerobic fitness with comfort, simplicity and speed as major goals. The development begins with the new 1990 Dynametric model which is one of the best ways to develop and maintain a fit body.

FRAME: Mongoose aerobic CR-MO main, Hi-Ten others 1" T/T, 1-1/8" D/T
FORK: Mongoose CR-MO unicrown
BRAZE ON FITTINGS: 2 cable stops, 2 sets W/B fittings, BB guides, brake mounts
HEADSET: Sealed mechanism
STEM: Mongoose alloy 80mm w/computer mount
HANDLEBARS: Mongoose alloy 18deg x 23" round
GRIPS: Mongoose Kryton fitness (123mm)
FRONT BRAKE: Dia Compe XCT cantilever w/OPC brake shoes
REAR BRAKE: Dia Compe XCT cantilever w/OPC brake shoes
BRAKE LEVERS: Dia Compe XCT short w/PP shifter
FRONT DERAILLEUR: Sun Tour XCM

REAR DERAILLEUR: Sun Tour XCM Accushift
SHIFT LEVERS: Sun Tour XCM PP Accushift
FREEWHEEL: Sun Tour 13x14x16x18x21x24x28 black 7-speed
CHAIN: Sun Tour "Z" 1/2x3/32 black
CRANKSET: SR XCT 52x42x32 alloy w/ sealed mechanism
PEDALS: Mongoose low profile resin with reflectors
TOP CLIPS/STRAPS: Nylon clips/straps
RIMS: Araya SP-20 700x28C alloy 36 hole
FRONT HUB: Alloy 36 hole Q/R sealed mechanism
REAR HUB: Alloy 36 hole Q/R sealed mechanism
SPOKES: 14GA UCP finish w/brass nipples

TIRES: Mongoose 700x38C aerobic skinwall
SEAT: Mongoose lycra gel maxi
SEAT POST: Delta alloy 26 6x300mm
ACCESSORIES: Mongoose computer, Stay cover, reflectors, clear coat, owners manual
CATEGORY: Fitness
WHEELBASE: 1018mm
TOP TUBE LENGTH: 570 mm
SEAT TUBE LENGTH: 510 mm
CHAIN STAY LENGTH: 422 mm
HEAD ANGLE: 73 degrees
SEAT ANGLE: 73 degrees
FORK RAKE: 45 mm
BB HEIGHT: 70 mm
MENS HEIGHT: 6.51, 56, 61m
FRAME COLORS: White/ Blue Web

Display
 Speed Scale
 Stop/Start Key
 Mode/Reset Key



Selected Mode Display
 Speed (km or mph)
 Trip Time
 Trip Distance
 Maximum Speed
 Average Speed
 Odometer



DYNAMETRIC™

Mongoose is the first to introduce a fitness bicycle to the world. The purpose is to provide the speed and agility characteristics of a lightweight racing bicycle with the comfort and stability of an off-road bicycle. The Dynametric model is a combination of the outstanding features of both categories. It is designed for the athlete that combines several sports activities together to achieve peak fitness. The all new Dynametric model features Sun Tour Ex-Press integration, a high-tech computer integrated stem and fork, 21 speed gearing, full Tange Chromoly frame and fork, a Mongoose Air lycra saddle, ergonomically positioned handlebars with specially designed shock absorbing kryton grips and super fast 700Cx38C high performance tires. The Dynametric is the bicycle of the 90's.

Mongoose has developed a selection of parts and accessories designed for competitive use. They include

handlebars, stems, tires, grips, toe clips/straps, seats, and bicycle computers. Each component is manufactured to

the exact specifications of our world class racing team to ensure ultimate performance.



JUVENILE™

Mongoose is the world's leading BMX company. We've been creating and designing winning BMX bicycles for over 15 years. We started developing BMX bicycles with a simple focus - competition. Over the course of time, Mongoose developed a complete line of bicycles for everyone; from a child's bicycle, all the way up to the top professional bicycle.

This year, Mongoose has redefined the bicycle market by expanding the juvenile product line to include both 20" and 24" wheel junior mountain bicycles. The Gale Storm (20" wheel) and Ultra Storm (24" wheel) feature the famous Mongoose monostay frame with straight forks, along with the new high performance Shimano Hyperglide SIS shifting. They look, feel and ride like adult-sized pro models.

On the BMX racing side, the Californian Pro and Supergoose feature new, long, stiff wishbone style frames with lots of new components. The Expert has been completely redesigned into the Expert Comp, with competition frame geometry, a large diameter frame and high performance components for the beginning racer.

Mongoose also offers the popular Mitygoose for the aspiring competitor, along with the Little Foot for the wee beginner.

Mongoose is redefining bicycles to meet every one's cycling needs.



FRAME: Mongoose 24" Hi-Ten Mountain 12-Speed

FORK: Mongoose Hi-Carbon tapered uncrown

BRAZE ON FITTINGS: 2 cable stops on T/T f/brake cable, W/B fittings on D/T, brake studs

HEADSET: Chrome

STEM: Mongoose 60mm w/tunnel painted

HANDLEBARS: Mongoose flat x 15 degree bend x 24" wide painted

GRIPS: Mongoose foam

FRONT BRAKE: Mongoose cantilever w/ OPC brake shoes

REAR BRAKE: Mongoose cantilever w/OPC brake shoes

BRAKE LEVERS: Mongoose junior mountain

FRONT DERAILLEUR: Shimano Tourney

REAR DERAILLEUR: Shimano Tourney SIS w/guard

SHIFT LEVERS: Shimano Tourney SIS

FREEWHEEL: Shimano HG

14x16x18x21x24x28 black 6-speed

CHAIN: Shimano HG 1/2x3/32 black

CRANKSET: Mongoose 6-1/2" one piece crank 44x36T

PEDALS: Mongoose junior resin with reflectors

TOP CLIPS/STRAPS: None

RIMS: Chromed 24x1.5 36 hole

FRONT HUB: Chromed 36 hole nutted

REAR HUB: Chromed 36 hole nutted

SPOKES: 14ga UCP finish w/brass nipples

TIRES: Mongoose 24x2.125 mountain gumside

SEAT: Mongoose lycra junior maxi

SEAT POST: Chromed 25.7x300mm

ACCESSORIES: Chain stay cover, reflectors, owners manual

CATEGORY: Junior Mountain

WHEELBASE: 996mm

TOP TUBE LENGTH: 525 mm

SEAT TUBE LENGTH: 355 mm

CHAIN STAY LENGTH: 422 mm

HEAD ANGLE: 72 degrees

SEAT ANGLE: 71degrees

FORK RAKE: 32 mm

BB HEIGHT: 2 mm

BOYS SIZES: 24in

GIRLS SIZES: 24in

FRAME COLORS: Midnight Black

ULTRA STORM™

The new Ultra Storm is the perfect upgrade for the junior off-road competitor. This 24" wheel bike features a monostay frame design with high performance features like: Shimano 12 speed indexed Hyperglide shifting, a cantilever braking system, an anatomically designed lycra saddle, fully adjustable seat height positioning and competition type handlebars and stem.



FRAME: Mongoose 20" Hi-Ten Mountain 6-Speed

FORK: Mongoose Hi-Carbon tapered unicrown

BRAZE ON FITTINGS: 2 cable stops on T/T 1/brake cable, W/B Fittings on D/T

HEADSET: Chromed

STEM: Mongoose 60mm painted

HANDLEBARS: Mongoose flat x 15 deg bend x 22" wide painted

GRIPS: Mongoose foam

FRONT BRAKE: Mongoose sidepull w/One piece shoes

REAR BRAKE: Mongoose sidepull w/One piece shoes

BRAKE LEVERS: Mongoose junior mountain

REAR DERAILLEUR: Shimano Tourney SIS

SHIFT LEVERS: Shimano Tourney

SIS FREEWHEEL: Shimano HG 14x16x18x20x22x24 black 6-speed

CHAIN: Shimano HG 1/2x3/32 black

CRANKSET: Mongoose 6" one piece crank 44T sprocket

PEDALS: Mongoose junior resin with reflectors

TOE CLIPS/STRAPS: None

RIMS: Chromed 20x1.5 36 hole

FRONT HUB: Chromed 36 hole nutted

REAR HUB: Chromed 36 hole nutted

SPOKES: 4ga UCP finish w/brass nipples

TIRES: Mongoose 20x2 125 junior mountain gumside

SEAT: Mongoose lycra junior maxi

SEAT POST: Chromed 26.0x190mm

ACCESSORIES: Chain stay cover, reflectors, owners manual

CATEGORY: Junior mountain

WHEELBASE: 933mm

TOP TUBE LENGTH: 465mm

SEAT TUBE LENGTH: 355mm

CHAIN STAY LENGTH: 358mm

HEAD ANGLE: 69 degrees

SEAT ANGLE: 69 degrees

FORK RAKE: 48mm

BB HEIGHT: 48mm

BOYS SIZES: 14in

GIRLS SIZES: 14in

FRAME COLORS: Ferarri red

GALE STORM™

The new 20" wheel Gale Storm is a great introduction to all-terrain bicycles for youngsters. It has a state-of-the-art monostay frame design, with off-road frame geometry. Important grown-up features include sure-stopping brakes, Shimano SIS Index 6 speed Hyperglide gearing, a junior lycra mountain saddle, and anatomically fitted handlebars and stem. Available in both boy's and girl's styles.



CALIFORNIAN PRO™

Mongoose's premium race ready machine, the Californian Pro has taken many racers to number one. It features the exclusive Mongoose equilateral wishbone-style frame, made with triple butted Chromoly tubing. Special equipment includes: Chromoly racing handlebars and Chromoly/alloy narrow stem, a 400mm alloy seat pillar, a quick change alloy spyder, Mongoose competition brakes, patented Pro Class alloy rims, and a full pad set.



FRAME: Mongoose design CR-MO throughout
FORK: Mongoose design CR-MO unicrown
BRAZE ON FITTINGS: 2 cable guides on underside of T/T f/brake cable
HEADSET: Black sealed mechanism
STEM: Mongoose design CR-MO/alloy
HANDLEBARS: Mongoose design w/ crossbar
GRIPS: Pro Class design black
FRONT BRAKE: Lee Chi N630 black w/OPC shoes-AH mount
REAR BRAKE: Lee Chi N630 black w/OPC shoes-AH mount
BRAKE LEVERS: Lee Chi 124A alloy tech lever

FREEWHEEL: Suntour 16T black
CHAIN: Black 1/2x1/8 beveled
CRANKSET: Mongoose heat treated alloy 43T w/spyder
PEDALS: Pro Class alloy w/CR-MO axles
RIMS: Pro Class 20x1-1/8 alloy 36 hole (polished finish)
FRONT HUB: Mongoose alloy 36 hole nutted
REAR HUB: Mongoose alloy 36 hole nutted
TIRES: Mongoose design 20x1-1/8 black skinwall
SEAT: Mongoose design black nylon
SEAT POST: CR-MO painted/alloy seat clamp

ACCESSORIES: 3 piece pad kit, chain guard, owners manual, reflectors
WHEELBASE: 848 mm
TOP TUBE LENGTH: 427 mm
SEAT TUBE LENGTH: 115 mm
CHAIN STAY LENGTH: 365 mm
HEAD ANGLE: 74 degrees
SEAT ANGLE: 73 degrees
FORK RAKE: 34 mm
BB HEIGHT: 35 mm
FRAME COLORS: Charcoal/Blue Spangle



FRAME: Mongoose equalateral design triple butted CR-MO
FORK: Mongoose design CR-MO unicrown
BRAZE ON FITTINGS: 2 cable guides on underside of T/T f/brake cable
HEADSET: Black sealed mechanism
STEM: Mongoose design CR-MO/alloy
HANDLEBARS: Mongoose design CR-MO
GRIPS: Pro Class design black
FRONT BRAKE: Lee Chi 999 alloy w/OPC shoes-AH mount
REAR BRAKE: Lee Chi 999 alloy w/OPC shoes-AH mount

MINI CALIFORNIAN™

The Mini Californian is a custom made competition racing bicycle for the growing racer. It is specially designed and handcrafted with Chromoly tubing. Much like its older brother, the Californian Pro, the Mini Californian has high-tech components like: a quick change alloy spyder with 43T sprocket, a Mongoose narrow racing stem, a high performance brakes, an exclusive Mongoose 20x1-1/8 ultra light skin side tires, a Mongoose designed 20x1-1/8 alloy rims, and a full pad set.

BRAKE LEVERS: Lee Chi 290 alloy competition levers
FREEWHEEL: Suntour 16T black
CHAIN: Black 1/2x1/8 beveled
CRANKSET: Mongoose heat treated alloy 43T w/spyder
PEDALS: Pro Class alloy w/CR-MO axles
RIMS: Pro Class 20x1.50 alloy w/Pro Class rim strip
FRONT HUB: Mongoose alloy 36 hole nutted
REAR HUB: Mongoose alloy 36 hole nutted
TIRES: Mongoose design 20x1.95/1.75 black skinwall
SEAT: Mongoose design black nylon
SEAT POST: Pro class alloy seat pillar
ACCESSORIES: 3 piece pad kit, chain guard, owners manual, reflectors
WHEELBASE: 930mm
TOP TUBE LENGTH: 495 mm
SEAT TUBE LENGTH: 228mm
CHAIN STAY LENGTH: 365 mm
HEAD ANGLE: 71 degrees
SEAT ANGLE: 72 degrees
FORK RAKE: 34 mm
BB HEIGHT: 33 mm
FRAME COLORS: Charcoal/blue/black spangle

SUPERGOOSE®

The Mongoose Supergoose is a high performance racing bicycle with many of the features of professional bicycles. It's handcrafted of premium Chromoly tubing with the Mongoose wishbone style frame. Main features include: quick change alloy spyder, a Mongoose narrow lightweight racing stem, competition 20x1.95 tires, patented Pro Class alloy rims, and a full pad set.

FRAME: Mongoose OS wishbone design CR-MO main frame
FORK: Mongoose design CR-MO unicrown
BRAZE OF FITTINGS: 3 cable guides on underside of T/T l/brake cable
HEADSET: Chromed
STEM: Mongoose design CR-MO/alloy
HANDLEBARS: Mongoose design w/ crossbar
GRIPS: Pro Class design black
FRONT BRAKE: None
REAR BRAKE: Lee Chi 999 alloy w/OPC shoes-AH mount
BRAKE LEVERS: Lee Chi 290 alloy competition levers
FREEWHEEL: Suntour 16T black

CHAIN: Black 1/2x1/8 beveled
CRANKSET: Mongoose heat treated alloy 43T w/spyder
PEDALS: Mongoose design nylon w/ reflectors
RIMS: Pro Class 20x1.75 alloy w/Pro Class rim strip
FRONT HUB: Mongoose 36 hole black
REAR HUB: Mongoose 36 hole black
TIRES: Mongoose design 20x1.75 black skinwall
SEAT: Mongoose design black nylon
SEAT POST: Cr-Mo chromed/alloy seat clamp

Chrome



EXPERT-COMP™

Designed for the performance minded rider, the Expert Comp has a lot of the features of bikes costing much more. The frame is made of large diameter Chromoly tubing and features the unique Mongoose wishbone style. It's equipped with top quality components like: Pro Class alloy rims, an alloy spyder, 43T alloy chainring, a Mongoose racing seat, Mongoose competition brakes and a complete safety pad set.



PEDALS: Pro Class alloy w/CR-MO axles
RIMS: Pro Class 20x1.50 alloy w/Pro Class rim strip
FRONT HUB: Mongoose alloy 36 hole nutted
REAR HUB: Mongoose alloy 36 hole nutted
TIRES: Mongoose design 20x1.95/1.75 black skinwall
SEAT: Mongoose design black nylon
SEAT POST: Pro class alloy seat pillar
ACCESSORIES: 3 piece pad kit, chain guard, owners manual, reflectors
WHEELBASE: 930mm
TOP TUBE LENGTH: 493mm
SEAT TUBE LENGTH: 228mm
CHAIN STAY LENGTH: 365 mm
HEAD ANGLE: 71 degrees
SEAT ANGLE: 72 degrees
FORK RAKE: 34 mm
BB HEIGHT: 33 mm
FRAME COLORS: Chrome

FRAME: Mongoose wishbone design CR-MO throughout
FORK: Mongoose design CR-MO unicrown
BRAZE ON FITTINGS: 2 cable guides on underside of T/T l/brake cable
HEADSET: Black sealed mechanism
STEM: Mongoose design CR-MO/alloy
HANDLEBARS: Mongoose design w/ crossbar
GRIPS: Pro Class design black
FRONT BRAKE: Lee Chi 999 alloy w/OPC shoes-AH mount
REAR BRAKE: Lee Chi 999 alloy w/OPC shoes-AH mount
BRAKE LEVERS: Lee Chi 290 alloy competition levers
FREEWHEEL: Suntour 16T black
CHAIN: Black 1/2x1/8 beveled
CRANKSET: Mongoose heat treated alloy 43T w/spyder

M-1 COASTER™

FRAME: Mongoose wishbone design Hi-Ten
FORK: Mongoose design unicrown w/ retention end
BRAZE ON FITTINGS: 3 cable guides on underside of T/T f/brake cable
HEADSET: Matte black
STEM: Mongoose alloy double clamp
HANDLEBARS: Mongoose design w/ crossbar
GRIPS: Mongoose black feathered
FRONT BRAKE: None
REAR BRAKE: Lee Chi alloy blk w/OPC shoes-AH mount
BRAKE LEVERS: Lee Chi alloy black tech lever
FREEWHEEL: Suntour 16T black
CHAIN: Black 1/2x1/8 beveled
CRANKSET: Mongoose heat treated alloy CD 43T OPC

Chrome



PEDALS: Mongoose design nylon w/ reflectors
RIMS: Pro Class 20x1.75 chromed w/Pro Class rim strip
FRONT HUB: Mongoose 36 hole matte black
REAR HUB: Mongoose 36 hole matte black
TIRES: Mongoose design 20x1.75 black skinwall



Black / Charcoal / Shade

FRAME: Mongoose wishbone design Hi-Ten
FORK: Mongoose design unicrown w/ retention end
BRAZE OF FITTINGS: 3 cable guides on underside of T/T f/brake cable
HEADSET: Chromed
STEM: Mongoose alloy double clamp
HANDLEBARS: Mongoose design w/ crossbar
GRIPS: Mongoose black feathered
FRONT BRAKE: None
REAR BRAKE: Shimano 18T coaster/ Mongoose side pull
BRAKE LEVERS: Mongoose alloy competition
FREEWHEEL: Shimano 18T coaster

CHAIN: Black 1/2x1/8 beveled
CRANKSET: Mongoose heat treated alloy CD 43T OCP
PEDALS: Mongoose design nylon w/ reflectors
RIMS: Pro Class 20x1.75 chromed w/Pro Class rim strip
FRONT HUB: Mongoose 36 hole chromed
REAR HUB: Shimano Chromed 18T coaster hub
TIRES: Mongoose design 20x1.75 black gumwall
SEAT: Mongoose design black nylon
SEAT POST: Straight painted/alloy clamp
ACCESSORIES: 3 piece pad kit, chain guard, owners manual, reflectors
FRAME COLORS: Black/ Charcoal shade, red

M-1 FREEWHEEL™

The M-1 is Mongoose's best selling model. It is available with the option of a coaster brake or freewheel, combined with such high performance features as: Pro Class rims, a Mongoose designed 43T alloy CD chainring, racing pedals, Mongoose designed sure hold grips, a competition saddle and a complete pad set. The M-1 is also available in a Mini size with coaster brake.

LITTLE CUTIE™

The Little Cutie is a great bicycle for young girls. The frame and fork are hand welded of special lightweight, durable hi-tensile tubing. The components are carefully hand selected to ensure safety and an attractive appearance. Important features like a padded saddle, a full pad set, soft feathered grips, and non-slip pedals make the Little Cutie the best value available.

FRONT HUB: Mongoose 36 hole chromed
REAR HUB: Shimano chromed 18T coaster hub
TIRES: Mongoose design 20x1.75 white gumwall
SEAT: Mongoose design white PU padded
SEAT POST: Chromed
ACCESSORIES: 3 piece pad kit, chain guard, owners manual, reflectors
FRAME COLORS: Pearl White Pink



FRAME: Mongoose design Hi-Ten girls
FORK: Mongoose design unicrown w/ retention end
BRAZE ON FITTINGS: Chain guard brackets
HEADSET: Chromed
STEM: Mongoose alloy double clamp
HANDLEBARS: Mongoose design w/ crossbar
GRIPS: Mongoose grey feathered
FRONT BRAKE: None
REAR BRAKE: Shimano 18T coaster
BRAKE LEVERS: None
FREEWHEEL: Shimano 18T coaster
CHAIN: Black 1/2x1/8 beveled
CRANKSET: Mongoose heat treated 43T OPC crank
PEDALS: Mongoose design nylon w/ reflectors
RIMS: Chromed 20x1.75 36 hole

M-1 MINI™



FRAME: Mongoose wishbone design Hi-Ten
FORK: Mongoose design unicrown w/ retention end
BRAZE OF FITTINGS: 3 cable guides on underside of T/T f/brake cable
HEADSET: Chromed
STEM: Mongoose alloy double clamp
HANDLEBARS: Mongoose design w/ crossbar
GRIPS: Mongoose black feathered
FRONT BRAKE: None
REAR BRAKE: Shimano 18T coaster/Mongoose side pull
BRAKE LEVERS: Mongoose alloy competition
FREEWHEEL: Shimano 18T coaster

CHAIN: Black 1/2x1/8 beveled
CRANKSET: Mongoose heat treated alloy CD 43T OPC
PEDALS: Mongoose design nylon w/ reflectors
RIMS: Pro Class 20x1.75 chromed w/Pro Class rim strip
FRONT HUB: Mongoose 36 hole chromed
REAR HUB: Shimano Chromed 18T coaster hub
TIRES: Mongoose design 20x1.75 black gumwall
SEAT: Mongoose design black nylon
SEAT POST: Straight painted/alloy clamp
ACCESSORIES: 3 piece pad kit, chain guard, owners manual, reflectors
FRAME COLORS: Black/ Charcoal shade,

MITYGOOSE®

The Mitygoose is a 16" wheel bicycle built with the same attention to detail as the larger Mongoose models. It has a rugged heliarc welded frame with a tubular fork. It is anatomically designed for 5-9 year olds, with special crank arms, handlebars, compact pedals and a smaller size saddle. The Mitygoose comes equipped with Shimano coaster brakes, steel training wheels and a complete pad set. Available in a boys or girls model.



FRAME: Mongoose design junior boys
FORK: Mongoose design unicrown w/ retention end
BRAZE ON FITTINGS: Chain guard brackets
HEADSET: Chromed
STEM: Mongoose alloy double clamp
HANDLEBARS: Mongoose design w/ crossbar
GRIPS: Mongoose junior black feathered



Chrome

FRONT BRAKE: None
REAR BRAKE: Shimano 16T coaster
BRAKE LEVERS: None
FREEWHEEL: Shimano 16T coaster
CHAIN: Black 1/2x1/8 beveled
CRANKSET: Mongoose heat treated 36T OPC crank
PEDALS: Mongoose design nylon w/ reflectors
RIMS: Chromed 16x1.75 28 hole

FRONT HUB: Mongoose 28 hole chromed
REAR HUB: Shimano Chromed 16T coaster hub
TIRES: Mongoose design 16x1.75 black gumwall
SEAT: Mongoose design black nylon base
SEAT POST: Painted
ACCESSORIES: 3 pads, chain guard, manual, reflectors
FRAME COLORS: Dark Blue, Chrome, Pearl Lavender



FRAME: Mongoose design mini boys
FORK: Mongoose design unicrown w/ retention end
BRAZE ON FITTINGS: Chain guard brackets
HEADSET: Chromed
STEM: Mongoose design combination
HANDLEBARS: Mongoose 3" rise w/ crossbar
GRIPS: Mongoose mini black feathered
FRONT BRAKE: None
REAR BRAKE: 16T coaster
BRAKE LEVERS: None
FREEWHEEL: 16T coaster
CHAIN: Black 1/2x1/8 beveled

CRANKSET: Mongoose heat treated 28T OPC crank
PEDALS: Mongoose design nylon
RIMS: Chromed 12x1.75 28 hole
FRONT HUB: Mongoose 28 spoke chromed
REAR HUB: 16T chromed coaster brake
TIRES: Mongoose design 12x2-1/4 black knobby
SEAT: Mongoose design black nylon padded base
SEAT POST: Straight seat/seat post combo
ACCESSORIES: Stl Training wheels, 3 pads, chain guard, manual, reflectors
FRAME COLORS: Gloss Red, Pearl Pink

LITTLE FOOT™

Little Foot, the special Mongoose designed 12" wheel boy's and girl's model is a perfect first bicycle for 3-6 year olds. It features a long lasting Hi-Ten heliarc welded frame with full ball bearing wheels, bottom bracket, and headset. It also comes complete with steel training wheels, a complete Mongoose pad set, and a sure-stopping coaster brake.

FREESTYLE/SCOOTERS/MANGUSTA



STYLIST™

The Mongoose Stylist is an affordable trick freestyle machine. It features Chromoly frame construction with specially designed deep knurled frame stands. It is ideal for the toughest ground tricks. Available in Sport Blue or Wildfire Red.

DECADE™

The Decade is a competition freestyle machine. It is a handmade Chromoly frame and fork. It is equipped state-of-the-art components. Available in two versions in a wide range of colors.

MINISCOOT®

Mongoose Miniscoots are the original scooters. Available in either 12" or 14" wheels with band brake and front side pull brakes in a rainbow of colors.

MANGUSTA®

Mangusta is a world class selection of lightweight bicycles. Each frame is handmade of thermally bonded aluminum tubing with a rigid Chromoly rear triangle. Special features include: Chromoly aero unicrown fork, vertical dropouts, investment cast lugs and an international component selection. Available in three performance packages.



INTEGRATION

MOUNTAIN BICYCLES

Mongoose is at the forefront of mountain bike design. In our continuing effort to maintain our leadership position, Mongoose is introducing TOTAL INTEGRATION. Total integration incorporates the creativity of the World Champion Mongoose Racing Team, our exceptional engineering and design staff, the major component manufacturers, and the input from Mongoose users.

The renowned Mongoose IBOC series (International Bicycle Of Champions) has become the standard by which other mountain bikes are judged. IBOC's incorporate race proven frame construction and geometry, along with the latest product developments available in the marketplace. World champion John Tomac continues to assist in developing the ultimate competition machines.

The integration of these elements has produced the most technically advanced performance bicycles available. Key component developments like the Shimano STI system, which is ergonomically designed for proper hand fit while dramatically improving shifting performance, is just one of the important results. Other key product developments include: integrated computer stems and forks featured on the Hill Topper and Sycamore models that carefully monitor your performance level, Mongoose Air-ergonomic saddles which pneumatically improve riding comfort, anatomically designed hi-density grips to reduce hand and arm fatigue, unique deep treaded tires which dramatically improve off-road stability and cornering performance, as well as a multitude of other innovations to make your cycling experience more enjoyable.

This quality is not only available on the most expensive models. All Mongoose all-terrain bicycles have indexed shifting, anatomically fitted handlebars, stems and crank arms, soft lycra topped comfortable saddles, quick change front wheels and sure stopping cantilever brakes. Mongoose bicycles have trendsetting colors and graphics and are available in a full range of sizes from a junior 20" wheel model, to a full titanium 26" mountain racing model used by world champion John Tomac and the world class Mongoose racing team.



Other rights which may vary from state to state.
res.

Complete CPSC equipment included, but not shown. Specifications subject to change without notice.
mongoose, Pro Class, Mitygoose, Supergoose, Mangusta And Minisoot are registered Trademarks belonging
to American Recreation Group. All rights reserved.

Services Cycle Bicycle Company-23879 Madison St. Torrance, CA 90505 © 1990 Service Cycle Bicycle Company.
All rights reserved.



Printed in Hong Kong

1990 MONGOOSE CATALOG

Mongoose has a history associated with winning products. It began over 15 years ago when Mongoose built the first competition BMX racing bicycle. Mongoose continues to innovate and produce a complete range of bicycles, from children's models to complex, ultra-light, high performance racing machines.

Mongoose is dedicated to cycling excellence. We support both BMX and Mountain bike racing with the finest athletes in the sport and a junior development program, which fosters growth and maturity in cycling.

This year's focus is on a totally integrated product offering. This has been achieved through an integration of the ideas and concepts of the world champion Mongoose team riders, and the major component factories such as Shimano, Sun Tour, Tange and Araya, along with our dedicated Mongoose engineering staff. This synergy has produced the most technically advanced bicycles available. Each Mongoose model has a perfect balance of design, construction, component selection and colors and graphics. Each of these elements is precisely matched to achieve optimum performance for the bicycle's intended purpose.

Special attention has been taken to address the growing interest in fitness. The new Dynametric model is the ideal fitness bicycle. It features the speed and agility of a lightweight bicycle with the comfort and stability of a mountain bike. These key elements, along with a sleek style make the Dynametric the bicycle of the future.

The most important element in designing our bicycles is you, the Mongoose customer. Mongoose constantly monitors trends in cycling, fashion and other important influences. We also utilize information provided by various surveys and questionnaires. Whether you are cycling for fun, fitness or competition, Mongoose has the ideal bicycle for you.

MONGOOSE LIMITED WARRANTY

Mongoose bicycle frames purchased from an authorized Mongoose bicycle dealer are warranted by Mongoose to be free from defects in material and workmanship under normal use for as long as the bicycle is owned by the original owner.

All original parts purchased from an authorized Mongoose bicycle dealer, except tires, tubes and cables are warranted by Mongoose to be free from defects in materials and workmanship under normal use for ninety (90) days from the date of purchase.

During each of the respective limited warranty periods, all original parts and bicycle frames subject to this limited warranty and determined by Mongoose to be defective in materials or workmanship, will be repaired or replaced by Mongoose, through an authorized Mongoose bicycle dealer, free of charge, except for shipping or other transportation charges and dealer labor charges (if applicable), which charges are not covered by this limited warranty.

This limited warranty applies only to Mongoose bicycles which were fully assembled by an authorized Mongoose bicycle dealer at the time of purchase and were not altered in any way inconsistent with the bicycle's design. Mongoose bicycles should be inspected by an authorized Mongoose dealer every six months. In order to obtain limited warranty service, the bicycle, together with the bill of sale, or other dated proof-of-purchase document identifying the bicycle frame number, must be presented to an authorized Mongoose bicycle dealer.

For assistance in locating an authorized Mongoose bicycle dealer, please write Mongoose Bicycle Company, 23879 Madison Avenue, Torrance, Ca. 90505.

NOTICE: The user assumes the risk of any personal injuries, damage to, or failure of the bicycle and any other losses if Mongoose bicycles are: used in any competitive event (including bicycle racing, or bicycle motocross, dirt biking, freestyling, or similar activities or training for such activities), altered in any way inconsistent with the bicycles originally designed purpose, used for stunt riding, ramp jumping, acrobatics or similar activities, operated with multiple riders, used to tow another person or vehicle, used with motors or any power driven apparatus. Any of the foregoing will invalidate this limited warranty and Mongoose shall not be liable for any failure, loss, damage or injury resulting from such uses or alterations.

Mongoose shall not be responsible for incidental or consequential damages. This limited warranty does not cover any personal injuries, damage to or, failure of the bicycle or any other losses due to accident, misuse, alteration, neglect, abuse, normal wear and tear, improper assembly, improper fit, improper maintenance or use of unauthorized replacement parts or parts not designed for the bicycle.

This limited warranty is the only warranty applicable to Mongoose bicycles, and is expressly in lieu of any other warranty. Any implied warranty, including any warranty of merchantability or fitness for a particular purpose is limited in duration to the duration of this express warranty. This limited warranty gives you specific legal rights and you may also have other rights which may vary from state to state. This limited warranty applies only to the United States.



Complete CPSC equipment included, but not shown. Specifications subject to change without notice. Mongoose, Pro Class, Mitygoose, Supergoose, Mangusta And Minischoot are registered Trademarks belonging to American Recreation Group. All rights reserved.

Services Cycle Bicycle Company-23879 Madison St. Torrance, CA 90505 © 1990 Service Cycle Bicycle Company. All rights reserved.

Printed in Hong Kong

MONGOOSE AUTHORIZED DEALER

