

MONGOOSE '96

Nie ma
samochodów,
reklam,
zgiełku,
odpadów,
betonu.

Tak!



Amplifier Team.

RAMA: ALUMINIUM

Wykonana w Niemczech, zaprojektowana przez Karla Nicolai, aluminiowa rama Mongoose Amplifier Team o skoku tylnego koła 120 mm.

Hamulce "V" Shimano Deore XT z dźwigniami o regulowanej sile nacisku.

Widelec amortyzowany Rock Shox JudyDH hydrauliczno-elastomerowy o skoku 80 mm.

Kompletna grupa Shimano Deore XT.



Mongoose NMV - szczytowe osiągnięcie w dziedzinie amortyzatorów



sprężynowo-hydraulicznych.

KOLOR:
Polished Alloy -
polerowane
aluminium

Dostępne nie w każdym kraju. Zdjęcie może różnić się nieco od roweru. Właściwy osprzęt zgodny ze specyfikacją.

Amplifier Comp.

RAMA: ALUMINIUM

Zaprojektowana przez Mongoose'a rama ze stopu aluminium 7005, z płytami wzmacniającymi i precyzyjnym gniazdem obrotu tylnego widełka, wykonanym z kutego aluminium.

Pneumatyczno-hydrauliczny amortyzator typu Risse, z regulacją ciśnienia o skoku 70 mm.


Amortyzowany widelec Rock Shox Quadra 21R (najwyższej klasy elastomer MCU) o regulowanej twardości i skoku 60 mm.

Obręcze Mavic 238 (32 otwory), piasta przednia przystosowana do widełka amortyzowanego.



Dostępne nie w każdym kraju. Zdjęcie może różnić się nieco od roweru. Właściwy sprzęt zgodny ze specyfikacją.

Zjazdowa kierownica Mongoose i wzmocniony wspornik typu Ahead o pewnym chwycie.



KOLOR:

Anodized Blue/
Polished Alloy -
niebieski
anodizowany/
polerowane
aluminium

5

IBOC Team SX.

RAMA: WŁÓKNO WĘGLOWE

Wykonana według zaawansowanej technologii opatentowanej przez Mongoose'a MACT, z włókien węglowych rama, posiadająca dwie bliźniacze rury główne oraz wymienny hak przerzutki tylnej.

Super lekki widelec amortyzowany Rock Shox Judy SL hydrauliczno-elastomerowy o skoku 60 mm.

Kompletna grupa Shimano Deore XT wraz z hamulcami "V" oraz dźwigniami o regulowanej sile nacisku, zintegrowanymi z manetkami Rapid Fire SL.

Nowe pedały zatrzaskowe, Shimano Deore PDM-535 SPD.



Dostępne nie w każdym kraju. Zdjęcie może różnić się nieco od roweru. Właściwy sprzęt zgodny ze specyfikacją.

8

Unikalna rama monolityczna z włókien węglowych, o dwóch rurach głównych.



KOLOR:

Mirror Black -
czarny lustrzany

IBOC Pro SX.

RAMA:
Cr-Mo DB SL

Zaprojektowana przez Mongoose'a rama, wykonana z najlepszych rur chromo-molibdenowych Richey Logic WCS, z mufą suportową i hakami tylnymi odlawanymi metodą traconego wosku.

Super lekki widelec amortyzowany Rock Shox Judy SL hydrauliczno-elastomerowy o skoku 60 mm.

Przerzutka tylna SRAM EPS z manetkami Grip Shift SRT-900i.

Obręcze oczekowane: Mavic 220 w przednim i Mavic 221 w tylnym kole.

Support White Industrie z odlawanymi i kutymi koronkami oraz koronkami 44x32x22.



KOLOR:
Mirror Royal Blue - królewski błękit lustrzany



Dostępne nie w każdym kraju. Zdjęcie może różnić się nieco od roweru. Właściwy sprzęt zgodny ze specyfikacją.

IBOC Comp SX.

RAMA: C(a)2
ALUMINIUM

Zaprojektowana przez Mongoose'a rama z kształtowanych, promieniowo wycienianych rur wykonanych ze stopu aluminium o nazwie C(a)2. Posiada wymienny hak przerzutki tylnej.

Amortyzowany widelec Rock Shox Judy XC hydrauliczno-elastomerowy o skoku 60 mm.

Kompletna grupa Shimano Deore LX wraz z kombinowanymi Rapid Fire SL - 24 biegi.

Tylna przerzutka Deore XT.

Obręcze Mavic 238 oraz opony Tioga Psycho Kevlar.

IBOC Comp.

Identyczny z Comp SX, wyposażony w potrójnie cieniowany widelec Mongoose Cr-Mo.

Według projektu Mongoose'a mostek trójkąta tylnego, odlawany metodą traconego wosku.



KOLOR:
Polished Alloy - polerowane aluminium



Dostępne nie w każdym kraju. Zdjęcie może różnić się nieco od roweru. Właściwy sprzęt zgodny ze specyfikacją.

IBOC Zero-G.

RAMA: Cr-Mo DB SL

Zaprojektowana przez Mongoose'a rama, wykonana w 100% z super lekkich, podwójnie wycienianych rur Tange Cr-Mo, przystosowana do widełek amortyzowanego, z wymiennym hakiem przetrzutki tylnej.

Potrójnie wycieniany, o stożkowych ramionach widełek Mongoose 100% Cr-Mo.

Wyczynowe opony Tioga Psycho K z przodu i Psycho TT z tyłu.


Zespół napędowy Shimano Deore LX - 24 biegi, z manetkami Grip Shift SRT-600i

Wyczynowe, specjalnie projektowane; kierownica oraz wsporniki kierownicy i siódła o nazwie IBOC.

IBOC Zero-G SX.

Identyczny z Zero-G, wyposażony w amortyzowany widełek Rock Shox Judy XC.

Amortyzowany widełek Rock Shox Judy XC o skoku 60 mm.



KOLORY:

ZERO-G

Matte Blue/Dark Blue Fade - matowy niebieski przechodzący w ciemnoniebieski
Mirror Silver - srebrny lustrzany

ZERO-G SX

Mirror Black - czarny lustrzany
Satin Silver Plate - anodizowany srebrny satynowy



Dostępne nie w każdym kraju. Zdjęcie może różnić się nieco od roweru. Właściwy sprzęt zgodny ze specyfikacją.

Ramy i stroje.

RAMY AMORTYZOWANE



Amplifier Team



Amplifier Comp

RAMY WYCZYNOWE GÓRSKIE IBOC



IBOC Team SX



IBOC Pro SX



IBOC Comp SX

RAMY SZOSOWE WYCZYNOWE



IBOC Champion



IBOC Road



Bluza przeciwdeszczowa Mongoose Team



Koszulka kolarska Mongoose Team



Spodenki kolarskie Mongoose Team



Skarpetki i rękawiczki kolarskie Mongoose Team

Alta SX.


RAMA: ALUMINIUM
Zaprojektowana przez Mongoose'a rama ze stopu aluminium 7005 T-6.

Osprzęt Shimano Alivio z tylną przerzutką STX.

Wysokiej klasy dźwignie hamulców z kutego aluminium na dwa palce.



Amortyzowany widelec Rock Shox Quadra 21R (elastomer MCU) o skoku 60 mm.



KOLORY:
Blazing Blue - płonący błękit
Brushed Alloy - szczotkowane aluminium

Alta.

RAMA: ALUMINIUM
Rama jak w modelu SX, przystosowana do widełca amortyzowanego.

Wysokiej klasy widelec Mongoose 100% Cr-Mo.

Osprzęt jak w modelu SX, manetki Grip Shift SRT-400i.

Wspornik kierownicy Mongoose Cr-Mo, aluminiowa kierownica o wadze 180 g.



KOLORY:
Brushed Alloy - szczotkowane aluminium
Mirror Green - zielony lustrzany

Dostępne nie w każdym kraju. Zdjęcie może różnić się nieco od roweru. Właściwy osprzęt zgodny ze specyfikacją.

Hill Topper SX.

RAMA: Cr-Mo
Zaprojektowana przez Mongoose'a rama w 100% z rur Tange MTB Cr-Mo o powiększonej średnicy.

Amortyzowany widelec Rock Shox Quadra 21R (elastomer MCU) o skoku 60 mm.

Suport Shimano Alivio Hyperdrive-C

Tylna przerzutka Shimano Alivio, manetki Grip Shift SRT-400i.



System osadzenia widełca w ramie przy pomocy uszczelnianych sterów oversize.



KOLORY:
Satin Silver Plate - anodyzowany satynowo-srebrny
Matte Royal Blue - królewski błękit matowy

Hilltopper.


RAMA: Cr-Mo
Rama jak w modelu SX, przystosowana do widełca amortyzowanego, z rurą sterową oversize.

Wysokiej klasy widelec Mongoose 100% Cr-Mo

Stery oversize uszczelniane.



Manetki Grip Shift SRT-400i o krótkim skoku.



KOLORY:
Titanium Plate - anodyzowany tytan
Mirror Red - czerwony lustrzany

Dostępne nie w każdym kraju. Zdjęcie może różnić się nieco od roweru. Właściwy osprzęt zgodny ze specyfikacją.

Sycamore SX.

RAMA: Cr-Mo

Zaprojektowana przez Mongoose'a rama w 100% z rur Tange MTB Cr-Mo o powiększonych średnicach.

Zespół napędowy Shimano Accra-X z suportem Hyperdrive-C.

Dźwignie hamulców Mongoose z kutego aluminium, na dwa palce.

Aluminiowe obręcze Weinmann o 36 otworach, nierdzewne szprychy.



Amortyzowany widelec elastomerowy Rock Shox Quadra 5 o regulowanej twardości.



KOLORY:

Mirror Royal Blue - królewski błękit lustrzany

Titanium Paint - tytanowy malowany

Sycamore.

RAMA: Cr-Mo


Rama jak w modelu SX, przystosowana do widełka amortyzowanego.

Widelec Mongoose Cr-Mo z kutymi hakami.

Manetki Grip Shift SRT-300i, obie indeksowane.



Aluminiowe obręcze Weinmann o 36 otw. i nierdzewne szprychy.



KOLORY:

Mirror Green - zielony lustrzany

Steel Blue - stalowoniebieski

Dostępne nie w każdym kraju. Zdjęcie może różnić się nieco od roweru. Właściwy osprzęt zgodny ze specyfikacją.

Switchback.

RAMA: 3 RURY Cr-Mo

Zaprojektowana przez Mongoose'a rama o trzech głównych rurach Tange ATB Cr-Mo.

Zespół napędowy Shimano Altus C-90 z suportem Hyperdrive-C, oraz z przerzutką i piastą tylną Accra-X.

Manetki Grip Shift MRX-100i, obie indeksowane.

Aluminiowe obręcze Weinmann i piasta przednia z kutego aluminium, z zatrzaskiem.

Montowany również jako damka.



Widelec Mongoose Cr-Mo o przekroju kołowym.



KOLORY:

Matte Green/Matte Blazing Blue Fade - zielony matowy przechodzący w błękit

Brushed Silver - srebrny szczotkowany

Mirror Black - czarny lustrzany

Dostępne nie w każdym kraju. Zdjęcie może różnić się nieco od roweru. Właściwy osprzęt zgodny ze specyfikacją.

Threshold Sport.

RAMA: 3 RURY Cr-Mo
Zaprojektowana przez Mongoose'a rama o trzech głównych rurach Tange ATB Cr-Mo, widelec Hi-Ten o przekroju kołowym.

Zespół napędowy Shimano Altus C-90 z suportem Hyperdrive-C i kasetową piastą, 21biegów.

Aluminiowe obręcze Weinmann, dźwignie hamulców z kutego aluminium na trzy palce, prosta kierownica MTB.



Threshold.

Rama, widelec i osprzęt jak w modelu Sport. Komfortowa kierownica, montowany również jako damka.

Łatwe w użyciu manetki Grip Shift MRX-100, obie indeksowane.



KOLORY:
Matte Red - czerwony matowy
Forest Green - leśna zieleń

Maneuver.

RAMA: RURA SIODŁOWA Cr-Mo

Zaprojektowana przez Mongoose'a rama ATB z rurą siodłową Tange Cr-Mo, widelec Hi-Ten o przekroju kołowym.

Przerzutki indeksowane Shimano TY-22, wielotryb Shimano Hyperglide, 18 bie-
gów.

Manetki Grip Shift Quick Shift - obie indeksowane.

Aluminiowe obręcze Weinmann, aluminiowe piasty - przednia z zatraskiem.

Montowany również jako damka.



Hamulce Shimano Altus C-90 Easy Set.



KOLORY:
Mirror Black - czarny lustrzany
Matte Blue - niebieski matowy
Mirror Green/Blue Fade - zielony lustrzany przechodzący w błękitny lustrzany


Dostępne nie w każdym kraju. Zdjęcie może różnić się nieco od roweru. Właściwy osprzęt zgodny ze specyfikacją.

MODEL	AMPLIFIER TEAM	AMPLIFIER COMP	IBOC TEAM SX	IBOC PRO SX	IBOC COMP SX	IBOC COMP	IBOC ZERO-G SX	IBOC ZERO-G	ROCKADILE SX	ROCKADILE	ALTA SX	ALTA	HILL TOPPER SX
RAMA	Nicola design 100% alloy rear suspension	Mongoose AMP 2 design 7005 alloy	MACT 100% Carbon Fiber	Ritchey Logic WCS Double Butted Cr-Mo	Mongoose Cria/2 Aluminum Alloy	Mongoose Cria/2 Aluminum Alloy	Mongoose Design Tange Cr-Mo super light double butted	Mongoose Design Tange Cr-Mo super light double butted	Mongoose design 7005 1.6 welded alloy	Mongoose design 7005 1.6 welded alloy	Mongoose design 7005 1.6 welded alloy	Mongoose design 7005 1.6 welded alloy	Mongoose MTS O/S design 100% Tange Cr-Mo
GNIAZDA PANCEZY	Barjo Style cable routing, 2 sets of W/B fittings	Barjo Style cable routing, 2 sets of W/B fittings	Barjo Style cable routing, 3 sets of W/B fittings	Barjo Style cable routing, 3 sets of W/B fittings	Barjo Style cable routing, 3 sets of W/B fittings	Barjo Style cable routing, 3 sets of W/B fittings	Barjo Style cable routing, 3 sets of W/B fittings	Barjo Style cable routing, 3 sets of W/B fittings	Barjo Style cable routing, 3 sets of W/B fittings, rack mounts	Barjo Style cable routing, 3 sets of W/B fittings, rack mounts	Barjo Style cable routing, 3 sets of W/B fittings, rack mounts	Barjo Style cable routing, 3 sets of W/B fittings, rack mounts	Barjo Style cable routing, 2 sets of W/B fittings, rack mounts
WIDELEC	Rock Shox Judy DH 21R	Rock Shox Quadra 21R	Rock Shox Judy SL	Rock Shox Judy SL	Rock Shox Judy XC	Mongoose Triple gauge Cr-Mo	Rock Shox Judy XC	Mongoose Triple gauge Cr-Mo	Rock Shox Quadra 21R	Rock Shox Quadra 21R	Rock Shox Quadra 21R	Rock Shox Quadra 21R	Rock Shox Quadra 21R
STERY	Dia-Compe O/S alloy Ahead	Dia-Compe O/S Kontak Ahead	Dia-Compe O/S alloy Ahead	Dia-Compe O/S alloy Ahead	Dia-Compe O/S Kontak Ahead	Dia-Compe O/S Kontak Ahead	Dia-Compe O/S Kontak Ahead	Dia-Compe O/S Kontak Ahead	Dia-Compe O/S Kontak Ahead	Dia-Compe O/S Kontak Ahead	Dia-Compe Kontak	Dia-Compe Kontak	Mongoose 1.1/8" oversized sealed
WSPORNIK KIEROWNICY	IBOC Pro Series alloy ahead 17" rise	Mongoose Sure Lock alloy ahead w/ 17" rise	IBOC Pro Series alloy 6" rise ahead	IBOC Pro Series alloy 6" rise ahead	IBOC Pro Series alloy 30" rise ahead	IBOC Pro Series alloy 30" rise ahead	IBOC Pro Series alloy 6" rise ahead	IBOC Pro Series alloy 6" rise ahead	Mongoose alloy 10" rise ahead	Mongoose alloy 10" rise ahead	Mongoose alloy 10" rise ahead	Mongoose alloy 10" rise ahead	Mongoose Cr-Mo 15" rise
KIEROWNICA	IBOC DH Series alloy 5" bend 20 mm rise	Mongoose DH Alloy 5" bend 20 mm rise	IBOC Pro Series Alloy 3" bend	IBOC Pro Series Alloy 3" bend	IBOC Pro Series Alloy 3" bend	IBOC Pro Series Alloy 3" bend	IBOC Pro Series Alloy 3" bend	IBOC Pro Series Alloy 3" bend	Mongoose alloy flat 3" bend	Mongoose alloy flat 3" bend	Mongoose alloy flat 3" bend	Mongoose alloy flat 3" bend	Mongoose alloy flat 3" bend
UCHWYTY KIEROWNICY	Mongoose Kryton	Grip Shift Kryton	Mongoose Kryton	Mongoose Kryton	Mongoose Kryton	Mongoose Kryton	Grip Shift 600 Kryton	Grip Shift 600 Kryton	Grip Shift Kryton	Grip Shift Kryton	Grip Shift Kryton	Grip Shift Kryton	Grip Shift Kryton
HAMULCE	Shimano Deore XT "V" w/ RMC shoes	Shimano Altus alloy cantilever w/ MC shoes	Shimano Deore XT "V" w/ RMC shoes	Shimano Deore XT "V" w/ RMC shoes	Shimano Deore LX cantilever/ RMC shoes	Shimano Deore LX cantilever/ RMC shoes	Shimano STX cantilever w/RMC shoes	Shimano STX cantilever w/RMC shoes	Shimano Altus alloy cantilever w/ MC shoes	Shimano Altus alloy cantilever w/ MC shoes	Shimano Easy Set cantilever w/ MC shoes	Shimano Easy Set cantilever w/ MC shoes	Shimano Easy Set cantilever w/ MC shoes
DŹWIGNIE HAMULCOWE	Shimano Deore XT	Mongoose 2 finger alloy levers	Shimano Deore XT w/servo wave	Avid Speed Dial	Shimano Deore LX	Shimano Deore LX	Mongoose Pro 2 finger alloy levers	Mongoose Pro 2 finger alloy levers	Mongoose 2 finger alloy levers	Mongoose 2 finger alloy levers	Mongoose Comp 2 finger alloy levers	Mongoose Comp 2 finger alloy levers	Mongoose Comp 2 finger alloy levers
LIŃKI PANCEZY	Shimano Easy glide 1.6mm/den	Mongoose Easy glide 1.6mm/den	Shimano Easy glide 1.6mm/den	Shimano Easy glide 1.6mm/den	Shimano Easy glide 1.6mm/den	Shimano Easy glide 1.6mm/den	Shimano Easy glide 1.6mm/den	Shimano Easy glide 1.6mm/den	Shimano Easy glide 1.6mm/den	Shimano Easy glide 1.6mm/den	Mongoose Easy glide 1.6mm/den	Mongoose Easy glide 1.6mm/den	Mongoose Easy glide 1.6mm/den
PRZETWÓRKA PRZEDNIA	Shimano Deore XT top pull	Shimano STX top pull	Shimano Deore XT top pull	Shimano Deore XT top pull	Shimano Deore LX top pull	Shimano Deore LX top pull	Shimano Deore LX top pull	Shimano Deore LX top pull	Shimano STX top pull	Shimano STX top pull	Shimano STX top pull	Shimano STX top pull	Shimano STX top pull
PRZETWÓRKA TYLNA	Shimano Deore XT Rapidfire SL	Shimano Deore LX SL	Shimano Deore LX SL	SRAM SRT 9000 Grip Shift	Shimano Deore LX Rapidfire SL	Shimano Deore LX Rapidfire SL	SRAM SRT 6000 Grip Shift	SRAM SRT 6000 Grip Shift	Shimano Deore LX SL	Shimano Deore LX SL	Shimano Deore LX SL	Shimano Deore LX SL	Shimano Deore LX SL
MANETKI	Shimano Deore XT Rapidfire SL	Shimano Deore LX SL	Shimano Deore LX SL	SRAM SRT 9000 Grip Shift	Shimano Deore LX Rapidfire SL	Shimano Deore LX Rapidfire SL	SRAM SRT 6000 Grip Shift	SRAM SRT 6000 Grip Shift	Shimano Deore LX SL	Shimano Deore LX SL	Shimano Deore LX SL	Shimano Deore LX SL	Shimano Deore LX SL
WIELOTRYB	Shimano IG 11-28 silver 8-speed	Shimano IG 11-28 silver 8-speed	Shimano IG 11-28 silver 8-speed	Shimano IG 11-28 silver 8-speed	Shimano IG 11-28 silver 8-speed	Shimano IG 11-28 silver 8-speed	Shimano IG 11-28 silver 8-speed	Shimano IG 11-28 silver 8-speed	Shimano IG 11-28 silver 8-speed	Shimano IG 11-28 silver 8-speed	Shimano IG 11-28 silver 8-speed	Shimano IG 11-28 silver 8-speed	Shimano HG 11-28 silver 7-speed
IACUCHI	Shimano IG silver	Shimano IG black	Shimano IG silver	Shimano IG silver	Shimano IG silver	Shimano IG silver	Shimano IG silver	Shimano IG silver	Shimano IG silver	Shimano IG silver	Shimano IG silver	Shimano IG silver	Shimano IG black
SUPORT	Shimano Deore XT 44/32/22T	Sugino Impel 350 44/32/22T	Shimano Deore XT 44/32/22T	White Industries 44/32/22T	Shimano Deore LX 44/32/22T	Shimano Deore LX 44/32/22T	Sugino Impel 350 44/32/22T	Sugino Impel 350 44/32/22T	Sugino Impel 350 44/32/22T	Sugino Impel 350 44/32/22T	Shimano Altus 44/32/24T	Shimano Altus 44/32/24T	Shimano Altus 44/32/24T
PEDALY	Shimano SPD 535 Chainless	Shimano SPD 535 Chainless	Shimano SPD 535 Chainless	Shimano SPD 535 Chainless	Mongoose IBOC Pro Series alloy	Mongoose IBOC Pro Series alloy	IboC Pro Series 3 alloy	IboC Pro Series 3 alloy	Mongoose Alloy w/ reflectors	Mongoose Alloy w/ reflectors	Mongoose composite steel w/ reflectors	Mongoose composite steel w/ reflectors	Mongoose composite w/ reflectors
OBŹYCZE	Mavic #220/221 alloy 32 hole double wall	Mavic #220/221 alloy 32 hole double wall	Mavic #220/221 alloy 32 hole double wall	Mavic #220/221 alloy 32 hole double wall	Mavic #238 alloy double wall 32 hole	Mavic #238 alloy double wall 32 hole	Mavic #238 alloy double wall 32 hole	Mavic #238 alloy double wall 32 hole	Mongoose OM 18 alloy double wall 32 hole	Mongoose OM 18 alloy double wall 32 hole	Mongoose OM 18 alloy double wall 32 hole	Mongoose OM 18 alloy double wall 32 hole	Mongoose VHS-30 alloy 36 hole
PIASTA PRZEDNIA	Shimano Deore XT suspension axle w/ quick release	Mongoose O/S alloy quick release	Shimano Deore XT suspension axle w/ quick release	Mongoose alloy quick release	Mongoose alloy quick release	Mongoose alloy quick release	Mongoose alloy quick release	Mongoose alloy quick release	Mongoose alloy quick release	Mongoose alloy quick release	Mongoose alloy quick release	Mongoose alloy quick release	Mongoose alloy quick release
PIASTA TYLNA	Shimano Deore XT quick release	Shimano Deore LX quick release	Shimano Deore XT quick release	Shimano Deore XT quick release	Shimano Deore LX quick release	Shimano Deore LX quick release	Shimano Deore LX quick release	Shimano Deore LX quick release	Shimano Deore LX quick release	Shimano Deore LX quick release	Shimano Deore LX quick release	Shimano Deore LX quick release	Shimano Deore LX quick release
SZPARYCHY	15GA stainless w/ brass nipples	15GA stainless w/ brass nipples	15GA stainless w/ alloy nipples	15GA stainless w/ alloy nipples	15GA stainless w/ alloy nipples	15GA stainless w/ alloy nipples	15GA stainless w/ alloy nipples	15GA stainless w/ alloy nipples	15 GA stainless w/ brass nipples	15 GA stainless w/ brass nipples	15 GA stainless w/ brass nipples	15 GA stainless w/ brass nipples	14GA stainless w/ brass nipples
OPONY	Oura 26x2.10 Aggro/Horch DH skinnall	Toga 26x1.95 Psycho HS/Psycho skinnall	Toga 26x1.95 Psycho K/T/T w/ kevlar bead	Toga 26x1.95 Psycho K/T/T w/ kevlar bead	Toga 26x1.95 Psycho K/T/T w/ kevlar bead	Toga 26x1.95 Psycho K/T/T w/ kevlar bead	Toga 26x1.95 Psycho K/T/T w/ kevlar bead	Toga 26x1.95 Psycho K/T/T w/ kevlar bead	Mongoose 26x2.10 MTB dark skinnall	Mongoose 26x2.10 MTB dark skinnall	Mongoose 26x2.10 MTB dark skinnall	Mongoose 26x2.10 MTB dark skinnall	Mongoose 26x2.10 MTB blackwall
SIODLO	Vetta Transverse AT leather w/ magnesium rails	Vetta Transverse AT leather w/ magnesium rails	Vetta Transverse AT leather w/ magnesium rails	Vetta Transverse AT leather w/ magnesium rails	Vetta Transverse AT leather w/ magnesium rails	Vetta Transverse AT leather w/ magnesium rails	Vetta Transverse AT leather w/ magnesium rails	Vetta Transverse AT leather w/ magnesium rails	IBOC Pro Series alloy 31.4x350mm	IBOC Pro Series alloy 31.4x350mm	IBOC Pro Series alloy 31.4x350mm	IBOC Pro Series alloy 31.4x350mm	Mongoose Sport Mountain
WSPORNIK SIODŁA	IBOC Pro Series alloy 27.2 x 350mm	Mongoose alloy micro adjust 31.4 x 350mm	IBOC Pro Series alloy 28.6 x 350mm	IBOC Pro Series alloy 27.0 x 350mm	IBOC Pro Series alloy 31.4x350mm	IBOC Pro Series alloy 31.4x350mm	IBOC Comp Series alloy 26.6x350mm	IBOC Comp Series alloy 26.6x350mm	Mongoose 100% alloy 31.4x300mm	Mongoose 100% alloy 31.4x300mm	Mongoose 100% alloy 31.4x300mm	Mongoose 100% alloy 31.4x300mm	Mongoose alloy 26.6x300mm
AKCESORIA	Chainstay cover, reflectors, owner's manual	Chainstay cover, toe clips and straps, reflectors, owner's manual	Chainstay cover, toe clips and straps, reflectors, owner's manual	Chainstay cover, toe clips and straps, reflectors, owner's manual	Chainstay cover, alloy bar ends, reflectors, owner's manual	Chainstay cover, alloy bar ends, reflectors, owner's manual	Chainstay cover, alloy bar ends, reflectors, owner's manual	Chainstay cover, alloy bar ends, reflectors, owner's manual	Chainstay cover, alloy bar ends, reflectors, owner's manual	Chainstay cover, alloy bar ends, reflectors, owner's manual	Chainstay cover, alloy bar ends, reflectors, owner's manual	Chainstay cover, alloy bar ends, reflectors, owner's manual	Chainstay cover, alloy bar ends, reflectors, owner's manual
ROZMIARY	16, 18, 20 in.	16, 18, 20 in.	16, 18, 20 in. mens	15, 16.5, 18, 19.5, 21.5 in.	14, 15.5, 17.5, 19.5, 22 in. mens	14, 15.5, 17.5, 19.5, 22 in. mens	15, 16.5, 18, 19.5, 21.5 in.	15, 16.5, 18, 19.5, 21.5 in.	14, 15.5, 17.5, 19.5, 22 in.	14, 15.5, 17.5, 19.5, 22 in.	14, 15.5, 17.5, 19.5, 22 in.	14, 15.5, 17.5, 19.5, 22 in.	15, 16.5, 18, 19.5, 21.5 in.
KOLORY	Polished Alloy	Anodized Blue/Polished Alloy	Mirror Black	Mirror Royal Blue	Polished Alloy	Polished Alloy	Mirror Black	Mirror Black	Polished Alloy, Matte Blazing Blue	Polished Alloy, Matte Blazing Blue	Brushed Aluminum, Mirror Blazing Blue	Brushed Aluminum, Mirror Green	Satin Silver Plate, Matte Blazing Blue

MODEL	HILL TOPPER	SYCAMORE SX	SYCAMORE	SWITCHBACK	THRESHOLD SPORT	THRESHOLD	MANUEVER	STORMER	CROSS 850	CROSS 450	CROSS 250	SYCAMORE CITY	CALIFORNIAN
RAMA	Mongoose MTB O/S design 100% Tange Cr-Mo	Mongoose MTB O/S design 100% Tange Cr-Mo	Mongoose MTB O/S design 100% Tange Cr-Mo	Mongoose ATB design Tange Cr-Mo main frame	Mongoose ATB design Tange Cr-Mo main frame	Mongoose ATB design Tange Cr-Mo seat tube	Mongoose ATB design Tange Cr-Mo seat tube	Mongoose design Hi-Tensile 1020	Mongoose Comfort Cross design 7005 Cr-Mo main frame	Mongoose Comfort Cross design Tange Cr-Mo main frame	Mongoose Comfort Cross design Tange Cr-Mo main frame	Mongoose CR-MO main frame	Mongoose 20" cruiser alloy
GNIAZDA PANCERZE	Barjo style cable routing, 2 sets of W/ W/B fittings, rack mounts	Barjo style cable routing, 2 sets of W/ W/B fittings, rack mounts	Barjo style cable routing, 2 sets of W/ W/B fittings, rack mounts	Barjo style cable routing, 2 sets of W/ W/B fittings, rack mounts	4 cable stops, 2 sets of W/B fittings, rack mounts	Two cable stops, 2 sets of W/B fittings, rack mounts	4 cable stops, 2 sets of W/B fittings, rack mounts	2 cable stops, W/B fittings on O/D	Down tube cable routing, 3 sets of W/ B fittings, rack mounts	4 cable stops, 2 sets of W/B fittings, rack mounts	4 cable stops, 2 sets of W/B fittings, rack mounts	Down tube cable routing, 2 sets W/B fittings, rack & gen mounts	4 cable stops, rack, gen, changearg mounts
WIDLEC	Mongoose Cr-Mo	Mongoose Cr-Mo	Mongoose Cr-Mo	Mongoose Cr-Mo	Mongoose Hi-Tensile	Mongoose Hi-Tensile	Mongoose Hi-Tensile	Mongoose Hi-Tensile	Mongoose Cr-Mo O/S	Mongoose Cr-Mo	Mongoose Hi-Tensile	Mongoose CR-MO	Mongoose CR-MO
STERY	Mongoose 1 1/8" oversize sealed	Mongoose Sealed	Mongoose Sealed	Mongoose Sealed	Mongoose Sealed	Mongoose Sealed	Mongoose Steel	Mongoose Steel	Mongoose Sealed	Mongoose Sealed	Mongoose Steel	Sealed	Sealed oversized
WSPORNIK KIEROWNICY	Mongoose Cr-Mo 15" rise	Mongoose sport rise	Mongoose sport rise	Mongoose comfort rise	Mongoose comfort rise	Mongoose comfort rise	Mongoose junior rise	Mongoose junior rise	Mongoose alloy alt justable rise Ahead	Mongoose comfort rise	Mongoose comfort rise	Mongoose 30" rise	Mongoose alloy 25"rise Ahead
	Mongoose alloy flat 3" bend	Mongoose alloy flat 6" bend	Mongoose alloy flat 6" bend	Mongoose alloy flat 6" bend	Mongoose alloy flat 6" bend	Mongoose alloy flat 6" bend	Mongoose alloy flat 6" bend	Mongoose alloy flat 6" bend	Mongoose alloy flat 6" bend	Mongoose 5" bend, 40mm rise	Mongoose 5" bend, 40mm rise	Mongoose 15" bend 23" wide	Cruiser style alloy 23" wide
UCHWYT KIEROWNICY	Grip Shift Krypton	Grip Shift 300 Krypton	Grip Shift 300 Krypton	Grip Shift 100 Krypton	Grip Shift 100 Krypton	Grip Shift Krypton	Grip Shift Krypton	Mongoose Hi-Density foam	Grip Shift Krypton	Grip Shift 100 Krypton	Grip Shift Quick Shift Krypton	Grip Shift Krypton	Shimano Nexus
HANUJCE	Shimano Easy Set cantilever w/ MC shoes	Shimano Easy Set alloy cantilever w/ MC shoes	Shimano Easy Set alloy cantilever w/ MC shoes	Shimano Easy Set alloy cantilever w/ MC shoes	Shimano Easy Set alloy cantilever w/ MC shoes	Shimano Easy Set alloy cantilever w/ MC shoes	Shimano Easy Set cantilever w/ MC shoes	Mongoose alloy cantilever w/ AW shoes	Shimano Easy set cantilever w/ MC shoes	Shimano Easy Set alloy cantilever w/ MC shoes	Shimano Easy Set cantilever w/ MC shoes	Shimano Easy set cantilever w/ MC shoes	Shimano Easy set cantilever w/ MC shoes
DIWICIE HANULCOW	Mongoose Comp.2 finger alloy levers	Mongoose 3 finger alloy levers	Mongoose 3 finger alloy levers	Mongoose 3 finger alloy levers	Mongoose 3 finger alloy levers	Mongoose 3 finger alloy levers	Mongoose 3 finger alloy levers	Mongoose Junior alloy levers	SRAM Grip Shift 3 finger alloy levers	Mongoose 3 finger alloy levers	Mongoose Sport 3 finger alloy levers	Shimano Nexus alloy levers	Shimano Nexus alloy levers
TKSLI PANCERZE	Mongoose Easy glide 1.6mm/5mm	Mongoose Easy glide 1.6mm/5mm	Mongoose Easy glide 1.6mm/5mm	Mongoose Easy glide 1.6mm/5mm	Mongoose Easy glide 1.6mm/5mm	Mongoose Easy glide 1.6mm/5mm	Mongoose Easy glide 1.6mm/5mm	Mongoose Easy glide 1.6mm/5mm	Mongoose Easy glide 1.6mm/5mm	Mongoose easy glide 1.6mm/5mm	Mongoose easy glide 1.6mm/5mm	Mongoose Easy glide 1.6mm/5mm	Mongoose Easy glide 1.6mm/5mm
PRZEWODNIK PRZEDNIA	Shimano Acera X top pull	Shimano Acera X top pull	Shimano Acera X top pull	Shimano Altus top swing	Shimano Altus top swing	Shimano Altus top swing	Shimano TY 22 top swing	Shimano TY 22 top swing	Shimano Altus top pull	Shimano Acera X bottom pull	Shimano TY22 bottom pull	Shimano Acera X bottom pull	None
PRZEWODNIK TYLNA	SRAM SRT-400i Grip Shift	SRAM SRT-300i Grip Shift	SRAM SRT-300i Grip Shift	SRAM MIX-100 Grip Shift	SRAM MIX-100 Grip Shift	SRAM MIX-100 Grip Shift	SRAM TY 22	Shimano TY 22 w/ guard	SRAM SRT-450i Grip Shift	Shimano Acera X bottom pull	Shimano TY22 bottom pull	Shimano Acera X bottom pull	Shimano Nexus
WIELORYBY	Shimano HG 11-28 black 7-speed	Shimano HG 11-28 black 7-speed	Shimano HG 11-28 black 7-speed	Shimano HG 11-28 black 7-speed	Shimano HG 11-28 black 7-speed	Shimano HG 11-28 black 7-speed	Shimano HG 14-28 black 6-speed	Shimano HG 14-28 black 6-speed	Shimano HG 11-28 silver 7-speed	Shimano HG 11-28 black 7-speed	Shimano HG 11-28 black 6-speed	Shimano HG 11-28 black 7-speed	None
IACUCH	Shimano UG black	Shimano UG black	Shimano UG black	Shimano UG black	Shimano UG black	Shimano UG black	Shimano UG black	Unglide black	Shimano IG silver	Shimano UG black	Shimano UG black	Shimano UG black	Unglide black
SUPPORT	Shimano Alivio X 42/34/24T	Shimano Acera X 42/34/24T	Shimano Acera X 42/34/24T	Shimano Altus 38/32/24T	Shimano Altus 38/32/24T	Shimano Altus 38/32/24T	SRX 00 index 48/38/28T	Mongoose 46/36/28T	Shimano Alivio X 42/34/24T	Shimano Acera X 42/34/24T	SRX 00 index 48/38/28T	Shimano Acera X 42/34/24T	Shimano Nexus 33 T
PEDAY	Mongoose composite w/ reflectors	Mongoose resin w/ reflectors	Mongoose resin w/ reflectors	Mongoose resin w/ reflectors	Mongoose resin w/ reflectors	Mongoose resin w/ reflectors	Mongoose composite w/ reflectors	Mongoose junior alloy w/ reflectors	Mongoose composite alloy w/ reflectors	Mongoose resin w/ reflectors	Mongoose resin w/ reflectors	Mongoose composite alloy w/ reflectors	Mongoose rubber w/ reflectors
OBRCZE	Mongoose VP-20 alloy, 36 hole	Weinmann alloy 4019 36 hole	Weinmann alloy 4019 36 hole	Weinmann alloy 4019 36 hole	Weinmann alloy 4019 36 hole	Weinmann alloy 4019 36 hole	Weinmann alloy 4019 36 hole	Weinmann alloy 36 hole	Mongoose DM 1R alloy double wall	Araya alloy PK-635 36 hole	Araya alloy PK-635 36 hole	Mongoose VP-20 alloy 36 hole	Mongoose VR-20 alloy 26x1.75 36 hole
PIASTA PRZEDNIA	Mongoose alloy quick release	Mongoose alloy quick release w/ seals	Mongoose alloy quick release w/ seals	Mongoose alloy quick release w/ seals	Mongoose alloy quick release	Mongoose alloy quick release	Mongoose alloy quick release	Mongoose alloy quick release	Mongoose alloy quick release	Mongoose alloy quick release	Mongoose alloy quick release	Mongoose alloy quick release	Mongoose alloy quick release
PIASTA TYLNA	Shimano Acera X quick release	Shimano Acera X quick release	Shimano Acera X quick release	Shimano Altus cassette nutted	Shimano Altus cassette nutted	Shimano Altus cassette nutted	Mongoose alloy quick release	Mongoose alloy quick release	Shimano Acera X quick release	Shimano Acera X quick release	Shimano Acera X quick release	Shimano Nexus nutted	Shimano Nexus nutted
SZPZYCHY	14GA stainless w/ brass nipples	14GA stainless w/ brass nipples	14GA stainless w/ brass nipples	14GA UCP finish w/ brass nipples	14GA UCP finish w/ brass nipples	14GA UCP finish w/ brass nipples	14GA UCP finish w/ brass nipples	14GA UCP finish w/ brass nipples	14GA UCP finish w/ brass nipples	14GA UCP finish w/ brass nipples	14GA UCP finish w/ brass nipples	14 GA stainless w/ brass nipples	14 GA stainless w/ brass nipples
OPONY	Mongoose 26x1.10 MTB blackwall	Mongoose 26x1.95 MTB blackwall	Mongoose 26x1.95 MTB blackwall	Mongoose 26x1.95 MTB blackwall	Mongoose 26x1.95 MTB blackwall	Mongoose 26x1.95 MTB blackwall	Mongoose 26x1.95 MTB blackwall	Mongoose 26x1.95 MTB blackwall	Mongoose 26x1.95 MTB blackwall	Mongoose 700 x 38C cross sidewall	Mongoose 700 x 38C cross sidewall	Mongoose 26x1.75 city black wall	Mongoose 26x1.90 cruiser black skinnwall
SIODRO	Mongoose Sport mountain	Mongoose Sphile comfort mountain	Mongoose Sphile comfort mountain	Mongoose Sphile comfort mountain	Mongoose Sphile comfort mountain	Mongoose Sphile comfort mountain	Mongoose Comfort mountain	Mongoose Mini mountain	Mongoose Cross Comfort	Mongoose Gel Lite Comfort Cross	Mongoose Gel Lite Comfort Cross	Mongoose Sport Spring Comfort	Mongoose Cruiser
WSPORNIK SIODRA	Mongoose alloy 26.6x300mm	Mongoose alloy micro adjust 26.2x300mm	Mongoose alloy micro adjust 26.2x300mm	Mongoose alloy micro adjust 26.2x300mm	Mongoose alloy micro adjust 26.2x300mm	Mongoose alloy micro adjust 26.2x300mm	Black 26.2x300mm	Black 25.4x250mm	Mongoose alloy micro adjust, 26.2 x 300mm	Black 26.2x300mm	Black 26.2x300mm	Alloy 26.6x300mm	Mongoose alloy 27.2x350mm
AKCESORIA	Chainstay cover, reflectors, clear coat, owner's manual	Chainstay cover, reflectors, owner's manual	Chainstay cover, reflectors, owner's manual	Chainstay cover, reflectors, owner's manual	Chainstay cover, reflectors, owner's manual	Chainstay cover, reflectors, owner's manual	Chainstay cover, reflectors, owner's manual	Chainstay cover, reflectors, owner's manual	Chainstay cover, reflectors, clear coat, owner's manual	Chainstay cover, reflectors, clear coat, owner's manual	Chainstay cover, reflectors, clear coat, owner's manual	Chainstay cover, reflectors, clear coat, owner's manual	Chainstay cover, reflectors, clear coat, owner's manual
ROZMIARY	15, 16.5, 18, 19.5, 21.5 in. mens	15, 16.5, 18, 19.5, 21.5 in. mens	15, 16.5, 18, 19.5, 21.5 in. mens	14, 16, 18, 20, 22, 17, 19 in. ladies	14, 16, 18, 20, 22, 17, 19 in. ladies	14, 16, 18, 20, 22, 17, 19 in. ladies	14, 16, 18, 20, 22, 17, 19 in. ladies	14, 16, 18, 20, 22, 17, 19 in. ladies	9.5, 13 in boys 9.5, 13 girls	16.5, 18.5, 20.5, 22.5 in. mens	15, 17, 19, 21, 23 in. mens	15, 17, 19, 21, 23 in. ladies	18.20 in mens 18 in ladies
KOLORY	Titanium Plate, Mirror Red	Mirror Royal Blue, Titanium Paint	Mirror Green, Steel Blue	Forest Green, Mirror Black, Matte Gun /MatteBlack Blue fide	Forest Green, Mirror Black, Matte Gun /MatteBlack Blue fide	Forest Green, Mirror Black, Matte Gun /MatteBlack Blue fide	Forest Green, Mirror Black, Matte Gun /MatteBlack Blue fide	Forest Green, Mirror Black, Matte Gun /MatteBlack Blue fide	Dark Blue (boys), Dark Blue (girls), Brushed Silver (youth)	Mirror Royal Blue, Brushed Alloy	Matte Gun /Matte Black, Blazing Blue (Ride) Phosphate	Mirror Green, Matte Bordeaux Steel Blue	Polished Alloy

MONGOOSE

Specyfikacja ram.



GEOMETRY CHART LEGEND

OPIS WYMIARÓW

S/T	Seat Tube/rura siodlowa
F/R	Fork/odchYLENIE widelca
T/T	Top Tube/rura gÓrnia
H/A	Head Angle/kĄt widelca
H/T	Head Tube/rura sterowa
S/A	Seat Angle/kĄt rury siodlowej
C/S	Chain Stay/wspornik łańcuchowy
W/B	Wheelbase/odległość osi kół
B/B	Bottom Bracket/mufa suportowa
S/H	Stand Over Height/wysokość roweru*

* Odległość między podłożem i rurą gÓrną, mierzona w jej środku, gdy rower stoi na kółkach.

Sposób mierzenia ram.

Ramy Mongoose mierzone są "od środka do środka" (długość rury siodlowej mierzona jest od osi suportu do osi rury gÓrnej w miejscu przecięcia jej z rurą siodlową). Ramy Amplifier, IBOC Comp, Rockadile i Alta mierzone są "od środka do poziomu", czyli do teoretycznego punktu przecięcia się osi rury gÓrnej, gdyby była ona równoległa do podłoża, z rurą siodlową.

AMPLIFIER TEAM®

SIZE	SEAT TUBE	TOP TUBE	WHEELBASE	FORK RAKE	CHAIN STAY	HEAD TUBE	HEAD ANGLE	SEAT ANGLE
16" mens	378mm	554mm	1080mm	42mm	425mm	125mm	70°	74°
18" mens	398mm	573mm	1080mm	42mm	425mm	125mm	70°	74°
20" mens	398mm	593mm	1100mm	42mm	425mm	130mm	70°	74°

AMPLIFIER COMP®

SIZE	SEAT TUBE	TOP TUBE	WHEELBASE	FORK RAKE	CHAIN STAY	HEAD TUBE	HEAD ANGLE	SEAT ANGLE
16" mens	378mm	554mm	1080mm	42mm	425mm	125mm	71.5°	73°
18" mens	420mm	584mm	1082mm	38mm	425mm	101mm	71.5°	73°
20" mens	521mm	609mm	1108mm	42mm	425mm	127mm	71.5°	73°

IBOC TEAM SX

SIZE	SEAT TUBE	TOP TUBE	WHEELBASE	FORK RAKE	CHAIN STAY	HEAD TUBE	BB DROP	HEAD ANGLE	SEAT ANGLE	STAND OVER
16" mens	375mm	559mm	1055mm	40mm	425mm	95mm	35mm	71°	73°	28.5"
18" mens	425mm	566mm	1057mm	40mm	425mm	100mm	35mm	71°	73°	30.0"
20" mens	478mm	609mm	1096mm	40mm	425mm	120mm	35mm	71°	73°	31.5"

PRO SX, ZERO-G SX, ZERO-G, HILL TOPPER, HILL TOPPER SX, SYCAMORE, SYCAMORE SX.

SIZE	SEAT TUBE	TOP TUBE	WHEELBASE	FORK RAKE	CHAIN STAY	HEAD TUBE	BB DROP	HEAD ANGLE	SEAT ANGLE	STAND OVER
15" mens	381mm	550mm	1043mm	40mm	425mm	85mm	40mm	71.5°	73.5°	28"
16.5" mens	419mm	565mm	1050mm	40mm	425mm	85mm	40mm	72°	73.5°	28.5"
18" mens	457mm	575mm	1052mm	40mm	425mm	85mm	40mm	72°	73.5°	29"
19.5" mens	495mm	585mm	1051mm	40mm	425mm	95mm	40mm	72°	73°	30.5"
21.5" mens	546mm	595mm	1052mm	40mm	425mm	115mm	40mm	72°	73°	32"

* Rozmiary ram skłópingowych mierzone są tak, jakby rury gÓrne były w nich poziome.

CP SX C. Equipment included but not shown. Specifications subject to change without notice. *Mongoose, the word "M" logo, "IBOC", "Zero-G", "Rockadile", "Hill Topper", "Onepac", "Switchback", "Sycamore", "Alta", "Maneuver", "Stormer", "Crossway" and the Mongoose animal logo are registered trademarks belonging to American Recreation Corporation. All rights reserved. Mongoose bicycles are distributed exclusively by Service Cycle Supply Company. Copyright 1996 Service Cycle Supply Bicycle Company. All rights reserved. Mongoose Performance Bicycles, 3400 Kaskadea Street, Torrance CA 90503 U.S.A.

IBOC COMP, COMP SX®

SIZE	SEAT TUBE	TOP TUBE	WHEELBASE	FORK RAKE	CHAIN STAY	HEAD TUBE	BB DROP	HEAD ANGLE	SEAT ANGLE	STAND OVER
14" mens	323mm	535mm	1024mm	38mm	420mm	110mm	45mm	70.5°	73°	26.5"
15.5" mens	374mm	550mm	1040mm	38mm	420mm	110mm	45mm	70.5°	73°	27.0"
17" mens	412mm	570mm	1054mm	38mm	420mm	115mm	45mm	71°	73°	28.0"
19.5" mens	463mm	585mm	1063mm	38mm	420mm	125mm	45mm	71°	73°	30.0"
22" mens	514mm	600mm	1071mm	38mm	420mm	140mm	45mm	71°	73°	32.0"

ROCKADILE, ROCKADILE SX, ALTA, ALTA SX®

SIZE	SEAT TUBE	TOP TUBE	WHEELBASE	FORK RAKE	CHAIN STAY	HEAD TUBE	BB DROP	HEAD ANGLE	SEAT ANGLE	STAND OVER
14" mens	307mm	535mm	1022mm	38mm	420mm	100mm	45mm	70.3°	73°	26.5"
15.5" mens	358mm	550mm	1040mm	38mm	420mm	110mm	45mm	70.3°	73°	27"
17.5" mens	396mm	570mm	1055mm	45mm	420mm	115mm	45mm	71°	73°	28"
19.5" mens	447mm	585mm	1065mm	45mm	420mm	125mm	45mm	71°	73°	30"
22" mens	498mm	600mm	1075mm	40mm	420mm	140mm	45mm	71°	73°	32"

SWITCHBACK, THRESHOLD SPORT, THRESHOLD, MANUEVER, SYCAMORE CITY, SWITCHBACK CITY

SIZE	SEAT TUBE	TOP TUBE	WHEELBASE	FORK RAKE	CHAIN STAY	HEAD TUBE	BB DROP	HEAD ANGLE	SEAT ANGLE	STAND OVER
14" mens	355mm	515mm	1042mm	45mm	445mm	85mm	38mm	69.5°	72.5°	27.0"
16" mens	406mm	535mm	1055mm	45mm	445mm	85mm	38mm	69.5°	72.5°	28.5"
18" mens	457mm	560mm	1063mm	45mm	445mm	95mm	35mm	70°	72°	30.0"
20" mens	508mm	570mm	1071mm	45mm	445mm	135mm	35mm	70°	72°	31.0"
22" mens	559mm	580mm	1076mm	45mm	445mm	180mm	35mm	70.5°	72°	33.0"
24" mens	610mm	590mm	1087mm	45mm	445mm	230mm	35mm	70.5°	72°	34.1"
17" ladies	432mm	522mm	1042mm	45mm	445mm	125mm	38mm	69.5°	72.5°	N/A
19" ladies	483mm	550mm	1060mm	50mm	445mm	125mm	38mm	69.5°	72.5°	N/A

CROSSWAY 850

SIZE	SEAT TUBE	TOP TUBE	WHEELBASE	FORK RAKE	CHAIN STAY	HEAD TUBE	BB DROP	HEAD ANGLE	SEAT ANGLE	STAND OVER
14.5" mens	368mm	550mm	1068mm	50mm	440mm	120mm	50mm	71°	73°	28.5"
16.5" mens	419mm	556mm	1070mm	50mm	440mm	120mm	50mm	71°	73°	29.5"
18.5" mens	470mm	560mm	1075mm	50mm	440mm	150mm	50mm	71°	73°	31"
20.5" mens	521mm	570mm	1076mm	50mm	440mm	150mm	50mm	71°	73°	32.5"
22.5" mens	572mm	585mm	1089mm	50mm	440mm	190mm	50mm	71°	73°	34"

CROSSWAY 650, 450, 250

SIZE	SEAT TUBE	TOP TUBE	WHEELBASE	FORK RAKE	CHAIN STAY	HEAD TUBE	BB DROP	HEAD ANGLE	SEAT ANGLE	STAND OVER
15" mens	388mm	520mm	1034mm	45mm	436mm	85mm	60mm	71°	75°	28.5"
17" mens	426mm	543mm	1040mm	45mm	436mm	85mm	60mm	71°	73°	29"
19" mens	477mm	572mm	1061mm	45mm	436mm	95mm	60mm	71°	73°	30"
21" mens	528mm	596mm	1084mm	45mm	436mm	135mm	60mm	71°	73°	32"
23" mens	584mm	615mm	1104mm	45mm	436mm	185mm	60mm	71°	73°	34"
17" ladies	420mm	-	1046mm	45mm	436mm	95mm	60mm	71°	73°	N/A
19" ladies	480mm	-	1042mm	45mm	436mm	125mm	60mm	71°	73°	N/A



MONGOOSE
PERFORMANCE BICYCLES

S.S.C.
SPORT SERVICE CENTER
50-418 Wrocław, Traugutta 81a
Tel./Fax 071-34 315 39, Tel./Fax 071-72 54 48

MONGOOSE EUROPE

Austria: SPORT MARKETING, Tel. 07242 - 24 363, Fax 07242 - 233 158
Benelux: QUADRANT, Tel. (+31) 0515 - 55 96 99, Fax (+31) 0515 - 55 98 73
Czech Republic: UNIVERSE AGENCY, Tel. 02 - 61 21 80 46/48, Fax 02 - 61 21 80 49

Denmark: CYKELKLUBBEN, Tel. 86 15 20 33, Fax 86 15 21 33
France: EUROBEL, Tel. 16 - 1 - 47 31 20 00, Fax 16 - 1 - 47 31 20 26
Finland: HELLBERG OY, Tel. 90 - 852 33 77, Fax 90 - 852 34 45
Germany: P & A TRADING, Tel. 07175-5172, Fax 07175-7690
Greece: KASSIMATIS, Tel. 01 - 41 13 654, Fax 01 - 41 19 317
Hungary: JPM K.F.T., Tel. + Fax 01 - 29 02 229
Iceland: G.A. PÉTURSSON, Tel. 568 55 80, Fax 568 98 99
Italy: TELAI OLAGNERO SAS, Tel. 0171-90 52 88, Fax 0171-91 80 48
Norway: SAETRANG SPORT, Tel. 67 53 06 10, Fax 67 58 20 12
Slovakia: UNIVERSE SLOVAKIA, Tel./Fax 0831-52 91 31
Spain: TECHNO-BIKE, Tel. 972-81 86 96, Fax 972-81 76 53
Sweden: UNICYKEL, Tel. 031 - 50 01 10, Fax 031 - 51 03 16
Switzerland: TITAN AG, Tel. 062 - 751 31 31, Fax 062 - 751 31 33