

Panasonic

B I C Y C L E S



■ 1985 Panasonic Series

28 Models • 177 Variations

Frame sizes and designs for every rider's needs

TEAM	Team Europe I • Team America • Team Europe II • Team
DELUXE	DX 4000 • DX3000 • DX2000
TOURING	Pro Touring • Touring DX
SPORT	Sport 1000 • Sport LX • Sport • Sport 500
COMMUTER	Villager • Tourist 10 • Tourist 5 • Tourist 3
ATB • CRUISER	Pro ATB • All Terrain • City Bike • Villager DX Cruiser 5 • Cruiser 1
CHILDREN	MX 750 • Girl's • Unicycle
TRACK	Track Bike
EXERCISER	EX1000



Bicycle Factory



Tire Factory

When you demand excellence in design and performance, look to Panasonic for advanced feature technology. From our least expensive juvenile recreational bike to our Europe I pro racing model, the Panasonic hallmark of technological excellence is incorporated in every model of our line.



Lostwax Lugs



Brazed Carrier Studs



Columbus™ SP/SL Tubing



Brazed Cantilever Studs



Sloping Fork Crown



Brazed Chain Rest



Special Taper Cut



Campagnolo™ Parts




Italian-Cut Head Lug



Selle Italia™ Saddles

TEAM EUROPE I

14 Speed



Frame Size	A	B	C	D	E	F
48.5cm	71°30'	76°	510mm	588mm	410mm	990mm
51	71°30'	74°	530	586	410	986
53	72°	74°	540	587	410	987
56	72°30'	74°	550	589	410	989
58	73°45'	74°	560	588	410	988
61	74°	74°	570	596	410	995
64	74°	74°	580	605	410	1005

■ Specifications

Model Number	TEF-748 TEF-751 TEF-753 TEF-756	TEF-758 TEF-761 TEF-764
Frame Size	TEF-748--48.5cm TEF-751--51cm TEF-753--53cm TEF-756--56cm	TEF-758--58cm TEF-761--61cm TEF-764--64cm
Frame	Columbus SP/SL set/Lostwax head & seat lugs/Campagnolo Nuovo Record B.B. set	
Fork	Columbus Cr-Mo/Lostwax fork crown/Campagnolo Nuovo Record head set	
Handlebar	Nitto No.55 Maes	
Stem	Nitto Pearl	
Saddle	Selle Italia TURBO with Campagnolo Nuovo Super Record seat post	
Crankset	Campagnolo Super Record 1049/A 52/42T	
Freewheel	Sun Tour New winner 7-speed	
Chain	Sun Tour Superbe 1/2" x 3/32" x 106 links	
Hubs	Campagnolo Record 1034, 32H	
Rear Derailleur	Campagnolo Super Record	
Front Derailleur	Campagnolo Super Record	
Shifting Lever	Campagnolo Record 10135N-10136N Brazed on down tube mounted	
Brakes	Campagnolo Super Record 47mm reach with Super Record levers	
Rims	Araya Aero tubular hard anodized 32H	
Tires	Panaracer tubular 270gr. Record	
Spokes	Stainless 14G	
Pedals	Campagnolo Record 1037/A with Toe clips	
Accessories	Shiny vinyl handlebar tape/Toe straps/Two water bottles and bottle cages/Plastic spoke protector/Front, rear and side reflectors	
Color	Salmon pink	



Lostwax head lug with Campagnolo Nuovo Record head set and pump peg.



Campagnolo Super Record 1409/A crank set, front derailleur and 1037/A pedals with toe clips and straps.



Campagnolo Super Record rear derailleur and Sun Tour New Winner 7-speed freewheel.



Columbus SP front fork, Tange C-10 lostwax fork crown and Campagnolo Super Record brake arch.



Columbus SP/SL frame, lostwax seat lug and Campagnolo seat post.


TEAM AMERICA

12 Speed



Specifications


Model Number	TA-748 TA-758 TA-751 TA-761 TA-753 TA-764 TA-756	Hubs	Shimano New Dura-Ace EX alloy small flange 32 ^H
Frame Size	TA-748—48.5cm TA-758—58cm TA-751—51cm TA-761—61cm TA-753—53cm TA-764—64cm TA-756—56cm	Rear Derailleur	Shimano New Dura-Ace EX
Frame	Columbus SP/SL set/Lostwax head & seat lugs/Shimano New Dura-Ace B.B. set	Front Derailleur	Shimano New Dura-Ace EX
Fork	Columbus Cr-Mo/C-10 Crown Shimano New Dura-Ace head set	Shifting Lever	Shimano New Dura-Ace EX Brazed on down tube mounted
Handlebar	Kusuki WP-B Maes	Brakes	Shimano New Dura-Ace EX alloy side-pull with New Dura-Ace EX levers
Stem	Shimano Dura-Ace AX	Rims	Araya Aero tubular hard anodized 32 ^H
Saddle	Selle Italia TURBO with Shimano Dura-Ace EX seat post	Tires	Panaracer tubular 270gr. Record
Crankset	Shimano New Dura-Ace EX 52/42T	Spokes	Stainless 14G
Freewheel	Shimano New Dura-Ace EX 13-21T 6 speed	Pedals	Shimano New Dura-Ace with reflectors
Chain	Shimano UG Silver 1/2" x 3/32" x 106 links	Accessories	Shiny vinyl handlebar tape/ Toe clips and straps/ Two water bottles and bottle cages/ Plastic spoke protector/Front, rear and side reflectors
		Color	Ocean Blue



Frame Size	A	B	C	D	E	F
48.5cm	71°30'	76°	510mm	588mm	410mm	990mm
51	71°30'	74°	530	586	410	986
53	72°	74°	540	587	410	987
56	72°30'	74°	550	589	410	989
58	73°45'	74°	560	588	410	988
61	74°	74°	570	596	410	995
64	74°	74°	580	605	410	1005



Lostwax head lug with Shimano New Dura-Ace head set and pump peg.



Shimano New Dura-Ace EX crank set, front derailleur and pedals with toe clips and straps.



Shimano New Dura-Ace EX rear derailleur and freewheel.




Columbus SP front fork, Tange C-10 lostwax fork crown and Shimano New Dura-Ace EX brake arch



Selle Italia Turbo saddle. Shimano New Dura-Ace EX seat post, Columbus SP/SL frame and lostwax seat lug.

TEAM EUROPE II

14 Speed



Frame Size	A	B	C	D	E	F
48.5cm	71°30"	76°	510mm	587mm	410mm	989mm
51	71°30"	74°15"	530	587	410	987
53	72°	74°	540	588	410	987
56	72°30"	74°	550	589	410	989
58	73°30"	74°	560	590	410	990
61	74°	74°	570	606	410	1005
64	74°	74°	580	611	410	1011

■ Specifications

Model Number	TES-748 TES-756 TES-764 TES-751 TES-758 TES-753 TES-761
Frame Size	TES-748---48.5cm TES-758---58cm TES-751---51cm TES-761---61cm TES-753---53cm TES-764---64cm TES-756---56cm
Frame	Columbus Cr-Mo main tubes/Lostwax seat lug/Campagnolo Victory B.B. set
Fork	Tange Cr-Mo, C-2 crown Campagnolo Victory head set
Handlebar	SR CTD Maes
Stem	SR CT
Saddle	Selle Italia TURBO with Campagnolo Victory seat post
Crankset	Campagnolo Victory 52/42T
Freewheel	Sun Tour New winner 7-speed
Chain	Sun Tour Ultra 6, 1/2" x 3/32" x 106 links
Hubs	Campagnolo Victory
Rear Derailleur	Campagnolo Victory
Front Derailleur	Campagnolo Victory
Shifting Lever	Campagnolo Victory Brazed on down tube mounted
Brakes	Campagnolo Victory, Alloy side-pull with Victory levers
Rims	Araya Aero tubular hard anodized
Tires	Panaracer tubular 270gr. Record
Spokes	Stainless 14G
Pedals	Campagnolo Victory
Accessories	Shiny vinyl handlebar tape/Victory toe clips and straps/Two water bottles and bottle cages/Front, rear and side reflectors
Color	Grape Dust



Lostwax head lug with Campagnolo Victory head set and pump peg.



Campagnolo Victory crank set, front derailleur and pedals with toe clips and straps.



Campagnolo Victory rear derailleur and Sun Tour New Winner 7-speed freewheel.



Tange Cr-Mo fork, C-2 fork crown and Campagnolo Victory brake arch.




Selle Italia Turbo saddle, Campagnolo seat post and Columbus SP/SL frame



Specifications

Model Number	TM-748 TM-756 TM-764 TM-751 TM-758 TM-753 TM-761	Hubs	Shimano forged alloy small flange with Q.R.
Frame Size	TM-748--48.5cm TM-758--58cm TM-751--51cm TM-761--61cm TM-753--53cm TM-764--64cm TM-756--56cm	Rear Derailleur	Shimano Z505
Frame	Tange Cr-Mo Double butted tubes (Champion No.2) with pin stripe, Forged ends, Lostwax seat Lug	Front Derailleur	Shimano Z206
Fork	Tange Cr-Mo, AC-2 crown, Forged ends	Shifting Lever	Shimano Z408, Brazed on down tube mounted
Handlebar	SR CTD, Maes	Brakes	Dia-Compe G500N, Alloy side-pull with tire guide and AC250G levers
Stem	SR CT	Rims	Araya 20A, 700C, alloy black anodized
Saddle	Selle Italia Mundialita with SR CT-P5E micro adjusting seat post	Tires	Panasonic 700 x 25C Open side 100PSI
Crankset	Sugino ALP, Forged alloy 52/42T	Spokes	Stainless 14G
Freewheel	Shimano 600UG Silver 6-speed, 13-28T	Pedals	KKT Pro-Vic II B Black with reflectors
Chain	Shimano 600UG Silver 1/2" x 3/32" x 108 links	Accessories	Front, rear and side reflectors/Shiny vinyl handlebar tape/Toe clips and straps/Plastic spoke protector/Bottle and bottle cage/Stainless chainstay protector/Allen key wrench
		Color	Night Blue



Frame Size	A	B	C	D	E	F
48.5cm	71°30'	76°	510mm	587mm	410mm	989mm
51	71°30'	74°15'	530	587	410	987
53	72°	74°	540	588	410	987
56	72°30'	74°	550	589	410	989
58	73°30'	74°	560	590	410	990
61	74°	74°	570	595	410	995
64	74°	74°	580	605	410	1005




Selle Italia Mundialita saddle with SR CT-P5E micro adjusting seat post



Dia-Compe G500N, Alloy side-pull with quick release lever and recessed mounting bolt.



Sugino ALP forged alloy crank set and KKT Pro-Vic II B Black pedals with toe clips and straps.




Shimano Z505 rear derailleur and Shimano 600 UG silver 6 speed freewheel.



Araya 20A, 700C, alloy black anodized rim and Panasonic 700 X 25C open side 100PSI tire.

DX 4000

12 Speed



Frame Size	A	B	C	D	E	F
51cm	71°30'	74°	530mm	586mm	410mm	986mm
53	72°	74°	540	588	410	987
56	73°	74°	550	590	410	989
58	73°30'	74°	560	595	410	995
61	74°	74°	570	606	410	1005
64	74°	74°	580	611	410	1011

■ Specifications

Model Number	DR-751 DR-753 DR-756	DR-758 DR-761 DR-764
Frame Size	DR-751—51cm DR-753—53cm DR-756—56cm	DR-758—58cm DR-761—61cm DR-764—64cm
Frame	Tange Cr-Mo Double butted tubes (Champion No.2) with pin stripe Lostwax seat lug, Forged ends.	
Fork	Tange Cr-Mo, C-2 crown, Forged ends	
Handlebar	SR CTD Maes	
Stem	SR CT	
Saddle	Selle Italia TURBO with SR CT-P5 micro adjusting seat post	
Crankset	Shimano Biopace 52/42T	
Freewheel	Shimano New 600EX 6-speed, 13-26T	
Chain	Shimano 600UG Silver $\frac{1}{2} \times \frac{3}{32}$ x 108 links	
Hubs	Shimano New 600EX, Forged alloy small flange with Q.R.	
Rear Derailleur	Shimano New 600EX	
Front Derailleur	Shimano New 600EX	
Shifting Lever	Shimano New 600EX Brazed on down tube mounted	
Brakes	Shimano New 600EX, Alloy side-pull with tire guide and 600AX levers	
Rims	Araya 20A, 700C, alloy	
Tires	Panasonic 700 x 25C Open side 100PSI	
Spokes	Stainless 14G	
Pedals	Shimano New 600EX with reflectors	
Accessories	Front, rear and side reflectors/Shiny vinyl handlebar tape/Toe clips and straps/Plastic spoke protector/Bottle and bottle cage/Allen key wrench	
Color	Imperial Red	



Italian cut head lug with Shimano New 600 EX head set and pump peg.



Tange C-2 sloping crown and Shimano New 600 EX brake arch



Selle Italia Turbo saddle with SR CT-P5 micro adjusting seat post and Lostwax seat lug.



Shimano Biopace forged alloy crankset and Shimano New 600 EX pedals with toe clips and straps.



Shimano New 600 EX down tube brazed on shift levers.


DX 3000

12 Speed



Specifications

Model Number	DS-751 DS-753 DS-756	DS-758 DS-761 DS-764	Hubs	Shimano forged alloy small flange with Q.R.
Frame Size	DS-751---51cm DS-753---53cm DS-756---56cm	DS-758---58cm DS-761---61cm DS-764---64cm	Rear Derailleur	Shimano 105
			Front Derailleur	Shimano 105
Frame	Tange Cr-Mo Double butted tubes (Tange900) with pin stripe, Forged ends, Lostwax seat lug		Shifting Lever	Shimano 105 Brazed on down tube mounted
Fork	Tange Mangaloy 2001 AC-2 Crown, Forged ends		Brakes	Shimano Z570 side-pull with tire guide and gum hooded drilled levers
Handlebar	SR CTD Maes		Rims	Araya 16A [5], 700C, alloy
Stem	SR CT		Tires	Panasonic 700 x 25C Open side 100PSI
Saddle	Selle Italia 0451A anatomic, with SR CT-P5E micro adjusting seat post		Spokes	14G U-C-P finished
Crankset	SR CRC-101 alloy 52/42T		Pedals	KKT Pro-Vic II B with reflectors
Freewheel	Shimano UG gold 6-speed 14-28T		Accessories	Front, rear and side reflectors/Shiny vinyl handlebar tape/Toe clips and straps/Plastic spoke protector Stainless chainstay protector
Chain	Shimano UG gold $\frac{1}{2}'' \times \frac{1}{32}'' \times 110$ links		Color	Royal Silver



Frame Size	A	B	C	D	E	F
51cm	71°30'	74°	530mm	586mm	420mm	996mm
53	72°	74°	540	593	420	1002
56	73°	74°	550	595	420	1005
58	73°30'	74°	560	600	420	1011
61	73°30'	74°	570	611	420	1021
64	74°	74°	580	616	420	1026



Selle Italia 0451A anatomic saddle with SR CT-P5E micro adjusting seat post and Lostwax seat lug.



Shimano 105 down tube brazed on shift levers.



Shimano Z570 side-pull brakes with tire guides and recessed mounting bolt.



Shimano 105 rear derailleur and Shimano UG gold 6 speed freewheel.



SR CRC-101 alloy crank set and KKT Pro-Vic II B pedal with toe clips and straps.


DX 2000

12 Speed




■ Specifications

Model Number	DX-720 DX-722 DX-724	DX-726 DX-728 DXL-719	Hubs	Shimano forged alloy small flange with Q.R.
Frame Size	DX-720---20" DX-722---22" DX-724---24"	DX-726---26" DX-728---28" DXL-719---19"	Rear Derailleur	Shimano L513
Frame	Tange Cr-Mo Double butted tubes (Tange 900) with pin stripe		Front Derailleur	Shimano Z204
Fork	Tange Mangaloy 2001 tubes		Shifting Lever	Shimano L412 down tube mounted
Handlebar	SR CTD, Maes		Brakes	Shimano Z570 side-pull with tire guide and gum hooded drilled levers
Stem	SR CT		Rims	Araya Model 18, 27" × 1 ¹ / ₄ " alloy
Saddle	Selle Italia anatomic with SR CT-P5E micro adjusting seat post		Tires	Panasonic 27" × 1 ¹ / ₈ " Open side 100PSI
Crankset	SR CRC-301 alloy 52/40T		Spokes	14G U-C-P finished
Freewheel	Shimano 14-28T 6-speed		Pedals	KKT Pro-Vic II B with reflectors
Chain	Shimano UG 1 ¹ / ₂ " × 3 ³ / ₃₂ "		Accessories	Front, rear and side reflectors/Shiny vinyl handlebar tape/Plastic spoke protector/Stainless chainstay protector
			Color	Metallic Graphite/ Bermuda Blue



Frame Size	A	B	C	D	E	F
20"	71°30'	74°	530mm	591mm	420mm	1001mm
22"	72°	73°	550	594	420	1004
24"	73°	73°	570	604	420	1015
26"	73°	73°	590	625	420	1035
28"	73°	73°	620	655	445	1090
19" (LADIES)	73°	73°	—	606	445	1042



Selle Italia anatomic saddle with SR CT-P5E micro adjusting seat post.



Shimano Z570 side-pull with tire guides.



Shimano L513 rear derailleur and Shimano 6 speed freewheel.



SR CRC-301 alloy crank set and KKT Pro-Vic II B Pedals.




Tange Mangaloy 2001 front fork with foregrip ends.



■ Specifications

Model Number	TK-722 TK-724	Hubs	Alloy semi large flange
Frame Size	TK-722--22" TK-724--24"	Rear Derailleur	—
Frame	Cr-Mo main tubes with pin stripe	Front Derailleur	—
Fork	High-tensile 1020 tubes Tange OCL crown	Shifting Lever	—
Handlebar	Nitto Model 155 alloy	Brakes	Dia-Campe 500 alloy slide-pull with quick release levers
Stem	Nitto Pearl 10. alloy	Rims	Araya 20A, 700C narrow rim, alloy
Saddle	Black vinyl leatherette with alloy seat post	Tires	Panasonic 700 x 25C Racing Extra. 100PSI
Crankset	Sugino forged alloy 48T	Spokes	14G U-C-P finished
Freewheel	16T Freewheel and 15T Fixed sprocket	Pedals	KKT No. 50 with reflectors
Chain	1/2" x 1/8" x 98 links	Accessories	Front, rear and side reflectors/Chaincase/Cloth handlebar tape
		Color	Midnight Black



Frame Size	A	B	C	D	E	F
22"	73°	73°	563mm	583mm	417mm	992mm
24"	73°	73°	575	595	417	1004



Alloy hub with 16T freewheel and 15T fixed sprocket, forged rear ends.



Araya 20A, 700C narrow alloy rim and Panasonic 700 X 25C Racing Extra 100 PSI



Cr-Mo, Main tubes.



Nitto Model 155 alloy handlebar and Nitto Pearl 10 alloy stem



Dia-Campe 500 alloy side-pull brake.

SPORT 1000

12 Speed

■ Specifications

Model Number	S-719 SL-719 S-721 SL-722 S-723 S-725 S-727
Frame Size	S-719--19" SL-719--19" S-721--21" SL-722--22" S-723--23" S-725--25" S-727--27"
Frame	Tange Cr-Mo Double butted tubes (Tange900) with pin stripe
Fork	High-tensile 1020 tubes
Handlebar	Kusuki WP-B, Maes alloy
Stem	Kusuki S-WIN-AH alloy
Saddle	Selle Italia anatomic with alloy seat post
Crankset	SR CXC-300 alloy 52/40T
Freewheel	Shimano 14-28T 6-speed
Chain	Shimano UG $\frac{1}{2}$ " $\times$ $\frac{3}{32}$ " $\times$ 114 links
Hubs	Suzue Alloy small flange with Q.R.
Rear Derailleur	Shimano Z501
Front Derailleur	Shimano Z202
Shifting Lever	Shimano Z401 stem mounted
Brakes	Shimano Z570 side-pull with Q.R. and extension levers
Rims	Araya SP-30, 27" $\times$ $1\frac{1}{4}$ " alloy
Tires	Panasonic 27" $\times$ $1\frac{1}{4}$ " Gumwall crackproof 90PSI
Spokes	14G U-C-P finished
Pedals	KKT RT-E with reflectors
Accessories	Front, rear and side reflectors/Comfort grips/Plastic spoke protector
Color	Electric Blue--Men's & Ladies' Gunmetal Grey--Men's only Grape dust--Ladies' only



SPORT LX

12 Speed

■ Specifications

Model Number	LX-719 LXL-717 LX-721 LXL-719 LX-723 LXL-722 LX-725 LX-727
Frame Size	LX-719--19" LXL-717--17.5" LX-721--21" LXL-719--19" LX-723--23" LXL-722--22" LX-725--25" LX-727--27"
Frame	Cr-Mo main tubes with pin stripe
Fork	High-tensile 1020 tubes
Handlebar	Kusuki Maes
Stem	Kusuki S-WIN-AH alloy
Saddle	Black vinyl leatherette
Crankset	Sugino forged alloy crank arms 52/40T
Freewheel	Shimano 14-28T 6-speed
Chain	Shimano UG $\frac{1}{2}$ " $\times$ $\frac{3}{32}$ " $\times$ 114 links
Hubs	Front--Small flange with Q.R. Rear--Small flange
Rear Derailleur	Shimano Z501
Front Derailleur	Shimano AX50
Shifting Lever	Shimano Stem mounted
Brakes	Dia-Compe 500N alloy side-pull with Q.R. and extension levers
Rims	Araya SP-30, 27" $\times$ $1\frac{1}{4}$ " alloy
Tires	Panasonic 27" $\times$ $1\frac{1}{4}$ " Gumwall crackproof 90PSI
Spokes	14G U-C-P finished
Pedals	KKT RT-E II with reflectors
Accessories	Front, rear and side reflectors/Comfort grips/Plastic spoke protector/Alloy kickstand/Chainguard
Color	Adriatic Blue Midnight Black Wine Red



SPORT

12 Speed

■ Specifications

Model Number	PS-719 PSL-717 PS-721 PSL-719 PS-723 PSL-722 PS-725 PS-727
Frame Size	PS-719---19" PSL-717---17.5" PS-721---21" PSL-719---19" PS-723---23" PSL-722---22" PS-725---25" PS-727---27"
Frame	Cr-Mo main tubes with pin stripe
Fork	High-tensile 1020 tubes
Handlebar	Kusuki Maes
Stem	Kusuki S-WIN-AH alloy
Saddle	Black vinyl leatherette
Crankset	Sugino forged alloy crank arms 52/40T
Freewheel	Shimano 14-28T 6-speed
Chain	Shimano UG $\frac{1}{2}$ " $\times$ $\frac{3}{32}$ " $\times$ 114 links
Hubs	Front---Small flange with Q.R. Rear---Small flange
Rear Derailleur	Shimano Z501
Front Derailleur	Shimano AX50
Shifting Lever	Shimano Stem mounted
Brakes	Dia-Compe 500N alloy side-pull with Q.R. and extension levers
Rims	27" $\times$ $1\frac{1}{4}$ "
Tires	Panasonic 27" $\times$ $1\frac{1}{4}$ " Gumwall crackproof 90 PSI
Spokes	14G U-C-P finished
Pedals	KKT RT-E II with reflectors
Accessories	Front, rear and side reflectors/Comfort grips/Plastic spoke protector/Alloy kickstand/Chainguard
Color	Midnight Black

SPORT 500


10 Speed

■ Specifications

Model Number	SF-717 SFL-717 SF-719 SFL-719 SF-721 SF-723 SF-725
Frame Size	SF-717---17.5" SFL-717---17.5" SF-719---19" SFL-719---19" SF-721---21" SF-723---23" SF-725---25"
Frame	High-tensile 1020 tubes with pin stripe
Fork	High-tensile 1020 tubes
Handlebar	SR. Maes
Stem	SR alloy stem with allen key head bolt
Saddle	Black vinyl leatherette
Crankset	SR CTC-5SG 52/40T alloy crank arms
Freewheel	Shimano 14-28T 5-speed
Chain	$\frac{1}{2}$ " $\times$ $\frac{3}{32}$ " $\times$ 114 links
Hubs	Steel small flange
Rear Derailleur	Shimano SKY LARK
Front Derailleur	Shimano AX50
Shifting Lever	Shimano Stem mounted
Brakes	Dia-Compe 630 alloy side-pull with hooded and extension levers
Rims	27" $\times$ $1\frac{1}{4}$ "
Tires	Panasonic 27" $\times$ $1\frac{1}{4}$ " Gumwall crackproof 90 PSI
Spokes	14G U-C-P finished
Pedals	KKT RT-E II with reflectors
Accessories	Front, rear and side reflectors/Comfort grips/Plastic spoke protector/Alloy kickstand/Chainguard
Color	Electric Blue Quick Silver

PRO-TOURING

18 Speed



Frame Size	A	B	C	D	E	F
19"	71°	74°	530mm	600mm	445mm	1040mm
21"	71°30'	73°30'	540	598	445	1033
23"	72°30'	73°	560	599	445	1035
25"	73°	73°	580	615	445	1050

Specifications

Model Number	PT-719 PT-721	PT-723 PT-725
Frame Size	PT-719--19" PT-721--21"	PT-723--23" PT-725--25"
Frame	Tange Cr-Mo Double butted tubes (Champion No.2) with pin stripe Lostwax Seat lug, Forged vertical drop out ends, Shimano Sealed mechanism B.B. Set.	
Fork	Tange Cr-Mo, C-1 crown, Forged ends, Tange Falcon Sealed head Set.	
Handlebar	SR RND 420, Randonneur	
Stem	SR AE forged alloy	
Saddle	Selle Italia 0422A anatomic, suede with SR CT-P5 micro adjusting seat post	
Crankset	Shimano Biopace 50/44/28T	
Freewheel	Shimano 600UG silver 6-speed, 13-30T	
Chain	Shimano 600 UG silver 1/2" x 3/32" x 112 links	


Hubs	Sanshin Gyromaster sealed bearing Front--Semi large 36H with Q.R. Rear--40H with Q.R.
Rear Derailleur	Shimano Deore XT Super Plate
Front Derailleur	Shimano Deore XT GS
Shifting Lever	Shimano Z408 Brazed on down tube mounted
Brakes	Shimano Deore XT cantilever brakes with gum hooded drilled levers
Rims	Araya 16A [3] 27" x 1 1/4" alloy
Tires	Panasonic 27" x 1 1/4" Open side 90PSI
Spokes	Stainless 14G
Pedals	KKT Pro-Vic II A with reflectors
Accessories	Front, rear and side reflectors/Comfort grips/Toe clips and straps/Plastic spoke protector/Bottle and bottle cage/Rear carrier/Allen key wrench
Color	Wine Red



Selle Italia 0422A anatomic suede saddle with SR CT-P5 micro adjusting seat post and lostwax seat lug



Shimano Biopace 50/44/28T crank set, Shimano Deore XT GS front derailleur and KKT Pro-Vic II A pedals with toe clips and straps.



Shimano Deore XT Super Plate rear derailleur, Shimano 600UG silver 6-Speed freewheel and forged rear ends.



Alloy rear carrier and Shimano Deore XT cantilever brakes



Brazed on front carrier studs and Sanshin Gyromaster sealed bearing hub.


TOURING DELUXE

15 Speed



■ Specifications

Model Number	TD-719 TD-723 TD-721 TD-725	Hubs	Shimano forged alloy small flange with Q.R.
Frame Size	TD-719---19" TD-723---23" TD-721---21" TD-725---25"	Rear Derailleur	Shimano AL-11
Frame	Tange Cr-Mo Double butted tubes (Tange 1000) with pin stripe, Forged ends.	Front Derailleur	Shimano AL-11
Fork	High-tensile, Tange OCL crown Forged ends	Shifting Lever	Shimano Z408 down tube mounted
Handlebar	Kusuki WPR-B, Randonneur	Brakes	Shimano AT-50 cantilever brakes with gum hooded drilled levers
Stem	Kusuki WIN Σ	Rims	Araya Model 18, 27" x 1 1/4" alloy
Saddle	Selle Italia 0451A anatomic, with SR CT-P5E micro adjusting seat post	Tires	Panasonic 27" x 1 1/4" Open side 90PSI
Crankset	Shimano ART 50/42/28T	Spokes	14G U-C-P
Freewheel	Shimano UG 5-speed, 14-28T	Pedals	KKT Pro Vic II B with reflectors
Chain	Shimano UG 1/2" x 3/32" x 112 links	Accessories	Front, rear and side reflectors/ Comfort grips/Toe clips and straps/ Plastic spoke protector/Rear carrier
		Color	Anthracite Grey



Frame Size	A	B	C	D	E	F
19"	71°	74°	530mm	600mm	445mm	1040mm
21"	71°30"	73°30"	540	598	445	1033
23"	72°30"	73°	560	599	445	1035
25"	73°	73°	580	615	445	1050



Araya Model 18, 27" X 1 1/4" alloy rim and Panasonic 27" X 1 1/4" Open side 90 PSI Tire



Shimano AL-11 rear derailleur and shimano UG 5-speed freewheel.



Shimano ART 50/42/28T crank set, Shimano AL-11 front derailleur and KKT Provic IIB pedals with toe clips and straps.




Alloy rear carrier and Shimano AT-50 cantilever brakes



Selle Italia 0451A anatomic saddle with SR CT-P5E seat post.

PRO ATB

18 Speed



Frame Size	A	B	C	D	E	F
18"	70°	71°	552mm	615mm	457mm	1070mm
20"	70°	71°	572	625	457	1080
22"	70°	71°	584	638	457	1093
24"	70°	71°	597	652	457	1107

Specifications

Model Number	PMB-718 PMB-722 PMB-720 PMB-724	Chain	Shimano UG Silver
Frame Size	PMB-718—18" PMB-722—22" PMB-720—20" PMB-724—24"	Hubs	Sun Tour sealed bearing hub
Frame	Tange Cr-Mo Double butted tubes (Tig welding), Forged ends. Shimano sealed mechanism B.B. set	Rear Derailleur	Shimano Deore XT
Fork	Tange Cr-Mo, MT-4 crown Forged ends Tange Levin sealed head set	Front Derailleur	Shimano Deore XT
Handlebar	SR MTB-200 Black	Shifting Lever	Shimano thumb shifter
Stem	SR MTS-100BL Black	Brakes	Shimano Deore XT mountain brakes and levers
Saddle	Selle Italia 0423 anatomic SR CT-P5 250mm long seat post	Rims	Araya 7X, 26" x 1.75"
Crankset	Shimano New 600EX Biopace 48/38/28T	Tires	26" x 2.125" Open side 50LBS
Freewheel	Shimano 600UG 6 speed 14-32T	Spokes	14G U-C-P
		Pedals	Sun Tour PL-5100 XC-II w/reflectors
		Accessories	Front, rear and side reflectors/Spoke protector/Handlebar grips/Q.R. seat binder bolt set
		Color	Metallic Graphite




Shimano New 600 EX Biopace crank set, Shimano Deore XT and Sun Tour PL-5100 XC-II pedals



Sun Tour. Sealed bearing hub and brazed on front carrier studs



Selle Italia 0423 anatomic saddle with SR CT-P5 250mm long seat post and fastback seat stay end



Shimano Deore XT rear derailleur and Shimano UG 6-speed freewheel



Tange Cr-Mo double butted tig welding frame and Tange MT-4 fork crown.


ALL-TERRAIN BIKE

15 Speed



■ Specifications

Model Number	MB-718 MB-720	MB-722 MB-724	Hubs	Suzue MTB-SS sealed mechanism alloy hub with Cr-Mo axle
Frame Size	MB-718--18" MB-720--20"	MB-722--22" MB-724--24"	Rear Derailleur	Shimano AL11
Frame	Cr-Mo main tubes, Forged ends		Front Derailleur	Shimano AL11
Fork	High-tensile 1020 Tange MT-5 crown, Forged ends		Shifting Lever	Shimano MT-50
Handlebar	SR MTB-100		Brakes	Dia-Compe No.981 cantilever brakes with DC-280 MTB levers
Stem	SR MTS-100		Rims	26" x 1.75" alloy
Saddle	Selle Italia 0451A anatomic, with SR CT-P5 250mm long seat post		Tires	26" x 2.125" Open side
Crankset	Shimano Tourney XT 46/36/26T		Spokes	14G U-C-P
Freewheel	Shimano UG 5-speed, 14-28T		Pedals	KKT SMX Black with reflectors
Chain	Shimano UG 1/2" x 3/32" x 114 links		Accessories	Front, rear and side reflectors/Spoke protector/Handlebar grips/Q.R. seat binder bolt set
			Color	Night Blue



Frame Size	A	B	C	D	E	F
18"	66°30"	69°30"	560mm	639mm	470mm	1108mm
20"	67°30"	70°	572	642	470	1110
22"	68°	70°	584	652	470	1120
24"	68°	70°	597	666	470	1134



Brazed on front carrier studs and Suzue MTB-SS sealed mechanism hub.



SR MTB-100 handlebar and SR MTS-100 handle stem



Selle Italia 0451A anatomic saddle with SR CT-P5 250mm long seat post and quick release seat binder bolt set.



26" X 1.75" alloy rim and 26" X 2.125" open side tire.



Brazed on rear carrier studs and Dia-Compe No.981 cantilever brakes

CITY BIKE

15 Speed

■ Specifications

Model Number	CB-720 CBL-718 CB-722 CB-724
Frame Size	CB-720---20" CBL-718---18" CB-722---22" CB-724---24"
Frame	Cr-Mo main tubes
Fork	High-tensile 1020 tubes
Handlebar	SR MTB-301
Stem	SR MTS-120 alloy
Saddle	Selle Italia 0451A anatomic, with SR CT-P5E micro adjusting seat post
Crankset	Shimano FC-T500 50/42/34T
Freewheel	Shimano UG 5-speed, 14-32T
Chain	Shimano UG $\frac{1}{2}$ " $\times$ $\frac{3}{32}$ " $\times$ 118 links
Hubs	Shimano forged alloy small flange
Rear Derailleur	Shimano Z503 GS
Front Derailleur	Shimano Z204 GS
Shifting Lever	Shimano MT-50
Brakes	Dia-Compe No.981 cantilever brakes with DC-281 MTB levers
Rims	26" $\times$ 1.5" alloy
Tires	26" $\times$ 1.5"
Spokes	14G U-C-P finished
Pedals	MKS PB-20 black with reflectors
Accessories	Front, rear and side reflectors/Spoke protector/Handlebar grips
Color	Electric Blue



Ladies' Model Available

Panasonic Villager DX

10 Speed

■ Specifications

Model Number	VX-720 VXL-718 VX-722
Frame Size	VX-720---20" VXL-718---18" VX-722---22"
Frame	Cr-Mo main tubes
Fork	High-tensile 1020 tubes
Handlebar	SR MTB-301
Stem	SR MTS-120 alloy
Saddle	Selle Italia anatomic, with SR CT-P5E micro adjusting seat post
Crankset	52/39T with F.F. system
Freewheel	14-28T with F.F. system, 5-speed
Chain	Shimano UG $\frac{1}{2}$ " $\times$ $\frac{3}{32}$ " $\times$ 116 links
Hubs	Shimano forged alloy small flange
Rear Derailleur	Shimano Positron-FH400
Front Derailleur	Shimano AX50
Shifting Lever	Shimano Thumb shifter with P.P.S. system
Brakes	Dia-Compe 1020 alloy side-pull with DC-281 MTB levers
Rims	26" $\times$ 1.5" alloy
Tires	26" $\times$ 1.5"
Spokes	14G U-C-P finished
Pedals	MKS PB-20 black with reflectors
Accessories	Front, rear and side reflectors/Spoke protector/Handlebar grips/Mudguard
Color	Metallic Sand



Ladies' Model Available

CRUISER 5

5 Speed

■ Specifications

Model Number	CR-759 CR-752
Frame Size	CR-759--19" CR-752--22"
Frame	High-tensile 1020 tubes
Fork	High-tensile 1020 tubes
Handlebar	Kusuki Cruiser II
Stem	Kusuki MX-WB50
Saddle	Black vinyl leatherette, Cruiser saddle
Crankset	SR 46T with alloy crank arms
Freewheel	Sun Tour 14-30T, 5-speed
Chain	HKK $\frac{1}{2}$ " $\times$ $\frac{3}{32}$ " $\times$ 114 links
Hubs	Shimano forged alloy small flange with Cr-Mo hub axle
Rear Derailleur	Sun Tour RD1200GT
Front Derailleur	—
Shifting Lever	Sun Tour LS3700 thumb shifter
Brakes	Dia-Compe alloy side-pull P/N 890 with P/N 131 levers
Rims	26" $\times$ 1.75, alloy
Tires	26" $\times$ 2.125 Open-side
Spokes	13G U-C-P finished
Pedals	KKT RM3 full rubber with reflectors
Accessories	Front, rear and side reflectors/Spoke protector/Handlebar grips/Chaincase
Color	Silver Surf



CRUISER 1

■ Specifications

Model Number	CR-709 CR-702
Frame Size	CR-709--19" CR-702--22"
Frame	High-tensile 1020 tubes
Fork	High-tensile 1020 tubes
Handlebar	Kusuki Cruiser II
Stem	Kusuki MX-WB50
Saddle	Black vinyl leatherette, Cruiser
Crankset	Sugino 46T
Freewheel	—
Chain	HKK $\frac{1}{2}$ " $\times$ $\frac{1}{8}$ " $\times$ 104 links
Hubs	Front--Steel small flange Rear--Coaster brake with 18T sprocket
Rear Derailleur	—
Front Derailleur	—
Shifting Lever	—
Brakes	Coaster brake (Rear only)
Rims	26" $\times$ 1.75"
Tires	26" $\times$ 2.125 Open-side
Spokes	13G U-C-P finished
Pedals	KKT RM3 full rubber with reflectors
Accessories	Front, rear and side reflectors/Comfort grips/Chaincase
Color	Royal Silver



Panasonic Villager

■ Specifications

Model Number	V-717 VL-717 V-719 VL-719 V-721 VL-722 V-723 V-725
Frame Size	V-717---17.5" VL-717---17.5" V-719---19" VL-719---19" V-721---21" VL-722---22" V-723---23" V-725---25"
Frame	High-tensile 1020 tubes
Fork	High-tensile 1020 tubes
Handlebar	Kusuki Maes
Stem	Kusuki S-WIN-AH alloy
Saddle	Black vinyl leatherette
Crankset	52/39T steel with F.F. system
Freewheel	14-28T with F.F. system, 5-speed
Chain	Shimano UG $\frac{1}{2}$ " $\times$ $\frac{3}{32}$ " $\times$ 114 links
Hubs	Steel small flange
Rear Derailleur	Shimano Positron II
Front Derailleur	Shimano AX50
Shifting Lever	Stem mounted with P.P.S. shifting lever
Brakes	Dia-Compe alloy side-pull with hooded and extension levers
Rims	27" $\times$ 1 $\frac{1}{4}$ "
Tires	Panasonic 27" $\times$ 1 $\frac{1}{4}$ " Gumwall crackproof 90PSI
Spokes	14G U-C-P finished
Pedals	KKT RT-E II with reflectors
Accessories	Front, rear and side reflectors/Comfort grips/Spoke protector/Alloy kickstand/Inner and outer chainguard
Color	Imperial Red Cobalt Blue



TOURIST 10

■ Specifications

Model Number	T-711 TL-717 T-713 TL-719 T-715 TL-712
Frame Size	T-711---21" TL-717---17.5" T-713---23" TL-719---19" T-715---25" TL-712---22"
Frame	High-tensile 1020 tubes
Fork	High-tensile 1020 tubes
Handlebar	Steel North Road
Stem	Alloy stem with Allen key head bolt
Saddle	Black vinyl leatherette, mattress
Crankset	52/39T steel with F.F. system
Freewheel	14-28T with F.F. system, 5-speed
Chain	Shimano UG $\frac{1}{2}$ " $\times$ $\frac{3}{32}$ " $\times$ 114 links
Hubs	Steel small flange
Rear Derailleur	Shimano Lark II
Front Derailleur	Shimano AX50
Shifting Lever	Shimano thumb shifter
Brakes	Dia-Compe alloy side-pull
Rims	27" $\times$ 1 $\frac{1}{4}$ "
Tires	Panasonic 27" $\times$ 1 $\frac{1}{4}$ " Gumwall crackproof 75PSI
Spokes	14G U-C-P finished
Pedals	KKT RM3 full rubber with reflectors
Accessories	Front, rear and side reflectors/Spoke protector/Mudguard with pin stripe/Alloy kickstand/Inner and outer chainguard/Handlebar grips
Color	Wine Red



Ladies' Model Available

TOURIST 5

■ Specifications

Model Number	T-751 T-753	TL-759 TL-752
Frame Size	T-751—21" T-753—23"	TL-759—19" TL-752—22"
Frame	High-tensile 1020 tubes	
Fork	High-tensile 1020 tubes	
Handlebar	Steel North Road	
Stem	Alloy stem with Allen key head bolt	
Saddle	Black vinyl leatherette	
Crankset	46T steel with F.F. system	
Freewheel	14-28T with F.F. system, 5-speed	
Chain	Shimano UG $\frac{1}{2}$ " $\times$ $\frac{1}{32}$ " $\times$ 110 links	
Hubs	Steel small flange	
Rear Derailleur	Shimano LARK II	
Front Derailleur	—	
Shifting Lever	Shimano thumb shifter	
Brakes	Dia-Compe alloy side-pull	
Rims	27" $\times$ $1\frac{1}{4}$ "	
Tires	Panasonic 27" $\times$ $1\frac{1}{4}$ " Gumwall crackproof 75 PSI	
Spokes	14G U-C-P finished	
Pedals	KKT RM3 full rubber with reflectors	
Accessories	Front, rear and side reflectors/Spoke protector/Mudguard with pin stripe/Alloy kickstand/Inner and outer chainguard/Handlebar grips	
Color	Electric Blue	



Ladies' Model Available

TOURIST 3

■ Specifications

Model Number	T-739 T-731 T-733	TL-737 TL-739
Frame Size	T-739—19" T-731—21" T-733—23"	TL-737—17.5" TL-739—19"
Frame	High-tensile 1020 tubes	
Fork	High-tensile 1020 tubes	
Handlebar	Steel North Road	
Stem	Alloy stem with Allen key head bolt	
Saddle	Black vinyl leatherette, mattress	
Crankset	48T steel	
Freewheel	—	
Chain	HKK $\frac{1}{2}$ " $\times$ $\frac{1}{8}$ " $\times$ 104 links	
Hubs	Front—Steel small flange/Rear—3 speed coaster brake hub with 19T sprocket	
Rear Derailleur	—	
Front Derailleur	—	
Shifting Lever	Shimano Trigger lever	
Brakes	Dia-Compe alloy side-pull (Front only)	
Rims	27" $\times$ $1\frac{1}{4}$ "	
Tires	Panasonic 27" $\times$ $1\frac{1}{4}$ " Gumwall crackproof 75 PSI	
Spokes	14G U-C-P finished	
Pedals	KKT RM3 full rubber with reflectors	
Accessories	Front, rear and side reflectors/Mudguard with pin stripe /Alloy kickstand/Chaincase/Handlebar grips	
Color	Gunmetal Grey	



Men's Model Available

MX 750

■ Specifications

Model Number	MX-750
Frame Size	MX-750---12"
Frame	Mild steel tubes
Fork	High-tensile 1020 tubes
Handlebar	Kusuki Steel
Stem	Kusuki Steel
Saddle	Ariake, Plastic saddle aero style
Crankset	Sugino, 44T one piece
Freewheel	—
Chain	1/2" x 1/8" x 90 links
Hubs	Rear---Coaster brake with 14T sprocket
Brakes	Rear ---Steel side-pull
Rims	20" x 1.75"
Tires	Knarler Knobby 20" x 2.125" Open side
Spokes	12G U-C-P finished
Pedals	KKT RT-E with Cr-Mo axle and reflectors
Accessories	Front, rear and side reflectors/Hockey stick type chain case / Handlebar grips
Color	Midnight Black



GIRL'S

■ Specifications

Model Number	JG-716 JG-720
Frame Size	JG-716---10" JG-720---12"
Frame	JG-716---Mild steel tubes JG-720---High tensile 1020 tubes
Fork	High-tensile 1020 tubes
Handlebar	Kusuki Steel
Stem	Kusuki Steel
Saddle	Vinyl leatherette
Crankset	Shimano OC-S steel JG-716---28T x 4 1/2", JG-720---28T x 5"
Freewheel	—
Chain	HKK 1/2" x 1/8"
Hubs	Front---Steel small flange Rear---Coaster brake with 14T sprocket
Brakes	Coaster brake (Rear only)
Rims	JG-716---16" x 1.50", JG-720---20" x 1.50"
Tires	JG-716---16" x 1.50" pink/white JG-720---20" x 1.50" pink/white
Spokes	14G U-C-P finished
Pedals	MKS Plastic
Accessories	Mudguard/Chaincase/Basket Handlebar grips/ JG-716---Training wheels JG-720---Main Stand
Color	Pretty Pink



UNICYCLE





The Panasonic EX-1000 Exercise Bike

Whether you're maintaining physical fitness, just starting an exercise program, or just want to "go for a spin", the EX-1000 is advanced equipment that combines simple operation with sturdy, high-quality construction.



Speedometer, odometer, digital timer and tension control.




Saddle



Dia-Compe tension system



Weighted wheel



Fingertip lever adjusts seat height




Fingertip lever adjusts handlebar position

Tires and Tubes

SIZE	BRAND	TREAD TYPE/NAME	SPECIFICATION	WEIGHT	PRESSURE
27x1-1/4	PANASONIC	TOURING TYPE 10	GUM WALL	510 GRAM	90 PSI
27x1-1/8	PANASONIC	TOURING TYPE 10	OPEN SIDE	330 GRAM	100 PSI
700x25C	PANASONIC	TOURING TYPE 10	OPEN SIDE	310 GRAM	100 PSI
27x1-1/4	PANARACER	TOURING TYPE 7-B	GUM WALL/KEVLAR BREAKER	525 GRAM	90 PSI
27x1-1/8	PANARACER	TOURING TYPE 7-B	OPEN SIDE/KEVLAR BREAKER	340 GRAM	100 PSI
700x25C	PANARACER	TOURING TYPE 7-B	OPEN SIDE/KEVLAR BREAKER	320 GRAM	100 PSI
27x1-1/4	PANARACER	7-B/SWIFT	FOLDABLE TIRE	270 GRAM	90 PSI
27x1-1/8	PANARACER	7-B/SWIFT	FOLDABLE TIRE	240 GRAM	100 PSI
TUBULAR	PANARACER	COURSE		300 GRAM	
TUBULAR	PANARACER	RECORD		270 GRAM	
27x1-1/8/700x28C	PANARACER	EXTRA LIGHT TUBE WITH AMERICAN VALVE		85 GRAM	
27x1-1/8/700x28C	PANARACER	EXTRA LIGHT TUBE WITH FRENCH VALVE		85 GRAM	
27x1/700x25C	PANARACER	EXTRA LIGHT TUBE WITH AMERICAN VALVE		75 GRAM	
27x1/700x25C	PANARACER	EXTRA LIGHT TUBE WITH FRENCH VALVE		75 GRAM	

Proper Bicycle Fit



Proper fit is an important factor in assuring bicycle safety and handling. Panasonic Bicycles come in a variety of frame sizes, to ensure that there's one just right for you. Frame size is determined by choosing the largest frame which can be straddled with at least one inch of clearance above the top tube, keeping both feet on the ground, as illustrated, right. Women can use the men's style frame to determine the approximate size of the corresponding ladies' model, as illustrated, left.

PROPER PANASONIC BICYCLE FOR VARIOUS INSEAMS

FRAME SIZE	17.5"	18"	19"	20"	21"	22"	23"	24"	25"	26"	27"	28"
	44.5cm	46cm	48cm	51cm	53cm	56cm	58cm	61cm	64cm	66cm	68-69cm	71cm
THE MINIMUM INSEAM OF RIDER	28"	29"	29.5"	30.5"	31.5"	32.5"	33.5"	34.5"	35.5"	36.5"	37.5"	38.6"

Bicycle Accessories



Front Freewheeling System
Providing fast, positive shifting without the need for pedaling.



Positive Pre-Select System
A gear may be accurately "Pre-Selected" at any time, even before mounting the bicycles.

LIMITED WARRANTY

Panasonic BICYCLE / EXERCISER

MATSUSHITA APPLIANCE COMPANY, "PHI" or "PSC" will repair and exchange parts for this bicycle (or exerciser) free of charge in the U.S.A. or Puerto Rico in the event of a manufacturing defect, as follows:

Parts

New parts in exchange for defective parts for one (1) year after original purchase (Except exerciser digital timer battery).

Fork and Frame

New fork and frame for the life of the bicycle (or exerciser).

Exception: Fork and Frame (Only for Motocross Bicycle), New fork and Frame for one (1) year after original purchase.

Labor — Thirty Day Check-up

Repair of defects in material, workmanship or assembly for thirty (30) days after original purchase.

Service

Labor and parts can be obtained during the thirty (30) day labor warranty period by bringing your bicycle (or exerciser) to the Panasonic bicycle dealer from whom the bicycle (or exerciser) was purchased.

Parts Exchange

After the thirty (30) day labor warranty period is over, any defective part can be exchanged under the parts warranty by bringing it to any Panasonic bicycle dealer. Labor for removal and installation is available at your expense.

A purchase receipt or other proof of date of original consumer purchase will be required before warranty performance is rendered.

This warranty covers normal consumer use and does not cover failure which results from alteration, accident, misuse, abuse, neglect, improper assembly, maintenance, or commercial use.

This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

If a problem with this Panasonic bicycle (or exerciser) develops during the warranty period, first contact your Panasonic dealer. If the problem is not handled to your satisfaction, then write to the Panasonic Consumer Affairs Division at the company address.

Matsushita Appliance Company,
Division of Matsushita Electric
Corporation of America
Bicycle Sales Department

One Panasonic Way,
Secaucus, New Jersey 07094
(201) 348-5375, 5376
5374, 5378

1 MECA Way,
Norcross, GA. 30093
(404)-925-6810

Panasonic Hawaii, Inc. ("PHI")
91-238 Kauhli Street,
Ewa Beach, Hawaii 96706
(808) 682-2851

425 E. Algonquin Rd.
Arlington Heights, IL 60005
(312) 364-7900

6550 Katella Avenue,
Cypress, CALIF. 90630
(714) 895-7200

Panasonic Sales Co., ("PSC"),
P.O. Box 2036,
Ceramic Annex, Carolina
Puerto Rico 00630

Panasonic
just slightly ahead of our time