

FOR QUICK REFERENCE . . .

TO ANY PART . . . CAREFULLY READ THE FOLLOWING INSTRUCTIONS

To trace any part quickly, refer to coloured machine shown here, note colour of particular group required and turn to section of list in that colour. Parts are described on the page facing their illustration and as far as possible, are shown in order of assembly, but illustrations are made to a convenient size for identification and are not to scale.

The list is divided into four columns to cover all four marks.

Where a part is not used on any particular model the column is left blank. An asterisk (*) shows that part is the same as in the preceding column. For example :—

RALEIGH · RUDGE · HUMBER · ROBIN HOOD
P1045 * * *

Shows that part P1045 is used on Raleigh, Rudge and Humber machines but not used on Robin Hood.

Note : When ordering spares quote Part No. not Photo No.

Where quantity packed in one carton is shown, we only supply in that quantity or multiples of it.



FRAMES

Page 5 to Page 16

Backstays, Seat Pins, Front Forks, Fork Races, Mudguards, Fittings for above.

TRANSMISSION

Page 17 to Page 24

Chainwheels, Cranks, Bracket Axles, Chains, Pedals, Gearcases, Chainguards, Fittings for above.

WHEELS

Page 25 to Page 32

Rims, Spokes, Hubs, Freewheels, Sprockets, Fittings for above.

HANDLEBARS & Accessories

Page 33 to Page 48

Brakes, Grips, Saddletags and Tools, Inflators, Saddles, Carriers, Transfers, Fittings for above, Repairs and Renovations.

STURMEY-ARCHER GEARS

Page 49 to Page 68

3-Speed Hubs, 4-Speed Hubs, Hub Brakes, Gear Controls, Brake Controls.

DYNOHUBS

Page 73 to Page 80

Dyno-Luxe, Lamps and Bulbs, Cables, Fittings for above.

WORKSHOP TOOLS

Page 81 to Page 88

List is divided into seven main divisions which are coloured and divisions sub-divided as shown.

PURCHASE TAX

Spare parts which are at present subject to Purchase Tax are specially marked and the amount of Tax shown

FRAME
TRANSMISSION
WHEELS
HANDLEBARS
STURMEY-ARCHER
DYNOHUB
WORKSHOP

PARTICULARS OF MODELS

RALEIGH

	Description	Model No.	Finish
ROADSTERS.	Popular Gent's	1	Black with Bronze and Red Lines.
	Popular Lady's	1L	
	Tourist Gent's	2	
	Tourist Lady's	2L	
	Dawn Gent's	11	
	Dawn Lady's	11L	
	Dawn Tourist Gent's	12	
	Dawn Tourist Lady's	12L	
	Superbe Tourist Gent's	3	
	Superbe Tourist Lady's	3L	
	Superbe Dawn Tourist Gent's	13	Green with Bronze Lines.
	Superbe Dawn Tourist Lady's	13L	
	Junior Boy's	31	
	Junior Girl's	31L	
JUNIORS.	Low Gravity Carrier	41	Black with Single Red Line.
	Open Frame Carrier	42	
CARRIERS.	Sports Gent's	21	Plain Black.
	Sports Lady's	21L	
SPORTS.	Sports Light Roadster Gent's	22	Plain Black.
	Sports Light Roadster Lady's	22L	
	Sports Tourist Gent's	23	
	Sports Tourist Lady's	23L	
	Superbe Sports Tourist Gent's	24	
	Superbe Sports Tourist Lady's	24L	
	Lenton Clubman	25	
	Raleigh Record Ace	26	
			Green with Bronze Lines.
			Polychromatic Green.
			According to finish of Bicycle, which should be stated when ordering spares.

RUDGE-WHITWORTH

	Description	Model No.	Finish
ROADSTERS.	Roadster Gent's	101	Black with Bronze Lines.
	Roadster Lady's	101L	
	Tourist Gent's	102	
	Tourist Lady's	102L	
	Super Safety Gent's	111	
	Super Safety Lady's	111L	
	Super Safety Tourist Gent's	112	
	Super Safety Tourist Lady's	112L	
	De Luxe Tourist Gent's	103	
	De Luxe Tourist Lady's	103L	
	De Luxe Super Safety Tourist Gent's	113	
	De Luxe Super Safety Tourist Lady's	113L	
JUNIORS.	Junior Boy's	131	Black with Single Red Line.
	Junior Girl's	131L	
CARRIERS.	Low Gravity Carrier	141	Plain Black.
	Open Frame Carrier	142	
SPORTS.	Sports Gent's	121	Plain Black.
	Sports Lady's	121L	
	Sports Light Roadster Gent's	122	
	Sports Light Roadster Lady's	122L	
	Sports Tourist Gent's	123	
	Sports Tourist Lady's	123L	
	De Luxe Sports Tourist Gent's	124	
	De Luxe Sports Tourist Lady's	124L	
	Aero Clubman	125	Lustre Orange.

PARTICULARS OF MODELS

HUMBER

	Description	Model No.	Finish
ROADSTERS.	Olympia Gent's	301	Black with Bronze and Red Lines.
	Olympia Lady's	301L	
	Tourist Gent's	302	
	Tourist Lady's	302L	
	Cob Gent's	311	
	Cob Lady's	311L	
	Cob Tourist Gent's	312	
	Cob Tourist Lady's	312L	
	Royal Tourist Gent's	303	
	Royal Tourist Lady's	303L	
	Royal Cob Tourist Gent's	313	
	Royal Cob Tourist Lady's	313L	
JUNIORS.	Junior Boy's	331	Black with Single Red Line.
	Junior Girl's	331L	
CARRIERS.	Low Gravity Carrier	341	Plain Black.
	Open Frame Carrier	342	
SPORTS.	Sports Gent's	321	Plain Black.
	Sports Lady's	321L	
	Sports Light Roadster Gent's	322	
	Sports Light Roadster Lady's	322L	
	Elf Gent's	323	
	Elf Lady's	323L	
	Royal Elf Gent's	324	
	Royal Elf Lady's	324L	
	Beeston Clubman	325	Metallic Blue.

ROBIN HOOD

	Description	Model No.	Finish
ROADSTERS.	Sherwood Gent's	201	Black with Bronze and Green Lines.
	Sherwood Lady's	201L	
	Sherwood Tourist Gent's	202	
	Sherwood Tourist Lady's	202L	
	Safety Light Roadster Gent's	211	
	Safety Light Roadster Lady's	211L	
	Safety Tourist Gent's	212	
	Safety Tourist Lady's	212L	
JUNIORS.	Little John Boy's	231	Black with Single Red Line.
	Maid Marion Girl's	231L	
SPORTS.	Rufford Sports Gent's	221	Plain Black.
	Rufford Sports Lady's	221L	
	Sports Light Roadster Gent's	222	
	Sports Light Roadster Lady's	222L	
	Sports Tourist Gent's	223	
	Sports Tourist Lady's	223L	
	Sherwood Arrow	225	Lustre Green.

FRAME
 TRANSMISSION
 WHEELS
 HANDLEBARS
 STURMEY-ARCHER
 DYNAMO
 WORKSHOP

WHOLESALE DEPOTS

LONDON and HOME COUNTIES

Raleigh House, Great West Road, Brentford, Middlesex.
Tel. Ealing 6721.

46, Ashburnham Road, Bedford. Tel. 4913.

LANCASHIRE, CHESHIRE and NORTH WALES

288-294, Eccles New Road,
Weaste, Salford, 5, Lancs.
Tel. Pendleton 2251-2-3.

Delamere Street, Chester. Tel. 3906.

EAST MIDLANDS

199, Lenton Boulevard, Nottingham.
Tel. 77539.

88-90, Charlotte Road, Sheffield, 2.
Tel. 21603.

Mars St., Smallthorne, Stoke-on-Trent.
Tel. 84421.

EASTERN COUNTIES

23, Castle Hill, Norwich.
Tel. 23894.

WEST OF ENGLAND

Asher Lane, Red Cross Street, Bristol, 2.
Tel. 24825.

Alphington Street, Exeter.
Tel. 54477.

SCOTLAND

90, Salkeld Street, Glasgow, C.5.
Tel. South 2692.

62-66, Leadsie Road, Aberdeen.
Tel. 7171.

YORKSHIRE DISTRICT

421, Kirkstall Road, Leeds, 4.
Tel. 38050.

24, Park Street, Hull. Tel. 36052.

MIDLANDS

Empire House, Gt. Charles Street,
Birmingham, 3.
Tel. Central 1150.

NORTHERN COUNTIES

38, St. Mary's Place,
Newcastle-on-Tyne, 1.
Tel. 22988.

SOUTHERN COUNTIES

Back of the Walls, Southampton.
Tel. 2227.

387, Cowley Road, Oxford. Tel. 7391.

NORTHERN IRELAND

47, Linenhall Street, Belfast.
Tel. 20086.

SOUTH WALES DISTRIBUTORS

The Kennard Cycle Co.,
199-201, Richmond Road, Cardiff.
Tel. 1333.


HEAD OFFICES

NOTTINGHAM - ENGLAND

TELEPHONE: NOTTINGHAM 75154. TELEGRAMS: "RALIND," NOTTINGHAM.

FRAME SECTION

When ordering quote *PART NUMBER* and not *Photo Number*




Raleigh Industries Limited · Nottingham

FRAME
TRANSMISSION
WHEELS
HANDLEBARS
STURMEY-ARCHER
DYNOHUB
WORKSHOP

FRAMES AND BACKSTAYS

IMPORTANT : Frames are only supplied to replace those of existing " Raleigh," " Rudge-Whitworth," " Humber" and " Robin Hood " bicycles. Machine numbers and frame sizes must be quoted. To ascertain frame size, measure seat tube from centre of bottom bracket to top of seat lug.



FRAMES AND BACKSTAYS

Photo No.	Quote this Part Number when ordering				Qty. in Carton	Description	Price			Price Amendm't £ s. d.
	Raleigh	Rudge	Humber	Robin Hood			£	s.	d.	
1	FA 176	FA 176/RW	FA 176/H	DU 20		Gent's. 28in. Wheel Frame only with Head Cups and Right-Hand Bottom Bracket Cup. Plain Black	1	16	6	
						28in. Wheel Frame only with Right-Hand Bottom Bracket Cup. Plain Black ...	1	12	6	
	FA 266A	FA 266A/RW	FA 266A/H	DU 23		26in. Wheel ditto ditto	1	12	6	
						26in. Wheel Frame with Fixed Backstays, Head Cups and Right-Hand Bottom Bracket Cup (drilled for Roller Lever Brakes). Plain Black	2	7	6	
2	FA 266	FA 266/RW	FA 266/H			ditto ditto (But not drilled for Brakes)	2	7	6	
3				DU 25		26in. Wheel Frame with Fixed Backstays and Right-Hand Bottom Bracket Cup. Plain Black	2	6	6	
4				DU 120		26in. Wheel Frame with Fixed Backstays and Right-Hand Bottom Bracket Cup (Sherwood Arrow). Plain Black ...	2	9	6	
5	FA 291	FA 291/RW	FA 291/H			Clubman Frame with Head Cups and Right-Hand Bottom Bracket Cup (Frame Tubes with 531 Tubing). Plain Black ...	4	4	0	
	FA 289					R.R.A. Frame (531 Tubing throughout). Price on application, according to finish.				
						EXTRA FITMENTS: (Brazed on) R.R.A. only. Cable Clips, Bag Support Stud, Rear Light Clip, Chainguard Clip and S.A. Gear Pulley Boss				According to Fitments Required
						Note. If any extra fitment is required, please mention when ordering frame.				
1	FA 284	FA 284/RW	FA 284/H	FA 284/RH		Boy's. Junior 19in. Frame only, with Head Cups and Right-Hand Bottom Bracket Cup. Plain Black	1	16	6	
	FA 287	FA 287/RW	FA 287/H	FA 287/RH		Junior 17in. ditto ditto ...	1	16	6	
6	FA 241	FA 241/RW	FA 241/H			Carriers. Low Gravity ditto ditto	2	9	6	
7	FA 282A	FA 282A/RW	FA 282A/H			Open Frame ditto ditto	2	4	0	
8	FA 197	FA 197/RW	FA 197/H	DU 21		Lady's. 28in. Wheel Frame only, with Head Cups and Right-Hand Bottom Bracket Cup. Plain Black	2	0	0	
						28in. Wheel Frame only, with Right Hand Bottom Bracket Cup. Plain Black	1	15	6	
				DU 24		26in. Wheel ditto ditto	1	15	6	
9	FA 267A	FA 267A/RW	FA 267A/H			26in. Wheel Frame with Fixed Backstay, Head Cups and Right-Hand Bottom Bracket Cup (drilled for Roller Lever Brakes). Plain Black	2	9	0	
	FA 267	FA 267/RW	FA 267/H			ditto ditto (But not drilled for Brakes)	2	9	0	
10				DU 26		26in. Wheel Frame with Right-Hand Bottom Bracket Cup. Plain Black ...	2	9	6	


Items marked * should be ordered by Raleigh part number.

Prices subject to alteration without notice.

TRANSMISSION
WHEELS
HANDLEBARS
STURMEY-ARCHER
DYNOHUB
WORKSHOP

FRAMES, BACKSTAYS AND FORKS

IMPORTANT : Frames are only supplied to replace those of existing "Raleigh," "Rudge-Whitworth," "Humber" and "Robin Hood" bicycles. Machine numbers and frame sizes must be quoted. To ascertain frame size, measure seat tube from centre of bottom bracket to top of seat lug.



FRAMES, BACKSTAYS AND FORKS


Photo No.	Quote this Part Number when ordering				Qty. in Carton	Description	Price		Price Amend't
	Raleigh	Rudge	Humber	Robin Hood			£	s. d.	
FRAMES—Continued									
11	FA 285	FA 285/RW	FA 285/H	FA 285/RH		Girl's. Jnr. 19in. Frame, Head Cups & R.H.			
	FA 288	FA 288/RW	FA 288/H	FA 288/RH		Bottom Bracket Cup. Plain Black ... Junior 17in. ditto ditto For details of Frames & Forks fitted with Steering Lock see page 16	2	0 0	2 0 0
DETACHABLE BACKSTAYS (Quote Frame Size)									
12	EA 118	*	*	DU 20B DU 23B		28 in. Wheel. Plain Black ...	6	0	
						28in. Wheel ditto ...	5	9	
						26in. Wheel ditto ...	5	9	
						L.G. and O. F. C. only. Plain Black ...	6	0	
	EA 119	*	*	*		24in. Wheel ditto ...	6	0	
	EA 145	*	*	*		22in. Wheel ditto ...	6	0	
	EA 154	*	*	*		LINING: Frame only ... Extra	1	0	
					Frame and Backstay ..	1	5		
					Backstay only ...		5		
					COLOURS: Frame only ...	5	3		
					Frame and Backstay ..	6	3		
					Backstay only ...	1	0		
FRAME FITTINGS									
13/14	S 32C	*	*	S 228C S 228		Seat Lug Bolt & Nut (R/Hood, Spts. Ldys.)	5	1	
					6	Bolt ditto ...	2	1	
13	S 32	*	*	*	24	Bolt ...	2	1	
14	S 25	*	*	*		Nut ...	3		
15	S 562	*	*	S 736	12	Chainstay Screw (R/Hood, exc. Jnrs.)	2	1	
16	S 404	*	*	*	24	Chainstay Bush ...	2	1	
17	P 70	*	*	*		Washer for Chainstay Screw ...	1	1	
18	P 1033C	*	*	*	6	Inflator Clip, with Screw...	6		
18	P 1147C	*	*	*		ditto ...	6		
19	S 35	*	*	*	48	Screw for Inflator Clip ...	1		
20	T 275	*	*	DU 88	2	Seat Pillar ...	2	6	
21	T 236	*	*	*		ditto, Juniors only ...	3	0	
20	T 217	*	*	*		ditto, R.R.A. ...	2	6	
						ditto, Reynolds 10in. Hiduminium ...	According to Makers Price Price on Application		
	M463					Bag Support R.R.A.			
FORKS AND FITTINGS (Quote Stem Length)									
22	B 403	B 512		DU 20F		Fork, 28in. Wheel. Plain Black...	14	6	
23			B 313			ditto ditto ...	18	6	
24	B 489	B 535				Fork, 26in. Wheel ditto ...	16	0	
25			B 410			ditto ditto ...	19	6	
22				DU 23F		ditto ditto ...	14	6	
24	B 405	B 513	B 521			Fork, Sports ditto ...	16	0	
26				DU 25F		ditto ditto ...	14	6	
27	B 419					Fork, Lenton Clubman ditto ...	18	0	
28		B 523				Fork, Aero Clubman ditto ...	18	0	
29			B 522			Fork, Beeston Clubman ditto ...	18	0	
30				DU 119		Fork, Sherwood Arrow ditto ...	16	0	
27	B 560					Fork (Round Blade), R.R.A., Plain Black	2	12 0	
27	B 561					Fork ("D" to Rnd. Blade,) R.R.A. Pln. Blk.	2	12 0	
22	B 406	B 407	B 407	B 407		Fork, 24in. Wheel. Plain Black...	14	6	
22	B 555	B 556	B 556	B 556		Fork, 22in. Wheel ditto ...	14	6	
31	B 322	*	*	*		Fork, L.G. Carrier ditto ...	16	0	
22	B 316A	*	*	*		Fork, Open Frame Carrier ditto ...	15	6	
						LINING ... Extra	5		
						COLOURS... ..	1	0	

Items marked * should be ordered by Raleigh part number.

Prices subject to alteration without notice.

TRANSMISSION
WHEELS
HANDLEBARS
STURDY ARCHER
DYNOHUB
WORKSHOP

FITTINGS AND MUDGUARDS



FITTINGS AND MUDGUARDS

Photo No.	Quote this Part Number when ordering				Qty. in Carton	Description	Price		Price Amendm't
	Raleigh	Rudge	Humber	Robin Hood			£	s. d.	£
FORKS AND FITTINGS—continued									
32	P 407	P 1495A P 1542A			12	Fork Thimble		5	
						Crown Cover, for Models 124 and 124L ...		7	
						ditto for Models 113 and 113L ...		7	
33			P 1460A P 1208A			ditto for Models 324 and 324L ...		7	
			P 1460 P 1208	P 1451A P 1451		ditto for Models 313 and 313L ...		7	
		P 1495 P 1542 P 1466C				ditto for Models with Caliper Brakes		7	
			P 1127HC			ditto for Models with Roller Brakes		7	
	P 1127C P 1128C P 1518C P 1518AC P 1532C P 1532AC				6	Fork Lamp Bracket, Clip & Bolt, LH, Steel	1	9	
	P 1045 P 1533	*	*		6	ditto, Right-Hand, Steel	1	9	
34	S 507					ditto, L-H, Alloy. Round Blade, R.R.A.	2	3	
						ditto, R-H, Alloy. Round Blade, R.R.A.	2	3	
						ditto, L-H, Alloy. "D" Blade, R.R.A.	2	3	
						ditto, R-H, Alloy. "D" Blade, R.R.A.	2	3	
36		*	*			Clip, for Round Blade		5	
37		*	*			Clip, for "D" Blade		5	
						Bolt		4	
STEERING HEAD FITTINGS									
38	S 636A	*	*		6	Top Head Screwed Race		11	
	S 636B					ditto, R.R.A. only	1	8	
39	S 635	*	*		6	Top Head Cup and Race		11	
40	S 634	*	*		6	Bottom Head Cup and Race		11	
41	S 633	*	*		12	Crown Race		7	
42	P 832	*	*		6	Top Head Screwed Race, Carriers ...	2	0	
43	P 830	*	*		6	Top Head Cup, ditto		4½	
44	P 831	*	*		6	Bottom Head Cup, ditto		4½	
45	S 417	*	*		12	Head Race, ditto		7	
46	S 418	*	*		6	Crown Race, ditto		8	
47				S 733		Top Head Screwed Race (except Juniors)		8½	
45				M 39		Head Race, ditto		7	
46				M 40		Crown Race, ditto		8½	
48	S 179A	*	*		6	Top Head Locknut		8	
				S 732		ditto (except Juniors)		6	
49	P 384A	*	*		6	Head Spacing Washer		2	
50	P 1500					ditto R.R.A. only		5	
51	P 880C	P 1442	P 880H	P 312	6	Head Lamp Bracket	1	2	
52	P 1494	*	*			ditto for Dynoluxe equipment ...	1	2	
53/54	S 596	*	*			Head Clip	1	5	
53	S 757	*	*			ditto (to take Oil Gun Nipple), R.R.A.	5	8	
54	S 246BC	*	*			Head Clip Bolt and Nut		3½	
	S 246	*	*		6	Bolt		1½	
	S 605	*	*			Nut		2	
	328A	*	*	328		Ball-bearings, ½ in. (60 in Set) ... Grs.	1	6	
	329	*	*	*		Ball-bearings, ⅝ in. (50 in Set) ... "	1	11	
	Tec. 1	*	*	*		Ball-bearings, ⅞ in. (42 in Set) ... "	2	4	
						Oil Gun Nipple, ⅞ in. x 32 T.P.I. (Tecalmit), R.R.A.	According to Makers Price		
MUDGUARDS AND FITTINGS—FRONT MUDGUARD									
55	B 346	*	*	DU 123		28in. Wheel, All Black	3	4	
56						ditto ditto	2	10	
55	B 346D	*	*			ditto With Detachable Stays.			
						All Black	3	4	
57	B 377	*	*	DU 129		26in. Wheel, All Black	3	4	
56				DU 125		ditto ditto	2	10	
55	B 295	*	*	*		ditto Roadster, All Black ...	2	10	
58	B 552	*	*	*		24in. Wheel, All Black	3	4	
59	B 343A	*	*			22in. Wheel ditto	3	4	
60	B 344	*	*			20in. Wheel, L.G. Carrier, All Black...	4	10	
61	B 427A	*	*			26in. Wheel, O.F. Carrier, All Black	5	3	
						26in. Wheel, All Black	4	0	
						ditto All White	4	10	
62	M 140C					Bluemel's "No-Weight" with Fittings	According to Price ruling at time of purchase		
						LINING Extra		5	
						COLOURS	1	0	

Items marked * should be ordered by Raleigh part number.

Prices subject to alteration without notice.

TRANSMISSION
WHEELS
HANDLEBARS
STURMEY-ARCHER
DYNOHUB
WORKSHOP

MUDGUARDS AND FITTINGS




Photo
No.

63
64
63
65
66
67
68

69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86/8
86
87
88/9
88/5
88
89
90
84
103
91/5
91
93
92

MUDGUARDS AND FITTINGS

Photo No.	Quote this Part Number when ordering				Qty. in Carton	Description	Price		Price Amendm't
	Raleigh	Rudge	Humber	Robin Hood			£	s. d.	
REAR MUDGUARD									
63	B 348	B 348/RW	B 348/H	DU 122		28in. Wheel. With Backstay Bridge Clip.			
						All Black ...	4	10	
64	B 348D	B 348D/RW	B 348D/H	DU 128		ditto ditto ditto	4	4	
	B 354A	B 354A/RW	B 354A/H			28in. Wheel. With Detachable Stays and Backstay Bridge Clip. All Black ...	4	10	
63	B 294	B 294/RW	B 294/H	DU 124		26in. Wheel. With Bridge Clip. All Blk.	4	10	
	B 553	B 553/RW	B 553/H			ditto ditto ditto	4	4	
65	B 342A	B 342A/RW	B 342A/H	B 294/RH		ditto ditto (Roadster)	4	4	
						24in. Wheel. ditto ditto	4	10	
66	B 428A	B 428A/RW	B 428A/H	B 553/RH		22in. Wheel ditto ditto	4	10	
						26in. Wheel. With Backstay Bridge Clip (L.G. and O. F. Carrier). All Black	6	0	
67						26in. Wheel. B'kstay Bridge Clip. All Bl'k	5	3	
						ditto ditto All White...	6	4	
68	M 141C					Bluemel's "No-Weight" with Fittings			According to price ruling at time of purchase
						LINING ... Extra	5		
						COLOURS... ..	1	0	
FRONT STEEL MUDGUARD FITTINGS									
69	P 897A	*	*		12	Detachable Stay only. 28in. Wheel ...	7	3	
70	P 1312	*	*			ditto 26in. Wheel, Sports ...	3		
71	P 1075C	*	*			Detachable Stay with Fittings L.G.C. only	10		
	P 1018C	*	*			ditto Open Frame Carrier only	10		
72				DU 8A		Detachable Stay only. 28in. Wheel ...	5		
						DU 8B	ditto 26in. Wheel. Roadster	5	
73				DU 9A		ditto 26in. Wheel. Sports ...	3	3	
74				P 1216		Stay Inner Plate ...	1	3	
75				P 1217		Stay Outer Plate ...	1		
76				P 1413		Stay Inner Packing Plate. Roadster only	1		
77/79	S 525C	*	*	S35	48	Plate Screw ...	1		
77	S525	*	*		24	Stay Locking Bolt, Nut and Washer ...	2		
79	S93	*	*		36	Bolt ...	1		
78	P70	*	*			Nut ...	1		
80	S98	*	*		48	Washer ...	1		
81	S 386	*	*		48	Stay Locking Nut (Hexagon) ...	1		
82	M 124C	*	*	*		ditto (Square) ...	4	0	
83	M 105	*	*	*		Mudflap with Rivets and Washers ...	2		
82	M 199C	*	*	*		Rivet for same (Bifurcated) ... Doz.	11	3	
83	M 106	*	*	*		Mudflap with Rivets and Washers ...	1	0	
84	P 1102	*	*	*		Rivet for same (Bifurcated) ... Grs.	1	0	
85	S 405	*	*	*	24	Washer for Mudflap ...	2	3	
86/87	S 622C	*	*	*	24	Fork Crown Screw ...	3		
86	S 622	*	*	*	24	Screw and Nut ...	2		
87	S 443	*	*	*	36	Screw ...	1		
88/90	S 193C	*	*	Jnrs. only	24	Nut ...	3	3	
88/90				S 193CC		Bolt, Nut and Washer ...	3	3	
88	S 193	*	*	*	24	Bolt, Nut and 2 Washers (except Juniors)	2		
89	S98	*	*	*	48	Bolt ...	1		
90	P 89A	*	*	Jnrs. only	48	Nut ...	1		
84				P 1315		Washer ...	3	3	
103				DU4		Washers (except Juniors) ... Doz.	3		
91/93	S 502CC	*	*			Leather Washers (ex. Juniors) ...	4		
91	S 502	*	*			Bolt, Nut and Washer for Fork Crown ...	2	3	
93	S 98	*	*		48	Bolt ...	1		
92	P 1056	*	*		48	Nut ...	1		
						Washer ... Doz.	3		

Items marked * should be ordered by Raleigh part number.

Prices subject to alteration without notice.

TRANSMISSION
WHEELS
HANDTEBARS
STURMEY-ARCHER
DYNOHUB
WORKSHOP

MUDGUARDS AND FITTINGS




Photo
No.

69
100
101
72
73
74
75
76
77/79
77
78
79
80
81
102
88-
90
88
89
90
84
103
104
87
78
105/6
105
87
106
107
108
84
FR
94
95
77/79
96/98
96
97
99
RE
95
77/79
96/98
96
97
109
108
84

MUDGUARDS AND FITTINGS

Photo No.	Quote this Part Number when ordering				Qty. in Carton	Description	Price		Price Amendm't	
	Raleigh	Rudge	Humber	Robin Hood			£	s. d.	£	s. d.
REAR STEEL MUDGUARD FITTINGS										
69	P 897A	*	*		12	Detachable Stay only. 28in. Wheel ...	7	1		
100	P 1313	*	*			ditto 26in. Wheel. Sports ...	3	1		
101	P 1253C	*	*			ditto with Fittings L.G. & O.F.C. only	10			
72				DU 8A		Detachable Stay only. 28in. Wheel ...	5			
				DU 8B		ditto 26in. Wheel. Roadster ...	5			
73				DU 9B		ditto 26in. Wheel. Sports...	3	1		
74				P 1216		Stay Inner Plate ...	1	1		
75				P 1217		Stay Outer Plate ...	1			
76				P 1413		Stay Inner Packing Plate ...	1			
77/79	S 525C	*	*	S 35	48	Plate Screw ...	1			
77	S 525	*	*			Stay Locking Bolt, Nut and Washer ...	2	1		
78	S 93	*	*		24	Bolt ...	1			
79	P 70	*	*		36	Nut ...	1			
80	S 98	*	*			Washer ...	1			
81	S 386	*	*		48	Stay Locking Nut (Hexagon) ...	1			
		*	*		48	ditto (Square) ...	1			
102	P 1367A	*	*	P 1456A	6	Backstay Bridge Clip. 28in. Wheel ...	3	1		
	P 1352A	*	*	P 1455A	6	ditto 26in. Wheel, and Juniors	3	1		
88-90	S 193C	*	*	Jnrs. only	24	Bolt, Nut & Washer ...	3	1		
90				S 193CC		Bolt, Nut and 2 Washers (ex. Juniors)	3	1		
88	S 193	*	*	*	24	Bolt ...	2			
89	S 98	*	*	*	48	Nut ...	1			
90	P 89A	*	*	Jnrs only.	48	Washer ...	1			
84				P 1315		Washer (except Juniors)... Doz.	3			
103				DU 4		Leather Washer (except Juniors) "	3			
86	S 622	*	*	*	24	Stay Screw ...	2			
104				S 583	24	ditto ...	1	1		
87	S 443	*	*	*	36	Nut ...	1			
78				P 70		Washer ...	1			
105/6	S 641CC	*	*			Screw, Nut and Washer ...	3	1		
105	S 641	*	*		24	Screw ...	2			
87	S 443	*	*		36	Nut ...	1			
106	M 208	*	*			Spring Washer ...	1			
107	M 295	M 295A	M 295A	M 295A		Reflector complete ...	1	4		
108	No. 32	*	*	*		"Fairlylite" Reflector ...	9			
84	P 1315	*	*	*		Washer for same ... Doz.	3			
FRONT CELLULOID MUDGUARD FITTINGS—BLUEMEL'S "NO WEIGHT" R.R.A. ONLY										
94	P 1049C					Spearpoint Extension ...	1	9		
95	P 1514A					Stay only, Top ...	6			
	P 1514B					Stay only, Bottom...	6			
	P 1514D					Stay only, extra long ...	6			
77/79	S 525C					Stay locking Bolt, Nut and Washer ...	2	1		
96/98	S 767C				24	Stay Wing Screw, Nut and Washer ...	10	1		
96	S 524					"D" Nut ...	1	1		
97	P 1528					Washer ... Doz.	3			
99	P 1516					Fork Crown Hook ...	1			
REAR CELLULOID MUDGUARD FITTINGS—BLUEMEL'S "NO WEIGHT" R.R.A. ONLY										
95	P 1514A					Stay only, Top ...	6			
	P 1514C					Stay only, Bottom...	6			
	P 1514D					Stay only, extra long ...	6			
77/79	S 525C					Stay Locking Bolt, Nut and Washer ...	2	1		
96/98	S 767C				24	Stay Wing Screw, Nut and Washer ...	10	1		
96	S 524					"D" Nut only ...	1	1		
97	P 1528					Washer ... Doz.	3			
109	P 1511C					Backstay Bridge Clip ...	10			
108	No. 32					"Fairlylite" Reflector ...	9			
84	P 1315					Washer for same ... Doz.	3			

Items marked * should be ordered by Raleigh part number.

Prices subject to alteration without notice.

TRANSMISSION
WHEELS
HANDLEBARS
STURMEY-ARCHER
DYNOHUB
WORKSHOP

FORK STEERING LOCKS


Photo No.	Quote this Part No. when ordering				Qty. in Carton	Description	Price		Price Amendment
	Raleigh	Rudge	Humber	Robin Hood			£	s. d.	£ s. d.
	(Particular to Models Raleigh—Superbe, Rudge—Whitworth—De Luxe and Humber—Royal Tourist, Cob and Elf)								
FA 176/RL						Gent's. 28in. Wheel Frame only, with Head Cups and Right-hand Bottom Bracket Cup. Green with Bronze lines... ..	2	3	9
FA 266A/RL						26in. Wheel Frame with Fixed Backstays, Head Cups and Right-hand Bottom Bracket Cup (drilled for Roller Lever Brakes). Green with Bronze lines... ..	2	16	2
FA 266/RL						ditto ditto (But not drilled for Brakes)	2	16	2
FA 197/RL						Lady's. 28in. Wheel Frame only, with Head Cups and Right-hand Bottom Bracket Cup. Green with Bronze lines... ..	2	7	3
FA 267A/RL						26in. Wheel Frame with Fixed Backstays, Head Cups and Right-hand Bottom Bracket Cup (drilled for Roller Lever Brakes). Green with Bronze lines... ..	2	17	8
FA 267/RL						ditto ditto (But not drilled for Brakes)	2	17	8
	FA 176/FL/ RW	FA 176/FL/ H				Gent's. 28in. Wheel Frame only, with Head Cups and Right-hand Bottom Bracket Cup. Black with Bronze lines	2	15	0
	FA 266A/FL/ RW	FA 266A/ FL/H				26in. Wheel Frame with Fixed Backstays, Head Cups and Right-hand Bottom Bracket Cup (drilled for Roller Lever Brakes). Black with Bronze lines	3	6	5
	FA 266/FL RW	FA 266/FL H				ditto Plain Black (But not drilled for Brakes)	3	5	0
	FA 197/FL/ RW	FA 197/FL/ H				Lady's. 28in. Wheel Frame only, with Head Cups and Right-hand Bottom Bracket Cup. Black with Bronze lines	2	18	6
	FA 267A/FL/ RW	FA 267A/ FL/H				26in. Wheel Frame with Fixed Backstays, Head Cups and Right-hand Bottom Bracket Cup (drilled for Roller Lever Brakes). Black with Bronze lines	3	7	11
	FA 267/FL/ RW	FA 267/FL/ H				ditto Plain Black (But not drilled for Brakes)	3	6	6
B 403RL						Fork, 28in. Wheel. Green with Bronze lines... ..	1	11	9
B 489RL						Fork, 26in. Wheel. For Models with Roller Brakes. Green with Bronze lines	1	13	3
B 405RL						Fork, 26in. Wheel. For Models with Caliper Brakes. Green with Bronze lines	1	13	3
	B 512FL					Fork, 28in. Wheel. Black with Bronze lines... ..	15	11	
	B 535FL					Fork, 26in. Wheel. For Models with Roller Brakes. Black with Bronze lines...	17	5	
	B 513FL					Fork, 26in. Wheel. For Models with Caliper Brakes. Plain Black	17	0	
		B 313FL				Fork, 28in. Wheel. Black with Bronze lines... ..	19	11	
		B 410FL				Fork, 26in. Wheel. For Models with Roller Brakes. Black with Bronze lines...	1	0	11
		B 521FL				Fork, 26in. Wheel. For Models with Caliper Brakes. Plain Black	17	0	
						STEERING LOCKS. These are not supplied separately. If new lock is required for Raleigh bicycle, Fork must be returned. For Rudge and Humber bicycles, Frame must be returned.			
						KEY FOR STEERING LOCK (Number must be quoted)	1	8	

Items marked * should be ordered by Raleigh part number.

Prices subject to alteration without notice.

TRANSMISSION SECTION

When ordering quote **PART NUMBER** and not Photo Number



Raleigh Industries Limited · Nottingham

TRANSMISSION
WHEELS
HANDLEBARS
STURMEY-ARCHER
DYNOHUB
WORKSHOP

Price £ s. d.	Price Amendm't £ s. d.
------------------	------------------------------

al Tourist,

2 3 9

2 16 2

2 16 2

2 7 3

2 17 8

2 17 8

2 15 0

3 6 5

3 5 0

2 18 6

3 7 11

3 6 6

1 11 9

1 13 3

1 13 3

15 11

17 5

17 0

19 11

1 0 11

17 0

1 8

BOTTOM BRACKET FITTINGS




Photo No.

Rale

110	P 973/ P 975/ P 973/ P 74/ P 975/ P 973/ P 623/
112	P 975/ P 973/ P 74/F4
111	P 98
113	P 10 P 144 P 144 P 144 P 144
114	F 76
115	F 76/F
116	F 9
117	F 9
118	F 8
119	F 7
117	F 9
120	S 33
121	S 5
123	S 7
124	S 7
125	A 1
126	A 16
127	A 1
128	A 16
129	S 5
130	S 1
131	S 4
132	P 2
133	P 12
134	P 12
135	S 17
136	P 7
137	S 1
138	S 7
139	M 4
	33
	Tec
137	P 2
	P 23
	RE 2
138	106
139	106
	107

BOTTOM BRACKET FITTINGS


Photo No.	Quote this Part Number when ordering				Qty. in Carton	Description	Price		Price Amendm't	
	Raleigh	Rudge	Humber	Robin Hood			£	s. d.	£	s. d.
CHAINWHEEL AND CRANK (Not Detachable)										
110	P 973/F24	P 1440/F24	P 1197/F24	P 1446/F24	2	44T × 7in. With Gearcase clearance ...	10	0		
				P 74/F24	2	40T × 7in. ditto ...	10	0		
	P 975/F23	P 1441/F23	P 1198/F23	P 1447/F23	2	48T × 6½in. ditto ...	10	3		
	P 973/F23	P 1440/F23	P 1197/F23	P 1446/F23	2	44T × 6½in. ditto ...	10	0		
	P 74/F23	P 74/F23	P 1196/F23	P 74/F23	2	40T × 6½in. ditto ...	10	0		
	P 975/F81	P 1441/F81	P 1198/F81		2	48T × 6½in. Fluted ditto ...	10	9		
	P 973/F81	P 1440/F81	P 1197/F81		2	44T × 6½in. Fluted ditto ...	10	6		
	P 623/F23	*	*		2	46T × 6½in. For ½in. × ¾in. Chain ...	11	9		
				P 1447/F15	2	48T × 6½in. No Gearcase clearance ...	10	3		
				P 1446/F15	2	44T × 6½in. ditto ...	10	0		
	P 975/F76	P 1441/F76	P 1198/F76	P 1447/F76	2	48T × 6½in. Fluted ditto ...	10	9		
	P 973/F76	P 1440/F76	P 1197/F76		2	44T × 6½in. Fluted ditto ...	10	6		
	P 74/F4GCC	*	*	*	2	40T × 5½in. With Gearcase clearance ...	10	0		
CHAINWHEEL ONLY										
112	P 980	P 1371	P 1371			46T ...	5	0		
111	P 1048	P 1048A	P 1048A			46T ...	6	3		
113	P 1449B					44T. R.R.A. only ...	8	0		
	P 1449C					46T. ditto ...	8	0		
	P 1449D					48T. ditto ...	8	0		
	P 1449E					50T. ditto ...	8	0		
R.H. CRANK AND CENTRE										
114	F 76C	*	*			Fluted. No Gearcase clearance ...	6	9		
115	F 76/P970	*	*			Fluted. ditto ...	6	9		
116	F 97					ditto ditto R.R.A. only ...	1	9	0	
L.H. CRANK										
117	F 9	*	*	*	3	7in. ...	6	0		
	F 8	*	*	*	3	6½in. ...	6	0		
	F 77	*	*	*	3	6½in. Fluted ...	6	6		
	F 96	*	*	*		6½in. Fluted. R.R.A. only ...	17	0		
	F 7	*	*	*		5½in. ...	6	0		
FITTINGS										
120	S 332A	*	*			Chainwheel Screw ...	1	½		
121	S 595	*	*			ditto ...	1	½		
	S 758					ditto R.R.A. only ...	5			
123	S 759					Nut for Chainwheel Screw. R.R.A. only	1			
	A 8	*	*		6	Axle with gearcase clearance. Distance between shoulders, 2½in. ...	2	9		
124	A 16GC	*	*	*	6	ditto ditto 2in. ...	2	9		
	A 16	*	*	*	6	Axle without gearcase clearance. Distance between shoulders, 2in. ...	2	9		
	A 16N					ditto (Nickel Steel). R.R.A. ...	4	6		
125	S 9	*	*	Jnrs. only	6	Ball Cup, Fixed, R.H. ...	10			
126	S 10	*	*	Jnrs. only	6	Ball Cup, Adjusting, L.H. ...	10			
127	S 454					Ball Cup, Fixed, R.H. R.R.A. only	10			
128				No. 1		ditto ditto (except Juniors)	6	½		
129				No. 8		Ball Cup, Adjusting, L.H. (except Juniors)	7	½		
130				No. 9		Lockring (except Juniors) ...	3	½		
131	P 287	*	*	Jnrs. only	12	Lockring ...	6			
132	P 1234A	*	*			Loose Liner for A 8 Axle ...	2	½		
132	P 1234B	*	*			Loose Liner for A 16 and A 16GC Axles	2	½		
133	S 172B	*	*	*		Cotter Pin ...	3	½		
134	P 70	*	*	*		Washer ...	1	½		
135	S 15	*	*	*		Nut ...	2			
133	S 780	*	*	*		Cotter Pin. R.R.A. only ...	5	½		
136	M 439	*	*	*	36	Lubricator ...	3			
	330	*	*	*		Ball-Bearings, ½in. (22 in Set) ... Grs.	3	9		
	Tec. 1					Oil Gun Nipple, ½in. × 26 T.P.I. (Tecalemit). R.R.A. only ...				According to Makers Price
CHAINS										
137	P 232	*	*	*	6	Chain, ½in. × ½in. (quote number of Links)	5	7		
	P 232B	*	*	*	6	Chain ½in. × ¾in. (quote no. of Links)	8	5		
	RE 232					Chain, ½in. × ¾in. Renold "Elite" ...				According to Makers Price
138	1068	*	*	*	24	Single Connecting Link, ½in. × ½in. ...	1	½		
	1068B	*	*	*	24	ditto ½in. × ¾in. ...	2	½		
139	1070	*	*	*	48	Spring Clip ...	1			

Items marked * should be ordered by Raleigh part number.


Prices subject to alteration without notice.

WHEELS
HANDLEBARS
STURNEY-ARCHER
DYNOHUB
WORKSHOP


PEDALS AND FITTINGS




140



141




142



143



144




151




148

147

146



145



152



150



149



154



153



158



157



156



155

Photo No.

140

141

142

143

140

143

144

145-8

145

146

148

147

149

150

151

152

153

145-8

145

146

148

147

153

154-7

154

155

157

156

158

PEDALS AND FITTINGS

Photo No.	Quote this Part Number when ordering				Qty. in Carton	Description	Price		Price Amend'm't
	Raleigh	Rudge	Humber	Robin Hood			£	s. d.	
PEDALS COMPLETE									
140	M 224	M 224R	M 224H	M 224RI	1 Pr.	4in. Rubber Pair	11	6	
	M 247	M 247R	M 247H	M 247RI	1 Pr.	3½in. Rubber "	11	6	
141	M 222	*	*	*	1 Pr.	3½in. Rat Trap "	9	0	
142	M 357	*	*	*	1 Pr.	4½in. All Steel. L.G. & O. F. Carrier "	9	6	
143	M 471					R.R.A. Alloy "	1	6	0
140	M 475					4in. Rubber (Alloy) "	1	1	0
143	M 498	*	*			Clubman "	12	6	
PEDAL RUBBERS									
144	M 103	M 103R	M 103H	M 103RI		4 in....	7		
	M 246	M 246R	M 246H	M 246RI		3½in.	7		
FITTINGS—RUBBER PEDALS									
145-8	S 675C	*	*	*		Axle with Cone, Nut & Washer, 3½in. L.H.	1	6	
	S 675AC	*	*	*		ditto ditto Right Hand	1	6	
	S 676C	*	*	*		Axle with Cone, Nut & Washer, 4in. L.H.	1	6	
	S 676AC	*	*	*		ditto ditto Right Hand	1	6	
	S 675	*	*	*	6	Axle only, 3½in. Left Hand	1	1	
145	S 675A	*	*	*	6	ditto Right Hand	1	1	
	S 676	*	*	*	6	Axle only, 4in. Left Hand	1	1	
	S 676A	*	*	*	6	ditto Right Hand	1	1	
146	S 380	*	*	*	12	Cone	4		
148	S 381	*	*	*	36	Nut	1		
147	P 1092	*	*	*	48	Lockwasher Doz.	3		
	S 640A	*	*	*		Stretcher Bar, 3½in.	2		
149	S 427A	*	*	*		Stretcher Bar, 4in.	2		
	S 770	*	*	*		Stretcher Bar, 4in. Light Alloy. R.R.A.	2½		
150	S 443	*	*	*	36	Nut for Stretcher Bar	1		
	M 264	*	*	*		Barrel assembly, 3½in.	1	4	
151	M 265	*	*	*		Barrel assembly, 4in.	1	5	
	M 474	*	*	*		Barrel assembly, 4in. Light Alloy. R.R.A.	6	0	
	P 1274	*	*	*		Cone End Plate	3½		
152	P 1274A	*	*	*		Crank End Plate	3½		
	P 1529	*	*	*		End Plate. Light Alloy. R.R.A. only ...	5		
153	P 707	*	*	*	12	Dust Cap	5		
	P 1530	*	*	*		Dust Cap. Light Alloy. R.R.A. only ...	5		
	328A	*	*	*		Ball Bearings, ½in. (44 in Set) ... Grs.	1	11	
FITTINGS—SPORTS RAT TRAP									
145-8	S 674C	*	*	*		Axle with Cone, Nut & Washer. L.H.	1	6	
	S 674AC	*	*	*		Axle with Cone, Nut & Washer. R.H.	1	6	
	S 674	*	*	*	6	Axle only. Left Hand	1	1	
145	S 674A	*	*	*	6	Axle only. Right Hand	1	1	
146	S 380	*	*	*	12	Cone	4		
148	S 381	*	*	*	36	Nut	1		
147	P 1092	*	*	*	48	Lockwasher Doz.	3		
153	P 707	*	*	*	12	Dust Cap	5		
	328A	*	*	*		Ball-Bearings, ½in. (44 in Set) ... Grs.	1	11	
FITTINGS—L.G. AND OPEN FRAME CARRIER									
154-7	S 677C	*	*	*		Axle with Cone, Nut & Washer, 4½in. L.H.	1	6	
	S 677AC	*	*	*		Axle with Cone, Nut & Washer, 4½in. R.H.	1	6	
	S 677	*	*	*		Axle only, 4½in. Left Hand	1	1	
154	S 677A	*	*	*		Axle only, 4½in. Right Hand	1	1	
155	S 380	*	*	*	12	Cone	4		
157	S 381	*	*	*	36	Nut	1		
156	P 1092	*	*	*	48	Lockwasher Doz.	3		
158	P 707	*	*	*	12	Dust Cap	5		
	328A	*	*	*		Ball-Bearings, ½in. (44 in Set) ... Grs.	1	11	

Items marked * should be ordered by Raleigh part number.

Prices subject to alteration without notice.

WHEELS
HANDLEBARS
STURMEY-ARCHER
DYNOHUB
WORKSHOP

PEDAL AND GEARCASE FITTINGS




Photo
No.

159/
62
159
160
162
161
163

159/
62
159
160
162
161
163

164
165
166
167
168
169
170
171
166
172
173
174
166
175
174
166
176
177
178

179
180
166
167
168
169
170
172
171
166
185
176
172
173
174
166
181
185
166

PEDAL AND GEARCASE FITTINGS


Photo No.	Quote this Part Number when ordering				Qty. in Carton	Description	Price £ s. d.	Price Amendm't £ s. d.
	Raleigh	Rudge	Humber	Robin Hood				
PEDAL FITTINGS—CLUBMAN								
159/62	S 773C	*	*			Axle with Cone, Nut & Washer. L.H.	2	1 1/2
	S 773AC	*	*			Axle with Cone, Nut & Washer. R.H.	2	1 1/2
159	S 773	*	*			Axle only. Left Hand ...	1	9
	S 773A	*	*			Axle only. Right Hand ...	1	9
160	S 380	*	*		12	Cone ...		4
162	S 381	*	*		36	Nut ...		4
161	P 1092	*	*		48	Lockwasher ... Doz.	3	
163	P 707	*	*		12	Dust Cap ...		5
	328A	*	*			Ball-Bearings, 5/32 in. (44 in Set) ... Grs.	1	11
PEDAL FITTINGS—ALLOY. R.R.A. ONLY								
159/62	S 782C					Axle with Cone, Nut & Washer. L.H.	4	8 1/2
	S 782AC					Axle with Cone, Nut & Washer. R.H.	4	8 1/2
159	S 782					Axle only. Left Hand ...	4	0
	S 782A					Axle only. Right Hand ...	4	0
160	S 784					Cone ...		7
162	S 783					Locknut ...		1
161	P 1521					Lockwasher ... Doz.	3	
163	P 1522					Dust Cap ...		11 1/2
	328					Ball-Bearings, 1/4 in. (48 in Set) ... Grs.	1	6
	TEC 1					Oil Gun Nipple, 1/8 in. x 32 T.P.I. R.R.A.		According to Makers Price
GEARCASES AND FITTINGS FOR MODELS WITH DETACHABLE BACKSTAYS								
164	B 301	B 301/RW	B 301/H	B 301/RH		Complete with Fittings. 28in. Wheel ...	14	3
				B 379/RH		ditto 26in. Wheel ...	14	3
165	M 403	M 403	M 403	M 403A		Detachable End. 28in. Wheel ...	1	7
				M 404A		ditto 26in. Wheel ...	1	7
166	S 35	*	*	*	48	Screw ...		1
167	S 552AC	*	*	*		Lubricator assembly ...		3
168	P 758	*	*	*		Disc, less Slide ...		11
169	P 599	*	*	*		Slide for Disc ...		3
170	P 922	*	*	*		Rear Slide ...		2 1/2
171				P 1449		Rear Outer Clip ...		1 1/2
166				S 35	48	Screw ...		1
172				P 719		Front Outer Clip ...		1 1/2
173				P 337		Front Inner Clip ...		3
174				P 1056	48	Washer ... Doz.	3	
166				S 35	48	Screw ...		1
175				P 776A		Down Tube Clip ...		4 1/2
174				P 1056	48	Washer for same ... Doz.	3	
166				S 35	48	Screw for same ...		1
176	S 562	*	*	*	12	Front Screw ...		2 1/2
177	S 405	*	*	*	24	Rear Screw ...		2 1/2
178	P 1264C	*	*	*		Rear Strengthening Plate with Bush ...		4
						COLOURS Extra ...	2	0
FOR MODELS WITH BRAZED-ON BACKSTAYS								
179	B 338	B 338/RW	B 338/H	B 338/RH		Complete with Fittings ...	14	3
180	M 405	*	*	*		Detachable End ...	1	6
166	S 35	*	*	*	48	Screw for same ...		1
167	S 552AC	*	*	*		Lubricator assembly ...		3
168	P 758	*	*	*		Disc, less Slide ...		11
169	P 599	*	*	*		Slide for Disc ...		3
170	P 922	*	*	*		Rear Slide ...		2 1/2
172	P 1172A	*	*	*		Rear Inner Clip ...		3
171	P 1171A	*	*	*		Rear Outer Clip ...		2
166	S 35	*	*	*	48	Screw ...		1
185				X 90	36	Screw ...		1
176	S 562	*	*	*	12	Front Screw ...		2 1/2
172				P 719		Front Outer Clip ...		1 1/2
173				P 337		Front Inner Clip ...		3
174				P 1056	48	Front Clip Washer ... Doz.	3	
166				S 35	48	Front Clip Screw ...		1
181				P 1298		Long Clip for Down Tube ...		7
185				X 90	36	Long Screw for same ...		1
166				S 35	48	Short Screw for same ...		1
						COLOURS Extra ...	2	0

Items marked * should be ordered by Raleigh part number.

Prices subject to alteration without notice.

WHEELS
HANDLEBARS
STURMEY-ARCHER
DYNOHUB
WORKSHOP

CHAINGUARDS AND FITTINGS



182




186



184




187



183



189



188



190

Photo No.	Quote this Part Number when ordering				Qty. in Carton	Description	Price		Price America
	Raleigh	Rudge	Humber	Robin Hood			£	s. d.	
182	B 520AC	B 520AC/RW	B 520AC/H	B 520DC B 520EC		Chainguard complete. 28in. Wheel ...	2	9	
						Chainguard complete. For Oval Stays.	2	9	
						26in. Wheel ...			
183	B 520CC	B 520CC/RW	B 520CC/H	B 520FC		Chainguard complete. For Round Stays.	2	9	
						26in. Wheel ...	2	9	
						Chainguard complete. R.R.A. only ...			
184	B 520C	*	*	*		Front Clip ...		5	
186	P 1444	*	*	*	36	Screw ...		1	
187	X 90	*	*	*	24	Nut ...		1 1/2	
188	S 524	*	*	*		Rear Clip ...		2 1/2	
189	P 1445	*	*	*	48	Screw ...		1	
187	S 35	*	*	*	24	Nut ...		1 1/2	
190	S 524	*	*	*	48	Washer ...		3	
	P 1056	*	*	*		Doz. LINING ...		5	
						COLOURS Extra ...	1	0	

Items marked * should be ordered by Raleigh part number.

Prices subject to alteration without notice.

WHEEL SECTION

When ordering quote PART NUMBER and not Photo Number



Raleigh Industries Limited · Nottingham

WHEELS
HANDLEBARS
STURMEY-ARCHER
DYNOHUB
WORKSHOP




187




190

Price £ s. d.	Price Amendm't £ s. d.
2 9	
2 9	
2 9	
2 9	
5 1	
1 1	
2 1	
1 1	
3 5	
5 0	
1 0	

WHEELS AND FITTINGS



191




192



193




194



195



196




197



198



199



200



201

Photo
No.

Rail

191

192

191

193

194

195

194

196

197

198

199

198

200

198

199

198

200

201

FW 2
FW 2
FW 2
F/R
F/RP
F/RP
FW
FW
FW
FW

RW
RW
R/RP
R/RP
RW
RW
RW
RW
RW

118
118
118
RP
RP
11
F
118
118
F 3
F 3

118
118
118
RP
RP
11
118
118
R 3
R 3

S7
S7
P5


WHEELS AND FITTINGS

Photo No.	Quote this Part Number when ordering				Qty. in Carton	Description	Price		Price Amendm't
	Raleigh	Rudge	Humber	Robin Hood			£	s. d.	
						Items shown as "All Black" available in Chrome @ 2/- extra.			
						FRONT WHEEL COMPLETE			
	FW 2/28B	*	*	RH 2/28B		Westwood. All Black. 28 x 1 1/2 in. ...	1	1	6
	FW 2/28SS	*	*			ditto St'nless Steel Rim & Spokes. 28 x 1 1/2 in. ...	1	15	6
	FW 2/26B	*	*	RH 2/26B		Westwood. All Black. 26 x 1 1/2 in. ...	1	1	6
	F/RP 2B	*	*			Raleigh Special Section. All Black. 26 x 1 1/2 in. ...	1	1	6
191	F/RP 14B	*	*			ditto All Black. 26 x 1 1/2 in. ...	1	1	6
	F/RP 2SS	*	*			ditto St'nless Steel Rim & Spokes. 26 x 1 1/2 in. ...	1	15	6
	F/RP 14SS	*	*			ditto St'nless Steel Rim & Spokes. 26 x 1 1/2 in. ...	1	15	6
	FW 3B	*	*			Westwood. All Black. 26 x 1 1/2 in. ...	19	0	
192	FW 4B	*	*			Westwood. All Black. 20 x 1 1/2 in. x 2 in. ...	19	3	
	FW 5B	*	*	*		Westwood. All Black. 24 x 1 1/2 in. ...	1	1	6
191	FW 5/17B	*	*	*		Westwood. All Black. 22 x 1 1/2 in. ...	1	1	6
	FW 13B	*	*	*		Endrick. All Black. 26 x 1 1/2 in. ...	1	1	6
193	FW 14B	*	*	*		Endrick. All Black. 26 x 1 1/2 in. ...	1	1	6
						REAR WHEEL COMPLETE			
	RW 4/28B	*	*	RH 4/28B		Westwood. All Black. 28 x 1 1/2 in. ...	1	2	6
	RW 4/28SS	*	*			ditto St'nless Steel Rim & Spokes. 28 x 1 1/2 in. ...	1	16	6
194	RW 4/26B	*	*	RH 4/26B		Westwood. All Black. 26 x 1 1/2 in. ...	1	2	6
	R/RP 16B	*	*			Raleigh Special Section. All Black. 26 x 1 1/2 in. ...	1	2	6
	R/RP 16SS	*	*			ditto St'nless Steel Rim & Spokes. 26 x 1 1/2 in. ...	1	16	6
195	RW 6B	*	*			Westwood. All Black. 26 x 1 1/2 in. ...	19	3	
	RW 5B	*	*	*		Westwood. All Black. 24 x 1 1/2 in. ...	1	2	6
194	RW 5/17B	*	*	*		Westwood. All Black. 22 x 1 1/2 in. ...	1	2	6
196	RW 14B	*	*	RW 14B/RH		Endrick. All Black. D/sided Hub. 26 x 1 1/2 in. ...	1	2	6
197	RW 16B	*	*	RW 16B/RH		Endrick. Single sided Hub. 26 x 1 1/2 in. ...	1	2	6
						FRONT RIM			
	118/28B	*	*	*		Westwood. 32 Holes. All Black. 28 x 1 1/2 in. ...	5	0	
198	118/28SS	*	*	*		ditto 32 Holes. St'nless Steel. 28 x 1 1/2 in. ...	1	1	0
	118/26B	*	*	*		ditto 32 Holes. All Black. 26 x 1 1/2 in. ...	5	0	
	RP 118B	*	*			Raleigh Special Section. 32 Holes. All Black. 26 x 1 1/2 in. ...	5	0	
199	RP 118SS	*	*			ditto Stainless Steel. 26 x 1 1/2 in. ...	1	1	0
	118C	*	*			Westwood. 40 Holes. All Black. 26 x 1 1/2 in. ...	5	0	
	F 4J	*	*			Westwood. 40 Holes. All Blk. 20 x 1 1/2 x 2 in. ...	5	3	
198	118/24B	*	*	*		Westwood. 32 Holes. All Black. 24 x 1 1/2 in. ...	5	0	
	118/22B	*	*	*		Westwood. 32 Holes. All Black. 22 x 1 1/2 in. ...	5	0	
	F 317BB	*	*	*		Endrick. 32 Holes. All Black. 26 x 1 1/2 in. ...	5	0	
200	F 317CB	*	*	*		Endrick. 32 Holes. All Black. 26 x 1 1/2 in. ...	5	0	
						REAR RIM			
	118R/28B	*	*	*		Westwood. 40 Holes. All Black. 28 x 1 1/2 in. ...	5	0	
198	118R/28SS	*	*	*		ditto 40 Holes. St'nless Steel. 28 x 1 1/2 in. ...	1	1	0
	118R/26B	*	*	*		ditto 40 Holes. All Black. 26 x 1 1/2 in. ...	5	0	
	RP 118RB	*	*			Raleigh Special Section. 40 Holes. All Black. 26 x 1 1/2 in. ...	5	0	
199	RP 118RSS	*	*			ditto Stainless Steel. 26 x 1 1/2 in. ...	1	1	0
	118C	*	*			Westwood. 40 Holes. All Black. 26 x 1 1/2 in. ...	5	0	
198	118R/24B	*	*	*		Westwood. 40 Holes. All Black. 24 x 1 1/2 in. ...	5	0	
	118R/22B	*	*	*		Westwood. 40 Holes. All Black. 22 x 1 1/2 in. ...	5	0	
	R 317BB	*	*	*		Endrick. 40 Holes. All Black. 26 x 1 1/2 in. ...	5	0	
200	R 317CB	*	*	*		Endrick. 40 Holes. All Black. 26 x 1 1/2 in. ...	5	0	
						Conloy or other special Wheels for R.R.A. and Clubman. ...	Prices on application		
						Spokes. 15/17G. Double Butted Grs. ...	15	0	
						Spokes, Stainless Steel. All sizes ...	1	0	0
						Spokes, Rustless. All sizes ...	3	11	
201	S726	*	*	*	144	Spoke Nipples 14G. ...	6	6	
	S725	*	*	*	144	Spoke Nipples 15G. ...	6	6	
	P524	*	*	*	144	Spoke Washers ...	6		
						(See Pages 69-71 Spoke Chart, for length required).			


Items marked * should be ordered by Raleigh part number.

Prices subject to alteration without notice.


WHEELS AND FITTINGS




202




203




204




207




205




219




206




223




221



220



222



224



215



215



234




240



228



237



238



239



235



236



213



208



210




212



225



231



231



233



230



214



217



232



211



229



209



226



227

Photo No.

202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240

WHEELS AND FITTINGS


Photo No.	Quote this Part Number when ordering				Qty. in Carton	Description	Price		Price Amend't
	Raleigh	Rudge	Humber	Robin Hood			£	s. d.	
FRONT HUB									
202	H 40A	*	*	Jnrs. only	1	Complete. 32 Holes ...	6	3	
				H 40C		Complete. 32 Holes (except Juniors) ...	6	3	
203	H 40B	*	*	*	1	Complete. 32 Holes ...	5	11	
204	H 42A	*	*	*	1	Complete. 40 Holes ...	7	3	
205	H 40	*	*	*	1	Shell only. 32 Holes ...	3	6	
206	H 42	*	*	*	1	Shell only. 40 Holes ...	4	6	
205	HS 8C	*	*	Jnrs. only	6	Axle with 2 Cones and Nuts ...	2	3	
	HS 24C	*	*	*	6	Axle complete with 2 Cones, Lockwasher and Locknut ...	1	11	
207				HS 24AC		Axle complete with 2 Cones and 2 Nuts ditto	2	3	
206	HS 32C	*	*	Jnrs. only	6		2	3	
205	HS 8	*	*	*	12	Axle. $4\frac{3}{8}$ in. $\times$ $\frac{5}{16}$ in. ...	6		
207	HS 24	*	*	*	12	Axle only. $4\frac{3}{8}$ $\times$ $\frac{5}{16}$ in. ...	6		
				HS 24A		ditto unslotted ...	6		
206	HS 32	*	*	*	12	Axle only. $5\frac{1}{8}$ $\times$ $\frac{3}{8}$ in. ...	7		
208	HC 22	*	*	*	12	Adjusting Cone for $\frac{5}{16}$ in. Axle ...	7		
205	HC 22A	*	*	*	12	Fixed Cone ditto ...	7		
209	HC 25A	*	*	*	12	Fixed or Adjusting Cone ditto ...	7		
210	HC 31	*	*	*	12	Adjusting Cone for $\frac{3}{8}$ in. Axle ...	7		
206	HC 31A	*	*	*	12	Fixed Cone ditto ...	7		
207	HC 26	*	*	*	12	Fixed Cone ...	7		
211	P 1448	*	*	*	49	Lockwasher ... Doz.	3		
212	S 510	*	*	*	24	Locknut ...	2		
207	S 420	*	*	*	12	Dust Cap ...	1		
206	S 419	*	*	*	12	Dust Cap ...	1		
207	M 148	*	*	*	24	Lubricator Clip ...	1		
221	M 355	*	*	*	24	ditto ...	1		
213	S 25	*	*	*	24	Hexagon Nut for $\frac{5}{16}$ in. Axle ...	3		
229	LB 162	*	*	*	12	ditto for $\frac{3}{8}$ in. Axle ...	2		
214	S 523	*	*	*	12	ditto ...	3		
215	S 548	S 734	S 734	S 735A		Wing Nut ...	11		
216				*		ditto ...	1	4	
217	P 172	*	*	*	24	Spacing Washer. $\frac{1}{8}$ in. thick ...	1		
	X 42A	*	*	P 172A	24	ditto $\frac{1}{16}$ in. thick ...	1		
	329	*	*	*	24	ditto $\frac{1}{8}$ in. thick ...	1		
	330	*	*	*		Ball-Bearings. $\frac{3}{16}$ in. (20 in Set) ... Grs.	2	4	
						ditto $\frac{1}{4}$ in. (16 in Set)	3	9	
REAR HUB									
218	H 39A	*	*	Jnrs. only	1	Complete. 40 Holes ...	7	3	
				H 39D		ditto (except Juniors) ...	7	3	
219	H 39B	*	*	*	1	ditto Less Nuts, single sided ...	7	6	
220	H 41A	*	*	*	1	ditto Less Nuts, double sided ...	7	9	
221	H 39C	*	*	*	1	Complete. 40 Holes. $\frac{3}{8}$ in. axle ...	7	6	
222	H 39	*	*	*	1	Shell only. 40 Holes. Single sided ...	4	9	
223	H 41	*	*	*	1	Shell only. 40 Holes. Double sided ...	5	0	
224	HS 6C	*	*	Jnrs. only	6	Axle complete with 2 Cones and 2 Nuts	2	3	

Items marked * should be ordered by Raleigh part number.


Prices subject to alteration without notice.

HANDLEBARS
STURMEY-ARCHER
DYNOHUB
WORKSHOP

WHEELS AND FITTINGS




202




203



230




204




207



214




205




219



217




206




223



232




221




220



211




222



224




229



240




228



237




238



235



236



213



208



210



212



225



215



215



234



231



231



233



209



226



227

Photo No.

219

223

218

221

224

219

218

221

223

225

218

226

227

211

228

212

222

223

221

213

229

230

231

272

233

234

233

235

236

237

238

239

40

WHEELS AND FITTINGS

Photo No.	Quote this Part Number when ordering				Qty. in Carton	Description	Price		Price Amend't
	Raleigh	Rudge	Humber	Robin Hood			£	s. d.	
REAR HUB—continued									
219	HS 22CC	*	*	*		Axle complete with 2 Cones, Lockwasher Spacing Washer and 2 Locknuts ...	2	1	
223	HS 36C	*	*	*		ditto ...	2	1	
218				HS 22AC		Axle complete with 2 Cones and 2 Nuts	2	3	
221	HS 33C	*	*	*	6	ditto	2	3	
224	HS 6	*	*	Jnrs. only	6	Axle only, $5\frac{1}{2} \times \frac{5}{16}$ in. ...	6		
219	HS 22	*	*	*	6	Axle only, $5\frac{3}{4} \times \frac{5}{16}$ in. ...	6		
218				HS 22A		ditto unslotted ...	6		
221	HS 33	*	*	*	6	Axle only, $5\frac{1}{2} \times \frac{3}{8}$ in. ...	7		
223	HS 36	*	*	*		Axle only, $6\frac{1}{8} \times \frac{5}{16}$ in. ...	6		
225	HC 21	*	*	*	12	Adjusting Cone for $\frac{5}{16}$ " Axle ...	7		
218	HC 21A	*	*	*	12	Fixed Cone ditto ...	7		
226	HC 32	*	*	*	12	Adjusting Cone for $\frac{3}{8}$ " Axle ...	7		
227	HC 32A	*	*	*	12	Fixed Cone ditto ...	7		
211	P 1448	*	*	*	48	Lockwasher ... Doz.	3		
228	P 1546	*	*	*		Spacing Washer ... Doz.	3		
212	S 772	*	*	*	12	Locknut ...	2	1	
222	S 419	*	*	*	12	Dust Cap ...	1	3	
223	M 148	*	*	*	24	Lubricator Clip ...	1	3	
221	M 355	*	*	*	24	Lubricator Clip ...	1	3	
213	S 25	*	*	*	24	Hexagon Nut for $\frac{5}{16}$ " Axle ...	3		
229	LB 162	*	*	*	12	Hexagon Nut for $\frac{3}{8}$ " Axle ...	2		
230	S 453A	*	*	*	12	Hexagon Nut, with serrated washer ...	8		
231	S 549A	S 735A	S 735A	S 735A		Wing Nut ...	1	4	
231	S 769A	*	*	*		Wing Nut, R.R.A. only ...	1	3	
272	P 172A	*	*	*	24	Spacing Washer, $\frac{1}{16}$ in. thick ...	1		
233	S 20AC	*	*	*		Chain Adjuster complete for 3 Speed ...	6		
233	S 20C	*	*	*	6	Chain Adjuster complete for Single Speed ...	6		
234				DU 99		Chain Adjuster complete ...	2	3	
233	S 20A	*	*	*		Adjuster ...	3	3	
233	S 20	*	*	*		Adjuster ...	3	3	
233	P 28	*	*	*		Cap ...	2		
233	S 386	*	*	*	48	Nut ...	1	3	
235	P 159	*	*	*	12	Freewheel Spacing Washer, $\frac{1}{16}$ in. thick ...	2		
236	P 159A	*	*	*	12	ditto $\frac{1}{8}$ in. thick ...	2		
236	P 95	*	*	*		Sprocket (quote number of Teeth) ...	1	5	
237	K 36	*	*	*		Sprocket Lockring ...	7		
237	330	*	*	*		Ball-Bearings, $\frac{1}{4}$ in. (16 in Set) ... Grs.	3	9	
FREEWHEEL COMPLETE									
238	M 338	*	*	*	6	18T $\times \frac{1}{2} \times \frac{1}{8}$ in. Central ...	4	5	
238	M 337	*	*	*	6	ditto Inset ...	4	5	
238	M 341	*	*	*	6	18T $\times \frac{1}{2} \times \frac{3}{16}$ in. Central ...	4	5	
FITTINGS									
239	M 270	*	*	*	36	Pawl ... Grs.	13	6	
240	M 271	*	*	*	144	Spring ... Grs.	5	6	
240	328	*	*	*		Ball-Bearings, $\frac{1}{8}$ in. (104 in Set) ... Grs.	1	6	

Items marked * should be ordered by Raleigh part number.

Prices subject to alteration without notice.

HANDLEBARS
STURMEY-ARCHER
DYNOHUB
WORKSHOP

HANDLEBAR SECTION

AND ACCESSORIES

When ordering quote PART NUMBER and not Photo Number



Raleigh Industries Limited · Nottingham

HANDLEBARS
STURMEY-ARCHER
DYNOHUB
WORKSHOP

HANDLEBARS AND BRAKES




Photo No.

241

242

243

244

245

247/9

247

248

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277


HANDLEBARS AND BRAKES

Photo No.	Quote this Part Number when ordering				Qty. in Carton	Description	Price		Price Amendm't
	Raleigh	Rudge	Humber	Robin Hood			£	s. d.	
HANDLEBAR AND FITTINGS									
241	B 393A	*	*	B 393A/RH		North Road Raised Bar, Expander Bolt, 2 R. Lev.&Cell. Grips. 18in. w. 7½in. Stem	1	5	0
	B 393	*	*	B 393/RH		ditto ditto 5½in. Stem	1	5	0
	B 449	*	*	*		Standard Raised Bar, Expander Bolt			
242	B 534	*	*			2 R. Levers & Cell. Grips. 16in. wide ...	1	5	0
	B534A	*	*			ditto, 19in. wide. L.G. Carrier	1	5	0
243	S 415A	*	*	*		ditto, Open Frame Carrier ...	1	5	0
	S 415	*	*	*	6	Lug Eyebolt ...			6
244	P 592	*	*	*	12	Outer Eyebolt ...			6
	P 556	*	*	*	12	Washer for Lug ...			2
245	P 593	*	*	*	12	Washer for Handlebar ...			2
	S 607DC	*	*	*	12	Internal Nut ...			3
247/9	S 607BC	*	*	*	6	Expan. Bolt, Cone & Washer 9½in. ...	1	1	
	S 607D	*	*	*	6	Expan. Bolt, Cone & Washer 7½in. ...	1	0	
247	S 607B	*	*	*	6	Expander Bolt only, 9½in. ...			8
249	S 128B	*	*	*	6	ditto 7½in. ...			7
248	P 160	*	*	*	6	Cone ...			4
250	P 70	*	*	*	12	Washer ...			1
	S 624	*	*	*		Eyebolt Washer. L. G. & O. F. C. only			½
251	S 624A	*	*	*		Roller Lever, Left Hand ...	1	6	
	S 693	*	*	*		ditto Right Hand ...	1	6	
	S 693A	*	*	*		ditto Left Hand ...	1	6	
252	S 173	*	*	*		ditto Right Hand ...	1	6	
	S 173A	*	*	*		Roller Lever. Left Hand. L.G. and Open Frame Carrier ...	1	6	
	M 61	*	*	*		Roller Lever. Right Hand. L.G. and Open Frame Carrier ...	1	6	
253	M 61A	*	*	*	12	Spring for Lever. Left Hand ...			2
254	S 93	*	*	*	12	Spring for Lever. Right Hand ...			2
255	167	*	*	*	36	Roller Lever Nut ...			1
	P 1131/532	*	*	P 1130/532	6	Celluloid Grips ...	According to Price ruling at time of Purchase		
256	P 1131/532B	*	*	P 1131/532	6	Front Tab and Rod complete ...	11		
	P 1131/532A	*	*	*		ditto Juniors only ...	11		
	P 1288/532	*	*	P 1184A/532	6	ditto For 16in. Standard Bar...	11		
	P 1288/532B	*	*	P 1288/532	6	ditto L.G. Carrier only ...	11½		
257	P 1288/532A	*	*	*		Rear Tab and Rod complete ...	11		
				*		ditto Juniors only ...	11		
						ditto For 16in. Standard Bar ...	11		
						ditto L.G. Carrier ...	11½		
FRONT ROLLER BRAKE									
	FB 364	FB 364	FB 364/H	FB 364/RH		Brake complete (exc. Handlebar Fittings)	5	6	
258	FB 364J	*	*	*		ditto Juniors only ...	5	6	
	T 235/1423C	*	*	Jnrs. only		Brake Stirrup and Tube with Stud, Nut and Washer ...	2	9	
259				T235/P1117C		ditto (except Juniors) ...	2	4	
260/2	S 533C	*	*	*		Stud, Nut and Washer ...			4
260	S 533	*	*	*	24	Stud...			2½
261	S 443	*	*	*	36	Nut...			1
262	P 1056	*	*	*	48	Washer ...			Doz.
263	P 1425C	P 1425C	P 1263C	P 1454C	12	Clip complete. Left Hand ...	8½		
	P 1425AC	P 1425AC	P 1263AC	P 1454AC	12	ditto Right Hand ...	8½		
264	P 1200C	*	*	*		ditto Left Hand ...	8½		
	P 1200AC	*	*	*		ditto Right Hand ...	8½		
	P 568B	*	*	*	12	Brake Shoe complete with Block, Screw, Nut and Washer. Left Hand ...	7		
265	P 568CC	*	*	*	12	ditto Right Hand ...	7		
266	P 568	*	*	*	12	Brake Shoe only. Left Hand ...	2		
	P 568A	*	*	*	12	ditto Right Hand ...	2		
267	M 68	*	*	*	36	Block ...			3
265	S 540AC	*	*	*		Screw, Nut and Washer ...			2


Items marked * should be ordered by Raleigh part number.

Prices subject to alteration without notice.

ROLLER BRAKES



HANDLEBAR FITTINGS AND BRAKES



HANDLEBAR FITTINGS AND BRAKES

Photo No.	Quote this Part Number when ordering				Qty. in Carton	Description	Price		Price Amendm't
	Raleigh	Rudge	Humber	Robin Hood			£	s. d.	
REAR ROLLER BRAKE Continued									
292	S 692	*	*	*	12	Short Chainstay Rod ...	1	1	
	S 692A	*	*	*		ditto 19in. Juniors	1	1	
293	T235/P1117C	*	*	*		Stirrup and Tube with Stud, Nut, Washer and Short Chainstay Rod ...	2	4	
294/6	S533C	*	*	*		Stud, Nut and Washer ...	4		
294	S 533	*	*	*	24	Stud ...	2	1	
296	S 443	*	*	*	36	Nut ...	1		
295	P 1056	*	*	*	48	Washer ... Doz.	3		
	P 1118C	*	*	Jnrs. only	12	Clip complete. Left Hand. For Oval Stays ...	9		
297	P 1118AC	*	*	Jnrs. only	12	ditto R.H. ...	9		
	P 1379C	*	*	*		ditto L.H. For Round Stays ...	8	1	
298	P 1379AC	*	*	*		ditto R.H. ditto ...	8	1	
297				P 1454C		ditto Left Hand (except Juniors)	8	1	
				P 1454AC		ditto Right Hand (except Juniors)	8	1	
299	P 568B	*	*	*	12	Brake Shoe, Block, Scr., Nut & Washer L.H.	7		
	P 568CC	*	*	*	12	ditto Right Hand ...	7		
	P 891B	*	*	*	12	ditto L.H. (L.G. and O.F.C.) ...	8	1	
300	P 891CC	*	*	*	12	ditto Right Hand ...	8	1	
299	P 568	*	*	*	12	Brake Shoe only. Left Hand ...	2		
	P 568A	*	*	*	12	ditto Right Hand ...	2		
	P 891	*	*	*	12	ditto Left Hand (L.G. & O.F.C.) ...	2	1	
	P 891A	*	*	*	12	ditto Right Hand ...	2	1	
299	M 68	*	*	*	36	Block ...	3		
300	M 68A	*	*	*		Block (L.G. and Open Frame Carrier only)	4		
299	S 540AC	*	*	*		Screw, Nut and Washer ...	2		
HANDLEBAR BEND									
301	B 451	*	*	*		"Shallow Highgate." Chrome ...	14	3	
						Black ...	11	6	
302	B 551	*	*	*		"Clubman." Chrome ...	14	3	
						Black ...	11	6	
303	B 268	*	*	*		"North Road." Chrome ...	11	6	
						Black ...	8	3	
304	B 429	*	*	*		"Bailey." Chrome ...	14	3	
						Black ...	11	6	
Special or Light Alloy Bends for R.R.A. Details on application.									
GRIPS									
305	M 499	*	*	*		Clubman ... Pair	According to Price ruling at time of Purchase		
306	SS 167	*	*	*		Shockstop Club ...			
307	JB 30	*	*	*		John Bull Sports ...			
307	JBC 167	*	*	*		John Bull Club ...			
308	C 167	*	*	*		Constrictor ...			
						Handlebar Tape (White or Coloured) ...			
STEM AND FITTINGS									
309	T 352C	*	*	*		Stem comp. Expander Bolt. No extension	6	9	
	T 393AC					Stem complete with Expander Bolt. No extension R.R.A. ...	13	0	
313	T 317AC					ditto 2in. extension ...	8	0	
314	T 392AC					ditto 2½in. extension ...	13	2	
	T 391AC					ditto 3in. extension R.R.A. ...	13	4	
310	T 352AC	*	*	*		Stem complete, Head Clip Fitting	6	3	
311	T 317C	*	*	*		ditto 2in. extension	7	6	
316	S 607B	*	*	*	6	Expander Bolt 7½in. ...	7		
	S 607D	*	*	*	6	Expander Bolt 9½in. ...	8		
318	S 128B	*	*	*	6	Cone ...	4		
317	P 160	*	*	*	12	Washer ...	1		
319	S 32A	*	*	*	6	Bolt ...	2	1	
320	S 25	*	*	*	24	Nut ...	3		
322	P 1125	P 1443	P 1125H		6	Lamp Bracket ...	1	2	

Items marked * should be ordered by Raleigh part number.

Prices subject to alteration without notice.

STURMEY-ARCHER
DYNOHUB
WOLVERHAMPTON

CALIPER BRAKES




Photo No.

323

324/30

324

325

326

327

328

330

329

331

332

333

334

336

335

337

338

339

340

341

342

345

346

347

344

343

348

323

324/30

324

325

326

327

328

330

329

349

350

332

333

351

337

338

339

334

336

335

352

353

352

354

341

342

347

344

345

346

343

348

CALIPER BRAKES


Quote this Part Number when ordering					Qty. in Carton	Description	Price		Price Amend't
Photo No.	Raleigh	Rudge	Humber	Robin Hood			£	s. d.	
FRONT CALIPER BRAKE									
323	"GB" Alloy M 150A	M 150B	M 150C	M 150D	1	Brake complete (Light Alloy) ...	15	6	19/-
324/30	P1053AC/F	*	*	*	2	Brake complete (Steel) ...	12	0	
324	P 1053A	*	*	*	6	Lever complete ...	3	9	
325	P 1055B	*	*	*	6	Lever only ...	1	9	
326	S 583	*	*	*	24	Fulcrum, Right Hand ...	1	6	
327	S 443	*	*	*	36	Bolt ...	1	1 1/2	
328	S 637	*	*	*	24	Nut ...	1	1	
330	S 638	*	*	*	36	Bolt ...	1	1 1/2	
329	P 1056	*	*	*	48	Nut ...	2	2	
331	M 194A	*	*	*	6	Washer ...	Doz.	3	
332	S 584	*	*	*	48	Cable complete ...	2	0	
333	S 581	*	*	*	48	Nipple ...	1	1	
334	S 580	*	*	*	48	Nipple ...	1	1	
336	S 443	*	*	*	36	Cable Stop ...	3	3	
335	P 1056	*	*	*	48	Nut ...	1	1	
337	LB 350	*	*	*		Washer ...	Doz.	3	
338	S 428	*	*	*		Ferrule Holder ...	1	1 1/2	
339	S 712	*	*	*		Adjustment Piece ...	5	5	
340	P 1401	*	*	P 1051	6	Knurled Locking Nut ...	1	1 1/2	
	P 1402	*	*	P 1050	6	Stirrup, Right Hand ...	1	6	
341	M 127A	*	*	*		Stirrup, Left Hand ...	1	6	
342	S 574B	S 574A	S 574A	S 574B	12	Stirrup Spring ...	4	4	
345	P 1294	*	*	*	24	Bolt ...	6	1 1/2	
346	P 1135	*	*	*	36	Lockwasher ...	1	1	
347	S 93	*	*	*		Lockwasher ...	Doz.	3	
344	S 576	S 731	S 601	S 576	36	Nut ...	1	1	
343	S 705A	*	*	*	12	Packing Washer ...	4	1 1/2	
	P 1052C	*	*	*	6	Bush ...	2	1 1/2	
	P 1052	*	*	*	24	Brake Shoe complete ...	6	6	
348	M 102	*	*	*	12	Brake Shoe only ...	2	2	
	S 579C	*	*	*	36	Block ...	2	2	
					24	Screw, Nut and Washer ...	2	2	
						Green or Silver Cables ...	6	6	
REAR CALIPER BRAKE									
323	"GB" Alloy M 150E	*	*	M 150G	1	Brake complete (Light Alloy) ...	14	0	19-6
	M 150H	*	*	M 150L	1	Brake complete, Gent's (Steel) ...	12	6	
324/30	P1053AC/R	*	*	*	2	Brake complete, Lady's (Steel) ...	12	9	
324	P 1053A	*	*	*	6	Lever complete ...	3	9	
325	P 1055C	*	*	*	6	Lever only ...	1	9	
326	S 583	*	*	*	24	Fulcrum, Left Hand ...	1	6	
327	S 443	*	*	*	36	Bolt ...	1	1 1/2	
328	S 637	*	*	*	24	Nut ...	1	1	
330	S 638	*	*	*	36	Bolt ...	1	1 1/2	
329	P 1056	*	*	*	48	Nut ...	2	2	
349	M 194B	*	*	*	6	Washer ...	Doz.	3	
350	M 194C	*	*	*	6	Cable complete, Gent's ...	2	5	
332	S 584	*	*	*	48	Cable complete, Lady's ...	2	8	
333	S 581	*	*	*	48	Nipple ...	1	1	
351	K 138A	*	*	*	48	Nipple ...	1	1	
337	LB 350	*	*	*		Ferrule ...	1	1	
338	S 617	*	*	*		Ferrule Holder ...	1	1 1/2	
339	S 428	*	*	*		Ferrule Holder ...	1	1 1/2	
339	S 712	*	*	*		Adjustment Piece ...	5	5	
334	S 580	*	*	*		Knurled Locking Nut ...	1	1 1/2	
336	S 443	*	*	*	36	Cable Stop ...	3	3	
335	P 1056	*	*	*	48	Nut ...	1	1	
352	P 1151	*	*	*	12	Washer ...	Doz.	3	
353	P 1503	*	*	*		Cable Clip ...	2	1 1/2	
352				M 378		Cable Clip ...	2	1 1/2	
354	P 1403	*	*	P 1058	6	Cable Clip ...	2	2	
	P 1404	*	*	P 1057	6	Stirrup, Right Hand ...	1	6	
341	M 128A	*	*	*		Stirrup, Left Hand ...	1	6	
342	S 577	*	*	*	12	Stirrup Spring ...	4	4	
347	S 93	*	*	*	24	Bolt ...	6	1 1/2	
344	S 601	*	*	*	36	Nut ...	1	1	
345	P 1294	*	*	*	12	Packing Washer ...	4	1 1/2	
346	P 1135	*	*	*	36	Lockwasher ...	1	1	
343	S 705A	*	*	*	6	Lockwasher ...	Doz.	3	
	P 1052C	*	*	*	24	Bush ...	2	1 1/2	
	P 1052	*	*	*	12	Brake Shoe complete ...	6	6	
348	M 102	*	*	*	36	Brake Shoe only ...	2	2	
	S 579C	*	*	*	36	Block ...	2	2	
					24	Screw, Nut and Washer ...	2	2	
						Green or Silver Cables ...	9	9	

Items marked * should be ordered by Raleigh part number.

Prices subject to alteration without notice.

STURMEY-ARCHER
DYNOHUB
MANUFACTURERS

SADDLES AND ACCESSORIES




363



360



361



362



365

370

373

372



359



358



356




356




355




355




366



369



371



382



381



376


377

378


379



368



375



357



374



380



384

Photo No.

355
356
357
358
359

360
361

362

363

365

355

366

368

369

370

272

373

371

372

373

374

375

376

379

378

377

380

381

382

384

SADDLES AND ACCESSORIES

Page 43

Photo No.	Quote this Part Number when ordering				Qty. in Carton	Description	Price		Price Amendm't
	Raleigh	Rudge	Humber	Robin Hood			£ s. d.	£ s. d.	
TOOLS AND TOOLBAGS									
355	P 1463	*	*	P 1470	12	Combination Spanner ...	11		
356	P 1464	*	*	P 1469	12	Bottom Bracket Spanner...	7		
357						Inflator ...	Price according to make supplied		
358						Toolbag ...			
359						Kitbag ...			
TYRES									
Must be obtained from Manufacturers' Stockists.									
SADDLES									
	B 17					Brooks' ...	According to Manufacturers' Prices at time of Purchase		
	B 73					Brooks' ...			
	B 66					Brooks' ...			
	J 5					Brooks' ...			
	B 73L					Brooks' ...			
	B 66L					Brooks' ...			
360	B 15CH					Brooks' ...			
361	B 19CH					Brooks' ...			
	P 205					Brooks' ...			
	B 72L					Brooks' ...			
362	1238R					Terry's ...			
	1086					Terry's ...			
	1087					Terry's ...			
363	No. 75					Wright's ...			
	No. 76					Wright's ...			
365	No. 14					Wright's ...			
	No. 17					Wright's ...			
	No. 75L					Wright's ...			
	No. 76L					Wright's ...			
	No. 18L					Wright's ...			
BASKETS, CARRIERS AND FITTINGS									
366	B 467C	*	*			Carrier complete. 20 x 14in. L.G. Carrier only ...	1	14	0
	B 324C	*	*			Carrier complete. Open Frame Carrier only...	2	2	0
368	337B	*	*			Basket without Handle or Lid. L.G. Carrier only ...	Charged at Price ruling at time of Purchase		
	337A	*	*			Basket without Handle or Lid. Open Frame Carrier only ...			
369	T 239A	*	*			Distance Tube ...			5
370	S 550	*	*			Long Bolt ...	2		0
272	LB 162	*	*		12	Nut for same ...			2
373	X 42A	*	*		24	Washer for same ...			1
371	S 482	*	*			Bolt ...			4½
372	LB 162	*	*		12	Nut ...			2
373	X 42A	*	*		24	Washer ...			1
374	P 1158AC	*	*		6	Lamp Bracket complete ...	1		2
STAND AND FITTINGS (L.G. Carrier Only)									
375	B 468C	*	*			Stand complete with Fittings ...	18		0
376	S 695	*	*			Fulcrum Bolt ...			3½
379	S 25	*	*		24	Nut ...			3
378	P 1076	*	*			Packing Washer ...			1½
377	P 1369	*	*			Spacing Washer ...			1½
380	M 292A	*	*		6	Outer Spring ...			5
381	M 292B	*	*		6	Inner Spring ...			5
NAMEPLATE AND FITTINGS									
382	B 321A	*	*			Nameplate, less Fittings. L.G. Carrier only ...	3		3
	B 562	*	*			Nameplate, less Fittings. Open Frame Carrier only ...	3		3
384	P 381	*	*			Clip, 1in. ...			2½
	S 35	*	*		48	Screw ...			1
	S 98	*	*		48	Nut ...			1

Items marked * should be ordered by Raleigh part number.
Prices subject to alteration without notice.

STURMEY-ARCHER
DYNOHUB
WICKHAMPTON

TRANSFERS AND REPAIRS

Page 45

Photo No.	Quote this Part Number when ordering				Qty. in Carton	Description	Price		Price Amendm't
	Raleigh	Rudge	Humber	Robin Hood			£	s. d.	
TRANSFERS									
(Machine No. and Model must be quoted)									
385	M 391	M 484	M 390	M 371		Crest		10	
387	M 448					" Raleigh Sports "		10	
388	M 504					" Lenton Clubman "		10	
389	M 503					" Raleigh " with streamline flare, L. Hand	pr.	1 6	
	M 503A					ditto ditto R. Hand			
390	M 477					" The All Steel Bicycle "	pr.	10	
392		M 445				" Rudge Sports "			
402		M 384				" Rudge Whitworth " Name		10	
393		M 506				" Aero Clubman "		10	
901		M 505				" Rudge " with streamline flare, L. Hand	pr.	1 6	
		M 505A				ditto ditto R. Hand			
394			M 447			" Humber Sports "		10	
396			M 406			" Humber " Name		10	
397			M 473			" By appointment "		10	
395			M 508			" Beeston Clubman "		10	
902			M 507			" Humber " with str'mline flare, L. Hand	pr.	1 6	
			M 507A			ditto ditto R. Hand			
398				M 481		" Robin Hood " Name		10	
399				M 389		" Robin Hood Sports "		10	
400				M 443		" Sherwood Arrow "		10	
903				M 482		" Rufford Sports "		10	
	M 383					" Raleigh " Name		10	
	M 452	*	*			Lock Instruction Transfer (for all Models with Steering lock device)		10	
4L	M 478	*	*			" Built with Reynolds 531 Tubing "		10	
38	M 453	*	*			Dyno-Luxe	pr.	10	
391		M 476				" Britain's Best Bicycle "			
405			M 479			" The Aristocrat of Bicycles "	pr.	10	

REPAIRS

GENERAL OVERHAUL (of our manufacture only)

Thoroughly overhauling machine throughout, including complete dismantling and re-erecting, cleaning and examining all bearings and renewing any small worn parts, buffing bright parts, fitting new mudguards, pedal rubbers, grips, brake blocks and steel balls throughout. (This specification does not include any enamelling or chroming)

£ s. d.

2 5 0

	Roadster	Lightweight	Clubman	R.R.A.
FRAMES	£ s. d.	£ s. d.	£ s. d.	£ s. d.
Retracking and re-enamelling frame only plain black	15 0	17 9	17 9	19 0
Fitting one tube and re-enamelling plain black	17 9	1 0 9	1 4 3	1 7 3
Fitting two tubes and re-enamelling plain black	1 0 3	1 3 0	1 8 0	1 14 0
Fitting three tubes and re-enamelling plain black	1 2 6	1 5 3	1 12 3	1 17 0
Fitting one chainstay and re-enamelling plain black	17 9	1 0 9	1 0 9	1 4 3
Fitting two chainstays and re-enamelling plain black	1 0 3	1 3 0	1 3 0	1 8 0
Fitting one side to backstay and re-enamelling plain black	—	1 0 9	1 0 9	1 4 3
Fitting complete backstay and re-enamelling plain black	—	1 3 0	1 3 0	1 8 0
Fitting bottom bracket shell and re-enamelling plain black	1 0 3	1 3 0	1 3 0	1 8 0
Fitting one lug (top, bottom or seat) and re-enamelling plain black	17 9	1 0 9	1 0 9	1 4 3
Rebushing bottom bracket and re-enamelling plain black	17 0	1 0 0	1 0 0	1 1 3
Fitting oversize bottom bracket cup only (no enamelling)	5 6	5 6	5 6	5 6
Reducing size of frame, fork and backstay and re-enamelling plain black	1 9 0	—	—	—
Extra charge if complete bicycle is sent	1 11 0	1 11 0	1 11 0	1 11 0

Items marked * should be ordered by Raleigh part number.

Prices subject to alteration without notice.

STURMEY-ARCHER
DYNOLUB
WORKSHOP


RENOVATIONS AND REPAIRS

	Roadster	L.G. Carrier	Lightweight	R.R.A
FORKS				
Fitting one blade and re-enamelling plain black	£ s. d. 4 3	£ s. d. 4 3	£ s. d. 4 3	£ s. d. 9 0
Fitting two blades and re-enamelling plain black	6 0	6 0	6 0	14 0
Fitting stem and re-enamelling plain black	5 3	7 3	5 3	7 0
Fitting stem and two blades and re-enamelling plain black ...	8 3	10 0	8 3	18 0
Resetting and re-enamelling plain black	3 0	3 0	3 0	3 0
Resetting (no enamelling)	1 2	1 2	1 2	1 2
DETACHABLE BACKSTAYS				
Fitting one side and re-enamelling plain black				£ s. d. 3 0
Resetting and re-enamelling plain black				3 0
Resetting (no enamelling)				1 2
DETACHABLE CARRIER				
Repairing and re-enamelling plain black				10 9
STAND FOR L.G. CARRIER				
Resetting and re-enamelling plain black				4 0
HANDLEBARS				
Fitting stem and re-enamelling black (Standard or North Road Bar without fittings)				7 0
Fitting stem and re-enamelling black (Standard or North Road Bar with one lever)				9 0
Fitting stem and re-enamelling black (Standard or North Road Bar with two levers)				10 0
Fitting bend and re-enamelling black (Standard or North Road Bar without fittings)				9 0
Fitting bend and re-enamelling black (Standard or North Road Bar with one lever)				10 0
Fitting bend and re-enamelling black (Standard or North Road Bar with two levers)				11 0
GEARCASES				
Fitting new front or back and re-enamelling plain black				9 0
Removing dents and re-enamelling plain black				5 0
WHEELS				
Truing				1 2
Rebuilding with new Rustless Spokes, Front or Rear				5 3
Rebuilding with Stainless Steel Spokes, Front				9 3
Rebuilding with Stainless Steel Spokes, Rear				10 3

Prices subject to alteration without notice.

R.I. 'ALL-PURPOSE' OIL

Page 47



This oil will be available on the Home Market, in either of the containers shown, as soon as permission is received from the Board of Trade.

A NON-CORROSIVE oil of reasonable body with clinging properties is necessary for ordinary bicycle bearings, but a light lubricant is essential to ensure efficient operation of the finer mechanism of Sturmey-Archer Hubs.

In the past, two separate oils have been necessary to meet these individual requirements, but Raleigh chemists, after considerable experimental work and extensive tests, have evolved one blend of oil which will fully meet both requirements.

This entirely new lubricant—R.I. 'All-purpose' Oil—is of very high grade and embodies special qualities. It is free from acid and will withstand arduous duty over long periods of use. Whilst being a non-oxidising free-running oil, it clings to bearing surfaces and has high film strength without gum. It will reach all surfaces of the fine mechanism of the Sturmey-Archer Hubs without impeding operation of the pawls.

MECHANICS' COURSE OF INSTRUCTION

The aim of the Raleigh Mechanics' Course of Instruction is to familiarize Dealers or their mechanics with methods of repair and renovation of all our products, i.e., Raleigh, Rudge, Humber and Robin Hood Bicycles, Sturmey-Archer 3 and 4 Speed Gears and Hub Brakes, Dynohub and Dyno-Luxe Lighting Equipment.

Each course is of one week's duration, commencing on Monday and concluding on Friday. It also includes a comprehensive tour of the Works, showing the various processes of manufacture and assembly.

Dealers will benefit by taking advantage of the course, so keeping up-to-date with the latest developments, and every aspect of our service.

Your District Manager will give full information upon request.




ight	R.R.A.
d.	£ s. d.
3	9 0
0	14 0
3	7 0
3	18 3
0	3 6
2	1 2
£ s. d.	
3	3 3
3	0 0
1	2 2
10	9 9
4	6 6
7	6 6
9	0 0
10	3 3
9	0 0
10	6 6
11	9 9
9	0 0
5	3 3
1	2 2
5	3 3
9	3 3
10	3 3

STURMEY-ARCHER
DYNOHUB
DYNOLUXE

NOTES

STURMEY-ARCHER SECTION

When ordering quote PART NUMBER and not Photo Number



Raleigh Industries Limited · Nottingham

STURMEY-ARCHER
DYNOHUB
WORKSHOP

"A.W." 3 SPEED HUB




Photo
No.

406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424

425
426
427
428
429
430
431
432

435
436
437
438
439
440
441

442

"A.W." 3 SPEED HUB


Page 51

Photo No.	Part No.	Qty. in Carton	Description	Price s. d.	Price Amendment s. d.
AXLE AND CLUTCH PARTS					
406	K 601Z	6	Axle fitted with Sun Pinion. 5½ in. long	4 6	
	K 601AZ	6	Axle fitted with Sun Pinion. 6½ in. long	4 6	
407	K 508	12	Sun Pinion	11	
408	K 509	sets	Dowel for Sun Pinion	1	
409	K 527	6	Clutch Sleeve	6	
410	K 505	12	Sliding Clutch	1 6	
411	K 526	24	Axle Key	3	
412	K 528	6	Thrust Ring for Sliding Clutch	8	
413	K 530A	12	Clutch Spring	2	
414	K 529	sets	Cap for Clutch Spring	1	
415	K 67Z	24	Ball Retainer with ½ in. balls	4½	
416	K 506Z	12	Axle Cone with LB 404 Dust Cap	1 3	
	LB 404		Cone Dust Cap	1	
417	K 516		R.H. Cone Lockring Washer	1	
418	K 504Z	12	Indicator complete for K 601 Axle	1 9	
	K 504AZ		Indicator complete for K 601A Axle	1 9	
419	K 227		Locknut for screwed Connection	1	
420	X 42A	24	Axle Nut Spacing Washer ½ in. thick	1	
421	K 47A	24	Cone Lock Nut	2	
422	K 521	24	Axle Lock Washer	1	
423	K 519	24	Right Hand Axle Nut	9	
424	K 520	24	Left Hand Axle Nut	3	
SHELL, WITH DRIVE AND GEAR PARTS					
425	K 515	3	Planet Cage	5 6	
426	K 16	24	Planet Pinions	7	
427	K 510	24	Planet Spindle	6	
428	K 511A	4	Gear Ring	4 10	
429	K 512	24	Gear Ring Pawl	4	
430	K 64		Pawl Spring (R shape)	doz.	4½
431	K 58	24	Gear Ring Pawl Pin	1	
432	K 60		Right Hand Ball Ring for ¾ in. Balls	4 0	
	329		Ball-bearings. ¾ in. 24 in set	Gr.	2 4
	K 63		Right Hand Inner Dust Cap	2	
435	K 507	6	Driver	5 0	
436	LB 405		Dust Cap	1½	
437	K 513	24	Low Gear Pawl	4	
438	K 518	1	Shell, 40 holes	6 6	
	K 518A	1	Shell, 36 holes	6 6	
439	S 545		Lubricator, ½ in. thread	2	
440	K 517	3	Left Hand Ball Cup	4 0	
441	K 62	12	Right Hand Outer Dust Cap	3	
	X 49	12	Sprocket Washer	1½	
	X 48E	6	Sprocket 16T	1 8	
	X 48C	6	Sprocket 17T	1 8	
442	X 48	6	Sprocket 18T	1 8	
	X 48D	6	Sprocket 19T	1 8	
	X 48F	6	Sprocket 20T	1 8	

Prices subject to alteration without notice.

DYNOHUB
Warranted

"A.B." 3 SPEED WITH HUB BRAKE



"A.B." 3 SPEED WITH HUB BRAKE

Page 53

Photo No.	Part No.	Qty. in Carton	Description	Price s. d.	Price Amendment s. d.
AXLE AND CLUTCH PARTS					
443	K 601AZ	6	Axle fitted with Sun Pinion. 6 $\frac{1}{2}$ in. long	4 6	
444	K 601Z	6	Axle fitted with Sun Pinion. 5 $\frac{1}{2}$ in. long	4 6	
445	K 508	12	Sun Pinion ...	11	
446	K 509	sets	Dowel for Sun Pinion ...	6	
447	K 527	6	Clutch Sleeve ...	1	
448	K 505	12	Sliding Clutch ...	6	
449	K 526	24	Axle Key ...	1 6	
450	K 528	6	Thrust Ring for Sliding Clutch ...	3	
451	K 530A	12	Clutch Spring ...	8	
452	K 529	sets	Cap for Clutch Spring ...	2	
453	K 67Z	24	Ball Retainer with $\frac{1}{2}$ in. Balls ...	1	
454	K 506Z	12	Axle Cone with LB 404 Dust Cap ...	4 $\frac{1}{2}$	
455	LB 404		Cone Dust Cap ...	1 3	
456	K 516		Right Hand Cone Locking Washer ...	1	
457	K 105Z		Left Hand Cone ...	1	
458	K 504AZ		Indicator complete for K 601A Axle ...	1 6	
459	K 504Z	12	Indicator complete for K 601 Axle ...	1 9	
460	K 227		Locknut for screwed Connection ...	1	
461	LB 121		Left Hand Cone Adjusting Washer. $\frac{3}{8}$ in. thick	1	
462	K 106		Left Hand Cone Adjusting Washer. $\frac{1}{2}$ in. thick	6	
463	X 42A	24	Axle Nut Spacing Washer. $\frac{1}{8}$ in. thick	6	
464	X 42	24	Axle Nut Spacing Washer. $\frac{1}{16}$ in. thick	1	
465	K 47A	24	Cone Lock Nut ...	1	
466	K 521	24	Axle Lock Washer ...	2	
467	K 519	24	Right Hand Axle Nut ...	1	
468	K 520	24	Left Hand Axle Nut ...	9	
				3	
SHELL, WITH GEAR AND DRIVE PARTS					
469	K 603		Planet Cage ...	5 6	
470	K 16	24	Planet Pinions ...	7	
471	K 510	24	Planet Spindle ...	6	
472	K 511A	4	Gear Ring ...	4 10	
473	K 512	24	Gear Ring Pawl ...	4	
474	K 64		Pawl Spring (R shape) ...	4 $\frac{1}{2}$	
475	K 58	24	Gear Ring Pawl Pin ...	1	
476	K 60		Right Hand Ball Ring for $\frac{3}{8}$ in. Balls	4 0	
477	329		Ball-bearings. $\frac{3}{8}$ in. 24 in set	2 4	
478	K 507	6	Driver ...	5 0	
479	LB 405		Dust Cap ...	1 $\frac{1}{2}$	
480	K 513	24	Low Gear Pawl ...	4	
481	K 602		Shell, 40 Holes ...	7 6	
482	K 602A		Shell, 36 Holes ...	7 6	
483	S 545		Lubricator, $\frac{1}{4}$ in. thread	2	
484	K 604		Left Hand Ball Cup ...	4 0	
485	K 62	12	Right Hand Outer Dust Cap ...	3	
486	K 63		Right Hand Inner Dust Cap ...	2	
487	X 49	12	Sprocket Washer ...	1 $\frac{1}{2}$	
488	X 48E	6	Sprocket 16T ...	1 8	
489	X 48C	6	Sprocket 17T ...	1 8	
490	X 48	6	Sprocket 18T ...	1 8	
491	X 48D	6	Sprocket 19T ...	1 8	
492	X 48F	6	Sprocket 20T ...	1 8	

Prices subject to alteration without notice.

DYNOHUB

HUB BRAKES—"A.B.", "B.F." AND "B.R."




Photo
No.

482
483
484
485

487
494
488
480
489

491
492
493
484

486
484

484
485
487
488
480
489
494
490
493

483
484

484
485
487
494
488
480
489
491

492
493

HUB BRAKES—"A.B.", "B.F." AND "B.R."

Page 55

Photo No.	Part No.	Qty. in Carton	Description	Price s. d.	Price Amendment s. d.
"A.B." HUB (Contd.) BRAKE PARTS					
482	K 605	48	Left Hand Packing Washer, inner (illustrated on p. 52)	1	
483	K 160AZ		Steel Brake Arm (Rear)	3 9	
484	K 158Z		Brake Shoes (Steel) complete with Linings Pair	6 6	
485	K 167		Fulcrum Sleeve	4	
	K 166		Brake Shoe Spring	3	
487	K 162Z		Brake Shoe Cam and Washer	8	
494	LB 127		Fulcrum Screw	4	
488	LB 166		Cam Lever	9	
480	K 175		Cam Lever Nut	2	
489	K 171		Wire Guide (for Rear Cable operation only)	5	
	K 172		Locking Washer	$\frac{1}{2}$	
491	K 168		Wire Guide Nut	2	
492	N 43		Brake Arm Clip for Oval Tubing	2	
	K 124		Brake Arm Clip for Round Tubing	3	
	X 69		Brake Arm Clip Bolt	1	
493	S 386		Nut for X 69	$\frac{1}{2}$	
484	K 136		Brake Linings with Rivets Pair	3 0	
"B.F." FRONT HUB WITH INTERNAL EXPANDING BRAKE					
BRAKE PARTS					
486	LB147AZ	36 48	Brake Plate and Torque Arm (Cable)	4 9	
	LB138AZ		Brake Plate and Torque Arm (Rod)	4 9	
484	K 158Z		Brake Shoes complete with linings Pair	6 6	
	K 166		Brake Shoe Spring	3	
	K 159		End Cap for Brake Shoe	1	
484	K 136		Brake Linings with Rivets Pair	3 0	
485	K 167		Fulcrum Sleeve	4	
487	K 162Z		Operating Cam and Washer	8	
	LB 149		Brake Cam Lever (Cable)	9	
488	LB 150		Brake Cam Lever (Rod)	9	
480	K 175		Brake Lever Nut	2	
489	K 118		Brake Wire Guide (Cable)	6	
494	LB 127		Fulcrum Screw (Rod)	4	
490	LB 112		Brake Arm Clip ("D" Fork)	5	
	LB 111		Brake Arm Clip (Round Fork)	5	
	X 90		Clip Bolt	1	
493	S 386		Nut	$\frac{1}{2}$	
"B.R." REAR HUB WITH INTERNAL EXPANDING BRAKE					
BRAKE PARTS					
483	K 160AZ	48	Brake Plate, Arm and Cam Bush	3 9	
484	K 158Z		Brake Shoes complete with Linings Pair	6 6	
	K 166		Brake Shoe Spring	3	
	K 159		End Cap for Brake Shoe	8	
484	K 136		Brake Linings with Rivets Pair	3 0	
485	K 167		Fulcrum Sleeve	4	
487	K 162Z		Operating Cam and Washer	8	
494	LB 127		Fulcrum Screw	4	
488	LB 166		Brake Cam Lever	9	
480	K 175		Brake Lever Nut	2	
489	K 171		Brake Wire Guide	5	
491	K 168		Wire Guide Nut	2	
	K 172		Lock Washer	$\frac{1}{2}$	
492	N 43		Brake Arm Clip ("D" Fork)	2	
	K 124		Brake Arm Clip (Round Fork)	3	
	X 69		Clip Bolt	1	
493	S 386		Nut	$\frac{1}{2}$	

Prices subject to alteration without notice.

DYNOHUB

HUB BRAKES AND CABLE CONTROLS






Photo No.

495

496

497

498

499

500

501

502

503

504

505

506

507

508

509

510

511

512

513

514

515

516

517

518

472

519

519

520

434

521

522

523

524

525

433

526

HUB BRAKES AND CABLE CONTROLS

Page 57

Photo No.	Part No.	Qty. in Carton	Description	Price s. d.	Price Amendment s. d.
"B.F." HUB PARTS					
495	LB 401Z	24	Hub Shell, 32 Holes	9 0	
	LB 402Z		Hub Shell, 36 Holes	9 0	
	M 355		Lubricator	1 1/2	
496	LB 426	24	Axle 5in. long	9	
	LB 426B		Axle 4 1/2 in. long	9	
497	LB 357Z		Left Hand Cone with Dust Cap	1 3	
498	LB 358Z	24	Right Hand Cone with Dust Cap	1 3	
499	LB 405		Dust Cap	1 1/2	
500	K 67Z		Ball Retainer with 1/4 in. Balls	4 1/2	
501	K 360	24	Packing Washer	1	
502	K 106		Left Hand Adjusting Washer, 1/4 in. thick	6	
	LB 121		Left Hand Adjusting Washer, 1/4 in. thick	6	
503	LB 155	24	Lock Nut	2	
	LB 155A		Lock Nut (Spigot)	3	
504	X 42		Washer, 1/2 in. thick	1	
	X 42A	24	Washer, 1/2 in. thick	1	
505	LB 162	12	Axle Nut	2	
"B.R." REAR HUB WITH INTERNAL EXPANDING BRAKE					
"B.R." HUB PARTS					
506	LB 351Z	24	Hub Shell, 40 Holes	10 6	
	LB 352Z		Hub Shell, 36 Holes	10 6	
	M 355		Lubricator	1 1/2	
507	LB 156	24	Axle 5 1/2 in. long	9	
508	LB 357Z		Left Hand Cone with Dust Cap	1 3	
509	LB 358Z		Right Hand Cone with Dust Cap	1 3	
510	LB 405	24	Dust Cap	1 1/2	
511	K 67Z		Ball Retainer with 1/4 in. Balls	4 1/2	
512	K 360		Packing Washer	1	
513	K 106	24	Left Hand Adjusting Washer 1/4 in. thick	6	
	LB 121		Left Hand Adjusting Washer 1/4 in. thick	6	
514	LB 155		Lock Nut	2	
515	X 42	24	Washer 1/2 in. thick	1	
	X 42A	24	Washer 1/2 in. thick	1	
516	LB 162	12	Axle Nut	2	
CABLE BRAKE CONTROL FOR ALL HUBS FITTED WITH INTERNAL EXPANDING BRAKES					
517	K 141	6	Brake Lever (North Road Bar)	1 6	
	P 1053A		Brake Lever (Dropped Bar)	1 9	
	K 142		Brake Lever	1 6	
518	K 139	24	Lever Fulcrum	1 6	
472	S 583		Bolt	1 1/2	
	S 443		Nut	1	
519	K 140	24	Fulcrum Clip for 7/8 in. dia. Bar	4 1/2	
	S 637		Bolt	1 1/2	
	S 638		Nut	2	
519	K 140A	24	Fulcrum Clip for 1 in. dia. Bar	4 1/2	
520	K 138A		Ferrule	1	
434	LB 350		Cable Guide	1 1/2	
521	S 581	48	Nipple	1	
522	K 119		Adjuster	5	
523	K 120		Adjuster, Nut	2	
524	S 712	12	Lock Nut	1 1/2	
525	LB 168A		Nipple	1	
	GD 431		Front Brake Cable complete	3 0	
433	GD 432	3	Front Brake Cable complete, Tandem	3 2	
	GD 433		Rear Brake Cable complete	3 6	
	GD 434		Rear Brake Cable complete, Tandem	5 6	
	BC 1F	526	Brake Control complete for Front Hub	6 6	
	BC 1R		Brake Control complete for Rear Hub	7 0	
	BC 1FT		Brake Control complete for Front Hub, Tandem	7 0	
	BC 1RT		Brake Control complete for Rear Hub, Tandem	9 0	

Prices subject to alteration without notice.

DYNOHUB

HUB BRAKES—ROD CONTROLS








Photo No.

527
529
528
529
528
530
531
532
533
534
535
536
537

538
539
540
541
542

543
544
545
546
547
548
549
550
551
552

HUB BRAKES—ROD CONTROLS

Photo No.	Part No.	Qty. in Carton	Description	Price s. d.	Price Amendment s. d.
"B.F." HUB—ROD CONTROL					
527	LB 329		Front Brake Stirrup	1 3	
529	LB 309		Inner Clip for "D" shaped or Duplex Fork Blade	4	
528	LB 330		Outer Clip for "D" or Oval shaped Tube	2	
529	LB 309A		Inner Clip for Oval Tube	4	
528	LB 330A		Outer Clip for Duplex Fork only	2	
530	S 35	48	Screw	1½	
531	LB 331		Fulcrum Bolt	2	
532	S 98	48	Nut for Fulcrum Bolt	1	
533	LB 334		Top Connection for Front Brake Rod	6	
534	S 535	36	Screw	1	
534	S 433	48	Nut	½	
535	GD 726		Brake Rod 16½in. long with one connection	1 0	
536	LB 304		Swivel Pin	2	
537	LB 167		Adjusting Nut	2	
	BC 2		Front Rod fittings complete from Stirrup to Hub	4 3	
Brake Tube supplied extra if required.					
"B.R." HUB—ROD CONTROL BELL CRANK, BOLT-ON FITTING					
538	P 1183		Right Hand Bell Crank	4	
	LB 325		Left Hand Bell Crank	5	
539	S 154	12	Fulcrum Bolt	3½	
540	S 558		Bush	1	
541	LB 336		Washer	1	
542	S 98	48	Nut	1	
BELL CRANK, CLIP-ON FITTING					
	LB 326AZ		Left Hand Bell Crank with Fulcrum	1 3	
	LB 326BZ		Right Hand Bell Crank with Fulcrum	1 3	
	LB 327A		Clip	2	
	LB 332		Fulcrum Bolt	2	
	S 443	36	Nut	1	
	LB 343Z		Brake Tube 3in. long	1 3	
	LB 344Z		Brake Tube 4in. long	1 3	
	LB 345Z		Brake Tube 5in. long	1 3	
	LB 346Z		Brake Tube 6in. long	1 3	
	LB 347Z		Brake Tube 7in. long	1 6	
	LB 348Z		Brake Tube 8in. long	1 6	
	LB 349Z		Brake Tube 9in. long	1 6	
	S 533	24	Stud	2½	
	S 443	36	Nut	1	
	P 1056	48	Washer	3	
	S 535	36	Screw	1	
	S 433	48	Nut	½	
543	GD 728		Down Tube Rod 20½in. long with two connections	1 9	
544	GD 727		Rear Brake Rod 20½in. long with one connection	1 0	
545	GD 729		Rear Brake Rod 22in. long with one connection	1 0	
546	LB 320		Brake Link	7	
547	LB 321		Clip	2	
548	LB 323		Brake Link Spring	2	
549	LB 322		Swivel Bolt	2	
550	S 35	48	Clip Screw	1½	
550	S 98	48	Nut for Clip Screw	1	
551	LB 304		Swivel Pin for Brake Cam Lever	2	
552	LB 167		Adjusting Nut	2	

Prices subject to alteration without notice.

DYNOHUB

"F.W." FOUR SPEED HUB




Photo
No.

553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580

581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596

597
598
599

563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599

"F.W." FOUR SPEED HUB

Page 61

Photo No.	Part No.	Qty. in Carton	Description	Price s. d.	Price Amendment s. d.
AXLE, INCLUDING CONES, NUTS AND WASHERS					
553	K 401		Axle 5 $\frac{1}{2}$ in. long ...	6 9	
	K 401A		Axle 6 $\frac{1}{2}$ in. long ...	6 9	
554	K 410A		Low Gear Spring ...	2	
555	K 408		Primary Sun Pinion ...	2 0	
556	K 409		Secondary Sun Pinion ...	1 3	
557	K 406		Sun Pinion Sleeve ...	7	
558	K 402		Low Gear Key ...	2	
559	K 405		Dog Ring ...	1 9	
560	K 411		Washer for Dog Ring ...	1	
561	K 812		Locknut for Dog Ring ...	1 $\frac{1}{2}$	
	K 804		Indicator for K401 Axle ...	9	
562	K 804A		Indicator for K 401A Axle ...	9	
563	X 8		Spring Collar ...	1	
564	K 813		Compensating Spring ...	2	
565	K 527	6	Clutch Sleeve ...	6	
566	K 505	12	Sliding Clutch ...	1 6	
567	K 526A		Axle Key ...	3	
568	K 807ZA		Coupling Spindle complete ...	1 9	
569	K 528	6	Thrust Ring ...	8	
570	K 530A	12	Clutch Spring ...	2	
571	K 529	sets	Cap for Clutch Spring ...	1	
572	K 67Z	24	Ball Cage with $\frac{1}{8}$ in. Balls ...	4 $\frac{1}{2}$	
573	K 506Z	12	Axle Cone with Inner Dust Cap fitted ...	1 3	
574	K 516		Cone Lock Washer ...	1	
575	K 227		Locknut for Indicator Coupling ...	1	
576	K 47A	24	Cone Locknut ...	2	
577	X 42A	24	Axle Nut Spacing Washer $\frac{1}{8}$ in. thick ...	1	
578	N 190		Left Hand Axle Nut ...	9	
579	N 200		Right Hand Axle Nut ...	9	
580	K 521	24	Axle Lock Washer ...	1	
SHELL, WITH DRIVE AND GEAR PARTS					
581	K 415		Planet Cage ...	7 6	
582	K 416		Planet Pinion ...	2 0	
583	K 417		Pinion Pin ...	2	
584	K 511A	4	Gear Ring ...	4 10	
585	K 512	24	Gear Ring Pawl ...	4	
586	K 64		Pawl Spring (R shape) ...	4 $\frac{1}{2}$	Doz.
587	K 513	24	Left Hand Pawl ...	4	
588	K 707		Pawl Pin for Left Hand Pawl ...	1	
589	K 58	24	Gear Ring Pawl Pin ...	1	
590	K 60		Right Hand Ball Ring for $\frac{3}{8}$ in. Balls ...	4 0	
	329		Ball-bearings, $\frac{3}{8}$ in. 24 in set ...	2 4	Grs.
	K 63		Right Hand Inner Dust Cap ...		
591	K 507	6	Driver ...	5 0	
592	LB 405		Outer Dust Cap ...	1 $\frac{1}{2}$	
	K 418		Shell, 40 Holes ...	6 6	
593	K 418A		Shell, 36 Holes ...	6 6	
	S 545		Lubricator ...	2	
594	K 517	3	Left Hand Ball Cup ...	4 0	
595	K 62	12	Right Hand Outer Dust Cap ...	3	
	X 49	12	Sprocket Washer ...	1 $\frac{1}{2}$	
	X 48E	6	Sprocket 16 Teeth ...	1 8	
	X 48C	6	Sprocket 17 Teeth ...	1 8	
596	X 48	6	Sprocket 18 Teeth ...	1 8	
	X 48D	6	Sprocket 19 Teeth ...	1 8	
	X 48F	6	Sprocket 20 Teeth ...	1 8	

Prices subject to alteration without notice.

DYNOHUB

"A.M." THREE SPEED HUB




Photo
No.

597
598
599
600
601
602
603
604
605
606

610
611
612
613
685
(p.66)

614
615
616
617
618
619
620
621
622

623
624
625
626
627
628
629
630
631

632
633
634
635
636
637
638
639
640

"A.M." THREE SPEED HUB

Photo No.	Part No.	Qty. in Carton	Description	Price s. d.	Price Amendment s. d.
AXLE AND CLUTCH PARTS					
597	K 671		Axle $5\frac{1}{2}$ in. long	5 0	} 5-3
598	K 671A		Axle $6\frac{1}{2}$ in. long	5 0	
599	K 527	6	Clutch Sleeve	6	
600	K 505	12	Sliding Clutch	1 6	
601	K 526A		Axle Key	3	
602	K 528	6	Thrust Ring for Sliding Clutch	8	
603	K 530A	12	Clutch Spring	2	
604	K 529	sets	Cap for Clutch Spring	1	
605	K 67Z	24	Ball Retainer with $\frac{1}{4}$ in. Balls	4 $\frac{1}{2}$	
606	K 506Z	12	Axle Cone with LB 404 Dust Cap	1 3	
	K 516		R.H. Cone Locking Washer	1	
	K 712	12	Indicator for K 671 Axle	9	
	K 712A		Indicator for K 671A Axle	9	
	K 713Z		Coupling Spindle and Chain with K 714 Collar	1 9	
	K 227		Locknut for Screwed Connection	1	
610	X 42A	24	Axle Nut Spacing Washer $\frac{1}{4}$ in. thick	1	
611	K 47A	24	Cone Lock Nut	2	
612	K 231Z	3 pairs	Wing Nut Pair	3 4	
613	K 234A		Chain Guide for R.H. Wing Nut	3	
685	K 740AZ		Quick Release Assembly	7	
(p.66)					
SHELL, WITH DRIVE AND GEAR PARTS					
614	K 653		Planet Cage	5 6	
615	K 654		Planet Pinion	2 0	
616	K 206		Pinion Pin	2	
617	K 658A		Gear Ring	4 10	
618	K 512	24	Gear Ring Pawl	4	
619	K 64		Pawl Spring (R shape) Doz.	4 $\frac{1}{2}$	
620	K 58	24	Pawl Pin	1	
621	K 60		Right Hand Ball Ring for $\frac{3}{8}$ in. Balls	4 0	
	329		Ball-bearings $\frac{3}{8}$ in. 24 in set Grs.	2 4	
621	K 228		Right Hand Ball Ring for 14T or 15T Sprockets only	4 0	
	K 230Z		Ball Cage with $\frac{3}{8}$ in. Balls	8	
	K 63		Right Hand Inner Dust Cap	2	
622	K 657		Driver	5 0	} 5-3
623	LB 405		Outer Dust Cap	1 $\frac{1}{2}$	
624	K 513	24	Low Gear Pawl	4	
625	K 652		Shell, 40 Holes	6 6	
	K 652A		Shell, 36 Holes	6 6	
626	S 545		Lubricator	2	
627	K 517	3	Left Hand Ball Cup	4 0	
628	K 62	12	Right Hand Outer Dust Cap	3	
629	X 49	12	Sprocket Washer	1 $\frac{1}{2}$	
	K 216		Sprocket 16 Teeth	1 8	
	K 217		Sprocket 17 Teeth	1 8	
630	K 218		Sprocket 18 Teeth	1 8	
	K 219		Sprocket 19 Teeth	1 8	
	K 220		Sprocket 20 Teeth	1 8	
631	K 36		Sprocket Lockring	7	

Prices subject to alteration without notice.

DYNOHUB

"F.M." AND "F.C." FOUR SPEED HUBS




Photo No.

632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
(p. 65)
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700

"F.M." AND "F.C." FOUR SPEED HUBS

Photo No.	Part No.	Qty. in Carton	Description	Price s. d.	Price Amendment s. d.
All parts shown below are common to both types of Hub, except where type of Hub is indicated.					
AXLE, INCLUDING CONES, NUTS AND WASHERS					
632	K 831		Axle $5\frac{1}{2}$ in. long ...	8 0	
	K 831A		Axle $6\frac{1}{2}$ in. long ...	8 0	
633	K 805A		Low Gear Dog ...	2 4	
634	K 806		Dog Sleeve ...	8	
635	K 402		Low Gear Key ...	2	
636	K 809A		Secondary Sun Pinion ...	1 9	
637	K 810		Low Gear Spring ...	2	
638	K 811		Locating Plate ...	1	
639	K 812		Locknut for Locating Plate ...	1 $\frac{1}{2}$	
	K 821		Primary Sun Pinion 30 Teeth, F.M. only ...	3 0	
640	K 808		Primary Sun Pinion 30 Teeth, F.C. only ...	3 0	
641	K 527	6	Clutch Sleeve ...	3 6	
642	K 505	12	Sliding Clutch ...	1 6	
643	K 526A		Axle Key ...	3	
	K 804		Indicator for K 831 Axle ...	9	
644	K 804A		Indicator for K 831A Axle ...	9	
645	X 8		Spring Collar ...	1	
646	K 813		Compensating Spring ...	2	
647	K 807Z		Coupling Spindle complete (Quick Release Type) ...	1 9	
648	K 528	6	Thrust Ring ...	8	
649	K 530A	12	Clutch Spring ...	2	
650	K 529	sets	Cap for Clutch Spring ...	1	
651	K 67Z	24	Ball Cage with $\frac{1}{4}$ in. Balls ...	4 $\frac{1}{2}$	
652	K 506Z	12	Axle Cone with Inner Dust Cap Fitted ...	1 3	
653	K 516		Cone Lock Washer ...	1	
654	K 47A	24	Cone Lock Nut ...	2	
655	X 42A	24	Axle Nut Spacing Washer $\frac{1}{4}$ in. thick ...	1	
656	K 231Z	3 Pairs	Wing Nut ...	3 4	Pair
657	K 234A		Chain Guide for Right Hand Wing Nut ...	3	
	K 740AZ		Quick-Release Screwed Connection ...	7	
685	K 227		Locknut for Screwed Connection ...	1	
(p. 65)					
SHELL, WITH DRIVE AND GEAR PARTS					
	K 824		Shell, 40 Holes 14G. F.M. only ...	6 6	
	K 818		Shell, 40 Holes 14G. F.C. only ...	6 6	
658	K 824A		Shell, 36 Holes 14G. F.M. only ...	6 6	
	K 818A		Shell, 36 Holes 14G. F.C. only ...	6 6	
659	S 545		Lubricator ...	2	
660	K 817Z		Left Hand Ball Cup with Lubricator Cap ...	6 6	
661	K 815A		Secondary Planet Cage ...	3 3	
662	K 816A		Secondary Planet Pinion ...	6	
	K 820		Primary Planet Cage. F.M. only ...	5 6	
663	K 603		Primary Planet Cage. F.C. only ...	5 6	
664	K 513	24	Low Gear Pawl ...	4	
	K 823		Low Gear Pawl Pin. F.M. only ...	1	
665	K 58	24	Gear Ring Pawl Pin ...	1	
	K 64		Pawl Spring (R shape) ...	4 $\frac{1}{2}$	Doz.
	K 822B		Planet Pinions. F.M. only ...	6	
666	K 16	24	Planet Pinions. F.C. only ...	7	
	N 24		Pinion Spindle. F.M. only ...	2	
667	K 510	24	Pinion Spindle. F.C. only ...	1 $\frac{1}{2}$	
668	K 511A	4	Gear Ring ...	4 10	
669	K 512	24	Gear Ring Pawl ...	4	
670	K 60	3	Right Hand Ball Ring for $\frac{3}{8}$ in. Balls ...	4 0	
	K 63	sets	Right Hand Inner Dust Cap ...	2	
670	K 228		Right Hand Ball Ring for 14T or 15T Sprockets only ...	4 0	
671	K 230Z		Ball Cage with $\frac{3}{8}$ in. Balls for Right Hand Ball Ring ...	8	
672	K 657		Driver for Splined Sprockets ...	5 0	
673	LB 405		Dust Cap ...	1 $\frac{1}{2}$	
	K 62	12	Right Hand Outer Dust Cap ...	3	
674	K 229		Right Hand Dust Cap for K 228 ...	3	
	K 214		Sprocket 14 Teeth ...	1 8	
	K 215		Sprocket 15 Teeth ...	1 8	
	K 216		Sprocket 16 Teeth ...	1 8	
675	K 217		Sprocket 17 Teeth ...	1 8	
	K 218		Sprocket 18 Teeth ...	1 8	
	K 219		Sprocket 19 Teeth ...	1 8	
	K 220		Sprocket 20 Teeth ...	1 8	
676	X 49	12	Sprocket Washer ...	1 $\frac{1}{2}$	
677	K 36		Sprocket Lockring ...	7	

Prices subject to alteration without notice.

DYNOHUB

THREE AND FOUR SPEED CONTROLS




Photo No.

678

686

679

687

680

688

681

678

686

679

687

680

688

681

682

683

692

681

690

689

691

684

THREE AND FOUR SPEED CONTROLS

Photo No.	Part No.	Qty. in Carton	Description	Price s. d.	Price Amendment s. d.
TRIGGER "FLICK" CONTROL FOR THREE SPEED GEARS					
678	GC 3	36	Trigger Control complete	8 0	2-3
	K 839A		Control Lever	1 6	
	K 838A		Ratchet Plate	1 0	
	K 732		Control Pawl	4	
686	K 733A		Pawl Spring	2	
	K 731A		Pivot Pin for Pawl or Control Lever	1	
679	K 735Z		Control Cable complete	2 0	
687	X 90		Clip Bolt	1	
	X 111		Nut (Black)	2	
	X 116Z		Fulcrum Clip complete 1in.	7	
680	X 116AZ		Fulcrum Clip complete $\frac{7}{8}$ in.	7	
	X 116BZ		Fulcrum Clip complete $1\frac{1}{8}$ in.	7	
	X 69		Clip Bolt	1	
688	X 111A		Nut (Plated)	2	
	X 78Z		Pulley complete 1in.	1 3	
681	X 78BZ		Pulley complete $1\frac{1}{8}$ in.	1 3	
TRIGGER "FLICK" CONTROL FOR FOUR SPEED GEARS					
678	GC 4	36	Trigger Control complete	8 0	2-3
	K 839A		Control Lever	1 6	
	K 838		Ratchet Plate	1 0	
	K 732		Control Pawl	4	
686	K 733A		Pawl Spring	2	
	K 731A		Pivot Pin for Pawl or Control Lever	1	
679	K 735Z		Control Cable complete	2 0	
687	X 111		Clip Nut (Black)	2	
	X 90		Clip Bolt (Plated)	1	
	X 116Z		Fulcrum Clip complete 1in.	7	
680	X 116AZ		Fulcrum Clip complete $\frac{7}{8}$ in.	7	
	X 116BZ		Fulcrum Clip complete $1\frac{1}{8}$ in.	7	
	X 69		Clip Bolt (Black)	1	
688	X 111A		Clip Nut (Plated)	2	
	X 78Z		Pulley complete 1in.	1 3	
681	X 78BZ		Pulley complete $1\frac{1}{8}$ in.	1 3	
TOP TUBE CONTROL					
682	K 52Z		Quadrant complete	3 9	
683	K 55Z		Quadrant Lever	1 3	
692	X 61		Quadrant connection	4	
	X 62		Quadrant Connection Pin	$\frac{1}{2}$	
	N 120		Quadrant Lever Spring	2	
	K 74		Quadrant Lever Stud with Circlip	$1\frac{1}{2}$	
	K 75		Circlip	2	
681	X 78Z		Pulley complete	1 3	
	X 69		Pulley Clip Screw	1	
690	X 111		Nut	2	
689	X 90		Bolt	1	
691	X 4		Knurled Connection	5	
684	X 81Z		Top Tube Wire with X 4 Connection fitted:—		
			Gent's up to 36in. long	1 2	
			Lady's up to 54in. long	1 5	
	GC 1		Top Tube Control complete	6 0	

Prices subject to alteration without notice.




AXLE CHART FOR BRAKE HUBS, TYPES BF, BR, BFT & BRT.

LAY AXLE ALONG THIS CHART. COMPARISON OF OVERALL LENGTH AND LENGTH OF THREAD AT EACH END WILL GIVE CORRECT SYMBOL NUMBER

$\frac{3}{8}$ " DIA. FLATTED AXLES
 $\frac{5}{16}$ " FLATS

$\frac{3}{4}$ " DIA.
 $\frac{3}{4}$ " DIA.
26 T.P.I. R.H. WHIT.

LENGTH OF FLATS SHOWN THUS



Size and
of Wh

28" x 1 1/2"

Westwo

26" x 1 1/2"

Westwo

26" x 1 1/2"

Westwo

20" x 1 1/2"

Westwo

24" x 1 1/2"

Westwo

26" x 1 1/2"

Endric

26" x 1 1/2"

Endric

26" x 1 1/2"

Rale

Patt.

RALEIGH, RUDGE AND HUMBER SPOKE CHART

For Prices see Wheel Section

Page 69

Size and Type of Wheel	Hub No.	Type of Hub	Small Flange			Large Flange			Gauge of Wire I.W.G.	Plain or D.B.
			Length	Cross	No.	Length	Cross	No.		
28" x 1 1/2" Westwood	Front	H 40A	Standard Front Hub ...	12 3/32"	× 3	150	—	—	15	Plain
		BF	Front Brake Hub ...	12 3/32"	× 3	151	11 1/16"	× 3	124	14
		GH 6	6 Volt Dynohub ...	12 3/32"	× 3	151	11 1/16"	× 3	124	14
	Rear	H 39A	Standard Rear Hub ...	12 3/32"	× 4	151	—	—	14	"
		BR	Rear Brake Hub ...	11 1/8"	× 3	126	11 3/32"	× 3	120	14
		S.A.	Brake and Gear or Dyno 3 or 4 (A.B., A.G., etc.) ...	11 1/8"	× 4	143	11 1/8"	× 4	143	14
26" x 1 3/8" Westwood	Front	H 40A	Standard Front Hub ...	11 7/32"	× 3	149	—	—	15	"
		H 40B	Sports Front Hub ...	11 7/32"	× 3	149	—	—	15	"
		BF	Front Brake Hub ...	11 3/16"	× 3	117	10 1/8"	× 2	104	14
	Rear	H 39A/B	Stand'd or S.C. Sports/R'dster R. Hub	11 3/16"	× 4	117	—	—	14	"
		BR	Rear Brake Hub ...	11"	× 3	113	10 1/2"	× 3	107	14
		S.A.	Brake and Gear or Dyno 3 or 4 (A.B., A.G., etc.) ...	11 3/32"	× 4	116	11 3/32"	× 4	116	14
26" x 1 3/4" Westwood	Front	H 42A	Carrier Front Hub ...	10 3/8"	× 3	108	—	—	14	"
	Rear	H 39C	Carrier Rear Hub ...	10 3/8"	× 3	108	—	—	14	"
20" x 1 3/4" Westwood	Front	H 42A	Carrier Front Hub ...	7 1/4"	× 3	100	—	—	14	"
24" x 1 3/8" Westwood	Front	H 40A	Junior Front Hub ...	10 1/4"	× 3	105	—	—	15	"
	Rear	H 39A	Junior Rear Hub ...	10"	× 3	103	—	—	14	"
26" x 1 1/4" Endrick	Front	H 40B	Sports Front Hub ...	11 1/8"	× 3	121	—	—	15	"
		—	"Airlite" (R.R.A.) ...	11"	Radial	131	—	—	15/17	D.B.
		—	"Airlite" (R.R.A.) ...	11 1/8"	× 3	133	—	—	15/17	"
	Rear	BF	Front Brake Hub ...	11 1/8"	× 3	122	10 5/16"	× 2	106	14
		GH 6	6 Volt Dynohub ...	11 1/8"	× 3	122	10 1/16"	× 2	106	14
		H 41A	Sports Rear Hub ...	11 3/8"	× 4	121	—	—	15	"
26" x 1 3/8" Endrick	Front	—	"Airlite" (R.R.A.) ...	11 3/8"	× 4	133	—	—	15/17	D.B.
		—	"Airlite" (R.R.A.) ...	11 3/8"	× 3	117	10 3/8"	× 3	108	14
		BR	Rear Brake Hub ...	11 1/8"	× 3	117	10 3/8"	× 3	108	14
	Rear	S.A.	Brake and Gear or Dyno 3 or 4 (A.B., A.G., etc.) ...	11 3/8"	× 4	117	11 3/16"	× 4	117	14
		S.A.	Gear Hub (A.W., etc.) ...	11 1/8"	× 4	119	—	—	14	"
		H 40B	Sports Front Hub ...	11 1/4"	× 3	118	—	—	15	"
26" x 1 3/8" Raleigh	Front	—	"Airlite" (R.R.A.) ...	10 3/4"	Radial	130	—	—	15/17	D.B.
		—	"Airlite" (R.R.A.) ...	11 1/4"	× 3	147	—	—	15/17	"
		BF	Front Brake Hub ...	11 3/8"	× 3	117	10 1/8"	× 2	104	14
	Rear	GH 6	6 Volt Dynohub ...	11 3/8"	× 3	119	10 1/8"	× 2	104	14
		H 39B	Sports/Roadster Rear Hub ...	11 1/4"	× 4	119	—	—	14	"
		H 41A	Sports Rear Hub ...	11 1/4"	× 4	118	—	—	15	"
26" x 1 3/8" Raleigh	Front	—	"Airlite" (R.R.A.) ...	11 1/4"	× 4	147	—	—	15/17	D.B.
		—	"Airlite" (R.R.A.) ...	11 1/4"	× 3	113	10 1/2"	× 3	107	14
		BR	Rear Brake Hub ...	11"	× 3	113	10 1/2"	× 3	107	14
	Rear	S.A.	Brake and Gear or Dyno 3 or 4 (A.B., A.G., etc.) ...	11 3/32"	× 4	116	11 3/32"	× 4	116	14
		S.A.	Gear Hub (A.W., etc.) ...	11 3/32"	× 4	148	—	—	14	"
		H 40A	Standard Front Hub ...	11 7/32"	× 3	149	—	—	15	"
26" x 1 3/8" Raleigh	Front	H 40B	Sports Front Hub ...	11 7/32"	× 3	149	—	—	15	"
		BF	Front Brake Hub ...	11 3/16"	× 3	117	10 1/8"	× 2	104	14
		GH 6	6 Volt Dynohub ...	11 3/16"	× 3	117	10 1/8"	× 2	104	14
	Rear	H 39A/B	Stand'd or S.C. Sports/R'dster R. Hub	11 3/8"	× 4	117	—	—	14	"
		BR	Rear Brake Hub ...	11"	× 3	113	10 1/2"	× 3	107	14
		S.A.	Brake and Gear or Dyno 3 or 4 (A.B., A.G., etc.) ...	11 1/32"	× 4	153	11 1/32"	× 4	153	14
26" x 1 3/8" Raleigh	Rear	S.A.	Gear Hub (A.W., etc.) ...	11 3/32"	× 4	116	—	—	14	"

26 x 1 3/8 Westwood Dynohub 11" & 11 1/4" cross 3
26 x 1 1/4 Endrick

DYNOHUB

SPOKE CHART FOR SPECIAL MODELS

Size and Type of Wheel		Hub No.	Type of Hub	Small Flange			Large Flange			Gauge of Wire I.W.G.	Plain or D.B.
				Length	Cross	No.	Length	Cross	No.		
27" x 1 1/4"	Front	— GH 6	"Airlite" (R.R.A.) ...	11 1/8"	Radial	135	—	—	—	15/17	D.B.
			"Airlite" (R.R.A.) ...	12 1/8"	× 3	137	—	—	—	15/17	"
			6 Volt Dynohub ...	12 1/8"	× 3	146	10 1/8"	× 2	112	14	Plain
	Rear	— S.A	"Airlite" (R.R.A.) ...	12 1/8"	× 4	137	—	—	—	15/17	D.B.
			Gear Hub (A.W., etc.) ...	11 7/8"	× 4	126	—	—	—	14	Plain
26" x 1 1/4"	Front	— GH 6	"Airlite" (R.R.A.) ...	11"	Radial	131	—	—	—	15/17	D.B.
			"Airlite" (R.R.A.) ...	11 7/8"	× 3	139	—	—	—	15/17	"
			6 Volt Dynohub ...	11 7/8"	× 3	140	10 5/16"	× 2	106	14	Plain
	Rear	— S.A	"Airlite" (R.R.A.) ...	11 7/8"	× 4	139	—	—	—	15/17	D.B.
			Gear Hub (A.W., etc.) ...	11 7/8"	× 4	152	—	—	—	14	Plain
27" x 1"	Front	— GH 6	"Airlite" (R.R.A.) ...	11 3/8"	Radial	141	—	—	—	15/17	D.B.
			"Airlite" (R.R.A.) ...	11 1/8"	× 3	142	—	—	—	15/17	"
			6 Volt Dynohub ...	11 1/8"	× 3	143	10 1/2"	× 2	112	14	Plain
	Conloy	— S.A	"Airlite" (R.R.A.) ...	11 1/2"	× 4	142	—	—	—	15/17	D.B.
			Gear Hub (A.W., etc.) ...	11 1/2"	× 4	125	—	—	—	14	Plain
26" x 1" or 1 1/4"	Front	— GH 6	"Airlite" (R.R.A.) ...	11"	Radial	131	—	—	—	15/17	D.B.
			"Airlite" (R.R.A.) ...	11 3/8"	× 3	133	—	—	—	15/17	"
			6 Volt Dynohub ...	11 3/8"	× 3	122	10 3/16"	× 2	106	14	Plain
	Conloy	— S.A	"Airlite" (R.R.A.) ...	11 3/8"	× 4	133	—	—	—	15/17	D.B.
			Gear Hub (A.W., etc.) ...	11 3/8"	× 4	119	—	—	—	14	Plain
26" x 1 1/2" x 2"	Front	H 40A	Standard Front Hub ...	10 7/8"	× 3	144	—	—	—	15	Plain
		H 42A	Carrier Front Hub ...	10 7/8"	× 3	108	—	—	—	14	"
		GH 6	6 Volt Dynohub ...	10 7/8"	× 3	136	9 3/8"	× 2	101	14	"
		B.F	Front Brake Hub ...	10 7/8"	× 3	136	9 3/4"	× 2	101	14	"
	Rear	H 39A	Standard Rear Hub ...	10 5/8"	× 3	108	—	—	—	14	"
		B.R	Rear Brake Hub ...	10 5/8"	× 3	108	10 1/8"	× 3	104	14	"
		S.A	Brake and Gear or Dyno 3 or 4 (A.B., A.G., etc.) ...	10 3/8"	× 3	106	10 1/8"	× 3	104	14	"
		S.A	Gear Hub (A.W., etc.) ...	10 3/8"	× 3	106	—	—	—	14	"
28" x 1 1/2"	Front	H 42A	Heavy Front Hub ...	12 1/8"	× 4	129	—	—	—	14	"
	Front	H 52A	Export Hub ...	12 1/8"	× 4	129	—	—	—	14	"
		H 53A	Export Hub ...	12 1/8"	× 4	129	—	—	—	14	"
	Rear	H 40A	Standard Front Hub ...	12 1/8"	× 3	128	—	—	—	15	"
28" x 1 3/8" Westwood & Wedgewood	Rear	H 39A	Standard Rear Hub ...	12 1/8"	× 4	129	—	—	—	14	"
28" x 1 3/8" Westwood & Wedgewood	Front	H 40A	Standard Front Hub ...	11 7/8"	× 3	134	—	—	—	15	"
	Rear	H 39A	Standard Rear Hub ...	11 7/8"	× 4	126	—	—	—	14	"
28" x 1 3/8" x 1 1/2" Endrick & Westwood	Front	H 40B	Sports Front Hub ...	11 7/8"	× 3	134	—	—	—	15	"
	Rear	H 41A	Sports Rear Hub ...	11 7/8"	× 4	134	—	—	—	15	"
		S.A	Gear Hub (A.W., etc.) ...	11 1/8"	× 4	124	—	—	—	14	"
28" x 1 1/2" Westwood	Rear	Perry Eadie	Coaster Hub ...	12"	× 4	127	—	—	—	14	"
			Coaster Hub ...	11 1/2"	× 3	125	11 1/2"	× 3	123	14	"
26" x 1 1/2" Westwood	Rear	Eadie	Coaster Hub ...	10 3/4"	× 3	110	10 1/2"	× 3	107	14	"
26" x 1 3/8" Westwood & Ral. Patt. Rim	Rear	Perry Eadie	Coaster Hub ...	11 3/8"	× 4	117	—	—	—	14	"
			Coaster Hub ...	10 1/8"	× 3	112	10 1/8"	× 3	109	14	"
26" x 1 3/8" Endrick	Rear	Perry Eadie	Coaster Hub ...	11 3/8"	× 4	117	—	—	—	14	"
			Coaster Hub ...	10 1/2"	× 3	112	10 1/8"	× 3	109	14	"

ROBIN HOOD SPOKE CHART

For Prices see
Wheel Section

Size and Type of Wheel		Hub No.	Type of Hub	Small Flange			Large Flange			Gauge of Wire I.W.G.	Plain or D.B.
				Length	Cross	No.	Length	Cross	No.		
28" x 1 1/2"	Front	H 40C B.F GH 6	Standard Front Hub	12 3/4"	x 3	150	—	—	—	15	Plain
			Front Brake Hub	12 3/4"	x 3	151	11 1/8"	x 3	124	14	"
			6 Volt Dynohub	12 3/4"	x 3	151	11 1/8"	x 3	124	14	"
	Rear	H 39D B.R S.A S.A	Standard Rear Hub	12 3/4"	x 4	151	—	—	—	14	"
			Rear Brake Hub	11 7/8"	x 3	126	11 3/32"	x 3	120	14	"
			Brake and Gear or Dyno 3 or 4 (A.B., A.G., etc.)	11 1/2"	x 4	143	11 1/2"	x 4	143	14	"
26" x 1 1/8"	Front	H 40C B.F GH 6	Standard Front Hub	11 3/4"	x 3	149	—	—	—	15	"
			Front Brake Hub	11 3/4"	x 3	117	10 1/8"	x 2	104	14	"
			6 Volt Dynohub	11 3/4"	x 3	117	10 1/8"	x 2	104	14	"
	Rear	H 39D B.R S.A S.A	Standard Rear Hub	11 3/4"	x 4	117	—	—	—	14	"
			Rear Brake Hub	11"	x 3	113	10 1/2"	x 3	107	14	"
			Brake and Gear or Dyno 3 or 4 (A.B., A.G., etc.)	11 3/4"	x 4	116	11 3/32"	x 4	116	14	"
26" x 1 3/8"	Front	H 40B B.F GH 6	Sports Front Hub	11 1/2"	x 3	118	—	—	—	15	"
			Front Brake Hub	11 1/2"	x 3	117	10 1/8"	x 2	104	14	"
			6 Volt Dynohub	11 1/2"	x 3	117	10 1/8"	x 2	104	14	"
	Rear	H 39B B.R S.A S.A	Sports Rear Hub	11 1/2"	x 4	119	—	—	—	14	"
			Rear Brake Hub	11"	x 3	113	10 1/2"	x 3	107	14	"
			Brake and Gear or Dyno 3 or 4 (A.B., A.G., etc.)	11 3/4"	x 4	116	11 3/32"	x 4	116	14	"
26" x 1 1/4"	Front	H 42A H 39C	Carrier Front Hub	10 5/8"	x 3	108	—	—	—	14	"
			Carrier Rear Hub	10 5/8"	x 3	108	—	—	—	14	"
20" x 1 1/2"	Front	H 42A	Carrier Front Hub	7 1/4"	x 3	100	—	—	—	14	"
			Carrier Front Hub	7 1/4"	x 3	100	—	—	—	14	"
26" x 1 1/4"	Front	H 40B B.F GH 6	Sports Front Hub	11 3/4"	x 3	121	—	—	—	15	"
			Front Brake Hub	11 3/4"	x 3	122	10 5/8"	x 2	106	14	"
			6 Volt Dynohub	11 3/4"	x 3	122	10 5/8"	x 2	106	14	"
	Rear	H 41A B.R S.A S.A	Sports Rear Hub	11 3/4"	x 4	122	—	—	—	14	"
			Rear Brake Hub	11 3/4"	x 3	117	10 5/8"	x 3	108	14	"
			Brake and Gear or Dyno 3 or 4 (A.B., A.G., etc.)	11 3/4"	x 4	117	11 3/32"	x 4	117	14	"
26" x 1 1/4"	Rear	S.A S.A	Gear Hub (A.W., etc.)	11 1/2"	x 4	119	—	—	—	14	"
			Gear Hub (A.W., etc.)	11 1/2"	x 4	119	—	—	—	14	"


DYNOHUB


NOTES

A large, empty rectangular area with a double red border, intended for notes. The area is cream-colored and shows some minor staining and texture. It is framed by a red border, which is itself set within a larger red frame. The page is part of a book with a red cover and a pinkish-purple spine visible on the right.

DYNOHUB SECTION

When ordering quote PART NUMBER and not Photo Number



Raleigh Industries Limited · Nottingham

DYNOHUB
Warrant

G.H.6 FRONT DYNOHUB, 6 VOLT




Photo
No.

713
714
717
719
712
720
718
701
702
700

709
708
710
711
707
706
705
715
716
704
703
721
722

723
724

725

726
727
729
730
728

731-5

731
732
735
734
733

G.H.6 FRONT DYNOHUB, 6 VOLT

Photo No.	Part No.	Qty. In Carton	Description	Price s. d.	Price Amendment s. d.
HUB SHELL WITH AXLE, CONES, NUTS AND WASHERS					
713	GL 345Z		Hub Shell, 32 Holes ...	9 0	
714	M 355		Lubricator Spring Clip ...	1 1/2	
717	K 67Z		Ball Retainer with 1/4 in. Balls ...	4 1/2	
719	LB 426B		Spindle 4 1/2 in. long ...	9	
712	LB 357Z		Left Hand Cone with K 59 Dust Cap ...	1 3	
720	LB 358Z		Right Hand Cone with LB 404 Dust Cap ...	1 3	
718	LB 405		Dust Cap ...	1 1/2	
701	X 42A		Axle Washer 1/4 in. thick ...	1	
702	LB 155		Cone Lock Nut, Plain ...	2	
	LB 155A		Cone Lock Nut, Spigotted ...	3	
700	LB 162		Axle Nut ...	2	
DYNAMO PARTS					
709	GL 603AZ		Armature complete ...	10 6	
708	GL 613		Terminal Nut for Armature ...	1 1	
710	GL 343A		Magnet (magnetised and with Keeper Ring) ...	12 6	
711	GL 609		Magnet Spacing Disc ...	1 1	
707	GL 610		Patent Number Disc ...	1 3	
706	GL 611		Cover Plate ...	1 1/2	
705	GL 612		Magnet Fixing Screw ...	1 1/2	
715	GL 333		Spring Washer for GL 316 Nut ...	1 1/2	
716	GL 316		Nut for Magnet Fixing Screw ...	1	
704	K 605		Spacing Washer ...	6	
703	LB 121		Adjusting Washer for Left Hand Cone ...	14 0	
721	HF 62		Headlamp complete with 6 volt 2 amp. bulb for Dyno-Luxe ...	14 0	
	HF 63		Headlamp complete with 6 volt 3 amp. bulb ...	2 3	
722	GL 401SZ		Lamp Rim with Fixing Lug and Screw ...	5 1	
	GL 403		Lamp Glass ...	1	
	GL 404		Seal for Lamp Glass ...	3 0	
723	GL 402		Reflector ...	1 1	
724	GL 405		Reflector Securing Spring ...	9 1	
	GL 454		Focussing Screw ...	5 1	
	GL 455		Focussing Spring ...	5 1	
	GL 406		Focussing Bracket ...	1 1/2	
725	X 35		Split Pin ...	1 6	
	GL 408Z		Bulb Holder ...	2 6	
	GL 457Z		Switch Assembly complete ...	1 1	
	GL 202C		Terminal Nut ...	9 1	
726	GL 430		Lamp Bracket Adaptor ...	4 1	
727	GL 431		Bracket Fixing Bolt ...	1 1	
729	GL 432		Spring Washer for Fixing Bolt ...	2 1	
730	K 175		Bracket Fixing Nut ...	1 1	
728	P 70		Washer ...	1 1	
TAIL LAMP					
731-5	TL 6R		Tail Lamp, complete with 6 volt .04 amp. Bulb Round Clip but less flex wire ...	2 0	
	TL 6D		Tail Lamp, complete with 6 volt .04 amp. Bulb and "D" shape Clip less flex wire ...	2 0	
	TL 6S		Tail Lamp, complete with 6 volt .04 amp. Bulb and Oval Clip but less flex wire ...	2 0	
731	GL 231		Dome for Tail Lamp ...	4 1	
732	GL 202Z		Terminal complete ...	1 1	
735	S 98		Nut for Fixing Screw ...	3 1	
734	P 1056		Washer for Fixing Screw ...	2 1	
	GL 234		Clip for Round Stays ...	2 1	
733	GL 235		Clip for Oval Stays ...	2 1	
	GL 237		Clip for "D" Stays ...	2 1	
BULBS					
	GL 471		Headlamp Bulb 6 volt .3 amp. ...	9 1	
	GL 474		Headlamp Bulb 6 volt .2 amp. (for use with accumulator) ...	9 1	
	GL 228		Tail Lamp Bulb 6 volt .04 amp. ...	9 1	
				Plus 3d. Purchase Tax	

Prices subject to alteration without notice.

"A.G." THREE SPEED AND DYNOHUB




Photo
No.

736
737
(p. 74)

762
752
763
764
768
765
750
751
753
748
747
749
754
766
767
755
742
756
759
760
746
744
745
743
741
769
770

740
739
738
761
757

75

"A.G." THREE SPEED AND DYNOHUB

Photo No.	Part No.	Qty. in Carton	Description	Price s. d.	Price Amendment s. d.
DYNOHUB AND DYNOLUXE CABLES AND FITTINGS					
	GL 229DZ		Twin Flex from Rear Hub to Dry Accumulator, length 27in. ...	1 6	
	GL 229CZ		Twin Flex from Headlamp to Dry Accumulator and Tail Lamp (state length required) ...	2 3	
	GL 229Z		Twin Flex from Hub to Headlamp, length 34in. ...	1 6	
	GL 229BZ		Twin Flex from Head to Tail Lamp (state length required) ...	2 3	
	GL 320		Diagonal Tube Cable Clip ...	2	
	GL 320A		Head Stem Cable Clip (Chrome) ...	2	
	GL 321		Bottom Taper Backstay Cable Clip ...	2	
	GL 322		"D" Section Fork Cable Clip ...	2	
	GL 323		Round Blade Fork and Top Frame Tube Cable Clip ...	2	
	GL 324		Top Taper Backstay Cable Clip ...	1	
	GL 328		Wire Tag 2 B.A. ...	1	
	GL 329		Wire Tag 6 B.A. ...	2	
	GL 334		Down Seat and Head Tube Cable Clip ...	2	
	GL 335		Detachable Backstay Cable Clip ...	2	
	GL 339		Detachable Backstay Cable Clip (Robin Hood) ...	2	
	P 1503		Lady's Diagonal and Gent's Top Tube Clip (to take Dynohub and Brake Cable) ...	2½	
"A.G." WIDE RATIO THREE SPEED GEAR AND DYNOHUB HUB AND GEAR PARTS					
	K 601AZ		Axle 6½in. long with Sun Pinion fitted ...	4 6	
	K 508		Sun Pinion ...	11	
	K 509		Dowel ...	1	
	K 603		Planet Cage ...	5 6	
	K 527		Clutch Sleeve ...	6	
	K 505		Sliding Clutch ...	1 6	
	K 526A		Axle Key ...	3	
	K 528		Thrust Ring ...	8	
	K 16		Planet Pinion ...	7	
	K 510		Planet Spindle ...	1½	
	K 511A		Gear Ring ...	4 10	
	K 512		Gear Ring Pawl ...	4	
	K 64		Pawl Spring ...	4½	
	K 58		Pawl Pin ...	1	
	K 60		Right Hand Ball Ring ...	4 0	
	329		Ball-bearings ¾in. 24 in set ...	2 4	
	K 63		Inner Dust Cap ...	2	
	K 530		Clutch Spring ...	1	
	K 529		Cap for Clutch Spring ...	5 0	
	K 507		Driver ...	4½	
	K 67Z		Ball Cage with ½in. Balls ...	1½	
	LB 405		Dust Cap ...	1 3	
	K 506Z		Right Hand Cone with LB 404 Dust Cap fitted ...	1	
	K 516		Axle Lock Washer ...	4	
	K 513		Left Hand Pawl ...	7 6	
	GL 618		Hub Shell, 40 Holes ...	2	
	S 545		Lubricator ...	4 0	
	K 604		Left Hand Ball Cup ...	1 6	
	K 105Z		Left Hand Cone with K 59 Dust Cap fitted ...	1 9	
	K 504AZ		Indicator complete ...	1	
	K 227		Lock Nut ...		
DYNAMO PARTS (same as for G.H.6 Hub, see page 75)					
OUTSIDE AXLE FITTINGS					
	K 47A		Cone Lock Nut ...	2	
	K 521		Axle Lock Washer ...	1	
	K 520		Left Hand Axle Nut ...	3	
	K 519		Right Hand Axle Nut ...	9	
	K 62		Outer Dust Cap ...	3	
	X 49		Sprocket Spacing Washer ...	1½	
	X 48E		Sprocket 16 Teeth ...	1 8	
	X 48C		Sprocket 17 Teeth ...	1 8	
	X 48		Sprocket 18 Teeth ...	1 8	
	X 48D		Sprocket 19 Teeth ...	1 8	
	X 48F		Sprocket 20 Teeth ...	1 8	

Prices subject to alteration without notice.

"F.G." FOUR SPEED AND DYNOHUB




Photo No.

805
803
802
786
779
785
808
809
810
811
783
784
780
781
788
812
813
789
775
790
793
794
777
778
787
776
782
774
804
801
803
799
798
797
807
806
796
814
815
773
772
771
795
791
792
816
817
818
819
820
821
822
823


"F.G." FOUR SPEED AND DYNOHUB

Photo No.	Part No.	Qty. in Carton	Description	Price s. d.	Price Amendment s. d.
HUB AND GEAR PARTS					
805	K 401A		Axle $6\frac{1}{2}$ in. long ...	6 9	
803	K 401		Axle $5\frac{1}{2}$ in. long ...	6 9	
802	K 408		Primary Sun Pinion ...	2 0	
786	K 409		Secondary Sun Pinion ...	1 3	
779	K 511A		Gear Ring ...	4 10	
785	K 512		Gear Ring Pawl ...	4	
808	K 403		Planet Cage ...	7 3	
809	K 527		Clutch Sleeve ...	6	
810	K 505		Sliding Clutch ...	1 6	
811	K 526A		Axle Key ...	3	
783	K 528		Thrust Ring ...	8	
784	K 416		Planet Pinion ...	2 0	
780	K 426		Pinion Pin ...	2	
781	K 64		Pawl Spring (R shape) ...	4 $\frac{1}{2}$	
788	K 58		Pawl Pin ...	1	
	K 60		Right Hand Ball Ring for $\frac{3}{16}$ in. Balls ...	4 0	
	329		Ball-bearings $\frac{3}{16}$ in. 24 in set ...	2 4	
812	K 63		Dust Cap ...	2	
813	K 530		Spring ...	2	
789	K 529		Spring Cap ...	1	
775	K 507		Driver ...	5 0	
790	K 67Z		Ball Cage with $\frac{1}{2}$ in. Balls ...	4 $\frac{1}{2}$	
793	LB 405		Dust Cap ...	1 $\frac{1}{2}$	
794	K 506Z		Right Hand Cone with Dust Cap fitted ...	1 3	
777	K 516		Lock Washer ...	1	
778	K 413		Left Hand Pawl ...	4	
787	K 414		Left Hand Pawl Spring ...	2	
	GL 624		Shell, 40 Holes ...	7 6	
	S 545		Lubricator ...	2	
776	K 404		Ball Cup ...	4 0	
782	K 425		Fixing Screw ...	2	
774	K 427		Left Hand Cone with Dust Cap fitted ...	1 3	
804	K 410		Low Gear Spring ...	2	
801	K 406		Pinion Sleeve ...	7	
800	K 402		Low Gear Key ...	2	
799	K 405		Dog Ring ...	1 9	
798	K 411		Washer ...	1	
797	K 812		Lock Nut ...	1 $\frac{1}{2}$	
807	K 813		Compensating Spring ...	2	
806	X 8		Spring Collar ...	1	
796	K 804A		Indicator for K 401A Axle ...	9	
	K 804		Indicator for K 401 Axle ...	9	
814	K 807Z		Indicator Coupling complete ...	1 9	
815	K 227		Lock Nut ...	1	
DYNAMO PARTS (same as for G.H.6. Hub, see page 75)					
OUTSIDE AXLE FITTINGS					
773	K 47A		Cone Lock Nut ...	2	
772	K 521		Axle Washer ...	1	
771	N 190		Left Hand Axle Nut ...	9	
795	N 200		Right Hand Axle Nut ...	9	
791	K 62		Outer Dust Cap ...	3	
	X 49		Sprocket Washer ...	1 $\frac{1}{2}$	
	X 48E		Sprocket 16 Teeth ...	1 8	
	X 48C		Sprocket 17 Teeth ...	1 8	
792	X 48		Sprocket 18 Teeth ...	1 8	
	X 48D		Sprocket 19 Teeth ...	1 8	
	X 48F		Sprocket 20 Teeth ...	1 8	
DYNO-LUXE DRY ACCUMULATOR AND CONTAINER COMPLETE					
816	GL 480Z		Casing with lugs, less Base Plates ...	3 6	
817	GL 482		Base Plate for Casing ...	2	
818	GL 483		Casing Fixing Clip ...	2	
819	X 90		Clip Fixing Bolt ...	1	
820	X 111		Nut (Black) ...	2	
	GL 489Z		Rectifier Unit complete with Terminals ...	8 0	
	GL 487		Cover for Rectifier ...	7	
821	GL 202C		Nut for outer terminal (6 B.A.) ...	1	
	GL 486		Centre Nut for Centre Terminal (2 B.A.) ...	1	
	GL 318A		Nut for Centre Terminal (2 B.A.) ...	1	
822	GL 438		Accumulator Cell. R.T.U. ...	5 0	

Prices subject to alteration without notice.


WORKSHOP TOOL SECTION

When ordering quote PART NUMBER and not Photo Number



Raleigh Industries Limited · Nottingham

WORKSHOP TOOLS



WORKSHOP TOOLS

Photo No.	Part No.	Description	Price £ s. d.	Price Amendment £ s. d.
FRAME AND FORK				
823	DD 9123	5ft. 6in. Straight edge for tracking	11 3	
824	DT 1921	Screwing Die for Fork Stem (26 TPI)	18 9	1-0-3
824	DT 4724	Screwing Die for Fork Stem (24 TPI) (Robin Hood only)	18 9	1-0-3
825	DD 9115	Die Holder	9 9	
826	No. 52	Drill for Brake Fulcrum Peg in Fork	1 2	
	DT 3253	Reamer for Sports Fork Crown and Backstay Bridge	15 0	
	DT 2287	Seat Tube Reamer 1in. dia.	1 4 0	
827	DT 1357	Seat Tube Reamer (Juniors only)	1 0 8	
	DT 4504	Seat Tube Reamer 1 1/4 in. dia. (Robin Hood only)	1 2 6	
	DT 6155	Fork Stem Reamer (3-406)	16 6	
828	DH 1298	Mandrel for DT 2287, 4504, 1357 and 6155	7 6	
860		1/2 in. Standard Reamer for Seat Lug Ears	10 6	
	DT 2420	R.H. Bottom Bracket Tap (26 TPI)	1 10 9	
	DT 2421	L.H. Bottom Bracket Tap (26 TPI)	1 10 9	
829	DT 4508	R.H. Bottom Bracket Tap (24 TPI) (Robin Hood only)	1 10 9	
	DT 4509	L.H. Bottom Bracket Tap (24 TPI) (Robin Hood only)	1 10 9	
830	DH 475	Mandrel for above Taps	1 8 6	
	DH 476	Mandrel for above Taps	1 8 6	
831	DD 9107	Spanner to suit DH 475, 476, 1298 and DD 1024	9 9	
STEERING HEAD				
832	DD 2684	Head Locknut Spanner (old Patt. S 179)	4 6	
833	DD 9096	Head Locknut Spanner (new Patt. S 179A)	9 0	
834	DD 9110	Head Pliers for S 733 and old Patt. P 408 and S 636	9 0	
833	DD 8692	Head Locknut Spanner (S 732) (Robin Hood only)	3 0	
835	DD 9098	Head Spanner for S 636A (Octagonal)	9 9	
836	DD 9126	Crown Race Fitting Tube	7 6	
BOTTOM BRACKET AND CRANKS				
837	DD 549	B.B. Cone Spanner (S 9 and S 10)	4 6	
838	DD 9111	B.B. Lockring Spanner (P 287)	5 3	
839	DD 1024	Extractor for B.B. Fixed Cup	14 3	
	DT 1202	R.H. Crank Tap .567in. x 20 TPI Whit.	14 3	
840	DT 1202A	L.H. Crank Tap .567in. x 20 TPI Whit.	18 0	
843	DT 1122	Taper Crank Reamer (old patt.)	10 3	1-16-9
842	DT 2031	Cotter Pin Punch	3 9	
841	DT 1878	Parallel Crank Reamer (Robin Hood only)	1 2 6	
844	DD 9121	Peg Spanner for B.B. Cup (Robin Hood only)	3 0	
845	DD 9114	Crank Straightener	7 6	
846		Cotter Pin Remover	8 3	
843	DT 6070	Parallel Crank Reamer	1 0 3	
WHEELS AND PEDALS				
847	DD 3440	Wheel Nut Spanner (3 Speed)	6 0	
	DD 3441	Wheel Nut Spanner (Standard). Also used for Cotter Nut, Expander Bolt and Seat Bolt	5 3	
848	DD 3218	Freewheel Remover	2 1 3	
849	DD 3495	Sprocket Remover (16T and 18T)	12 9	
850	DD 9542	Tyre Levers (Strong)	1 6	
851	DD 2776	Sprocket Lockring Spanner (K 36)	10 6	
852	DD 1850	Nipple Key	5 3	
853	DD 9122	Wheel Truing Stand	6 5 3	
854	DD 1830A	Wheel Centring Gauge (Standard)	14 3	
855	DD 1830B	Wheel Centring Gauge (L.G. Carrier)	14 3	
856	DD 1717	Lubricator Spanner (S 545)	2 3	
857	DD 4274	Spanner for tightening fixed Hub Cones	9 0	
858	DD 1604	Pedal Spindle Spanner	4 6	

Prices subject to alteration without notice.

WORKSHOP TOOLS







Photo
No.

859

860
861
862

863

896
864
865
866

867

868


869

WORKSHOP TOOLS


Photo No.	Part No.	Description	Price £ s. d.	Price Amendment £ s. d.
FREE WHEEL				
859	DD 5380	Spanner for Freewheel Cone	1 1 9	
HANDLEBAR AND BRAKES				
860	DT 4735	Handlebar Eyebolt Reamer	2 8 3	2-13-2
861	DD 2683	Spanner for Roller Lever Nut (S 93)	2 3	
862	DD 9543	Tool for assembling Eyebolt Locknut	7 6	
STANDARD EQUIPMENT				
863	DT 1829	Square Box Spanner (S 386)	2 3	
	DT 1830	Large Hex. Spanner	6 9	
	DT 1831	Small Hex. Spanner	5 3	
	DT 1831	6in. King Dick Adjustable Spanner	8 8	
896	CD 981	Floor Stand with Peg	2 17 0	
864	CD 983	Bench Peg	1 3 3	
865	CD 980	Adaptor for Stand and Peg (Juniors only)	12 0	
DRILLS H.S.S.				
867	Standard	3/8 in.	1 2	
		1/2 in.	1 2	
		5/8 in.	1 3	
		3/4 in.	1 5	
		7/8 in.	1 8	
		1 in.	1 11	
		1 1/8 in.	2 8	
		1 1/4 in.	3 0	
		1 3/8 in.	3 6	
		1 1/2 in.	4 0	
		1 3/4 in.	4 6	
		1 7/8 in.	4 9	
		2 in.	5 3	
		2 1/8 in.	5 8	
TAPS				
868	Special	.160in. dia. x 32T	1 2	
		.193in. dia. x 28T	1 2	
		.222in. dia. x 28T	1 9	
		.250in. dia. x 26T	1 9	
		.259in. dia. x 26T	2 2	
		.259in. dia. x 30T	2 2	
		.269in. dia. x 26T	2 2	
		.317in. dia. x 26T	3 0	
		.377in. dia. x 26T	3 5	
		Tap Wrench	1 18 3	
869	DD 9127			
FILES				
		5in. Square (Smooth)	1 6	
		5in. Square (Rough)	1 2	
		6in. Round (Smooth)	1 6	
		6in. Round (Rough)	1 2	
		6in. Half Round (Smooth)	1 11	
		6in. Half Round (Rough)	1 6	
		6in. Pillar (Smooth)	1 6	
		6in. Pillar (Rough)	1 2	
		8in. Flat (Smooth)	1 11	
		8in. Flat (Rough)	1 6	
		12in. Flat (Smooth)	3 9	
		12in. Flat (Rough)	2 3	

Prices subject to alteration without notice.

WORKSHOP TOOLS



870



871



872



873



874



877



878



890



891



889



887



886



895



879



880



885




893



882




883




875




884




881




863




888



894



876



892

Photo
No.

870
871
872
873
863
874
875
876
895

877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895

896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000

WORKSHOP TOOLS

Photo No.	Part No.	Description	Price £ s. d.	Price Amendment £ s. d.
DYNOHUB				
870		Accumulator Charging Board (D.C.)	4 6 3	
871		Accumulator Charging Board (A.C.)	4 6 3	
872		Raleigh Universal Test Meter	5 16 3	
873	DD 5587	Tube Spanner for Armature Lockring	3 0	
863	DD 6019	Tube Spanner (6 B.A.)	2 3	
874	DD 6839	Spanner for tightening Fixed Cone	6 9	
875	GD 480	Keeper Ring (12 Volt Hub)	3 0	
875	GD 495	Keeper Ring (6 and 8 Volt Hub)	3 0	
876	DD 1247	Vice for $\frac{3}{4}$ in. and $\frac{5}{8}$ in. Axles	1 14 6	
895	DD 10003	Rectifier Locknut Spanner	3 5	
STURMEY-ARCHER HUBS				
877	DD 9128	Sprocket Chain Wrench	6 9	
878	K 43	Screwdriver for Axle Grub Screw	1 6	
879	K 44A	Spanner for Axle Nuts and Brake Cone Adjuster	9	
880	X 44A	Spanner for Axle Nuts and Plain Cones	9	
881	DD 911	Tool for Removing L.H. Ball Cup (3 speed)	11 3	
882	GD 514	Tool for Removing L.H. Ball Cup (4 speed)	5 8	
883	DD 1670	Tool for Sprocket removal (6 prong driver)	3 9	
884	DD 5978	Tool for Sprocket removal (4 prong driver)	3 9	
885	DD 1145	"C" Spanner for R.H. Ball Ring	8 8	
		Panel to hold above	18 9	
MISCELLANEOUS EQUIPMENT				
886		Screwdriver (Large)	3 9	
887		Screwdriver (Small)	2 3	
888		Hand Drill ($\frac{1}{2}$ in. dia. capacity)	1 1 9	
889		Hide Mallet No. 2... ..	6 9	
890		8oz. Soldering Iron	5 3	
891		1lb. Hammer	4 6	
892		Hacksaw Frame (Adjustable)	4 6	
892		Hacksaw Blades 12in. long $\times$ 32T	3 9	
892		Hacksaw Blades 12in. long $\times$ 14T	3 9	
893		Pliers and Wire Cutters combined	3 0	
894		Parkinson Vice (Quick Action)	4 10 0	
		Lead Clamps for above	5	
		Tin Clamps for above	5	

Prices subject to alteration without notice.

NOTES

100	100	100	100	100	100	100	100
100	100	100	100	100	100	100	100
100	100	100	100	100	100	100	100
100	100	100	100	100	100	100	100
100	100	100	100	100	100	100	100
100	100	100	100	100	100	100	100
100	100	100	100	100	100	100	100
100	100	100	100	100	100	100	100
100	100	100	100	100	100	100	100
100	100	100	100	100	100	100	100
100	100	100	100	100	100	100	100
100	100	100	100	100	100	100	100
100	100	100	100	100	100	100	100
100	100	100	100	100	100	100	100
100	100	100	100	100	100	100	100
100	100	100	100	100	100	100	100
100	100	100	100	100	100	100	100
100	100	100	100	100	100	100	100
100	100	100	100	100	100	100	100
100	100	100	100	100	100	100	100
100	100	100	100	100	100	100	100
100	100	100	100	100	100	100	100
100	100	100	100	100	100	100	100
100	100	100	100	100	100	100	100
100	100	100	100	100	100	100	100