

REDLINE

REDLINE / ROAD / CROSS / MTB / FITNESS





pgs 3-10



pgs 11-17



pgs 18-21



pgs 22-28



pgs 29-31



Your ride. Your experience.

At Redline Bicycles, we are committed to creating bikes that give you the riding experience you want. Whether you love to ride the city streets or mountain trails, Redline has a bike for you.



MTB SERIES

D660 29er

D640

D460 29er

D440 29er

Monocog Flight 29er

Monocog 29er





D660 29er

29" Wheels, 9 speeds, race ready!

Super lightweight and strong U6 double butted aluminum alloy tubing frame with a replaceable rear derailleur hanger. Race worthy RockShox Reba SL fork with 100mm of travel. Sure stopping Avid BB7 mechanical disc brakes with 160mm rotors. SRAM X.9 shifter and rear derailleur combined with the Truvativ Stylo 32T crankset with chainring. Sturdy, smooth rolling Redline sealed bearing hubs laced up to 29" WTB Laser disc trail rims. Available in 4 sizes (15"-21") center to top.

MINERAL GREY



D460 29er

29" Wheels, 9 speeds, trail fun!

Highest quality Japanese Sanko double butted chromoly frame, with a rear derailleur hanger and disc brake mount. Suspension compatible geometry. Hand crafted Japanese Sanko taper leg chromoly fork with CNC dropouts. Sure stopping Avid BB5 mechanical disc brakes with 160mm rotors. SRAM X.7 shifter and rear derailleur combined with the Redline aluminum crankset with 34T chainring. Sturdy, smooth rolling Redline sealed bearing hubs laced up to 29" WTB Laser disc trail rims. Available in 4 sizes (15"-21") center to top.



COPPER



D440 29er

29" Wheels, 8 speeds, go ride!

Durable full chromoly butted frame. Smooth riding butted chromoly fork. Tektro alloy linear type brakes give excellent stopping power. SRAM X.5 shifter and rear derailleur combined with the Redline aluminum crankset with 34T chainring. Sturdy and smooth rolling Redline sealed bearing disc compatible hubs laced up to 29" Alex DH 19 rims. Upgradable to disc brakes and triple cranks. Available in 4 sizes (15"-21") center to top.



BRIGHT BLUE



Monocog Flight 29er

29 inches of pure pleasure.

Highest quality Japanese Sanko double butted chromoly frame, with slider style rear dropouts and disc brake mounts. Suspension compatible geometry. Hand crafted Japanese Sanko taper leg chromoly fork with CNC dropouts. Sure stopping Avid BB5 mechanical disc brakes with 160mm rotors. Stiff and reliable FSA Alpha one aluminum ISIS cranks with 32t chainring. Sturdy and smooth rolling Redline sealed bearing hubs laced up to 29" WTB Laser disc trail rims. Upgradeable to a multi-speed. Available in 4 sizes (15"-21") center to top.

BLACK



Monocog 29er

Quality & Value rolled into one... gear that is.

Durable full chromoly frame, disc brake compatible. Smooth riding chromoly fork. Tektro alloy linear type brakes provide excellent stopping power. Redline Aluminum cranks with appropriate 32 X 16T gearing. Sturdy, smooth rolling Redline sealed bearing hubs laced up to 29" Alex DH19 rims.

Available in 4 sizes (15"-21") center to top. Also available in a 26" wheel.



BLACK




D640

The classic jump & race machine reborn.

Redline 7005 aluminum alloy frame with disc brake mounts and a replaceable derailleur hanger. RockShox Tora fork offers 85 to 130mm of travel. Sure stopping Avid BB5 mechanical disc brakes with 160mm rotors. SRAM X.7 shifter and rear derailleur combined with the stout Rubicon 36T crankset with chainring and chainguide. Smooth rolling Redline sealed bearing disc hubs laced up to sturdy 26" Sun Rhyno Lite disc trail rims. Available in a 14" frame, center to top.

CROSS SERIES

Conquest Team
Conquest Pro
Conquest
Conquest Sport
Conquest 24"







Conquest Team

The new team leader in Cyclo-Cross

Double butted lightweight aluminum Scandium tubing with S-bend seatstays, CNC machined chainstay at the chainrings, flattened top tube, teardrop shaped downtube, replaceable hanger all of this for racing 'Cross at the highest level. Ritchey WCS Carbon fork at 475g will give you a very precise ride over all terrain. Shimano Ultegra shifters and derailleur's combined with the FSA hollow arm Energy 46x36t crankset will shift with ease. Ritchey WCS Protocol wheelset with the Hutchinson Bulldog tires are ready for racing. Available in 7 sizes (44cm-60cm) measured center to top.



BLACK / RED



Also available as a frameset only.



Conquest Pro

National Championship Proven

Double butted aluminum U6 tubing with S-bend seatstays, extruded chainstay at the chainrings, flattened top tube, teardrop shaped downtube, replaceable hanger all of this for Cyclo-Cross performance. Redline carbon fork with aluminum steer tube, light and responsive at 565g. SRAM Rival shifters and derailleur's paired up to the FSA Gossamer 46 x 36t crankset for smooth shifting performance. Ritchey Pro wheel set with Hutchinson Bulldog tires will get you to the finish line over the toughest terrain. Available in 7 sizes (44cm-60cm) measured center to top.



BLUE



Also available as a frameset only.



Conquest

Podium Perfect

Double butted aluminum frame with disc tabs, S-bend seatstays for great mud clearance, and a replaceable derailleur hanger. Responsive U6 aluminum fork with disc tabs. Shimano 105 rear derailleur with Tiagra STI shifters matched up with a FSA 46 x 36t crankset, and a 9 speed 12x25 cassette, for 18 gear choices. Ritchey Comp wheel set with Maxxis Raze tires are ready to give you a great ride over any terrain. Available in 7 sizes (44cm-60cm) measured center to top.



BLACK / RED



Conquest 24 Junior Development

Double butted aluminum frame with S-bend seatstays for great clearance, and a replaceable derailleur hanger. New aluminum straight legged fork for a responsive ride. Shimano Sora reach adjusting shifters and derailleur's combined with the FSA compact 46 x 34t crankset, and 13x26t cassette give you 16 speeds. The wheels use lightweight 24 x 1 1/8" (ISO 520mm) 28 hole aluminum alloy Alex DA28 rims laced with stainless steel spokes and come with aggressive Odyssey Overbite tires. Especially designed for smaller hands is the combination of sure stopping Tektro mini-V type brakes and easy to reach auxiliary brake levers. The frame is 39cm measured center to top.



SILVER



Conquest Sport

Tour, 'Cross, Commute, or...

Double butted aluminum frame with S-bend seatstays for great clearance, and a replaceable derailleur hanger. Responsive and strong U6 aluminum fork with alloy steer tube, and threaded mounts for a low rider rack. Shimano Sora STI shifters and derailleur's combined with the wide range FSA 52 x 42 x 30t triple crankset provides optimal range gearing. The wheels consist of sturdy aluminum alloy 36 hole Alex DH19 rims, laced with rust free stainless steel spokes and low rolling resistance 700 x 30c tires suited for your daily commute or a weekend tour. Available in 7 sizes (44cm-60cm) measured center to top.



R 77 Frameset

Super lightweight race proven U6 alloy frame technology, coupled with carbon fiber rear stays and fork. Designed for wider tire and fender clearance. Available in 6 sizes (43-58.5) center to top.

DAYTONA ORANGE





ROAD SERIES

R77
R760
R750
R740

R760

Ultimate Road Performance.

Race proven frame technology built with butted 6061 aluminum, coupled with carbon fiber 3K weave rear seatstays. Redline Carbon Technology (RCT) carbon fiber fork with 3K weave, alloy steer tube, and alloy dropouts with eyelets. Frame and fork specifically designed for fenders and 700 X 28c tire clearance. Shimano 105 10 speed shifters and derailleur's ensure efficient shifting. FSA compact drive (50-34T) Omega-Exo crankset provides wide range gearing. Race ready, lightweight XERO CXR-6 wheel set, 24 spoke front, and 24 spoke rear.

Available in 6 sizes (43-58.5cm) center to top.



BRIGHT GREEN



BLUE STEEL



R750

Redline Road Performance

Lightweight butted 6061 aluminum frame that is fender compatible with a replaceable rear derailleur hanger. Vibration dampening, fender friendly Redline Carbon Technology (RCT) carbon fiber fork with 3K weave. Wide range gearing with Shimano Tiagra 9 speed shifters and derailleur's matched to a FSA 50/39/30t triple crankset give you 27 speeds. Sturdy and lightweight Alex AKX R1.0 wheelset uses stainless steel spokes. Available in 6 sizes (43-58.5cm) center to top.



RED



WHITE



R740

Tour, Commute, and race to the coffee shop.

Lightweight butted 6061 aluminum frame that is fender compatible with a replaceable rear derailleur hanger. Vibration dampening, fender friendly Redline Carbon Technology (RCT) carbon fiber fork with 3K weave.

Wide range gearing with Shimano Sora 8 speed shifters and derailleur's matched to a FSA 52/42/30t triple crankset give you 24 speeds. Sturdy and lightweight 32 spoke Alex wheelset uses stainless steel spokes. Available in 6 sizes

(43-58.5cm) center to top.

BLUE
Available Early Spring





FITNESS SERIES

R550
R540
R530
R520
R510
925



SILVER



BLACK




R550

Our best Performance Fitness

Lightweight double butted aluminum frame that is fender friendly with a replaceable rear derailleur hanger. Vibration dampening, Redline Carbon Technology (RCT) carbon fiber fork with 3K weave. Wide range gearing with Shimano SL-440 flat bar shifters and Sora derailleur matched to a FSA 50/39/30t triple crankset give you 27 speeds. Multi-hand position flatbar with bar ends for heads-up riding position. Sturdy and lightweight Alex AKX R1.0 wheelset uses stainless steel spokes.

Available in 6 sizes (43-58.5cm) center to top.

RED / BLACK FADE
Available Early Spring





BLUE



WHEAT




R540

Affordable Performance Fitness

Lightweight butted 6061 aluminum frame that is fender compatible with a replaceable rear dropout. Lightweight, fender friendly Redline aluminum fork. Wide range gearing with SRAM SX-5 shifters and derailleurs matched to a forged aluminum 48/38/28t triple crankset provide you 24 speeds. Multi-hand position flatbar with bar ends for heads-up riding positioning. Sturdy and lightweight 32 spoke Alex wheelset uses stainless steel spokes. Available in 6 sizes (43-58.5cm) center to top.

GREEN / GRAY FADE
Available Early Spring





METALLIC GRANITE



METALLIC GRANITE




R530

European Sophistication

Lightweight 6061 aluminum frame that is specially designed for utilitarian use. Shock absorbing Suntour front fork with 50mm of travel. Quiet, "maintenance free," easy shifting Shimano Nexus 7 speed drive train & highly efficient roller brakes. Easy fit handlebars & stem adjust for comfortable upright riding positions. Sturdy aluminum double wall rims with stainless steel spokes, with flat resistant tubes for trouble free adventure. Comes fully dressed with fenders, rear cargo carrier, full chainguard, & shockabsorbing seatpost. Available in a step thru & 4 diamond style frame sizes (S-XL).

METALLIC BRONZE
Available Early Spring





RED



WHITE



R520

Performance Comfort

Lightweight 6061 aluminum frame with fittings for the chainguard, water bottle mounts, and V-type brakes. Shock absorbing Suntour front fork with 50mm of travel. Wide range gearing with SRAM MRX twist shifters and Shimano derailleur's matched to a Suntour aluminum 48/38/28t triple crankset give you 24 speeds. Easy fit handlebars and stem easily adjust for comfortable upright riding positions. Sturdy aluminum double wall rims with stainless steel spokes, and equipped with flat resistant tubes for trouble free adventure. Available in a step thru and 4 diamond style frame sizes (S-XL).

CHROME BLUE
Available Early Spring





CHAMPAGNE



BLUE




R510

Recreational Comfort

Lightweight 6061 aluminum frame with fittings for the chainguard, water bottle mounts, and V-type brakes. Shock absorbing Redline front fork with 50mm of travel. Wide range gearing with SRAM MRX twist shifters and Shimano derailleur's matched to a Suntour aluminum 48/38/28t triple crankset give you 21 speeds. Easy fit handlebars and stem easily adjust for comfortable upright riding positions. The wheels use sturdy aluminum rims with stainless steel spokes.

Available in a step thru and 4 diamond style frame sizes (S-XL).

COFFEE
Available Early Spring



FIREBRICK / CREME



925

Simplify your life and your ride

Steel double butted chromoly frame with tapered leg fork. Cowhorn style handlebar for a comfortable riding position. Versatile "flip flop" rear hub easily converts to fixed track cog or freewheel. Tektro dual pivot brake set and aero levers included. Durable Planet Bike fenders with mud flaps help keep you dry. Available in 6 sizes (44-56cm) center to top.

2008 SPECIFICATIONS & FRAME GEOMETRY

D660 29er		D640	D460 29er	D440 29er
FRAME	U6 alloy DB forged dropouts-chainstay yoke, 135mm spacing	7005 alloy, 135mm spacing, 350mm seat tube.	Sanko Chromoly double butted 135mm spacing	Full Chromoly, 135mm spacing, disc tabs
FORK	RockShox Reba SL 100 mm	RockShox Tora 302 UTurn	Sanko Chromoly taper leg CNC ends	Full Chromoly, disc tabs
HEADSET	Threadless 28.6mm	VP Monsta 28.6mm	Threadless 28.6mm	Threadless 28.6mm
F.DERAIL	NA (31.8mm)	NA (31.8mm)	NA (28.6mm)	NA (28.6mm)
R.DERAIL	SRAM X .9	SRAM X .7	SRAM X .7	SRAM SX 5
SHIFTERS	SRAM X .9	SRAM X .7	SRAM X .7	SRAM SX 5
CRANKSET	Truvativ Stylo w/guard 34T	Truvativ Ruktion 36T w/guard & chain guide	FSA Alpha Drive 34T w/guard	Redline alloy 34T w/guard
BB	ISIS alloy cups 68 x 108mm	Truvativ Howitzer 68mm	FSA ISIS 68mm x 108mm	Square taper 68 x 110mm
CASSETTE	PG 950 12-32T 9 sp	SRAM 11-32T 9 sp	PG 950 11-32T	PG 830 11-32T 8sp
PEDALS		Alloy platform		Alloy platform
WHEELSET	WTB Laser Disc 32H, SB QR Disc, 13/14 stainless DB	Sun Rhyno Lite 32H, SB QR Disc 14 guage stainless	WTB Laser Disc 32H, SB QR Disc 13/14 DB stainless	Alex DH 19 32H, RL QR SB Disc 14 guage stainless
TIRES	Maxxis Ignitor 29 X 2.1	K Rad/ Kinetic 26 x2.30	Maxxis Ignitor 29 x 2.1	WTB Nano Raptor 29 x 2.1
BRAKE	Avid BB7 Disc	Avid BB5 Disc	Avid BB5	Tektro alloy Linear
BRAKE LVR	Avid FR 5	Avid FR5	Avid FR5	Tektro alloy 2 Finger
BAR	Ritchey Riser Pro 31.8mm center	Hussefelt 31.8 Center 60mm rise	Ritchey Riser Pro 31.8mm x 60mm rise	Syncros Gain OS riser 31.8 x 20mm rise
STEM	Ritchey Pro	Hussefelt 31.8 x 60mm ext	Ritchey Pro 31.8mm	Redline alloy 31.8mm x 100mm
SADDLE	WTB Rocket V SLT	Redline	WTB Rocket V SLT	Velo
POST	Ritchey Pro 27.2 x 400mm	Redline 27.2 x 350mm	Ritchey Pro 27.2 x 400mm	Redline alloy 27.0 x 350mm

Monocog Flight 29er		Monocog 29er	Conquest Team	Conquest Pro
FRAME	Sanko Chromoly double butted 135mm spacing	Full Chromoly, 135mm spacing, disc tabs	Scandium double butted alloy 130mm spacing CNC machined chainstay	U6 double butted alloy 130mm spacing CNC machined chainstay
FORK	Sanko Chromoly taper leg CNC ends	Full Chromoly, disc tabs	Ritchey WCS Full Carbon	Carbon fiber w alloy steerer
HEADSET	Threadless 28.6mm	Threadless 28.6mm	Ritchey Logic Pro 28.6mm	Alloy threadless 28.6mm
F.DERAIL	NA (28.6mm)	NA	Shimano Ultegra 31.8mm	SRAM Rival 31.8mm
R.DERAIL	NA	NA	Shimano Ultegra	SRAM Rival
SHIFTERS	NA	NA	Shimano Ultegra 10 sp	SRAM Rival double tap
CRANKSET	FSA Alpha Drive 32T w/guard	Redline alloy 32T w/guard	FSA Energy Compact 36 x 46T	FSA Gossamer 36 x 46T
BB	FSA ISIS 68mm x 108mm	Square taper 68 x 110mm	FSA Mega EXO 68mm	FSA Mega XO 68mm
CASSETTE	16T single	16T single	Shimano Ultegra 12-27T 10 sp	Shimano HG 50 12-27T 10 sp
PEDALS		Alloy platform		
WHEELSET	WTB Laser Disc 32H, SB QR disc 13/14 DB stainless	Alex DH 19 32H, QR SB Disc 14 guage stainless	Ritchey WCS Protocol	Ritchey Pro 20H frt 24H rear Ritchey bladed stainless
TIRES	Maxxis Ignitor 29 x 2.1	WTB Exiwolf 29 x 2.3	Hutchinson Bulldog 700 x 34	Hutchinson Bulldog 700 x 34
BRAKE	Avid BB5	Tektro alloy linear	TRP Carbon Canti- Kool Stop pads	Avid Shorty Canti
BRAKE LVR	Avid FR5	Tektro alloy 2 finger	Tektro RL 720 drilled	Tektro RL 721 drilled
BAR	Ritchey Riser Pro 31.8mm x 60mm rise	Syncros Gain OS riser 31.8 x 20mm rise	Ritchey WCS Classic Road 31.8mm	FSA Omega Shallow Drop 31.8mm
STEM	Ritchey Pro 31.8mm	Redline alloy 31.8mm x 100mm ext	Ritchey WCS 4 Axis 31.8mm	FSA ST OX 31.8mm
SADDLE	WTB Rocket V SLT	Velo	Selle Italia Filante	San Marco Ponza
POST	Ritchey Pro 27.2 x 400mm	Redline alloy 26.8 x 350mm	Ritchey WCS 27.2 x 350mm	FSA carbon wrap 27.2 x 350mm

Conquest		Conquest Sport	Conquest	Conquest 24"
FRAME	6061 double butted alloy w disc tabs 130mm spacing	6061 double butted alloy 130mm spacing	6061 double butted alloy w disc tabs 130mm spacing	6061 double butted alloy 130mm spacing
FORK	U6 alloy w disc tabs & alloy steerer	U6 with alloy steerer	U6 alloy w disc tabs & alloy steerer	6061 alloy Blade , U6 Steerer
HEADSET	Steel threadless 26.8mm	Steel threadless 26.8mm	Steel threadless 26.8mm	Steel threadless 26.8mm
F.DERAIL	Shimano Tiara 31.8mm	Shimano Sora 31.8mm	Shimano Tiara 31.8mm	Shimano Sora 31.8mm
R.DERAIL	Shimano 105 short cage	Shimano Sora	Shimano 105 short cage	Shimano Sora 8sp
SHIFTERS	Shimano Tiara	Shimano Sora 8sp	Shimano Tiara	Shimano Sora 8sp
CRANKSET	FSA Compact Cross 36 x 46T	FSA 30 x 42 x 52T 130/74mm BCD	FSA Compact Cross 36 x 46T	FSA 34 x 46T 155mm
BB	FSA 68mm x 110mm square taper	FSA Square taper 68 x 116mm	FSA 68mm x 110mm square taper	Square taper 68 x 110mm
CASSETTE	Shimano HG 50 12-25T 9 speed	Shimano HG 50 13-26T 8sp	Shimano HG 50 12-25T 9 speed	Shimano HG 50 13-26T 8sp
PEDALS	Shimano M505 clipless	Wellgo 823 Clipless	Shimano M505 clipless	Wellgo alloy body/cage
WHEELSET	Ritchey Comp Road 20H frt 24H rear, 14 guage stainless	Alex DH 19 36H Formula LB QR 14 guage stainless	Ritchey Comp Road 20H frt 24H rear, 14 guage stainless	Alex DA 22 28H, alloy LB QR 14 guage stainless
TIRES	Maxxis raze 700 x 35 WB	Kenda K-197 black	Maxxis Raze 700 x 35 WB	Odyssey Overbite 520mm
BRAKE	Tektro Oryx 992 canti	Tektro 862 Canti	Tektro Oryx 992 canti	Tektro Mini V type
BRAKE LVR	Tektro RL 726		Tektro RL 726	Tektro
BAR	Ritchey Biomax Pro II 25.8mm	Alloy Drop 26.0mm	Ritchey Biomax Pro II 25.8mm	Alloy 25.8 center 380mm width
STEM	Ritchey Road Comp	Alloy 26.0mm	Ritchey Road Comp	Alloy 70mm ext
SADDLE	Redline	Velo	Redline	Redline
POST	Ritchey Road 27.2 x 350mm	Redline 27.2 x 350mm	Ritchey Road 27.2 x 350mm	Ritchey 27.2 x 300mm

R760		R750		R740		R550	
FRAME	U6 alloy double butted carbon seat stays 130mm spacing	6061 alloy double butted 130mm spacing	Carbon fiber with eyelets	6061 alloy double butted 130mm spacing	Carbon fiber with eyelets	6061 alloy double butted 130mm spacing	Carbon fiber with eyelets
FORK	Carbon fiber with eyelets	Carbon fiber with eyelets	FSA Intergrated	FSA Intergrated	FSA Intergrated	FSA Intergrated	FSA Intergrated
HEADSET	FSA Intergrated	Shimano Sora 31.8mm	Shimano Sora 9sp	Shimano Sora 8sp	Shimano Sora 8sp	Shimano Sora 9sp	Shimano Sora 9sp
F.DERAIL	Shimano 105 31.8mm	Shimano Tiagra 9sp	FSA 30/39/50T	FSA 30/42/52T	FSA 30/42/52T	FSA 30/39/50T	FSA 30/39/50T
R.DERAIL	Shimano 105	FSA square taper 68 x 116mm	SRAM 950 11-26T 9sp	Square taper 68 x 116mm	SRAM 850 12-26T 8sp	FSA square taper 68 x 116mm	FSA square taper 68 x 116mm
SHIFTERS	Shimano 105 10sp	NA	Alloy road w clip	Alloy road w clip	Alloy road w clip	SRAM 950 11-26T 9sp	SRAM 950 11-26T 9sp
CRANKSET	FSA Omega 34-50T	Alex AKX- R1 28H, 32H	Alex DH19 32H, alloy LB QR	Alex DH19 32H, alloy LB QR	Alex DH19 32H, alloy LB QR	Alloy road w clip	Alloy road w clip
BB	FSA Mega XO 68mm	Kenda Kwest 700 x 25	Kenda Kwest 700 x 25	Kenda Kwest 700 x 25	Kenda Kwest 700 x 25	Alex AKX- R1 28H, 32H	Alex AKX- R1 28H, 32H
CASSETTE	Shimano 12-25T 10sp	Tektro 730 Dual Pivot caliper	Tektro 730 Dual Pivot caliper	Tektro 730 Dual Pivot caliper	Tektro 730 Dual Pivot caliper	Kenda Kwest 700 x 25	Kenda Kwest 700 x 25
PEDALS	NA	Redline ergo 31.8mm	Redline ergo 31.8mm	Redline ergo 31.8mm	Redline ergo 31.8mm	Tektro 730 Dual Pivot caliper	Tektro 730 Dual Pivot caliper
WHEELSET	Formula Zero CXR-6 20H, 24H	Redline alloy 31.8mm	Redline alloy 31.8mm	Redline alloy 31.8mm	Redline alloy 31.8mm	Tektro	Tektro
TIRES	Kenda Kontender 700 x 23	Velo plush	Velo plush	Velo plush	Velo plush	Redline Flat 31.8mm	Redline Flat 31.8mm
BRAKE	Tektro 730 Dual Pivot Caliper	Redline alloy 27.2 x 350mm	Redline alloy 27.2 x 350mm	Redline alloy 27.2 x 350mm	Redline alloy 27.2 x 350mm	Redline alloy 31.8mm	Redline alloy 31.8mm
BRAKE LVR						Velo plush	Velo plush
BAR	Redline Ergo 31.8mm					Redline alloy 27.2 x 350mm	Redline alloy 27.2 x 350mm
STEM	Redline alloy 31.8mm						
SADDLE	Redline Race						
POST	Redline alloy 27.2 x 350mm						

R540		R530		R520		R510	
FRAME	6061 alloy double butted 130mm spacing	6061 alloy 130mm spacing	SR Suntour 50mm	6061 alloy 135mm spacing	SR Suntour 50mm	6061 alloy 135mm spacing	SR Suntour 50mm
FORK	6061 alloy with eyelets	Tange threaded 28.6mm	Threaded 28.6mm	6061 alloy 135mm spacing	Threaded 28.6mm	6061 alloy 135mm spacing	Threaded 28.6mm
HEADSET	FSA Intergrated	NA	Shimano 31.8mm	6061 alloy 135mm spacing	Shimano 31.8mm	6061 alloy 135mm spacing	Shimano 31.8mm
F.DERAIL	Shimano 31.8mm	NA	Shimano Deore 8sp	6061 alloy 135mm spacing	Shimano Deore 8sp	6061 alloy 135mm spacing	Shimano Deore 8sp
R.DERAIL	SRAM SX 5 8sp	Shimano Nexus 7	SRAM MRX 8sp	6061 alloy 135mm spacing	SRAM MRX 8sp	6061 alloy 135mm spacing	SRAM MRX 8sp
SHIFTERS	SRAM SX 5 8sp	Alloy 38T	SR Suntour 28/38/48T	6061 alloy 135mm spacing	SR Suntour 28/38/48T	6061 alloy 135mm spacing	SR Suntour 28/38/48T
CRANKSET	FSA 30/42/52T	Square taper	Square taper	6061 alloy 135mm spacing	Square taper	6061 alloy 135mm spacing	Square taper
BB	Square taper 68 x 116mm	Alloy comfort	11-32 T 8sp	6061 alloy 135mm spacing	11-32 T 8sp	6061 alloy 135mm spacing	11-32 T 8sp
CASSETTE	SRAM 850 12-26T 8sp	Alloy double wall, alloy nitted	Alloy comfort	6061 alloy 135mm spacing	Alloy double wall, alloy QR	6061 alloy 135mm spacing	Alloy comfort
PEDALS	Alloy road w clip	14 guage stainless	Alloy double wall, alloy QR	6061 alloy 135mm spacing	14 guage stainless	6061 alloy 135mm spacing	Alloy double wall, alloy QR
WHEELSET	Alex DH19 32H, alloy LB QR	Kenda 700 x 38	Kenda 29 x 2.165 (700 x 55)	6061 alloy 135mm spacing	Kenda 29 x 2.165 (700 x 55)	6061 alloy 135mm spacing	Kenda 29 x 2.165 (700 x 55)
TIRES	Kenda Kwest 700 x 25	Shimano Nexus Roller	Tektro Linear	6061 alloy 135mm spacing	Tektro Linear	6061 alloy 135mm spacing	Tektro Linear
BRAKE	Tektro Dual Pivot caliper	Tektro	Tektro	6061 alloy 135mm spacing	Tektro	6061 alloy 135mm spacing	Tektro
BRAKE LVR	Promax	Alloy 55mm rise	Alloy 55mm rise	6061 alloy 135mm spacing	Alloy 55mm rise	6061 alloy 135mm spacing	Alloy 55mm rise
BAR	Redline alloy 26.0mm	Alloy adjustable	Alloy adjustable	6061 alloy 135mm spacing	Alloy adjustable	6061 alloy 135mm spacing	Alloy adjustable
STEM	Redline alloy 26.0mm	Comfort	Comfort	6061 alloy 135mm spacing	Comfort	6061 alloy 135mm spacing	Comfort
SADDLE	Velo plush	Alloy comfort suspension 27.2mm	Alloy comfort suspension 27.2mm	6061 alloy 135mm spacing	Alloy comfort suspension 27.2mm	6061 alloy 135mm spacing	Alloy comfort suspension 27.2mm
POST	Redline alloy 27.2 x 350mm			6061 alloy 135mm spacing		6061 alloy 135mm spacing	

925	
FRAME	Chromoly double butted 120mm spacing
FORK	Chromoly straight blade
HEADSET	Threadless 28.6mm
F.DERAIL	NA
R.DERAIL	NA
SHIFTERS	NA
CRANKSET	Redline alloy 42T w/guard
BB	Square taper 68 x 110mm
CASSETTE	16T Single
PEDALS	Alloy track with toe clips
WHEELSET	Alex ACE 19 32H, HI flange SB nitted, 14 guage stainless
TIRES	Kenda 700 X 28
BRAKE	Tektro Dual Pivot caliper
BRAKE LVR	Promax bar end
BAR	Alloy Bull Horn
STEM	Redline alloy 25.4mm
SADDLE	Velo
POST	Redline alloy 27.0 X 400mm



©2008 Redline Bicycles. All 2008 REDLINE® bicycles are covered by a limited lifetime warranty. See dealer for details. All specifications are subject to change without notice. Bike colors and graphics may vary due to the printing process. C.P.S.C. Equipment included but not shown. REDLINE®, REDLINE CUP®, RL®, MICROLINE®, CONQUEST®, are registered trademarks & property of Seattle Bike Supply*. All other service marks are property of their respective companies. All action photography shown use professional bike riders in controlled situations.


Be smart-always wear a helmet.

ENVIRONMENTAL BENEFITS STATEMENT				
Redline Bicycles saved the following resources by using 100% post-consumer waste recycled paper that was processed chlorine free and manufactured with electricity that is offset with Green-e® certified energy certificates.				
Trees	Water	Energy	Solid Waste	Greenhouse Gases
33 Fully Grown	20,427 Gallons	24 Million BTU's	1,639 Pounds	4,266 Pounds
Calculation based on research by Environmental Defence and other members of the Paper Task Force.				

Conquest Team /Conquest Pro / Conquest Sport

Conquest 24"

Frame Size (C-T)	44cm	48cm	52cm	54cm	56cm	58cm	60cm	35.5cm
A Head Angle	71°	71°	71°	72°	72°	73°	73°	71°
B Seat Angle	75°	74°	74°	73°	73°	72°	72°	76°
C Top Tube	51	52.1	53	54.7	56.5	58.5	60.5	45
D Chain Stay	43.5	43.5	43.5	43.5	43.5	43.5	43.5	38.5
E BB Height	28.5	28.5	28.5	28.5	28.5	28.5	28.5	27.8
F Fork Offset	4.5	4.5	4.5	4.5	4.5	4.5	4.5	3.5
G Wheel Base	100.4	100.5	101.3	101.4	103.1	103.2	105.2	90.7
H Seat Tube	44	48	52	54	56	58	60	35.5
Stand Over	73.6	75.5	77.3	79.1	80.8	82.5	84.4	65.2



R760 / R750 / R740 / R550 / R540

925 (compact sizing)

Frame Size (C-T)	XS	S	M	M/L	L	XL	44cm	48cm	50cm	52cm	54cm	56cm
A Head Angle	71°	72°	73°	73°	73.5°	73.5°	71°	71°	72°	72°	73°	73°
B Seat Angle	75°	74°	73.5°	73°	73°	73°	74°	74°	74°	73°	72°	72°
C Top Tube	51.3	53.2	55.4	57	58.5	61	51.8	53.6	55	56.4	58.1	59.4
D Chain Stay	41.5	41.5	41.5	41.5	41.5	41.5	42.5	42.5	42.5	42.5	42.5	42.5
E BB Height*	27	27	27	27	27	27	26.9	26.9	26.9	26.9	26.9	26.9
F Fork Offset	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5
G Wheel Base	98.5	98.5	99.4	100.5	101.5	103.9	99.1	100.8	101.3	101.7	101.2	102.5
H Seat Tube	43	46.5	50	53.5	55.5	58.5	44	48	50	52	54	56
Stand Over	72.5	74.4	76.7	79.1	80.8	83.3	72.5	75.3	76.8	78.6	80.3	82.4

R530

Frame Size (C-T)	ST	S	M	L	XL
A Head Angle	69°	70°	70°	71°	71°
B Seat Angle	74°	74°	73°	73°	73°
C Top Tube	54.5	54.5	56.0	57.5	60
D Chain Stay	45.5	45.5	45.5	45.5	45.5
E BB Height	29	29	29	29	29
F Fork Offset	4.0	4.0	4.0	4.0	4.0
G Wheel Base	106.2	106.2	106.6	107.1	109.8
H Seat Tube	37	38	43	48	54
Stand Over	72.5	74.4	76.7	80.8	83.3

R520 / R510

Frame Size (C-T)	ST	S	M	M/L	L	XL
A Head Angle	71°	72°	73°	73°	73.5°	73.5°
B Seat Angle	75°	74°	73.5°	73°	73°	73°
C Top Tube	51.3	53.2	55.4	57	58.5	61
D Chain Stay	41.5	41.5	41.5	41.5	41.5	41.5
E BB Height*	27	27	27	27	27	27
F Fork Offset	4.5	4.5	4.5	4.5	4.5	4.5
G Wheel Base	98.5	98.5	99.4	100.5	101.5	103.9
H Seat Tube	43	46.5	50	53.5	55.5	58.5
Stand Over	72.5	74.4	76.7	79.1	80.8	83.3


D660

D460 / D440

D640

Frame Size (C-T)	15"	17"	19"	21"	15"	17"	19"	21"	14"
A Head Angle	71°	71°	71°	71°	71°	71°	71°	71°	70.5°
B Seat Angle	74.5°	73.5°	73.5°	73.5°	74°	73°	73°	73°	74°
C Top Tube	22.6"	23"	23.75"	24.5"	22.6"	23.0"	23.7"	24.5"	23.3"
D Chain Stay	17.5"	17.5"	17.5"	17.5"	17.5"	17.5"	17.5"	17.5"	16.5"
E BB Height	12"	12"	12"	12"	11.8"	11.8"	11.8"	11.8"	12.8"
F Fork Offset	1.5"	1.5"	1.5"	1.5"	1.85"	1.85"	1.85"	1.85"	1.5"
G Wheel Base	42.5"	42.5"	43.2"	44"	42.5"	42.6"	43.2"	44.0"	42.7"
H Seat Tube	15"	17"	19"	21"	15"	17"	19"	21"	14"
Stand Over	29.3"	30.5"	31.75"	33"	29.3"	30.5"	31.75"	33"	29.9"

• 80mm travel suspension correct geometry



Monocog Flight 29er

Monocog 29er

Monocog 26"

Frame Size (C-T)	15"	17"	19"	21"	15"	17"	19"	21"	15"	17"	19"	21"
A Head Angle	71°	71°	71°	71°	71°	72°	72°	72°	72°	72°	72°	72°
B Seat Angle	72°	74°	74°	73°	73°	72°	72°	74°	72°	72°	74°	74°
C Top Tube	22.6"	23"	23.7"	24.5"	23.1"	23.7"	24.5"	25.2"	22.5"	23.0"	23.75"	24.5"
D Chain Stay	17.5"	17.5"	17.5"	17.5"	17.5"	17.5"	17.5"	17.5"	16.5"	16.5"	16.5"	16.5"
E BB Height	12.0"	12.0"	12.0"	12.0"	12.0"	12.0"	12.0"	12.0"	11.8"	11.8"	11.8"	11.8"
F Fork Offset	1.85"	1.85"	1.85"	1.85"	1.5"	1.5"	1.5"	1.5"	1.2"	1.2"	1.2"	1.2"
G Wheel Base	42.5"	42.6"	43.2"	44.0"	42.9"	43"	43.4"	44.5"	40.3"	40.7"	41.5"	42.3"
H Seat Tube	15"	17"	19"	21"	15"	17"	19"	21"	15"	17"	19"	21"
Stand Over	29.8"	30.75"	31.8"	33.1"	29.8"	30.75"	31.8"	33.1"	28.4"	29.6"	31.0"	32.3"

• D460 / D440 & Monocog's feature suspension correct geometry



REDLINEBICYCLES.COM
7620 S. 192nd St. Kent, WA 98032 USA