

ROSS BICYCLES 1982



TABLE OF CONTENTS

- 2, 3 The more you know about Ross, the more you'll want our bikes.
4, 5 Ross looks good from any angle.
- 6 **Signature** handcrafted lightweight 12-speed and 15-speed racing, touring and track bicycles.
- 7 **Gran Tour XV** lightweight 15-speed racing bicycles.
- 8 **Gran Tour, Gran Tour II** lightweight 12-speed and 10-speed racing bicycles.
- 9 **Europa, Riviera** lightweight 10-speed racing bicycles.
- 10 **Eurosport** lightweight 10-speed racing bicycles.
- 11 **Eurotour** heavyweight 5-speed touring bicycles.
Diamond Cruiser V heavyweight 10-speed touring bicycles.
Diamond Cruiser X heavyweight 10-speed touring bicycles.
Gran Tourist 3-speed lightweight, middleweight, and lightweight coaster brake bicycles.
- 12 **Eurotour** lightweight 10-speed, 5-speed, 3-speed, and 3-speed/trimatic touring bicycles.
- 13 **Compact** 10-speed and 3-speed racing bicycles.
3-speed/trimatic touring bicycles.
- 14 **136ZX, 236ZFX, 138ST, Slinger** motocross bicycles.
- 15 **142THX, 140TFX** hi-rise bicycles.
- 16 **Polobike** hi-rise bicycles.
Convertible/Trainer hi-rise trainer bicycles.
Slinger motocross bicycles.
- 17 **Polobike Jr., Convertible Trainer** junior hi-rise trainer bicycles.
- 18 **Ross Exercisers.**
- 19 **Limited Warranty.**

COPYRIGHT CHAIN BIKE CORPORATION, 1982 PRINTED IN U.S.A.



THE MORE YOU KNOW ABOUT ROSS, THE MORE YOU'LL WANT OUR BIKES

Allentown, Pennsylvania. Here's where you'll find one of the most modern bicycle factories in the world. Dedicated solely to the production of fine bicycles, Ross bicycles.

Here is where the wheels are set in motion. Here is where our reputation for quality begins.

What makes a Ross such a quality bicycle?

Is it our brazing procedure? Is it the fact that we triple plate our chrome? Is it our meticulous painting methods? Our quality components?

Yes. All these. And something more. What really makes Ross such a quality bicycle is the people who build them. The Ross bicycle craftsmen. Each possesses a special skill. Pride too. And you can see it in every bicycle that rolls off the assembly line.

But how can you—the bicycle rider—recognize quality? How do you know that you're not being taken for a ride? And how do you know which is the right bike to buy?

Today there are so many bikes to choose from. 3-speeds, 5-speeds, 10-speeds, 15-speeds, racing bikes, touring bikes, compacts. And more. It can all be very confusing. So before you go

out and buy one, you should know what goes into one.

Let's start at the very heart of a bicycle. The frame. Most manufacturers heat their frames just at the point of a weld. But at Ross, when we braze a frame, we uniformly heat the entire frame.

First we dip the frame in a molten salt bath to give it uniform strength. Then, we follow that with a cold water quench, to make sure the frame is of an even temper. The end result is a frame that's not only strong at the point of weld, but everywhere. Not every bicycle manufacturer takes the trouble to do this.

And not every bicycle manufacturer gives you a full-lug, high tensile lightweight diamond frame with double tapered rear stays, and brazed rear dropouts. But Ross does. On every lightweight bike we build.

And when we paint our bikes, we don't brush over anything either. First we electro-clean, then undercoat with a gray primer inside and out to safeguard against corrosion. Then we add a coat of paint. And then another, with a baking after each stage. It's a special process that produces a corrosion-resistant bike. One that virtually sparkles from wheel to wheel.

When all is said and done, a bicycle is the sum total of its parts. That's why each component that goes on a Ross bicycle is carefully selected and tested by our engineers. So you're sure to get a derailleur that shifts smoothly. Brakes

that are truly responsive. A seat that is surprisingly comfortable.

And, for bicycle purists and racers, the celebrated Ross Signature bicycles are making a great name for themselves. On the track and on the road. The Ross Signature bicycles handcrafted by Master Framebuilder, Tom Kellogg, are championship-caliber, using only the finest materials and components.

Ten speed. Five speed. Three speed. What's your speed? Whatever it is, take a good look at the quality line of bicycles from Ross. You'll discover that every bicycle is built to the Ross standard of excellence. And one of them is built just right for you.

DIAMOND CRUISER FORK
This Ross heavy-duty tubular fork has plenty of strong points. It's tough, durable and built to take it. Look for it on the Ross Diamond Cruiser series of mountain and beach bikes.

ONE-PIECE CRANK WITH FFS

This one-piece 6 1/2" hot forged crank with FFS moves up front for foolproof shifting. It's a standard feature on all our 10-speed Eurosports, Compacts, and 5-speed Eurotours.



ROSS® LOOKS GOOD

SAFETY FORK TIP

You'll find this important feature on all Ross bicycles built with quick-release wheels. The patented Ross safety fork tip is designed to prevent the wheel from falling off if you forget to tighten the wheel all the way. It's just one of the many innovations you'll find on a Ross and nowhere else.

SAFETY FORK TIP® PATENTED

FROM ANY ANGLE

3 PIECE CRANK

You can find this cotterless three-piece crank on our popular Gran Tour II models.

AVOCET SEAT


You'll find this very desirable Avocet seat on our Gran Tour model. Their innovative shell design provides the necessary support, plus greater comfort. Results: a superior seat, a superior ride.

SHIMANO 600EX DOWN TUBE SHIFTERS

Shift your eyes toward the down tube on our Super Gran Tour XV and you'll find these Shimano alloy shift levers. They're positioned to make speed shifting a little easier. They also feature a beautifully detailed arabesque design. On closer inspection you'll also find something extra on our 15-speed model. A handsomely engraved black anodized headset.

SHIMANO 600EX REAR DERAILLEUR

Look to the front and rear of our Super Gran Tour XV and you'll find a derailleur system designed for the ultimate riding experience. It's made of light alloy with an anodized finish.





SIGNATURE ROAD CRITERIUM SUPER RECORD

Frame Sizes: 52 cm to 64 cm (1 cm increments)

Color: Red

Frame & Fork: Columbus Double Butted Tubing

Lugs and BB Shell: Henry James (investment cast)

Headset, Brakes, Cranks, Seat Pillar, Rear Derailleur and Pedals: Campagnolo Super Record

Front Derailleur: Campagnolo Record

Dropouts: Campagnolo

Rims: Fiamme Ergal

Hubs: Campagnolo Low Flange

Tires: Clement Seta

Handlebar, Stem & Saddle: Cinelli VIP set in matching colors

Chain Rings: 42-53T

Freewheel: Regina Oro, 12-20 6 speed

Shift Levers: Campagnolo (brazed on)

Extras: Water bottle, Alloy cage & toe clips, Binda Extra toe straps

Weights: 20 lbs. 6 oz. (58 cm frame) (varies according to frame size)

Also available with Record equipment.

TRACK

Frame Sizes: 52 cm to 64 cm (1 cm increments)

Color: White

Frame and Fork: Columbus Double Butted Tubing

Fork Crown: Cinelli (investment cast)

Lugs and BB Shell: Henry James (investment cast)

Headset: Campagnolo

Dropouts: Campagnolo

Rims: Fiamme Ergal

Hubs: Campagnolo High Flange

Tires: Wolber Pistie

Handlebar and Stem: Cinelli

Cranks and Pedals: Campagnolo Record Track

Chain Ring and Rear Sprocket: 47T x 14T

Saddle: Cinelli Leather Covered

Seat Pillar: Campagnolo Record

Extras: Tied and soldered spokes, Alloy toe clips, Binda Extra toe straps

Weight: 47 lbs. 8 oz. (58 cm frame) (varies according to frame size)

TOURING

Frame Sizes: 21", 22", 23", 24", 25"

Color: Blue

Frame & Fork: Reynolds 531 Double Butted Tubing (Cinelli full sloping fork crown)

Lugs & BB Shell: Henry James (investment cast)

Brakes: Dia-Compe 500

Headset, Hubs (Rearfreehub): Shimano 600EX

Dropouts: Campagnolo

Rims: Araya 27" narrow section

Tires: IRC

Handlebar: SR

Seat Pillar, Stem: Shimano 600AX

Gearing: 15-Speed, 29"-96" Gears

Chain: Shimano Silver U.G.

Saddle: Anatomic Style, Leather covered. (Avocet Touring II)

Front & Rear Derailleur, Shift Levers, Crank Set & Pedals: Shimano De Ore Series

Extras: Water Bottle, Alloy Cage, Toe Clips 8 oz.

Weight: 24 lbs. 8 oz. (23" frame) (varies according to frame size)

SUPER GRAN TOUR XV: 198-2324

Frame Sizes: Lightweight chromoly tubing
Mens: 24", 23", 25"

Wheel & Tire Size: Alloy Rims, IRC (Road
Lite) 27" x 1 1/4" Gumwall, high pressure 90
lbs. Sm. flange, Q.R. hubs

Brakes: Shimano 600EX alloy side-pull Q.R.
Gearing: 15-speed Shimano 600EX
derailleur w/engraved alloy down tube
shifters, 14-32T cluster

Crank Set: Shimano 600EX 3 pc.
cotterless 170mm w/alloy 5 pin, 39-45-52T
featuring replaceable sprockets
Extras: Engraved black headset, toe clips
& straps, fluted alloy seat pillar, Allen key
seat lug bolt, Allen key stem expander
bolt, cotton tapes, alloy engraved
handlebar, safety fork tips, suede strada
saddle, Quill racing pedals.

Weight: 24 lbs. 8 oz.
Models: Mens Taupe 198-2124, 198-2324,
198-2524



198-2324




194-2315

GRAN TOUR: 194-2315

Frame Sizes: Lightweight 1020 steel lug
Mens: 21", 23", 25"
Wheel & Tire Size: Alloy rims, 27" x 1 1/4"
Gumwall high pressure 90 lbs. Sm. flange
Alloy Q.R. front hub
Brakes: Dia-Compe alloy center-pull Q.R.
w/safety levers
Gearing: 12-speed Altus LT alloy
derailleur w/alloy down tube, 13-28T
cluster
Crank Set: 3 pc. cotterless 170mm
39-52T.
Extras: Allen key stem expander bolt,
alloy handlebar, cotton tapes, Avocet
saddle, safety fork tips
Weight: 29 lbs. 2 oz.
Models: Mens Scarlet Red 194-2115,
194-2315, 194-2515. Mens Black 194-1925,
194-2125, 194-2325, 194-2525

GRAN TOUR II: 178-2320

Frame Sizes: Lightweight 1020 steel lug
Mens: 19", 21", 23", 25"-Ladies: 19"
Wheel & Tire Size: 27" x 1 1/4" Gumwall
high pressure 90 lbs. Sm. flange Q.R. front
hub
Brakes: Alloy center-pull w/safety levers
Gearing: 10-speed alloy derailleur,
w/alloy stem shifter, 14-28T cluster
Crank Set: 3 pc. cotterless 170mm,
39-52T double chainwheel.
Extras: Safety fork tips, alloy handlebar,
cotton tapes
Weight: 31 lbs.
Models: Mens Claret 178-1914, 178-2114,
178-2314, 178-2514. Mens Ash Blue
178-1920, 178-2120, 178-2320, 178-2520.
Ladies Ash Blue 179-1920. Ladies Claret
179-1914



178-2320

EUROPA: 172-2125

Frame Sizes: Lightweight 1020 steel lug
Mens: 21", 23"

Wheel & Tire Size: 27" x 1 1/4" Gumwall

Brakes: Alloy side-pull caliper w/safety
levers

Gearing: 10-speed derailleur w/stem
shifter, 14-28T cluster

Crank Set: One piece 6 1/2" hot forged
w/39-52T sprocket

Weight: 33 lbs. 4 oz.

Models: Mens Black 172-2125, 172-2325



172-2125

EUROPA: 173-28

Frame Sizes: Lightweight 1020 steel lug
Ladies: 19"

Wheel & Tire Size: 27" x 1 1/4" Gumwall

Brakes: Alloy side-pull caliper w/safety
levers

Gearing: 10-speed derailleur w/stem
shifter, 14-28T cluster

Crank Set: One piece 6 1/2" hot forged
w/39-52T sprocket

Weight: 33 lbs. 4 oz.

Models: Ladies Argenta 173-28



173-28

RIVIERA: 278-2312

Frame Sizes: Lightweight 1020 steel lug
Mens: 21", 23", 25"-Ladies: 19"

Wheel & Tire Size: 27" x 1 1/4" Gumwall

Brakes: Alloy side-pull caliper w/safety
levers

Gearing: 10-speed derailleur w/stem
shifter, 14-28T cluster

Crank Set: 3 pc. cotterless 39-52T sprocket

Weight: 31 lbs. 9 oz.

Models: Mens Peacock Blue 278-2112,
278-2312, 278-2512. Ladies Peacock Blue
279-12



278-2312



170-15

EUROSPORT: 170-15

Frame Sizes: Lightweight 1020 steel lug
 Mens: 21"-Ladies: 19"
Wheel & Tire Size: 26" x 1 1/8" Gumwall
Brakes: Alloy side-pull caliper w/safety
 levers
Gearing: 10-speed derailleur w/alloy
 ratchet stem shifter, 14-28T cluster
Crank Set: One piece 6 1/2" hot forged FFS
 w/39-52T sprocket
Extras: Cushion grips
Weight: 34 lbs. 5 oz.
Models: Mens Scarlet Red 170-15, Ladies
 Scarlet Red 174-15



EUROSPORT: 174-2122

Frame Sizes: Lightweight 1020 steel lug
 Mens: 21", 23"-Ladies: 19"
Wheel & Tire Size: 27" x 1 1/4" Gumwall
Brakes: Alloy side-pull caliper w/safety
 levers
Gearing: 10-speed derailleur w/alloy
 ratchet stem shifter, 14-28T cluster
Crank Set: One piece 6 1/2" hot forged FFS
 w/39-52T sprocket
Extras: Cushion grips
Weight: 34 lbs. 5 oz.
Models: Mens Chalk White 174-2122,
 174-2322, Ash Blue 174-2120, 174-2320,
 Ladies Chalk White 175-1922, Ash Blue
 175-1920



174-2122

EUROTOUR: 192-14

Frame Sizes: 1020 tempered steel
Mens: 21"-Ladies 19" (192, 193
(180, 181 lightweight))
Wheel & Tire Size: 192, 193, 26" x 2.125"
Gumwall, 36 x .105 spokes 190, 191, 26" x
1.75" Black 180, 181, 26" x 1 1/8" Gumwall

Brakes: Coaster brake
Crank Set: One piece 6 1/2" hot forged,
48T sprocket

Models: Mens Claret 192-14, Ladies
Claret 193-14, Mens Peacock Blue 190-12,
Ladies Peacock Blue 191-12, Mens Burnt
Almond 180-18, Ladies Burnt Almond
181-18.



192-14

GRAN TOURIST: 184-2318

Frame Sizes: Lightweight 1020 steel lug
Mens: 21", 23"-Ladies: 21"
Wheel & Tire Size: 27" x 1 1/4" Gumwall
high pressure

Brakes: Alloy side-pull caliper
Gearing: 3-speed (trigger control)

Crank Set: 3 piece cotterless w/48T
sprocket
Models: Mens Burnt Almond 184-2118,
184-2318, Ladies Burnt Almond 185-2118



184-2318

DIAMOND CRUISER V: 186-2125

Frame Sizes: Heavyweight 1020 steel lug
Mens: 21", 23"
Wheel & Tire Size: 26" x 2.125" Gumwall,
36 x .105 spokes-(model 186)
Alloy rim, 26" x 2.125" Gumwall-

Brakes: Alloy side-pull
Gearing: 5-speed derailleur w/alloy stem
shifter, 14-32T cluster, (model 286)

Crank Set: One piece 6 1/2" hot forged,
46T sprocket (model 286) Red anodized
alloy 3 pc. cotterless

Extras: Red cushion grips, (model 286)
red 4 bolt stem
Models: Mens Black 186-2125, 186-2325,
Ladies Black 187-1925.

DIAMOND CRUISER X:
Mens Chalk White 286-2122, 286-2322



186-2125



188-28



183-110



176-2312



183-14

EUROTOUR: 188-28

Frame Sizes: Lightweight 1020 steel lug
Mens: 21", 23"—Ladies: 19"
Wheel & Tire Size: 26" x 1 3/8" Gumwall.
27" x 1 1/4" Gumwall
Brakes: Alloy side-pull caliper
Gearing: 5-speed derailleur w/alloy stem
shifter, 14-28T cluster
Crank Set: One piece 6 1/2" hot forged, FFS
46T sprocket
Models: Mens Argenta 188-28 (26").
Ladies Argenta 189-28 (26"). Mens Burnt
Almond 188-2318 (27"). Ladies Burnt
Almond 189-1918 (27")



EUROTOUR: 176-2312

Frame Sizes: Lightweight 1020 steel lug
Mens: 21", 23"—Ladies: 19"
Wheel & Tire Size: 27" x 1 1/4" Gumwall
Brakes: Alloy side-pull caliper
Gearing: 10-speed derailleur w/alloy
ratchet stem shifter, 14-28T cluster
Crank Set: One piece 6 1/2" hot forged FFS
w/39-52T sprocket
Models: Mens Peacock Blue 176-2112,
176-2312.
Ladies Peacock Blue 177-1912

EUROTOUR: 183-110

Frame Sizes: Lightweight 1020 steel lug
Ladies: 19"
Wheel & Tire Size: 26" x 1 3/8" Gumwall
Brakes: Alloy side-pull caliper front,
3-speed/coaster brake rear
Gearing: 3-speed Trimatic
Crank Set: One piece 6 1/2" hot forged,
48T sprocket
Model: Ladies Ice Blue 183-110

EUROTOUR: 183-14

Frame Sizes: Lightweight 1020 steel lug
Mens: 21", 23"—Ladies: 19"
Wheel & Tire Size: 26" x 1 3/8" Gumwall
Brakes: Alloy side-pull caliper
Gearing: 3-speed
Crank Set: One piece 6 1/2" hot forged,
48T sprocket
Models: Mens Peacock Blue 182-2112,
182-2312. Ladies Claret 183-14, Peacock
Blue 183-12



155-10



154-12



153-522



153-110

COMPACT: 155-10

Frame Size: 17 1/2" 1020 tempered steel
Wheel & Tire Size: 26" x 1 3/8" Gumwall
Brakes: Alloy side-pull caliper w/safety levers
Gearing: 10-speed derailleur w/alloy ratchet stem shifter, 14-28T cluster
Crank Set: One piece 6 1/2" hot forged, FFS w/39-52T sprocket
Extras: Cushion grips
Models: Ladies Ice Blue 155-10, Chalk White 155-22



COMPACT: 153-522

Frame Size: 17 1/2" 1020 tempered steel
Wheel & Tire Size: 26" x 1 3/8" Gumwall
Brakes: Alloy side-pull caliper, w/safety levers
Gearing: 3-speed
Crank Set: One piece 6 1/2" hot forged, 48T sprocket
Extras: Cushion grips
Model: Ladies Chalk White 153-522

COMPACT: 154-12

Frame Size: 17 1/2" 1020 tempered steel
Wheel & Tire Size: 26" x 1 3/8" Gumwall
Brakes: Alloy side-pull caliper w/safety levers
Gearing: 10-speed derailleur, w/alloy ratchet stem shifter, 14-28T cluster
Crank Set: One piece 6 1/2" hot forged, FFS w/39-52T sprocket
Extras: Cushion grips
Models: Mens Peacock Blue 154-12, Black-154-25



COMPACT: 153-110

Frame Size: 17 1/2" 1020 tempered steel
Wheel & Tire Size: (153-110, 153-12) 26" x 1 3/8" Gumwall, (151-10) 26" x 1.75" Black
Brakes: (153-110) Alloy side-pull caliper front, Coaster brake rear, (153-12) Alloy side-pull caliper, (151-10) Coaster brake
Gearing: (153-110) 3-speed/Trimatic (153-12) 3-speed
Crank Set: One piece 6 1/2" hot forged, 48T sprocket
Models: Ladies Ice Blue 153-110, Peacock Blue 153-12, Ice Blue 151-10



136-12

ZX: 136-12

Frame Size: Heavy-duty reinforced
gusseted steel

Wheel & Tire Size: ACS "Z" rims, 20" x
2.125" Gumwall stud, blue tires

Brakes: Coaster brake

Crank Set: One piece 6 1/2" hot forged,
44T sprocket

Extras: 4 bolt MX racing stem, handlebar
& frame pads, chainguard

Model: Peacock Blue ZX136-12

ZFX: 236-12 HANDBRAKE

Frame Size: Heavy-duty reinforced
gusseted steel

Wheel & Tire Size: ACS "Z" rims, 20" x
2.125" Gumwall stud, blue tires

Brakes: Front & Rear handbrake
w/ Freewheel

Crank Set: One piece 6 1/2" hot forged,
44T sprocket

Extras: 4 bolt MX racing stem, handlebar
& frame pads, chainguard

Model: Peacock Blue ZFX236-12

136-22

Frame Size: Heavy-duty reinforced
gusseted steel

Wheel & Tire Size: ACS "Z" rim, 20" x
2.125" Gumwall stud, red tires

Brakes: Coaster brake

Crank Set: One piece 6 1/2" hot forged,
44T sprocket

Extras: 4 bolt MX racing stem, handlebar
& frame pads, chainguard

Model: Chalk White ZX136-22



ZX: 136-22

SLINGER: 134-25

Frame Size: Heavy-duty reinforced gusseted steel
Wheel & Tire Size: 20" x 2.125" Gumwall stud
Brakes: Coaster brake
Crank Set: One piece 6½" hot forged, 44T sprocket
Extras: 4 bolt MX racing stem, handlebar, chainguard
Model: Black 134-25



134-25

THX: 142-25

Frame Size: Heavy-duty reinforced gusseted steel
Wheel & Tire Size: 20" x 2.125" Gumwall stud, 36 x .105 spokes
Brakes: (142) Freewheel & handbrake (138) Coaster brake
Crank Set: One piece 6½" hot forged 44T sprocket

Extras: 4 bolt MX racing stem, handlebar & frame pads, chainguard
Models: Black THX 142-25, Chalk White THX 142-22, Peacock Blue ST138-12 Silver ST138-13



142-25

TFX: 140-25

Frame Size: Heavy-duty reinforced gusseted steel
Wheel & Tire Size: 20" x 2.125" Gumwall stud, yellow Tuft wheels
Brakes: Coaster brake
Crank Set: One piece 6½" hot forged, 44T sprocket
Extras: 4 bolt MX racing stem, handlebar & frame pads, chainguard
Model: Black TFX 140-25



140-25



106-25



113-11



133-16



132-15

SLINGER: 106-25

Frame Size: Heavy-duty reinforced gusseted steel

Wheel & Tire Size: 16" x 2.125" Tuff wheels, yellow MX tires w/reflective strip

Brakes: Coaster brake

Crank Set: One piece 4 1/2" hot forged, 36T sprocket

Extras: Yellow handlebar pad

Model: Black 106-25

POLOBIKE: 133-16

Frame Size: Girls 1020 tempered steel

Wheel & Tire Size: 20" x 1.75" Black

Brakes: Coaster brake

Crank Set: One piece 4 1/2" hot forged, 44T sprocket

Model: Pink 133-16, Chalk White 133-22

CONVERTIBLE/TRAINER: 113-11

Frame Size: Boys/Girls 1020 tempered steel

Wheel & Tire Size: 20" x 1.75" Black pneumatic

Brakes: Coaster brake

Crank Set: One piece 4 1/2" hot forged, 36T sprocket

Extras: Training wheels

Models: Candy Apple Red 113-11, Peacock Blue 113-12

POLOBIKE: 132-15

Frame Size: Boys 1020 tempered steel

Wheel & Tire Size: 20" x 1.75" Black

Brakes: Coaster brake

Crank Set: One piece 4 1/2" hot forged, 44T sprocket

Model: Scarlet Red 132-15




101-12



104-15



102-15



103-16

CONVERTIBLE/TRAINER: 101-12

Frame Size: Boys/Girls 1020 tempered steel
Wheel & Tire Size: 16" x 1.75" Black pneumatic
Brakes: Coaster brake
Crank Set: One piece 3 $\frac{5}{8}$ " hot forged, 36T sprocket
Extras: Training Wheels
Model: Peacock Blue 101-12

POLOBIKE JR.: 102-15

Frame Size: Boys 1020 tempered steel
Wheel & Tire Size: 16" x 1.75" Black pneumatic
Brakes: Coaster brake
Crank Set: One piece 3 $\frac{5}{8}$ " hot forged, 36T sprocket
Extras: Training Wheels
Model: Scarlet Red 102-15

SLINGER: 104-15

Frame Size: Boys heavy-duty reinforced gusseted steel
Wheel & Tire Size: 16" x 2.125" Yellow MX tires w/reflective strip
Brakes: Coaster brake
Crank Set: One piece 4 $\frac{1}{2}$ " hot forged, 36T sprocket
Extras: Yellow handlebar pad
Model: Scarlet Red 104-15, Concord Blue 104-29

POLOBIKE JR.: 103-16

Frame Size: Girls 1020 tempered steel
Wheel & Tire Size: 16" x 1.75" Black pneumatic
Brakes: Coaster brake
Crank Set: One piece 3 $\frac{5}{8}$ " hot forged, 36T sprocket
Extras: Training Wheels
Model: Pink 103-16

FUTURA

The Futura is just one member of the Ross Exerciser family. Designed for the more economy minded, the Futura is built with the same quality precision construction as our other models. It features a fully enclosed chainwheel, speedometer and odometer. Plus, a wheel rim resistor system usually found only on top of the line exercisers.

Every Ross exerciser is built to the Ross standard of excellence, with superb engineering and precision construction. The perfect machines to set in motion in office, home, or fitness club.

OLYMPION

The Olympion, in Champagne, is the middle-priced model in the Ross line of Exerciser bicycles.

It combines all the quality features of the Futura model, and more. The Olympion sports a black wheel cover and the speedometer, odometer and a timer, are displayed in a wood-grained console.

The Ross quality line of exercise bicycles—something for everyone.



902-22



903-23

OLYMPION SEAT





905-26

REGENCY

The top-of-the-line in an exciting line of exercisers is the Ross Regency, in sandalwood with brown seat and trim. Like the complete line of Ross exercisers, the Regency is built with front and rear base assemblies, plus adjustable levelers to keep it balanced, stable and in place. The heavy-duty welded tubular steel frame is highlighted by a chrome plated flywheel and resistance system which gives an unusually smooth ride. The Regency has a double-side chain protector and cushioned hand grips. The wood-grained console features speedometer, odometer and timer.

The Regency model is also available in silver, with black seat and grips. Console and chainguard insert feature a chrome-like finish.

LIMITED WARRANTY

Chain Bike Corporation (hereinafter called CBC) WARRANTS THE ENTIRE BICYCLE FRAME, FORK AND PARTS (except tires and tubes) to be free from defects in material and workmanship WITHOUT ANY TIME LIMIT.

WHAT CBC WILL DO

In the event of a defective bicycle or part, CBC will, at its option, repair or replace the defective bicycle or part within the Warranty period, at no cost to you except for shipping or dealer labor charges (if applicable).

WHAT YOU MUST DO

If you discover a defect within the Warranty period, you must follow this procedure:

- Bring the bicycle to the original dealer from whom it was purchased. If the dealer from whom you purchased this bicycle determines upon examination is verified by CBC, repair or replacement will be made in accordance with this Warranty.
- You must also bring to the original selling dealer a copy of the sales slip or other proof of date of purchase of the bicycle in the case of a claim of defective parts under the Warranty.
- If the foregoing is not possible, write for assistance to: Parts and Service Dept., Chain Bike Corporation, 200 Cascade Drive, Allentown, PA 18103. In your letter, state your full name and address and the reason why you believe there is a defect in your bicycle, and inform CBC of the date and under what conditions, the defect was discovered. Be sure to include a copy of the sales slip or other proof of date of purchase.
- When the CBC dealer receives your bicycle for repairs (and under no condition is CBC responsible for damage in transit) he may then determine, upon inspection, that this Warranty does not apply, in which case you will be so notified with a reason stated and you will be advised of the cost of repair and shipping. You may then advise the CBC dealer to make the repairs or to return the bicycle to you. In either case, you must make payment therefor to the CBC dealer. If you fail to do so within sixty (60) days of the CBC dealer's notice to you, the CBC dealer shall be free to return the bicycle to you C.O.D. and you must pay the shipping expenses upon receipt. If you fail to pay C.O.D. charges and the bicycle is returned to the CBC dealer, he may then dispose of it, without any liability to you.

LIMITATIONS, EXCLUSIONS AND OTHER RIGHTS

- THIS WARRANTY DOES NOT COVER TIRES AND TUBES OR ANY FAILURE DUE TO ACCIDENT, ABUSE, MISUSE, OR NEGLIGENCE, OR AS A RESULT OF NORMAL WEAR AND TEAR.
- THE SOLE RESPONSIBILITY OF CBC PURSUANT TO THE TERMS OF THIS WARRANTY, IF ANY, SHALL BE REPAIR OR REPLACEMENT.
- THE LIABILITY OF CBC SHALL IN NO EVENT EXCEED THE ORIGINAL PURCHASE PRICE OF THE BICYCLE, AND CBC SHALL NOT BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES OF ANY NATURE, INCLUDING INJURIES OR DAMAGES TO PROPERTY. THIS STATEMENT CONSTITUTES THE EXCLUSIVE EXPRESSION OF WARRANTY BY CBC AND IS IN LIEU OF ANY AND ALL OTHER WARRANTIES.
- NO MODIFICATIONS OF THIS WARRANTY ARE AUTHORIZED. THERE ARE NO PROMISES, TERMS, CONDITIONS OR WARRANTIES OTHER THAN THOSE CONTAINED HEREIN.
- Some states do not allow limitations on how long an implied Warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.
- This Warranty gives you specific legal rights and you may also have other rights which vary from state to state.
- DO NOT alter nor use bicycles manufactured by CBC in stunt riding, dirt ridden vehicles, nor tow another person or vehicle, or multiple riders nor use bicycles with motors or power driven assists as power WILL INVALIDATE THIS WARRANTY AND CBC SHALL NOT BE LIABLE FOR ANY FAILURE, LOSS, DAMAGE, OR INJURY RESULTING FROM SUCH USES AND/OR ALTERATIONS DESCRIBED IN THIS PARAGRAPH.
- ALL OF THE TERMS AND CONDITIONS OF THIS LIMITED WARRANTY ALSO APPLY TO EXERCISE BICYCLES MANUFACTURED BY CBC.

The descriptions and specifications contained in this catalog were effective at the time of printing. Chain Bike Corporation reserves the right to discontinue any models at any time and to change the specifications or designs without notice.

Ross, Signature, Super Gran Tour XV, Gran Tour, Gran Tour II, Gran Tourist, Riviera, Eurosport, Eurotour, Europa, Compact, Pantera, 136-ZX, 236-ZFX, 142-THX, 138-ST, 140-TFX, Slinger, Diamond Cruiser V, Diamond Cruiser X, Compact, Regency, are trademarks of Chain Bike Corporation. Patents: In addition to the patents which are pending, the products illustrated in this catalog are protected as indicated.



ROSS Bicycles
350 Beach 79th Street
Rockaway Beach, New York 11693

West Coast:
1820 E. 46th Street
Los Angeles
California 90058

Factory:
200 Cascade Drive
Allentown,
Pennsylvania 18103