

SCHWINN[®]



BICYCLES AND ACCESSORIES 1980

2nd
EDITION

Schwinn Bicycles

Manufacturer's Suggested Retail Prices Effective July 12, 1980

Catalog Page	Model Name	Mfg. Suggested Retail Price Zone 1	Catalog Page	Model Name	Mfg. Suggested Retail Price Zone 1
4	Voyageur 11.8	\$349.95	32	SX-500 (chrome)	\$201.95
4	Voyageur 11.8 (chrome)	\$399.95	33	SX-100	\$196.95
5	Super LeTour	\$296.95	33	SX-100 (chrome)	\$211.95
6-7	LeTour	\$234.95	33	36/36 (freewheel)	\$176.95
8	Traveler	\$194.95	33	36/36 (chrome with freewheel)	\$191.95
8	Traveler, 27" frame	\$204.95			
9	World Sport	\$169.95	33	36/36, coaster	\$166.95
9	World Tourist	\$164.95	34	Phantom	\$146.95
12	Continental	\$199.95	34	Phantom (chrome)	\$161.95
13	Deluxe Varsity	\$189.95	34	Phantom MAG	\$176.95
14	Varsity Sport	\$179.95	34	Phantom MAG (chrome)	\$191.95
15	Suburban 10-speed	\$196.95	35	Mini-Scrambler	\$126.95
15	Suburban 5-speed	\$186.95	36	Hurricane #5	\$169.95
18-19	Collegiate 10-speed	\$174.95	37	Fair Lady, coaster	\$109.95
18-19	Collegiate 5-speed	\$164.95	37	Fair Lady, 3 speed	\$132.95
20-21	Collegiate 3-spd. coaster	\$154.95	37	Lil' Chik	\$104.95
20-21	Collegiate 3-spd. caliper	\$149.95	38	Sting-Ray, 3 speed	\$132.95
20-21	Collegiate, coaster	\$134.95	38	Sting-Ray, coaster	\$109.95
23	24" wheel Deluxe Varsity	\$189.95	38	Tornado	\$104.95
24	24" wheel Varsity Sport	\$179.95	39	Sting-Ray II	\$104.95
25	24" wheel Collegiate		39	Mini-Sting-Ray	\$104.95
	5-speed	\$164.95	40	Bantam	\$ 99.95
25	24" wheel Collegiate		40	Pixie	\$ 79.95
	3-spd. coaster (Tourist)	\$154.95	41	Sting-Ray Pixie	\$ 87.95
26	Deluxe Cruiser	\$206.95	41	Lil' Tiger	\$ 74.95
26	Cruiser 5-spd.	\$201.95	42	Twinn Tandem Sport	
26	Cruiser, coaster	\$166.95		10-spd.	\$419.95
27	Cruiser	\$166.95	42	Twinn Tandem 5-spd.	\$299.95
27	24" wheel Cruiser	\$166.95	43	Tri-Wheeler	\$289.95
28	Heavy-Duti	\$164.95	44	Unicycle 20" and 24"	\$ 86.95
28	Hollywood	\$136.95	44	Unicycle Giraffe	\$159.95
28	Typhoon	\$136.95	47	Deluxe Exerciser	\$194.95
30	The Sting	\$456.95	48	ergoMETRIC Exerciser	\$700.00
31	SX-2000	\$276.95	49	Air-Dyne Exerciser	\$450.00
32	SX-500	\$186.95			

All prices and specifications are subject to change without notice.

SCHWINN PARAMOUNT BICYCLES

The World Famous Schwinn Paramount Bicycles are not shown in this catalog. Complete descriptions and information on the Schwinn Paramount line are available through your local Schwinn Dealer or can be obtained by writing to:

Consumer Relations Department
SCHWINN SALES INC.
 1856 North Kostner Avenue • Chicago, IL 60639





Over 1600 Friendly Schwinn Dealers in All 50 States

Your neighborhood Schwinn Dealer is an independent businessman devoted to serving you. He works a little harder, does a little more, and provides those "extra" personal services that mean so much.

Schwinn bicycles are sold only through a nationwide network of trained bicycle specialists.

Every Schwinn Dealer is ready to help you select the right model . . . assemble it properly and adjust it to fit . . . all at no extra charge. Later, if you need service, he'll take care of that too. Friendly, helpful service is his business.

INDEX

Description	Page No.
Manufacturer's Suggested Retail	
Bicycle Prices	2
X-tra Lite Bicycles—27" wheels	4 to 9
X-tra Lite Specifications—27" wheels	10 to 11
Standard Lightweights—27" wheels	12 to 15
Standard Lightweight Specifications	
27" wheels	16 to 17
Standard Lightweights—26" wheels	18 to 21
Standard Lightweight Specifications	
26" wheels	22 to 24
Standard Lightweights—24" wheels	23 to 25
Middleweight and Balloon Tire Bicycles	
26" and 24" wheels	26 to 28

Description	Page No.
BMX Scramblers—20" wheels	29 to 35
Sting-Ray Bicycles—20" wheels	36 to 39
Junior Size Bicycles 12", 16" &	
20" wheels	40 to 41
Tandem Bicycles—26" & 27" wheels	42
Town and Country Adult Tri-Wheeler	
24" wheels	43
Unicycles—20" & 24" wheels	44
Stationary Exercise Bicycles	46 to 49
Bicycle Accessories	50 to 62
Manufacturer's Suggested Retail	
Accessory Prices	63

All prices and specifications are subject to change without notice.

All prices in this catalog are manufacturer's suggested retail prices, excluding taxes. Bicycle prices include freight and assembly.

Suggested prices on parts and accessories do not include installation. Battery operated accessories may not include batteries.

All bicycle weights listed in this catalog are approximate and may vary slightly due to variations in frame size or weight of components.

Schwinn-Approved Voyageur® 11.8 12 Speed



All new for 1980 . . . a professional quality touring bicycle. Designed by Schwinn's sophisticated cycle engineers and built to Schwinn's exacting requirements, the Voyageur 11.8 is a real value for the serious cyclist. 4130 chrome-moly frame with double-buttressed top and bottom tubes. Chrome plated rear stays. Shimano Altus LT derailleur system with quick release wheels, and a host of features representing detail and design considerations one would expect to find on only the highest price bicycles.



Scarlet Flame



Black Sable



Chrome

- V21-9 21" frame
- V23-9 23" frame
- V25-9 25" frame
- VC1-9 21" full chrome
- VC3-9 23" full chrome
- VC5-9 25" full chrome





Schwinn Super LeTour® 12 Speed

Light, responsive and agile, the 28 pound 12-speed Super LeTour is an X-tra Lite cycle with features rarely found in this price range. Self-centering rear derailleur with six-cog cassette freewheel. Downtube shifters for smooth, quiet, positive shifting, and Schwinn's own made-in-Chicago X-tra Lite torch brazed lug frame . . . plus many other extra-quality equipment features that make this an exceptional bicycle you'll be proud to own. (See specifications on pages 10 and 11). The final test of any bicycle is the ride and the Super LeTour's handling characteristics are the equivalent to almost any bike in the world.



Black Sable




Summer Cloud White

Men's frame sizes

D21-9	21"
D23-9	23"
D25-9	25"



Schwinn LeTour® Ten Speed



Jean-Claude Killy says . . .
 "I like Schwinn's truly fine quality 30-pound 10-speed bike with high performance features and an American built brazed lug frame. It's a terrific value at its popular price. There's no substitute for the riding quality, the agility, ease of handling and lightness of pedal effort that can be achieved with an excellent cycle like this . . ."

Performance starts with a lively, resilient X-tra Lite frame that's properly designed, carefully built and perfectly aligned . . . characteristics which are sometimes missing in mass-produced bikes of lesser quality.

Men's frame sizes

D11-9 21"
 D13-9 23"
 D15-9 25"

Ladies' frame sizes

D59-9 19"
 D62-9 22"



Cardinal Red



Frosty Silver



Sky Blue

LeTour by Avocet

The Schwinn built brazed lug frame of 18 gauge 1020 carbon steel tubing.

Shimano 400 rear derailleur and special freewheel high-gear chainguard.

Schwinn high pressure 27 x 1 1/4-inch Sports Touring gumwall tires on UKA1 narrow section tubular steel rims.




Why Torch Braze Frames are More Responsive



Schwinn built X-tra Lite LeTour lug frames are made of 18 gauge 1020 carbon steel tubing with its original temper, stiffness and resiliency because it has been carefully torch brazed. The frame has been heated only where the tubes are brazed into the lugs. Many mass-produced bicycle frames are heated in ovens or salt solutions in their entirety, to over 1700°F, in order to melt the brazing material in the joints. This can anneal the entire frame and changes its temper and resiliency. The results are unresponsive and "dead" riding characteristics in the finished bicycle. Torch brazing preserves the tubing's integrity for a lively ride and also permits better quality control for better riding performance.

Complete specifications on pages 10 and 11.




Torch brazing confines heat to a small area to avoid annealing complete frame.

Aluminum alloy handlebars and stem with recessed bolts.

Tubular front fork with chrome plated crown cover and chrome trimmed blades.

Sugino Super Maxi alloy cotterless crank set with 39 and 52 tooth chainwheels.



Schwinn-Approved Traveler® Ten Speed

Men's frame sizes		Ladies' frame sizes	
T29-9	19"	T59-9	19"
T31-9	21"	T62-9	22"
T33-9	23"		
T35-9	25"		
T37-9	27" (extra cost)		



Pearl Blue



Scarlet Flame



This dependable 32-pound X-tra Lite 10-speed bike has been engineered by Schwinn and produced overseas to Schwinn's exacting specifications to combine good riding performance with a moderate price—truly an attractive value. The Traveler is handsome in design, smooth handling and fully equipped with reliable performance features. A reliable, light Silstar crankset is new for 1980. See specifications on pages 10 and 11.



Schwinn-Approved World® Ten Speed

World Sport
Men's frame sizes
W31-9 21"
W33-9 23"
W35-9 25"

World Sport
Ladies' frame sizes
W89-9 19"
W91-9 21"



Frosty Silver



Royal Maroon

If you've looked forward to the excitement of true lightweight cycling but need a thrifty price, here's your answer. Schwinn has designed and imported these remarkable new Schwinn-Approved World models with 10-speed or 5-speed features typically found only on more expensive bicycles. In addition to weighing only 33 pounds, the World models have lively pedal action and stable, predictable riding characteristics. Complete specifications on pages 12 and 13.

World Tourist
Men's frame sizes
W41-5 21"
W43-5 23"
W45-5 25"



World Tourist
Ladies' frame sizes
W79-5 19"
W81-5 21"



Schwinn X-tra Lite Models, 1980 Specifications

Model	Voyageur 11.8	Super LeTour	LeTour
Frame Size (in.)	V21-8-21" men's V23-9-23" men's V25-9-25" men's VC1-9-21" full chrome men's VC3-9-23" full chrome men's VC5-9-25" full chrome men's	D21-9-21" men's D23-9-23" men's D25-9-25" men's	D11-9-21" men's D13-9-23" men's D15-9-25" men's D59-9-19" ladies' D62-9-22" ladies'
Frame	Schwinn-Approved lug frame—brazed construction with double-buffed top and down tubes. Chrome-moly 4130 main frame tubes. 6" chrome trim on rear stays	Schwinn-Built X-tra Lite Torch Brazed Lug Frame, 18 gauge 1020 carbon steel tubing	Schwinn-Built X-tra Lite Torch Brazed Lug Frame, 18 gauge 1020 carbon steel tubing
Fork	Tubular with semi-sloping chrome plated crown and 6" chrome trim on fork blades	Tubular with semi-sloping chrome plated crown and 6" chrome trim on fork blades	Tubular with chrome plated crown cover and 6" chrome trim on fork blades
Handlebar	SR alloy road racing drop style with a double sleeve	SR alloy Randonneur bend drop style with a double sleeve	SR alloy Randonneur bend drop style with a double sleeve
Stem	SR alloy with recessed Allen head bolts	SR alloy with recessed Allen head bolts	SR alloy with recessed Allen head bolts
Saddle	Black Ariake Jaguar with chrome plated carriage	Avocet Condor	Avocet Touring II
Crankset	Sugino Super Maxi alloy cotterless with 40 and 52 tooth chainwheels with chrome-moly steel spindle, 170 mm crank arms	Sugino Super Maxi alloy cotterless with 38 and 52 tooth chainwheels with chrome-moly steel spindle, 170 mm crank arms	Sugino Super Maxi alloy cotterless with 38 and 52 tooth chainwheels with chainguard and chrome-moly steel spindle, 170 mm crank arms
Freewheel	Shimano Altus 6-speed cassette gold finish, 13-15-17-20-24-28	Shimano Altus 6-speed cassette 13-15-17-20-24-28 tooth cogs	Schwinn-Approved Maillard, gold finish, high-gear chainguard, built-in dust seal and 14-17-20-24-28 tooth cogs
Chain	Shimano Uniglide gold 3/32 x 1/2-inch	Shimano Uniglide 3/32 x 1/2-inch	Sedis 3/32 x 1/2-inch
Hubs	Front—Shimano alloy small flange with quick release and positive wheel retention Rear—Shimano alloy small flange free hub with quick release	Front—Schwinn-Approved alloy small flange with quick release and positive wheel retention Rear—Shimano alloy small flange free hub with quick release	Front—Schwinn-Approved alloy large flange with quick release and positive wheel retention Rear—Schwinn-Approved alloy large flange with quick release
Rear Derailleur	Shimano Altus LT with self-centering system	Shimano Altus LT with self-centering system	Shimano 400
Front Derailleur	Shimano Altus LT	Shimano Altus LT	Schwinn-Approved GT-295 with exclusive two-piece chain guide for jam-free shifting
Shifting Levers	Shimano Altus LT down-tube mount	Shimano Altus LT down-tube mount	Schwinn Twin Stik stem mounted
Brakes	Dia-Compe 500G side pull with lever hoods	Weimann 605 side pull with lever hoods	Schwinn-Approved alloy center pull with extension levers
Rims	Araya alloy, 27 x 1 1/4-inch	Weinmann A-125 light alloy 27 x 1 1/4-inch	UKA1 narrow section steel 27 x 1 1/4-inch
Tires	Schwinn Super Record gumwall high pressure (300 grams) 27 x 1 1/4 inch	Schwinn Super Record gumwall high pressure (300 grams) 27 x 1 1/4 inch	Schwinn High Pressure Sports Touring gumwall 27 x 1 1/4 inch
Spokes	.080 gauge bright finish	.080 gauge bright finish	.080 gauge bright finish
Pedals	KKT alloy rattrap	Maillard rattrap (with steel case)	KKT RT-E steel rattrap
Color	Scarlet Flame, Black Sable, Chrome	Black Sable, Summer Cloud White	Frosty Silver, Cardinal Red, Sky Blue
Accessories	Toe clips and straps	Toe clips and straps	Kickstand
Weight	26 pounds	28 pounds	30 pounds with kickstand

Full Size 27 in. Wheel Models

Traveler	World Sport	World Tourist	Model
T29-9-19" men's T31-9-21" men's T33-9-23" men's T35-9-25" men's T37-9-27" men's T59-9-19" ladies' T62-9-22" ladies'	W31-9-21" men's W33-9-23" men's W35-9-25" men's W89-9-19" ladies' W91-9-21" ladies'	W41-5-21" men's W43-5-23" men's W45-5-25" men's W79-5-19" ladies' W81-5-21" ladies'	Frame Size (in.)
Schwinn-Approved lug frame— brazed construction of 18 gauge 1020 carbon steel tubing	Schwinn-Approved lug frame—brazed construction of 18 gauge 1020 carbon steel tubing	Schwinn-Approved lug frame—brazed construction of 18 gauge 1020 carbon steel tubing	Frame
Tubular with chrome plated crown cover and 6" chrome trim on fork blades	Tubular with eyelets	Tubular with eyelets	Fork
Steel Randonneur bend drop style	Steel, drop style	Box style tourist	Handlebar
SR alloy with recessed binder bolt	SR alloy with recessed binder bolt	SR alloy with recessed binder bolt	Stem
Ariake—black vinyl top with nylon base	Black racing type with lightweight plastic base	Mattress saddle	Saddle
Sistar alloy 170mm crank arms, cotterless, 40 and 52 steel chain- wheels and alloy guard	Sistar alloy 170mm crank arms, cotterless, 40 and 52 steel chain- wheels and alloy guard	Single 48 tooth chainwheel with 170mm alloy crank arms	Crankset
Shimano 14-17-20-24-28 tooth cogs	Maeda SunTour 14-17-20-24-28 tooth cogs	Maeda SunTour 14-17-21-26-32 tooth cogs	Freewheel
HKK Uniglide 3/32 x 1/2-inch	TYC 3/32 x 1/2-inch	TYC 3/32 x 1/2-inch	Chain
Front—Shimano steel semi-large flange Rear—Shimano steel small flange	Front—Sunshin steel semi-large flange Rear—Sunshin steel small flange	Front—Sunshin steel semi-large flange Rear—Sunshin steel small flange	Hubs
Shimano 400	Maeda SunTour Honor	Maeda SunTour Honor	Rear Derailleur
Shimano 400	Maeda SunTour Spirt	None	Front Derailleur
Shimano stem mounted	SunTour stem mounted	SunTour stem mounted	Shifting Levers
Schwinn-Approved alloy center pull with extension levers	Alloy center pull with extension levers	Alloy center pull with extension levers	Brakes
Araya steel 27 x 1 1/4-inch	Tubular steel 27 x 1 1/4-inch	Tubular steel 27 x 1 1/4-inch	Rims
Schwinn Puff gumwall 27 x 1 1/4-inch	High pressure gumwall 27 x 1 1/4-inch	High pressure gumwall 27 x 1 1/4-inch	Tires
.080 gauge UCP finish	.080 gauge UCP finish	.080 gauge UCP finish	Spokes
SR SP-300CP rattrap pedals	Rattrap	Rattrap	Pedals
Scarlet Flame, Pearl Blue	Royal Maroon, Frosty Silver	Sky Blue	Color
Kickstand	Kickstand	Kickstand	Accessories
32 pounds with kickstand	33 pounds with kickstand	33 pounds with kickstand	Weight

Schwinn Continental® Ten Speed



Black Sable




Sky Blue



Men's frame sizes		Ladies' frame sizes	
310-9	20"	350-9	20"
312-9	22"	352-9	22"
314-9	24"		
316-9	26"		

The Schwinn Continental is the top-of-the-line 27-inch wheel standard lightweight. This 36-pound 10-speed model features Schwinn's durable Electro-forged diamond-style frame of 16 gauge 1010 carbon steel. The strongest, longest-lasting, diamond-style frame ever made. Slightly heavier but stronger and more suitable for hard riding than 30-pound sport bicycles, the Continental is ideal for dependable service. It features a quick release front hub with the Schwinn exclusive positive front wheel retention. The front wheel may be removed in just seconds for carrying the bike in most car trunks, easy storage or quick tire changes. Complete specifications on pages 16 and 17.



Schwinn Deluxe Varsity® Ten Speed



Emerald Green



Cardinal Red



Sky Blue



Men's frame sizes		Ladies' frame sizes	
417-9	17"	467-9	17"
420-9	20"	470-9	20"
422-9	22"		
424-9	24"		

Amazingly easy, positive shifting sets the new Schwinn Deluxe Varsity apart from other 10-speed lightweights. It's equipped with a Front Freewheeling FF system and a Positron stem-mounted shift lever which moves each gear with a positive click—an unbeatable combination for riders new to 10-speed machines and a real convenience for experienced riders. Schwinn Breeze Sports Touring 27 x 1 1/4 -inch gumwall tires make this sturdy 37-pound 10-speed a joy to ride and easy to maintain. Complete specifications on pages 16 and 17.

Schwinn Varsity® Sport Ten Speed




Emerald Green



Cardinal Red



Sky Blue



Men's frame sizes

117-9	17"
120-9	20"
122-9	22"
124-9	24"
126-9	26"

Ladies' frame sizes

167-9	17"
170-9	20"
172-9	22"

America's Favorite 10-Speed Bicycle

Year after year, the Schwinn Varsity is America's favorite full-size 27-inch wheel 10-speed bicycle. Famous for its smooth and easy riding quality and its sturdy dependability under all riding conditions. Extra-strength features, together with a forged steel stem and heavy duty kickstand, add up to total weight of approximately 38 pounds, but the Varsity is nevertheless responsive and easy to pedal because of its high quality, precision made crank and wheel bearings, the low rolling resistance of its 27 x 1 1/4 - inch Schwinn Puff gumwall tires and the perfectly aligned Schwinn Electro-forged frame and driving mechanism.

Complete specifications on pages 16 and 17.



Schwinn Suburban® Five and Ten Speed



Spicy Chestnut



Sky Blue



Men's frame sizes

642-9	22" 10-speed
644-9	24" 10-speed
530-5	20" 5-speed
532-5	22" 5-speed
534-5	24" 5-speed

Ladies' frame sizes

687-9	17" 10-speed
690-9	20" 10-speed
692-9	22" 10-speed
577-5	17" 5-speed
580-5	20" 5-speed
582-5	22" 5-speed

Many riders prefer the comfort of traditional upright or tourist handlebars, but still want all the advantages of low rolling resistance tires and full sized 27-inch wheels—the perfect combination offered in this wide selection of easy-riding Schwinn Suburban models. Choose from either the 10-speed or 5-speed models equipped with a Front Freewheeling FF system for effortless shifting of gears and exceptionally consistent pedal action in all kinds of terrain and riding conditions. The Suburban, when equipped with a basket or carrier, is also the perfect gas-saving transportation to the store or around the neighborhood.

Schwinn Standard Lightweight Models, 1980 Specifications

Model	Continental	Deluxe Varsity
Frame Size (in.)	310-9-20" men's 312-9-22" men's 314-9-24" men's 316-9-26" men's 350-9-20" ladies' 352-9-22" ladies'	417-9-17" men's 420-9-20" men's 422-9-22" men's 424-9-24" men's 467-9-17" ladies' 470-9-20" ladies'
Frame	Schwinn Electro-forged of 16 gauge 1010 carbon steel with built-in kickstand housing and welded-on cable lugs	Schwinn Electro-forged of 16 gauge 1010 carbon steel with built-in kickstand housing and welded-on cable lugs
Fork	Tubular chrome plated with eyelets	Schwinn-built steel forged with chrome finish crown cap
Handlebar	SR alloy Randonneur bend drop style with a double sleeve	Schwinn chrome plated steel drop style
Stem	SR alloy with recessed Allen head bolts	Schwinn chrome plated forged steel
Saddle	Schwinn-Approved Comfort-Form racing style with vinyl cover over specially molded pad	Schwinn-Approved Comfort-Form racing style with vinyl cover over specially molded pad
Crankset	Schwinn forged steel diamond style heat treated crank with patented Schwinn 39 and 52 tooth chainwheels	Schwinn forged steel one-piece crank with FF front freewheeling double plateau 39 and 52 tooth chainwheels
Freewheel	Schwinn-Approved Maillard with 14-17-20-24-28 tooth cogs, high-gear chainguard and built-in dust seal	Schwinn-Approved FF system with 14-17-20-24-28 tooth cogs
Chain	3/32 x 1/2-inch	Uniglide 3/32 x 1/2-inch
Hubs	Front-Schwinn-Approved alloy large flange with quick release and positive wheel retention Rear-Schwinn-Approved alloy large flange	Front-Schwinn-Approved alloy large flange Rear-Schwinn-Approved alloy small flange
Rear Derailleur	Schwinn-Approved GT-510 with jam-free backpedal cage	Positron II positive indexing
Front Derailleur	Schwinn-Approved GT-290 with special jam-free chain cage	Schwinn-Approved GT-290 with jam-free chain cage
Shifting Levers	Schwinn-Built Twin Stik stem mounted	Positron II stem mounted
Brakes	Schwinn-Approved alloy center pull with extension levers	Schwinn-Approved alloy side pull with extension levers
Rims	Schwinn tubular chrome plated steel 27 x 1 1/4-inch	Schwinn tubular chrome plated steel 27 x 1 1/4-inch
Tires	Schwinn Sports Touring gumwall high pressure 27 x 1 1/4-inch	Schwinn Breeze Sports Touring gumwall 27 x 1 1/4-inch
Pedals	KKT RT-E steel rattrap	Union steel rattrap
Color	Black Sable, Sky Blue	Sky Blue, Cardinal Red, Emerald Green
Accessories	Built-in kickstand	Built-in kickstand
Weight	36 pounds with kickstand	37 pounds with kickstand

Full Size 27 in. Wheel Models

Varsity		Suburban 10-speed	Suburban 5-speed	Model
117-9-17" men's 120-9-20" men's 122-9-22" men's 124-9-24" men's 126-9-26" men's	167-9-17" ladies' 170-9-20" ladies' 172-9-22" ladies'	10-speeds 642-9-22" men's 644-9-24" men's 687-9-17" ladies' 690-9-20" ladies' 692-9-22" ladies'	5-speeds 530-5-20" men's 532-5-22" men's 534-5-24" men's 577-5-17" ladies' 580-5-20" ladies' 582-5-22" ladies'	Frame Size (in.)
Schwinn Electro-forged of 16 gauge 1010 carbon steel with built-in kickstand housing and welded-on cable lugs		Schwinn Electro-forged of 16 gauge 1010 carbon steel with built-in kickstand housing and welded-on cable lugs		Frame
Schwinn-built steel forged with chrome finish crown cap		Tubular with eyelets		Fork
Schwinn chrome plated steel drop style		Schwinn touring handlebars—chrome plated with Schwinn cushioned grips		Handlebar
Schwinn chrome plated forged steel		Schwinn chrome plated forged steel		Stem
Schwinn-Approved Comfort-Form racing style with vinyl cover over special molded pad		Schwinn-Approved mattress with spring cushioning		Saddle
Schwinn forged steel diamond style heat treated crank with patented Schwinn 39 and 52 tooth chainwheels		Schwinn-Approved forged steel one piece crank with FF front freewheeling system. 5-speed: 46T chainwheel with inside/outside chain guard. 10-speed: 39 and 52 chainwheels		Crankset
Schwinn-Approved Maillard with 14-17-20-24-28 tooth cogs, high-gear chainguard and built-in dust seal		Schwinn-Approved FF system 5-speed: 14-17-21-26-32 tooth cogs 10-speed: 14-17-20-24-28 tooth cogs		Freewheel
3/32 x 1/2-inch		Uniglide 3/32 x 1/2-inch		Chain
Front—Schwinn-Approved alloy large flange Rear—Schwinn-Approved alloy small flange		Schwinn-Approved alloy small flange, front and rear		Hubs
Schwinn-Approved GT-510 with jam-free backpedal cage		Positron II positive indexing		Rear Derailleur
Schwinn-Approved GT-290 with special jam-free chain cage		10-speed: Schwinn-Approved GT-290. 5-speed: none		Front Derailleur
Schwinn Twin-Stik—fork stem mounted		Positron II stem mounted		Shifting Levers
Schwinn-Approved alloy side pull with extension levers		Schwinn-Approved alloy side pull		Brakes
Schwinn tubular chrome plated steel 27 x 1 1/4-inch		Schwinn tubular chrome plated steel 27 x 1 1/4-inch		Rims
Schwinn Puff gumwall 27 x 1 1/4-inch		Schwinn Puff gumwall 27 x 1 1/4-inch		Tires
Union steel rattrap		Schwinn-Approved Union bow type rubber pad		Pedals
Sky Blue, Cardinal Red, Emerald Green		Sky Blue, Spicy Chestnut		Color
Built-in kickstand		Built-in kickstand		Accessories
38 pounds with kickstand		39 pounds with kickstand		Weight

Specifications subject to change without notice.

Schwinn Collegiate® Sport Five and Ten Speed

Boys' Frame Sizes

707-9	17" 10-speed FF
710-9	20" 10-speed FF
727-5	17" 5-speed FF
730-5	20" 5-speed FF

Girls' Frame Sizes

757-9	17" 10-speed FF
760-9	20" 10-speed FF
777-5	17" 5-speed FF
780-5	20" 5-speed FF

Are you considering a derailleur equipped bicycle? If so, consider the five- or ten-speed Schwinn Collegiate Sport. The perfect bike for in-town riding; the Collegiate comes in a variety of frame sizes which will accommodate adult riders as well as younger cyclists. And the Schwinn Collegiate Sport gearing system is proven to be one of the most rugged derailleurs available for today's modern cyclists.

Boy's 5-speed Collegiate Sport



**Complete specifications on
page 22**

Mesinger RI saddle
with vinyl top.

Schwinn-Built extra
strength tubular steel
rims with 26 x 1 3/8-inch
Schwinn Sports
Touring gumwall tires.

Schwinn-Approved
Maillard small flange
alloy hubs, front and
rear.

Shimano FF 5-cog
(14-17-20-24-28)
freewheel.

Shimano Lark II
derailleur.

Shimano FE
front derailleur.





Schwinn Collegiate® Sport Five and Ten Speed

The Schwinn Collegiate Sport bikes feature dependable 26 x 1 3/8-inch gumwall tires and easy-shifting, jam-resistant 5-or-10-speed gears. Shifting gears is made easier with a Front Freewheeling FF system and the derailleurs are protected from possible damage when backpedaling. Now everyone can easily enjoy riding 5 and 10-speed bikes with these smooth-shifting, long-lasting, trouble-free Schwinn Quality-Built Collegiates—an outstanding value at a reasonable price.




Cardinal Red



Sky Blue

Girls' 10-speed Collegiate Sport



Schwinn-Built drop-style chrome plated steel handlebars with extension brake levers and color-coordinated handlebar tape.

Schwinn-Approved alloy side pull caliper brakes.

Schwinn-Built forged steel fork.

Schwinn-Built Electro-forged 16 gauge 1010 carbon steel frame with built-in kickstand housing and welded on cable lugs.

Forged steel one-piece crank with Front Freewheeling FF system with double plateau 39 and 52 tooth chainwheels.

Illustrated The boy's 10-speed Collegiate Sport equipped with Front Freewheel.

Schwinn Boys' Collegiate® Tourist Three Speed and Coaster

If you're looking for a dependable light-weight bike with upright tourist handlebars and mattress saddle, these 26-inch wheel Collegiate Tourist models are great as a practical solution to the energy crisis. Available in 3-speed or coaster brake models (3-speed coaster only on 17-inch frame sizes), the built-to-last Collegiate models are famous for their sturdy construction and ability to withstand hard use—with genuine Schwinn-Built Electro-forged frames, forged steel fork, one-piece forged steel cranks, extra-strength tubular steel rims and many other exclusive Schwinn quality features not found on discount house or chain store bargain bikes. Complete specifications on page 22.



Sky Blue




Cardinal Red



Boys' Frame Sizes

K37-8	17"	3-speed coaster
K42-6	22"	coaster
K40-4	20"	3-speed caliper
K42-4	22"	3-speed caliper



Schwinn Girls' Collegiate® Tourist



These Schwinn Collegiate Tourist models with 26-inch wheels are ideal for girls from 8 to 80 who prefer upright handlebars and a comfortable mattress saddle on a bike that's not too high with a step-through frame that makes it easy to get on and off. Choice of frame sizes from 17-inch for petite figures to 20-inch for taller riders, with generous saddle height adjustment on each size. These Collegiate Tourist models have the same sturdy construction and famous Schwinn-Built quality features described on the preceding three pages—an outstanding value in long-lasting riding comfort and service-free satisfaction at a low budget price. You'll be glad you chose Schwinn! Complete specifications on page 22.



Sky Blue



Cardinal Red

Girls' Frame Sizes

K87-8	17"	3-speed coaster
K90-4	20"	3-speed
K87-6	17"	coaster
K90-6	20"	coaster



Schwinn 26 in. Wheel Lightweight Models, 1980 Specifications

Model	10-Speed Collegiate Sport 26" Wheels	5-Speed Collegiate Sport 26" Wheels	3-Speed Coaster Collegiate Tourist 26" Wheels 3-Speed Collegiate Tourist 26" Wheels	Coaster Collegiate Tourist 26" Wheels
Frame Size (in.)	707-9-17" boys' 710-9-20" boys' 757-9-17" girls' 760-9-20" girls'	727-5-17" boys' Sport 730-5-20" boys' Sport 777-5-17" girls' Sport 780-5-20" girls' Sport	K37-8-17" Boys' K87-8-17" Girls' K40-4-20" Boys' K42-4-22" Boys' K90-4-20" Girls'	K42-6-22" Boys' K87-6-17" Girls' K90-6-20" Girls'
Frame	Schwinn Electro-forged of 16 gauge 1010 carbon steel tubing with built-in kickstand housing and welded on cable lugs	Schwinn Electro-forged of 16 gauge 1010 carbon steel tubing with built-in kickstand housing and welded on cable lugs	Schwinn Electro-forged of 16 gauge 1010 carbon steel tubing with built-in kickstand housing	Schwinn Electro-forged of 16 gauge 1010 carbon steel tubing with built-in kickstand housing
Fork	Schwinn-built forged steel fork	Schwinn-built forged steel fork	Schwinn-built forged steel fork	Schwinn-built forged steel fork
Handlebar	Schwinn chrome plated steel, drop style	Schwinn chrome plated steel, drop style on Collegiate Sport	Schwinn chrome plated steel, touring style	Schwinn chrome plated steel, touring style
Stem	Schwinn chrome plated forged steel, sport style	Schwinn chrome plated forged steel, sport style	Schwinn chrome plated forged steel, touring style	Schwinn chrome plated forged steel, touring style
Saddle	Mesinger RCB racing style, vinyl top	Mesinger SI-5 spring cushioned tourist style—exclusive design on Collegiate Tourist Mesinger RCB racing style, vinyl top on Collegiate Sport	Mesinger SI-5 spring cushioned touring style—exclusive design	Mesinger SI-5 spring cushioned touring style—exclusive design
Crankset	Forged steel one-piece crank with FF front, rearwheeling and 39 and 52 tooth double plateau chainwheels	Forged steel one-piece crank with FF front free-wheeling 46 tooth chainwheel and inside/outside chainguards	Schwinn one-piece chrome plated forged steel crank with Schwinn 46 tooth chainwheel	Schwinn one-piece chrome plated forged steel crank with Schwinn 46 tooth chainwheel
Freewheel	Schwinn-Approved Shimano with 14-17-20-24-28 tooth cogs	Schwinn-Approved Shimano with 14-17-21-26-32 tooth cogs	None	None
Chain	3/32 x 1/2-inch	3/32 x 1/2-inch	1/8 x 1/2-inch	1/8 x 1/2-inch
Hubs	Schwinn-Approved alloy small flange front and rear	Schwinn-Approved flange alloy small front and rear	Front—Schwinn-Approved alloy small flange Rear—Sturmey-Archer S3C 3-speed coaster brake on K37-8 and K87-8 Sturmey-Archer 3-speed on other models	Front—Schwinn-Approved Union steel small flange Rear—Bendix coaster brake
Rear Derailleur	Shimano Lark II	Shimano Lark II	None	None
Front Derailleur	Shimano FE	None	None	None
Shifting Levers	Schwinn Twin Stik, stem mounted	Schwinn Twin Stik, stem mounted	Sturmey-Archer handlebar trigger control	None
Brakes	Schwinn-Approved alloy side pull with extension levers	Schwinn-Approved alloy side pull on Collegiate Tourist Schwinn-Approved alloy side pull with extension levers on Collegiate Sport	Front—Schwinn-Approved alloy side pull Rear—Sturmey-Archer coaster brake on K37-8 and K87-8 Schwinn-Approved alloy side pull on other models	Bendix coaster brake
Rims	Schwinn tubular steel chrome plated 26 x 1 1/8-inch Endrick EA-1	Schwinn tubular steel chrome plated 26 x 1 1/8-inch Endrick EA-1	Schwinn tubular steel chrome plated 26 x 1 1/8-inch Endrick EA-1	Schwinn tubular steel chrome plated 26 x 1 1/8-inch Endrick EA-1
Tires	Schwinn Sports Touring gumwall 26 x 1 1/8-inch	Schwinn Sports Touring gumwall 26 x 1 1/8-inch	Schwinn Sports Touring gumwall 26 x 1 1/8-inch	Schwinn Sports Touring gumwall 26 x 1 1/8-inch
Spokes	.080 gauge UCP bright finish	.080 gauge UCP bright finish	.080 gauge UCP bright finish	.080 gauge UCP bright finish
Pedals	Union steel rattrap	Schwinn-Approved Union rubber block on Collegiate Tourist Union steel rattrap on Collegiate Sport	Schwinn-Approved Union rubber block	Schwinn-Approved Union rubber block
Color	Sky Blue, Cardinal Red	Sky Blue, Cardinal Red	Sky Blue, Cardinal Red	Sky Blue, Cardinal Red
Accessories	Built-in kickstand	Built-in kickstand	Built-in kickstand	Built-in kickstand
Weight	39 pounds with kickstand	38 pounds with kickstand	39 pounds with kickstand	39 pounds with kickstand

Specifications subject to change without notice.



Schwinn 24" Wheel Deluxe Varsity® Ten Speed

444-9 18" Boys'
494-9 18" Girls'



Sky Blue



Emerald Green



Cardinal Red

These junior size 10-speed Schwinn Deluxe Varsity bikes with 24-inch wheels for boys and girls, provide a safe, comfortable fit for younger riders—plus Front Freewheeling FF and Positron gear shifting systems. Ideal for beginners in 10-speed riding. The Front Freewheeling FF equipment protects against derailleur jam-ups from back-pedaling, and the Positron shifts from one speed to another with a positive click to let the rider feel each gear change. Schwinn's own Electro-forged frame, forged fork and tubular steel rims assure great performance and unmatched durability with low maintenance cost.



Schwinn 24" Wheel Varsity® Sport Ten Speed



144-9 15½" Boys'
194-9 15½" Girls'

In every detail the same outstanding features as the full size Schwinn Varsity Sport, America's favorite 10-speed bicycle—but scaled down with 24-inch wheels and a sloping top bar frame to fit the younger rider. Equipped with Schwinn-Approved Huret GT-510 rear derailleur with jam-free chain cage, Schwinn's extra-strength one-piece forged steel crank with patented double plateau 39 and 52 tooth chainwheels, forged steel fork and Schwinn's own double-thickness tubular steel rims and Schwinn's Electro-forged frame for easy pedaling and long-lasting dependability.



Cardinal Red



Sky Blue



Emerald Green



Boys' 3-speed Tourist



Girls' 3-speed Coaster



Girls' 5-speed Sport

Schwinn 24" Wheel Collegiate® Five and Three Speed


For junior riders there's no better value than the Schwinn Collegiate. Smooth and easy-to-ride in Sport models with the simplified Front Freewheeling FF 5-speed shifting system. Or Tourist models with 3-speed coaster. And, best of all, sturdy Schwinn construction in frames, forks, cranks, rims and other quality parts that are built as only Schwinn builds them—to take hard wear and give long, trouble-free service.

Sport Models

702-5	Boys'	5-speed FF
752-5	Girls'	5-speed FF

Tourist Models

K32-8	Boys'	3-speed coaster
K82-8	Girls'	3-speed coaster



Boys' 5-speed Sport




Cardinal Red



Sky Blue

Schwinn Deluxe Cruiser™



CX7-6 Schwinn Deluxe Cruiser

**CC5-5
Schwinn Cruiser
5-speed**



What a combination! 5-speed versatility, gutsy balloon tires and the reliability of the world-famous Schwinn cantilever frame. Forged steel front fork, heavy duty saddle and the "look" of a classic.

**CC7-6
Schwinn Cruiser
Coaster Brake**



If somewhat understated, yet functional comfort is what you're looking for choose the Schwinn's standard coaster brake Cruiser. Whitewall balloon tires and Electro-forged cantilever frame.



Schwinn Cruiser™

If first class is the only way you roll, take a good, serious look at Schwinn's line of cruisers. These machines incorporate the advantages of modern technology with the classic super-excellence of a solid, comfortable ride. Schwinn has long been the champion of riding comfort and the Schwinn Cruisers are probably the most copied in the world. But, there's only one original and, after all, isn't life to enjoy?

The word "Deluxe" takes on a whole new meaning when used to describe the new 1980 Schwinn Deluxe Cruiser. This year's new Spring Fork smooths out the roughest roads, the distinctive gumwall balloon tires are the perfect combination of luxury and pedaling ease.

The graceful yet striking cantilever frame with Schwinn's deep, rich finish is the standard for which the rest of the industry strives.

Cardinal Red



Sky Blue



Black Sable



CC9-6 Schwinn Cruiser coaster brake



Schwinn's simple laid back elegance is personified in the 1980 Ladies' Cruiser. With the time-proven dependability of a coaster brake, wide white-wall balloon tires, a comfortable saddle and wide handlebars.

CRUISIN' FOR THE YOUNGER RIDERS

CC1-6



24-inch wheels . . . the scaled down Cruiser!

The 24-inch Cruiser is ideal for the younger rider who appreciates the time-honored qualities of riding comfort. This smaller Cruiser has all the features of the full-sized 26-inch Cruisers—Schwinn cantilever frame, a large comfortable saddle, forged front fork, wide whitewall balloon tires and upright handlebars—as well as Schwinn's famous quality.

Schwinn Heavy-Duti®



Schwinn Middleweight Models

M15-6

This heavy duty middleweight designed for newsboys, commercial delivery and industrial plant use, has a special reinforced Schwinn Electro-forged cantilever frame, heavy duty .105 gauge spokes, Schwinn 26 x 1 3/4-inch tractor tires, heat treated forged steel crank, reinforced kickstand, Schwinn tubular steel rims, wide base handlebars and painted fenders. Weight 45 pounds.

Golden Yellow

Schwinn Hollywood®



L62-6

Graceful, serviceable styling in an easy-riding middleweight bike with comfortable saddle and 26 x 1 3/4-inch Westwind nylon cord tires on Schwinn's tubular steel rims. Coaster brake and built-in kickstand. Step-through frame that's easy to get on and off. Weight 39 pounds.

Sky Blue

Schwinn Typhoon®



L12-6

A dependable middleweight bike with 26 x 1 3/4-inch nylon cord tires on Schwinn's tubular steel rims. Schwinn Electro-forged cantilever carbon steel frame with forged steel fork and crank, chrome plated fenders and positive action coaster brake—a Schwinn quality bike that's built to last. Weight 40 pounds.

Sky Blue



Bicycle Motocross Racing . . . the Growth of A Sport

Bicycle Motocross racing is blasting down a 200-foot straightaway, up and over a jump and into a hard hair pin turn with a berm that's like climbing a wall. You start jammin' and bunny-hop through a series of whoop-de-doo's and then it's the fight for the finish. A swoop inside through the last turn and you've aced out the field.

It's happening week after week throughout the country—at sanctioned or independent tracks, in forest preserves and even inside arenas. It started with kids on the west coast riding stripped down 20" Schwinn Sting-Ray bikes on the trails. They would charge through ravines and down hills—imitating the motorcycle motocross stars. BMX, however, quickly became a sport in its own right and the sport has swept the country.

BMX today is not a backyard activity. It has become a highly organized and care-

It isn't unusual to have several hundred riders turn out for a major national race. However, the turnout at local tracks sponsored by civic groups like the Jaycees or Optimist Clubs is always very good. Parents, too, are swept up in the enthusiasm and big crowds are at nearly every race.

Many manufacturers are also behind the sport. Schwinn Bicycle Company has made sizeable investments in promoting and supporting BMX. Schwinn has a national BMX team which is instrumental in the development and evaluation of Schwinn's entire BMX line. And, Schwinn Dealers also help to manage and support the sport on a local level.

For 1980 Schwinn is proud to present its most impressive selection of superb BMX cycles. The Schwinn Sting and the new SX-2000 lead Schwinn's line, but the same attention to quality and dependability that makes these two machines tops in their class has been generously spent on each and every BMX bicycle Schwinn builds. Schwinn's ability to build a quality product has never been tested to such extremes as the constant pounding of Bicycle Motocross. But, in the brief history of the sport, Schwinn has proven to be the leader in the hard-fought world of BMX racing.




fully regulated sport—not unlike Little League or football leagues. Official sanctioning bodies such as the National Bicycle League (NBL), National Bicycle Association (NBA) or the American Bicycle Association (ABA) provide annual point standings, safety supervision and other details of the racing. They make certain that competition is fair and sportsmanlike. Problems are rare and competition is invigorating.



The Sting™, By Schwinn

... The Incredible Sting
Ranked #1 By Every BMX Magazine



Available as a complete chrome frame set (frame, fork, seat post, seat post clamp, and head and hanger bearing cups). See your Schwinn Dealer.

B25-O The Sting™

Every major BMX magazine has ranked The Sting by Schwinn as the best BMX machine that has ever hit a berm or jump. Ovalized and double-buttressed 4130 chrome-moly 18 gauge tubing (thicker walls at the ends of the tubes) provides more strength and rigidity in high stress areas; lightweight where strength isn't as important; a 5-inch head tube to help withstand fork stress and reduce the radial load on head bearings; tapered chrome-moly rear chain stays to reduce weight while maintaining strength; and finished like a jewel. Combined with Team Schwinn components, anodized aluminum box rims, chrome-moly handlebars, Ouri grips, and other first class equipment, the end result is the hottest BMX machine ever . . . and, race proven by the awesome Factory Team Schwinn riders on the 1979 NBA/Schwinn National Tour.




Chrome with
Red Trim



Chrome with
Blue Trim

**A new competition model . . . conceived
in the spirit of The Sting, raised on
the super-tough NBA/Schwinn
National Tour.**

**Schwinn
SX-2000**



Available as a complete chrome frame set (frame, fork, seat post, seat post clamp, and head and hanger bearing cups). See your Schwinn Dealer.

B22-O SX-2000

The Sting, by Schwinn, was the first of a new generation of BMX racing machines. The SX-2000 bi-oval is the second. In terms of frame geometry, the new SX-2000 is identical to the incredible Sting—a longer 5-inch head tube reduces the radial load on head bearings and stress at critical head tube joints. The SX-2000 also has ovalized top and down tubes to help spread stresses more evenly and the entire main harp is light 4130 chrome-moly tubing. Equipped with chrome-moly handlebars, quick-change alloy sprocket, anodized aluminum box rims and other competition parts and components, the new SX-2000 will soon be the workhorse on BMX tracks across the country.



Chrome with
Red Trim



Chrome with
Blue Trim

THE SCHWINN "SX" SERIES MAG WHEELS THE SX-500

B11-6 SX-500
Paint finish

B12-6
Full chrome plated
SX-500



Cardinal Red with
Frosty Silver trim—
Yellow wheels



Chestnut with
Golden Yellow trim—
Yellow wheels



Chrome with
Cardinal Red trim—
Red wheels

The machine for riders who prefer MAG wheels . . . the new Schwinn SX-500 features the exclusive Schwinn Magalloy™ metal alloy wheels on super-tough flash welded, carbon steel BMX frame. Gusset reinforced. Gumwall BMX tires. Coaster brake. Chrome finish BMX handlebar. Schwinn-built for performance! Weight 32 pounds.



The Schwinn SX-100

B10-6
Paint Finish
SX-100

B13-6
SX-100
Chrome

The SX-100 is everything you need to start racing BMX. Schwinn flash welded carbon steel frame with gusset reinforcement, glass fiber strengthened nylon MAG wheels, Schwinn BMX competition saddle, Schwinn's new chrome BMX handlebar, coaster brake. Weight 32 pounds.



Spicy Chestnut
Yellow wheels



Frosty Silver
Red wheels



Cardinal Red
Black wheels



Chrome
Red wheels

The Schwinn Scrambler® 36/36

BX6-0 Scrambler 36/36
with freewheel

BX7-0 Scrambler 36/36
chrome plated with
freewheel

BX6-6 Scrambler 36/36
with coaster brake

36 spokes mean a strong wheel at minimum weight to make this Scrambler 36/36 a competitor on tracks all over the country. Freewheeling rear wheel with caliper brakes or coaster brakes. Schwinn carbon steel, gusset reinforced BMX frame and competition tubular fork. Chrome cross-braced handlebar. 6½-inch crank arms. Weight 33 pounds.



Cardinal Red



Sky Blue



Chrome

Schwinn Phantom® Scrambler®

Phantom Scrambler:
B15-6 Painted Finish
B17-6 Chrome Plated
Phantom Mag Scrambler:
B16-6 Painted Finish
B19-6 Chrome Plated



The Schwinn Phantoms are perfect for street or easy off-road use, but with the quick responses of a true BMX racing machine . . . the Phantom features an exclusive Schwinn BMX frame design, competition style saddle, coaster brake, Schwinn BMX braced handlebar, Schwinn forged fork, and 20 x 2.125-inch Schwinn Scrambler tires. Choice of nylon MAG wheels or spoked wheels. Weight 33 pounds.



Black Sable/
Yellow wheels



Cardinal Red/
Yellow wheels



Sky Blue/
Yellow wheels



Chrome Plated/
Black wheels



B37-6—Coaster Brake

Schwinn 16" Wheel Mini-Scrambler®



The "lil' guys" fight as hard in BMX racing as the older competitors and for these youngsters Schwinn introduces a scaled down version of the famous Schwinn Scramblers. The new Mini-Scrambler a totally unique BMX frame developed specially for this model. Add gutsy knobby tires, a BMX cross-braced handlebar and you have a practical, durable and easy-to-ride bike that can really turn in a performance. More and more younger riders are getting into BMX and blasting from the gate on Schwinn quality is the best way to start a racing career.

Cardinal Red



Sky Blue



Schwinn Hurricane® 5

MX style saddle
with augmented
braces



5-speed rear
derailleur



Positron II
Stik-Shift gear
control



Ribbed design
handlebar grips



The Hurricane 5 is Schwinn's "top-of-the-line" 20-inch street machine. The 5-speed Positron II derailleur gears makes shifting simple and caliper hand brakes provide sure, positive stopping power. Big, roomy saddle with sporty brace design, knobby rear tire, and Schwinn cantilever frame design. Weight 40 pounds.



J34-5
5-speed



Frosty Silver
with Sky Blue
trim



Frosty Silver
with Cardinal Red
trim


Schwinn Fair Lady®

A comfortable, color coordinated saddle, chrome plated fenders and a Schwinn rear gripper slick tire. Step-through frame that makes riding easy. The perfect Sting-Ray® bike for the young lady. Weight 38 pounds.

Illustrated: Sky Blue and Summer Cloud White



Cherry Pink and Summer Cloud White



**J89-6
Coaster**

**J89-8
3-speed coaster**


Schwinn Lil' Chik®

Younger girls will enjoy the quick, responsive handling Sting-Ray® riding with this Lil' Chik—a smaller 20-inch Sting-Ray—in beautiful pastel colors. Schwinn Electro-forged step-through frame, 20 x 1 3/4-inch West-wind tires, coaster brake, full length chainguard. Weight 35 pounds.

Illustrated: Cherry Pink and Summer Cloud White



Sky Blue and Summer Cloud White



J81-6

Schwinn Sting-Ray®



J38-8 3-speed coaster brake
J38-6 single-speed coaster brake

Perhaps no bicycle has been so enjoyed and gained such wide acceptance and immediate popularity as the Schwinn Sting-Ray . . . and though many have copied it, no one has duplicated it. Schwinn exclusive cantilever frame, Schwinn Sting-Ray saddle, Sting-Ray handlebars, chainguard and coaster brake. Choice of 3-speed or single-speed coaster brake. Weight 39 pounds.



Cardinal Red
Golden Yellow
trim



Sky Blue
Frosty Silver
trim



Emerald Green
Golden Yellow
trim

THE ONLY ORIGINAL STING-RAY®!

Schwinn Tornado®

Here's a bold BMX-inspired bike that is exciting to ride. Big number plate mounted on a low, sleek BMX handlebar. Simulated MX tank. Full length chainguard, built-in kickstand, black BMX saddle and sporty mini-mudguards. The Tornado is a great bike for the young rider who likes the look of the competitor. Coaster brake and 20 x 1 3/4-inch tires. Weight 34 pounds.



J32-6



Black frame with
Golden Yellow
trim

Here's a Sting-Ray for younger riders—a slightly smaller version of the Sting-Ray with medium rise handlebars, Sting-Ray saddle, 20 x 1 3/4-inch Gripper Slik rear tire, full length chainguard, coaster brake and classy color combinations. Weight 35 pounds.

Schwinn Sting-Ray® II



J27-6



Cardinal Red
Golden Yellow
trim



Sky Blue
Frosty Silver
trim



Emerald Green
Golden Yellow
trim

SCHWINN STING-RAY® BICYCLES

Schwinn Mini-Sting-Ray®

Here's a sturdy 16" Sting-Ray that'll last for the entire growing family. With a forged fork, cantilever frame, coaster brake, Sting-Ray saddle, and 16-inch studded BMX tires. Weight 32 pounds.



J47-6



Cardinal Red
Golden Yellow
trim



Sky Blue
Frosty Silver
trim

Schwinn Convertible Bikes

Schwinn Bantam®



J35-6

Dependable Schwinn quality in a convertible bike designed to fit the growing family. 20-inch model easily converts to either a boy's or girl's bike by removing or attaching the top bar. Chrome plated fenders. Schwinn tubular rims. 20 x 1 3/4-inch nylon cord tires. Full length chainguard. Schwinn quality throughout. Weight 32 pounds.



Cardinal Red



Sky Blue

A GREAT IDEA FOR GROWING FAMILIES

Schwinn Pixie®


Easy-to-ride mixtie model with puncture-proof 16-inch tires designed for boys and girls. Features include beautiful chrome fenders, ball bearing head set, patented removable Schwinn Cycle Aid training wheels and full length chainguard. Weight 30 pounds.



Cardinal Red



Sky Blue



J41-6



Schwinn Juvenile Bikes

Sting-Ray® Pixie®

A popular beginner's bike with 16-inch wheels. Schwinn mixtie frame design . . . fine for boys and girls. Schwinn ball bearing head set, steel stem and chrome plated handlebar. Adjustable Sting-Ray saddle, built-in kickstand, Schwinn Superior 16 x 1 3/4-inch pneumatic tires. Full length chainguard. Weight 27 pounds.



Sky Blue
Frosty Silver trim



Silver Mist
Cardinal Red trim



J43-6

SCHWINN JUVENILE BIKES TO FIT BOTH BOYS AND GIRLS

Convertible Lil' Tiger®

Removable top bar makes this the perfect first bike for beginning boys and girls. Compact design complete with Schwinn Cycle Aid training wheels. Chrome fenders, padded saddle, full length chain-guard, 12-inch puncture proof semi-pneumatic tires. Make his or her first bike the best. Fixed gear. Weight 25 pounds.



J52-0



Cardinal Red



Sky Blue

Schwinn Twinn® Tandems



Companion cycling! Tandem riding doubles the pleasure, whether it be around the block or a picnic ride in the countryside, Schwinn Twinn Tandems provide fun for the whole family with a choice of five or ten speeds.

Schwinn Twinn Sport (10-speed T14-9)



The five-speed Twinn Tandem (below) features upright handlebars with patented cushion grips, chrome plated fenders, spring cushion mattress saddles and 26 x 1 3/8-inch Sports Touring gumwall tires. This five-speed model has internal expander rear and front caliper brake. Weight 64 pounds.

The ten-speed Twinn Sport (above) is equipped with drop style front and All-Rounder rear handlebars, Comfort Form racing style saddles, internal expander rear and front caliper brake with 27 x 1 1/4 -inch Schwinn Puff gumwall tires. Weight: 52 pounds.



Cardinal Red



Sky Blue

Schwinn Twinn (5-speed T13-5)





Schwinn Town and Country® Tri-Wheeler

Combine daily exercise with a trip to the market or visit friends . . . it's all possible . . . safely and securely on a sturdy Schwinn adult-size Tri-Wheeler. You don't even need to know how to ride a bike! Easy to get on and dismount. Spacious detachable vinyl coated wire basket with handles for carrying parcels. Differential drive, 3-speeds, comfortable saddle, and parking brake. Schwinn-built tubular steel rims. Heavy duty front hub 24 x 1 $\frac{3}{8}$ -inch Schwinn Sports Touring gumwall tires.

AT2-8

Weight 65 lbs.



Sky Blue

Schwinn Unicycles



Unicycling affords a unique experience in cycling. Give it a try! It's different and it's fun. 20-inch and 24-inch wheel units equipped with chrome plated fork blades, adjustable saddle heights, steel tubular rim, three-piece crank and a specially designed and patented padded saddle aids control and adds to riding comfort.

The Schwinn Giraffe gets you 6 feet off the ground . . . with a little practice of course! Frame is hand built by Schwinn and fully chrome plated . . . also, diamond tread block pedals, one-piece crank, tubular steel rim, patented saddle design, all adding up to the very best in unicycles.





U24 24" wheel
Wt: 15 lbs.



U20 20" wheel
Wt: 14 lbs.



U72 6' Giraffe
Wt: 17½ lbs.



PROPER BICYCLE FIT AND ADJUSTMENT

The first step towards proper bicycle fit is selection of the proper frame. Schwinn bicycles come in a wide variety of sizes and most Schwinn lightweights are available in different frame sizes to ensure that the purchaser is able to buy a bicycle with a frame which is neither too large nor too small, but just right.

A rider's proper frame size is usually the largest frame which he can comfortably straddle with both of his feet on the ground as in the illustration on left. Women can use the diamond style frame to determine the approximate size of the corresponding ladies' model bicycle. Proper bicycle fit is necessary for the utmost in safety and handling.

Once the proper frame size has been determined the next step is to adjust the seat to its correct height. The most efficient and comfortable pedaling is accomplished when the rider's leg, while he is seated on the bicycle, is not quite fully extended when the ball of the foot is on the pedal. The rider must be seated on the saddle and the pedal **MUST** be at the bottom position as shown in the illustration above on the right.

The handlebar stem should be adjusted to the same height as seat or slightly lower than the seat, as shown in the illustrations.

NOTE: On Schwinn bikes a maximum height marking appears both on the seat-post and the handlebar stem.

FOR 26" AND 27" WHEEL SIZE MODELS

Frame Size	Leg Length Range* from
17"	26" to 30"
19"	28" to 31"
20"	29" to 32"
21"	30" to 33"
22"	31" to 34"
23"	32" to 35"
24"	33" to 36"
25"	34" to 37"
26"	35" to 38"


JUVENILE AND YOUTH MODEL BICYCLES

Wheel Size	Model	Leg Length Range* from
12"	Lil' Tiger	14" to 18"
16"	Pixie, Mini-Scrambler	16" to 21"
20"	Bantam	20" to 25"
20"	Sting-Ray, Tornado, Lil' Chik	21" to 26"
20"	BMX Models	21" to 29"
20"	Sting-Ray, Fair Lady	22" to 32"
24"	Varsity, Deluxe Varsity, Collegiate, Cruiser	27" to 29"
26"	Typhoon, Hollywood, Heavy-Duty, Cruisers	28" to 32"

STING-RAY® & JUNIOR MODELS

On Sting-Ray® and junior models, the rider's toes should touch the ground while straddling the seat. The handlebar grips must not be higher than the rider's shoulders when he is seated on the saddle. Proper fit is essential to your bicycling riding safety and comfort.

**Leg length is the distance from crotch to floor while standing in stocking feet. Adjustments both higher and lower than the indicated figures can be made on Schwinn bicycles. However, these are the recommended figures. Frame size is measured from center of crank to top of painted seat tube.*



SCHWINN EXERCISERS FOR CYCLING FUN NO MATTER WHAT THE WEATHER

No matter what the weather is like outside, there is always riding fun for the whole family inside with Schwinn exercisers. Ideal for just a "bike break." Fun to use while you are watching your favorite TV show or listening to a musical recording.

THE SCHWINN DELUXE EXERCISER

Now fun can be yours all year 'round on the Schwinn Exerciser. With new style adjustable handlebars and saddle for short or tall riders, convenient adjustable pedal resistance control, soft rubber pedals, sturdy Schwinn frame supports and full length chainguard. This deluxe model also features a control panel with speedometer, mileage indicator and timer.

THE SCHWINN AIR-DYNE ergoMETRIC EXERCISER

Your Schwinn Air-Dyne ergoMETRIC Exerciser is a new and improved type of stationary bicycle exerciser which utilizes the air displacement principle. It provides a wide range of variable but measured work loads, combined with the comfortable and pleasing cooling effect of its wind vane system.

Your Schwinn Air-Dyne ergoMETRIC Exerciser can be used in three different ways to provide three separate and distinct ergo-metric exercise functions. It provides measured exercise for: (1) the upper body, using only the arm levers, or (2) for the lower body, using only the pedals, or, (3) measured exercise for upper and lower body combined, using arm levers and pedals at the same time.

HOW EXERCISE IS MEASURED

The word "ergoMETRIC" is derived from two Greek words, "ergon" for work and "metric" for measurement. The Schwinn Air-Dyne ergoMETRIC Exerciser utilizes the resistance of the air to the wind vanes on the wheel to provide a wide range of work loads—the faster the wheel is turned by the pedals and arm levers, the greater the volume of air moved and the amount of work required to move it. Because the Schwinn Air-Dyne ergoMETRIC Exerciser is equipped with instruments to measure the amount of work performed per minute, it is a form of bicycle ergometer.

The work exercise loads shown on the work load indicator can be converted to "kilopond meters per minute," which is the most widely used measurement of physical work performed in exercise programs. One kilopond meter is the amount of work required to lift one kilogram (2.2046 pounds) one meter (39.37 inches) at normal gravity. Kilopond meters per minute are a measure of work against time and can be converted to other terms of work measurement such as "foot pounds per minute," or "watts," or "horsepower." The Schwinn Air-Dyne ergoMETRIC Exerciser has an infinite variety of work loads ranging from a low of 150 kpm/minute (about .033 horsepower) to 2100 kpm/minute (about .460 horsepower). The greater the speed, the greater the volume of air moved and the greater the work load performed.




EXERCISER READING STAND . . .

Easily installed and adjustable, with a non-glare flat black finish and chrome plated support arms. 90 700

Schwinn Deluxe Exerciser

Now you can enjoy the benefits of year 'round daily bicycle riding in the comfort of your home. It's easy and convenient in the privacy of the den, bedroom, family room or office, no matter what the weather—summer or winter. Saddle and handlebar adjust easily without tools to fit most any rider. Takes up little space, and the Harvest Gold finish is a handsome addition to any decor. Built-in pedal resistance control simulates real bicycle riding. Sturdy construction with wide base plates provide firm footing.



XR6-0

Wt: 56 lbs.

Harvest Gold finish


For more complete details on the Schwinn line of Exercisers, see your Schwinn Dealer or write: Consumer Relations Department, Schwinn Bicycle Company, 1856 N. Kostner Ave., Chicago, Ill. 60639

Schwinn ergoMETRIC® Exerciser

The Schwinn ergoMETRIC Exerciser is a stationary bicycle ergometer which permits a closely controlled, measured and repeatable cycling program. When pedaling, with the resistance control at one of the eleven settings, energy expenditure remains relatively constant over a wide range of pedal speeds. (50-90 rpm's). Thus, both the program and the rider's reaction to the program can be charted. A program chart is part of the console unit which can be used to record the length of time riding, the resistance load, and rpm's.



Instrument panel includes timer, odometer, speedometer and push button activated pedal resistance control with dial settings.



Dynamometer tested and rated. Solid state electronic regulation. Harvest Gold finish
Wt: 73 lbs.
EX2-0




Air-Dyne Wind Screen
Chrome. Easy on and off.
90 849






Air-Dyne Reading Stand
Chrome support. Holds
books or magazines.
90 710

Schwinn Air-Dyne™ ergoMETRIC® Exerciser

Schwinn presents the total concept exerciser, measured exercise for your upper and lower body, anytime . . . in the comfort of your own home. An entirely new air-resistance principle provides a smooth, continuous workload. The entire unit is a sophisticated exerciser permitting a continuous, repeatable work measurement. Workload indicator reading kpm/min., sweep second hand timer, resettable and cumulative odometers, easily adjusted saddle height. The answer to anyone who is interested in a planned workload exercise program.



Wt: 77 lbs.
AD2-0
Harvest Gold finish



Riding Aids For The Beginner

SCHWINN APPROVED... BABY SEATS

- A** New High-Back molded bucket style baby seat. Complete with seat belt, and foot protector. Fits all frame sizes of 26" and 27" wheel bicycles.

01 482 fits 17" thru 22" frames

01 480 fits 20" thru 27" frames

SCHWINN CYCLE AIDS®...

The ideal bicycle accessory to help the beginner get a head start in cycling enjoyment. Wheel height adjustable. Available for 16" and 20" bikes.

- B** 02 525 for 16"—**B** 02 526 for 20"

- C** Cycle Aid® for 12" wheel bikes.
02 550

SCHWINN APPROVED PEDAL BLOCKS

- D** Pedal blocks, pair.— 07 600

SCHWINN APPROVED TOOL KIT

- E** Handy tool kit—all in a handy carrying case. Emergency repairs on the road.— 73-406

- F** TERRY TENNIS RACKET CLIP!

Tennis racket clip that attaches to front tubular fork of 26" or 27" wheel bicycles. Now you can take your racket along to the court easily and safely. Snap it right on your bike!
00 670



Take Your Cycling Fun Wherever You Go!

SCHWINN APPROVED AUTOMOBILE CARRIERS . . .

A Deluxe carrier mounts easily on most model automobiles. No metal touches the car finish. Carrier removes and stores in trunk. Chrome plated finish with vinyl covered hooks.

Large size 94 545
Reg. size 94 540

B Bike Porter II . . . permits carrying bicycles securely in "V" channels. Straps and hooks secure unit on most cars including station

wagons.

Two bicycle unit 94 565

C Add-on kit (to permit carrying 4 bikes) 94 566

D Hoop style rack . . . a practical, economically priced car carrier that holds two bikes. Durable, silver epoxy finish, vinyl covered hooks. Fits most cars. Easy to install.
94 615

Schwinn Approved . . . Bells and Horns To Let Them Know You're Coming!




- A** Your choice of antique illustrations or: bicycle bells. 01 006
- B** Lightweight alloy, finger-tip action, chime style black bell. 01 020
- C** Schwinn Approved design bell—chrome plated. 01 010
- D** Deluxe Ding-Dong bell with red Schwinn Approved seal. 01 005
- E** Keep the Bicentennial spirit with an American Flag Bell. 01 001
- F** Modern cyclist design bell. 01 043
- G** Funny folks, and animal cartoons highlight these bells. 01 007



- H** Long trumpet-style chrome plated bulb horn. 05 005
- I** Triple-tone chrome finish horn. Bulb style. 05 010
- J** Modern electric horn with piercing beep! Uses standard "AA" cell batteries, (not included). 05 055
- K** Chrome plated bugle horn with hexagonal bell styling. 05 001
- L** Bugle horn with large bulb. 05 003

Schwinn Approved Generator Sets for Safety After Dark



A New Traveler® generator set. Economically priced. Chrome plated with large headlight and tail light.
04 280

B Block style generator with matte black and chrome finish. Single unit with adjustable headlamp is easily mounted on front fork.
04 250

C Lightweight Super Sport® generator set complete with headlight, tail light, and generator. Designed especially for use on lightweight bicycles.
04 200

D New economically priced block generator set. Chrome finish.
04 265

E LeTour® lightweight generator set. Everything you need for quick installation. Added safety for night riding. Powerful beam.
04 190

F Strap this continental style safety light to your arm and ride in secure comfort. Takes two standard C cell flashlight batteries—(not included).
05 816


G Chrome plated tail light to match the new equipment. Genuine electrically lit amber and red rear signals.
04 180

H Powerful handlebar-mounted light. Full 4½ volts of power. Quickly detaches for convenient flashlight. Fits all bicycles (battery included).
05 821

SCHWINN APPROVED LIGHTS



**Help Keep Your Bike
in "New" Condition.**



Bike Care Products and Batteries.

Bike storage hooks	94 525
Rust-Eraser	72 210
Spray Paint—Small	72 680-853
LPD 9—Small	72 021
Bike Polish—Small	73 201
Bike Polish—Large	73 200
LPD-9—Large	72 020
DG-15 Degreaser	73 203
Spray Paint—Large	72 650-833
Chrome-Bright Cream	73 210
Cycle-Lube	72 001
Cycle Oil	72 002
Chain-Lube	72 025
Wax	73 205
Chrome Polish	73 206
Brush-On Touch-up Paint	72 750-780

SCHWINN APPROVED BATTERIES

SCHWINN APPROVED energized power batteries are made by a leading United States battery manufacturer according to SCHWINN specifications.

These high quality long-life energized batteries are guaranteed for optimum performance for use in all battery operated products.

Ultra Power (1 each)	00 920
D cell (2 pack)	00 925
C cell (2 pack)	00 926
9 volt (2 pack)	00 928
AA cell (4 pack)	00 927



Schwinn Approved . . . Bags, Baskets, and Carriers to Tote and Carry



A Genuine woven reed basket . . . lightweight and roomy. (Price includes straps).— 00 750

B Woven plastic basket with color trim to match most bicycles. Mounts by straps to handlebar. 00 721 to 727

C Junior size woven plastic basket with color trim to match most bicycles.— 00 800 to 806

D Rear wire basket folds flat out-of-way. Opens easily to a large basket. Carries a full grocery bag. Install two for set. Sturdy construction chrome finish. (Price includes hardware). 00 660

E Rear Alloy Touring Bag Support. 00 029

F Front Alloy Touring Bag Support. 00 019

G Touring bag of heavy vinyl cloth.— 00 030


H Deluxe lock and tool bag of heavy vinyl cloth. 00 025

I Tie down luggage straps in assorted colors. 12", 18", and 24" long.— 01 814 to 822

Lightweight alloy carrier with spring holder and front check clip that securely holds packages in place. Easily installed, the carrier attaches to frame drop-out ends and seatmast clamp. Complete with leveler bracket and built-in reflector bracket.


J Fits 17" thru 22" frames.— 01 600

K Fits 24" thru 26" frames.— 01 605





**If You're Riding a Schwinn
—Shouldn't You Be On
Schwinn Tires?**



SCHWINN APPROVED CYCLOMETERS AND SPEEDOMETERS

- A** Deluxe Cyclometer with silent action — reset mechanism. Tells how far for every ride. Black plastic case.
02 815 to 02 816
- B** Compact Cyclometer with black finish plastic case. New silent pick-up mechanism.
02 820 to 02 827



- C** Deluxe speedometer with chrome case and axle drive. Calibration for MPH and KPH on dial face. (Cannot be mounted on bicycles equipped with quick release hubs.)
08 450 to 08 452
- D** New Deluxe Universal tire drive speedometer with black finish case. Calibration for MPH and KPH on dial face.
08 455 fits 17" thru 23" frames
08 456 fits 24" thru 27" frames



- | | | | | | |
|-----------------|------------|---|-----------------|---------|---|
| A 62 203 | 27"x1 1/4" | Puff® gumwall | E 62 215 | 700x28C | High pressure Schwinn Super 700 (300-310 grams) |
| B 62 205 | 27"x1 1/4" | High pressure Sports Touring® gumwall | 62 216 | 700x28C | High pressure Schwinn Super 700 (250 grams) |
| C 62 207 | 27"x1 1/4" | High pressure LeTour® | F 68 010 | | Sew-up tire (230 grams) |
| D 62 212 | 27"x1 1/8" | High pressure Super Record® (300-310 grams) | 68 011 | | Sew-up tire (270 grams) |
| 62 213 | 27"x1 1/8" | High pressure Super Record® (250 grams) | 68 012 | | Sew-up tire (300 grams) |

Schwinn Approved Pumps and Tire Care



- A** Schwinn Approved Deluxe foot pump with air reservoir and color coded pressure gauge. 60 675
- B** Schwinn Approved Deluxe foot pump with air reservoir and pressure gauge. Made in U.S.A. 60 735
- C** Schwinn Approved narrow barrel high pressure foot pump 60 679
- D** Schwinn Approved foot pump. 60 681
- E** Schwinn Approved foot pump. Made in U.S.A. 60 730
- F** Schwinn Approved alloy frame pump. 60 684
- G** Zefal high pressure frame pump. — 60 640
- H** Zefal high pressure frame pumps. Available in specific frame sizes. — 60 717 to 60 721



- I** Complete tube repair kit in one single package. 60 410 and 60 406
- J** Easy to use bicycle tire "Stop-Leak" temporary tire seal and repair. 60 415
- K** Tire pressure gauge with sliding readout scale. Regular69 226 Sew-up69 227
- L** Pocket size tire pressure gauges with reset up to 110 lbs. Regular69 230 Sew-up69 231

Schwinn Approved Mirrors— Sting-Ray® Seats . . . Riding Accessories.



SCHWINN APPROVED MIRRORS

- A** Black finish mirror. Reflector back.— 07 025
- B** Heavy duty mirror and mounting bracket, black housing.— 07 026
- C** 4" round mirror, chrome plated with reflector. 07 010
- D** 3" Chrome plated mirror with reflector — 07 014
- E** Chrome plated oblong mirror with two reflectors. 07 011
- F** 3" chrome plated round mirror.— 07 015

SCHWINN APPROVED STING-RAY® SEATS

- G** Sting-Ray® seats with floral design.
- H** Schwinn seat brace
- I** Sting-Ray® seats with racing stripes.

- J** Universal seat brace

- K** Deluxe Sting-Ray® seats with silver inlay.

RIDING ACCESSORIES

- L** Carry along your favorite cool beverages. Bottle cage mounts easily on the frame. — 47 330
- M** Handsome large and convenient size insulated bottle. Easy cage mounting on the frame. 47 360
- N** An old favorite for easier riding . . . slack and trouser guards. — 09 501
- O** Men's deluxe leather cycling gloves with padded palm . . . ventilated "backs." 46 920 to 925
- P** Ladies' leather gloves for more comfort. 46 915 to 917

Schwinn Approved Cables, Chains and Locks . . .



A Chain and combination lock set with 3/16" diameter, hardened 4-foot steel chain. Covered in Glitter Silver vinyl.
06 710

B For those who want extra strength here's a heavy duty 5/16" hardened chain and padlock with hardened 3/8" shackle.
06 610

C Vinyl covered coiled bicycle locking cables, 6-foot long, in assorted colors.
06 745 to 06 762

Popular combination lock and 3-foot chain covered in:

D Glitter Blue 06 691

E Glitter Silver 06 690

F Glitter Red 06 694

G PRESTO set your own combination lock with

6-foot coiled vinyl covered cable.
06 743

H Enjoy the security of a full 6-foot, coiled steel vinyl covered cable—coupled with a combination lock with hardened shackle.
06 740

I Laminated steel padlock with case hardened shackle. Two keys supplied.
06 606

J Keep it in mind! Combination bicycle padlock with extra-strong case hardened shackle.
06 600

K PRESTO set your own combination lock with case hardened shackle.
06 530

L Laminated hardened steel shackle key lock—supplied with generous 6-foot coiled vinyl covered cable to prevent scratching the bike's paint finish.— 06 741



- A** Hunt-Wilde MXF grips 04 855-859
- B** Scrambler BMX grips 04 765-770
- C** Team Schwinn handlebars pads 02 462-464
- D** Schwinn frame pad 02 412
- E** Frame pads in color 02 410-437

- F** Handlebar pads in color 02 402-442
- G** Scrambler handlebar pad 02 400
- H** Schwinn handlebar pad 02 403
- I** Single clamp stem pad 02 415-446
- J** Double clamp stem pad 02 417-449




- K** Mouth guards small or medium 46 010-011
- L** Wide vision goggles 47 525
- M** BMX leather racing gloves 46 940-943
- N** Team Schwinn leather racing gloves 46 980-989



0123456789
A C E F G H J K N P S T V W X Z


- O** BMX sticker 03 258
- P** Foil sticker 03 256
- Q** Prismatic stickers 03 257-383
- R** Sting sticker 03 384
- S** Numbers white/black 02 130-149
- T** Letters white/black 02 180-220



- U** Rectangular number plates 02 121-124
- V** Oval number plates 02 108-117
- W** Perforated oval plates 02 111-120
- X** Perforated rectangular plates 02 165-171




- Y** Team Schwinn helmet bag 45 057



- A** Chrome moly handlebar 55 055
- B** Schwinn handlebars in color 55 085-089
- C** Anodized alloy handlebar 55 041-044




- D** Anodized BMX hubs 34 740-754
- E** Sealed bearing hubs 34 480-494
- F** T.D. Cross 16T freewheel 27 240
- G** Team Schwinn 16T freewheel 27 250
- H** Anodized caliper brakes 17 060-063



- I** Double clamp stem 55 529
- J** Anodized alloy-chrome moly stems 55 595-597
- K** Team Schwinn anodized stems 55 586-590
- L** Anodized alloy seat posts 58 865-868
- M** Chrome plated seat post 58 808
- N** Team Schwinn seat post clamps 58 891-895



- O** Competition spider with alloy sprocket 56 141-142
- P** Team Schwinn alloy crank sets 56 235-239
- Q** Scrambler alloy crank set 56 155
- R** Anodized alloy sprockets 56 139-832



- S** MKS rattrap pedals 57 840-841
- T** Sun Tour sealed bearing pedals 57 844-847
- U** KKT Lighting bolt pedals 57 890-895




- V** Schwinn BMX racing saddle 58 474
- W** Schwinn quilted racing saddle 58 551
- X** Brooks B-18 racing saddle 58 560
- Y** Jaguar II racing saddle in colors 58 480-483




- A** 20 x 2.00 skin gumwall tire 62 135
B 20 x 1.75 and 2.125 gumwall tire 62 138-139

- C** 20 x 2.125 studded gumwall tire 62 131
D 20 x 2.125 studded blackwall tire 62 130



- E** ACS nylon BMX wheels
 Front 85 085-088 Rear 85 285-288
F Schwinn Approved Magalloy™ wheels
 Front 85 040-042 Rear 85 130-132

- G** Tuff Wheel II
 Front 85 030-034 Rear 85 120-124
H Anodized lightweight BMX wheels
 Front 85 035-063 Rear 85 115-188



- I** Weinmann 20 x 1.75 alloy rim 82 107
J Ukai anodized alloy 20 x 1.75 boxed rims
 82 140-142
K BMX tubular chrome moly fork 54 455

- L** Sting chrome moly fork 54 416-419
M Team Schwinn chrome moly fork 54 450
N Anodized chrome moly forks 54 572-574

Schwinn-Approved Parts and Accessories

Zone 1

MANUFACTURER'S SUGGESTED RETAIL PRICES

Part No.	Price	Page No.	Part No.	Price	Page No.	Part No.	Price	Page No.
00 019	5.29	55	06 600	5.49	59	58 891-895	7.50	61
00 025	5.95	55	06 606	5.19	59	60 406	.99	57
00 029	5.89	55	06 610	27.85	59	60 410	.99	57
00 030	7.85	55	06 690	3.95	59	60 415	1.99	57
00 660	9.95	55	06 691	3.95	59	60 640	17.89	57
00 670	7.89	50	06 694	3.95	59	60 675	26.95	57
00 721-727	4.95	55	06 710	7.50	59	60 679	12.25	57
00 750	12.95	55	06 740	10.50	59	60 681	9.95	57
00 800-806	3.89	55	06 741	10.50	59	60 684	5.99	57
00 920	—	54	06 743	12.75	59	60 717-721	13.50	57
00 925	—	54	06 745-62	4.95	59	60 730	8.50	57
00 926	—	54	07 010	2.89	58	60 735	21.50	57
00 927	—	54	07 011	2.89	58	62 130	—	62
00 928	—	54	07 014	1.99	58	62 131	—	62
01 001	2.49	52	07 015	1.99	58	62 135	—	62
01 005	5.50	52	07 025	4.99	58	62 138	—	62
01 006	2.69	52	07 026	4.99	58	62 139	—	62
01 007	2.49	52	07 600	2.79	50	62 203	—	56
01 010	2.69	52	08 450-52	25.95	56	62 205	—	56
01 020	2.89	52	08 455-56	25.95	56	62 207	—	56
01 043	3.69	52	09 501	1.59	58	62 212	—	56
01 480	23.50	50	17 060-63	18.50	61	62 213	—	56
01 482	23.50	50	27 240	16.95	61	62 215	—	56
01 600	12.95	55	27 250	9.95	61	62 216	—	56
01 605	12.95	55	34 480-494	to 39.95	61	68 010	—	56
01 814	1.29	55	34 740-754	to 13.95	61	68 011	—	56
01 821	to	55	45 057	21.50	60	68 012	—	56
01 822	2.19	55	46 010	5.75	60	69 226	4.99	57
02 108-117	1.49	60	46 011	5.75	60	69 227	5.50	57
02 111-120	1.49	60	46 915-917	13.50	58	69 230-31	9.25	57
02 121-124	1.49	60	46 920-925	13.50	58	72 001	1.29	54
02 130-149	.29	60	46 940-943	19.95	60	72 002	1.29	54
02 165-171	1.49	60	46 980-989	20.50 to 25.99	60	72 020	3.59	54
02 180-220	.29	60	47 330	4.25	58	72 021	2.59	54
02 400	3.19	60	47 360	7.50	58	72 025	2.69	54
02 402-442	2.99	60	47 525	8.29	60	72 210	2.39	54
02 403	3.19	60	54 416-419	49.95	62	72 650-833	3.99	54
02 410-437	3.59	60	54 450	45.50	62	72 680-853	2.85	54
02 412	3.49	60	54 455	44.95	62	72 750-780	2.25	54
02 415-446	2.39	60	54 572-574	32.95	62	73 200	3.49	54
02 417-449	3.19	60	55 041-44	24.69	61	73 201	2.49	54
02 462-464	3.19	60	55 055	22.95	61	73 203	2.99	54
02 525-26	12.50	50	55 085-089	9.95 to 11.49	61	73 205	1.39	54
02 550	7.95	50	55 529	15.35	61	73 206	1.39	54
02 815-16	4.99	56	55 586-590	26.95	61	73 210	1.89	54
02 820-27	3.49	56	55 595-597	39.95	61	73 406	29.99	50
03 256	.59	60	56 139-832	to 14.95	61	82 107	9.95	62
03 257-383	.99	60	56 141	16.89	61	82 140-42	18.50	62
03 258	.59	60	56 142	19.25	61	85 030-034	to 41.95	62
03 384	1.49	60	56 155	43.50	61	85 035-063	36.25 to 46.89	62
04 180	2.99	53	56 235-239	56.95	61	85 040-42	to 33.95	62
04 190	17.95	53	57 840-841	14.59	61	85 085-088	to 34.95	62
04 200	23.95	53	57 844-847	69.95	61	85 115-188	38.50 to 50.99	62
04 250	15.95	53	57 890-895	23.89	61	85 120-124	to 46.95	62
04 265	8.95	53	58 474	6.39	61	85 130-132	to 39.95	62
04 280	12.95	53	58 480-83	10.29	61	85 285-288	to 44.95	62
04 765-770	1.75	60	58 551	8.29	61	90 700	16.95	47
04 855-859	1.75	60	58 560	8.29	61	90 710	19.95	49
05 001	5.99	52	58 573	to 14.95	58	90 849	8.95	49
05 003	6.50	52	58 590-93	to 13.95	58	94 525	1.99	54
05 005	2.99	52	58 596-98	to 13.95	58	94 540	46.95	51
05 010	6.99	52	58 678	to 6.29	58	94 545	46.95	51
05 055	5.49	52	58 682	to 7.29	58	94 565	56.85	51
05 816	2.69	53	58 808	6.89	61	94 566	44.50	51
05 821	7.59	53	58 865-868	to 8.29	61	94 615	26.75	51
06 530	7.19	59						

SCHWINN . . . the bicycle people.®



SCHWINN® BICYCLE COMPANY LIMITED WARRANTY

Warranty Effective March 1, 1979

Schwinn and Schwinn-Approved bicycles, parts and accessories (except ergo-METRIC exercisers) are warranted to be free from defects in materials and workmanship . . . no time limit.

NOTICE: The user assumes the risk of any personal injuries, damage to or failure of the bicycle and any other losses if Schwinn bicycles are used in any competitive event, including bicycle racing, or in bicycle motocross, dirt biking or similar activities, or training for such competitive events or activities. **DO NOT USE** Schwinn bicycles for stunt riding, ramp jumping, acrobatics or similar activities, or with motors as power driven vehicles. This warranty does not cover any personal injuries, damage to or failure of the bicycle or any other losses due to accident, misuse, neglect, abuse, normal wear, improper assembly or improper maintenance.

FREE 30-DAY CHECKUP

Each Schwinn Bicycle will be fully assembled by the Authorized Schwinn Dealer at time of purchase, and will be entitled to receive a Free 30-Day checkup by the same Authorized Schwinn Dealer within the first 30 days of operation . . . such checkup to include free replacement of any parts and accessories found to be defective and free inspection and adjustment of all functional parts and assem-

blies . . . but not including any repair due to accident, improper use, neglect, abuse, normal wear, improper assembly or improper maintenance.

At its option, Schwinn will . . . without charge . . . either provide a replacement of or repair any Schwinn or Schwinn-Approved part or accessory which is defective under the terms of this warranty. Dealer labor charges in installing replacement parts or accessories are not covered by this warranty after the free 30-day checkup, except for any labor charges due to replacement of a defective frame within one year of original purchase at retail.

Repair or replacement of defective parts or accessories and those dealer charges specified above shall be the sole remedy under this warranty, and, **IN NO EVENT SHALL SCHWINN BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES.** Some States do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

This warranty gives you specific legal rights, and you may also have other rights which may vary from state to state.

See your Authorized Schwinn Dealer for service or replacement under the Schwinn Limited Warranty, or write for assistance to the factory:

**Consumer Relations Department
SCHWINN BICYCLE COMPANY
1856 North Kostner Avenue • Chicago, Illinois 60639**