



L I G H T S P E E D



1 9 8 6 S C H W I N N L I G H T W E I G H T S


AT SCHWINN, WE'RE TOTALLY DEDICATED TO CYCLING. CHALLENGING OLD ENGINEERING IDEAS AND DEVELOPING NEW ONES IS AS EXCITING TO US AS THE BENEFITS ARE TO CYCLISTS. OUR UNCOMPROMISING ATTITUDE TOWARD USING THE FINEST MATERIALS AVAILABLE RESULTS IN PRECISION PERFORMANCE, WITH UNMATCHED QUALITY. THIS YEAR OUR COMMITMENT HAS PRODUCED A LINE OF BICYCLES THAT IS UNEQUALED. THERE ARE NO BETTER WORDS TO DESCRIBE THE '86 LIGHTWEIGHT LINE THAN "LIGHT-SPEED." THEY ARE HI-TECH BICYCLES THAT APPLY THE MOST SOPHISTICATED CYCLING TECHNOLOGY TO EVERYDAY PRACTICALITY. THE PARAMOUNT IS LIGHT AND STRONG; THE PELOTON, A PRECISION PERFORMER; THE SUPER SPORT, A TRIATHLETE'S EDGE. THE TRAVELER IS LOADED WITH FEATURES MOST CYCLISTS WOULD EXPECT TO FIND ONLY ON THE





MOST EXPENSIVE BICYCLES. LAST YEAR WE SOLD
MORE BIKES TO MORE PEOPLE OF DIFFERENT LIFE
STYLES THAN EVER BEFORE. THIS POINTS TO THE
SCHWINN COMMITMENT...TO DESIGN HIGH-TECH

PERFORMANCE BICYCLES FOR A COMPLETE RANGE
OF CUSTOMER NEEDS, TO CONTINUE TO GROW AND
CHANGE WITH THOSE NEEDS, AND TO SERVE YOU,
THE CUSTOMER THROUGH OUR NATIONWIDE NET-
WORK OF AUTHORIZED SCHWINN DEALERS AND
OUR "NO TIME LIMIT" WARRANTY.* VISIT YOUR
LOCAL SCHWINN DEALER AND EXPERIENCE THE
SCHWINN DIFFERENCE.



EDWARD R. SCHWINN, JR.
PRESIDENT SCHWINN BICYCLE CO.

*SEE YOUR AUTHORIZED SCHWINN DEALERS FOR FULL WARRANTY DETAILS.



BUILT BY HAND WITH
UNCOMPROMISED PRECISION,
THE PARAMOUNT ENDURES
NONE OF THE MASS-
PRODUCTION SHORT-
COMINGS OF ITS COMPETI-
TION. UNIQUELY MATCHED
COLUMBUS TUBING PRO-
DUCE A FRAME OF SUCH
RIGIDITY AND LIGHTNESS
THAT PARAMOUNT
REDEFINES THE MEANING OF
"ROAD FEEL." IMMACU-
LATELY BRAZED AND
POLISHED, THE PARAMOUNT
EARN'S THE NAME IT
CARRIES. IF YOU'RE READY
FOR THE ULTIMATE,
SCHWINN HAS IT —
PARAMOUNT.

Sole Yellow



Columbus SLX tubing (SLXSP used in 80cm and larger frames), lowest mount seat legs, bottom bracket, fork crown, and forged dropouts.

Every frame is aligned to a tolerance of .005 inches, using a digital aligning table.

Stronglight/Paramount alloy headset, a race-tested and proven performer—installed in every Paramount.

Overhead anamels, even baked for brilliant colors and long-lasting durability.

Frame Sizes Available, 18" (443mm) to 28" (725mm). See your Schwinn Dealer for complete details.

All Schwinn Bicycles meet C.P.S.C. regulations.

Metallic Black

Fireball Red

Electric Blue

Neon Orchid

Icy White

■ Columbus SLSP mix tubing and black chrome rear stays—a first class finish.

■ Rells saddle by San Marco, winner of 10 gold medals at the 1985 World Championships.

■ Sugino 75 crankset. The newest and strongest crank, utilizing 75% aluminum alloy, so every effort is transformed to speed.

■ Cinelli handlebars and stem steer the performance, aided by the new Tange alloy Roller 2000 headset and Clement tubular tires.

■ Frame Sizes Available. 16" 26" 21" 22" 23" 24" and 25" Clear Coated White with Black Chrome Trim. P18, P20, P21, P22, P23, P24, and P25.

All Schwinn Bicycles meet C.P.S.C. regulations.



P E L O T O N®



WITH CALCULATED CONFIDENCE. FROM SADDLE TO PEDALS, IT'S RACE TUNED... BUILT WITH WORLD CLASS COMPONENTS TO WORLD CLASS SPECIFICATIONS. PELOTON. A BIKE AS EXCITING AS YOU ARE DEMANDING.

PUT YOUR AMBITION IN
MOTION! THE SUPER SPORT
PERFORMS WITH THE
HI-TECH PRECISION
DEMANDED IN TOP-LEVEL
CYCLING AND TRIATHLON
COMPETITION.

S U P E R S P O R T*



■ The newest 600EX derailleurs from Shimano assure flawless shifting and are S.I.S. (Shimano Index System) adaptable, just like their top-of-the-line Dura-Ace used by professionals around the world.

■ To ensure the greatest power transmission, Bio-Pace chainrings are standard equipment.

■ New Araya 208 rims are the ultimate in strength and lightweight to keep you rolling.

■ Stopping power is provided by the newest Shimano 600EX brakes with even smoother, super action than before.

■ Frame Sizes Available:
16", 21", 22", 23", 24"
and 25" Clear Coated
Steel with Black Trim.
S26, S31, S32, S33,
S34, and S36.

All Schwinn Bicycles
meet C.P.S.C. regulations.

T H E R E ' S N O C O N T E S T W H E N
I T C O M E S T O V A L U E . T H E
T E M P O I S S L E E K , Q U I C K ,
A N D H A S A L L T H E F E A T U R E S
O F E X P E N S I V E R A C I N G
M A C H I N E S .

T E M P O *



■ Shimano 1375 rear derailleur has a sleek new look and is compatible with the Shimano Index System.

■ The light alloy low flange hubs have a sealed mechanism to protect from dirt and moisture.

■ A leather saddle made from San Marco provides comfort in short sprints or century rides.

■ Frame Sizes Available:
18", 21", 23", and 26".
Clear Coated Impulse
Blue or Pearl White with
Graystone Trim. 218,
521, 523, and 525.

All Schwinn Bicycles
meet C.P.S.C. regulations.



FOR SPEED WORK, TRAIN-
ING, OR TRACK RACING, FEEL
THE STRENGTH AND POWER
OF THE BIKE NAMED FOR THE
DEMANDING 6-DAY RACE IN
MADISON SQUARE GARDEN.

M A D I S O N ®



■ SunTour light alloy high flange precision track hubs with double sided rear axle with fixed gear and single freewheel.

■ Dia-Compe alloy side pull brakes are included for use on the road.

■ SR black alloy track pedals and Sugino track crank turn every movement into action.

■ Columbus tubing ties it all together for a bicycle at home on the road or track.

■ Frame Sizes Available, 18", 21" and 23". Clear Coated Frost White. M18, M21, and M23.

All Schwinn Bicycles meet C.P.S.C. regulations.

P R E L U D E™



■ Forged light alloy SR SRX-200 low profile crank for the racing look and efficient power transmission.


■ See Marco leather saddle for comfort and durable good looks.

■ Columbus® tubing and forged dropouts—expensive features at an affordable price.

■ SeaTour Cyclone derailleurs allow a wider gear range with the same size as racing derailleurs.

■ Frame Sizes Available, 18", 21", 23", and 25". Clear Coated Bright Blue or Gunmetal. PR3, PR1, PR2, and PR5.

■ All Schwinn Bicycles meet C.P.S.C. regulations.



YOU'RE A RECREATIONAL
RIDER WITH RACING BLOOD
IN YOUR VEINS. LET THAT
SPIRIT FLY ON THE PRELUDE.

L E T O U R *

DEPENDABILITY AND
SOPHISTICATION ARE
TRADEMARKS OF THE
LETOUR. EUROPEAN
STYLING AND COMPO-
NENTRY BLEND FOR A
BETTER-THAN-EVER VALUE.





■ *Stronglight alloy crankset is just that, strong and light, with a high polish for boasting.*


■ *Huret Rival derailleur system knows no rival when it comes to shifting ease and accuracy.*


■ *Die-Campe alloy side pull brakes with anatomically designed brake levers for comfortable control in any situation.*

■ *Anatomically sized handlebar, stem, and micro adjusting seat post assure a perfect fit.*

■ *Frame Sizes Available, Men's: 18", 21", 23", 26" and 27" Ladies: 19" and 22" Clear Coated Frost White or Seaside. L19, L21, L23, L26, L27, L28, and L32.*

All Schwinn Bicycles meet C.P.S.C. regulations.





■ 1

FASTBACK CARRIER™
Easy to use, lightweight,
holds up to 3 bicycles.

■ 2

SPEEDWORKS™ Wind Trainer. Stay on your training program in the off season, very portable and very solid.

■ 3

TIRES Schwinn Dual Hardness™ Tires premium performance, longer tire wear, shorter stopping distance, better cornering and lower rolling resistance. Look for the **BTW Pro Circuit** & **Pro Circuit LF** semi-slick tire from Schwinn.

■ 1

WOMEN'S TRI SUIT

One-piece garment well suited for running, riding and swimming. High cut legs provide great freedom of movement. Pely pro liner for comfort.

■ 2

LYCRA JERSEYS Beautiful Red, White and Blue or Blue with White Mesh. Both jerseys are made of a high quality stretch knit nylon/lycra that stretches around the body.

■ 3

GLOVES Hot new lycra gloves from Schwinn's own Permanent Design Group. **TEAM CABARETTA GLOVE** This red and white racing lycra glove features the finest Cabretta glove leather available.

■ 4

BLACK AND WHITE LYCRA GLOVE Made from a synthetic suede more durable than natural leather, with terry towel thumb.

■ 5

LYCRA SHORTS Stylish and functional riding shorts from the Permanent Design Group.

■ 2



■ 1

■ 4

■ 5

■ 6

CAPS Colorful cotton cycle caps.

V O Y A G E U R *

THE BEAUTY OF THE LONG-
DISTANCE BICYCLE—LIGHT,
RESPONSIVE, TRUSTWORTHY.
LET SCHWINN'S ULTIMATE
TOURING MACHINE TAKE
YOU FROM COAST TO COAST.



■ Shimano's new triple plateau crankset with Bio-Pace chainrings make mile hills out of mountains.

■ The chromoly steel San Marco saddle and padded handlebar wrap make hours roll by in comfort.

■ Precision sealed bearing Sansin hubs and Schwinn dual hard Kevlar belted tires ensure miles of trouble-free riding.

■ Choose from 15 speeds with ease, using the light action Shimano 1525 GS rear derailleur.

■ Frame Sizes Available: 16", 21", 23" and 25". Clear Coated British Pine. V16, V21, V23, and V25.

All Schwinn Bicycles meet C.P.S.C. regulations.

LIGHT...VERSATILE...
COMFORTABLE...THE
PASSAGE SMOOTHS OUT
WEEKEND EXCURSIONS AND
AFTERNOON JAUNTS.

■ *Brace-on features include 3 water bottle bosses, cantilever brakes, pump peg, and rear carrier bosses, with a Blackburn rack attached.*

■ *Navet Dura-Pur rear derailleur, a favorite among tourists world wide because of its smooth shifting, particularly with the Navet ratchet shift levers.*

■ *Columbus tubing and special touring geometry make this a smooth performer.*

■ *Sealed mechanism hubs and 40 spoke rear hub keep rolling, mile after mile after mile...*

■ *Frame Sizes Available, 18", 21", 23", and 25". Clear Coated Midnight Navy PA3, PA1, PA2, and PA5.*



All Schwinn Bicycles meet C.P.S.C. regulations.

VOYAGEUR® SPORT & RECREATION PACKS



1
COMMUTER PANNIERS
Ideal for around town use at an economical price.

2
PROFESSIONAL PANNIERS
Large capacity packs designed to fit both front and rear racks.

3
PROFESSIONAL REAR PANNIERS
Extra large capacity packs designed with the serious enthusiast in mind.

4
JUMBO JET
 deluxe handlebar pack designed with extra cargo space.

5
BACK TOP PACK
Fully insulated pack designed to keep contents cold when the day gets hot.

6
JET
rummy sport handlebar pack designed for everyday use.

7
FLYING WEDGE
larger version of the Aero Wedge pack.

8
STUFFLE BAG
small, under-the-saddle pack, ideal for a few essentials.

9
SURVIVAL WEDGE
combines the ever-popular Aero Wedge pack with one of the finest tool sets on the market.

10
CARGO CAN
economical saddle pack with plenty of room for a variety of needs.

■ 1

SIDI CYCLE SPORT. A top quality coated shoe with a reinforced nylon sole and mesh nylon upper.

■ 2

SIDI REVOLUTION. Outstanding quick release design. Ideal for the (speedy) triathlete. Reinforced nylon sole with a combination nylon and leather upper. Features two secure hook and loop closure tabs for comfort and fit.

■ 3

TOE STRAPS Paramount Design Group flashy new toe straps in a rainbow assortment of colors. Made of a nylon/fiber resin, these straps hold their own!

■ 4

CAT EYE TOE CLIPS. Super light nylon toe clips are the wave of the future. Incredibly durable, tougher than alloy and steel.

■ 5

VOYAGER® GLOVES
C-rochet back gloves for the avid cyclist who travels in comfort. Fully padded leather palm and thumb.



■ 6

TAPE Style your bike with Benetto flashy handlebar tape. Available in a myriad of flavors!



BOTTLES AND CAGES in assorted colors.



■ Stem-mounted light action shift levers, brake extension levers, and cushion grips keep the controls comfortably in reach.

■ True Temper T1 chromoly double-butted frame tubes give a light, responsive feel.

■ Ballbed alloy sealed mechanism hubs provide miles of maintenance-free riding.

■ SR light alloy handlebars and crankset keep the weight to a minimum for maximum enjoyment.

■ Frame Sizes Available:
Men's: 16", 21", 22" and 26";
Ladies: 17" and 19";
Clear Coated Cadet Blue or Black, 719, 721, 723, 726, 732, and 758.

All Schwinn Bicycles meet C.P.S.C. regulations.



TRAVEL IN COMFORT
AND ARRIVE IN STYLE! THE
TRAVELER IS LIGHT, QUICK,
AND LOADED WITH FEAT-
URES THAT MAKE IT
A VALUABLE COMPANION.



T R A V E L E R *







SOME BIKES HAVE IT ALL!
QUALITY...STYLE...VALUE.
WITH BRAND-NAME COMPONENTS AND HIGH-TECH
FEATURES. HOW CAN IT
BE SO AFFORDABLE?



■
*Shimano light action
alloy derailleurs, with
stem-mounted shift
levers for easy shifting.*

■
*Sergina VP light-alloy
forged crankset, with
the low-profile styling
that is so popular.*

■
*Axaya alloy rims with
front and rear quick
release and easy rolling,
high-pressure tires.*

■
*Frame Sizes Available,
Men's: 16", 21", 23", 25",
and 27"; Ladies: 18" and
21". Clear Coated
Charcoal or Racing Red.
910, 921, 923, 925,
927, 959 and 961.*

*All Schwinn Bicycles
meet C.P.S.C. regulations.*





V A R S I T Y®

AN ALL NEW BICYCLE WITH
A FAMILIAR NAME. THE
VARSITY IS JUST AS
DURABLE AND DEPENDABLE
AS EVER BUT IS NOW
LIGHTER IN WEIGHT AND
STYLED FOR TODAY.

■ Shimano Postvue shifting with front freewheel system allows accurate index shifting without pedaling.

■ Wide 27" x 1 1/8" steel rims for extra strength and long lasting durability.

■ Patented, Schwinn built-in kickstand for convenience.

■ Frame Sizes Available:
Men's: 18", 21", and 22"
Ladies: 17" and 18" Blue
Metallic: 710, 721, 722,
737, and 738.

All Schwinn Bicycles meet C.P.S.C. regulations.



W O R L D ®



■ *Reinmano alloy rims and high-pressure tires make the World roll smoothly, and with front quick release, you can take it anywhere.*

■ *Sailtour AR light-alloy derailleurs shift smoothly and positively with stem-mounted levers.*

■ *Sugino alloy centerless crank is a feature usually found on more expensive bicycles.*

■ *Frame Sizes Available:
Men's: 19", 21", 23", 25"
Ladies: 17.5", 19" and 21".
Black or Argus Blue.
\$19, \$27, \$29, \$35, \$57,
\$58, and \$61.*

*All Schwinn Bicycles
meet C.P.S.C. regulations.*




TO DESIGN A BICYCLE WITH
QUALITY STANDARDS THIS
HIGH, AND A PRICE THIS
LOW—IT MEANS THE
WORLD TO SCHWINN, AND
TO CYCLISTS.

■
*Cushion grips, padded
anatomic saddle, and
Schwinn NP sport tires
make the Sprint a joy
to ride.*

■
*Available in 4 diamond
frames, 3 step through
frames, 2 24" wheel
frame sizes, and 3 colors
—even more of a reason
to ride a Sprint.*

■
*Frame Sizes Available:
Men's: 16", 21", 23", and
26" Ladies: 17", 19", and
21" Boys and Girls: 16"
Blue Metallic or Grey
Fountain—Men's and Ladies.
Blue Metallic or Red—
Boys and Girls. \$19, \$21,
\$23, \$25, \$27, \$29, \$31,
\$34, and \$36.*

*All Schwinn Bicycles
meet CPSC regulations.*



FAST BECOMING A SYMBOL
OF QUALITY AND VALUE,
THE SPRINT INCLUDES
SCHWINN'S UNMATCHED
WARRANTY AND SERVICE
AFTER THE SALE.



S P R I N T *



W O R L D * T O U R I S T

A SHINING EXAMPLE THAT
PRACTICAL CAN BE STYLISH.
THE WORLD TOURIST'S
TRADITIONAL DESIGN OFFERS
LIGHTWEIGHT, COMFORT-
ABLE RIDING FOR RECREA-
TION OR ERRANDS.

■ *Shimano* *Pavotone* indexed derailleurs with easy-to-reach thumb shifters and front free-wheel system in either 5 or 10 speeds allows shifting without pedaling.

■ Wide 25" tires, upright handlebars, and a cushion-molded saddle make you in style and comfort.

■ Standard equipment includes full, painted fenders and the *Schwinn* patented kickstand.

■ *Frame Sizes Available, in 10-Speed: Men's: 26", 27", and 28" Ladies: 17" and 20" Light Men's: F20, F22, F24, F27, and F30. Frame Sizes Available, in 5-Speed: Men's: 22" Ladies: 17" and 20" Micros: 632, 657, and 680.*

All Schwinn Bicycles meet C.P.S.C. regulations.

DEPEND ON THE COLLEGIATE.
TO GET YOU WHERE YOU
WANT TO GO—ON CAMPUS
OR AROUND THE NEIGHBOR-
HOOD. FOR LEISURE OR
TRANSPORTATION, THERE'S
NO BETTER VALUE TODAY.

C O L L E G I A T E ®



■ Shimano 2-speed coaster brake that is easy to use and dependable.

■ Full length fenders, chainguard, and Schwein Kickstand are standard on all models, including the 24" wheel version.

■ Frame Sizes Available, Men's: 22" Ladies: 13" and 20" 16" Frame, 24" Wheel Girls Model Also Available. Sky Blue, CBK, and CBK. All Schwein Bicycles meet C.P.S.C. regulations.

All Schwein Bicycles meet C.P.S.C. regulations.



CLASS	COMPETITION				SPORT	
MODEL	PELTON	SUPER SPORT	TEMPO	MADISON	PRELUDE	LETOUR
FRAME SIZE INCHES	19,20,21,22,23,24,25	19,21,22,23,24,25	19,21,23,25	19,21,23	19,21,23,25	Men's: 19,21,23,25,27; Ladies: 19,22
FRAME MATERIAL	COLUMBUS SL & SP mix chrome-moly double butted frame tubes, SUNTOUR forged drop outs, weldspacers	COLUMBUS Tenax chrome-moly custom blind double butted main tubes, chrome-moly stays, TANGE forged dropouts weldspacers & eyelets	COLUMBUS Tenax chrome-moly custom blind double butted main tubes, chrome-moly stays, TANGE forged dropouts weldspacers & eyelets	COLUMBUS Tenax chrome-moly double butted main tubes, chrome-moly stays, track style reverse dropouts	COLUMBUS Tenax chrome-moly double butted main tubes, chrome-moly stays, forged dropouts with eyelets	TRUF TEMPER 11 4130 chrome-moly double butted main tubes, chrome-moly stays, stainless steel dropout faces with eyelets
FORK	COLUMBUS blades with full sloping crown, SUNTOUR forged dropouts	TANGE chrome-moly blades, full sloping crown, reinforcing tangs, forged dropouts	TANGE chrome-moly blades, semi sloping crown, forged dropouts weldspacers	TANGE Mangalloy, straight crown, forged dropouts	TANGE H-tensile steel, semi sloping crown, forged dropouts with eyelets	TANGE H-tensile steel, semi sloping crown, forged dropouts with eyelets
FRAME GEOMETRY	Head Angle 73° Seat Angle 73° Wheelbase 23" frame	73° 74° 39.5"	73° 74° 39.5"	74.5° 74.0° 38.4"	72.5° 72.5° 39.5"	72.5° 72.5° 40.75"
BRAZE-ONS	Top tube guides, bottom bracket guides, 2 sets of bottle bosses, shift lever bosses, pump peg, chain rest	Top tube guides, bottom bracket guides, 2 sets of bottle bosses, shift lever bosses, pump peg, chain rest	Top tube guides, bottom bracket guides, 2 sets of bottle bosses, shift lever bosses, pump peg, chain rest	None	Top tube guides, bottom bracket guides, 2 sets of bottle bosses, shift lever bosses, pump peg, chain rest	Top tube guides, bottom bracket guides, bottle bosses, shift lever bosses, chain rest
HEADSET	TANGE Butler AL2000 Sealed	TANGE New Falcon Sealed	TANGE New Falcon Sealed	TANGE New Falcon	TANGE SE-II Sealed	TANGE SE-II
CRANKSET	SUGINO New 75, 85mm(19") 110mm(21") thru 25.7, forged alloy, 42/52T alloy chainrings	SHIMANO New 800EX, 85mm(19"), 110mm(21") thru 25.7, forged alloy, 42/52T alloy silver Biopace chainrings	SUGINO G.L.P. 85mm(19"), 110mm(21") thru 25.7, forged alloy, 42/52T alloy silver chainrings	SUGINO G.L.P. 85mm, forged alloy, 50T alloy chainring	SR SAE 200 170mm, forged alloy, 40/52T alloy chainrings	STRONGLIGHT 200 170mm, forged alloy, 40/52T alloy chainrings
DERAILLEURS	SUNTOUR New Superbe Pro front! SUNTOUR New Superbe Pro welded pulleys front! SUNTOUR New Superbe Pro braided on levers	SHIMANO New 206 front! SHIMANO New 800EX S.I.S. adaptable front! SHIMANO New 800EX braided on levers	SHIMANO FSC 206 front! SHIMANO New RD 525 S.I.S. adaptable front! SHIMANO SL 408 braided on levers	None	SUNTOUR Cyclone front! SUNTOUR Cyclone front! SUNTOUR braided on levers	HURET Rival front! HURET Rival front! HURET Rival braided on levers
PEDALS	SUNTOUR Sprint grey anodized alloy quill, sealed mechanism	SHIMANO New 800EX aero	MKS AP1 alloy quill low profile	SR SP-203 alloy black track	SR SP-250 alloy semi-platform	SR R50E alloy quill
CHAIN	HKK "Z" silver outersplate	HKK "Z" silver outersplate	HKK "Z" silver outersplate	SEDIS 1/2" x 1/8" silver track	HKK "Z" silver outersplate	HKK "Z" silver outersplate
FREEWHEEL	SUNTOUR New Winner Ultra 7 7 spd. 12-10-14-16-17-20-23	SHIMANO New 600EX 6 spd. 13-15-17-19-22-26	SHIMANO "Z" series 6 spd. 14-15-17-21-24-26	SUNTOUR 18T single freewheel SUNTOUR 16T fixed	MAILLARD Atom 77 silver 6 spd. 14-16-19-20-24-28	MAILLARD Atom 77 compact 6 spd. 14-16-19-22-26-30
BRAKES	DIA COMPE RGC 400 alloy side pull with quick release, tire guides, recessed allen bolts; hooded alloy drilled levers	SHIMANO New 800EX alloy side pull with quick release, tire guides, recessed allen bolts; hooded alloy drilled levers	DIA-COMPE GK400 alloy side pull with high polish finish, quick release, tire guides, recessed allen bolts; hooded alloy drilled levers	DIA-COMPE 400X alloy side pull with alloy levers	DIA-COMPE GK500 alloy side pull, quick release, tire guides, recessed bolts; hooded alloy drilled levers	DIA-COMPE D5000 alloy side pull, quick release, tire guides, recessed bolts, anodized hooded alloy drilled levers
HANDLEBAR	DINELLI Engraved alloy Mod. 64, 380mm(19"), 27", 420mm(21"), Mod. 63 400mm(22"), 27", Mod. 66 400mm(24"), 420mm(25")	SR Custom alloy, 380mm(19"), 27", 22", 420mm(23"), 25"	SR Custom alloy, 380mm(19"), 27", 23", 420mm(23"), 25"	SR Royal alloy, 380mm(19"), 27", 400mm(23")	SR Custom alloy, 380mm(19"), 27", 420mm(23"), 25"	SR Custom alloy, 380mm(19"), 27", 22", 420mm(23"), 25"
STEM	DINELLI Mod. 3A, 80mm(19"), 20", 90mm(21"), 400mm(22"), 23", 100mm(24"), 25"	SR Custom Aero alloy, 60mm(19"), 65mm(21"), 22", 23", 85mm(25")	SR Custom Aero alloy, 60mm(19"), 80mm(21"), 23", 80mm(25")	SR Royal alloy 60mm(19"), 80mm(21"), 23"	SR Custom alloy 60mm(19"), 80mm(21"), 23", 80mm(25")	SR Custom alloy 60mm(19"), 80mm(21"), 22", 80mm(25"), 27"
HUB	SUNTOUR Superbe Pro small flange, quick release, sealed bearing, 36°	SHIMANO New 600EX small flange alloy, quick release, sealed bearing, 36°	SR CRV-310 small flange alloy, quick release sealed mechanism, 36°	SUNTOUR Sprint large flange, alloy, nutted, 36° double sided rear hub	MAILLARD small flange alloy, sealed mechanism, quick release, 36°	MAILLARD small flange alloy, quick release, 36°
RIM	ARAYA ADX-4 700C black super hard anodized aero tubular	ARAYA 208 700C silver anodized alloy	WEIMANN SCS 700X25C satin alloy	WEIMANN SCS 700X25C polished alloy	WEIMANN SCS 7170 polished alloy	WEIMANN 46 7170-04 alloy
TIRE	CLEMENT Super Conder tubular 100 psi, 270 gm, presta valve	SCHWINN Circuit II, 700X25C Dual Hard, 100 psi, 220 gm, taiftera presta valve	SCHWINN Circuit II, 700X25C Dual Hard, 100 psi, 220 gm, taiftera, presta valve	SCHWINN Circuit, 700X25C Dual Hard, 100 psi, 220 gm, skinnawl, presta valve	SCHWINN Circuit, 27X2, Dual Hard, 100 psi, 270 gm, skinnawl, presta valve	SCHWINN Circuit, 27X2-18R, 100 psi, 300 gm, skinnawl, standard valve
SPOKES	ASAHI stainless steel 14 ga.	Stainless steel 14 ga.	Stainless steel 14 ga.	Stainless steel 14 ga.	Stainless steel 14 ga.	Zinc plated 14 ga.
SADDLE	SAN MARCO Ruby white leather, black chrome trim	SAN MARCO Ruby white leather, black chrome trim	SAN MARCO black suede leather racing	SAN MARCO black leather racing	SAN MARCO black suede leather racing	SAN MARCO anatomic
EXTRAS	Toe clips, leather straps, Cateye pearlescent handlebar tape	Toe clips, leather straps, black mylar chainstay protector, Benotto pearlescent handlebar tape	Toe clips, leather straps, stainless steel chainstay protector, Benotto pearlescent handlebar tape	Toe clips, straps, plastic tub tube cable clamp, Benotto pearlescent handlebar tape	Toe clips, straps, stainless steel stay protector, Benotto pearlescent handlebar tape	Toe clips, straps, stainless steel stay protector, Benotto pearlescent handlebar tape
COLORS	White w/Black chrome rear triangle Protective Clear Coat	Scarlet w/Black rear triangle Protective Clear Coat	Impulse Blue, Pearl White w/Polystone rear triangle Protective Clear Coat	First White Protective Clear Coat	Gumstuck, Bright Blue Protective Clear Coat	First White, Scarlet Protective Clear Coat
WEIGHT (approx.)	29 lbs.	22 lbs.	22 lbs.	19 lbs.	24 lbs.	25 lbs.

TOURING

RECREATIONAL

VOYAGEUR	PASSAGE	TRAVELER	WORLD SPORT	VARSITY	WORLD	MODEL
19,21,23,25	19,21,23,25	Men's: 19,21,23,25 Ladies: 17,19	Men's: 19,21,23,25,27 Ladies: 19,21	Men's: 19,21,23 Ladies: 17,19	Men's: 19,21,23,25 Ladies: 17,19,21	FRAME SIZE INCHES
COLUMBUS Tenax chrome-moly custom blend double butted main tubes, chrome-moly stays, fange forged vertical dropouts and double eyelets	COLUMBUS Tenax chrome-moly double butted main tubes, chrome-moly stays, fange forged outs with double eyelets	TRUE TEMPER T1 4130 chrome-moly double butted main tubes, stainless steel dropout faces with eyelets	4130 chrome-moly double-butted main tubes, stainless steel dropout faces with eyelets	H-tensile steel fugged	H-tensile steel fugged	FRAME MATERIAL
TANGE Chrome-moly semi-sloping crown, forged dropouts with double eyelets	TANGE H-tensile steel, semi-sloping crown, forged dropouts with double eyelets	TANGE H-tensile steel, semi-sloping crown, forged dropouts with eyelets	H-tensile steel, semi-sloping crown, dropouts with eyelets	H-tensile steel, semi-sloping crown	H-tensile steel, semi-sloping crown	FORK
72° 74° 41.25°	72.5° 72.5° 41.5°	72.5° 72.5° 40.75°	72° 74° 41.5°	72.25° 72.25° 41.25°	72.25° 72.25° 41.25°	FRAME GEOMETRY Head-Angle Seat-Angle Wheelbase
Top tube guides, bottom bracket guides, 3 sets of bottle bosses, shift lever bosses, pump peg, chain rest, front fender and rear carrier bosses for Blackburn racks, fender boss on chain-stay bridge	Top tube guides, bottom bracket guides, 1 sets of bottle bosses, shift lever bosses, pump peg, chain rest, rear carrier bosses for Blackburn racks, fender boss on chain-stay bridge	Top tube guides, bottom bracket guides, bottle bosses, cable stops, chain rest	Top tube guides, bottom bracket guides, bottle bosses, cable stops	Top tube guides	Top tube guides, bottom bracket guides, cable stops	BRAZE-ONS
TANGE New Fidon sealed	TANGE SE-II sealed	TANGE SE-II	Steel, double nut type	Steel, double nut type	Steel, double nut type	HEADSET
SHIMANO New FCB-04 170mm, forged alloy, 20/44/50T alloy Bspace chainrings	SR DYC1-20 170mm, forged alloy, 30/45/57 with alloy outer chainrings	SR SXC-20 170mm, forged alloy, 40/52T with alloy outer chainrings	SUGINO VP 170mm, forged alloy, 40/52T alloy outer chainring	SHIMANO front freewheel 170mm, alloy, 38/52T steel chainrings	SUGINO Hs 5 170mm, alloy, 40/52T chainrings	CRANKSET
SHIMANO FDZ 206 (front) SHIMANO New RDZ 52/56S (rear) SHIMANO SLL 422 brazed on levers	SUNTOUR XC Sport (front) HURET Dual par (rear) HURET ratchet brazed on levers	SHIMANO FDZ 204 (front) SHIMANO RDLS236S (rear) SHIMANO SLL422 Stem shifters	SHIMANO FDZ 202 (front) SHIMANO RDLS 522 (rear) SHIMANO SLL 422 Stem shifters	SHIMANO AX50 (front) SHIMANO Positron FH (rear) SHIMANO Positron Stem shifters	SUNTOUR AR (front) SUNTOUR AR (rear) SUNTOUR alloy stem shifters	DERAILLEURS
SR SP-II alloy platform	SR SP-250 alloy semi-platform	Chrome plated steel rat trap	Chrome plated steel rat trap	Chrome plated steel rat trap	Chrome plated steel rat trap	PEDALS
HKK "Z" silver outerplate	HKK "Z" silver outerplate	HKK "Z" silver outerplate	TTC	TTC	TTC	CHAIN
SHIMANO Z series 5 spd. 14-17-20-24-26	MAILLARD Atom 77 5 spd. 14-16-19-23-28	MAILLARD Atom 77 compact 6 spd. 14-16-19-23-28-30	SHIMANO Z series 6 spd. 14-16-17-20-24-28	SHIMANO 5 spd. 14-17-20-24-28	SHIMANO 5 spd. 14-17-20-24-28	FREEWHEEL
DIA-COMPE 980 alloy cantilever, vulcomp release, rubber hooded alloy drilled levers	DIA-COMPE 980 alloy cantilever, anatomic hooded alloy drilled levers	DIA-COMPE 0500N alloy side pull with quick release, recessed front bell, alloy levers with extensors	DIA-COMPE 500N alloy side pull, alloy levers with extensors and quick release	PODGOON 630 alloy side pull, alloy levers with extensors	CHANG STAR 630N alloy side pull, alloy levers with extensors and quick release	BRAKES
SR Custom alloy 260mm(19", 21", 420mm(23", 25")	SR Custom alloy 260mm(19", 21", 420mm(23", 25")	SR Custom alloy 260mm(19", 21", 22", 420mm(23", 25")	CHAMPION Maes steel widely slope	CHAMPION Maes steel	CHAMPION Maes steel	HANDLEBAR
SR Custom alloy 60mm(19", 80mm(21", 23", 100mm(25")	SR Custom alloy 60mm(19", 80mm(21", 23", 100mm(25")	SR Custom alloy 60mm(19", 80", 22", 100mm(23", 100mm(25")	SR Custom alloy 60mm(19", 21", 80mm(23", 100mm(25")	DE(14 alloy 60mm(17", 19", 21", 80mm(23")	SR Custom alloy 60mm(17", 19", 21", 80mm(23", 100mm(25")	STEM
SANSIN small flange alloy, sealed bearing, quick release, 36" front, 40" rear	MAILLARD small flange alloy, sealed mechanism, quick release, 36" front, 40" rear	MAILLARD small flange alloy, sealed mechanism, quick release, 36"	SANSIN LTD. small flange alloy, quick release, 36"	Semi-large flange steel 36"	Small flange alloy, quick release (front), semi-large flange steel rear 36"	HUB
WOLBER Super Champion Mod. 58 alloy 27X1 1/4	WEINMANN 416 alloy 27X1 1/4	WEINMANN 416 alloy 27X1 1/4	ARIBA SP-30 alloy 27X1 1/4	Steel 27X1 1/4 Heavy Duty	WEINMANN 416 alloy 27X1 1/4	RIM
SCHWINN Passage 27X1 1/2 Dual Hard, 30 psi, 380 gm, Kevlar, standard valve	SCHWINN Passage 27X1 1/2 Dual Hard, 30 psi, 450 gm, Kevlar, standard valve	SCHWINN Record 27X1 1/2, Dual Hard 80 psi, 300 gm, skunkool, standard valve	SCHWINN HP Sport, 27X1 1/2, 85 psi, gumwall	SCHWINN HP Sport, 27X1 1/2, 85 psi, gumwall	SCHWINN HP Sport, 27X1 1/2, 85 psi, gumwall	TIRE
ASAHI stainless steel 14 ga	Zinc plated 14 ga	Zinc plated 14 ga	Zinc plated 14 ga	Zinc plated 14 ga	Zinc plated 14 ga	SPOKES
SAN MARCO touring anatomic chromo leather	SAN MARCO touring anatomic	SAN MARCO anatomic	VISCOUNT anatomic	VISCOUNT anatomic	VISCOUNT anatomic	SADDLE
SR CRE-400 alloy micro-adjusting 26.6mm	SR Luggage alloy micro-adjusting 26.6mm	SR Luggage alloy micro-adjusting 26.6mm	Chrome plated 26.6mm	Chrome plated 26.6mm	Chrome plated 26.6mm	SEATPOST
Toe clips, straps, chromed right chainring, bike ribbon handlebar wrap	Toe clips, straps, stainless steel stay protector, Blackburn rear carrier, bike ribbon handlebar wrap	Cushion grips, stainless steel stay protector	Cushion grips, stainless steel stay protector	Cushion grips, stainless steel stay protector	Cushion grips, stainless steel stay protector	EXTRAS
British Five Protective Clear Coat	Midnight Navy Protective Clear Coat	Cadet Blue, Black Protective Clear Coat	Racing Red, Chromal Protective Clear Coat	Blue Metallic Protective Clear Coat	Acqua Blue, Black Protective Clear Coat	COLORS
24 lbs.	25 lbs.	26 lbs.	27 lbs.	30 lbs.	28 lbs.	WEIGHT (approx.)

The Schwinn logo is rendered in a bold, stylized, horizontal-striped font. Below it, the words "AUTHORIZED SCHWINN DEALER" are printed in a smaller, plain, sans-serif font. The background of the entire advertisement features a large, stylized American flag with red and white stripes and a blue field, which appears to be waving or flowing from the right side of the frame.

AUTHORIZED SCHWINN DEALER

SCHWINN BICYCLE COMPANY LIMITED WARRANTY

SCHWINN BICYCLE COMPANY LIMITED WARRANTY—Effective April 15, 1982, Schwinn and Schwinn-Approved bicycles, exercisers, parts, accessories and other products are warranted to be free from defects in materials and workmanship...no time limit. **NOTICE:** The user assumes the risk of any personal injuries, damage to or failure of the bicycle and any other losses if Schwinn bicycles are used in any competitive event, including bicycle racing, or in bicycle motocross, dirt biking or similar activities. **DO NOT USE** Schwinn bicycles for stunt riding, ramp jumping, acrobatics or similar activities, or with motors as power driven vehicles. This warranty does not cover any personal injuries, damage to or failure of the bicycle, exerciser, or other product, or other losses, due to accident, misuse, neglect, abuse, normal wear, improper assembly or improper maintenance.

FREE 30 DAY BICYCLE CHECKUP Each Schwinn bicycle and exerciser will be fully assembled by the Authorized Schwinn Dealer at the time of purchase. Each Schwinn bicycle will be entitled to receive a Free 30 Day checkup by the same Authorized Schwinn Dealer within the first 30 days of operation...such checkup to include free replacement but not including

any repair due to accident, improper use, neglect, abuse, normal wear, improper assembly or improper maintenance. At its option, Schwinn will...without charge...either provide a replacement of or repair any Schwinn or Schwinn-Approved part or accessory which is defective under the terms of this warranty. Dealer labor charges in installing replacement parts or accessories are not covered by this warranty, except for bicycles during the free 30-day checkup, and except for any labor charges due to replacement of a defective frame for bicycles or exercisers within one year of original purchase at retail. Repair or replacement of defective parts or accessories and those dealers charges specified above shall be the sole remedy under this warranty, and in no event shall Schwinn be liable for incidental or consequential damages. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which may vary from state to state. See your Authorized Schwinn Dealer for service or replacement under the Schwinn Limited Warranty, or write to the Consumer Relations Department at Schwinn, SCHWINN BICYCLE CO., 1956 N. Roscoe Ave., Chicago, IL 60639.