


SCHWINN



1989 Lightweight Bicycles



**The Winningest
Bicycles in
America**

AUTHORIZED SCHWINN DEALER

\$2.00

PART NO. 74114

**Handcrafted to win.
Where American
design and
craftsmanship have
resulted in more
U.S. pro racing wins
than any other.**

PARSONS
EQUINE DESIGN LINE

SEAT TUBE	55" to 65"	65" to 70"	70" to 75"	75" to 80"	80" to 85"	85" to 90"	90" to 95"	95" to 100"	100" to 105"	105" to 110"	110" to 115"	115" to 120"
UPPER	24" to 26"	26" to 28"	28" to 30"	30" to 32"	32" to 34"	34" to 36"	36" to 38"	38" to 40"	40" to 42"	42" to 44"	44" to 46"	46" to 48"
HEAD SADDLE	12" to 14"	14" to 16"	16" to 18"	18" to 20"	20" to 22"	22" to 24"	24" to 26"	26" to 28"	28" to 30"	30" to 32"	32" to 34"	34" to 36"
SEAT SADDLE	22" to 24"	24" to 26"	26" to 28"	28" to 30"	30" to 32"	32" to 34"	34" to 36"	36" to 38"	38" to 40"	40" to 42"	42" to 44"	44" to 46"
BITTER SADDLE	24" to 26"	26" to 28"	28" to 30"	30" to 32"	32" to 34"	34" to 36"	36" to 38"	38" to 40"	40" to 42"	42" to 44"	44" to 46"	46" to 48"
CONTOUR SADDLE	24" to 26"	26" to 28"	28" to 30"	30" to 32"	32" to 34"	34" to 36"	36" to 38"	38" to 40"	40" to 42"	42" to 44"	44" to 46"	46" to 48"
WIDE SADDLE	24" to 26"	26" to 28"	28" to 30"	30" to 32"	32" to 34"	34" to 36"	36" to 38"	38" to 40"	40" to 42"	42" to 44"	44" to 46"	46" to 48"
WIDE	24" to 26"	26" to 28"	28" to 30"	30" to 32"	32" to 34"	34" to 36"	36" to 38"	38" to 40"	40" to 42"	42" to 44"	44" to 46"	46" to 48"

These are the most popular sizes for all horses. For more information on the many other sizes and options, please contact your local dealer or Parsons Equine Design Line.

PARSONS
EQUINE DESIGN LINE - CHILDREN'S LINE

SEAT TUBE	30" to 35"	35" to 40"	40" to 45"	45" to 50"	50" to 55"	55" to 60"	60" to 65"	65" to 70"	70" to 75"	75" to 80"	80" to 85"	85" to 90"
UPPER	12" to 14"	14" to 16"	16" to 18"	18" to 20"	20" to 22"	22" to 24"	24" to 26"	26" to 28"	28" to 30"	30" to 32"	32" to 34"	34" to 36"
HEAD SADDLE	6" to 8"	8" to 10"	10" to 12"	12" to 14"	14" to 16"	16" to 18"	18" to 20"	20" to 22"	22" to 24"	24" to 26"	26" to 28"	28" to 30"
SEAT SADDLE	12" to 14"	14" to 16"	16" to 18"	18" to 20"	20" to 22"	22" to 24"	24" to 26"	26" to 28"	28" to 30"	30" to 32"	32" to 34"	34" to 36"
BITTER SADDLE	12" to 14"	14" to 16"	16" to 18"	18" to 20"	20" to 22"	22" to 24"	24" to 26"	26" to 28"	28" to 30"	30" to 32"	32" to 34"	34" to 36"
CONTOUR SADDLE	12" to 14"	14" to 16"	16" to 18"	18" to 20"	20" to 22"	22" to 24"	24" to 26"	26" to 28"	28" to 30"	30" to 32"	32" to 34"	34" to 36"
WIDE SADDLE	12" to 14"	14" to 16"	16" to 18"	18" to 20"	20" to 22"	22" to 24"	24" to 26"	26" to 28"	28" to 30"	30" to 32"	32" to 34"	34" to 36"
WIDE	12" to 14"	14" to 16"	16" to 18"	18" to 20"	20" to 22"	22" to 24"	24" to 26"	26" to 28"	28" to 30"	30" to 32"	32" to 34"	34" to 36"

These are the most popular sizes for all children. For more information on the many other sizes and options, please contact your local dealer or Parsons Equine Design Line.

PARSONS
EQUINE DESIGN LINE - ADULT LINE

SEAT TUBE	55" to 60"	60" to 65"	65" to 70"	70" to 75"	75" to 80"	80" to 85"	85" to 90"	90" to 95"	95" to 100"	100" to 105"	105" to 110"	110" to 115"	115" to 120"
UPPER	24" to 26"	26" to 28"	28" to 30"	30" to 32"	32" to 34"	34" to 36"	36" to 38"	38" to 40"	40" to 42"	42" to 44"	44" to 46"	46" to 48"	48" to 50"
HEAD SADDLE	12" to 14"	14" to 16"	16" to 18"	18" to 20"	20" to 22"	22" to 24"	24" to 26"	26" to 28"	28" to 30"	30" to 32"	32" to 34"	34" to 36"	36" to 38"
SEAT SADDLE	22" to 24"	24" to 26"	26" to 28"	28" to 30"	30" to 32"	32" to 34"	34" to 36"	36" to 38"	38" to 40"	40" to 42"	42" to 44"	44" to 46"	46" to 48"
BITTER SADDLE	24" to 26"	26" to 28"	28" to 30"	30" to 32"	32" to 34"	34" to 36"	36" to 38"	38" to 40"	40" to 42"	42" to 44"	44" to 46"	46" to 48"	48" to 50"
CONTOUR SADDLE	24" to 26"	26" to 28"	28" to 30"	30" to 32"	32" to 34"	34" to 36"	36" to 38"	38" to 40"	40" to 42"	42" to 44"	44" to 46"	46" to 48"	48" to 50"
WIDE SADDLE	24" to 26"	26" to 28"	28" to 30"	30" to 32"	32" to 34"	34" to 36"	36" to 38"	38" to 40"	40" to 42"	42" to 44"	44" to 46"	46" to 48"	48" to 50"
WIDE	24" to 26"	26" to 28"	28" to 30"	30" to 32"	32" to 34"	34" to 36"	36" to 38"	38" to 40"	40" to 42"	42" to 44"	44" to 46"	46" to 48"	48" to 50"


These are the most popular sizes for all adults. For more information on the many other sizes and options, please contact your local dealer or Parsons Equine Design Line.

PARAMOUNT® OVER 50 YEARS AGO SCHWINN INTRODUCED THE PARAMOUNT. AND SO BEGAN A LEGEND. A BIKE WHOSE WINNING HERITAGE MADE IT VIRTUALLY UNTOUCHABLE. AND PAVED THE WAY TO SEVEN WORLD CHAMPIONSHIPS AND MORE U.S. VICTORIES THAN ANY OTHER AMERICAN BIKE. OVER 40 WINS FOR THE SCHWINN/WHEATIES PRO TEAM IN 1988 ALONE. WHAT SETS PARAMOUNT APART IS SCHWINN'S COMMITMENT TO FLAWLESS DESIGN AND METICULOUS CRAFTSMANSHIP. PARAMOUNT IS THE RESULT OF OUR QUEST FOR THE PERFECT RACER. A BLEND OF ART AND ENGINEERING ALIGNED TO WITHIN .002 OF ABSOLUTE PERFECT. HAND SILVER BRAZING AND CHROMED DROPOUT FACES ARE ACCENTUATED BY A PRISTINE FINISH: HAND-SPRAYED TWO-COAT EPOXY PRIMER FOLLOWED BY FIVE HAND COATS OF ACRYLIC URETHANE ENAMEL COLOR AND PROTECTIVE CLEAR COATS. A CLOSE INSPECTION OF PARAMOUNT IS ALSO AN EXAMINATION OF OUR INTENSE ATTENTION TO EVEN THE SMALLEST DETAILS. AT OUR PARAMOUNT DESIGN FACILITY, NO PREMIUM IS PLACED ON THE SPEED OF WORK. ONLY THE QUALITY OF THE RESULTS. IT IS OUR SINCERE WISH THAT YOUR DESIRE FOR RIDING THE PREMIER RACING BIKE IS FULFILLED WITH THE PARAMOUNT FOR 1989.


PARAMOUNT WITH COLUMBUS TUBING THIS IS THE CLASSIC PARAMOUNT FRAMESET, UPDATED FOR 1989. A FRAMESET ENHANCED AND REFINED WITH A DELICATE BALANCE OF HIGH TECHNOLOGY AND PRECISION HANDCRAFTSMANSHIP. THE ULTRA-LIGHT FRAMESET IS RIFLED COLUMBUS SLX TUBING FROM ITALY'S FINEST TUBING MANUFACTURER. A SPECIAL BLEND OF COLUMBUS SL/SP TUBING IS USED FOR SIZES ABOVE 570MM. THE DESIGN IS A REFLECTION OF THE ONLY TEST THAT COUNTS: THE RACE ITSELF. OVER 120,000 MILES LAST YEAR BY THE SCHWINN/WHEATIES PRO TEAM. THE HANDCRAFTED FRAME FEATURES FORGED SHIMANO DROPOUTS, INVESTMENT CAST LUGS AND BOTTOM BRACKET FOR SUPERIOR STRENGTH.

PARAMOUNT WITH PARAMOUNT TUBING THIS ELITE PARAMOUNT FEATURES AN EXCLUSIVE PARAMOUNT LUG DESIGN CONNECTING SLIGHTLY OVERSIZED TOP AND DOWN TUBES. THE SEAT TUBE IS GENTLY FLAIED AT THE BOTTOM BRACKET. THIS COMBINATION PROVIDES THE EXACT RIGIDITY FOR OPTIMUM RIDER EFFICIENCY. THE THINNER GAUGE TUBING IS LIGHTER AND MORE RESPONSIVE. THE SLEEK, PRECISE LINES OF THE FRAME DESIGN SPEAK OF A BIKE THAT IS THE PERFECT BALANCE OF FORM AND FUNCTION. THE LUGS ARE ELEGANTLY SCALLOPED FOR ADDED STRENGTH WITH CHAINSTAYS AND DOWNTUBE OFFSET BELOW THE BOTTOM BRACKET CENTERLINE. CRITICAL BOTTOM BRACKET STRESS POINTS ARE STRENGTHENED BY AN EXCLUSIVE CONICAL SEAT TUBE JOINT. A UNIQUE TUBULAR CHAINSTAY BRIDGE IS PART OF THE CAST BOTTOM BRACKET. PARAMOUNT'S INTEGRAL DESIGN COORDINATES SPEED, POWER AND LIGHTWEIGHT HANDSOME LOOKS. THE RESULT IS THE MOST SOPHISTICATED CUSTOM FRAME AVAILABLE. PARAMOUNT. THE WINNING EDGE.

PROLOGUE® A WORLD CHAMPION IN ITS VERY FIRST YEAR. AN ELOQUENT COMPLIMENT TO THE CRAFTSMANSHIP AND PRECISION OF THE PARAMOUNT LINE. HAND-BRAZED, PRECISION ENGINEERED, PRECISELY FINISHED. A HIGH-PERFORMANCE RACING FRAMESET FOR ROAD, CRITERIUMS, AND TRAINING.



PROLOGUE TT® DESIGNED SPECIFICALLY FOR TIME TRIALS AND TRIATHLONS. THE AGGRESSIVE ATTACK ANGLE FEATURES A SLOPING TOP TUBE DESIGNED FOR A 24" FRONT WHEEL TO POSITION YOU IN THE OPTIMUM AERODYNAMIC POSITION. CONSTRUCTED TO TOLERANCES THAT RIVAL THE FINEST IN THE WORLD.



Conical seat tube joint

Scalloped lugs

**A series of aluminum
racers endowed
with Schwinn's
obsession for
performance.**



Schwinn introduces its new aluminum race series. The world's most experienced aluminum engineers used computer aided design to optimize the frame's rigidity, shock absorbency and absolute minimum weight. At the seat stays, a yoke design provides better power transmission for faster acceleration. The internal expansion seat post offers great looks and superior aerodynamics. Schwinn's special grade aerospace aluminum tubing foregoes heat treatment that can cause bowed tubes and misalignment.

The components are sized anatomically by frame measurement to give a custom fit. Handlebar and stem lengths vary to help reduce upper body fatigue. Crank arm lengths vary to properly position legs for maximum effort. Brake lever sizes differ to improve hand grip. A Schwinn-designed aluminum bike is assurance of a ride tailored to your body size to optimize your ability to win.



ALUMINUM 974™ THIS IS THE ABSOLUTE ALUMINUM RACING BIKE. THE ALUMINUM DROPOUTS AND SEAT STAY YOKE ARE FORGED FOR SUPERIOR FRAME STRENGTH. THE COMPLETE 14-SPEED SHIMANO ULTEGRA GROUP WITH LEADING ACTION FRONT DERAILLEUR OFFERS FLAWLESS SHIFTS IN THE HEAT OF COMPETITION. BIOPACE CHAINRINGS PROVIDE HIGH-PERFORMANCE ENERGY TRANSFER FROM LEGS TO PEDALS WHILE MINIMIZING KNEE STRAIN. SEALED BEARING HUBS, BOTTOM BRACKETS AND HEADSET OFFER DEPENDABILITY AND LOW MAINTENANCE. THE CINELLI HANDLEBAR AND STEM SUPPLY SUPER HANDLING STRENGTH. THE 974'S WOLBER TX PROFILE HARD ANODIZED, 32² AERO RIMS SLICE THROUGH THE AIR WHILE THE SELLE ITALIA TURBO GEL SADDLE PROVIDES AN EXTRA MEASURE OF COMFORT.

Bicycling Schwinn Aluminum

"An all-purpose road machine that's stable enough for the tired arms of a triathlete, agile enough for circuit racing, and comfortable enough for long road races.

"We think this TIG welded effort of Schwinn's Greenville, Mississippi, factory is among the best of its breed."



ALUMINUM 754, Atlantic Blue 012-29

ALUMINUM 754™ THE PROFILE IS CLEAN AND SLEEK, AN AERODYNAMIC DESIGN THAT SAYS FAST EVEN WHEN AT REST. A TRUER RIDE THAT REQUIRES LESS EFFORT TO MAINTAIN SPEED, SO YOU CAN GO FASTER, LONGER. THE POWERTRAIN AND BRAKING IS THE RACE-PROVEN SUNTOUR 14-SPEED GPX GROUP. THE BRAKE'S BALANCED RESPONSE SYSTEM AND AN INTERNAL RETURN SPRING IN THE CALIPERS MEANS THE ALUMINUM 754 COUNTERACTS ITS EXTRAORDINARY ABILITY TO GO WITH AN EQUALLY EXTRAORDINARY ABILITY TO STOP. SEALED HEADSET AND BOTTOM BRACKET PROVIDE LOW MAINTENANCE. MODOLO PATENTED ANATOMIC HANDLEBAR DESIGN ADDS COMFORT WHILE PROVIDING PROPER BODY POSITIONING. WOLBER GTX HARD ANODIZED RIMS ARE LACED WITH STAINLESS STEEL SPOKES AND SPORT 23C SEMI-BALD PRO CIRCUIT TIRES TO RACE FASTER.



ALUMINUM 754, White Pearl 012-19

ALUMINUM 564™ IF THE SCHWINN LINE OF ALUMINUM BIKES WERE TO CONSIST SOLELY OF OUR 564 SERIES, IT WOULD STILL SET THE STANDARDS IN THE ALUMINUM MARKET. IT IS A PRO-LEVEL, RACE-PROVEN BIKE THAT REPRESENTS THE BEST IN ALUMINUM TECHNOLOGY AND PERFORMANCE. THE 564 IS BUTRESSED BY THE SAME FRAME AND GEOMETRY AS OUR 754. THE HIGH PERFORMANCE DRIVETRAIN IS THE NEW EXAGE SPORT LX SHIMANO INDEX SHIFTING GROUP WITH LEADING ACTION FRONT DERAILLEUR FOR SMOOTH, PRECISE SHIFTS. THE MODOLO PATENTED HANDLEBAR DESIGN FLATTENS THE CURVE FOR A BETTER GRIP AND LESS HAND FATIGUE. A CASSETTE FREEHUB MAKES FOR A RACE STRONG REAR WHEEL.




ALUMINUM 564, Scarlet 013-29



ALUMINUM 564, Black 013-19






BOTH THE CIRCUIT AND TEMPO ARE DERIVED FROM THE WORLD CHAMPIONSHIP SCHWINN PARAMOUNT GEOMETRY. A WINNING COMBINATION OF HIGH-SPEED STABILITY AND LOW RIDER FATIGUE. AN INTERNATIONAL BLEND OF SCHWINN'S CHAMPIONSHIP HERITAGE, CINELLI HANDLEBARS AND STEMS, COLUMBUS RACING TUBING, AND SHIMANO'S PREMIER COMPONENT GROUPS.

CIRCUIT* THIS WORLD-CLASS 21 POUND RACER HAS THE FINEST ITALIAN TUBING FOR ABSOLUTE MINIMUM WEIGHT WITHOUT STRENGTH SACRIFICE. THE FULL 14-SPEED SHIMANO SANTÉ GROUP DELIVERS FLAWLESS SHIFTING. THE HIGH-PERFORMANCE BIOPACE HP CHAINRINGS MAXIMIZE PEDAL EFFICIENCY. CINELLI HANDLEBAR AND STEM ARE LOW WEIGHT AND HIGH STRENGTH FOR QUICK STEERING CONTROL. WOLBER TX PROFILE 32² AERO RIMS SLICE THROUGH THE AIR TO MINIMIZE SPEED DAMPENING AIR TURBULENCE. THE CIRCUIT'S CHROME-PLATED AERO FORK AND STAYS ARE LASTING PROTECTION DURING QUICK WHEEL CHANGES. THE FRAME'S BEAUTIFUL FINISH IS ACCENTED BY FULLY RACE-FITTED PUMP PEG, CHAIN HANGER AND TWO SETS OF BOTTLE BOSSES.


Bicycle Guide

Schwinn Circuit


"It leans into sharp corners effortlessly, like some of the best racing bikes I've ever ridden." Christopher Koch, Bicycle Guide



CIRCUIT, Candy Red 010-19




TEMPO® AN IDEAL RACER FOR TRIATHLETES; MINIMUM WEIGHT, MAXIMUM SPEED. ITS RACE-PROVEN COMBINATION OF COLUMBUS TUBING AND THE COMPLETE 14-SPEED SHIMANO 105 SIS GROUP IS UNBEATABLE. THE TEMPO'S LINEAR RESPONSE BRAKES WITH CINELLI HANDLEBAR AND STEM ARE IDEAL FOR QUICK MANEUVERING. SEALED BOTTOM BRACKET, HEADSET AND SEALED MECHANISM HUBS PROVIDE THE RACING DEPENDABILITY CRITICAL IN TRIATHLONS. THE CONCOR LEATHER SADDLE IS SHAPED AND FLARED TO CONFORM TO THE BODY. FULLY RACE-FITTED WITH PUMP PEG, CHAINHANGER, AND TWO SETS OF BOTTLE BOSSES.




ALL SCHWINN BICYCLES MEET OR EXCEED U.P.S.C. REGULATIONS

**Ideal racers for
triathletes, minimum
weight, maximum
speed. Forged from
the same competitive
spirit as yours.**



TEMPO, Charcoal Pearl 015-19

**Aesthetics and
aerodynamics
merge beautifully
for single riders
and tandems with a
single-minded
quest for speed.**



PRELUDE, Red/White/Blue Face 030-29




PRELUDE, Black Metallase 030-19

PRELUDE™ A HIGH PERFORMANCE DESIGN FOR THE FAST PACED COMPETITOR. THE FRAME IS COLUMBUS TUBING CRAFTED INTO SCHWINN'S RACE WINNING GEOMETRY. ALL ALLOY COMPONENTS FEATURE SUNTOUR'S NEW EDGE GROUP AND ARE ANATOMICALLY PROPORTIONED BY FRAME SIZE TO ASSURE A CUSTOM FIT. THE 14-SPEED ACCUSHIFT IS CRISP IN COMPETITIVE RACING WITH A LOW 13-26T, 42/52 GEARING FOR SPRINTS AND FAST RACING PACE. OVALIZED CHAINRINGS IMPROVE PEDALING EFFICIENCY. THE PRELUDE'S 32" AERO RIMS AND STAINLESS STEEL SPOKES CUT THROUGH THE AIR WITH MINIMUM AIR RESISTANCE. PRELUDE IS DESIGNED TO THE SMALLEST DETAIL: PUMP PEG, CHAINHANGER AND TWO SETS OF BOTTLE BOSSES.

Bicycling

Schwinn Prelude

"The Prelude's solid feel, inherent stability, and smooth shifting make it a natural for the neophyte. But this bike can also hold its own in a shop full of higher-priced sport touring bikes."



DUO SPORT™ TWICE THE POWER, DOUBLE THE PLEASURE IN A TANDEM THAT COMBINES RACING FEATURES AND RECREATIONAL COMFORT. THE LINES ARE GRACEFUL AND SLEEK, THE FRAMESET IS PARAMOUNT-DESIGNED CHROME-MOLY TANDEM TUBING. THE 18-SPEED SUNTOUR ACCUSHIFT HAS BAR-CON LEVERS ON THE HANDLEBAR FOR EASY, PRECISE SHIFTING. ALL ALLOY COMPONENTS MAKE FOR ONE OF THE LIGHTEST WEIGHT TANDEM IN ITS CATEGORY. DUO SPORT, A BEAUTY OF A BIKE FOR THOSE WHO APPRECIATE THE VALUE OF FUN, COMPANIONSHIP AND THE THRILL OF TANDEM PEDALING POWER.



DUOSPORT, Star White 004-19



LETOUR® THIS SPORT MODEL OFFERS A SUPERIOR MIX OF PERFORMANCE AND COMFORT. THE SPORTY 700C GEOMETRY QUICKLY RESPONDS TO FAST-PACED RACE HANDLING. ITS FULL CHROME-MOLY FRAME REDUCES WEIGHT. THE LETOUR'S NEW 12-SPEED SUNTOUR BLAZE GROUP IS DEPENDABLE AND FEATURES ACCUSHIFT FOR READY SHIFTING. THE COMPONENTS ARE FULLY ANATOMIC, SIZED ACCORDING TO THE FRAME. A RACING PACKAGE TAILORED TO YOUR BODY TO REDUCE FATIGUE AND INCREASE ENERGY EFFICIENCY. THE RACING SADDLE IS DESIGNED FOR SPEED AND SPECIALLY PADDED FOR COMFORT. WHEELS ARE RACE-LEVEL, THIN AND LIGHT FOR SPEED AND LONGER DISTANCES. ALLOY PEDALS WITH TOE CLIPS AND STRAPS SECURE FOOT POSITION FOR MORE EFFICIENT, POWERFUL PEDAL STROKES.



LE TOUR, Medium Blue/Dark Blue Fade 055-19



LE TOUR, Champagne 055-29

TRAVELER® THE TRAVELER IS DESIGNED FOR THE SERIOUS SPORTS RIDER FOR LONG AND FAST RIDES. IT SPORTS THE SAME LIGHTWEIGHT FRAME AS LETOUR. THE 12-SPEED EXAGE SPORT LX SIS SHIFTS PRECISELY DURING FASTER DAY TRIPS. AERO BRAKE LEVERS OFFER A CLEAN PROFILE AND TUCK CABLES OUT OF WAY. BIOPACE CHAINRINGS PROVIDE GREATER PEDALING EFFICIENCY. THE TRAVELER'S WIDER 14-28T GEAR SELECTION READILY HANDLES THE VARYING TERRAIN ENCOUNTERED IN SPORT RIDING. THE SAN MARCO ANATOMIC SADDLE EVENLY DISTRIBUTES WEIGHT SO THE SEAT ABSORBS ROAD SHOCKS FOR A MORE COMFORTABLE RIDE.

**Move with a fast
crowd. The ultimate
sport riding for
those who seek a
competitive pace.**




TRAVELER, Red/Silver/Red Fats 060-19



TRAVELER, Royal Blue 060-29

**Sport biking or long
distance touring
at your command.
Recreational rides
that offer comfort
and quality.**




VOYAGEUR, Emerald Green 025-19

Bicycling


Schwinn Voyager

"The Voyager has all the right
stuff for someone contemplat-
ing an extended cycling
vacation."



VOYAGEUR® ITS NO COMPROMISE TOURING DESIGN WILL SATISFY THE MOST DEMANDING LONG DISTANCE RIDER. THE FULL CHROME-MOLY FRAME FEATURES CUSTOM BLENDED DOUBLE-BUTTED COLUMBUS MAIN TUBES FOR MINIMAL WEIGHT AND MAXIMUM TOURING STRENGTH.

THE 18 SPEED SHIMANO INDEXED SYSTEM PROVIDES DEPENDABLE HIGH PERFORMANCE ON THE ROAD. THE SEALED HEADSET, BOTTOM BRACKET AND SEALED MECHANISM HUBS ARE EASY TO MAINTAIN. WOLBER SUPER CHAMPION MODEL 58 RIMS AND STAINLESS STEEL SPOKES MAKE FOR RUGGED WHEELS. THE REAR WHEEL IS A STURDY 40° SPOKE. FULLY DRESSED FOR TOURING WITH FRONT LOW RIDER AND REAR CARRIER BOSSES FOR MULTIPLE RACKS AND THREE SETS OF BOTTLE BOSSES. DETAIL FEATURES THAT MAKE VOYAGEUR THE DEFINITIVE CYCLE FOR TOURING WIDE-OPEN ROAD.



WORLD SPORT® A QUICK SPORT BIKE THAT COMBINES RIDING PERFORMANCE, COMFORT AND EASY OPERATION. ITS FRAME GEOMETRY IS RELAXED AND VERY STABLE, IDEAL FOR CITY AND LEISURE RIDING. THE LIGHTWEIGHT DOUBLE-BUTTED CHROME-MOLY FRAME ABSORBS ROAD SHOCKS FOR AN EXTRA COMFORTABLE RIDE.



WORLD SPORT, Aquamarine 06S-29 men's and women's



WORLD SPORT, Glacial White 06S-39



WORLD SPORT, Black 06S-19

THE WORLD SPORT'S 12 SPEED ACCUSHIFT LEVERS ARE STEM MOUNTED FOR EASY REACH AND EASY SHIFTING. EXTENSION BRAKE LEVERS ENGAGE WITHOUT REMOVING HANDS FROM THE HANDLEBAR. AN ALLOY MICRO-ADJUSTING SEAT POST ALSO REDUCES WEIGHT AND OFFERS ALMOST INFINITE SADDLE ANGLE ADJUSTMENT. THE WORLD SPORT'S ANATOMIC SADDLE RESTS THE BODY WEIGHT COMFORTABLY. THESE ARE PERFORMANCE FEATURES YOU'LL ESPECIALLY APPRECIATE DURING LONGER RIDES.

WORLD® THIS FAST LIGHTWEIGHT IS EXTREMELY COMFORTABLE AND PROVIDES A REMARKABLY STABLE RIDE. IT HAS ENOUGH PERFORMANCE TO SATISFY A RACER BUT FORGIVING ENOUGH FOR A NOVICE. THE 12-SPEED SHIMANO INDEX SYSTEM IS FULLY LOADED FOR FAST-PACED ACTION. THE WORLD'S LIGHTWEIGHT ALLOY RIMS ABSORB ROAD SHOCK AND PEDAL WITH EASE. FRONT WHEEL QUICK RELEASE OFFERS EASIER TRANSPORT AND STORAGE. THE PERFECT BIKE FOR DISCOVERING THE FUN AND FITNESS OF LIGHTWEIGHT CYCLING.



WORLD, Charcoal 070-19



WORLD, Teal Metallic 070-39



WORLD, Racing Red 070-29 men's and women's



SPRINT® THE SPRINT IS THE MOST SOPHISTICATED AND LIGHTWEIGHT ENTRY LEVEL BIKE IN THE 10-SPEED MARKET. IT OFFERS THE CLOSEST EXPERIENCE TO AUTOMATIC SHIFTING FOR BEGINNERS AND THOSE LOOKING FOR SIMPLICITY IN RIDING. THE SUNTOUR ACCUSHIFT REAR DERAILLEUR "CLICKS" INTO POSITION FOR A POSITIVE ENGAGEMENT. NO GRINDING OR MISSED SHIFTS. THE SHIFT LEVERS AND EXTENSION BRAKE LEVERS ARE EASY TO REACH AND OPERATE. SCHWINN'S HP SPORT TIRES CUSHION THE ROAD WHILE RAISED RIDGES REDUCE ROLLING RESISTANCE FOR EASIER RIDING.



SPRINT, Neon Blue 075-29




SPRINT, Light Woman 075-19



SPRINT, Lavender 075-39



**The best
introduction to
lightweight biking
fun and fitness.
Versatile bikes that
let you enjoy any kind
of riding.**



CALIENTE, Opaque Red 080-29 men's and women's

CALIENTE® FOR THOSE LOOKING FOR THEIR FIRST 10-SPEED, THE SCHWINN NAME GUARANTEES YOU THE HIGHEST QUALITY CONSTRUCTION AND ATTENTION TO DETAIL. CALIENTE'S FRAME GEOMETRY IS EXTREMELY COMFORTABLE AND BUILT FOR RIDING PLEASURE. THE STEM SHIFTERS AND EXTENSION BRAKE LEVERS ARE EASY TO REACH AND USE. THE HANDLEBAR AND STEM ARE ANATOMI- CALLY FIT BY FRAME SIZE FOR PROPER BODY POSITIONING. THIS IS ESPECIALLY IMPORTANT IN THE DOWN RIDING POSITION. THREADED EYELETS ON THE FRONT AND REAR FORK ENDS LET YOU ACCESSORIZE WITH A RACK AND CYCLING BAGS. THE CALIENTE'S ALL STEEL COMPONENTS AND RIMS PROVIDE THE LASTING DURABILITY YOU'D EXPECT FROM A SCHWINN.



CALIENTE, Black 080-19



CALIENTE, Tea Rose 080-39

MODEL	ALUMINUM 974	ALUMINUM 754	ALUMINUM 564	CIRCUIT	TEMPO	PRELUDE	LE TOUR	TRAVELER	WORLD SPORT	VOYAGEUR
FRAME SIZES	19" (485mm) 20" (510mm) 21" (535mm) 22" (560mm)	19" (485mm) 25" (635mm) 21" (535mm) 22" (560mm) 23" (580mm)	19" (485mm) 21" (535mm) 23" (580mm) 25" (635mm)	19" (485mm) 23" (580mm) 21" (510mm) 24" (610mm) 21" (535mm) 25" (635mm) 22" (560mm)	19" (485mm) 24" (610mm) 21" (535mm) 25" (635mm) 22" (560mm) 23" (580mm)	19" (485mm) 20" (510mm) 21" (535mm) 22" (560mm) 23" (580mm) 25" (635mm)	19" (485mm) 21" (535mm) 23" (580mm) 25" (635mm)	19" (485mm) 21" (535mm) 23" (580mm) 25" (635mm)	19" (485mm) Ladies 21" (535mm) 19" (485mm) 23" (580mm) 21" (535mm) 25" (635mm)	19" (485mm) 21" (535mm) 23" (580mm) 25" (635mm)
FRAME MATERIAL	Paramount Design Group Butted Aluminum, Forged Aluminum Dropouts, Forged Seat Stay Yoke	Paramount Design Group Butted Aluminum, Fine Blanked Dropouts, Yoke Style Seat Stay	Paramount Design Group Butted Aluminum, Fine Blanked Dropouts, Yoke Style Seat Stay	Columbus SL Double-Butted Chrome-Moly (SP Down Tube on 23" and Larger Frames), Forged Dropouts w/Adjusters, Tange Aero Seat Stays	Columbus Tenax SL Seamless Chrome-Moly Double-Butted Main Tubes, Chrome-Moly Stays, Forged Dropouts w/Adjusters	Columbus Tenax Seamless Chrome-Moly Double-Butted Main Tubes, Chrome-Moly Stays, Forged Dropouts w/Adjusters and Eyelets	True Temper Full 4130 Chrome-Moly Frame, Forged Dropouts w/Eyelets	True Temper 4130 Chrome-Moly Main Tubes, Chrome-Moly Stays, Forged Dropouts w/Eyelets	4130 Chrome-Moly Main Tubes, Forged Dropouts w/Eyelets	Columbus Tenax Chrome-Moly Custom Blend Double-Butted Main Tubes, Chrome-Moly Stays, Forged Vertical Dropouts w/Double Eyelets
FEATURES	Top Tube Cable Guides, 2 Sets Bottle Bosses, Shift Lever Bosses, Pump Peg, Chain Hanger, Derailleur Cable Stop, Cushioned Mylar Chainstay Protector	Top Tube Cable Guides, 2 Sets Bottle Bosses, Shift Lever Bosses, Pump Peg, Chain Hanger, Derailleur Cable Stop, Cushioned Mylar Chainstay Protector	Top Tube Cable Guides, 2 Sets Bottle Bosses, Shift Lever Bosses, Pump Peg, Chain Hanger, Derailleur Cable Stop, Cushioned Mylar Chainstay Protector	Top Tube Cable Guides, 2 Sets Bottle Bosses, Shift Lever Bosses, Pump Peg, Chain Hanger, Derailleur Cable Stop, Chrome Seat Stays and Chainstays	Top Tube Cable Guides, 2 Sets Bottle Bosses, Shift Lever Bosses, Pump Peg, Chain Hanger, Derailleur Cable Stop, Brake Bridge Reinforcements, Cushioned Mylar Chainstay Protector	Top Tube Cable Guides, 2 Sets Bottle Bosses, Shift Lever Bosses, Pump Peg, Chain Hanger, Derailleur Cable Stop, Cushioned Mylar Chainstay Protector	Top Tube Cable Guides, 2 Sets Bottle Bosses, Shift Lever Bosses, Pump Peg, Chain Hanger, Derailleur Cable Stop, Cushioned Mylar Chainstay Protector	Top Tube Cable Guides, 2 Sets Bottle Bosses, Shift Lever Bosses, Pump Peg, Chain Hanger, Derailleur Cable Stop, Cushioned Mylar Chainstay Protector	Top Tube Cable Guides, Bottle Bosses, Derailleur Cable Stop, Stainless Steel Chainstay Protector	Top Tube Cable Guides, 3 Sets Bottle Bosses, Shift Lever Bosses, Pump Peg, Chain Hanger, Derailleur Cable Stop, Front Low Rider and Rear Carrier Bosses for Blackburn Racks, Bottom Bracket Cable Guides, Cushioned Mylar Chainstay Protector
FRAME GEOMETRY: HEAD ANGLE SEAT ANGLE WHEELBASE	(23" Frame) 73° 74° 39.4" (1000mm)	(23" Frame) 73° 74° 39.4" (1000mm)	(23" Frame) 73° 74° 39.4" (1000mm)	(23" Frame) 73° 74° 39.4" (1000mm)	(23" Frame) 73° 74° 39.4" (1000mm)	(23" Frame) 73° 74° 39.4" (1000mm)	(23" Frame) 73° 74° 39.4" (1000mm)	(23" Frame) 73° 74° 39.4" (1000mm)	(23" Frame) 72° 74° 40.65" (1032.5mm)	(23" Frame) 72.5° 72.5° 41.3" (1049mm)
FORK	Tange Aero, Chrome-Moly, Full Sloping Crown and Forged Dropouts w/Chrome Faces	Tange Aero, Chrome-Moly, Full Sloping Crown, Chrome-Moly Dropout Faces	Tange Mangalloy, Semi-Sloping Crown, Forged Dropouts	Tange Aero, Chrome-Moly Blades, Full Sloping Crown and Forged Dropouts, Full Chrome-Plated	Tange, Mangalloy, Full Sloping Crown, Forged Dropouts w/Chrome Faces	Tange, Mangalloy, Semi-Sloping Crown, Forged Dropouts w/Eyelets	Spinner, Mangalloy Semi-Sloping Crown, Forged Dropouts w/Eyelets	Tange, Hi-Tensile Steel, Semi-Sloping Crown, Forged Dropouts w/Eyelets	Hi-Tensile Steel, Semi-Sloping Crown, Forged Dropouts w/Eyelets	Tange, Chrome-Moly, Semi-Sloping Crown, Forged Dropouts w/Double Eyelets
HEADSET	Shimano Ultegra, Alloy, Sealed	Tange Levin CD, Sealed, Black	Shimano, Sealed, Grey	Shimano Santé, Alloy, Sealed	Shimano 105, Sealed	Tange SE-II, Sealed	Tange SE-II	Tange SE-II	HP-D1G	Tange SE-II, Sealed
CRANKSET	Shimano Ultegra, 165mm (19"-20"), 170mm (21"-23"), 172.5mm (24"-25"), 42/53T High Performance Biopace Chainrings	SunTour GPX, 165mm (19"), 170mm (21"-23"), 172.5mm (25"), 42/53T Chainrings	Shimano Exage Sport LX, 165mm (19"), 170mm (21"-25"), 42/52T Alloy, Biopace Chainrings	Shimano Santé, 165mm (19"-20"), 170mm (21"-23"), 172.5mm (24"-25"), Forged Alloy, 42/52T Biopace Chainrings	Shimano 105, 165mm (19"), 170mm (21"-23"), 172.5mm (24"-25"), Forged Alloy, 42/52T Biopace Chainrings	SR Edge, 165mm (19"), 170mm (21"-25"), 42/52T Alloy, Oval Chainrings	SR Blaze, 165mm (19"), 170mm (21"-25"), 42T Steel/52T Alloy, Oval Chainrings	Shimano Exage Sport LX, 165mm (19"), 170mm (21"-25"), 40/52T Steel Biopace Chainrings	Sugino MP-NF, 170mm, Alloy, 40/52T Steel, AP Finish Chainrings	SR SXC-T310, 165mm (19"), 170mm (21"-25"), 28/44/50T Alloy Chainrings
BOTTOM BRACKET	Shimano Ultegra, Chrome-Moly, Sealed	SunTour GPX, Chrome-Moly, Sealed	Shimano Exage Sport LX, Chrome-Moly, Sealed	Shimano Santé, Chrome-Moly, Sealed	Shimano 105, Chrome-Moly, Sealed	SR, Chrome-Moly	SR, Boron Reinforced	Shimano, Boron Reinforced	Mitsuboshi, Boron Reinforced	Shimano, Chrome-Moly, Sealed
DERAILLEURS	Shimano Ultegra Leading Action (Front); Shimano Ultegra, SIS (Rear)	SunTour GPX (Front); SunTour GPX, AccuShift (Rear)	Shimano Exage Sport LX Leading Action (Front); Exage Sport LX, SIS (Rear)	Shimano Santé Leading Action (Front); Shimano Santé, SIS (Rear)	Shimano 105 Leading Action (Front); Shimano 105, SIS (Rear)	SunTour Edge (Front); SunTour Edge, AccuShift (Rear)	SunTour Blaze (Front); SunTour Blaze, AccuShift (Rear)	Shimano Exage Motion (Front); Shimano Exage Motion, SIS (Rear)	SunTour Allegro (Front); SunTour 3040, AccuShift (Rear)	Shimano 255GS (Front); Shimano 554GS, SIS (Rear)
SHIFTERS	Shimano Ultegra, SIS	SunTour GPX, AccuShift	Shimano Exage Sport LX, SIS, Grey	Shimano Santé, SIS	Shimano 105, SIS	SunTour Edge, AccuShift	SunTour Blaze, AccuShift	Shimano Exage Sport LX, SIS	SunTour 3040, AccuShift	Shimano L434, SIS, Braze-on Levers
PEDALS	SR/Sampson Cleppless Pedals, Exclusive No Spin System, Popular Style Cleat Included, Alloy, Sealed	SunTour GPX w/Chrome, Steel Toe Clips and Braided Nylon Straps (White on Blue; Black on White)	Shimano Exage Sport LX, Grey w/Toe Clips and Braided Nylon Straps (Black on Black; White on Scarlet)	Shimano Ultegra, Alloy, Sealed w/Toe Clips and Black Braided Nylon Straps	Shimano 105, Alloy, Aero w/Resin Toe Clips and Grey Braided Nylon Straps	MKS AR-2, Silver w/Chrome, Nylon Toe Clips and Braided Nylon Straps (White on Red/White/Blue; Black on Black)	Victor VP-389 w/Black Nylon Toe Clips and Braided Nylon Straps (White on Blue; Black on Champagne)	Victor VP-390T w/Black Nylon Toe Clips and Black Braided Nylon Straps	HTI-866, Chrome, Steel, Quill Type	SR SP-155, Alloy, Semi-Platform, Steel Toe Clips w/Black Braided Nylon Straps
CHAIN	Shimano Uniglide	SunTour GPX	Shimano Uniglide	Shimano Uniglide	Shimano Uniglide	SunTour Alpha	SunTour Alpha	Shimano Uniglide	KMC Alpha	Shimano Uniglide
FREEWHEEL	Shimano Ultegra, Cassette, 7-Speed, 13-14-15-17-19-21-23T	SunTour Alpha, 7-Speed, 13-14-15-17-19-21-23T	Shimano Cassette, 7-Speed, 13-14-15-17-19-21-23T	Shimano Cassette, 7-Speed, 13-14-15-17-19-21-23T	Shimano Cassette, 7-Speed, 13-14-15-17-19-21-23T	SunTour Alpha, 7-Speed, 13-14-16-18-20-23-26T	SunTour Alpha, 6-Speed, 14-15-17-21-24-26T	Shimano MF-2012, 6-Speed, 14-15-17-20-24-28T	SunTour Alpha, 6-Speed, 14-15-17-20-24-28T	Shimano, 6-Speed, 14-16-19-22-26-30T
BRAKES	Shimano Ultegra w/Linear Response (SLR), Aero Brake Levers, Alloy Sidepull Calipers w/Quick Release, One-Piece Brake Shoes w/Tire Guides, Compact on 19"-21", Regular on 22"-25", Black Hoods	Dia-Compe GPX w/Balanced Response System (BRS), Aero Brake Levers, Alloy Sidepull Calipers w/Quick Release and Internal Return Spring, One-Piece Brake Shoes w/Tire Guides, Compact on 19"-21", Regular on 22"-25", Black Hoods on Blue, White Hoods on White	Shimano Exage Sport LX w/Linear Response (SLR), Aero Brake Levers, Alloy Sidepull Calipers w/Quick Release, One-Piece Brake Shoes w/Tire Guides, Compact on 19"-21", Regular on 23"-25", Black Hoods on Black, White Hoods on Scarlet	Shimano Santé w/Linear Response (SLR), Aero Brake Levers, Alloy Sidepull Calipers w/Quick Release, One-Piece Brake Shoes w/Tire Guides, Epoxy Painted White/Grey, Grey Hoods	Shimano 105 w/Linear Response (SLR), Aero Brake Levers, Alloy Sidepull Calipers w/Quick Release, Tire Guides, Recessed Bolt, Compact on 19"-21", Regular on 23"-25", Black Hoods	Dia-Compe Edge, Aero Brake Levers, Alloy Sidepull Calipers w/Quick Release, One-Piece Brake Shoes w/Tire Guides, Compact on 19"-21", Regular on 23"-25", White Hoods on Red/White/Blue, Black Hoods on Black	Dia-Compe Blaze, Aero Brake Levers, Alloy Sidepull Calipers w/Quick Release, One-Piece Brake Shoes w/Tire Guides, Compact on 19"-21", Regular on 23"-25", White Hoods on Blue, Black Hoods on Champagne	Shimano Exage Motion w/Linear Response (SLR), Aero Brake Levers, One-Piece Brake Shoes w/Tire Guides, Recessed Bolt, Black Hoods	Chang Star P500A, Alloy, Sidepull, Quick Release, Recessed Bolt, Alloy Levers w/Extensions	Dia-Compe 9830, Alloy Cantilevers, Rubber Hooded Alloy Levers
HANDLEBARS	Cinelli 1-E, 400mm (19"-23"), 420mm (24"-25"), Black Bike Ribbon	SR, Anatomic, Alloy, 390mm (19"-21"), 410mm (22"-23"), 430mm (25"), White Bike Ribbon	SR, Anatomic, Alloy, 390mm (19"-21"), 410mm (23"), 430mm (25") Black Bike Ribbon on Black, White Bike Ribbon on Scarlet	Cinelli 1-E, 400mm (19"-23"), 420mm (24"-25"), Black Bike Ribbon	Cinelli 1-E, 400mm (19"-23"), 420mm (24"-25"), Silver Grey Bike Ribbon	SR Custom, Alloy, 390mm (19"-21"), 420mm (23"-25"), White Bike Ribbon on Red/White/Blue, Black Bike Ribbon on Black	SR Custom, Alloy, 390mm (19"-21"), 420mm (23"-25"), White Bike Ribbon on Blue, Black Bike Ribbon on Champagne	SR Custom, Alloy, 390mm (19"-21"), 420mm (23"-25"), Black Bike Ribbon	Alloy w/Alloy Sleeve, 390mm (19"-21"), 410mm (23"-25") Black Bike Ribbon on Men's, White Bike Ribbon on Women's	SR Custom, Alloy, 390mm (19"-21"), 420mm (23"-25"), Black Bike Ribbon
STEM	Cinelli 1-E, 70mm (19"-20"), 90mm (21"-22"), 110mm (23"-25")	SR FXS-100, Alloy, 80mm (19"-20"), 100mm (21"-23"), 120mm (24"-25"), Black on White, Silver on Blue	SR Custom, Alloy, 80mm (19"), 100mm (21"-23"), 120mm (25")	Cinelli 1-E, 70mm (19"-20"), 90mm (21"-22"), 110mm (23"-25")	Cinelli 1-E, 70mm (19"), 90mm (21"-22"), 110mm (23"-25")	SR Custom, Alloy, 60mm (19"), 80mm (21"), 100mm (23"-25")	SR Custom, Alloy, 60mm (19"), 80mm (21"), 100mm (23"-25")	SR Custom, Alloy, 60mm (19"), 80mm (21"), 100mm (23"-25")	Delta, Alloy, 60mm (19"-21"), 80mm (23"), 100mm (25"-27")	SR Custom, Alloy, 60mm (19"), 80mm (21"-23"), 100mm (25")
HUBS	Shimano Ultegra, 32°, Rear Cassette Freehub, Small Flange, Quick Release, Sealed Bearings, 14GA Stainless Steel Spokes	SunTour GPX, 32°, Small Flange, Quick Release, 14GA Stainless Steel Spokes	Shimano Exage Sport LX, 32°, Rear Cassette Freehub, Small Flange, Quick Release, 14GA Stainless Steel Spokes	Shimano Santé 32°, Rear Cassette Freehub, Small Flange, Quick Release, Sealed Bearings, 14GA Stainless Steel Spokes	Shimano 105, 32°, Rear Cassette Freehub, Small Flange, Quick Release, 14GA Stainless Steel Spokes	Maillard Atom Sport, Small Flange, Alloy, 32°, Sealed Mechanism, Quick Release, 14GA Stainless Steel Spokes	Maillard Atom Sport, Small Flange, Alloy, 36°, Sealed Mechanism, Quick Release, 14GA Stainless Steel Spokes	Maillard Atom Sport, Small Flange, 36°, Sealed Mechanism, Quick Release, 14GA UCP Spokes	Small Flange, Alloy, Quick Release, 36°, 14GA UCP Spokes	Maillard Atom, Small Flange, Sealed Mechanism, Quick Release, 36° Front, 40° Rear, 14GA Stainless Steel Spokes
RIMS	Wolber TX Profil, 700 x 20C, Hard Anodized, Aero, 32°, Presta Valve	Wolber GTX, 700 x 20C, Hard Anodized, 32°, Presta Valve	Araya SS45, 700 x 20C, Presta Valve	Wolber TX Profil, 700 x 20C, Hard Anodized, Aero, 32°, Presta Valve	Wolber GTX, 700 x 20C, Hard Anodized, 32°, Presta Valve	Weinmann 9013, Aero, 700 x 20C, Silver Anodized, 32°, Presta Valve	Weinmann 613, 700 x 20C, Silver Anodized, 36°, Presta Valve	Weinmann 416, 700 x 20C, Silver Anodized, 36°, Presta Valve	Araya SP30, Alloy, 27" x 1¼", 36°, Silver Anodized, Standard Valve	Wolber Super Champion Model 58, Polished Alloy, 27" x 1¼", 36° Front, 40° Rear, Standard Valve
TIRES/TUBES	Schwinn Prologue, 700 x 19C, Dual Hard, Siped Tread, 125psi, Taffeta, Presta Valve	Schwinn Pro Circuit, 700 x 23C, Dual Hard, Semi-Bald, 115psi, Taffeta, Presta Valve	Schwinn Pro Circuit, 700 x 23C, Dual Hard, Semi-Bald, 115psi, Taffeta, Presta Valve	Schwinn Prologue, 700 x 19C, Dual Hard, Siped Tread, 125psi, Taffeta, Presta Valve	Schwinn Pro Circuit, 700 x 23C, Dual Hard, Semi-Bald, 115psi, Taffeta, Presta Valve	Schwinn Super Record, 700 x 25C, Dual Hard, 100psi, Skinwall, Presta Valve	Schwinn Super Record, 700 x 25C, Dual Hard, 100psi, Skinwall, Presta Valve	Schwinn Record, 700 x 28C, 90psi, Gumwall	Schwinn 27" x 1¼", HP Sport, 90psi, Gumwall	Schwinn Passage, 27" x 1¼", Dual Hard, 90psi 380gm, Standard Valve
SADDLE	Selle Italia Lycra Turbo Gel, Black	Viscount Lycra Turbo Gel, Black	San Marco Linea, Black Suede	San Marco Rollis, Black Smooth Leather, Bright Chrome Trim	San Marco Concor, Black Smooth Leather	Viscount Lycra Turbo Gel, Special Foam, Black	Viscount, Vinyl, Special Foam, Black	San Marco, Anatomic, Black	Viscount, Anatomic, Black	Viscount Lycra Turbo Gel, Anatomic, Black
SEAT POST	SunTour Expander, 27.2mm	SunTour Expander, 27.2mm	SunTour Expander, 27.2mm	SR CRE-100, 27.2mm, Alloy, Micro-Adjusting	SR CRE-100, 27.2mm, Alloy, Micro-Adjusting	SR CTP-5E, 26.6mm, Alloy, Micro-Adjusting	SR CTP-5E, 26.6mm, Alloy, Micro-Adjusting	SR CTP-5E, 26.6mm, Alloy, Micro-Adjusting	Chrome-Plated, 26.6mm	SR CRE-100, Alloy, 26.6mm, Micro-Adjusting
COLORS	Ice Blue Protective Clear Coat	Atlantic Blue White Pearl Protective Clear Coat	Black Scarlet Protective Clear Coat	Candy Red Protective Clear Coat	Charcoal Pearl Protective Clear Coat	Black Metalflake Red/White/Blue Fade Protective Clear Coat	Medium Blue/Dark Blue Fade Champagne Protective Clear Coat	Red/Silver/Red Fade Royal Blue Protective Clear Coat	M — Black M — Aquamarine L — Aquamarine L — Glacial White Protective Clear Coat	Emerald Green Protective Clear Coat
WEIGHT (Approx)	20 lbs. (9.1 kg.)	20 lbs. (9.1 kg.)	21 lbs. (9.5 kg.)	21 lbs. (9.5 kg.)	22 lbs. (9.9 kg.)	24 lbs. (10.6 kg.)	25 lbs. (11.3 kg.)	26 lbs. (11.7 kg.)	27 lbs. (12.2 kg.)	24 lbs. (10.6 kg.)

Schwinn specifications subject to change without notice.

SCHWINN BICYCLE COMPANY LIMITED WARRANTY

WHAT IS COVERED

This warranty covers all defects in material or workmanship in any product sold by SCHWINN Bicycle Company ("SCHWINN"). In addition, each SCHWINN bicycle or exerciser will be fully assembled by the selling Authorized SCHWINN Dealer at the time of purchase.

WHAT IS NOT COVERED

This warranty does not cover normal wear or tear, or normal maintenance items, or any damage, failure or loss caused by:

- Accident, misuse, neglect, abuse, improper assembly or improper maintenance;
- Use of products in any competitive event;
- Use of products for stunt riding, ramp jumping, acrobatics or similar activities, or with motors as power driven vehicles; or
- Failure to follow instructions in the owner's manual.

FOR HOW LONG

The warranty coverage has no time limit for all products sold by SCHWINN except electronic components. For electronic components, the warranty coverage runs for two (2) years from the date of purchase.

ANY IMPLIED WARRANTIES YOU MAY HAVE WITH RESPECT TO ELECTRONIC COMPONENTS ARE LIMITED IN DURATION TO TWO (2) YEARS FROM THE DATE OF PURCHASE. Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you.

30 DAY DFREE BICYCLE CHECK-UP

Within 30 days of your purchase, you may return your SCHWINN bicycle to the Authorized SCHWINN Dealer from whom you bought it for a free check-up. During the check-up SCHWINN will, at its option, either repair or replace, at no charge, any defective product, part or accessory.

WHAT SCHWINN WILL DO TO CORRECT DEFECTS

SCHWINN will, at its option, either repair or replace any defective product, part or accessory. Repair services or replacement parts will be provided free to you.

Dealer labor charges for installing replacement parts or accessories are not covered by this warranty, except for:

- bicycles during the free 30-day check-up, and
- defective frames within one (1) year from date of purchase.

NO LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES

Repair or replacement of defective parts or accessories and those dealer labor charges specified above are your sole remedy under this warranty, and **in no event shall SCHWINN be liable for incidental or consequential damages.** Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

HOW YOU CAN GET SERVICE

See your Authorized SCHWINN Dealer for service or write to: Consumer Relations Department, Schwinn Bicycle Company, 217 North Jefferson Street, Chicago, Illinois 60606

YOUR RIGHTS UNDER STATE LAW

This warranty gives you specific legal rights, and you may also have other rights which may vary from state to state.

Effective November 1, 1987.