

T E C H N O L O G Y ♦ D E S I G N ♦ I N N O V A T I O N

SCOTT®



1999 BICYCLE COLLECTION

Enduro Series

lightweight, fully-active,
cross-country full suspension/ **page 1**

Full Race Weapons

ultra-performance team-issue
carbon and alloy/ **page 4**

Sports/Solution/Adventure/Village

the perfect traveling companions/ **page 6-17**

Road Gear


chase the horizon/ **page 18**



**intoxica
pro**



**intoxica
team**



1 9 9 9 E N D U R O

model	intoxica pro	intoxica team
frame	Intoxica "Thermobrid" monocoque system w/7005 D.B.T. swingarm	Intoxica "Thermobrid" monocoque system w/7005 D.B.T. swingarm
fork	Judy XLC Triple clamp S/M=80mm L/XL=100mm Rear: R/Shox SID Air	Rock-Shox Judy C 80mm/Adj knobs Rear: RS-Deluxe, Coil over Preload adjustable
headset	Cane-Creek C-2 Cartridge	Tioga DX-8
der: rear	Shimano XTR 27-Speed	Shimano Deore XT 27-Speed
der: front	Shimano Deore XT E-Type	Shimano Deore LX E-Type
shifters	Shimano Deore XT RF-fire M9 w/gear indicator	Shimano Deore LX RF-fire M9 w/gear indicator
brakelevers	Formula Italy for Disc	Avid AD 1.0
brakes	Formula Italy Disc brake Hydraulic	Avid Arch-Rival 40 V-Brakes
crankset	Shimano Deore XT 4-arm, 22x32x44 T	Shimano Deore LX 4-arm, 22x32x44 T
bb-set	Shimano BB-UN72-E	Shimano BB-UN52-E
handlebar	Scott Octane Team Uprise 620 mm	Scott X-Rad, 560 mm w Scott barends
h-stem	Kore lite-3 1-1/8" / 6° rise	Kore lite-3D 1-1/8" / 6° rise
pedals	Scott "Freeride" Clipless pedal	Scott "Tuned" Clipless pedal
seatpost	Kore USA lite 2	Alloy Microadjust Race
seat	Selle Italia "Tri-Matica"	Scott Race
hub: rear	Formula Italy 32H	Shimano LX 32H
hub: front	Formula Italy 32H	Shimano LX 32H
cassette	Shimano CS-HG750-9 11-32 T	Shimano CS-HG70-I 11-30 T
rims	Mavic X-317 S WEB (Disc) Double wall for disc	Mavic X-138 S GA Double wall
spokes	DT-Swiss 15 G	15 G Stainless black
tires	Tioga Factory-XC 26 x 1.95	Tioga Factory-XC (Slick) 26 x 1.95

enduro

G E O M E T R Y

frame size	small	medium	large	X-large
top tube	550	585	585	610
head angle	70°	70.5°	71°	71.5°
seat angle	74.5°	74.5°	74.5°	74.5°
chainstays	428	428	428	428
wheelbase				

dimensions in millimeters



octane fx-1



octane fx-2



octane fx-3

1999 ENDURO

model	octane fx-1	octane fx-2	octane fx-3
frame	Alloy 7005 (14/16) Double butted tubing w/Scott D/out for Disc	Alloy 7005 (14/16) Double butted tubing w/Scott D/out for Disc	Alloy 7005 (14/16) Double butted tubing w/Scott D/out
fork	Rock-Shox Judy-XLC S/M=80mm L/XL=100mm Rear: Scott AC-9, Coil over rebound/compression ctrl.	Rock-Shox Judy C 80 mm Hydra Coil Rear: Scott AC-9, Coil over rebound/compression ctrl.	RockShox Jett XC 75mm Hydra Coil Rear: EX-Comp, Coil over with rebound control
headset	Tioga DX-8	Tioga TG	Tange TG
der: rear	Shimano Deore XT 27-Speed	Shimano STX RC 24-Speed	Shimano Alivio 24-Speed
der: front	Shimano Deore LX Conventional Type	Shimano STX-RC Conventional Type	Shimano STX Conventional Type
shifters	Shimano Deore LX RF-fire M9 w/gear indicator	Shimano STX-RC RF-fire plus w/gear indicator	Shimano Alivio RF-fire plus w/gear indicator
brakelevers	Formula Italy for Disc	Avid AD-1.0 L	Shimano Alivio
brakes	Formula Italy Disc Brake Hydraulic	Avid Single Digit 10 V-Brakes	Tektro 824-A V-Brakes
crankset	Shimano Deore LX 4-arm, 22x32x44 T	Shimano STX-RC 4-arm, 22x32x42 T	Shimano Alivio 4-arm, 24x34x42 T
bb-set	Shimano BB-UN52	Shimano BB-LP27	Shimano BB-LP27
handlebar	Scott Octane Team Uprise 620 mm	Scott Octane Uprise 620 mm	Scott Octane Uprise 620 mm
h-stem	Kore Lite-3-D 1-1/8" / 6" rise	YC-46AL 1-1/8" / 10" rise	HL-TDS-A-46-8 1-1/8" / 10" rise
pedals	Scott "Free-Ride" Clipless pedal	Scott "Tuned" Clipless pedal	LI-955-S w/clip & strap
seatpost	SP-495	SP-495	SP-339
seat	Scott Freeride	Scott Freeride	Scott Freeride
hub: rear	Formula DiscHub 32H	Shimano STX RC 32 H	Shimano Alivio 32 H
hub: front	Formula DiscHub 32H	OV-31 m/Alloy DR 32 H	OV-31 w/Alloy DR 32 H
cassette	Shimano CS-HG70-9 11-32 T	Shimano CS-1G50-B1 11-30 T	Shimano CS-1G50-B1 11-30 T
rims	Mavic X-223 S Al (Disc) Double wall	Mavic X-138 W GA Double wall	SUN USA ZJ-20 Double wall
spokes	15 G Stainless	15 G Stainless/black	15 G Stainless
tires	Tioga Factory-XC 26 x 1.95	Tioga Factory XC 26 x 1.95	Tioga Factory XC 26 x 1.95

en

G E O M E T R Y

frame size	small	medium	large	x-large
horizontal toptube	550	565	585	606
top tube	470	515	542	564
headangle	70.5°	70.7°	71°	71°
seat angle	74.5°	74°	74°	73.5°
chainstays	428	428	428	428
wheelbase	1060	1069	1086	1102

Dimensions in millimeters



**g-zero
pro**



**g-zero
team**



**octane
downhill**

1999 ENDURO

model	g-zero pro	g-zero team
frame	Alloy 7005 (14/16) Double butted tubing w/Scott D/out for Disc	Alloy 7005 (14/16) Double butted tubing w/Scott D/out for Disc
fork	RockShox SID-XC 80 mm Air-System Rear: SID-Air, rebound/compression ctrl.	RockShox Judy XC 80 mm Hydra Coil Rear: SID-Air, rebound/compression ctrl.
headset	Cane-Creek C-2 Cartridge	Tioga DX-8
der: rear	Shimano XTR 27-Speed	Shimano Deore XT 27-Speed
der: front	Shimano Deore XT E-Type	Shimano LX E-Type
shifters	Shimano Deore LX RF-fire M9 w/gear indicator	Shimano Deore XT RF-fire M9 w/gear indicator
brakelevers	Shimano Deore XT	Avid AD-1.0 L
brakes	Shimano Deore XT V-brakes	Avid Arch Rival-40 V-brakes
crankset	Shimano Deore XT 4-arm, 22x32x44 T	Shimano Deore LX 4-arm, 22x32x44 T
bb-set	Shimano BB-UN72-E	Shimano BB-UN52-E
handlebar	Scott Hot-Rod, 580 mm Double butted w/Scott barends	Scott X-Rod, 580 mm w/Scott barends
h-stem	Kore Lite-3 1-1/8" / 6" rise	Kore Lite-3 1-1/8" / 6" rise
pedals	Scott "Tuned" Clipless pedal	Scott "Tuned" Clipless pedal
seatpost	Kore USA Lite 2	SP-495
seat	Selle Italy Trimatica	Scott Race
hub: rear	Mavic Cross-Link	Shimano Deore LX 32 H
hub: front	Mavic Cross-Link	Shimano Deore LX 32 H
cassette	Shimano CS-H6750-9 11-32 T	Shimano CS-H670-9 11-32 T
rim	Mavic Cross-Link Wheelset	Mavic X-221 S NEB Double wall
spokes	Mavic Crosslink/gray	DT-Swiss 15 G / Alloy
tires	Michelin Sprint Kevlar Green 26 x 1.95	Tioga Factory-XC (Slick) 26 x 1.85





pro w/c



pro



elite

1999 RACING

model	pro w/c	pro	elite
frame	Endorphin Thermobrid Carbon monocoque w/AVS System	Endorphin Thermobrid Carbon monocoque w/AVS System	Endorphin Thermobrid Carbon monocoque w/AVS System
fork	RockShox Judy S10-XC Race Air system 80 mm/Adj nob	Manitou SX TPC System 80 mm/Adj nob	RockShox Judy XC Hydra Coil Technology 80 mm/Adj nob
headset	Cane Creek USA Cartridge	Tioga-DX-8	Tioga-DX-8
der: rear	Shimano XTR 27-Speed Reverse type	Shimano XTR 27-Speed	Shimano Deore XT 27-Speed
der: front	Shimano XT	Shimano Deore XT	Shimano Deore LX
shifters	Shimano XTR RF-fire M9 w/gear indicator	Shimano Deore XT RF-fire M9 w/gear indicator	Shimano Deore LX RF-fire M9 w/gear indicator
brakelevers	Shimano XTR	Shimano Deore XT	Avid SB-1.9L
brakes	Shimano XTR V-Brake	Shimano Deore XT V-Brake	Avid Arch-Rival 40 V-Brake
crankset	Shimano Deore XTR 4-arm, 24x34x46 T	Shimano Deore XT 4-arm, 22x32x44 T	Shimano Deore LX 4-arm, 22x32x44 T
bb-set	Shimano BB-M952	Shimano BB-UN72	Shimano BB-UN52
handlebar	Scott Hot-Rod, 580 mm Double butted w/Scott barends	Scott AT-1, 560 mm Double butted w/Scott barends	Scott AT-1, 560 mm w/Scott barends
h-stem	Kore Lite-3 1-1/8" / 0" rise	Kore Lite-3 1-1/8" / 0" rise	Kore Lite-3 1-1/8" / 0" rise
pedals	Scott "Tuned" Clipless pedal	Scott "Tuned" Clipless pedal	Scott "Tuned" Clipless pedal
seatpost	Kore USA Lite Post 2	Alloy Microadjust Race	Alloy Microadjust Race
seat	Selle Italia "Tri-Matica"	Selle Italia "Tri-Matica"	Scott Race
hub: rear	Mavic Cross-Max 28 H	Shimano Deore XT 32 H	Shimano Deore LX 32 H
hub: front	Mavic Cross-Max 26 H	Shimano Deore XT 32 H	Shimano Deore LX 32 H
cassette	Shimano CS-M952 12-34 T	Shimano CS-HG750-9 11-32 T	Shimano CS-HG70-9 11-32 T
rim	Mavic Cross-Max Ceramic sidewalls	Mavic X-221 S NEB Double wall	Mavic X-221 S NEB Double wall
spokes	Mavic Cross-Max/Alloy	DT-Swiss 15 G/Alloy	DT-Swiss 15 G/Alloy
tires	Michelin Wildgripper Sprint Kevlar 26 x 1.95	Michelin Wildgripper Sprint Kevlar 26 x 1.95	Tioga Factory-XC (Slick) 26 x 1.85

G E O M E T R Y

framesize	small	medium	large
horizontal top tube	585	573	587
top tube	550	560	580
head angle	71°	71°	71°
seat angle	73.5°	73°	73°
chainstays	425	425	425
wheelbase	1050	1055	1060

Dimensions in millimeters



1999 RACING

model	team	comp
frame	Alloy 7005 (14/16) Oval Double butted tubing Scott D/out for Disc	Alloy 7005 (14/16) Butted tubing Scott D/out for Disc
fork	Rock-Shox Judy XC Hydra-Coil Technology 80 mm/Adj nob	Rock-Shox Judy C Hydra-Coil Technology 80 mm/Adj nob
headset	Tioga-TG	Tioga-TG
der: rear	Shimano Deore XT 27-Speed	Shimano Deore XT 27-Speed
der: front	Shimano Deore XT	Shimano Deore LX
shifters	Shimano Deore XT RF-fire M9 w/gear indicator	Shimano Deore LX RF-fire M9 w/gear indicator
brakelevers	Shimano Deore XT	Avid SD-1 DL
brakes	Shimano Deore XT V-Brakes	Shimano Deore LX V-Brakes
crankset	Shimano Deore XT 4-arm, 22x32x44 T	Shimano Deore LX 4-arm, 22x32x44 T
bb-set	Shimano BB-UN72	Shimano BB-UN52
handlebar	Scott X-Rod, 560 mm w/Scott barends	Scott X-Rod, 560 mm w/Scott barends
h-stem	Kore Lite-3-D 1-1/8" / 0" rise	Alico YC-4-DI-AL 1-1/8" / 10" rise
pedals	Scott "Tuned" Clipless pedal	Wellgo SPD Clipless pedal
seatpost	Alloy Microadjust Race	Alloy Microadjust Race
seat	Scott Race	Scott Race
hub: rear	Shimano Deore XT 32 H	Shimano Deore LX 32 H
hub: front	Shimano Deore XT 32 H	FM-31 w/Alloy QR 32 H
cassette	Shimano CS-HG750-9 11-32 T	Shimano CS-HG70-9 11-32 T
rim	Mavic X-221 S NEB Double wall	Mavic X-139 N GA Double wall/grey
spokes	15 G Stainless	15 G Stainless/black
tires	Michelin Wildgripper Sprint Kevlar 26 x 1.95	Tioga Factory-XC (Stick) 26 x 1.85

team



comp



G E O M E T R Y

framesize	14"	16"	17.5"	19"	20.5"	22"
horizontal top tube	553	563	580	586	593	604
top tube	533	541	559	569	579	590
head angle	71°	71°	71°	71.5°	71.5°	71.5°
seat angle	74°	74°	73.5°	73.5°	73°	73°
chainstays	425	425	425	425	425	425
wheelbase	1040	1050	1062	1064	1070	1090

Dimensions in millimeters

boulder



vail





tampico



1 9 9 9 S P O R T

model	boulder	vail	tampico
frame	Alloy 7005 (T4/T6) PG tubing with Scott D/out	Alloy 7005 (T4/T6) PG tubing with Scott D/out	Alloy 7005 (T4/T6) PG tubing with Scott D/out
fork	Rock-Shox Jett-T2 Type II Spring 70mm Preload Adj	Rock-Shox Jett-C Spring/Elastomer 63mm Preload Adj	Rock-Shox Jett-C Spring/Elastomer 63mm Preload Adj
headset	Tioga-TG	Tioga-TG	Tioga-TG
der: rear	Shimano Deore LX 27-Speed	Shimano STX RC 24-Speed	Shimano STX RC 24-Speed
der: front	Shimano Deore LX	Shimano STX RC	Shimano Alivio
shifters	Shimano Deore LX RF-fire MG w/gear indicator	Shimano STX RC RF-fire plus w/gear indicator	Shimano Alivio RF-fire plus w/gear indicator
brakelevers	Tektro 383-A	Tektro 383-A	Shimano Alivio
brakes	Avid Single Digit 10 V-Brakes	Tektro 823-A V-Brakes	Tektro 823-A V-Brakes
crankset	Shimano Deore LX 4-arm, 22x32x44 T	Shimano STX-RC 22x32x42 T	Shimano Alivio 24x34x42 T
bb-set	Shimano BB-UN52	Shimano BB-LP27	Shimano BB-LP27
handlebar	Scott X-Rod, 560 mm Scott Stick Barand	Scott X-Rod, 560 mm Scott Stick Barand	Scott X-Rod, 560 mm Scott Stick Barand
h-stem	HL-TDS-A-46-8 1-1/8" / 6° rise	HL-TDS-A-46-8 1-1/8" / 6° rise	HL-TDS-A-46-8 1-1/8" / 6° rise
pedals	LU-954 Alloy w/clip & strap	Xerama w/clip & strap	LU-955-S w/clip & strap
seatpost	SP-495	SP-339	SP-242
seat	Scott Sport	Scott Sport	Scott Sport
hub: rear	Shimano Deore LX 32 H	Shimano STX RC 32 H	Shimano Alivio 32 H
hub: front	FM-31 w/Alloy QR 32 H	FM-31 w/Alloy QR 32 H	FM-31 w/Alloy QR 32 H
cassette	Shimano CS-HG70-9 11-32 T	Shimano CS-1G50-91 11-30 T	Shimano CS-1G50-81 11-30 T
rims	Mavic X-138 N GA Double wall/grey	Mavic X-138 N GA Double wall/grey	X-2100 Double wall/silver
spokes	15 G Stainless/black	15 G Stainless/black	15 G Stainless
tires	IRC Mythos XC 26 x 1.95 / 66TPI	IRC Mythos XC 26 x 1.95 / 66TPI	IRC Mythos XC 26 x 1.95 / 66TPI





yecora

1 9 9 9 S P O R T

model	yecora
frame	Alloy 7005 (14/16) PG tubing with Scott D/out
fork	RST-280 Suspension fork 64 mm travel
headset	Trioga-T6
der: rear	Shimano Alivio 24-Speed
der: front	Shimano Alivio
shifters	Shimano Alivio RF-fire plus w/gear indicator
brakelevers	Shimano Alivio
brakes	Tektro 823-A V-Brakes
crankset	Shimano Alivio 24x34x42 T
bb-set	Shimano BB-LP27
handlebar	Scott X-Rod, 560 mm
h-stem	MJ-Cycles TB-048 1-1/8" / 10°
pedals	LU-955-S
seatpost	SP-242
seat	Scott Sport
hub: rear	Shimano Alivio 32 H
hub: front	FM-31 w/Alloy QR 32 H
cassette	Shimano CS-1G50-B1 11-30 T
rims	X-2100 Double wall/silver
spokes	15 6 Stainless
tires	IRC Mythos XC 26 x 1.95 / 66TPI



G E O M E T R Y

framesize	14"	16"	17.5"	19"	20.5"	22"
horizontal top tube	550	560	570	580	585	600
top tube	528	536	552	565	573	586
head angle	71°	71°	71°	71°	71°	71.3°
seat angle	73.5°	73.5°	73.5°	73°	73°	73°
chainstays	425	425	425	425	430	430
wheelbase	1030	1038	1051	1058	1070	1077

Dimensions in millimeters

tacana



navajo



1999 SOLUTION

model	tacana	navajo
frame	Alloy 7005 (T4/T6) PG tubing with Scott D/out	Alloy 7005 (T4/T6) PG tubing with Scott D/out
fork	Manitou Spyder R Coil & MCU TPC 70mm/Adjustable	Manitou Spyder Coil & Spring 70mm Preload Adj
headset	Tioga-TG	Tioga-TG
der: rear	Shimano Deore XT 27-Speed	Nexave T-400 24-Speed
der: front	Shimano Deore LX	Shimano Nexave T-300
shifters	Shimano Deore LX RF-fire M9 w/gear indicator	Shimano Nexave ST-MC41T RF-fire plus w/gear indicator
brakelevers	Avid AD 1.0	Avid AD 1.0
brakes	Avid Single Digit 10 V-Brakes	Die-Compe VC-733/SC V-Brakes
crankset	Shimano LX 22x32x42 T, 4-arm	Shimano Nexave T-400 22x32x42 T, 4-arm
bb-set	Shimano BB-UN52	Shimano BB-LP27
handlebar	Scott Octane Uprise 580 mm	Scott Octane Uprise 580 mm
h-stem	HL-TDS-A-46-8 1-1/8" / 6° rise	HL-TDS-A-46-8 1-1/8" / 6° rise
pedals	LU-954 w/clip & strap	LU-955 w/clip & strap
seatpost	JD-495	SP-339
seat	Scott Solution	Scott Solution
hub: rear	Shimano Deore LX 32 H	Shimano STX RC 32 H
hub: front	FM-31 w/Alloy QR 32 H	FM-31 w/Alloy QR 32 H
cassette	Shimano CS-HG70-9 11-32 T	Shimano CS-HG60-1 11-34 T
rims	Mavic X-138 N GA Double wall/grey	Mavic X-138 N GA Double wall/grey
spokes	15 G Stainless/black	15 G Stainless/black
tires	Tioga Factory-XC (Slick) 26 x 1.85	IRC Mythos XC (Slick) 26 x 1.85

SOLUTION





kokomo



tigua



don't forget to check
our accessories catalog...

1 9 9 9 S O L U T I O N

model	kokomo	tigua
frame	Alloy 7005 (14/16) PG tubing with Scott D/out	Alloy 7005 (14/16) PG tubing with Scott D/out
fork	RST-280 Suspension fork 64 mm travel	A-Prebic AM-A3127 1-1/8" (Ahead)
headset	Tioga-TG	Tioga-TG
der: rear	Shimano STX-RC 24-Speed	Sram ESP-5.0 24-Speed
der: front	Shimano Alivio	Shimano Acera
shifters	Shimano Alivio RF-fire plus w/gear indicator	SRAM ESP 5.0 Ergo grip w/gear indicator
brakelevers	Shimano Alivio	Tektro 384-A
brakes	Tektro 823-A V-Brakes	Tektro 823-A V-Brakes
crankset	Shimano Alivio 4-arm, 22x32x42 T	Shimano Nexave T-300 4-arm, 22x32x42 T
bb-set	Shimano BB-LP27	Shimano BB-LP27
handlebar	MJ-Cycles MJ-025 TP Uprise 580 mm	MJ-Cycles MJ-025 TP Uprise 580 mm
h-stem	MJ-Cycles TB-048 1-1/8" / 10°	MJ-Cycles TB-048 1-1/8" / 10°
pedals	LU-855	LU-885
seatpost	SP-242	SP-242
seat	Scott Solution	Scott Solution
hub: rear	Shimano Alivio 32 H	FM-32 w/Alloy QR 32 H
hub: front	FM-31 w/Alloy QR 32 H	FM-31 w/Alloy QR 32 H
cassette	Shimano CS-1G50-81 11-30 T	Shimano CS-1G50-81 11-30 T
rims	X-2100 Double wall/silver	AL-AP-18 Alloy silver
spokes	15 G Stainless	14 G Stainless
tires	IRC Mythos XC (Slick) 26 x 1.95	Kenda K-947 26 x 1.95

G E O M E T R Y

framesize	16"	17.5"	19"	20.5"
horizontal top tube	545	555	560	570
top tube	520	535	540	550
head angle	70°	71.3°	71.3°	71°
seat angle	73.3°	73.3°	73°	73°
chainstays	425	425	425	425
wheelbase	1037	1047	1050	1054

Dimensions in millimeters



blackstone




purgatory



peak

1999 ADVENTURE

model	blackstone	purgatory	peak
frame	Alloy 7005 (14/16) PG tubing with Scott D/out	Alloy 7005 (14/16) PG tubing with Scott D/out	Oversize MTB Hi-Ten tubing w/ 4130 Cr-Mo S/rube
fork	A-Prebic AM-A3127 1-1/8" (Ahead)	TopGun 977 Spring/Elastomer 60 mm travel	A-Prebic AM-A3127 1-1/8"
headset	Tange-TG	TH B-52-S 1-1/8"	TH B-52-S 1-1/8"
der: rear	Shimano STX RC	Shimano Acera	SRAM ESP-S.O
der: front	Shimano Alivio	Shimano Altus	Shimano Acera
shifters	Shimano Alivio RF-fire plus w/gear indicator	Shimano Altus EZ-fire plus w/gear indicator	SRAM ESP-S.O Revo shifter w/gear indicator
brakelevers	Shimano Alivio	Shimano Altus	Tektro 384-A
brakes	Tektro 823-A V-Brakes	Tektro 823-A V-Brakes	Tektro 823-A V-Brakes
crankset	Shimano Alivio 24x34x42 T	Shimano Altus 24x34x42 T	Shimano Acera 24x34x42 T
bb-set	Shimano BB-LP27	CH-46	Shimano BB-LP27
handlebar	Alico YCS-110PP 560 mm	Alico YCS-110PP 560 mm	Alico YCS-110PP 560 mm
h-stem	MJ-Cycles TB-049 1-1/8" / 10°	HL MTS-255-S D.B-Clamp 1-1/8" / 15° rise	HL MTS-255-S D.B-Clamp 1-1/8" / 15° rise
pedals	LU-955-S w/clip & strap	LU-895	LU-895
seatpost	SP-339	SP-242	SP-242
seat	Scott Sport	Scott Sport	Scott Sport
hub: rear	Shimano Alivio 32 H	Shimano FH-RM40 36 H	FM-32 w/Alloy QR 32 H
hub: front	FM-31 w/Alloy QR 32 H	FM-31 w/Steel QR 36 H	FM-31 w/Alloy QR 32 H
cassette	Shimano CS-IG50-81 11-30 T	Shimano CS-HG30-1 11-28 T	Shimano CS-IG50-81 11-30 T
ribs	X-2100 Double wall/silver	AL-AP-18 Alloy silver	AL-AP-18 Alloy silver
spokes	14 G Stainless	14 G UCP	14 G UCP
tires	CST 1230 & 1232 26 x 1.95	CST 1230 & 1232 26 x 1.95	CST 1230 & 1232 26 x 1.95





1 9 9 9 A D V E N T U R E

model	rockwood	apache	timber
frame	Oversize MTB Hi-Ten tubing w/ 4130 Cr-Mo S/tube	Oversize MTB Hi-Ten tubing w/ 4130 Cr-Mo S/tube	Oversize MTB Hi-Ten tubing w/ 4130 Cr-Mo S/tube
fork	A-Prebic AM-A3127 1-1/8"	A-Prebic AM-A3127 1-1/8"	A-Prebic AM-A3127 1-1/8"
headset	TH B-52-S 1-1/8"	TH B-52-S 1-1/8"	TH B-52-S 1-1/8"
der: rear	Shimano Acera	Shimano Altus	Shimano TY-40
der: front	Shimano Altus	Shimano Altus	Shimano TY-32-A
shifters	Shimano Acera EZ-fire w/gear indicator	Shimano Altus EZ-fire w/gear indicator	Shimano TY-40 Retro shifter w/gear indicator
brakelevers	Shimano Acera	Shimano Altus	Lee-Chi SCT-66
brakes	Lee-Chi TX-86 V-Brakes	Lee-Chi TX-86 V-Brakes	Lee-Chi TX-86 V-Brakes
crankset	Shimano Acera 24x34x42 T	Shimano Altus 24x34x42 T	Shimano TY-Series 28x38x48 T
bb-set	Shimano BB-LP27	CH-46	CH-46
handlebar	Alico YCS-110PP 560 mm	Alico YCS-110PP 560 mm	Alico YCS-110PP 560 mm
h-stem	HL MTS-255-5 D.B-Clamp 1-1/8" / 15° rise	HL MTS-255-5 D.B-Clamp 1-1/8" / 15° rise	HL MTS-255-5 D.B-Clamp 1-1/8" / 15° rise
pedals	LU-895	LU-895	LU-895
seatpost	SP-242	SP-242	SP-242
seat	Scott Sport	Scott Sport	Scott Adventure
hub: rear	Shimano FH-RM40 36 H	FM-31 w/Steel QR 36 H	FM-31 Steel QR 36 H
hub: front	FM-31 w/Steel QR 36 H	FM-31 w/Steel QR 36 H	FM-31 Steel QR 36 H
cassette	Shimano CS-HG30-I 11-28 T	Shimano MF-HG37 14-28 T	Shimano MF-HG40-7 14-32 T
rims	AL-AP-18 Alloy silver	AL-AP-18 Alloy silver	AL-AP-18 Alloy silver
spokes	14 G UCP	14 G UCP	14 G UCP
tires	CST 1230 & 1232 26 x 1.95	CST 1230 & 1232 26 x 1.95	CST 1230 & 1232 26 x 1.95

G E O M E T R Y

framesize	14"	16"	17.5"	19"	20.5"	22"
horizontal top tube	545	550	565	570	580	600
top tube	520	530	545	555	570	585
head angle	71°	71°	71°	71°	71°	71.5°
seat angle	73°	73°	73°	73°	73°	73°
chainstays	425	425	425	425	425	425
wheelbase	1025	1033	1048	1051	1065	1075

Dimensions in millimeters

T E C H N O L O G Y ♦ D E S I G N ♦ I N N O V A T I O N

SCOTT®

Austria

SSG (Europe) AG
Niederlassung Österreich
A-6020 Innsbruck
Tel. 0512-34 35 31
Fax. 0512-34 12 09
Email. austria@scott-europe.com

Benelux

Scott Sportech Benelux
B-3070 Kortenberg
Tel. 02-759 50 15
Fax. 02-759 52 29

Brazil

IGP
BRA-Indaiatuba-Sao Paulo
Tel. 019-875 70 75
Fax. 019-875 91 25
Email. scott@igp.com.br

Czechia

Vanek Praha S.R.O.
CZ-130 00 Praha 3
Tel. 0312 698 016
Fax. 0312 698 025
Email. tomas.scott@oasaneet.cz

Denmark

Bike Sport International A/S
DK-2650 Hvidovre
Tel. 36 77 83 03
Fax. 36 77 73 03

Estonia

Hawaii Express Ltd.
EE-0019 Tallinn
Tel. 6-39 85 08
Fax. 6-39 85 66
Email. hawaii@spin.ee

Finland

Oy Skipatrol AB
SF-02600 Espoo
Tel. 09-511 440
Fax. 09-516 700

France

SSG (Europe) SA
F-74940 Annecy le Vieux
Tel. 04 50 64 24 00
Fax. 04 50 64 24 01
Email. france@scott-europe.com

Germany

SSG (Europe) AG
Niederlassung Deutschland
D-85221 Dachau
Tel. 08131/31 260
Fax. 08131/26 377
Email. germany@scott-europe.com

Great Britain

SSG (Europe) Ltd.
UK Division
GB-Northumberland NE23 9LZ
Tel. 01670-712 129
Fax. 01670-712 058
Email. uk@scott-europe.com

Iceland

Heidrun S.F.
IS-128 Reykjavik
Tel. 568-74 10
Fax. 581-48 77

Italy

Acerbis Italia SPA
I-24021 Albino (Bg)
Tel. 035 77 35 77
Fax. 035 77 35 70
Email. infobike@acerbis.it

Japan

Scott Trading Inc.
151-0041 Tokyo
Tel. 3 3468 4381
Fax. 3 3468 3401
Email. scott@sw.co.jp

New Zealand

Colorado Traders Ltd.
NZ-Wellington
Tel. 04-473 64 59
Fax. 04-471 22 72
Email. office@colorado-traders.co.nz

Norway

Ramo A.S.
N-1473 Skårer
Tel. 67-90 78 01
Fax. 67-97 02 91
Email. dehli@ramo.no

Poland

SCOTT Sportech Poland
PL-05-400 Otwock
Tel. 022-788 36 90
Fax. 022-788 36 91

Portugal

Stand Jasma LDA
2840 Amora
Tel. 01 226 88 38
Fax. 01 226 83 53

Russia

Falcon Fun Sport
123592 Moscow Russia
Tel. 095 944 65 08
Fax. 095 165 90 17

Slovakia

Bicycle Sport s.r.o.
SK-04001 Kosice
Tel. 064 380 200
Fax. 064 380 2022
Email. duplinsky@bicycle.sk

Slovenia

Proloco Trade d.o.o.
SLO-4000 Kranj
Tel. 064 380 200
Fax. 064 380 2022
Email. proloco.trade@sial.net

Spain

BM Sportech SA
E-50011 Zaragoza
Tel. 9 76 32 24 27
Fax. 9 76 32 24 53
Email. barcos@encomix.es

Sweden

Scott Svenska AB
S-750 02 Uppsala
Tel. 018-56 28 00
Fax. 018-52 28 00

Switzerland

SSG (Europe) SA
Division Suisse
CH-1762 Givisiez
Tel. 026-460 16 99
Fax. 026-460 16 88
Email. switzerland@scott-europe.com

USA

SSG USA
Sun Valley, ID 83353
Tel. 208-622 1000
Fax. 208-622 1005
Email. daveyr@svdaho.net

SCOTTUSA

For information regarding wintersports, snowboard or motorcycle,
please call SSG USA 01 208 622 1000 or SSG Europe 41 264 60 1616
© 1998 SSG, All rights reserved. Specifications subject to change without notice.

