

1991 SPECIALIZED BICYCLES



SPECIALIZED®

DER BELIEBTESTE ANSTECKKNOPF BEIM R&D-TEAM HEISST INNOVATION.

WIR SIND DER MEINUNG, DASS MAN IN DIESEM GESCHÄFT ÜBERRANNT WIRD, WENN MAN AUF DER STELLE TRITT. DESHALB BLEIBEN WIR NICHT AN EINEM PUNKT STEHEN.

WENN WIR NICHT UNBARMHERZIG NEUERUNGEN EINFÜHREN WÜRDEN, KÖNNTEN WIR UNS SELBST NICHT MEHR IM SPIEGEL BETRACHTEN.

IM LETZTEN JAHR HABEN WIR DAS SUPERMODERNE DREISPEICHEN-RAD VON SPECIALIZED MIT DEM NAMEN COMPOSITE WHEEL EINGEFÜHRT. ES HANDELT SICH HIER UM DAS AERODYNAMISCHSTE RAD DER WELT. WAS WIR IN DIESEM JAHR FÜR SIE BEREITHALTEN, MAG ALS NOCH GRÖßERER SPRUNG IN DIE ZUKUNFT ERSCHEINEN: UNSER METALLMATRIX-VERBUNDMATERIAL M2™.

M2 IST DIE KOMMENDE GENERATION DER FAHRRADMATERIALIEN. DAMIT SIND WIR JEDEM KONKURRENZUNTERNEHMEN UM EINE GENERATION VORAUS.

M2 IST SO LEICHT, DASS ES ZUERST FAST SONDERBAR ERSCHEINT, ABER GLEICHZEITIG IST ES SEHR FEST UND VIEL STÄRKER ALS ALUMINIUM. WELCHE VORTEILE HAT DAS FÜR SIE? SIE KÖNNEN DAMIT BESSER BESCHLEUNIGEN. SIE KÖNNEN STEIGUNGEN BESSER MEISTERN. ES HÄLT AUCH DEM STARKEN FAHRER AUF BEMERKENSWERTE WEISE STAND. UND ES IST SO VERWINDUNGSFEST, DASS ES SIE NIEMALS IM STICH LÄSST. AUSSERDEM SORGT ES FÜR AUSNAHMSLOS KALKULIERBARES LENKVERHALTEN.

EINER UNSERER R&D-LEUTE MEINT: "SIE FÜHLEN ES ERST, WENN SIE ES FÜHLEN."

DANN HABEN WIR NOCH DAS RAHMENSYSTEM VON SPECIALIZED (SPECIALIZED FRAME SYSTEM) SFS™. ES HAT UNSER EIGENES RAHMENBAUSYSTEM ALS GRUNDLAGE. DIESES ROHRSYSTEM WURDE VON EINEM MITARBEITER UNSERES INGENIEURTEAMS, MARK DI NUCCI, EXKLUSIV FÜR ALLE UNSERE RÄDER ENTWICKELT. DAS ERGEBNIS SEINER ARBEIT AM CAD-TERMINAL UND DRAUSSEN AUF DEN BEIDEN RÄDERN BEDEUTET EINEN GROSSARTIGEN FORTSCHRITT DER WANDSTÄRKE, DER STOSSVERBINDUNGEN, DER FORM, DER MATERIALIEN UND DER GEWICHTS-REDUZIERUNG.

DAS ERGEBNIS DIESER ARBEIT BESTEHT DARIN, EINE VORWÄRTSBEWEGUNG ZU SCHAFFEN, DIE MIT DER KLEINSTMÖGLICHEN MENSCHLICHEN ENERGIE ERREICHT WERDEN KANN. DIE RÄDER WERDEN MIT STEIGUNGEN SO LEICHT FERTIG WIE DIE BERGZIEGEN.



SPECIALIZED STUMPJUMPER® M2™ TEAM

UNSER METALLMATRIX-VERBUNDMATERIAL (MMC) M2 HAT NUR EIN DRITTEL DES GEWICHTS VON STAHL UND IST STEIFER ALS ALUMINIUM-LEGIERUNGEN. ES BESITZT UNÜBERTROFFENE STOSSDÄMPFENDE EIGENSCHAFTEN. KURZ GESAGT, ES IST DAS OPTIMALE MATERIAL FÜR EINEN MOUNTAINBIKE-RAHMEN. DIE RAHMEN SIND TIG-GESCHWEISST UND WERDEN MIT EINEM BESONDEREN VERFAHREN WÄRMEBEHANDELT. DAS RAD BESITZT KOMPONENTEN AUS DER GRUPPE SUNTOUR XC PRO MIT GREASE GUARD UND HAT RENN-DAUMEN-GANGSCHALTER. 32-LOCH-FELGEN BLX-21 VON SPECIALIZED, EDELSTAHLSPICHERN VON WHEELSMITH, UND 1.95" GROUND CONTROL EXTREME-REIFEN. GRÖSSEN: 16.5, 18, 19, 20, 21.5". PLATIN.

SPECIALIZED STUMPJUMPER M2



MIT DIESEM REVOLUTIONÄREN FAHRRAD WERDEN SIE KEINE ENERGIE VERSCHENKEN ODER UNNÖTIG ERMÜDEN — ES BIETET IHNEN EINFACH DIE BESTE LEISTUNG, DIE SIE BEI EINEM MOUNTAINBIKE JEMALS ERLEBT HABEN. DIE KOMPONENTEN STAMMEN AUS DER ROBUSTEN GRUPPE SHIMANO DEORE DX MIT SIS-DAUMEN-GANGSCHALTERN.

DER RENNERPROBTE RÄDERSATZ BESTEHT AUS DEN 32-LOCH-FELGEN BX-23 VON SPECIALIZED, EDELSTAHLSPICEHN VON WHEELSMITH UND 1.95" GROUND CONTROL EXTREME- REIFEN. AUSSERDEM HABEN UNSERE M2-RAHMEN EINE LEBENSBLANGE GARANTIE. GRÖSSEN: 16.5, 18, 19, 20, 21.5". VIOLETT METALLIC.



SPECIALIZED STUMPJUMPER EPIC ULTIMATE

DIESES RAD BESITZT DEN BESTEN CARBON-FASER-RAHMEN, DER JEMALS FÜR EIN FAHRRAAD VERWENDET WURDE, UND IST MIT DEN ALLERBESTEN KOMPONENTEN AUSGESTATTET. DER RAHMEN BESTEHT AUS HOCHMODUL-CARBONFASER, VERKLEBT MIT MUFFEN AUS TITAN. DAS RAD BESITZT KOMPONENTEN MIT WTB GREASE GUARD UND DIE STARKE, LEICHTE SATTELSTÜTZE VON INTERLOC RACING DESIGN. BXL-21-FELGEN VON SPECIALIZED, DD-WHEELSMITH-SPEICHEN MIT VERSTÄRKUNG. 1,95" GROUND CONTROL EXTREME "S"-REIFEN VON SPECIALIZED. GRÖSSEN: 16.5, 18, 19, 20, 21.5". CARBON MIT SCHWARZEN MUFFEN.

SPECIALIZED STUMPJUMPER EPIC®



DIE HAUPTZEIGENSCHAFTEN DER CARBONFASER SIND GERADZU IDEAL FÜR DEN FAHRRADBAU: DIE FASER IST LEICHTER ALS CHROM-MOLYBDÄNSTAHL (CRMO), ÄUSSERST STARK UND LANGLEBIG, VERWINDUNGSSTEIF FÜR EFFIZIENTE KRAFTÜBERTRAGUNG UND FÄNGT STÖSSE UND SCHLÄGE AB. UNSERE EPICS BAUEN WIR IM

SPECIALIZED-HAUPTWERK IN MORGAN HILL, KALIFORNIEN, VON HAND. DIE KOMPONENTEN STAMMEN AUS DER GRUPPE SHIMANO DEORE XT MIT RENN-DAUMENSCHALTERN, 32-LOCH-FELGEN BXL-21 VON SPECIALIZED. 1.95" GROUND CONTROL EXTREME-REIFEN. GRÖSSEN: 16.5, 18, 19, 20, 21.5". CARBON MIT SCHWARZEN MUFFEN.

SPECIALIZED STUMPJUMPER TEAM



UNSER ERFOLGREICHES STUMPJUMPER-TEAM HAT UNS BEI DER PERFEKTIONIERUNG EINES DER BESTEN STAHLRÄDER DER WELT GEHOLFEN. DAS MATERIAL IST SUPERLEICHES TANGE PRESTIGE, DIE ROHRKONSTRUKTION WURDE ANHAND UNSERES EIGENEN DIRECT DRIVE-KONZEPTS ENTWICKELT; FAHREIGENSCHAFTEN UND LEISTUNG SIND SUPER. DIE KOMPONENTEN STAMMEN AUS DER

TEMPERAMENTVOLLEN GRUPPE SUNTOUR XC PRO MIT RENN-DAUMENSCHALTERN. DIE BXL-21-FELGEN SIND DIE BESTEN FELGEN FÜR DEN RENNSPORT. DIE BEVORZUGTEN REIFEN DER NORBA-RENNSTRECKEN-PROFIS SIND 1.95" GROUND CONTROL EXTREME "S". GRÖSSEN: 16.5, 18, 19, 20, 21.5". SCHWARZ MIT PERLMUTT-VIOLETT.

SPECIALIZED STUMPJUMPER COMP



UNSERE SFSTTM (SPECIALIZED FRAME SYSTEM) DIRECT DRIVE-AUSFÜHRUNG, KOMBINIERT MIT LEICHTEN TANGE-PRESTIGE-ROHREN ZEICHNET DIESE PROFESSIONELLE MOUNTAIN-RENNMASCHINE AUS. DIE NEUE DIRECT DRIVE-GABEL UND DAS GROSSBEMESSENE OBERROHR

GEBEN DIESEM RAD MAXIMALE BEHERRSCHBARKEIT UND BESTE LENKEIGENSCHAFTEN. DIE KOMPONENTEN AUS DER GRUPPE SHIMANO DEORE XT SIND RENNERPROBT. 32-LOCH-FELGEN BX-23 VON SPECIALIZED. GRÖSSEN: 16.5, 18, 19, 20, 21.5". MATTGRAU.

SPECIALIZED STUMPJUMPER



IN DIESEM JAHR WIRD DER PREISGEKRÖNTE, BAHNBRECHENDE STUMPJUMPER 10 JAHRE ALT. ER IST BESSER ALS JE ZUVOR. DER DIRECT DRIVE-TANGE-RAHMEN IST LEICHT, STARK UND KOMFORTABEL. DIE KOMPONENTEN STAMMEN AUS DER GRUPPE SHIMANO DEORE UND

HABEN RENN-DAUMEN-GANGSCHALTER. 1.95" GROUND CONTROL-REIFEN, LEICHTER SATTEL SELLE ITALIA TURBO. GRÖSSEN: 16.5, 18, 20, 21.5". SCHWARZ, WEISS.



SPECIALIZED ROCKHOPPER COMP

DIE RENNGEOMETRIE UND DIE DIRECT DRIVE-ROHRE MACHEN DIESES RAD ZU EINEM WIRKLICHEN LEISTUNGSRAD. ES IST LEICHT UND STARK UND HAT EINEN VERWINDUNGSSTEIFEN RAHMEN. ES IST MIT KOMPONENTEN DER GRUPPE SHIMANO DEORE LX AUSGERÜSTET UND MIT SCHALTHEBELN DEORE DX RAPID-FIRE VERBESSERT. DIE 32-LOCH-FELGEN BX-23 VON SPECIALIZED SIND SCHMAL, UM DAS GEWICHT ZU REDUZIEREN, ABER SIE HALTEN VIEL AUS. DIE 1.95" GROUND CONTROL-REIFEN SIND DIE POPULÄRSTEN GELÄNDEREIFEN ÜBERHAUPT. GRÖSSEN: 16,5, 18, 20, 21,5".
TÜRKIS, MAGENTA.

SPECIALIZED ROCKHOPPER SPORT



DIESES RAD IST MIT UNSEREM SPORTLICHEN RAHMEN- UND GABELSYSTEM DIRECT DRIVE AUSGESTATTET UND HAT SORGFÄLTIG AUSGEWÄHLTE, LEICHTE, RENNGEEIGNETE KOMPONENTEN. DIE KOMPONENTEN DER GRUPPE SUNTOUR EXPRESS XL DES TYPUS "PUSH ONLY" (NUR DRÜCKEN) ERMÖGLICHEN SICHERES UND SCHNELLES SCHALTEN. RUNDE, LEISTUNGSFÄHIGE POWER-RINGE MIT AJS

(ANTI-JAM SYSTEM = ANTI-KLEMM-SYSTEM) SCHÜTZEN SIE VOR DEM GEFÜRCHTETEN "KETTEN-KLEMMER". DIE NEUEN 32-LOCH-FELGEN BX-25 VON SPECIALIZED MIT WHEELSMITH-SPEICHEN SIND DIE VORAUSSETZUNG FÜR STARKE, LEICHTE RÄDER.

GRÖSSEN: 14.5, 16.5, 18, 20, 22". SCHWARZ, GELB.

SPECIALIZED ROCKHOPPER®



DER RAHMEN BESTEHT AUS DIRECT DRIVE-ROHREN. DIESE ROHR-KONSTRUKTION IST DAS HERZSTÜCK UNSERES SPECIALIZED-RAHMEN-SYSTEMS UND MACHT DEN ROCKHOPPER ZU EINEM RENNGEEIGNETEN RAD, DAS SPASS MACHT. DAS DIRECT DRIVE-SYSTEM LIEFERT MAXIMALEN FAHRKOMFORT, EFFIZIENTE KRAFTÜBERTRAGUNG, GUTE LENKBARKEIT UND REAKTIONSVERMÖGEN. DIE DOPPEL-KONISCHEN

SATTELSTREBEN GARANTIEREN KRAFTVOLLES BREMSSEN. DIE KOMPONENTENGRUPPE SHIMANO 400LX ERMÖGLICHT PRÄZISES SCHALTEN DURCH DEN STI (SHIMANO TOTAL INTEGRATION) RAPIDFIRE-GANG-SCHALTER. EDELSTAHLSPESCHEN VON WHEELSMITH, 1.95" CROSSROADS-REIFEN VON SPECIALIZED. GRÖSSEN: 14.5, 16.5, 18, 20, 22" UND 18" ALS DAMENRAD. SCHWARZ, WEISS.



SPECIALIZED ROCKHOPPER MEGA™


FÜR JEDES GELÄNDE EIN ERNSTZUNEHMENDES RAD, DAS ENTWORFEN WURDE FÜR KINDER, DIE NIEMALS LANGSAM FAHREN. DER STARKE UND LEISTUNGSFÄHIGE MINI-ROCK-HOPPER-RAHMEN BESTEHT AUS CRMO-STAHL. DIE KETTENRADGARNITUR AUS SR-LEGIERUNG IST LEICHTER UND WIDERSTANDSFÄHIGER ALS DIE MEISTEN KETTENRADGARNITUREN BEI KINDERRÄDERN UND BESITZT EINEN ETWAS GRÖßEREN KETTENRING MIT 46 ZÄHNEN. DER SCHALTHEBEL DER SHIMANO-INDEX-SCHALTUNG 552 MIT 7 GÄNGEN UND DIE VERSTELLBAREN BREMSHEBEL KÖNNEN DEN KINDERHÄNDEN ANGEPAßT WERDEN. 20 x 1.95" GROUND CONTROL BLACK MAX-REIFEN MIT MAXIMALER TRAKTION. GESAMTHÖHE 58 CM. ROT.

SPECIALIZED HARDROCK MEGA™



NEIN, SIE MÜSSEN NICHT WARTEN, BIS SIE GROSS SIND. MIT DEM STARKEN UND ZUVERLÄSSIGEN MINI-RAHMEN VON SPECIALIZED IST DIESES HARDROCK FÜR DIE UNTERSCHIEDLICHSTEN ALTERSKLASSEN GEEIGNET. ES HAT SECHS GÄNGE. DAMIT KÖNNEN IHRE KINDER ÜBERALL FAHREN. DIE BREMS- UND SCHALTHEBEL SIND GRÖSSEN-

MÄSSIG AUF IHRE HÄNDE ABGESTIMMT. 20"-RÄDER MIT DEN STARKEN GROUND CONTROL BLACK MAX-REIFEN. ACCUSHIFT-SCHALTUNG XCU AUS DER GRUPPE SUNTOUR. JUNGENRAD SCHWARZ, MÄDCHENRAD WEISS.



SPECIALIZED HARDROCK SPORT

EIN RAD MIT SUPERLEISTUNG. DER SFS-
RAHMEN BESITZT EIN OBERROHR MIT GROSSEM
DURCHMESSER, FÜR EINE BESSERE LENKBAR-
KEIT. DIE DIRECT DRIVE-GABEL SORGT FÜR
NOCH BESSERE BEHERRSCHBARKEIT, FESTIGKEIT
UND KOMFORT. UND DURCH DIE SCHALTHEBEL
XCM EXPRESS "PUSH-PUSH" VON SUNTOUR
BRAUCHEN SIE IHRE HÄNDE NIEMALS VON DEN
GRIFFEN ZU LÖSEN. DER SPECIALIZED
TIG-VORBAU, KOMBINIERT MIT FLACHEM
LENKER, ERGIBT HERVORRAGENDE
MANÖVRIERFÄHIGKEIT IM GELÄNDE.
1.95" CROSSROADS II-REIFEN.
LIEFERBAR IN DEN GRÖSSEN 16.5, 18, 20, 22".
CHAMPAGNE, PURPURROT METALLIC.

SPECIALIZED HARDROCK



RICHTIG FÜR JEDES ABENTEUER, OB AUF DER STRASSE ODER IM GELÄNDE. DIE STARKE SFS-RAHMENKONSTRUKTION MIT GUTEN KOMFORTZEIGENSCHAFTEN HAT ZUSÄTZLICH DOPPELKONISCHE SATTELSTREBEN FÜR STARKES, SICHERES BREMSSEN. DER 80 MM HOCHGEKRÖPFTE LENKER SORGT FÜR EINE BEQUEME HALTUNG.

KOMPONENTEN DER GRUPPE SHIMANO 200GS; MIT RAPIDFIRE-GANGSCHALTER. 1.5" CROSSROADS II-REIFEN VON SPECIALIZED BIETEN KOMFORT UND TRAKTION BEI RAUHEM (ODER EBENEM) GELÄNDE. LIEFERBAR IN 14.5, 16.5, 18, 20, 22" UND 18" ALS DAMENRAD. CERISE, JET-SCHWARZ.

SPECIALIZED HARDROCK® CRUZ™



EIN KOMFORTABLES, ZUVERLÄSSIGES RAD FÜR JEDES GELÄNDE (ATB). DER SFS-RAHMEN AUS CRMO-STAHL MAXIMIERT DIE LEISTUNGSFÄHIGKEIT DIESES RADES UND ERMÖGLICHT GENUSSREICHES, ENERGIESPARENDEN FAHREN. DER XCU-ANTRIEB DER KOMPONENTENGRUPPE SUNTOUR ACCUSHIFT PLUS MIT DAUMEN-GANGSCHALTER

GEWÄHRLEISTET SAUBERES SCHALTEN FÜR INSGESAMT 21 GÄNGE. ABGEDICHTETE NABEN MIT SCHNELLVERSCHLUSS. CROSSROADS II-REIFEN VON SPECIALIZED IN 1.5"-BREITE EIGNEN SICH HERVORRAGEND FÜR ALLE VERWENDUNGSZWECKE. GRÖSSEN: 16.5, 18, 20, 22". WEISS, ROT.



SPECIALIZED CROSSROADS SPORT

GANZ GLEICH, WO SIE DAMIT FAHREN, DIES IST
EIN HOCHLEISTUNGSFAHRRAD. DER DIRECT,
DRIVE-RAHMEN DES MODELLS CROSSROADS
IST LEICHT UND WENDIG, ABER ROBUST GENUG
FÜR GELÄNDEFARTEN. DIE HOCHLEISTUNGS-
KOMPONENTEN STAMMEN AUS DER GRUPPE
SUNTOUR EXPRESS XL MIT GANGSCHALTERN
DES TYPUS "PUSH-ONLY" (NUR DRÜCKEN).
HARTELOXIERTER ARAYA-VX-300-FELGEN,
WHEELSMITH-SPEICHEN UND TRI-CROSS 700 X
45C-REIFEN VON SPECIALIZED ZEICHNEN DIE
LEICHTEN, FÜR JEDES GELÄNDE GEEIGNETEN
RÄDER AUS.

GRÖSSEN: 16.5, 18, 20, 22".

CERISE, SCHIEFERGRÜN.

SPECIALIZED CROSSROADS



WIR KONSTRUIEREN UNSERE CROSSROADS-RAHMEN GANZ SPEZIELL FÜR DEN MEHRZWECKEINSATZ UND VERWENDEN DABEI DIE GEOMETRIE UNSERES SPECIALIZED FRAME SYSTEM (SFS) UND DIE DIRECT DRIVE-ROHRE. DIE KOMPONENTEN DER GRUPPE SHIMANO 300LX MIT RAPIDFIRE-GANGSCHALTEN ERMÖGLICHEN, DASS SIE SCHALTEN

KÖNNEN, OHNE IHRE HÄNDE VON DEN GRIFFEN ZU NEHMEN. ARAYA-PX-45-FELGEN, EDELSTAHL-SPEICHEN VON WHEELSMITH, NABEN MIT SCHNELLVERSCHLUSS UND NIMBUS 700 x 41C-REIFEN VON SPECIALIZED. GRÖSSEN: 16.5, 18, 20, 22" UND 18" ALS DAMENRAD. WEISS, MAGENTA.

SPECIALIZED CROSSROADS® CRUZ



DIESES GELÄNDEFAHRRAD BESITZT EINEN RAHMEN, DER SPEZIELL FÜR DAS STRASSEN- UND DAS CROSSFAHREN KONZIPIERT WURDE. DIE UNTER DEM LENKER LIEGENDEN, DREIECKIGEN GANGSCHALTER DER GRUPPE SUNTOUR XCT LIEGEN IN DER RICHTIGEN POSITION FÜR DAUMEN UND FINGERSPITZEN. DIE CANTILEVER-BREMSEN DER GRUPPE

DIA-COMPE XCT GEWÄHRLEISTEN ZUVERLÄSSIGES ABBREMSEN BIS HIN ZUM STILLSTAND. DIE RÄDER SIND MIT SCHNELLSPANN-NABEN AUSGESTATTET. NIMBUS 700 x 41C-REIFEN VON SPECIALIZED. GRÖSSEN: 14.5, 16.5, 18, 20, 22" UND 18" ALS DAMENRAD. SCHWARZ, CERISE.



SPECIALIZED ALLEZ EPIC DURA-ACE


DIESES MODELL HAT DIE RAHMENKONSTRUKTION DES US-LANDESMEISTERS MIT DEN FEINSTEN KOMPONENTEN. DER RAHMEN BESTEHT AUS CARBONFASER, VERKLEBT MIT MUFFEN AUS ALUMINIUM-INVESTMENTGUSS. ER IST LEICHT, FEST, ABER NICHT ZU HART ODER NERVÖS. DAS MODELL BESITZT KOMPONENTEN AUS DER GRUPPE SHIMANO DURA-ACE UND HAT STI-BREMSHEBEL UND -GANGSCHALTER. ES IST AUSGESTATTET MIT MAVIC-OPEN-4CD-FELGEN UND VERSTÄRKTEN EDELSTAHLSPICHERN VON WHEELSMITH. DER RENNVORBAU IST VON SPECIALIZED UND HAT EINEN ANATOMISCHEN SR-LENKER. DIE IMMER NOCH BELIEBTE 700 x 20c TURBO S SIND LEICHTE, LEBHAFT UND SCHNELLE LEISTUNGS-/TRAININGSREIFEN. GRÖSSEN: 50, 52, 54, 56, 58, 60". CARBON MIT SILBERNEN MUFFEN

SPECIALIZED ALLEZ EPIC 105 & ULTEGRA



DIESES MODELL HAT DEN GLEICHEN US-LANDESMEISTER-RAHMEN WIE UNSER EPIC DURA-ACE, IST JEDOCH MIT KOMPONENTEN DER GRUPPEN SHIMANO 105 UND ULTEGRA AUSGERÜSTET. BEIDE MODELLE BESITZEN WOLBER-GTX-FELGEN MIT VERSTÄRKTEN

EDELSTAHLSPEICHERN VON WHEELSMITH UND 700 x 20c TRANSITION-REIFEN VON SPECIALIZED. SATTEL: SELLE ITALIA TURBO. GRÖSSEN: 50, 52, 54, 56, 58, 60". CARBON.



SPECIALIZED TRANSITION PRO


UNABHÄNGIGE WINDTUNNELTESTS HABEN GEZEIGT, DASS DIE COMPOSITE WHEELS VON SPECIALIZED AUF EINER ZEITFAHRSTRECKE VON 100 MEILEN ÜBER 10 MINUTEN HERAUSHOLEN KÖNNEN. SIE SIND DIE SCHNELLSTEN RÄDER DER WELT, UND ES GIBT KEIN SCHNELLERES FAHRRAD ALS UNSER TRANSITION, WENN ES MIT DIESEN RÄDERN AUSGESTATTET IST. DIESES MODELL BESITZT KOMPONENTEN DER GRUPPE SHIMANO ULTEGRA MIT EINER VORDERÜBERSETZUNG VON 53/39 UND EIN DURA-ACE-FREILAUF MIT 12 – 21 HINTEN. REIFEN: 700 X 20C TRANSITION VON SPECIALIZED.
GRÖSSEN: 51, 55, 58". SCHWARZ SEIDENGLANZ.

SPECIALIZED TRANSITION™



EIN HÖCHST AERODYNAMISCHES RAD FÜR TRIATHLETEN, DIE IHREN SPORT ERNST NEHMEN. DIE RAHMENKONSTRUKTION FAST FORWARD — SITZWINKEL 78°, LENKKOPFWINKEL 73° — GIBT IHNEN DIE RICHTIGE HALTUNG, UM TIEF EINATMEN UND KRÄFTIG IN DIE PEDALE TRETEN ZU KÖNNEN. DAS AERODYNAMISCHE LENKERSYSTEM CLING-ONS™

VEREINFACHT ES, EINE AERODYNAMISCHE POSITION EINZUHALTEN. DAS MODELL IST MIT KOMPONENTEN DER LEISTUNGSGRUPPE SHIMANO 105 AUSGERÜSTET UND BESITZT EINE ÜBERSETZUNG VON 53/39 VORNE UND 12 – 21 HINTEN. WOLBER-TX-AERO-FELGEN. 700 x 20c TRANSITION-REIFEN VON SPECIALIZED. GRÖSSEN: 51, 55, 58". PINK.



SPECIALIZED SIRRUS TRIPLE

KEINE STEIGUNG IST ZU STEIL ODER ZU LANG FÜR DIESES RAD. UM DIESES MODELL ZU SCHAFFEN, HABEN WIR UNSER PREISGEKRÖNTES SIRRUS MIT EINEM DREIFACHEN VORDEREN KETTENRING VERSEHEN, DAMIT ES VIELE STEIGUNGSGÄNGE BEKOMMT: 52/42/32. TROTZDEM LÄSST SICH DAS TRIPLE BERGAB UND IN KURVEN WIE EIN RENNRAID FAHREN. DIE KOMPONENTEN STAMMEN AUS DER NEUEN GRUPPE SUNTOUR EDGE, DER ANATOMISCHE LENKER UND EIN 90°-VORBAU SORGEN FÜR EINE KOMFORTABLE KÖRPERHALTUNG. DAMIT KANN MAN TAGELANGE TOUREN UNTERNEHMEN. DAS MODELL BESITZT WOLBER-GTX-FELGEN UND 700 X 23C TRI-SPORT-REIFEN VON SPECIALIZED. DER RAHMEN KANN NACHTRÄGLICH MIT SCHUTZBLECHEN VERSEHEN WERDEN. GRÖSSEN: 43, 48, 51, 54, 56, 58, 61". DUNKELBLAU.

SPECIALIZED SIRRUS



IN DER ZEITSCHRIFT "BICYCLE GUIDE", EINEM FÜHRENDEN US-FACHMAGAZIN, DREI JAHRE LANG ALS "BESTER KAUF" AUERWÄHLT. ALS PERFEKT AUSBALANCIERTES RAD KÖNNTE SIE DIESES MODELL IN EINE BRILLANTE RENN-KARRIERE BEGLEITEN. SIE KÖNNEN ES ABER AUCH EINFACH ALS KOMFORTABLES 30-MEILEN-RAD VERWENDEN, UM FIT ZU BLEIBEN. DIE POLIERTEN KOMPONENTEN

STAMMEN AUS DER RENNGEEIGNETEN GRUPPE SHIMANO RX 100. DIE WOLBER GTX-FELGEN, EDELSTAHL-SPEICHEN VON WHEELSMITH UND 700 x 20c TRI-SPORT-REIFEN VON SPECIALIZED GEBEN DIESEM RAD LEICHTE UND ZUGLEICH STARKE RÄDER. DAS RENNEN KANN BEGINNEN! GRÖSSEN: 43, 48, 51, 54, 56, 58, 61". SCHWARZ.

SPECIALIZED SIRRUS® SPORT



MIT SEINER KONSTRUKTION VON SPECIALIZED UND SEINEM RAHMEN AUS CRMO 4130 FÄHRT SICH DIESES RAD WIE EIN RENNRAD, IST ABER JEDERZEIT BEQUEM UND LEICHT ZU HANDHABEN. DER 90°-VORBAU ERLAUBT DEN EINSATZ DES KLEINSTMÖGLICHEN RAHMENS, UND DER FAHRER KANN DOCH EINE GUTE FAHRHALTUNG BEIBEHALTEN.

DIE KOMPONENTEN STAMMEN AUS DER GRUPPE SUNTOUR BLAZE. DAS MODELL IST MIT WOLBER-GTA-FELGEN, GEDICHTETEN NABEN UND DEN FLINKEN 700 x 23c TRI-SPORT-REIFEN VON SPECIALIZED AUSGESTATTET. GRÖSSEN: 48, 51, 54, 56, 58, 61". ROT.

SPECIALIZED SEQUOIA®



EINES DER BESTAUSGESTATTETEN TOUREN-RÄDER AUF DEM MARKT. DER TIG-GESCHWEISSTE CRMO-RAHMEN WURDE ENTWICKELT, UM DEM RAD BESTES FAHRVERHALTEN UND GRÖSSTMÖGLICHE STABILITÄT ZU GEBEN. DIE KOMPONENTEN STAMMEN AUS DER GRUPPE SHIMANO DEORE LX. DIE VERBESSERTEN DEORE-DX-RAPIDFIRE-GANGSCHALTER SIND GUT ZU BEDIENEN UND PRÄZISE.

DER TIG STEM (TIG-GESCHWEISSTER VORBAU) UND DER FLACHE LENKER GEBEN DEM FAHRER EINE AUFRECHTE KÖRPERHALTUNG, DIE FÜR TOUREN UND STADTFAHRTEN DIE BEQUEMSTE IST. DREIFACH-KETTENRINGE. ALU-GEPÄCKTRÄGER VORNE UND HINTEN. ALS LOW-RIDER VORDERES UND HINTERES SCHUTZBLECH MIT BELEUCHTUNGSSYSTEM UND ROLLENDYNAMO. 51, 54, 56, 58, 61". TÜRKIS.

SPECIFICATIONS

MODELL	Stumpjumper M2 Team	Stumpjumper M2	Stumpjumper Epic Ultimate	Stumpjumper Epic	Stumpjumper Team	Stumpjumper Comp	Stumpjumper	Rockhopper Comp	Rockhopper Sport	Rockhopper
GRÖSSEN	16.5, 18, 19, 20, 21.5"	16.5, 18, 19, 20, 21.5"	16.5, 18, 19, 20, 21.5"	16.5, 18, 19, 20, 21.5"	16.5, 18, 19, 20, 21.5"	16.5, 18, 19, 20, 21.5"	16.5, 18, 20, 21.5"	16.5, 18, 20, 21.5"	16.5, 18, 20, 22, 21.5"	14.5, 16.5, 18, 20, 22, 18" ladies
FARBEN	Platin	Violett metallic	Carbon mit schwarzen Muffen	Carbon mit schwarzen Muffen	Schwarz mit Perlmutt-Violett	Mattgrau	Weiss, Schwarz	Türkis, Magenta	Schwarz, Gelb	Weiss, Schwarz
RAHMEN & GABEL	M2™ Metal Matrix Composite tubing, TIG welded, DirectDrive™ fork 27.0mm triple butted blades	M2™ Metal Matrix Composite tubing, TIG welded, DirectDrive™ fork 27.0mm triple butted blades	DirectDrive™ Carbon Fiber, Bonded to titanium Lugs, STR, DirectDrive™ fork 27.0mm triple butted blades	DirectDrive™ Carbon Fiber, Bonded to titanium Lugs, STR, DirectDrive™ fork 27.0mm triple butted blades	DirectDrive™ Tange Prestige Chrome-moly, SFS, STR, double taper stays, 31.8 mm top tube, DirectDrive™ fork 27.0mm triple butted blades	DirectDrive™ Tange Prestige Chrome-moly, SFS, STR, double taper stays, 31.8 mm top tube, DirectDrive™ fork 27.0mm triple butted blades	DirectDrive™ Chrome-moly, SFS, double taper square oval stays, STR, 31.8 mm top tube, DirectDrive™ fork 27.0mm triple butted blades	DirectDrive™ Chrome-moly, SFS, double taper square oval stays, STR, 31.8 mm top tube, DirectDrive™ fork 27.0mm triple butted blades	DirectDrive™ Chrome-moly, SFS, double taper stays, STR, 31.8 mm top tube, DirectDrive™ fork 27.0mm triple butted blades	DirectDrive™ Chrome-moly, SFS, double taper stays, STR, 31.8 mm top tube, DirectDrive™ fork 27.0mm triple butted blades
WECHSEL	Suntour XC Pro	Shimano Deore DX	Suntour XC Pro	Shimano Deore XT	Suntour XC Pro	Shimano Deore XT	Shimano Deore DX	Shimano Deore LX	Suntour X1	Shimano 400LX
GANG-SCHALTER	Suntour XC Pro Thumb Shifters	Shimano XT SIS shifters	Suntour XC Pro Thumb Shifters	Shimano XT SIS shifters	Suntour XC Pro Thumb Shifters	Shimano XT SIS shifters	Shimano DX SIS shifters	Shimano Deore DX Rapid-Fire™	Suntour X-Press™	Shimano LX Rapid Fire™
KETTENRAD G.	Suntour XC Pro	Shimano Deore DX	Suntour XC Pro	Shimano Deore XT	Suntour XC Pro	Shimano Deore XT	Shimano Deore DX	Shimano Deore LX	Suntour X1	Shimano 400LX
GETRIEBE	PowerRing Hard Ano 24.36.46 Freehub 12-28	Superglide Round Black 24.36.46 Freehub 12-28	PowerRing Hard Ano 24.36.46 Freehub 12-28	Superglide Round Black 24.36.46 Freehub 12-28	PowerRing Hard Ano 24.36.46 Freehub 12-28	Superglide Round Black 24.36.46 Freehub 12-28	Superglide Round 24.36.46 Freehub 12-28	Superglide Round 24.36.46 Freehub 13-30	PowerRing 24.36.46 Freehub 13-30	Superglide Biopace Black 28.38.48 Freehub 13-30
PEDALE	Suntour XCPro Grease Guard	Shimano Deore DX Comp	Suntour XCPro Grease Guard	Shimano Deore XT Comp	Suntour XCPro Grease Guard	Shimano Deore XT Comp	Shimano Deore DX Comp	Shimano Deore LX	VP-882 Racing Resin	VP-882 Racing Resin
BREMSEN	Dia-Compe 986	Shimano Deore LX	Dia-Compe 986	Shimano XT	Suntour XC Pro	Shimano XT	Shimano Deore	Shimano Deore	Dia-Compe X1	Shimano LX
SATTEL-STÜTZE	Interloc Racing Design	Post Modern	Interloc Racing Design	Interloc Racing Design	Suntour XC Pro	Post Modern	Post Modern	Post Modern	SR TCO Sport	SR TCO Sport
SATTEL	Selle Italia Turbo Leather	Selle Italia Turbo Astale	Selle Italia Turbo Leather	Selle Italia Turbo Astale	Selle Italia Turbo Astale	Selle Italia Turbo Astale	Selle Italia Turbo Astale	Specialized Joe Blob	Specialized Sport Gel	Specialized Sport Gel
LENKER	Specialized Heat treated bar w/ BioTonic grip	Specialized Heat treated bar w/ BioTonic grip	Specialized Heat treated bar w/ BioTonic grip	Specialized Heat treated bar w/ BioTonic grip	Specialized Heat treated bar w/ BioTonic grip	Specialized Heat treated bar w/ BioTonic grip	Specialized Heat treated bar w/ BioTonic grip	Specialized Heat treated bar w/ BioTonic grip	Microbulge w/ AutoPilot grip	Microbulge w/ AutoPilot grip
LENKER-VORBAU	Specialized „SL“ Butted TIG 10°	Specialized „SL“ Butted TIG 10°	Specialized „SL“ Butted TIG 10°	Specialized „SL“ Butted TIG 10°	Specialized „SL“ Butted TIG 10°	Black TIG 10° alloy wedge	Black TIG 10° alloy wedge	Black TIG 10° alloy wedge	Black TIG 24° alloy wedge	Black TIG 24° alloy wedge
STEUERSATZ	Suntour XC Pro Grease Guard	Specialized SVII Black-Sealed	Suntour XC Pro Grease Guard	Specialized SVII Sealed	Specialized AVII Sealed	Specialized SVII Sealed	Tange MES-II - Black-Sealed	Tange MES-II - Black-Sealed	Precision Steel Black-Sealed	Precision Steel Black-Sealed
RÄDER	Specialized TX-21 32° rims, Suntour XC Pro w/Grease Guard hubs, WheelSmith DB Spokes, Ground Control Extreme/S 1.95	Specialized BX-23 32° rims, Shimano Deore DX hubs, WheelSmith DB Spokes, Ground Control Extreme/S 1.95	Specialized TX-21 32° rims, Suntour XC Pro w/Grease Guard hubs, WheelSmith DB Spokes, Ground Control Extreme/S 1.95	Specialized BX-21 32° rims, Shimano Deore XT hubs, WheelSmith DB Spokes, Ground Control Extreme/S 1.95	Specialized BX-21 32° rims, Suntour XC Pro w/Grease Guard hubs, WheelSmith DB Spokes, Ground Control Extreme/S 1.95	Specialized BX-23 32° rims, Shimano Deore XT hubs, WheelSmith DB Spokes, Ground Control Extreme/S 1.95	Specialized BX-23 32° rims, Shimano Deore DX hubs, WheelSmith DB Spokes, Ground Control 1.95	Specialized BX-23 32° rims, Shimano Deore LX hubs, WheelSmith DB Spokes, Ground Control 1.95	Specialized BX-25 32° rims, Suntour X1 Sealed hubs, WheelSmith DB Spokes, Crossroads 1.95	Araze VP-20 Polished rims, Shimano LX hubs, WheelSmith DB Spokes, Crossroads 1.95

SPECIFICATIONS

MODELL	Rockhopper Mega	Hardrock Mega	Hardrock Sport	Hardrock	Hardrock Cruz	Crossroads Sport	Crossroads	Crossroads Cruz	Allez Epic Dura-Ace	Allez Epic Ultegra
GRÖSSEN	12.75"x 20"	12.75"x 20" 12.75" Girls	16.5, 18, 20, 22"	13 x 24", 14.5, 16.5, 18, 20, 22", 18" ladies	16.5, 18, 20, 22"	16.5, 18, 20, 22"	14.5, 16.5, 18, 20, 22, 18" ladies	16.5, 18, 20, 22, 18" ladies	50, 52, 54, 56, 58, 60cm	50, 52, 54, 56, 58, 60cm
FARBEN	Rot	Schwarz, Knaben Weiss, Mädchen	Purpurrot, Champagner	Cerise, Schwarz	Weiss, Rot	Schiefergrün, Cerise	Weiss, Magenta	Cerise, Schwarz	Carbon Fiber	Carbon Fiber
RAHMEN & GABEL	SFS Chrome-moly mega-frame, STR, Forged dropouts, waterbottle braze-ons, Mega fork, all Chrome-moly, forged dropouts w/retention lip	SFS Mega-Frame, waterbottle bosses, Unicrown Mega fork, semi-forged dropouts w/retention lip	SFS Chrome-moly, double taper stays, STR, Forged dropouts, all braze-ons, large diameter top tube, DirectDrive™ fork 27.0mm triple butted blades	SFS Chrome-moly, double taper stays, STR, Forged dropouts, all braze-ons, Unicrown fork, Chrome-moly steerer, forged dropouts w/retention lip	SFS Chrome-Moly, STR, Forged dropouts, all braze-ons, Unicrown fork, Chrome-moly steerer, forged dropouts w/retention lip	Chrome-moly butted, SFS, double taper stays, forged dropouts, all braze-ons, Crossroads Unicrown fork, all chrome-moly	Chrome-moly butted, SFS, double taper stays, forged dropouts, all braze-ons, Crossroads Unicrown fork, all chrome-moly	SFS Chrome-moly, double taper stays, STR, Forged dropouts, all braze-ons, Crossroads Unicrown fork, all chrome-moly	DirectDrive™ Carbon Fiber thermal bond to Investment cast aluminum lugs, all road fittings, Specialized Aluminum thermal bond fork	DirectDrive™ Carbon Fiber thermal bond to Investment cast aluminum lugs, all road fittings, Specialized Aluminum thermal bond fork
WECHSEL	Shimano 552	Suntour XCU	Suntour XCM	Shimano 200GS	Suntour XCU	Suntour X1	Shimano 300LX	Suntour XCT	Shimano Dura Ace	Shimano Ultegra
GANG-SCHALTER	Shimano SIS Thumbshifters	Suntour Accushift Plus	Suntour X-Press™	Shimano Rapid Fire™	Suntour Accushift Plus	Suntour X1 X-Press	Shimano LX Rapid Fire™	Suntour Wishbone Accushift Plus	Shimano 8 Speed STI brake/shifter	Shimano Ultegra SIS 7 speed
KETTENRAD G.	Sugino 152mm	One piece 5.5"	Sugino AC-110	Shimano 201GS	Suntour XCT	Suntour X1	Shimano 300LX	Suntour XCT	Shimano Dura Ace	Shimano Ultegra
GETRIEBE	Round 46Tooth w/double guard Freewheel 13-30	Black 44T w/double guard Freewheel 13-28	Round Black 28.38.48 Freewheel 13-30	Biopace Superglide 28.38.48 Freehub 13-30	PowerKing Black 28.38.38 Freewheel 13-30	PowerKing Black 28.38.48 Freewheel 13-30	Superglide BL BioPace 28.38.48 Freehub 13-30	PowerKing Black 28.38.48 Freewheel 13-30	Superglide Silver 53.39 Freehub 13-23	Superglide Silver 53.39 Freehub 13-23
PEDALE	VP-882 Racing Resin	HT-P42	HT-P15K	HT-P15K	HT-P15K	VP-882 Racing Resin	LowFat Custom hi corner option	LowFat Custom hi corner option	Shimano Dura Ace Clipless	Shimano Ultegra Clipless
BREMSSEN	CS 861	CS 861	Dia-Compe XCM	Shimano 200GS	Dia-Compe XCU	Dia-Compe X1	Shimano 300LX	Dia-Compe XCT	Shimano Dura Ace	Shimano Ultegra
SATTEL-STÜTZE	Alloy micro adjust	CP 250mm	Alloy micro adjust	CP 300mm	CP 300mm	Post Modern	Alloy micro adjust	Alloy micro adjust	Strong NS-3 Black Anodized	Strong NS-3 Black Anodized
SATTEL	Supersoft Pigskin	Supersoft Pigskin	Supersoft Pigskin	Comfort Gel	Supersoft Pigskin	Specialied Joe Blob	Specialized Sport Gel	Supersoft Pigskin	Selle Italia Turbo Matic Astrale	Selle Italia Turbo Astrale
LENKER	Microbulge Flat w/Mega grip	Flat 6" Black w/Mega grip	Microbulge Flat w/Foam grip	Black 80mm Rise w/Foam grip	Black 80mm Rise w/Foam grip	Microbulge bar w/BioTomic grip	Microbulge w/AutoPilot grip	Black 15mm Rise w/Foam grip	SR Anatomical w/cablegroove, white padded tape	SR Anatomical w/cablegroove, white padded tape
LENKER-VORBAU	Black TIG 24°	Black TIG 24°	Black TIG 40°	Black TIG 40°	Black TIG 40°	Black TIG 24°	Black SR 25°	Black SR 25°	Polished 73°	Polished 73°
STEUERSATZ	Precision Steel-Black	Precision Steel-Black	Precision Steel-Black-Sealed	Precision Steel -Black	Precision Steel -Black	Precision Steel-Black-Sealed	Precision Steel-Black-Sealed	Precision Steel -Black	Specialized AVII Alloy-Sealed	Tange MES-II - Silver-Sealed
RÄDER	Ukai 7X Alloy-Black rims, Alloy sealed Black hubs, Stainless Steel Spokes, Black Max 1.95 Blackwall	7X Type rims, ATB Nutted CFhubs, Black Max 1.95 Blackwall	Araya MP-22 Polished rims, Alloy Sealed Quick Release hubs, Crossroads II 1.95	Araya MP-22 Polished rims, Shimano 200GS hubs, Crossroads II 1.5	Araya MP-22 Polished rims, Alloy Sealed Quick Release hubs, Crossroads II 1.5	Araya VX-300 Hard Anodized rims, Suntour X1 sealed hubs, WheelSmith Spokes, Tri-Cross 700 x 45	Araya PX-45 Polished rims, Shimano 300LX hubs, WheelSmith Spokes, Nimbus 700 x 41mm	Araya PX-45 Polished rims, Alloy Sealed Quick Release hubs, Nimbus 700 x 41mm	Mavic Open 4 CD rims, Shimano Dura Ace hubs, WheelSmith Spokes, Turbo/S 700x20mm	Wolber GTX Hard Anodized rims, Shimano Ultegra hubs, WheelSmith Spokes, Transition 700x20mm

SPECIFICATIONS

MODELL	Allez Epic 105	Allez Transition Pro	Allez Transition	Sinus Triple	Sinus	Sinus Sport	Sequoia
GRÖSSEN	50, 52.54, 56, 58, 60cm	51, 55, 58 cm	51, 55, 58 cm	43, 48, 51, 54, 56, 58, 61cm	43, 48, 51, 54, 56, 58, 61cm	48, 51, 54, 56, 58, 61 cm	51, 54, 56, 58, 61 cm
FARBEN	Carbon Fiber	Mattschwarz	Pink	Dunkelblau	Schwarz	Rot	Türkis
RAHMEN & GABEL	DirectDrive™ Carbon Fiber thermal bond to investment cast aluminum lugs, all road fittings, Specialized Aluminum thermal bond fork	DirectDrive™ Fast Forward frame design, AeroStay rear triangle, double bottle braze-ons, Investment Cast Aero crown Chrome-moly fork	DirectDrive™ Fast Forward frame design, AeroStay rear triangle, double bottle braze-ons, Investment Cast Aero crown Chrome-moly fork	DirectDrive™ Chrome-moly with DirectFit rear stays, investment cast lugs and all braze-ons including rear rack, investment cast crown, all chrome-moly fork	DirectDrive™ Chrome-moly with DirectFit rear stays, investment cast lugs and all braze-ons, Unicrown Chrome-moly fork with large radius rake	DirectDrive™ Chrome-moly with DirectFit rear stays, investment cast lugs and all braze-ons, Unicrown Chrome-moly fork with large radius rake	DirectDrive™ SFS, forged dropouts, all braze-ons, internal wiring, racks, lights, fenders, Unicrown Chrome-moly fork, touring radius rake
WECHSEL	Shimano 105	Shimano Ultegra	Shimano 105	Suntour Edge SGS	Shimano RX100	Suntour Blaze	Shimano Deore LX
GANG-SCHALTER	Shimano 105 SIS 7 speed	Shimano Ultegra SIS 7 speed	Shimano 105 SIS 7 speed	Suntour Edge Accushift Plus	Shimano RX100 SIS 7 speed	Suntour Blaze Accushift Plus	Shimano Deore DX Rapid Fire
KETTENRAD G.	Shimano 105	Shimano Ultegra	Shimano 105	SR New Edge	Shimano RX100	Suntour Blaze	Shimano Deore LX
GETRIEBE	Superglide Silver 53.39 Freehub 13-23	Superglide Silver 53.39 Freewheel 12-19	Superglide Silver 53.39 Freewheel 12-19	PowerRing Grey 52.42.32 Freewheel 13-28	Superglide Silver 53.39 Freehub 13-23	PowerRing Silver 52.42 Freewheel 13-26	Superglide Black 28.38.48 Freehub 12-28
PEDALE	Shimano 105	Shimano Ultegra Clipless	Shimano 105 Clipless	HTI-P19	Shimano RX100	HTI-P19	Shimano RX100
BREMSEN	Shimano 105	Shimano Ultegra	Shimano 105	Dia-Compe Edge	Shimano RX100	Dia-Compe Blaze	Shimano Deore LX
SATTELSTÜTZE	Strong NS-3 Black Anodized	Strong NS-3 Black Anodized	Strong NS-3 Black Anodized	Strong NS-3 Black Anodized	Strong NS-3 Black Anodized	Strong NS-3 Black Anodized	Strong NS-3 Black Anodized
SATTEL	Selle Italia Turbo Astale	Selle Italia Turbo Astale	Selle Italia Turbo Astale	Specialized Lambda Blob	Specialized Team Blob	Specialized Sport Gel	Specialized Joe Blob
LENKER	SR Anatomical w/ cablegroove, padded tape	SR Anatomical w/ cablegroove, Cling-ons, padded tape	SR Anatomical w/ cablegroove, Cling-ons, padded tape	SR Anatomical w/ cablegroove, padded tape	SR Anatomical w/ cablegroove, padded tape	SR Anatomical w/ cablegroove, padded tape	Specialized bar w/ BioTomic grip
LENKER-VORBAU	Polished 73°	Speedstem 65°	Speedstem 65°	SR 90°	Specialized 73°	SR 90°	Black TIG 24°
STEUERSATZ	Tange MES-II - Silver-Sealed	Tange MES-II - Silver-Sealed	Tange MES-II - Silver-Sealed	Tange MES-II - Silver-Sealed	Tange MES-II - Silver-Sealed	Tange MES-II - Silver-Sealed	Tange MES-II Black-Sealed
RÄDER	Wolber GTX Hard Composite Wheel Shimano 105 hubs, Wheelsmith Spokes, Transition 700x20mm	Specialized Composite Wheel w/sealed hubs, Transition 700x20mm	Wolber Profile TX aero rims, Shimano 105 hubs, Wheelsmith Spokes, Transition 700x20mm	Wolber GTX Hard Anodized rims, Suntour Edge sealed hubs, Wheelsmith Spokes, Transition 700x23mm	Wolber GTX Hard Anodized rims, Shimano RX100 hubs, Wheelsmith Spokes, Transition 700x20mm	Wolber GTA Polished rims, Sansin Sealed hubs w/OR, Wheelsmith Spokes, Tri-Sport 700x23mm	Araya PX-45 Silver rims, Shimano Deore LX hub, Wheelsmith Spokes, Nimbus 700x41mm

GEOMETRIEN

HARDROCKS

Sattelrohrwinkel	73°
Lenkpfadwinkel	70°
Länge Kettenstrebe	17.16"
Gabelvorlauf	1.65"

ROCKHOPPERS

Sattelrohrwinkel	73°
Lenkpfadwinkel	70.5°
Länge Kettenstrebe	16.9"
Gabelvorlauf	1.65"

STUMPJUMPERS

Sattelrohrwinkel	73°
Lenkpfadwinkel	71°
Länge Kettenstrebe	16.9"
Gabelvorlauf	1.65"

STUMPJUMPER EPICS & M2

Sattelrohrwinkel	73°
Lenkpfadwinkel	71°
Länge Kettenstrebe	16.8"
Gabelvorlauf	1.65"

CROSSROADS

Sattelrohrwinkel	73°
Lenkpfadwinkel	71°
Länge Kettenstrebe	16.9"
Gabelvorlauf	1.58"

SIRRUS

Sattelrohrwinkel	73°
Lenkpfadwinkel	73°
Länge Kettenstrebe	41.1cm
Gabelvorlauf	4.0cm

ALLEZ EPIC

Sattelrohrwinkel	74°
Lenkpfadwinkel	74°
Länge Kettenstrebe	41.1cm
Gabelvorlauf	3.81cm

TRANSITION

Sattelrohrwinkel	78°
Lenkpfadwinkel	72°
Länge Kettenstrebe	39.37cm
Gabelvorlauf	3.98cm

SEQUOIA

Sattelrohrwinkel	73°
Lenkpfadwinkel	72°
Länge Kettenstrebe	43.4cm
Gabelvorlauf	4.98cm



EXKLUSIV - IMPORTEUR FÜR :

BENELUX SPECIALIZED BENELUX B.V., DE STAR 17, 2266 NA LEIDSCHEIDAM, NEDERLAND, TEL. 070 317 52 20
DEUTSCHLAND REYSCHMIDT & STAROSTA GMBH, WÄCHTERSbacher STR. 76, 6000 FRANKFURT/MAIN 61, TEL. 069 42 09 97 70

ITALIA EZIO FIORI S.P.A., VIA IMPERIA, 43, 20142 MILANO

ÖSTERREICH FAHRZEUGHAUS AHRER GMBH, STADLWEG 13, A 6020 INNSBRÜCK, TEL. 0512 49 34 78, FAX 0512 49 41 81

FRANCE ETS JOSÉ ALVAREZ, Z.I. NORD, ROUTE D'AGEN, 32020 AUCH CEDEX 09, TÉL. 62 63 13 44

SCHWEIZ ACI CYCLE IMPORTS, WORBSTRASSE 233, CH-3073 GÜMLIGEN

UNITED KINGDOM SBC (UK) LTD., D2, LONGMEAD BUSINESS CENTRE, FELSTEAD ROAD, EPSOM, SURREY KT19 9QM, TEL. 0372 740084

ESPAÑA OTERO DISTRIBUCION S.A., CALLE URANIO, 4, POLIGONO SAN JOSÉ DE VALDERAS, ALCORCON (MADRID), TEL. 91 611 16 00 (6 LINEAS), Y 900-100-175

SCANDINAVIA CADO MARKETING AB, LIDINGÖVÄGEN 75, S-115 37 STOCKHOLM/SWEDEN, TEL. 08 667 95 85, FAX 08 664 67 60

DENMARK SPORT IMPORT, ÅBOULEVARDEN 80, 8000 ÅRHUS C, TEL 086 19 96 48



SPECIALIZED

15130 CONCORD CIRCLE · MORGAN HILL
CALIFORNIA 95037-5037 TEL 408.779.6229 FAX 408.778.1037

© COPYRIGHT 1991 SPECIALIZED BICYCLE COMPONENTS, INC. PRINTED IN SWITZERLAND 2.91 ATELIER JAKOB CH-1783 BARBERÈCHE

Änderungen ohne Vorankündigung bleiben vorbehalten.

1991 SPECIALIZED BICYCLES



SPECIALIZED®

THE MOST POPULAR LAPEL BUTTON IN R & D.

WE BELIEVE THAT IF YOU STAY WHERE YOU ARE IN THIS BUSINESS, YOU GET DROPPED. SO WE DON'T DO IT.

IF WE DIDN'T INNOVATE RELENTLESSLY, WE DON'T THINK WE COULD EVEN LOOK OURSELVES IN THE MIRROR.

LAST YEAR, WE INTRODUCED THE RADICAL THREE-SPOKE SPECIALIZED COMPOSITE WHEEL, THE MOST AERODYNAMIC WHEEL IN THE WORLD. WHAT WE HAVE FOR THIS YEAR MAY BE EVEN MORE OF A LUNGE INTO THE FUTURE. OUR M2 METAL MATRIX COMPOSITE.

M2 IS THE NEXT GENERATION IN BICYCLE MATERIALS, AND A GENERATION AHEAD OF WHERE EVERYBODY ELSE IS TODAY.

M2 IS LIGHT ENOUGH TO SEEM ALMOST WEIRD AT FIRST, BUT AT THE SAME TIME IT'S VERY STIFF, AND FAR STRONGER THAN ALUMINUM. WHAT DOES THIS DO FOR YOU? IT LETS YOU ACCELERATE. IT LETS YOU CLIMB. IT STANDS UP REMARKABLY TO THE STRONG RIDER. AND AS STIFF AS IT IS, IT'S NOT GOING TO BEAT YOU UP. PLUS, IT MAKES FOR EXCEPTIONALLY PREDICTABLE STEERING.

AS ONE OF OUR R&D GUYS SAID, YOU HAVEN'T FELT IT TILL YOU FEEL IT.

THEN THERE'S THE SPECIALIZED FRAME SYSTEM (SFS).TM IT'S BASED ON OUR OWN PROPRIETARY TUBING, DESIGNED SOLELY FOR ALL OUR BICYCLES BY ONE OF THE GUYS ON OUR ENGINEERING TEAM, MARK DiNUCCI. THE OUTCOME OF HIS LABORS AT THE CAD TERMINAL AND OUT ON TWO WHEELS IS A UNIQUE APPROACH TO WALL THICKNESS, BUTTING, SHAPE, MATERIALS AND WEIGHT REDUCTION.

WHAT IT RESULTS IN, IS DELIVERY OF FORWARD MOTION WITH THE LEAST POSSIBLE EXPENDITURE OF HUMAN ENERGY. THE BIKES ALSO CLIMB LIKE SOME KIND OF CRAZED GOAT.

ONE LAST THING: SINCE SFS GEOMETRY IS TAILORED TO EACH FRAME SIZE, HANDLING IS PRECISELY RIGHT FOR THE RIDER—AND THE BIKES FIT LIKE A GLOVE.

NOT LONG AGO, WE SAW ONE OF OUR R&D GUYS WEARING A BUTTON THAT SAID, "INNOVATE OR DIE." THE NEXT DAY, THEY ALL HAD THEM.



SPECIALIZED STUMPJUMPER® M2™ TEAM

OUR M2 METAL MATRIX COMPOSITE IS STIFFER, STRONGER AND LIGHTER THAN ALUMINUM ALLOYS, AND HAS UNSURPASSED SHOCK DAMPENING ABILITIES. IN SHORT, IT'S THE ULTIMATE MATERIAL FOR A MOUNTAIN BIKE FRAME. IT PUTS MORE "FEEL" INTO THE BIKE FRAME. FRAMES ARE TIG WELDED AND HEAT TREATED BY OUR EXCLUSIVE PROCESS. SUNTOUR XC PRO GREASE GUARD COMPONENTS WITH RACING THUMB SHIFTERS. SPECIALIZED TXL-21 32 HOLE RIMS, WHEELSMITH STAINLESS STEEL BUTTED SPOKES, GROUND CONTROL EXTREME/S 1.95" TIRES. 16.5, 18, 20, 21.5 PLATINUM.

SPECIALIZED STUMPJUMPER M2



WITH THIS REVOLUTIONARY BIKE, YOU'LL EXPERIENCE NO WASTED ENERGY OR UNDUE FATIGUE—JUST THE BEST PERFORMANCE YOU'VE EVER HAD FROM A MOUNTAIN BIKE. THE COMPONENT GROUP IS THE RUGGED SHIMANO DEORE DX WITH SIS THUMB SHIFTERS. THE RACE-

PROVEN WHEEL SET CONSISTS OF SPECIALIZED BX-23 32° RIMS, WHEELSMITH STAINLESS BUTTED SPOKES, AND GROUND CONTROL EXTREME® 1.95 TIRES. AND, OUR M2 FRAMES ARE GUARANTEED FOR LIFE. 16.5, 18, 19, 20, 21.5. PURPLE HAZE.



SPECIALIZED STUMPJUMPER EPIC ULTIMATE

THE BEST CARBON FIBER FRAME IN THE BUSINESS, WITH THE FINEST OF ALL BICYCLE COMPONENTRY. THE FRAME IS HIGH-MODULUS CARBON FIBER THERMALLY BONDED TO TITANIUM LUGS. SUNTOUR XC PRO SYSTEM IS SUPER LIGHT. WTB GREASE GUARD COMPONENTS, AND THE STRONG, LIGHT INTERLOC RACING DESIGN SEAT POST. SPECIALIZED TXL-21 RIMS, WHEELSMITH BUTTED SPOKES. SPECIALIZED GROUND CONTROL EXTREME/S 1.95" TIRES. 16.5, 18, 19, 20, 21.5. NATURAL CARBON FIBER WITH BLACK FADE OVER LUGS.

SPECIALIZED STUMPJUMPER EPIC®



THE BIKE THAT CARRIED NED OVEREND TO THE 1990 WORLD CHAMPIONSHIP. CARBON FIBER'S KEY PROPERTIES ARE TAILOR MADE FOR BICYCLES—LIGHTER THAN CHROMOLY STEEL, STRONG AND DURABLE, STIFF FOR RIDER EFFICIENCY, WITH MAXIMUM DAMPENING AND SHOCK ABSORPTION. WE BUILD THE STUMPJUMPER EPICS BY

HAND AT SPECIALIZED HEADQUARTERS IN MORGAN HILL, CALIFORNIA FOR THE HIGHEST QUALITY CONTROL. FEATURES SHIMANO XT COMPONENTS W/RACING THUMB SHIFTERS, SPECIALIZED BXL-21 32 HOLE RIMS. GROUND CONTROL EXTREME/S 1.95" TIRES. 16.5, 18, 19, 20, 21.5. NATURAL CARBON FIBER WITH BLACK FADE OVER LUGS.

SPECIALIZED STUMPJUMPER TEAM



OUR WINNING TEAM STUMPJUMPER HAS HELPED US PERFECT THE BEST STEEL BIKE IN THE WORLD. THE MATERIAL IS SUPER LIGHT TANGE PRESTIGE, THE TUBING DESIGN IS OUR OWN DIRECTDRIVE™; THE RIDE AND PERFORMANCE SUPREME. FEATURES THE HOT SUNTOUR XC PRO GROUP WITH RACING THUMB SHIFTERS AND TRICK

WTB GREASE GUARD OUTFITTINGS. THE SPECIALIZED BXL-21 RIMS ARE THE RACIEST AVAILABLE. GROUND CONTROL EXTREME³S 1.95" TIRES ARE THE NEW FAVORITE OF NORBA PROS. 16.5, 18, 19, 20, 21.5. BLACK WITH PURPLE PEARL.

SPECIALIZED STUMPJUMPER COMP



OUR SFS DIRECTDRIVE DESIGN, PAIRED WITH LIGHTWEIGHT TANGE PRESTIGE TUBING, DEFINES THIS PRO-LEVEL RACING BIKE. THE NEW DIRECTDRIVE FORK AND LARGE DIAMETER TOP TUBE MAXIMIZE FRONT END CONTROL AND STEERING RESPONSE. SHIMANO DEORE XT

COMPONENTS ARE RACE PROVEN. SPECIALIZED BX-23 32 HOLE RIMS. GROUND CONTROL EXTREME 1.95" TIRES ARE THE CHOICE OF TEAM STUMPJUMPER. 16.5, 18, 19, 20, 21.5. MATTE GREY.

SPECIALIZED STUMPJUMPER



THIS YEAR, THE AWARD-WINNING, GROUNDBREAKING STUMPJUMPER IS 10 YEARS OLD. IT'S BETTER THAN EVER. THE DIRECTDRIVE™ TANGE FRAMESET IS LIGHT, STRONG AND COMFORTABLE. SHIMANO'S DEORE DX GROUP FEATURES RACING THUMB SHIFTERS. FRONT

CHAINRINGS ARE 24/36/46. THE WHEELS ARE SPECIALIZED BX-23 32 HOLE RIMS WITH WHEELSMITH STAINLESS SPOKES. GROUND CONTROL 1.95" TIRES, LIGHTWEIGHT SELLE ITALIA TURBO SADDLE. 16.5, 18, 20, 21.5. WHITE, BLACK.



SPECIALIZED ROCKHOPPER COMP

RACING GEOMETRY AND DIRECTDRIVE TANGE
TUBING MAKE FOR A TRUE PERFORMANCE
BIKE; LIGHTWEIGHT AND STRONG, WITH NO
WASTEFUL FLEX. SHIMANO DEORE LX
COMPONENTS WITH UPGRADED DEORE DX
RAPID-FIRE LEVERS. SPECIALIZED BX-23 32"
RIMS ARE NARROW TO REDUCE WEIGHT, BUT
ARE TOUGH. WITH GROUND CONTROL® 1.95"
TIRES, THE MOST POPULAR OFF-ROAD TIRES
EVER. 16.5, 18, 20, 21.5. TURQUOISE, GREY.

SPECIALIZED ROCKHOPPER SPORT



OUR SPORTY DIRECTDRIVE FRAME AND FORK, WITH CAREFULLY CHOSEN, LIGHTWEIGHT, RACE-READY COMPONENTS. THE SUNTOUR X1 GROUP WITH X-PRESS SHIFTERS GIVES YOU SURE AND QUICK SHIFTING. ROUND "POWERINGS" WITH AJS (ANTI-JAM SYSTEM) WILL

PROTECT YOU FROM THE DREADED "CHAINSUCK". NEW SPECIALIZED BX-25 RIMS WITH 32° WHEELSMITH SPOKES CREATE STRONG, LIGHTWEIGHT WHEELS. 16.5, 18, 20, 22. BLACK, RED

SPECIALIZED ROCKHOPPER®



DIRECTDRIVE™ TUBING, THE HEART OF OUR SPECIALIZED FRAME SYSTEM, IS WHAT MAKES THE ROCKHOPPER A FUN, RACEABLE MACHINE. DIRECTDRIVE DELIVERS MAXIMUM COMFORT, EFFICIENCY, CONTROL AND RESPONSE. DOUBLE TAPER SEAT STAYS ENSURE

POWERFUL BRAKING. SHIMANO 400LX GROUP FEATURES PRECISE SHIFTING WITH RAPID-FIRE LEVERS. WHEELSMITH STAINLESS STEEL SPOKES, SPECIALIZED CROSSROADS® 1.95" TIRES. 14.5, 16.5, 18, 20, 22, 18" LADIES. WHITE, BLACK



SPECIALIZED ROCKHOPPER MEGA™


A SERIOUS ALL-TERRAIN BIKE FOR KIDS THAT NEVER SLOW DOWN. THE MINI ROCKHOPPER® FRAME IS CHROMOLY FOR STRENGTH AND PERFORMANCE. THE SUGINO ALLOY CRANKSET IS LIGHTER AND STRONGER THAN MOST KIDS' CRANKS, AND HAS A SLIGHTLY BIGGER 46 T CHAINRING. SHIMANO 552 7-SPEED INDEX SHIFTING AND ADJUSTABLE REACH BRAKE LEVERS WILL ACCOMMODATE KIDS' HANDS. MAXIMUM TRACTION GROUND CONTROL BLACK MAX 20 X 1.95" TIRES WITH ALLOY RIMS. 23" STANDOVER HEIGHT. RED.

SPECIALIZED HARDROCK MEGA™



NOW THEY DON'T HAVE TO WAIT UNTIL THEY GROW UP. WITH THE STRONG AND RELIABLE SPECIALIZED MINI FRAME, THIS HARDROCK® FITS A WIDE RANGE OF AGES. THERE ARE SIX SPEEDS, SO YOUR KIDS CAN RIDE ANYWHERE. BRAKE AND SHIFT LEVERS ARE SMALL ENOUGH

FOR THEIR HANDS. 20" WHEELS WITH HOT NEW GROUND CONTROL BLACK MAX TIRES. SUNTOUR XCU ACCUSHIFT. BLACK—BOYS' FRAME, WHITE—GIRLS' FRAME.



SPECIALIZED HARDROCK SPORT

SUPERB PERFORMANCE. THE SFS FRAME USES A LARGE DIAMETER TOP TUBE TO CREATE MORE RESPONSIVE STEERING. THE DIRECTDRIVE™ FORK FURTHER ASSURES CONTROL, STRENGTH AND COMFORT. AND WITH SUNTOUR'S XCM X-PRESS "PUSH-PUSH" LEVERS, YOUR HANDS NEVER LEAVE THE GRIPS. SPECIALIZED'S TIG STEM WITH FLAT BARS FOR OFF-ROAD CONTROL. CROSSROADS II 1.95" TIRES. AVAILABLE IN 16.5, 18, 20, 22. CHAMPAGNE, DARK BLUE.

SPECIALIZED HARDROCK



FOR ANY ADVENTURE, ON THE STREET OR THE DIRT. THE RESPONSIVE, STRONG SFS FRAME DESIGN ADDS DOUBLE TAPER SEATSTAYS FOR POSITIVE, POWERFUL BRAKING. THE 80 MM RISE HANDLEBAR MAKES RIDING COMFORTABLE. FEATURES SHIMANO 200GS

COMPONENTS WITH RAPID FIRE SHIFTERS. SPECIALIZED CROSSROADS II 1.5" TIRES OFFER COMFORT AND TRACTION IN ROUGH (OR SMOOTH) TERRAIN. AVAILABLE IN 24" WHEEL, 14.5, 16.5, 18, 20, 22 AND 18" LADIES FRAME. TURQUOISE, JET BLACK.

SPECIALIZED HARDROCK® CRUZ™



A COMFORTABLE, RELIABLE ATB. THE SFS™ CHROMOLY FRAMESET MAXIMIZES PERFORMANCE FOR ENJOYABLE, ENERGY-EFFICIENT PEDALING. SUNTOUR'S XCU ACCUSHIFT PLUS DRIVETRAIN WITH THUMB SHIFTERS ASSURES CLEAN SHIFTING OVER A RANGE OF 21

SPEEDS. SEALED QUICK RELEASE HUBS. SPECIALIZED CROSSROADS® II TIRES IN 1.5" SIZE EXCEL FOR ALL KINDS OF CYCLING. IN 16.5, 18, 20, 22 SIZES. WHITE, DARK BLUE.



SPECIALIZED CROSSROADS SPORT

NO MATTER WHERE YOU RIDE IT, A TOP-
PERFORMING BICYCLE. THE CROSSROADS
DIRECTDRIVE FRAME IS LIGHT AND NIMBLE,
BUT EASILY STURDY ENOUGH FOR OFF-ROAD
USE. THE HIGH-PERFORMANCE COMPONENT
GROUP IS SUNTOUR X1 WITH X-PRESS PUSH-
ONLY SHIFTERS. ARAYA VX-300 HARD
ANODIZED RIMS, WHEELSMITH SPOKES AND
SPECIALIZED TRI-CROSS® 700 x 45C TIRES
MAKE UP THE LIGHTWEIGHT, ALL-TERRAIN
WHEEL SET. 16.5, 18, 20, 22. SLATE GREEN,
CERISE.

SPECIALIZED CROSSROADS



WE DESIGN OUR CROSSROADS FRAMES SPECIFICALLY FOR MULTI-SPORT USE, UTILIZING OUR SPECIALIZED FRAME SYSTEM GEOMETRY AND DIRECTDRIVE TUBING. SHIMANO 300LX GROUP WITH RAPID FIRE SHIFTERS, TO LET YOU CHANGE GEARS WITHOUT TAKING YOUR

HANDS OFF THE GRIPS. ARAYA PX-45 RIMS, WHEELSMITH STAINLESS SPOKES, QUICK RELEASE HUBS AND SPECIALIZED NIMBUS 700 x 41c TIRES. 14.5, 16.5, 18, 20, 22, 18" LADIES. WHITE, BLACK.

SPECIALIZED CROSSROADS® CRUZ



NECESSARILY, THIS CROSS BIKE HAS A FRAME THAT'S SPECIALLY DESIGNED FOR BOTH STREET AND DIRT RIDING. SUNTOUR XCT UNDER-BAR WISHBONE SHIFTERS ARE AT YOUR THUMB AND FINGERTIPS. DIA-COMPE XCT CANTILEVERS ASSURE CONFIDENT

BRAKING. THE WHEELS HAVE QUICK RELEASE HUBS. SPECIALIZED NIMBUS® 700 x 41c TIRES. 16.5, 18, 20, 22, 18" LADIES. CERISE, BLACK.



SPECIALIZED
ALLEZ EPIC
DURA-ACE

NATIONAL CHAMPIONSHIP FRAME DESIGN WITH THE FINEST COMPONENTRY. THE FRAME IS CARBON FIBER BONDED TO INVESTMENT CAST ALUMINUM LUGS. IT'S LIGHT, TIGHT, BUT NOT TOO HARSH OR TWITCHY. SHIMANO DURA-ACE GROUP WITH STI BRAKE/SHIFT LEVER. MAVIC OPEN 4CD RIMS WITH WHEELSMITH STAINLESS BUTTED SPOKES. SPECIALIZED RACING STEM AND SR ANATOMICAL HANDLE BARS. THE EVER-POPULAR TURBO/S® 700 X 20C TIRES ARE LIGHT, LIVELY AND FAST PERFORMANCE/ TRAINING TIRES. 50, 52, 54, 56, 58, 60. NATURAL CARBON FIBER FINISH.

SPECIALIZED ALLEZ EPIC 105 & ULTEGRA



THE SAME CHAMPIONSHIP-WINNING FRAME AS OUR EPIC DURA-ACE, BUT WITH SHIMANO 105 AND ULTEGRA GROUPS. BOTH MODELS USE WOLBER GTX RIMS WITH WHEELSMITH STAINLESS SPOKES AND

SPECIALIZED TRANSITION™ 700 x 20C TIRES. SELLE ITALIA TURBO SADDLE. 50, 52, 54, 56, 58, 60. NATURAL CARBON FIBER FINISH.



SPECIALIZED TRANSITION PRO

INDEPENDENT WIND TUNNEL TESTS SHOW THAT OUR SPECIALIZED COMPOSITE WHEELS CAN SAVE OVER 10 MINUTES IN A HUNDRED MILE TIME TRIAL. THEY'RE THE FASTEST WHEELS ON THE PLANET, AND THERE'S NO FASTER BIKE THAN OUR TRANSITION PRO EQUIPPED WITH THEM. COMPONENTS ARE SHIMANO ULTEGRA WITH 53/39 FRONT GEARING AND 12-19 DURA-ACE REAR FREEWHEEL. SPECIALIZED TRANSITION 700 x 20c. 51, 55, 58. BLACK SATIN.

SPECIALIZED TRANSITION™



A BRUTALLY AERODYNAMIC BIKE FOR SERIOUS TRIATHLETES. THE FAST FORWARD FRAME DESIGN—78° SEAT ANGLE, 72° HEAD ANGLE—OPENS UP YOUR POSTURE FOR ENHANCED BREATHING AND A POWERFUL PEDAL STROKE. CLING-ON™ AEROBAR SYSTEM MAKES IT

EASIER TO SUPPORT AN AERO POSITION. SHIMANO 105 PERFORMANCE GROUP WITH 53/39 FRONT GEARING, 12-21 REAR. WOLBER TX AERO RIMS. SPECIALIZED TRANSITION 700 x 20c. 51, 55, 58. TOO PINK.



SPECIALIZED SIRRUS TRIPLE

NO CLIMB IS TOO STEEP OR TOO LONG IF YOU'RE RIDING THIS ONE. WE TOOK OUR AWARD-WINNING SIRRUS AND ADDED A TRIPLE FRONT CHAINRING TO GIVE YOU PLENTY OF CLIMBING GEARS, 52/42/32. AND, THE SIRRUS TRIPLE DESCENDS AND CORNERS LIKE A RACER. THE COMPONENT GROUP IS NEW SUNTOUR EDGE, THE ANATOMICAL BARS AND 90° STEM PROVIDE A COMFORTABLE BODY POSITION FOR LONG DAY TOURS. WOLBER GTX RIMS AND SPECIALIZED TRANSITION 700 x 23C TIRES. FRAME IS FENDER COMPATIBLE. 43, 48, 51, 54, 56, 58, 61. DARK BLUE.

SPECIALIZED SIRRUS



BICYCLE GUIDE MAGAZINE'S "BEST BUY" FOR THREE YEARS. PERFECTLY BALANCED, THIS BIKE COULD INSPIRE YOU INTO A LUMINOUS RACING CAREER—OR SIMPLY KEEP YOU COMFORTABLE AND ENERGIZED ON A EASY 30-MILER. THE SHIMANO RX 100

POLISHED COMPONENTS ARE A RACE LEVEL GROUP. WOLBER GTX RIMS, WHEELSMITH STAINLESS SPOKES AND SPECIALIZED TRANSITION 700 x 20c TIRES MAKE UP A PAIR OF LIGHTWEIGHT AND STRONG WHEELS. READY TO RACE!! 43, 48, 51, 54, 56, 58, 61. BLACK.

SPECIALIZED SIRRUS® SPORT



WITH ITS SPECIALIZED DIRECT DRIVE DESIGN 4130 CHROMOLY FRAMESET, THIS BIKE FEELS LIKE A RACING BIKE, BUT IS ALWAYS COMFORTABLE AND EASY TO HANDLE. THE 90° STEM ALLOWS YOU TO USE THE SMALLEST FRAME POSSIBLE AND STILL MAINTAIN A PROPER

RIDING POSITION. COMPONENTS ARE SUNTOUR BLAZE. WOLBER GTA RIMS, SEALED HUBS AND THE NIMBLE SPECIALIZED TRI-SPORT™ 700 X 23C TIRES. 48, 51, 54, 56, 58, 61. RED.

SPECIALIZED SEQUOIA®



ONE OF THE BEST-EQUIPPED TOURING BIKES ON THE MARKET. THE TIG WELDED CHROMOLY FRAME IS DESIGNED FOR GREAT HANDLING AND STABILITY. SHIMANO DEORE LX COMPONENTS WITH UPGRADED DEORE DX RAPID FIRE SHIFTERS ARE POSITIVE AND PRECISE. SPECIALIZED TIG STEM AND FLAT BARS PUT YOU IN AN UPRIGHT BODY

POSITION, THE MOST COMFORTABLE FOR TOURING AND SIGHTSEEING. TRIPLE CHAINRINGS. ALLOY FRONT, REAR AND LOW-RIDER RACKS, FRONT AND REAR FENDERS WITH BOTTOM BRACKET GENERATOR LIGHTING SYSTEM. 51, 54, 56, 58, 61. TURQUOISE.

SPECIFICATIONS

MODEL	Stumpjumper M2 Team	Stumpjumper M2	Stumpjumper Epic Ultimate	Stumpjumper Epic	Stumpjumper Team	Stumpjumper Comp	Stumpjumper	Rockhopper Comp	Rockhopper Sport	Rockhopper
SIZES	16.5, 18, 19, 20, 21.5"	16.5, 18, 19, 20, 21.5"	16.5, 18, 19, 20, 21.5"	16.5, 18, 19, 20, 21.5"	16.5, 18, 19, 20, 21.5"	16.5, 18, 19, 20, 21.5"	16.5, 18, 20, 21.5"	16.5, 18, 20, 21.5"	16.5, 18, 20, 22	14.5, 16.5, 18, 20, 22, 18" ladies
COLORS	Platinum	Purple Haze	Natural carbon	Natural carbon	Black	Matte Grey	White, Black	Turquoise, Grey	Black, Red	White, Black
FRAME & FORK	M2™ Metal Matrix Composite tubing, TIG welded, DirectDrive™ fork 27.0mm triple butted blades	M2™ Metal Matrix Composite tubing, TIG welded, DirectDrive™ fork 27.0mm triple butted blades	DirectDrive™ Carbon Fiber, Bonded to titanium Lugs, STR, DirectDrive™ fork 27.0mm triple butted blades	DirectDrive™ Carbon Fiber, Bonded to Specialized Lugs, STR, DirectDrive™ fork 27.0mm triple butted blades	DirectDrive™ Tange Prestige Chrome-moly, SFS, STR, double taper stays, 31.8 mm top tube, DirectDrive™ fork 27.0mm triple butted blades	DirectDrive™ Tange Prestige Chrome-moly, SFS, STR, double taper stays, 31.8 mm top tube, DirectDrive™ fork 27.0mm triple butted blades	DirectDrive™ Chrome-moly, SFS, double taper square oval stays, STR, 31.8 mm top tube, DirectDrive™ fork 27.0mm triple butted blades	DirectDrive™ Chrome-moly, SFS, double taper square oval stays, STR, 31.8 mm top tube, DirectDrive™ fork 27.0mm triple butted blades	DirectDrive™ Chrome-moly, SFS, double taper stays, STR, 31.8 mm top tube, DirectDrive™ fork 27.0mm triple butted blades	DirectDrive™ Chrome-moly, SFS, double taper stays, STR, 31.8 mm top tube, DirectDrive™ fork 27.0mm triple butted blades
DERAIL	Suntour XC Pro	Shimano Deore DX	Suntour XC Pro	Shimano Deore XT	Suntour XC Pro	Shimano Deore XT	Shimano Deore DX	Shimano Deore LX	Suntour X1	Shimano 400LX
SHIFTERS	Suntour XC Pro Thumb Shifters	Shimano XT SIS shifters	Suntour XC Pro Thumb Shifters	Shimano XT SIS shifters	Suntour XC Pro Thumb Shifters	Shimano XT SIS shifters	Shimano DX SIS shifters	Shimano Deore DX RapidFire™	Suntour X-Press™	Shimano LX Rapid Fire™
CRANK	Suntour XC Pro	Shimano Deore DX	Suntour XC Pro	Shimano Deore XT	Suntour XC Pro	Shimano Deore XT	Shimano Deore DX	Shimano Deore LX	Suntour X1	Shimano 400LX
GEARING	PowerRing Hard Ano 24.36.46 Freehub 12-28	Superglide Round Black 24.36.46 Freehub 12-28	PowerRing Hard Ano 24.36.46 Freehub 12-28	Superglide Round Black 24.36.46 Freehub 12-28	PowerRing Hard Ano 24.36.46 Freehub 12-28	Superglide Round Black 24.36.46 Freehub 12-28	Superglide Round 24.36.46 Freehub 12-28	Superglide Round 24.36.46 Freehub 13-30	PowerRing 24.36.46 Freewheel 13-30	Superglide Biopace Black 28.38.48 Freehub 13-30
PEDALS	Suntour XCPro Grease Guard	Shimano Deore DX Comp	Suntour XCPro Grease Guard	Shimano Deore XT Comp	Suntour XCPro Grease Guard	Shimano Deore XT Comp	Shimano Deore DX Comp	Shimano Deore LX	VP-882 Racing Resin	VP-882 Racing Resin
BRAKES	Dia-Compe 986	Shimano Deore LX	Dia-Compe 986	Shimano XT	Suntour XC Pro	Shimano XT	Shimano Deore	Shimano Deore	Dia-Compe X1	Shimano LX
POST	Interloc Racing Design	Post Modern	Interloc Racing Design	Interloc Racing Design	Suntour XC Pro	Post Modern	Post Modern	Post Modern	SR TCO Sport	SR TCO Sport
SADDLE	Selle Italia Turbo Leather	Selle Italia Turbo Astale	Selle Italia Turbo Leather	Selle Italia Turbo Astale	Selle Italia Turbo Astale	Selle Italia Turbo Astale	Selle Italia Turbo Astale	Specialized Joe Blob	Specialized Sport Gel	Specialized Sport Gel
BAR	Specialized Superlight bar w/ BioTomic grip	Specialized Heat treated bar w/ BioTomic grip	Specialized Superlight bar w/ BioTomic grip	Specialized Superlight bar w/ BioTomic grip	Specialized Superlight bar w/ BioTomic grip	Specialized Heat treated bar w/ BioTomic grip	Specialized Heat treated bar w/ BioTomic grip	Specialized Heat treated bar w/ BioTomic grip	Microbulge w/ AutoPilot grip	Microbulge w/ AutoPilot grip
STEM	Specialized "SL" Butted TIG 10°	Specialized "SL" Butted TIG 10°	Specialized "SL" Butted TIG 10°	Specialized "SL" Butted TIG 10°	Specialized "SL" Butted TIG 10°	Black TIG 10° alloy wedge	Black TIG 10° alloy wedge	Black TIG 10° alloy wedge	Black TIG 24° alloy wedge	Black TIG 24° alloy wedge
HEADSET	Suntour XC Pro Grease Guard	Specialized SVII Black-Sealed	Suntour XC Pro Grease Guard	Specialized SVII Sealed	Specialized AVII Sealed	Specialized SVII Sealed	Tange MES-II - Black-Sealed	Tange MES-II - Black-Sealed	Precision Steel Black-Sealed	Precision Steel Black-Sealed
WHEELS	Specialized "SL" 32" rims, Suntour XC Pro w/ Grease Guard hubs, WheelSmith DB Spokes, Ground Control Extreme/S 1.95	Specialized BX-23 32" rims, Shimano Deore DX hubs, WheelSmith DB Spokes, Ground Control Extreme 1.95	Specialized TX-21 32" rims, Suntour XC Pro w/ Grease Guard hubs, WheelSmith DB Spokes, Ground Control Extreme/S 1.95	Specialized BX-21 32" rims, Shimano Deore XT hubs, WheelSmith DB Spokes, Ground Control Extreme/S 1.95	Specialized BX-21 32" rims, Suntour XC Pro w/ Grease Guard hubs, WheelSmith DB Spokes, Ground Control Extreme/S 1.95	Specialized BX-23 32" rims, Shimano Deore XT hubs, WheelSmith DB Spokes, Ground Control Extreme 1.95	Specialized BX-23 32" rims, Shimano Deore DX hubs, WheelSmith Spokes, Ground Control 1.95	Specialized BX-23 32" rims, Shimano Deore LX hubs, WheelSmith Spokes, Ground Control 1.95	Specialized BX-25 32" rims, Suntour X1 Sealed hubs, WheelSmith Spokes, Crossroads 1.95	Araya VP-20 Polished rims, Shimano LX hubs, WheelSmith Spokes Crossroads 1.95

SPECIFICATIONS

MODEL	Rockhopper Mega	Hardrock Mega	Hardrock Sport	Hardrock	Hardrock Cruz	Crossroads Sport	Crossroads	Crossroads Cruz	Allez Epic Dura-Ace	Allez Epic Ultegra
SIZES	12.75" x 20"	12.75" x 20" 12.75" Girls	16.5, 18, 20, 22"	13 x 24", 14.5, 16.5, 18, 20, 22", 18" ladies	16.5, 18, 20, 22"	16.5, 18, 20, 22"	14.5, 16.5, 18, 20, 22, 18" ladies	16.5, 18, 20, 22, 18" ladies	50, 52, 54, 56, 58, 60cm	50, 52, 54, 56, 58, 60cm
COLORS	Red	Jet Black - Boys White - Girls	Champagne, Dark Blue	Turquoise, Black	White, Dark Blue	Slate Green, Cerise	White, Black	Cerise, Black	Carbon with silver lugs	Carbon with silver lugs
FRAME & FORK	SFS Chrome-moly mega-frame, STR, Forged dropouts, waterbottle braze-ons, Mega fork, all Chrome-moly, forged dropouts w/retention lip	SFS Mega-Frame, waterbottle bosses, Unicrown Mega fork, semi-forged dropouts w/retention lip	SFS Chrome-moly, double taper stays, STR, Forged dropouts, all braze-ons, Unicrown fork, Chrome-moly steerer, forged dropouts w/retention lip	SFS Chrome-moly, double taper stays, STR, Forged dropouts, all braze-ons, Unicrown fork, Chrome-moly steerer, forged dropouts w/retention lip	SFS Chrome-Moly, STR, Forged dropouts, all braze-ons, Unicrown fork, Chrome-moly steerer, forged dropouts w/retention lip	Chrome-moly butted, SFS, double taper stays, forged dropouts, all braze-ons, Crossroads Unicrown fork, all chrome-moly	Chrome-moly butted, SFS, double taper stays, forged dropouts, all braze-ons, Crossroads Unicrown fork, all chrome-moly	SFS Chrome-moly, double taper stays, STR, Forged dropouts, all braze-ons, Crossroads Unicrown fork, all chrome-moly	DirectDrive™ Carbon Fiber thermal bond to Investment cast aluminum lugs, all road fittings, Specialized Aluminum thermal bond fork	DirectDrive™ Carbon Fiber thermal bond to Investment cast aluminum lugs, all road fittings, Specialized Aluminum thermal bond fork
DERAIL	Shimano 552	Suntour XCU	Suntour XCM	Shimano 200GS	Suntour XCU	Suntour X1	Shimano 300LX	Suntour XCT	Shimano Dura Ace	Shimano Ultegra
SHIFTERS	Shimano SIS Thumbshifters	Suntour Accushift Plus	Suntour X-Press™	Shimano Rapid Fire™	Suntour Accushift Plus	Suntour X1 X-Press	Shimano LX Rapid Fire™	Suntour Wishbone Accushift Plus	Shimano 8 Speed STI brake/shifter	Shimano Ultegra SIS 7 speed
CRANK	Sugino 152mm	One piece 5.5"	Sugino AC-110	Shimano 201GS	Suntour XCT	Suntour X1	Shimano 300LX	Suntour XCT	Shimano Dura Ace	Shimano Ultegra
GEARING	Round 46Tooth w/double guard Freewheel 13-30	Black 44T w/ double guard Freewheel 13-28	Round Black 28.38.48 Freewheel 13-30	Biopace Superglide 28.38.48 Freewheel 13-30	PoweKing Black 28.38.38 Freewheel 13-30	PoweKing Black 28.38.48 Freewheel 13-30	Superglide BL BioPace 28.38.48 Freewheel 13-30	PoweKing Black 28.38.48 Freewheel 13-30	Superglide Silver 53.39 Freewheel 13-23	Superglide Silver 53.39 Freewheel 13-23
PEDALS	VP-882 Racing Resin	HT-P42	HT-P15K	HT-P15K	HT-P15K	VP-882 Racing Resin	LowFat Custom hi corner option	LowFat Custom hi corner option	Shimano Dura Ace Clipless	Shimano Ultegra Clipless
BRAKES	CS 861	CS 861	Dia-Compe XCM	Shimano 200GS	Dia Compe XCU	Dia-Compe X1	Shimano 300LX	Dia-Compe XCT	Shimano Dura Ace	Shimano Ultegra
POST	Alloy micro adjust	CP 250mm	Alloy micro adjust	CP 300mm	CP 300mm	Post Modern	Alloy micro adjust	Alloy micro adjust	Strong NS-3 Black Anodized	Strong NS-3 Black Anodized
SADDLE	Supersoft Pigskin	Supersoft Pigskin	Supersoft Pigskin	Comfort Gel	Supersoft Pigskin	Specialized Joe Blob	Specialized Sport Gel	Supersoft Pigskin	Selle Italia Turbo Matic Astrole	Selle Italia Turbo Astrole
BAR	Microbulge Flat w/Mega grip	Flat 6° Black w/Mega grip	Microbulge Flat w/Foam grip	Black 80mm Rise w/Foam grip	Black 80mm Rise w/Foam grip	Microbulge bar w/ BioTonic grip	Microbulge w/ AutoPilot grip	Black 15mm Rise w/Foam grip	SR Anatomical w/ cablegroove, white padded tape	SR Anatomical w/ cablegroove, white padded tape
STEM	Black TIG 24°	Black TIG 24°	Black TIG 40°	Black TIG 40°	Black TIG 40°	Black TIG 24°	Black SR 25°	Black SR 25°	Polished 73°	Polished 73°
HEADSET	Precision Steel-Black	Precision Steel-Black	Precision Steel Black-Sealed	Precision Steel - Black	Precision Steel - Black	Precision Steel Black-Sealed	Precision Steel Black-Sealed	Precision Steel - Black	Specialized AVII Alloy-Sealed	Tange JES-II - Silver-Sealed
WHEELS	Ukai 7X Alloy-Black rims, Alloy sealed Black hubs, Stainless Steel Spokes, Black Max 1.95 Blackwall	7X Type rims, ATB Nutted C hubs, Black Max 1.95 Blackwall	Araya MP-22 Polished rims, Alloy Sealed Quick Release hubs, Crossroads II 1.95	Araya MP-22 Polished rims, Shimano 200GS hubs, Crossroads II 1.5	Araya MP-22 Polished rims, Alloy Sealed Quick Release hubs, Crossroads II 1.5	Araya VX-300 Hard Anodized rims, Suntour X1 sealed hubs, Wheelsmith Spokes, Nimbus 700 x 41mm	Araya PX-45 Polished rims, Shimano 300LX hubs, Wheelsmith Spokes, Nimbus 700 x 41mm	Araya PX-45 Polished rims, Alloy Sealed Quick Release hubs, Nimbus 700 x 41mm	Mavic Open 4 CD rims, Shimano Dura Ace hubs, Wheelsmith Spokes, Turbo/S 700x20mm	Wolber GTX Hard Anodized rims, Shimano Ultegra hubs, Wheelsmith Spokes, Transition 700x20mm

SPECIFICATIONS

GEOMETRIES

MODEL	Allez Epic 105	Allez Transition Pro	Allez Transition	Sirrus Triple	Sirrus	Sirrus Sport	Sequoia
SIZES	50, 52, 54, 56, 58, 60cm	51, 55, 58 cm	51, 55, 58 cm	43, 48, 51, 54, 56, 58, 61cm	43, 48, 51, 54, 56, 58, 61cm	48, 51, 54, 56, 58, 61 cm	51, 54, 56, 58, 61 cm
COLORS	Carbon with silver lugs	Satin Black	Too Pink	Dark Blue	Black	Red	Turquoise
FRAME & FORK	DirectDrive™ Carbon Fiber thermal bond to investment cast aluminum lugs, all road fittings, Specialized Aluminum thermal bond fork	DirectDrive™ Fast Forward frame design, AeroStay rear triangle, double bottle braze-ons, Investment Cast Aero crown Chrome-moly fork	DirectDrive™ Fast Forward frame design, AeroStay rear triangle, double bottle braze-ons, Investment Cast Aero crown Chrome-moly fork	DirectDrive™ Chrome-moly with DirectFit rear stays, investment cast lugs and all braze-ons including rear rack, Investment Cast Aero crown, all chrome-moly fork	DirectDrive™ Chrome-moly with DirectFit rear stays, investment cast lugs and all braze-ons, Unicrown Chrome-moly fork with large radius rake	DirectDrive™ Chrome-moly with DirectFit rear stays, investment cast lugs and all braze-ons, Unicrown Chrome-moly fork with large radius rake	DirectDrive™ SFS, forged dropouts, all braze-ons, internal wiring, rocks, lights, fenders, Unicrown Chrome-moly fork, touring radius rake
DERAIL	Shimano 105	Shimano Ultegra	Shimano 105	Suntour Edge SGS	Shimano RX100	Suntour Blaze	Shimano Deore LX
SHIFTERS	Shimano 105 SIS 7 speed	Shimano Ultegra SIS 7 speed	Shimano 105 SIS 7 speed	Suntour Edge Accushift Plus	Shimano RX100 SIS 7 speed	Suntour Blaze Accushift Plus	Shimano Deore DX Rapid Fire
CRANK	Shimano 105	Shimano Ultegra	Shimano 105	SR New Edge	Shimano RX100	Suntour Blaze	Shimano Deore LX
GEARING	Superglide Silver 53.39 Freewheel 13-23	Superglide Silver 53.39 Freewheel 12-19	Superglide Silver 53.39 Freewheel 12-19	PowerRing Grey 52.42.32 Freewheel 13-28	Superglide Silver 53.39 Freewheel 13-23	PowerRing Silver 52.42 Freewheel 13-26	Superglide Black 28.38.48 Freewheel 12-28
PEDALS	Shimano 105	Shimano Ultegra Clipless	Shimano 105 Clipless	HTI-P19	Shimano RX100	HTI-P19	Shimano RX100
BRAKES	Shimano 105	Shimano Ultegra	Shimano 105	Dia-Compe Edge	Shimano RX100	Dia-Compe Blaze	Shimano Deore LX
POST	Strong NS-3 Black Anodized	Strong NS-3 Black Anodized	Strong NS-3 Black Anodized	Strong NS-3 Black Anodized	Strong NS-3 Black Anodized	Strong NS-3 Black Anodized	Strong NS-3 Black Anodized
SADDLE	Selle Italia Turbo Astrale	Selle Italia Turbo Astrale	Selle Italia Turbo Astrale	Specialized Lambda Blob	Specialized Team Blob	Specialized Sport Gel	Specialized Joe Blob
BAR	SR Anatomical w/ cablegroove, padded tape	SR Anatomical w/ cablegroove, Cling-ons, padded tape	SR Anatomical w/ cablegroove, Cling-ons, padded tape	SR Anatomical w/ cablegroove, padded tape	SR Anatomical w/ cablegroove, padded tape	SR Anatomical w/ cablegroove, padded tape	Specialized bar w/ BioTonic grip
STEM	Polished 73°	Speedstem 65°	Speedstem 65°	SR 90°	Specialized 73°	SR 90°	Black TIG 24°
HEADSET	Tange MES-II - Silver-Sealed	Tange MES-II - Silver-Sealed	Tange MES-II - Silver-Sealed	Tange MES-II - Silver-Sealed	Tange MES-II - Silver-Sealed	Tange MES-II - Silver-Sealed	Tange MES-II Black-Sealed
WHEELS	Wolber GTX Hard Anodized rims, Shimano 105 hubs, Wheelsmith Spokes, Transition 700x20mm	Specialized Composite Wheel w/ sealed hubs, Transition 700x20mm	Wolber Profile TX aero rims, Shimano 105 hubs, Wheelsmith Spokes, Transition 700x20mm	Wolber GTX Hard Anodized rims, Suntour Edge sealed hubs, Wheelsmith Spokes, Transition 700x23mm	Wolber GTX Hard Anodized rims, Shimano RX100 hubs, Wheelsmith Spokes, Transition 700x20mm	Wolber GTA Polished rims, Sansin Sealed hubs w/ QR, Wheelsmith Spokes, Tri-Sport 700x23mm	Araya PK-45 Silver aero rims, Shimano Deore LX hub, Wheelsmith Spokes, Nimbus 700x41mm

HARDROCKS

Seat angle	73°
Head angle	70°
Chainstay length	17.16"
Fork rake	1.65"

ROCKHOPPERS

Seat angle	73°
Head angle	70.5°
Chainstay length	16.9"
Fork rake	1.65"

STUMPJUMPERS

Seat angle	73°
Head angle	71°
Chainstay length	16.9"
Fork rake	1.65"

STUMPJUMPER EPICS & M2

Seat angle	73°
Head angle	71°
Chainstay length	16.8"
Fork rake	1.65"

CROSSROADS

Seat angle	73°
Head angle	71°
Chainstay length	16.9"
Fork rake	1.58"

SIRRUS

Seat angle	73°
Head angle	73°
Chainstay length	41.1cm
Fork rake	4.0cm

ALLEZ EPIC

Seat angle	74°
Head angle	74°
Chainstay length	41.1cm
Fork rake	3.81cm

TRANSITION

Seat angle	78°
Head angle	72°
Chainstay length	39.37cm
Fork rake	3.98cm

SEQUIA

Seat angle	73°
Head angle	72°
Chainstay length	43.4cm
Fork rake	4.98cm

ONE DOLLAR

AUTHORIZED SPECIALIZED BICYCLE DEALER

SPECIALIZED BICYCLES HAVE A LIMITED WARRANTY.
SEE YOUR DEALER FOR DETAILS OR LOOK IN YOUR
SPECIALIZED BICYCLES OWNERS MANUAL



SPECIALIZED

15130 CONCORD CIRCLE
MORGAN HILL
CALIFORNIA 95037

© COPYRIGHT 1990 SPECIALIZED BICYCLE COMPONENTS, INC.