



2008[⚡]

* INNOVATE OR DIE



A HISTORY OF INNOVATION

FOR OVER 25 YEARS, we've had a passion for riding and innovation.

First built in 1981, the original Stumpjumper was the first mountain bike that riders could find at their local shop. Pre-Stumpjumper, we were riding dirt fire roads and smooth trails on our road bikes, but we wanted to go farther and faster and push the limits of what was possible on dirt. So we created the Stumpjumper.

As you can see on the right, we didn't stop innovating with our first version. Nope, we learned a long time ago that if we were to make riding better, we would have to imagine new ways to ride and develop technologies to make that vision possible. A ceaseless drive to innovate is what makes us Specialized, and it's what'll make your next ride better.



2008 STUMPJUMPER FSR PRO Thankfully we didn't stop innovating back in '81.

In the spirit of the original, the 2008 Stumpjumper FSR Pro is the best bike for the kinds of trails that most of us ride most of the time. Total Suspension Integration has allowed

us to custom tailor the design of all critical suspension parts to guarantee the highest performance possible.



1981 ALLEZ Long before we discovered dirt, we had a passion for pavement.

Back before we ever rode a mountain bike, we were road bike fiends, so it only makes sense that the first bikes and equipment we sold were for the road. The original Allez, which came in road, track and a

Shimano Dura-Ace AX equipped 'aero' model, was designed by Tim Neenan—the lead architect of the original Stumpjumper.



2008 S-WORKS TARMAC SL2 Built for Boonen. Built for Bettini. Built for you.

Just like the original Allez, the SL2 is the state-of-the-art in go-fast hardware. Designed to satisfy the needs of performance fanatics like Tour de France Green jersey winner

Tom Boonen, the SL2 is the lightest and stiffest frame we've ever made and features vertical compliance that is only second to our revolutionary S-Works Roubaix SL.


CONTENTS

02	Heritage	32	Epic Competitive XC	58	ROAD	98	Sirrus Performance Fitness	124	BMX / YOUTH	198	Apparel
04	Who We Are	34	Enduro Aggressive All Mountain	60	FACT Road Technology	100	Crosstrail Performance All Road	126	Fuse Dirt/Street/Vert	200	Men's Apparel
06	Product Development	36	Pitch	62	Tarmac Competitive Road	102	Crossroads Comfort Street	128	Hotrock	212	Gloves
08	Bike Headliners	38	Freeride Technology	66	Transition Triathlon/TT Racing	104	Expedition Comfort ATB	130	S-WORKS	218	Women's Apparel
10	Equipment Headliners	40	SX Trail Light Freeride	72	Allez Competitive Road	106	DESIGNS FOR WOMEN ROAD	134	EQUIPMENT	226	Bar Coverings
12	Designs for Women	42	Demo/BigHit Freeride & DH	74	Roubaix Performance Endurance Road	108	Ruby Women's Performance Road	136	BG FIT	228	Computers
14	MOUNTAIN	46	P.Series Progressive Hardtail	80	Sequoia Recreational Endurance Road	112	Dolce/Vita Women's Performance/ Fitness Road	140	Optics	230	Pumps
16	FACT Mountain Technology	48	Stumpjumper Competitive XC Hardtail	82	Langster Velodrome/Fixed Gear Road	114	DESIGNS FOR WOMEN MOUNTAIN	146	Shoes	232	Bottles and Cages
18	Suspension Technology	50	Rockhopper Recreational XC Hardtail	86	Fatboy Cruiser	114	Safire Women's XC Trail	153	Footbeds	234	Bags and Multi-Tools
26	Stumpjumper FSR XC Trail	52	Hardrock ATB	88	Tricross Freeroad	118	Era Women's Performance Mountain	154	Royal Wheels	236	Components
30	FSRxc XC Trail	54	HRXC	90	Globe City Performance Urban/Utility	120	Myka Women's Recreational Mountain	162	Helmets	248	Specifications
		56	Rider's Club	92	Globe Performance Urban/Utility			172	Saddles	269	Geometry
								186	Tires		

A PASSION FOR MAKING EVERYONE'S
TIME ON A BIKE BETTER

BACK WHEN WE WERE JUST GETTING STARTED some 35 years ago, we decided that Specialized would focus on high-end bicycle components and equipment. I had realized it was the right thing to do when I took a long trip through Europe in 1974. I was impressed with the passion people there had for making the absolute best bikes and equipment and knew that my riding buddies back home in California would go wild for these high performance bikes and bits if they could find them in local bike shops.

Our founding principle—to focus on the rider's need for functional, technically advanced products that provide a true performance benefit—is what makes us Specialized, and our drive to improve your time on a bike is what pushed us to develop the best XC Trail bike on the market—our new Stumpjumper FSR.



At the same time, we know that more women than ever are getting into cycling and many have been waiting for something like our Designs for Women line-up. Designed by a team of passionate female cyclists here in our Morgan Hill, CA, headquarters and tested by all kinds of female riders, our D4W line is the only complete line of women's bikes and equipment designed from the ground-up exclusively for female riders.

Our passion is to make your ride, our ride, any rider's time on a bike better. For 2008, we believe we've done that with a multitude of incredible new products. For 2009 and beyond, we'll continue because we love to ride and can't stop thinking of ways to make every pedal stroke more fun.

Mike Singhal

WARNING: The actions depicted in this catalog are potentially dangerous. The riders seen are experienced experts or professionals. Refer to your owner's manuals for instructions regarding the safe use of your bicycle or equipment. Do not attempt to duplicate any stunts that are beyond the capabilities of your bicycle or your own capabilities. Always wear the appropriate safety equipment.

WHO WE ARE

OUR DEVELOPMENT PROCESS

YOUR RIDE **STARTS HERE**

SPECIALIZED STARTED IN 1974 with a keen focus on a rider's needs for functional and technically advanced cycling equipment that provided a real performance benefit. Over three decades later, this founding principal is still the beating heart of the company.

A rider's need stems from the experience that an individual rider wants to have while out on a bike. A bike or piece of equipment offers a real performance benefit if it has the right stuff to enable the rider to achieve that experience—whether it's winning a stage in the Tour de France or riding without training wheels for the first time.

That's where our development process comes into play. Once the product manager (the person here at Specialized that drives the development of a bike or piece of equipment) develops an acute insight and understanding of a specific experience, they distill the specific product attributes required to deliver the experience.

To create a bike or piece of equipment that truly allows someone to get more out of riding takes a lot of effort from a wide range of experts including engineers, designers, fabricators and testing specialists. These developments result in new technology, inventions so new they are awarded patents, and first-place medals. While we like medals and pats on the back, all our effort is in the name of making your time on a bike better.

Tom Boonen tightens his grip on the sprinter's Green jersey during his 2nd victory in the 2007 Tour de France.



FOUNDING PRINCIPLES

BIKE HEADLINERS



TARMAC PRO

An all-out road racing machine, the Tarmac® Pro earns its reputation for pure performance potential through design input from road champions like Paolo Bettini and Tom Boonen. Its top shelf list of ingredients—including one super strong and lightweight Az1 carbon frame, an integrated FACT carbon crank, Specialized Mondo™ Pro tires and Body Geometry Toupé™ Team saddle—create a bike with lightning speed, unmatched drive efficiency and precision handling.



SAFIRE

The new Safire® women's mountain bike is the ultimate compliment to the female XC Trail rider who wants to ride long and hard, while covering every inch of trail possible. Its dynamic FSR suspension includes all the requisite technologies for trail domination: lightweight FACT Az1 carbon chassis, Future Shock® S120, Flow Control Brain and AFR Shock™. Paired with its women's-specific geometry, custom carbon lay-ups, smaller diameter tubing, optimal tube angles and thoughtful component selection, the Safire is every woman's answer to superior handling, efficiency and control.

GLOBE CENTRUM

Part adventure, part performance and altogether perfect for dodging traffic congestion while exploring every inch of the city, the all-new Globe Centrum™ is a modern, urban commuter with a sleek, simple and stylish design. Reminiscent of old messenger bikes with its thicker tires and flat handlebar, but modernized with a lightweight integrated frame, low standover height, internally geared hub and pressure-sensitive Body Geometry saddle.



STUMPJUMPER FSR

Now the legendary mountain bike that started it all has even more to offer in the way of XC performance, giving XC Trail riders the ammo they need for gunning prime sections of trail. A FACT Az1 carbon frame and proprietary suspension hardware like our Future Shock® S120 fork and AFR Shock™ with Brain technology make the 120mm-travel Stumpjumper® FSR the lightest, most efficient and best handling trail bike ever.



TRANSITION

The wind won't even know you're there. For time trials and triathlons, we've found no faster partner in the battle against the clock than the completely redesigned Transition®. Our engineers used every aerodynamic advantage possible to create a ludicrously narrow profile built for raw speed that even the best athletes like Ironman winning Chris McCormack ride to win. Dialed geometry for perfect positioning and stability, Roval Rapide Star™ wheels for less drag, an integrated brake system for maximum aerodynamics and control and a four-position seatpost for pedaling efficiency.

EQUIPMENT HEADLINERS



ROVAL CONTRÔLE XC RACE WHEELSET

Ridden by Pro cross-country racers like Specialized-sponsored Christoph Sauser and Liam Killeen, our Roval Contrôle™ XC Race wheelset is one of the lightest and fastest on the market—only 1,400 grams a pair—while still maintaining durability. Performance-optimized with tubeless E5 alloy rims, double drive lacing, DT Swiss spokes and DT Pro Lock nipples for razor-sharp handling, phenomenal efficiency and strength.



PHENOM SADDLE

This off-road saddle strikes the perfect balance between the minimalist design of a road saddle and the more plush form of an aggressive MTB saddle, making it the most ideal saddle choice for off-road racers and XC Trail riders in search of all-day comfort. The Phenom™ combines a carbon reinforced shell for support and flexibility with a micromatrix cover, scuff guards and Ti rails for durability. Its multi-width options, foam padding and Body Geometry cut-out provide sensitive tissue relief and sit-bone comfort.



S-WORKS 2D HELMET

Lids don't get much lighter, more ventilated or better fitting than the new S-Works 2D™ helmet. Every dimension of the 2D is created for ultimate performance beyond any competitor's wildest dreams: Dual Density foam shell technology reduces weight and still meets CPSC testing standards, while the Kevlar® InnerMatrix builds internal strength and protection. The Pro Fit 360 retention system provides maximum adjustment for a truly customized fit, and the Mega Mouthport™ creates incredible cooling.

S-WORKS ROAD SHOE

When a gram here or there means everything, finding the lightest, stiffest, most high performance shoe that also offers ergonomic comfort is irreplaceable. Even with its advanced Boa closure and new Powerzone lacing for extra security, Body Geometry® Footbeds for better hip, knee and foot alignment and uber-efficient FACT carbon sole, the S-Works Road still remains the lightest shoe available with a mechanical closure.



S-WORKS THE CAPTAIN TIRE

This aggressive XC Trail tire was designed by Specialized MTB Factory Team Captain Ned Overend to excel in a wide range of trail conditions with the perfect balance of speed and traction. The Captain™ is not only light, supple, durable and puncture-resistant, but features a mixed tread, dual compound design for speed, grip and dexterity no matter what the terrain. Also available in a 29-inch version.



Find **DESIGNS FOR WOMEN** on these pages:

- 106 Designs for Women Road
- 108 Ruby
- 112 Dolce/Vita
- 114 Designs for Women Mountain
- 116 Safire
- 118 Era FSR/HT
- 120 Myka FSR
- 122 Myka HT
- 182 Women's Saddles
- 218 Women's Apparel

DESIGNS FOR WOMEN

THE POSSIBILITIES are as endless as your ride.

SPECIALIZED DESIGNS FOR WOMEN™ line is synonymous with diversity and individuality. There are many women, all with different reasons for riding, and at Specialized, we develop products with the potential to satisfy every single one of them. Products so in tune with the anatomies and physiologies of female riders that you'll never want anything but "women's-specific" from here on out.

These bikes and equipment offer real benefits for real women, without compromise or limitation. Full suspension mountain bikes, fitness and performance road bikes, shoes, saddles, gloves, optics, handlebars—the list goes on. All with fit, function, performance and style to suit your every need. Because we like revolutionizing the way cycling equipment fits and fuels women on the road and trail.

Your ride only gets better from here.



DESIGNS FOR WOMEN




TRAINING ZONE




CHRISTOPH SAUSER rides his FACT carbon frame to a Gold Medal in the 2007 Marathon World Championships.

FACT MTB

THE FACT OF THE MOUNTAIN IS Functional Advanced Composite Technology means more performance




Stiffness-to-weight, which benefits the rider with both better efficiency and handling, is 22% higher with the FACT version of the 2008 Stumpjumper than its M5 alloy cousin.



The FACT Carbon version of the Stumpjumper frame is nearly 10% lighter than the already feathery M5 alloy version.

MORE THAN JUST A TYPE OF MATERIAL, FACT (Function Advanced Composite Technology) is a combination of sound engineering, cutting-edge fabrication techniques, intelligent carbon-fiber

application, tireless prototyping and a rigorous cycle of testing to achieve the best off-road ride possible including superior toughness, efficiency, handling and low weight.




The **FACT carbon dropouts** and seatstays on the top-rung Stumpjumper FSR models are 20% lighter than their aluminum counterparts.

TOTAL SUSPENSION INTEGRATION


ALL FOR ONE What happens when you combine hard science with hardcore off-road riding? TSI: Total Suspension Integration. An integrated approach to design that yields the highest-performance full suspension bikes possible.

THE WAY IT WORKS

The more control we have over the design and development of each part of the bike, and the more we can coordinate those designs, the greater impact we have on each person's ride; that's why we take a systems approach to design, refining each individual component to work in harmony with the others to deliver a specific riding experience.



BY DEVELOPING THE STUMPJUMPER FSR FRAME and Future Shock S120 fork together, we were able to align the lower headset bearing with the down tube. This transfers the force directly from the fork into the frame, allowing us to make the system lighter and stronger.




BY DEVELOPING THE FUTURE SHOCK S120 fork, FSR linkage and AFR Shock together, the frame, fork and rear suspension work in harmony to provide superior control. This is demonstrated by the optimized and nearly identical front and rear force vs. displacement curves, which indicate bump forces are handled the same front to rear. The result, more control.


BY DEVELOPING THE FORK, shock, chassis and suspension telemetry from scratch with an integrated approach to enhance a specific riding experience, TSI ensures the perfect ride.

FUTURE SHOCK[™] AFR SHOCK[™]

TAKE THE HIT. Specialized Future Shock[™] forks and AFR Shock[™] rear shocks are designed as integrated elements of the complete bike and yield best in-class efficiency and bump force management.



THE FUTURE SHOCK S120 boasts category-leading torsional stiffness for unsurpassed steering precision.



FUTURE SHOCK The Future Shock S120 fork, on Stumpjumper FSR and Safire models, and the Future Shock E150, found on the Enduro SL, offer the best bump force management and steering precision at the lightest weight in their respective categories.

S120

Six Things You Need to Know About the S120

1. At 1,450 grams the S120 is the lightest, stiffest and best performing XC Trail fork in the world.
2. Fixed 120-mm high-quality travel decreases weight and retains consistent handling.
3. FlowControl Brain technology boosts efficiency and control. (Turn the page to learn more)
4. The unique steerer/crown assembly tapers from 1.125 inches at the top to 1.5 inches at the bottom to improve steering precision and strength while shaving grams.
5. The unique “Buddy System” design places the spring and hydraulic damper in the right leg, eliminating redundant components and decreasing weight by 103 grams.
6. Exhaustively revised lowers and oversized hub/dropout interface improve torsional stiffness by 44% over the next closest competitor to enhance steering precision.

THE AFR (Active Functional Response) Shock models offer maximum performance and durability at an exceptionally low weight. Designed specifically for the frame it's mounted to, each AFR Shock's Spike Valve, damping curve and spring rate perfectly match the telemetry of the suspension linkage, ensuring optimal bump force management and maximum control.




THE CARBON CROWN/STEERER found on top-rung S120 models is optimized for carbon fiber construction. The steerer tapers from 1.125 inches at the top to 1.5 inches at the crown allowing a smooth transition from steerer to crown. This makes the best use of the carbon, resulting in greater strength and stiffness with less weight.



BY DESIGNING the fork and Roval hub to work as a system, we have increased the thrust surface between the hub and fork, adding torsional rigidity that any rider can feel through increased steering precision. The S120 is compatible with any standard hub and the standard Roval hub end caps can be changed for compatibility with any standard fork.



SHOCK TECH




THE FUTURE SHOCK
S120 fork found on
Stumpjumper FSR
and Safire models has
a FlowControl brain
integrated into its
right leg.

FLOW CONTROL BRAIN

IT KNOWS! The FlowControl Brain instantaneously and automatically changes suspension from firm in smooth terrain to fully active in rough terrain, enhancing efficiency and control.

1. The ballast of the FlowControl Brain covers flow ports in smooth terrain, keeping the ride firmly efficient. In rough terrain flow ports are exposed, allowing the fork or shock to compress so bump forces can be absorbed.
2. Flow ports allow oil to flow when open, yielding active travel, and prevent oil flow when covered by the ballast to increase efficiency.
3. The finely tuned bias spring holds the ballast up in smooth terrain and allows it to instantaneously move down in rough terrain.
4. The Brain Fade adjuster tunes how firm or plush the suspension is while riding in smooth terrain by controlling how much oil can bypass the primary flow ports. This allows each rider to dial in their preferred plushness.

THE FLOW CONTROL BRAIN
on the rear end of Epic,
Stumpjumper FSR and Safire
models is housed in an external
reservoir near the rear axle.



NED "THE CAPTAIN" OVEREND testing
FlowControl Brain performance on a
2008 S-Works Stumpjumper FSR.






FSR SUSPENSION

CONTROL YOURSELF FSR suspension yields maximum comfort, control and efficiency by enabling engineers to design a system that is independent of chain and brake forces. This allows the suspension to be fully active in rough terrain while never robbing pedal power.

HOW IT WORKS
Because it's active and independent, FSR suspension is free to compress and rebound in an uninhibited manner—whether pedaling, coasting or braking—and functions with no perceptible pedal “kick-back” or “drop-away”. This keeps the tires on the ground a greater percentage of the time, yielding more traction for increased control over speed and direction; more comfort by remaining compliant; and more efficiency because chain torque helps to move you forward, not up and down.



THROUGH TOTAL SUSPENSION INTEGRATION, the spring curve and damping rate of the AFR Shock and the FSR linkage rate are tuned in conjunction. This enables us to optimize bump force management by matching travel to bump magnitude, so small impacts are smoothly absorbed and big hits are handled with aplomb.

For all the details on Specialized suspension, check out www.specialized.com/suspension

STUMPJUMPER FSR

EXPERIENCE XC TRAIL

REAR VIEW With 120mm of totally integrated FSR travel, the Stumpjumper FSR ensures that your friends will be getting little more than a rear view on the kinds of trails you ride most often.

STUMPJUMPER FSR PRO CARBON

- All new Stumpjumper FSR FACT 9M frame carbon main triangle, Az1 construction, M5 alloy SS/CS with Brain mount, DMD Direct Mount F.Der, full cartridge bearing pivots, 120mm travel
- Specialized AFR Shock w/ remote Trail Tune inertia valve, adj rebound and Brain Fade, 7.25x1.75"
- Specialized Future Shock S120 fork, 120mm travel, carbon 1 1/8 to 1.5" steerer, Trail Tune inertia valve, adjustable Brain Fade and rebound, piggyback one sided air spring and damper
- Magura Marta, hydraulic disc brake, 185 and 205mm SL rotor
- DT Swiss XR 4.2D rims, 24mm w/ eyelets, 28/32h
- Specialized Hi Lo disc front hub, 28h CNC flange and disc mount, sealed cartridge bearing, 9mm DT RWS alloy QR
- DT Swiss custom for Specialized rear hub w/ Star Ratchet alloy freehub w/ DT RWS 10mm alloy QR, 32h
- DT Swiss Super Comp spokes 2.0/1.7/1.8 stainless, alloy nipples

Pro Carbon / Brown



STUMPJUMPER FSR



EXPERIENCE XC TRAIL

STUMPJUMPER FSR

THE BEST GETS BETTER With an all-new chassis design that is lighter, more efficient, features a lower stand-over height and the same incredible handling, the completely redesigned Stumpjumper FSR® continues to be best bike for the trails most of us ride, most of the time.



Black

INSIDE TECH The completely redesigned Stumpjumper FSR chassis features an ultra-refined and focused design, one that's been completely integrated with critical suspension components. The

top tube of the new Stumpjumper FSR sweeps down to ensure maximum stand-over height and boost overall rigidity.



Ti Black



Red



Silver / Black



Green / Brown

STUMPJUMPER FSR EXPERT

- All new Stumpjumper FSR M5 manipulated alloy frame w/ ORE TT/DT, sealed cartridge bearing pivots, DMD Direct Mount F. Der, replaceable derailleur hanger, disc only, 120mm travel
- Specialized AFR Shock w/ remote Trail Tune inertia valve, adj rebound and Brain Fade, 7.25x1.75"
- Custom Avid Ultimate 7, hydraulic disc brakes, 185 and 203mm rotor
- DT Swiss custom for Specialized X420 rims, 24mm w/ eyelets, 28/32h
- Specialized Hi Lo disc front hub, 28h CNC flange and disc mount, sealed cartridge bearing, 9mm DT RWS alloy QR
- DT Swiss custom for Specialized rear hub 370 with DT RWS QR, 32h
- DT Swiss Competition spokes 1.8/1.6mm
- S-Works The Captain tires 26x2.0", 120 tpi, tubeless ready aramid bead, dual compound



Orange / Brown

STUMPJUMPER FSR ELITE

- All new Stumpjumper FSR M5 manipulated alloy frame w/ ORE TT/DT, sealed cartridge bearing pivots, DMD Direct Mount F. Der, replaceable derailleur hanger, disc only, 120mm travel
- Fox Triad shock, custom on-the-fly 3-position switch 1) lock out 2) Open 3) ProPedal pedal assisting damping, adjustable rebound, 7.25x1.75"
- Custom Avid Ultimate 7, hydraulic disc brakes, 185 and 203mm rotor
- Shimano M762 XT crankset custom for Specialized
- DT Swiss custom for Specialized X420 rims, 24mm w/ eyelets, 28/32h



Black / Mag

STUMPJUMPER COMP FSR

- All new Stumpjumper FSR M5 manipulated alloy frame w/ ORE TT/DT, sealed cartridge bearing pivots, DMD Direct Mount F. Der, replaceable derailleur hanger, disc only, 120mm travel
- Fox Triad, custom on-the-fly 3-position switch 1) lock out 2) Open 3) ProPedal pedal assisting damping, adjustable rebound, 7.25x1.75"
- Custom Avid Juicy 5 SL, hydraulic disc brakes, 185 and 203mm rotor
- DT Swiss custom for Specialized X420 rims, 24mm w/ eyelets, 28/32h
- Specialized Hi Lo disc front hub, 28h CNC flange and disc mount, sealed cartridge bearing, 9mm DT RWS alloy QR
- Shimano custom M525SL hub for Specialized rear hub, 32h, alloy QR
- DT Swiss 1.8mm stainless, alloy nipples
- S-Works The Captain 26x2.0", 120 tpi, tubeless ready aramid bead, dual compound



Blue / Red

STUMPJUMPER FSR 29

- All new Stumpjumper FSR M5 manipulated alloy frame w/ ORE TT/DT for 29" wheel, sealed cartridge bearing pivots, DMD Direct Mount Der, replaceable derailleur hanger, two sets of water bottle bosses, disc only, 105mm travel
- Specialized AFR Shock w/ remote Trail Tune inertia valve, adj rebound and Brain Fade, 7.25x1.5"
- Custom Avid Ultimate 7, hydraulic disc brakes, 185 and 203mm rotor
- DT Swiss custom for Specialized X470 rims, 29" 24mm wide, 32h
- Specialized Hi Lo disc front hub, 32h, CNC flange and disc mount, sealed cartridge bearing, 9mm DT RWS alloy QR
- DT Swiss custom for Specialized 370 rear hub with DT RWS QR, 32h
- DT Swiss Competition butted spokes 1.8/1.6 with alloy nipples
- S-Works The Captain tires, 29x2.0", 120 tpi, tubeless ready aramid bead, dual compound

STUMPJUMPER FSR



FSR XC PRO

- Fox Triad II rear shock, custom on-the-fly 3-position switch 1) lock out 2) Open 3) ProPedal pedal assisting damping, rebound adjust, 7.0x1.6"
- Rock Shox Reba SL fork, Air, 100mm travel, 32mm stanchions, disc only, alloy steerer, Motion Control damper, lockout and rebound adjust
- Shimano M532 crankset, 2pc design, 9-speed, replaceable rings w/ alloy outer
- Specialized The Captain Control tires, 26.2.0", 60 tpi, tubeless ready, aramid bead
- Seat Post, 2014 butted alloy, black, 30.9 x 350/400mm

FSR XC

SLIMMED DOWN SUSPENSION
In production for a decade, the FSRxc™ features our time-tested, fully-active FSR suspension in a minimalist package that is fast, light, efficient and easy-to-maintain.

INSIDE TECH The FSRxc features ORE (Optimized Radius Engineering) top and down tubes that are engineered and fabricated for maximum performance in XC Trail riding. Thanks to their aggressive

shaping and intelligent engineering, ORE tubes tend to be lighter, stronger and more efficient than anything on the market.



FSR XC EXPERT

- X Fusion 02RC rear shock, Specialized tuned, rebound/compression adjust w/ LO, 7.0x1.6", 4 bearing lower shock mount
- RockShox Recon 335 Slite fork, 100mm travel, 32mm alloy stanchions, alloy steerer, disc only, Turn Key damper, lockout w/ rebound adjust, coil spring
- Custom Avid Juicy 3 SL, hydraulic disc brakes, G2 Clean Sweep rotor
- Shimano Shadow XT M772, SGS cage rear derailleur
- Shimano 505 SPD pedals



FSR XC COMP

- X Fusion 02RLA rear shock, Specialized tuned, rebound adjust w/ LO, 7.0x1.6", 4 bearing lower shock mount
- RockShox Tora 302 SL fork, 100mm travel, 32mm Cr-Mo stanchions, alloy steerer, mag lower, coil spring, preload adjust, lockout w/ rebound adjust
- Hayes Stroker Ryde, hydraulic disc brakes
- 1.8mm (15g) stainless spokes, black, alloy nipples
- Specialized The Captain Sport tires, 26x2.0", 60 tpi, wire bead



Brown



FSR XC

- FSR M4 butted frame w/ ORE downtube, sealed cartridge bearing pivots, replaceable hanger, bolt on cable guides, two sets of water bottle bosses, 100mm travel
- X Fusion 02RLA rear shock, Specialized tuned, rebound adjust w/ LO, 7.0x1.6", 4 bearing lower shock mount
- RockShox Tora 302 SL fork, 100mm travel, 32mm Cr-Mo stanchions, alloy steerer, mag lower, coil spring, preload adjust, lockout w/ rebound adjust
- 1.8mm (15g) stainless spokes, black, alloy nipples
- Specialized The Captain Sport tires, 26x2.0", 60 tpi, wire bead



Orange / Yellow



EPIC

DO YOU KNOW HOW FAST YOU WERE GOING? The Epic® is the fastest mountain bike in the world, with a World Championship and a string of World Cup victories to prove it.



EPIC EXPERT CARBON

- FACT 9m carbon front triangle frame, Az1 construction, M5 aluminum rear triangle, sealed cartridge bearing pivots, 100mm travel, hollow alloy shock link
- Specialized AFR inertia rear shock, Brain Fade, adjustable from HT firm to Trail Tune, air spring, rebound adjust
- Custom Avid Ultimate 7 brakes, hydraulic disc
- Shimano M762 XT crankset custom for Specialized
- Crank Brothers Smarty pedals custom for Specialized



EPIC EXPERT DISC

- Specialized AFR inertia rear shock, Brain Fade, adjustable from HT firm to Trail Tune, air spring, rebound adjust
- Custom Avid Ultimate 7 brakes, hydraulic disc
- SRAM X-0, 9-speed, mid cage rear derailleur
- Shimano M762 XT crankset custom for Specialized
- DT Swiss custom for Specialized X420 rims, 24mm w/ eyelets, 28/32h and DT Swiss Competition spokes
- Specialized Hi Lo disc, CNC flange and disc mount, sealed cartridge bearing, 9mm DT RWS alloy QR front hub
- DT Swiss custom for Specialized 370 with DT RWS QR rear hub



Black / Orange



Carbon



White Ano



Black Ano

EPIC MARATHON DISC

- Epic FSR M5 alloy frame, fully manipulated frame w/ New larger diameter/stiffer ORE DT/TT, FACT carbon shock link, sealed cartridge bearings, 100mm travel, replaceable derailleur hanger
- Specialized AFR Shock w/ Flow Control valve, adjustable from HT firm to Trail Tune, air spring, adjustable rebound
- Magura Marta brakes, hydraulic disc
- DT Swiss custom for Specialized hub, Star rachet alloy freehub w/ DT RWS 10mm alloy QR, 32h
- Specialized Phenom saddle, Titanium rails

INSIDE TECH Our new FlowControl Brain allows the Epic's AFR rear shock to instantaneously transition between firm and fully active settings, enhancing both efficiency and control. For race situations or

just high-performance riding, the Epic's Brain can be dialed to a hard-tail firm setting, guaranteeing maximum efficiency on both rough and smooth terrain.



TI

EPIC COMP DISC

- Specialized AFR inertia rear shock, Brain Fade, adjustable from HT firm to Trail Tune, air spring, rebound adjust
- Fox F100 RL fork, 100mm travel, air spring, rebound/compression adjust w/ lock out, alloy steerer
- Custom Avid Juicy 5 SL brakes, hydraulic disc
- Crank Brothers Smarty pedals custom for Specialized
- DT Swiss custom for Specialized X420 rims, 24mm w/ eyelets, 28/32h



Black / Blue



Black / Red

EPIC

- Epic FSR M5 alloy, fully manipulated frame w/ New larger diameter/stiffer ORE DT/TT, hollow alloy shock link, sealed cartridge bearings, 100mm travel, replaceable derailleur hanger
- Specialized AFR inertia rear shock, Brain Fade, adjustable from HT firm to Trail Tune, air spring, rebound adjust
- Fox F100 RL fork, 100mm travel, air spring, rebound/compression adjust w/ lock out, alloy steerer
- Crank Brothers Smarty pedals custom for Specialized
- Specialized Fast Trak Control LK tires, 26x2.0", 60 tpi, tubeless ready aramid bead, dual compound

EXPERIENCE COMPETITIVE XC

EPIC

ENDURO SL

CLIMB HIGHER; DESCEND FARTHER With six inches of plush travel and totally integrated suspension components, the Enduro® SL begs you to climb higher and descend farther.



Carbon / Orange

ENDURO SL PRO CARBON

- Enduro FACT 9m carbon front triangle frame, A21 construction, M5 rear triangle, full cartridge bearing pivots, 150mm travel
- Specialized AFR Shock w/ Spike valve, air spring, adjustable rebound and low speed compression, 7.875x2.25"
- S-Works Future Shock e150SL, lightweight machined dual crown w/ integrated stem, 150mm travel, rebound, compression and travel adjust, 25mm thru axle, lightweight machined alloy steerer.
- Custom Avid Ultimate 7 brakes, hydraulic disc
- S-Works Eskar tires, 26x2.3", 120 tpi, aramid tubeless ready bead, dual compound

INSIDE TECH The SL's incredibly rigid E150 fork boasts a category leading stiffness-to-weight ratio, guaranteeing telepathic handling and faster accelerations. A totally integrated approach to suspension design

and our patented Spike Valve gives the E150 the same stability and bump management capabilities as the Enduro SL's AFR Shock.

ENDURO SL EXPERT

- Enduro M5 alloy, fully manipulated frame w/ ORE TT and DT, forged HT, sealed cartridge bearing pivots, ISCG mount adj. geometry, replaceable derailleur hanger, 150mm travel
- Specialized AFR Shock w/ Spike valve, air spring, adjustable rebound and low speed compression, 7.875x2.25"
- Specialized Future Shock e150SL, dual crown w/ integrated stem, 150mm travel, rebound, compression and travel adjust, 25mm thru axle, alloy steerer
- Custom Avid Ultimate 7 brakes, hydraulic disc
- DT Swiss custom for Specialized X420 rims, 24mm w/ eyelets, 32h and DT Swiss Competition spokes
- Specialized disc front hub, 25mm thru axle, 32h
- DT Swiss custom for Specialized 370 rear hub w/ DT RWS QR, 32h
- Also available as a frame and fork in Ti Pab



Ano Green



Ti Pab



Black

ENDURO SL COMP

- Enduro M5 alloy, fully manipulated frame w/ ORE TT and DT, forged HT, sealed cartridge bearing pivots, ISCG mount adj. geometry, replaceable derailleur hanger, 150mm travel
- Specialized AFR Shock w/ Spike valve, air spring, adjustable rebound and low speed compression, 7.875x2.25"
- Specialized Future Shock e150SL, dual crown w/ integrated stem, 150mm travel, rebound, compression and travel adjust, 25mm thru axle, alloy steerer
- Custom Avid Juicy 5 SL brakes, hydraulic disc, 203mm rotor
- DT Swiss custom for Specialized X420 rims, 24mm w/ eyelets, 32h



White



PITCH

THROW THIS AT IT Born from the same brains that brought you the Enduro SL, the all-new Pitch™ throws 150-mm of FSR suspension and a generous helping of top shelf technology at even the most demanding All Mountain terrain.




- PITCH PRO**
- Fox RP2 rear shock, 2-position switch 1) ProPedal 2) full open, rebound adjust
 - Rockshox Pike 351 for Specialized, 140mm travel, coil U Turn, Motion Control damper, disc only, alloy steerer, rebound adjust, Maxle 360 included
 - Avid Juicy 3 SL brakes, hydraulic disc, G2 Clean Sweep rotor
 - SRAM X-9, mid cage rear derailleur
 - Shimano M532 crankset, 2pc design, 9-speed, replaceable rings w/ alloy outer



INSIDE TECH We didn't start with a blank slate when designing the Pitch. Nope. We've used the years of trail time and lab test data that went into making the Enduro SL to make the Pitch a fast follower.

By employing the same proven FSR suspension and mimicking the Enduro SL's geometry and frame design, we've given the all-new Pitch the control and confidence of a much more mature machine.

- PITCH COMP**
- X Fusion O2R rear shock, 7.875x2.25", rebound adjust
 - Rockshox Pike 327 for Specialized, 140mm travel, coil U Turn, alloy steerer, rebound adjust, Maxle 360 included
 - Hayes Stroker Ryde disc brakes
 - Shimano M521 crankset, Hollowtech, Octalink spline, replaceable rings w/ alloy outer
 - Specialized Eskar Sport tires, 26x2.3"



FREERIDE TECH

TECH TIP FOR THE X-UP ONE-FOOT BACKFLIP Turns out fallin’ off a log ain’t all that easy. To make your drops, hucks and sessions supreme, you need the most technically advanced bike available. We continue to invest in engineers, technology and testing to make our freeride rigs the choice for fat gaps, shnarby stunts and whatever kind of mayhem you can dream up.

FSR SUSPENSION

Continually refined for over a decade, the fully active, fully independent FSR suspension system delivers maximum control. The patented FSR design effectively shields the rear suspension from chain and brake forces for consistent and compliant suspension performance. Regardless of whether you're grabbing a fistful of brake while railing a berm, stomping on the pedals before a big drop or hitting a rough transition, our FSR suspension offers the most control possible.

COLD FORGING TECHNOLOGY

If you want the strongest aluminum part possible, the best way to make it is to slap it in a press and hit it with thousands of tons of force. By smashing or forging it this way, the metal's grain structure changes into the shape of the part, making it stronger. For all of our critical frame elements, we rely on cold forging.

Need an example? Take a peek at the headtube on our Demo, SX, P. or Enduro series bikes, and you'll see a part that's been forged to resist ovaling and to ensure completely consistent handling.

DOUBLE ORE DOWNTUBE

Our proprietary Double ORE (Optimized Radius Engineering) down tube guarantees maximum strength with minimal weight by providing the maximum weld-surface at the most high-stress areas and by aligning the tube's material with the forces that it will see out on the trail. A second ORE manipulation near the bottom bracket makes it possible to lower the shock attachments, enabling us to create the lowest possible center of gravity for the bike.

LOW CG/CENTRALIZED MASS

To ensure amazing handling, every Specialized freeride bike has been engineered to place as much of the mass of the bike as possible low and centralized on the frame. Placing mass (like the shock and all of its hardware) low and in the middle of the bike makes all of our freeride rigs more stable and maneuverable.





SX TRAIL

YOU WILLING? IT'S ABLE 170mm of plush FSR travel, terrain-tuned geometry and just the right parts pick means the SX™ Trail is able to handle everything from triple overhead drops to backcountry rips.



Orange / Black

- SX TRAIL II**
- A1 Premium aluminum frame, ORE TT/DT, forged HT, sealed cartridge bearing pivots, ISCG mount, adjust geometry, replaceable derailleur hanger, derailleur guard, 170mm travel
 - Fox DHX 5.0 coil 9.0x2.75" rear shock, adjustable rebound, ProPedal and bottom out control, S:300, M:350, L:400
 - Fox 36 Van RC2 fork, 160mm travel, rebound adjust, high/low speed compression adjust, 20mm thru axle, alloy steerer tube
 - Custom Avid Code 7 brakes, hydraulic disc
 - Specialized Lo-Pro Mag pedals, screw in pins
 - DT Swiss EX5.1D rims, 28mm w/ eyelets, 36h

INSIDE TECH What goes up obviously has to come down, and when you do, it's not always pretty. That's why we've built the SX chassis to withstand even the flattest landings off the biggest drops. Cold forgings in all critical places, including our patented Cobra headtube,

creates unsurpassed strength (because the aluminum grain structure is utilized to maintain integrity) and low weight (as shaping is optimized to eliminate unneeded material).



White / Orange

SX TRAIL II FRAME

- A1 Premium aluminum frame, ORE TT/DT, forged HT, sealed cartridge bearing pivots, ISCG mount, adjust geometry, replaceable derailleur hanger, derailleur guard, 170mm travel
- Fox DHX 5.0 coil 9.0x2.75" rear shock, adjustable rebound, ProPedal and bottom out control, S:300, M:350, L:400
- Thomson seatpost w/ 12 degree clamp, 367mm



Olive

SX TRAIL I

- A1 Premium aluminum frame, ORE TT/DT, forged HT, sealed cartridge bearing pivots, ISCG mount, adjust geometry, replaceable derailleur hanger, derailleur guard, 170mm travel
- Fox DHX 4.0 coil 9.0x2.75" rear shock, adjustable rebound and ProPedal, S:300, M:350, L:400
- Marzocchi 55TST2 Coil fork, 160mm travel coil spring, adjustable compression and rebound, 20mm thru axle, alloy steerer
- Truvativ Hussefelt crankset w/ BlackSpire Stinger shift guide
- Specialized Chunder 26x2.3" tires, 60 tpi, aramid bead, cap ply, soft dual compound



Black / Red Checker

SX FRAME

- A1 Premium aluminum frame, ORE TT/DT, low center of gravity design, full cartridge bearing pivots, ISCG mount, adj. geometry, rear derailleur guard, slalom specific, 4.2" travel
- Fox RP23 rear shock, adjustable rebound, ProPedal adjust, custom tuned for SX
- Thomson straight w/ 12 degree clamp, 367mm



Black



Black

DEMO 8 II

- Demo 8 FSR M5 manipulated alloy frame, 8.2" travel, 26" F/R wheel, asymmetrical rear triangle, ISCG mount, adj. geometry, 1- 1/8" forged HT, cartridge bearing rear shock mount, rear derailleur protector
- Fox DHX 5.0 coil 8.75x2.75" rear shock, adjustable rebound, ProPedal, bottom out control, IFP pressure, S:450, M:500, L:550
- Fox 40 RC2 fork, 200mm travel, external rebound, high/low speed compression adjust, 20mm thru axle, alloy steerer
- Custom Avid Code 7 brakes, hydraulic disc
- Specialized Lo-Pro Mag pedals, screw in pins
- DT Swiss EX5.1D rims, 28mm w/ eyelets, 36h and DT Swiss Competition butted spokes
 - Specialized disc front hub, 20mm thru axle, 36h
 - Specialized bolt-on 135mm rear hub, hollow 10mm Cr-Mo axle w/ RD guard

INSIDE TECH With each new year, we continue to refine the geometry of the Demo to deliver incredible stability for challenging terrain, ease of maneuverability for quick direction changes and an overall intuitive feel. The relaxed angles of the Demo models combined

with the short rear-center, generous top tube and low and central mass all do their part to put the numbers in your favor, even in the most hairball situation.

DEMO

GET ALL DEMANDIN' Those who live for steep trails, big air and ruthless terrain demand a fail-safe combination of relaxed handling, extreme stability and tough suspension technology. Those who live for steep trails, big air and ruthless terrain demand a Demo®.



Copper

DEMO 8

- Demo 8 FSR M5 manipulated alloy frame, 8.2" travel, 26" F/R wheel, asymmetrical rear triangle, ISCG mount, adj. geometry, 1- 1/8" forged HT, cartridge bearing rear shock mount, rear derailleur protector
- Fox DHX 4.0 coil 8.75x2.75" rear shock, adjustable rebound, ProPedal, bottom out control, IFP pressure, S:450, M:500, L:550
- Marzocchi 888RCV fork, 200mm travel, coil spring, 38mm stanchions, adjustable rebound and compression, 20mm thru-axle, alloy steerer
- DT Swiss/Specialized E540 rims, 28mm w/ eyelets, 36h
- Specialized Chunder 26x2.3" tires, 60 tpi, aramid bead, cap ply, soft dual compound



Silver

7 II Frame / Purple

DEMO 7 II

- Demo 7 FSR M5 manipulated alloy frame, 7" travel, 26" F/R wheel, asymmetrical rear triangle, ISCG mount, adj. geometry, 1.5" forged HT, cartridge bearing rear shock mount, rear derailleur protector
- Fox DHX 5.0 coil 8.5x2.375" rear shock, adjustable rebound, ProPedal, bottom out control, IFP pressure, S:450, M:500, L:550
- Custom Avid Code 7 brakes, hydraulic disc, 203mm rotor
- Specialized Lo-Pro Mag pedals, screw in pins
- DT Swiss EX5.1D rims, 28mm w/ eyelets, 36h and DT Swiss Competition butted spokes
- Specialized disc front hub, 20mm thru axle, 36h
- Specialized bolt-on 135mm rear hub, hollow 10mm Cr-Mo axle w/ RD guard



White

DEMO 7 I

- Demo 7 FSR M5 manipulated alloy frame, 7" travel, 26" F/R wheel, asymmetrical rear triangle, ISCG mount, adj. geometry, 1.5" forged HT, cartridge bearing rear shock mount, rear derailleur protector
- Fox DHX 4.0 coil 8.5x2.375" rear shock, adjustable rebound, ProPedal, IFP pressure, S:450, M:500, L:500
- Marzocchi 66RCV fork, 180mm travel, coil spring, 38mm stanchions, rebound and compression adjust, 20mm thru-axle, alloy 1.5" steerer
- Specialized Lo-Pro alloy pedals
- DT Swiss/Specialized E540 rims, 28mm w/ eyelets, 36h
- Specialized Chunder 26x2.3" tires, 60 tpi, aramid bead, cap ply, soft dual compound



BIGHIT

IT'S LIKE THAT With an A1 aluminum chassis, sealed bearing pivots and custom tuned suspension components, every BigHit is purpose built for showing people how it is.



Black / Red

BIGHIT FSR III

- BigHit FSR, A1 Premium aluminum ORE TT/DT frame, full cartridge bearing pivots, ISCG mount, asymmetrical rear triangle, 26" F/R wheel, 8.2" travel, adj. geometry
- Fox DHX 4.0, 8.75x2.75" rear shock, adjustable rebound, ProPedal, IFP pressure, S:400, M:450, L:500
- Marzocchi 888 RV fork, 200mm travel, alloy steerer, external rebound adjust, double clamp, 20mm thru axle
- DT Swiss/Specialized E540 rims, 28mm w/ eyelets, 36h
- Specialized Chunder 26x2.3" tires, 60 tpi, aramid bead, cap ply, soft dual compound

INSIDE TECH Every BigHit is built to go big, with many of the same features found on our trailblazing Demo line of freeride machines. Just like the Demo, our BigHit features ORE top and down tubes for

enhanced handling and low weight, cartridge bearings at all pivots for maximum durability and adjustable geometry for customized control.



Blue / Silver

BIGHIT FSR II

- BigHit FSR, A1 Premium aluminum ORE TT/DT frame, full cartridge bearing pivots, ISCG mount, asymmetrical rear triangle, 26" F/R wheel, 7.5" travel, adj. geometry
- RockShox Domain 318 fork, 180mm travel, external rebound and compression adjust, 20mm thru-axle w/ Maxle
- Hayes Stroker Trail brakes, hydraulic disc
- Specialized Chunder 26x2.3" tires, 60 tpi, aramid bead, cap ply, soft dual compound



Tan / Black

BIGHIT FSR I

- BigHit FSR, A1 Premium aluminum ORE TT/DT frame, full cartridge bearing pivots, ISCG mount, asymmetrical rear triangle, 26" F/R wheel, 7.5" travel, adj. geometry
- Marzocchi Z1 Sport fork, 160mm travel, coil spring, adjustable rebound, 20mm thru axle, alloy steerer
- Hayes Stroker Trail brakes, hydraulic disc
- Specialized P-Disc rims, 32mm, 36h
- Specialized Chunder 26x2.3" tires, 60 tpi, aramid bead, cap ply, soft dual compound



Purple / Black

GROMHIT

- GromHit FSR, A1 Premium aluminum frame, ORE TT/DT, full cartridge bearing pivots, ISCG mount, 24" F/R wheel, 130mm travel
- X Fusion O2R Specialized tuned rear shock, rebound adjust
- Marzocchi Z1 SL fork, 130mm travel, internal rebound adjust, alloy stanchions, alloy steerer
- Avid BB-7 brakes, mechanical disc, G2 Clean Sweep 185mm rotor
- Specialized P-Disc rims, 32mm, 36h

P SERIES

TOP SHELF Top shelf materials, a tried-and-true geometry and testing on every terrain imaginable give the P. Series boundary-busting performance that'll test your courage and help you top the rest.



- P.2**
- A1 Premium aluminum frame, double-butted ORE DT, forged HT/ISCG BB/chainstay yoke/horizontal dropouts, integrated chain tensioner and axle carrier, replaceable alloy hanger, disc only
 - Marzocchi DJ2 fork, 100mm travel, 32mm alloy stanchions and Cr-Mo steerer, one piece magnesium lower, cold forged alloy crown
 - Hayes Stroker Ryde brakes and levers, 6" front and rear V-cut rotors
 - Fuse Cr-Mo 3pc crankset w/ Fuse Euro BB and 19mm Cr-Mo spindle
 - 34A chainring w/ poly bash guard and Specialized ISCG chain guide
 - Specialized P.Disc hubs, rear cassette, CNC high flanges and disc mounts, 36h, nutted 3/8" axle



- P.2 CR-MO**
- 100% Cr-Mo frame, double-butted HT/DT, externally relieved HT, discmount, 6mm offset horizontal drop out for 26" wheel w/ replaceable alloy hanger
 - Marzocchi DJ3 fork, 100mm travel, 32mm Cr-Mo stanchions and 1 1/8" Cr-Mo steerer
 - Avid BB-5 brakes, mechanical disc, 6" G2 Clean Sweep rotor
 - Fuse Cr-Mo 3pc crankset w/ Fuse Euro BB and 19mm Cr-Mo spindle
 - 34A chainring, w/ poly bash guard and Specialized ISCG chain guide
 - Specialized Rhythm Control front tire and Compound Control rear
 - Integrated seat collar w/ replaceable single bolt



- P.1**
- 100% Cr-Mo frame, double-butted HT/DT, externally relieved HT, disc mount, 6mm offset horizontal drop out for 26" wheel w/ replaceable alloy hanger, disc only
 - Marzocchi DJ3 fork, 100mm travel, 32mm Cr-Mo stanchions and 1 1/8" Cr-Mo steerer
 - Avid BB-5 brakes, mechanical disc, 6" G2 Clean Sweep rotor
 - Specialized P.Disc hubs, rear cassette, 36h, nutted 3/8" axle
 - Specialized Rhythm Control front tire and Compound Control rear
 - Integrated seat collar w/ replaceable single bolt



- P.GROM**
- 100% Cr-Mo frame, double-butted HT/DT, externally relieved HT, disc mount, 6mm offset horizontal drop out for 24" wheel w/ replaceable alloy hanger, disc only
 - Marzocchi DJ3 fork, 100mm travel, 32mm Cr-Mo stanchions and 1 1/8" Cr-Mo steerer
 - Avid BB-5 brakes, mechanical disc, 6" G2 Clean Sweep rotor
 - Fuse Cr-Mo 3pc crankset w/ Fuse Euro BB and 19mm Cr-Mo spindle
 - 34A chainring, w/ poly bash guard and Specialized ISCG chain guide
 - Specialized P.Disc hubs, rear cassette, CNC high flanges and disc mounts, 36h, nutted 3/8" axle



- P.3**
- A1 Premium aluminum frame, double-butted ORE DT, forged HT/ISCG BB/chainstay yoke/horizontal dropouts, integrated chain tensioner and axle carrier, replaceable alloy hanger,
 - Marzocchi DJ1 SL fork, 100mm travel, 32mm alloy stanchions, alloy steerer w/ bolt-on crown, one piece magnesium lower
 - Hayes Stroker Ryde brakes and levers, 6" front/ 5" rear V-cut rotors
 - Fuse SL 2pc Cr-Mo crankset
 - Specialized Hi Lo 20mm front hub, 32h, for 20mm thru-axle
 - Specialized 10mm through axle cartridge cassette rear hub, hollow Cr-Mo thru-axle
 - Specialized Fuse SL saddle, super light foam, hollow 8mm Cr-Mo rails w/ rails

INSIDE TECH Almost ten years ago, when we first started making the P. Series, it was a little bit of an experiment and we weren't quite sure where it was headed. We just knew we needed a rock-solid rig that could handle everything from dirt jumping to urban assault and free-

riding to skate park sessions. As the sport's evolved, so has the P., and today it features one of the most refined and advanced frames—built from either A1™ alloy or 100% Cr-Mo steel—and a parts pick that's tough enough for any terrain.



EXPERIENCE COMPETITIVE XC HARDTAIL

STUMPJUMPER EXPERT CARBON

- FACT 9M carbon hardtail frame, Az1 construction w/ Mono-stay seatstays, forged dropouts w/ disc mount and replaceable derailleur hanger
- Fox F90 RL fork, 90mm travel, air spring, rebound/compression adjust w/ lock out, alloy steerer
- Custom Avid Ultimate 7 brakes, hydraulic disc
- Shimano M762 XT crankset custom for Specialized
- DT Swiss custom for Specialized X420 rims, 24mm w/ eyelets, 28/32h and DT Swiss Competition 1.8/1.6mm spokes
- Specialized Hi Lo disc front hub, 28h CNC flange and disc mount, sealed cartridge bearing, 9mm DT RWS alloy QR
- DT Swiss custom for Specialized 370 rear hub w/ DT RWS QR, 32h

Carbon / Silver



STUMPJUMPER

DESIGNED TO FLY With a FACT carbon or M5® alloy frame, the Stumpjumper® is designed to fly with unbeatable efficiency, super low weight and precision handling that'll guide you through even the stickiest of situations.

INSIDE TECH We've been continually refining the Stumpjumper for over two decades, and by now, we've tweaked and tuned the frame materials we use to the point of near perfection. (Yet, as great as they are, we're always pushing to make them better). Today's FACT carbon

or M5 alloy hardtails both feature completely proprietary frame materials that have been developed by our engineers for unparalleled efficiency, low weight and precision handling.



Ti



Black / Blue



Ti



Black / Red

STUMPJUMPER COMP

- M5 alloy hardtail frame, fully manipulated DT, TT, SS, CS, ST w/ shared tube Mono-stay seatstays, new larger diameter/stiffer ORE DT/TT, disc mount, replaceable derailleur hanger
- Fox F90 RL fork, 90mm travel, air spring, rebound/compression adjust w/ lock out, alloy steerer
- Custom Avid Juicy 5 SL brakes, hydraulic disc
- Crank Brothers Smarty pedals custom for Specialized
- DT Swiss custom for Specialized X420 rims, 24mm w/ eyelets, 28/32h
- Specialized Fast Trak Control LK tires, 26x2.0", 60 tpi, tubeless ready aramid bead, dual compound



Black / Blue

STUMPJUMPER COMP 29ER

- New 29" SJ hardtail, M5 manipulated alloy frame, butted ORE DT/TT, forged adjustable multispeed and single speed dropouts, disc only
- Avid Juicy 5 SL, hydraulic disc brakes, custom lightweight version for Specialized
- Crank Bros Smarty pedals for Specialized
- 29" DT for Specialized X470, 24mm wide rims w/ eyelets, 32h
- Specialized Fast Track Control LK tires, 29x2.0", 60 tpi, aramid bead

STUMPJUMPER COMP 29ER FRAME

- New 29" SJ hardtail, M5 manipulated alloy frame, butted ORE DT/TT, forged adjustable multispeed and single speed dropouts, disc only

STUMPJUMPER

- M5 alloy hardtail frame, fully manipulated DT, TT, SS, CS, ST w/ shared tube Mono-stay seatstays, new larger diameter/stiffer ORE DT/TT, disc mount, replaceable derailleur hanger
- Fox F90 RL fork, 90mm travel, air spring, rebound/compression adjust w/ lock out, alloy steerer
- Shimano M542 crankset, 2pc custom for Specialized
- Crank Brothers Smarty pedals custom for Specialized
- Specialized Fast Trak Control LK tires, 26x2.0", 60 tpi, tubeless ready aramid bead, dual compound

STUMPJUMPER



ROCKHOPPER

INTELLIGENT DESIGN A star in our line-up for more than two decades, the Rockhopper® with its ultra-refined M4® alloy frame has evolved into the smart choice for anything from flowing fire road to fast singletrack.



EXPERIENCE RECREATIONAL XC HARDTAIL

ROCKHOPPER COMP DISC

- Fully butted M4 manipulated alloy frame, butted ORE DT, forged dropouts w/ replaceable alloy hanger, disc only
- RockShox Recon Race Slite fork, 100mm travel, 32mm alloy stanchions and steerer, Turn Key damper w/ lockout and reb. adj., 13-15" standard spring, 17-23" "stiff" spring, disc only
- Avid Juicy 3 SL brakes, hydraulic, 6" G2 clean sweep rotor
- Shimano FC-M532 crankset, 2pc design, replaceable rings w/ alloy outer
- DT-Swiss 445D rims, 26", double wall disc, pin joint, eyelets, 28h front, 32h rear
- Specialized Fast Track Control tires, 26x2.0", DC, 60 tpi, 2Bliss ready aramid bead



Candy Red

INSIDE TECH For 2008, we've made both our legendary Stumpjumper and Rockhopper models in a 29-inch wheeled version, with some important improvements over similar bikes on the market. Our unique geometry allows Specialized 29er mountain bikes to have

a lower center of gravity and more stability than others of the breed, making for a nimble, yet stable ride. When combined with our new The Captain™ tire in a 29-inch version, there's no better 29er to handle a wide range of conditions.



Ti



White



Orange



Green

ROCKHOPPER COMP DISC 29ER

- Fully butted M4 manipulated alloy frame, butted ORE DT, single speed compatible 2-piece forged adjustable dropouts, disc only
- RockShox Tora 318 SL fork, for 29" wheel, 80mm travel, 32mm Butted Cr-Mo stanchions and alloy steerer, Mag lower, Solo air spring, reb. adj, Motion Control compression adj.
- Avid BB-5 brakes, mechanical disc, 6" G2 Clean Sweep rotor
- Shimano FC-M442-8 crankset, replaceable rings w/ alloy outer, Octalink Spline
- Specialized Fast Trak Control tires, 29x2.0", 60 tpi, aramid bead

ROCKHOPPER DISC

- Fully butted M4 manipulated alloy frame, butted ORE DT, forged dropouts w/ replaceable alloy hanger, disc only
- RockShox Dart 3 SL fork, 100mm travel, 28.6mm Cr-Mo stanchions and alloy steerer, magnesium lower, coil spring, reb. adj. w/ lockout and preload adj.
- Avid BB-5 brakes, mechanical disc, 6" G2 Clean Sweep rotor
- Shimano BB-ES25 bottom bracket, Octalink spline, cartridge bearing
- Specialized Hi Lo disc hubs, 28h front and 32h cassette rear, CNC flange and disc mount, polished races, alloy QR



Black

ROCKHOPPER 29ER

- Fully butted M4 manipulated alloy frame, butted ORE DT, single speed compatible 2-piece forged adjustable dropouts, disc only
- RockShox Dart 3 SL fork, for 29" wheel, 80mm travel, 28.6mm Cr-Mo stanchions and alloy steerer, magnesium lower, coil spring, reb. adj. w/ LO and preload adj.
- Avid BB-5 brakes, mechanical disc, 6" G2 Clean Sweep rotor
- Shimano BB-ES25 crankset, Octalink spline, cartridge bearing, 68 x 126mm for 50mm chainline
- Specialized Hi Lo disc hubs, 28h front and 32h cassette rear, CNC flange and disc mount, polished races, alloy QR

ROCKHOPPER

- Fully butted M4 manipulated alloy frame, butted ORE DT, forged dropouts w/ replaceable alloy hanger
- RockShox Dart 3 SL fork, 100mm travel, 28.6mm Cr-Mo stanchions and alloy steerer, magnesium lower, coil spring, reb. adj. w/ lockout and preload adj.
- Specialized 3D forged alloy stem, four bolt, 31.8mm, 7 degree rise
- Specialized alloy 31.8mm XC rise bars, 620mm wide, 8 degree back, 8 degree up sweep
- Shimano Alivio SL-MC40 Rapid Fire shifters
- Shimano FC-M341-8 crankset, replaceable rings, Octalink Spline



Yellow




Blue

ROCKHOPPER



HARDROCK PRO DISC

- A1 Premium aluminum frame, double-buttressed, ORE DT, externally relieved HT, reinforced disc mount, forged dropouts w/ replaceable alloy hanger, disc only
- SR Suntour SF7-XCM-HLO fork, 100mm, 12": 80mm, 30mm Hi-Ten stanchions and steerer, coil spring MCU w/ preload adj., hydraulic LO, spring assisted seals, custom paint/graphics, disc only
- Specialized 3D forged alloy stem, four bolt, 31.8mm, 7 degree rise
- Shimano Alivio SL-MC40 Rapid Fire shifters
- Avid BB-5 brakes, mechanical disc, 6" G2 Clean Sweep rotor
- Shimano FC-M341-8 crankset, replaceable rings, Octalink Spline



HARDROCK

SOLID AS A... From the mean streets to demanding dirt trails, the Hardrock® delivers performance and durability in a package that looks good and is built to be solid as a rock.


INSIDE TECH Building a hardtail frame that'll last a lifetime and is still light enough to ride isn't easy, but in the 25-plus years that we've been building mountain bikes, we've learned a thing or two. For the Hardrock we use a 100% proprietary, butted A1 alloy tubeset that is

light, but still tough because we put the material only where it needs to be. Optimized Radius Engineering top and down tubes add even more brawn and still manage to shave weight.




HARDROCK COMP DISC

- A1 Premium aluminum frame, double-buttressed, ORE DT, externally relieved HT, reinforced disc mount, forged dropouts w/ replaceable alloy hanger, disc only
- SR Suntour SF7-XCM fork, 100mm travel, 12": 80mm, 30mm Hi-Ten stanchions and steerer, one piece alloy lower, coils spring MCU w/ preload adj., spring assisted seals, custom paint/graphic, disc only
- Avid BB-5 brakes, mechanical disc, 6" G2 Clean Sweep rotor
- SR Suntour XCM-T312 crankset, replaceable rings, Octalink spline
- Shimano BB-ES25 bottom bracket, Octalink spline, cartridge bearing



HARDROCK SPORT

- A1 Premium aluminum frame, double-buttressed, ORE DT, externally relieved HT, reinforced disc mount, forged dropouts w/ replaceable alloy hanger
- SR Suntour SF7-XCM fork, 100mm travel, 12": 80mm, 30mm Hi-Ten stanchions and steerer, one piece alloy lower, coils spring MCU w/ preload adj., spring assisted seals, custom paint/graphic
- Specialized 3D forged alloy stem, two bolt, 25.4mm, 10 degree rise
- SR Suntour XCM-T312 crankset, replaceable rings, Octalink spline
- Shimano BB-ES25 bottom bracket, Octalink spline, cartridge bearing
- Specialized/Alex HR 26 rims, double wall w/ CNC



HARDROCK GROMROCK

- A1 Premium aluminum frame, 24" wheel specific, double-buttressed TT, ORE DT, externally relieved HT, reinforced disc mount, forged dropouts w/ replaceable alloy hanger, disc only
- SR Suntour SF7-XCM fork, 80mm travel, 30mm Hi-Ten stanchions and steerer, one piece alloy lower, coil spring MCU w/ preload adj., spring assisted seals, custom paint/graphic, disc only
- Tektro IOX brakes, mechanical disc w/ 6" rotor
- SR Suntour XCM-T312 crankset, replaceable rings, Octalink spline
- Specialized/Alex HRD 24 rims, double wall disc



HRXC

ROLL OUT Thanks to an A1 alloy frame and a sturdy parts pick, the HRXC is functional without being foolish and is always ready to roll out on your daily mission.



Black / Gold

HRXC SPORT

- A1 Premium aluminum frame, double-buttressed TT, ORE DT, externally relieved HT, reinforced disc mount, forged dropouts w/ replaceable alloy hanger
- RST Capa T26ML fork, 80mm travel, 25.4mm stanchions and 1 1/8" steerer, one piece alloy lower, forged crown, coil spring MCU w/ preload adj. and mechanical LO
- Shimano FC-M341-8 crankset, replaceable rings, Octalink Spline
- Specialized/Alex HRXC 26 rims, double wall, CNC sidewalls
- Specialized Fast Trak LK Sport tires, 26x2.0", 60 tpi, wire bead



Black / Green

HRXC DISC

- A1 Premium aluminum frame, ORE DT, externally relieved HT, reinforced disc mount, forged dropouts w/ replaceable alloy hanger, disc only
- RST Capa T26 fork, 80mm travel, 25.4mm stanchions and 1 1/8" steerer, one piece alloy lower, forged crown, coil spring MCU w/ preload adj.
- Tektro IOX brakes, mechanical disc w/ 6" rotor
- Specialized Fast Trak LK Sport tires, 26x2.0", 60 tpi, wire bead
- Specialized alloy seatpost, two bolt micro adjust head, 30.9mm



Charcoal Keyline



Copper



Black Keyline

HRXC

- A1 Premium aluminum frame, ORE DT, externally relieved HT, reinforced disc mount, forged dropouts w/ replaceable alloy hanger
- RST Capa T26 fork, 80mm travel, 25.4mm stanchions and 1 1/8" steerer, one piece alloy lower, forged crown, coil spring MCU w/ preload adj.
- Specialized Fast Trak LK Sport tires, 26x2.0", 60 tpi, wire bead
- Specialized XC saddle, kevlar sides, front and rear bumpers, 143mm width
- Specialized alloy seatpost, two bolt micro adjust head, 30.9mm



Brown / Silver



Black / Red

RIDERS CLUB

JOIN THE FAMILY! Get more from every ride!

THE SPECIALIZED RIDERS CLUB was created to help all types of cyclists get more from every ride. Members of the Specialized Riders Club are united by their passion for the experience of and culture that surrounds riding a bike. The Specialized Riders Club is one big happy family and we'd love to have you as a member. Let's Ride!

Thanks to a collection of unique benefits, including the ability to meet and ride with other members, an annual Riders Club fulfillment kit, a member-only website, access to once-in-a-lifetime trips and the ability to demo new products, the Specialized Riders Club will help you get more from every ride. To find out more and sign up today, go to WWW.SPECIALIZEDRIDERS.COM.



SPECIALIZED
ridersclub

RIDERS CLUB



WORLD AND OLYMPIC CHAMPION PAOLO BETTINI charges the 2007 Giro d'Italia aboard his lightning-quick Tarmac SL.

ROAD



TARMAC PRO

- Specialized FACT 8r carbon frame, Az1 construction, compact race design
- Specialized FACT monocoque carbon fork; full carbon legs, crown and steerer
- S-Works Pro-Set stem, 31.8mm handlebar clamp, 4-position adjustable, Ti hardware
- S-Works SL, FACT carbon aero handlebar, short-reach drop, 31.8mm clamp
- Shimano Dura-Ace 10-speed STI shifters and short cage rear derailleur
 - Specialized FACT carbon crankset, integrated oversize design
- Roval Fusee Star wheelset, E5 alloy rims, forged and CNC hubs, alloy cassette, Roval Ti QR
- Body Geometry Toupé Team saddle, super light foam, carbon reinforced base, hollow Ti rails, microfiber cover

TARMAC

FAST REDEFINED Designed for speed and efficiency, yet still light, sharp-handling and smooth-riding, the Tarmac gives new meaning to the word fast.

INSIDE TECH When we set out to build one of the lightest, most efficient road bike ever, there wasn't a manufacturing process that could do the job. So we created one—"Az1". Using Az1 (say: as-one) we seam-

lessly join discrete carbon monocoque sections into a single chassis, creating a frame with nearly unsurpassed strength-to-weight and stiffness-to-weight ratios.



TARMAC PRO COMPACT

- Specialized FACT 8r carbon frame, Az1 construction, compact race design
- Specialized FACT monocoque carbon fork; full carbon legs, crown and steerer
- S-Works Pro-Set stem, 31.8mm handlebar clamp, 4-position adjustable, Ti hardware
- S-Works SL, FACT carbon aero handlebar, short-reach drop, 31.8mm clamp
- Shimano Dura-Ace 10-speed STI shifters and short cage rear derailleur
- SRAM OG-1070 cassette, 10-speed 11-28t
- Specialized FACT carbon crankset, integrated oversize design, 50x34T chainrings
- Roval Fusee Star wheelset, E5 alloy rims, forged and CNC hubs, alloy cassette, Roval Ti QR
- Body Geometry Toupé Team saddle, super light foam, carbon reinforced base, hollow Ti rails, microfiber cover



TARMAC EXPERT RIVAL

- Specialized FACT 8r carbon frame, Az1 construction, compact race design
- Specialized FACT monocoque carbon fork; full carbon legs, crown and steerer
- SRAM Force rear derailleur, short cage
- SRAM Rival shifters, 10-speed Double Tap
- Fulcrum Racing 5 Evolution, cassette, QR
- Body Geometry Toupé Team saddle, super light foam, carbon reinforced base, microfiber cover



TARMAC EXPERT ULTEGRA

- Specialized FACT 8r carbon frame, Az1 construction, compact race design
- Specialized FACT monocoque carbon fork; full carbon legs, crown and steerer
- Shimano Dura-Ace rear derailleur, short cage
- Shimano Ultegra shifters, 10-speed STI, flight deck compatible
- Fulcrum Racing 5 Evolution, cassette, QR
- Body Geometry Toupé Team saddle, super light foam, carbon reinforced base, microfiber cover



TARMAC EXPERT COMPACT

- Specialized FACT 8r carbon frame, Az1 construction, compact race design
- Specialized FACT monocoque carbon fork; full carbon legs, crown and steerer
- Shimano Dura-Ace rear derailleur, short cage
- Shimano Ultegra shifters, 10-speed STI, flight deck compatible
- SRAM OG-1070 cassette, 10-speed 11-28t
- 50x34T chainrings
- Fulcrum Racing 5 Evolution, cassette, QR

TARMAC



TARMAC COMP

- Specialized FACT 6r carbon, triple monocoque construction, compact race design
- Specialized FACT carbon fork; carbon legs and steerer
- Shimano 105 brakes
- Shimano Ultegra, short cage rear derailleur and 105 10-speed STI shifters
- SRAM OG-1070 cassette, 10-speed 11-28t
- 53x39T chainrings
- Shimano RS-10 wheelset, cassette hub, 14g aero spokes, QR

Orange
Gerolsteiner

TARMAC



Gerolsteiner

TARMAC COMP COMPACT

- Specialized FACT 6r carbon frame, triple monocoque construction, compact race design
- Specialized FACT carbon fork; carbon legs and steerer
- Shimano 105 brakes
- Shimano Ultegra, short cage rear derailleur and 105 10-speed STI shifters
- SRAM OG-1070 cassette, 10-speed 11-28t
- 50x34T chainrings
- Shimano RS-10 wheelset, cassette hub, 14g aero spokes, QR



Blue / White

TARMAC ELITE

- Specialized FACT 6r carbon frame, triple monocoque construction, compact race design
- Specialized FACT carbon fork; carbon legs and steerer
- Shimano 105, short cage rear derailleur and 105 10-speed STI shifters
- SRAM OG-1070 cassette, 10-speed 11-28t
- 53x39T chainrings
- Mavic CXP22 rim, alloy triple-wall, machined sidewalls w/ eyelets
- Specialized forged alloy, 24/28 hole hubs, double sealed ball bearings, stainless straight pull spokes, cassette hub, QR
- Body Geometry Toupé Team saddle, super light foam, carbon reinforced base, microfiber cover



Blue / White

TARMAC ELITE COMPACT

- Specialized FACT 6r carbon frame, triple monocoque construction, compact race design
- Specialized FACT carbon fork; carbon legs and steerer
- Shimano 105, short cage rear derailleur and 105 10-speed STI shifters
- SRAM OG-1070 cassette, 10-speed 11-28t
- 50x34T chainrings
- Mavic CXP22 rim, alloy triple-wall, machined sidewalls w/ eyelets
- Specialized forged alloy, 24/28 hole hubs, double sealed ball bearings, stainless straight pull spokes, cassette hub, QR
- Body Geometry Toupé Team saddle, super light foam, carbon reinforced base, microfiber cover



Carbon / Silver

TARMAC PRO FRAMESET

- Specialized FACT 8r carbon frame, Az1 construction, compact race design
- Specialized FACT monocoque carbon fork; full carbon legs, crown and steerer
- Specialized Pro SL FACT carbon seatpost w/ Zertz insert

TRANSITION

EXPERIENCE TRIATHLON TT RACING

THE STOPWATCH HAS MET ITS MATCH Completely redesigned for your battle against the clock, the all-new Transition slices through the wind and cheats the clock like no other machine.

TRANSITION PRO

- Specialized FACT 7r N'Aero tube shape frame, compact aero geometry, vertical seat adjustment
- Specialized FACT N'Aero fork, alloy 1" steerer
- Zipp Vuka Clip carbon aero bar
- Shimano Dura-Ace 10s drivetrain
- Specialized Integrated Brake System
- Specialized Pro Carbon crankset, integrated oversized design
- Roval Fusee Star wheelset
- Body Geometry TriTip, superlight foam, carbon reinforced base, hollow Ti rails, microfiber cover, 50mm nose width

Black / Red



TRANSITION

TRANSITIONTECH

KILLING TIME The anatomy of a killer.

PROVEN FAST AT MIT'S WRIGHT BROTHERS WIND TUNNEL and in the Tour de France under team QuickStep-Innergetic, the all-new Transition was created from the ground-up by an integrated team of riders, engineers and designers from around the world. The team pushed the aerodynamic advantages offered by the Transition's design right up to the legal limit allowed by cycling's governing body, the UCI. Whether you test it with calipers or your legs, you'll find that the Transition is the fastest bike we've ever made.



INTEGRATED FACT FORK

Designed to create minimal drag and dependable handling, the Transition's FACT carbon fork minimizes turbulence thanks to the aero profile of its blades, unique crown shape, small diameter steerer tube and truly integrated frame-and-fork interface.



FACT CARBON STAYS

Another result of time in the MIT windtunnel, the Transition's FACT carbon seat and chainstays have been shaped and positioned to minimize frontal area.

ULTRA AERODYNAMIC FRAME

Extremely narrow tubes minimize drag through the use of an airfoil shape (the tallest allowed by the UCI), a small diameter 1-inch steerer reduces frontal area, a forward arcing seat tube creates an aerodynamic shelter for the rear wheel and the FACT carbon stays have been designed to tuck behind the seat tube.



TRANSITION



TRANSITION

CYCLING'S FASTEST FAMILY

ridersclub www.specializedriders.com



Name: Peter Reid
Ride: 2007 S-Works Epic
Favorite Ride: 100 mile fireroad loop in Victoria, BC.
Profile: Peter, the guy who won three Ironman World Championships, found a new religion called mountain biking. Now he puts 100% of the effort and energy that he

used to stuff into running and swimming into Epic mountain rides and races like the Test of Metal in Squamish, BC.



TRANSITION PRO FRAME

- Specialized FACT 7r N'Aero tube shape frame, compact aero geometry, vertical seat adjustment
- Specialized FACT N'Aero fork, alloy 1" steerer



White



Carbon / Yellow

TRANSITION COMP

- Specialized FACT 7r N'Aero tube shape frame, compact aero geometry, vertical seat adjustment
- Specialized FACT N'Aero fork, alloy 1" steerer
- Zipp Vuka Clip carbon aero bar w/ Zertz Bullhorn base bar
- Specialized Integrated Brake System
- Shimano Ultegra 10-speed rear derailleur
- Shimano 105 Hollowtech II 2-piece crankset
- Mavic Aksium wheelset 20 hole front 24 hole rear w/ Mavic QRs
- Body Geometry TriTip saddle, superlight foam, carbon reinforced base, microfiber cover, 50mm nose width

TRANSITION EXPERT

- Specialized FACT 7r N'Aero tube shape frame, compact aero geometry, vertical seat adjustment
- Specialized FACT N'Aero fork, alloy 1" steerer
- Zipp Vuka Clip carbon aero bar w/ Zertz Bullhorn base bar
- Specialized Integrated Brake System
- Shimano 10-speed drivetrain with Dura-ace rear derailleur
- Shimano Ultegra Hollowtech II, 2-piece crankset
- Mavic Ksyrium Equipe wheelset
- Body Geometry TriTip, superlight foam, carbon reinforced base, hollow Ti rails, microfiber cover, 50mm nose width

TRANSITION



ALLEZ ELITE

- Specialized A1 Premium aluminum frame, fully manipulated tubing, compact race design, FACT carbon seatstays w/ Zertz inserts
- Specialized FACT fork carbon steerer and fork legs w/ Zertz inserts, alloy crown
- Shimano 105 rear derailleur, short cage
- SRAM PG-950 cassette, 9-speed 11-28t
- 50x34T chainrings
- Specialized Alias saddle, carbon reinforced base, microfiber cover

Quick-step



Gerolsteiner

ALLEZ

A FANCY WAY OF SAYING ‘GO’ No wasted energy, no adornments, just our best technology making your every ride better.

INSIDE TECH The A1 Premium aluminum alloy tubeset found on most Allez models is our time-tested workhorse frame material. Because we control every step in the process of manufacturing A1, we’re able to dial

in its blend of strength, stiffness and bump absorption to perfectly suit performance road riders.



White / Red

ALLEZ DOUBLE

- Specialized A1 Premium aluminum frame, fully manipulated tubing, compact road design, integrated headset, hourglass speedstays
- Specialized carbon fork, carbon fiber legs, aluminum steerer
- Specialized Sport stem, 3D forged alloy, 31.8mm split clamp, 7 degree
- Specialized Comp bars, 6061 alloy, short-reach drop, 31.8mm
- Shimano 9-speed drivetrain with Tiagra rear derailleur



Black / Silver



Black / Silver

ALLEZ TRIPLE

- Specialized A1 Premium aluminum frame, fully manipulated tubing, compact road design, integrated headset, hourglass speedstays
- Specialized carbon fork, carbon fiber legs, aluminum steerer
- Specialized Sport stem, 3D forged alloy, 31.8mm split clamp, 7 degree
- Specialized Comp bars, 6061 alloy, short-reach drop, 31.8mm
- Shimano 9-speed drivetrain with Tiagra rear derailleur



White / Red



Black / Yellow

ALLEZ JUNIOR

- Specialized A1 Premium aluminum frame, fully manipulated tubing, junior-specific compact design, integrated headset, hourglass speedstays
- Specialized FACT carbon fork, carbon fiber legs, aluminum steerer
- Specialized Comp bar, 6061 alloy, short-reach drop, 26.0mm
- Shimano Sora rear derailleur, short cage
- 46x34T chainrings
- Specialized Junior saddle, full padding

ROUBAIX

FROM THE SPRING CLASSICS TO YOUR LOCAL CENTURY The Roubaix pioneered the endurance road category and is still the best bike for riding longer and faster.

- ROUBAIX PRO**
- Specialized FACT 8r carbon frame, Az1 construction, compact design, Zertz inserts
 - Specialized FACT monocoque carbon fork; full carbon legs, crown and steerer w/ Zertz inserts
 - Shimano Dura-Ace, 10-speed STI shifters and rear derailleur
 - Specialized FACT carbon crankset, integrated oversize design
 - Roval Fusee wheelset, E5 alloy rims, alloy cassette body, Roval Ti QRs

Carbon / White / Blue



ROUBAIX



ROUBAIX EXPERT RIVAL

- Specialized FACT 8r carbon frame, Az1 construction, compact design, Zertz inserts
- Specialized FACT monocoque carbon fork, full carbon legs, crown and steerer w/ Zertz inserts
- SRAM Rival 10-speed Double Tap shifters and rear derailleur
- SRAM OG-1070 cassette, 10-speed 11-28t
- 50x34T chainrings
- Fulcrum Racing 5 Evolution wheelset



ROUBAIX

HIGH COMFORT + HIGH PERFORMANCE With the category-leading Roubaix, pain and performance don't have to go hand-in-hand.

INSIDE TECH You can't beat this system. The Roubaix Pro features a proprietary FACT carbon crank and bottom bracket system that,

because it was designed as an integrated part of the Roubaix chassis, cuts weight (an amazing 148 grams) while boosting pedaling efficiency.



ROUBAIX EXPERT ULTEGRA

- Specialized FACT 8r carbon frame, Az1 construction, compact design, Zertz inserts
- Specialized FACT monocoque carbon fork, full carbon legs, crown and steerer w/ Zertz inserts
- Shimano Ultegra 10-speed shifters and rear derailleur
- Shimano Ultegra wheelset, alloy cassette body, QR
- Specialized Toupé Gel saddle, super light foam, carbon reinforced base, microfiber cover



ROUBAIX EXPERT TRIPLE

- Specialized FACT 8r carbon frame, Az1 construction, compact design, Zertz inserts
- Specialized FACT monocoque carbon fork, full carbon legs, crown and steerer w/ Zertz inserts
- Shimano Ultegra 10-speed STI shifters and long cage rear derailleur
- Shimano Ultegra wheelset, alloy cassette body, QR
- Specialized Toupé Gel saddle, super light foam, carbon reinforced base, microfiber cover



ROUBAIX COMP COMPACT

- Specialized FACT 6r carbon frame, triple monocoque construction, compact design, Zertz inserts
- Specialized FACT monocoque carbon fork, full carbon legs, crown and steerer w/ Zertz inserts
- Shimano Ultegra rear derailleur, short cage
- Shimano 105 shifters, 10-speed STI, flight deck compatible
- SRAM OG-1070 cassette, 10-speed 11-28t
- 50x34T chainrings
- Shimano RS-10 wheelset, cassette hub, QR
- Specialized Toupé Gel saddle, super light foam, carbon reinforced base, microfiber cover



ROUBAIX COMP TRIPLE

- Specialized FACT 6r carbon frame, triple monocoque construction, compact design, Zertz inserts
- Specialized FACT monocoque carbon fork, full carbon legs, crown and steerer w/ Zertz inserts
- Shimano Ultegra rear derailleur, long cage
- Shimano 105 shifters, 10-speed STI, flight deck compatible
- Shimano RS-10 wheelset, cassette hub, QR
- Specialized Toupé Gel saddle, super light foam, carbon reinforced base, microfiber cover



ROUBAIX ELITE COMPACT

- Specialized FACT 6r carbon frame, triple monocoque construction, compact design, Zertz inserts
- Specialized FACT monocoque carbon fork, full carbon legs, crown and steerer w/ Zertz inserts
- Shimano 105 10-speed STI shifters and rear derailleur, short cage
- SRAM OG-1070 cassette, 10-speed 11-28t
- 50x34T chainrings
- Mavic Open Sport, double wall rims, machined sidewalls w/ eyelets
- Specialized forged alloy, 24/28 hole hubs, double sealed bearings, straight pull spokes, QR



Silver / Orange

ROUBAIX



Silver / White

ROUBAIX ELITE TRIPLE

- Specialized FACT 6r carbon frame, triple monocoque construction, compact design, Zertz inserts
- Specialized FACT monocoque carbon fork, full carbon legs, crown and steerer w/ Zertz inserts
- Specialized Comp-Set stem, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable
- Shimano 105 10-speed STI shifters and rear derailleur, long cage
- Mavic Open Sport, double wall rims, machined sidewalls w/ eyelets
- Specialized forged alloy, 24/28 hole hubs, double sealed bearings, straight pull spokes, QR



Champagne / White

ROUBAIX COMPACT

- Specialized E5 frame, fully manipulated E5 SLX tubing, compact race design, FACT carbon seatstays w/ Zertz inserts
- Specialized FACT monocoque carbon fork; full carbon legs, crown and steerer w/ Zertz inserts
- Shimano 105 10-speed STI shifters and rear derailleur, short cage
- SRAM OG-1070 cassette, 10-speed 11-28t
- 50x34T chainrings
- Mavic Open Sport, double wall rims, machined sidewalls w/ eyelets
- Specialized forged alloy, 24/28 hole hubs, double sealed bearings, straight pull spokes, QR



Blue / White



Blue / White

ROUBAIX TRIPLE

- Specialized E5 frame, fully manipulated E5 SLX tubing, compact race design, FACT carbon seatstays w/ Zertz inserts
- Specialized FACT monocoque carbon fork; full carbon legs, crown and steerer w/ Zertz inserts
- Specialized Comp-Set stem, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable
- Shimano 105 10-speed STI shifters and rear derailleur, long cage
- Mavic Open Sport, double wall rims, machined sidewalls w/ eyelets
- Specialized forged alloy, 24/28 hole hubs, double sealed bearings, straight pull spokes, QR



Champagne / White



Carbon / White / Red

ROUBAIX PRO FRAMESET

- Specialized FACT 8r carbon frame, Az1 construction, compact design, Zertz inserts
- Specialized FACT monocoque carbon fork; full carbon legs, crown and steerer w/ Zertz inserts
- Specialized Pro SL seatpost, FACT carbon w/ Zertz insert, 27.2mm

ROUBAIX



SEQUOIA

MILES MELT AWAY Under a frame that's built for the journey, not just the finish line. Sure the Sequoia® is fast enough, but its ergonomic geometry and Body Geometry® components make it an absolute long-haul joyride.



SEQUOIA COMP

- Specialized E5 frame, fully manipulated E5 SLX tubing, compact race design, FACT carbon seatstays w/ Zertz inserts
- Specialized FACT monocoque carbon fork, full carbon legs, crown and steerer w/ Zertz inserts
- Shimani 105 10-speed STI shifters and rear derailleur, long cage
- SRAM OG-1070 cassette, 10-speed 11-28t
- 50x39x30T chainrings
- Shimano RS-10 wheelset, cassette hub, QRs
- Body Geometry Sonoma saddle, 155mm width

INSIDE TECH Ergo-obsessed? If you pay high attention to comfort and refuse to sacrifice for products that do anything less, you'll appreciate the attention to ergonomic excellence found in the Sequoia.

From its Body Geometry tissue-sensitive saddle and Roubaix-like frame to its vibration-cutting Zertz™ inserts, the Sequoia keeps the long road fun, mile after mile.

SEQUOIA ELITE

- Specialized A1 Premium aluminum frame, fully manipulated tubing, compact design, FACT carbon seatstays w/ Zertz inserts
- Specialized FACT carbon steerer and fork legs w/ Zertz inserts, alloy crown
- Specialized Comp-Set stem, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable
- Shimano 105 rear derailleur, long cage and Tiagra 9-speed STI shifters
- Alex AS1, alloy triple wall rims, machined sidewalls w/ indicator grooves
- Specialized forged alloy, 24/28 hole hubs, double sealed bearings, straight pull spokes, QR
- Body Geometry Sonoma saddle, 155mm width



Red



Charcoal



Black

SEQUOIA

- Specialized A1 Premium aluminum frame, fully manipulated tubing, compact road design, integrated headset, hourglass speedstays
- Specialized FACT carbon steerer and fork legs w/ Zertz inserts, alloy crown
- Specialized Comp-Set stem, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable
- Shimano Tiagra rear derailleur, long cage and Sora 9-speed STI shifters
- SRAM PG-950 cassette, 9-speed 11-28t
- 50x42x30T chainrings
- Body Geometry Sonoma saddle, 155mm width



Green

SEQUOIA

LANGSTER

FAST & FURIOUS Putting the odds at the track in your favor...

LONDON

- Specialized A1 Premium aluminum frame, fully manipulated tubing, compact design, integrated headset
- Specialized carbon fork, carbon fiber legs, aluminum steerer
- Cr-Mo track bar, chrome plated and custom Specialized bar-top brake levers
- Keirin grips
- Specialized Sport stem, 3D forged alloy stem and Specialized Comp, 6061 alloy
- Shimano 16t freewheel plus 16t fixed gear cog
- 42T CNC Zen Messenger chainring



LANGSTER



LANGSTER NEW YORK

- Specialized A1 Premium aluminum frame, fully manipulated tubing, compact design, integrated headset
- Specialized carbon fork, carbon fiber legs, aluminum steerer
- Specialized A1 Premium aluminum flat bar, 400mm width
- Specialized Sport stem, 3D forged alloy stem and Specialized Comp, 6061 alloy
- Avid FR-5 brake levers
- Shimano 16t freewheel plus 16t fixed gear cog
- 42T CNC Zen Messenger chainring



LANGSTER

SPEED DEMON Built for rallying city streets and lapping racers at the velodrome, the Langster™ is as gutsy a ride as it gets—pure and simple, yet fast as hell. Sometimes one speed is all you need.

INSIDE TECH Making a bike look as fast as it rides isn't always the easiest thing. But this year our designers went over the top to give the Langster the style and personality it really deserves. Representing

some of the greatest cities in the world, this year's Langsters include colorways for London, Chicago, Seattle, New York and Boston.



LANGSTER SEATTLE

- Specialized A1 Premium aluminum frame, fully manipulated tubing, compact design, integrated headset
- Specialized carbon fork, carbon fiber legs, aluminum steerer
- Specialized A1 Premium Aluminum flat bar and custom handle bar mount coffee cup holder
- Avid FR-5 brake levers
- Custom fender set
- Specialized Sport stem, 3D forged alloy stem and Specialized Comp, 6061 alloy
- Shimano 16t freewheel plus 16t fixed gear cog
- 42T CNC Zen Messenger chainring



LANGSTER CHICAGO

- Specialized A1 Premium aluminum frame, fully manipulated tubing, compact design, integrated headset
- Specialized carbon fork, carbon fiber legs, aluminum steerer
- Specialized A1 Premium Aluminum bullhorn bar and custom Specialized bar-top brake levers
- Specialized Sport stem, 3D forged alloy stem and Specialized Comp, 6061 alloy
- Shimano 16t freewheel plus 16t fixed gear cog
- 42T CNC Zen Messenger chainring



LANGSTER BOSTON

- Specialized A1 Premium aluminum frame, fully manipulated tubing, compact design, integrated headset
- Specialized carbon fork, carbon fiber legs, aluminum steerer
- Cr-Mo track bar, chrome plated and custom Specialized bar-top brake levers
- Keirin grips
- Specialized Sport stem, 3D forged alloy stem and Specialized Comp, 6061 alloy
- Shimano 16t freewheel plus 16t fixed gear cog
- 42T CNC Zen Messenger chainrings



LANGSTER

- Specialized A1 Premium aluminum frame, fully manipulated tubing, compact design, integrated headset
- Specialized carbon fork, carbon fiber legs, aluminum steerer
- Body Geometry Bar Phat, cork ribbon w/ 2.5mm gel padding
- Specialized Sport stem, 3D forged alloy stem and Specialized Comp, 6061 alloy
- Shimano 16t freewheel plus 16t fixed gear cog
- 42T CNC Zen Messenger chainrings

LANGSTER

FATBOY MOTO

- A1 Premium aluminum frame, integrated headset, transform top tube with internal brake cable routing, ISCG BB shell, forged dropouts w/ disc mount
- Fat Boy A1 Premium aluminum double clamp fork, forged drop outs and disc mount
- Avid BB-5 brakes, mechanical disc, 8" G2 Clean Sweep rotor
- Specialized Fat Boy A1 Moto hubs, forged and CNC w/ sealed cartridge bearings and 10mm Cr-Mo axle
- 2.8mm (9g) stainless Fat Boy Moto Spokes
- Specialized Fat Boy, 24x3.5" front and 24x6.0" rear tires

Ti Keyline

Blue



FATBOY

TOUR DE FAT That's right, this big boy is designed with fat tires, fat fenders, a fat saddle and all the plush detail you'd expect from a Hog-inspired cruiser bike. Relax, lean back, pedal slow and show this Fatboy® off.

INSIDE TECH This monster may look heavy as a chopper, but the Fatboy is engineered from our leading lightweight A1 Premium Aluminum™—the same material used in our performance road and mountain bikes. This high integrity material lends stiffness, weight savings, quality control and smooth lines to an otherwise behemoth ride. You'll thank us later.



FATBOY



TRICROSS

ROAM A road style frame and tires with traction for on- and off-road action leave you free to roam wherever you please. The Tricross® lives for cyclo-cross, adventure racing, long-haul tours, commuting or any place pavement meets dirt.



- TRICROSS EXPERT**
- Specialized E5 frame, fully manipulated E5 SLX tubing, semi-compact Freeroad design, FACT carbon seatstays w/ Zertz inserts
 - S-Works FACT monocoque carbon Tricross fork, full carbon legs, crown and steerer w/ Speed Zertz, rack and fender fittings
 - Specialized Pro-Set lightweight stem and Specialized Zertz Pro bars
 - Tricross-specific forged linear pull brakes, road-lever specific length
 - FSA SL-K MegaExo, 2-piece carbon crankset with 48x34T chainrings
 - SRAM Rival 10-speed drivetrain
 - Roval Pavé SL wheelset
 - Specialized Houffalize CX Pro tires
 - Body Geometry Phenom SL saddle

INSIDE TECH Durability is the ticket when you're mixing terrain. Luckily, the Tricross (expert and comp level) is equipped with bomb-proof Pavé™ wheels that allow shorter spokes for more stiffness

and strength. Combined with sealed cartridge bearings on both hubs and durable DT Swiss spokes with brass nipples, these wheels are long-haul capable and freeroad lovin'.



- TRICROSS PRO FRAMESET**
- Specialized E5, fully manipulated Columbus E5 SLX tubing, semi-compact design, FACT carbon seatstays w/ Zertz
 - S-Works FACT full-carbon monocoque Tricross fork w/ Speed Zertz
 - Specialized Pavé, FACT carbon w/ Zertz insert, 27.2mm



- TRICROSS COMP**
- Specialized E5 frame, fully manipulated Columbus E5 SLX tubing, semi-compact Freeroad design, FACT carbon seatstays w/ Zertz inserts
 - Specialized FACT carbon Tricross fork, carbon legs, aluminum steerer, SpeedZertz inserts, full rack and fender mounts
 - Specialized Comp-Set stem and Specialized Zertz Comp bar
 - Avid Shorty 4, cantilever brakes w/ cartridge pads
 - Shimano 10-speed drivetrain with 105 STI shifters and Ultegra rear derailleur
 - SRAM OG-1070, 10-speed 11-28t cassette
 - Roval Pavé wheelset
 - Specialized Borough CX Pro tires



- TRICROSS SPORT TRIPLE**
- Specialized A1 Premium aluminum frame, fully manipulated tubing, semi-compact Freeroad design, integrated headset, rack and fender fittings
 - Specialized FACT carbon Tricross fork, carbon legs, aluminum steerer, SpeedZertz inserts, full rack and fender mounts
 - Tektro Oryx cantilever brakes
 - Shimano Tiagra, 9-speed STI, flight deck compatible shifters, Deore LX rear derailleur and HG-50 11-34t cassette
 - Alex ACE-19, double wall rims, machined sidewalls w/ eyelets
 - Specialized Borough Sport CX tires, 700x32C, wire bead, 60 tpi
 - Body Geometry Rival saddle, microfiber cover, Cr-Mo rails



- TRICROSS SINGLECROSS**
- Specialized A1 Premium aluminum frame, fully manipulated tubing, semi-compact Freeroad design, integrated headset, rack and fender fittings, horizontal dropouts with steel protectors
 - Specialized FACT carbon Tricross fork, carbon legs, aluminum steerer, SpeedZertz inserts, full rack and fender mounts
 - Forged linear pull brakes w/cartridge pads
 - Shimano 18t freewheel and 42T chainring
 - Alex ACE-19, double wall rims, machined sidewalls w/ eyelets
 - Specialized Houffalize Sport CX tires

TRICROSS

WE BELIEVE bikes can be part of a broader solution. Currently, inventors, tinkerers and brainiacs all around our planet are building imaginative pedal-powered machines, transforming zero-emission human energy into a new and useful purpose. In conjunction with that effort, we've introduced a new family of bikes that can be a vehicle for further environmental change, one pedal stroke at a time.

innovate-or-die.com



INNOVATE OR DIE



EXPERIENCE PERFORMANCE URBAN/UTILITY

GLOBE CENTRUM COMP IG8

- Specialized A1 Premium aluminum frame, fully manipulated, low center of gravity, low standover, integrated HS, forged 3D horizontal dropouts, disc only
- Specialized A1 Premium aluminum steerer and lowers fork
- Internal geared 8-speed rear hub
- Shimano BR-M485 brakes, hydraulic w/ 6" Center Lock rotor
- Shimano Alfine SG-S500 rear hub, IG-8 speed, disc
- Specialized Indie saddle, 143mm width

Gun metal



GLOBE CENTRUM

ROAD RAGER Part adventure, part performance and altogether perfect for dodging traffic jams while exploring every inch of the city, the new Globe Centrum™ takes the predictability out of your daily commute.

INSIDE TECH The Globe Centrum is a totally new breed of commuter bike. One that's both aggressive and simple. That kind of versatility requires certain design details, such as super low standover

height and light weight for maximum maneuverability in stop-and-go traffic, plus an internally geared hub and disc brakes for unimpaired urban performance.

GLOBE CENTRUM ELITE IG3

- Specialized A1 Premium aluminum commuter design frame, fully manipulated tubing w/ fender and rack braze-ons
- Specialized A1 Premium aluminum steerer and lowers fork
- Shimano BR-M415 mechanical disc brakes
- Shimano Internal 3 speed, disc rear hub
- Nimbus Sport tires, 26x1.5", 60 tpi, wire bead

Silver



Black



GLOBE CENTRUM SPORT

- Specialized A1 Premium aluminum frame, fully manipulated, low center of gravity, low standover, integrated HS, forged 3D horizontal dropouts, disc only
- Specialized A1 Premium aluminum steerer and lowers fork
- Shimano BR-M415 mechanical disc brakes
- Specialized single speed disc hub, 135mm sealed, 6-bolt
- Nimbus Sport tires, 26x1.5", 60 tpi, wire bead

GLOBE CENTRUM



- GLOBE CITY 6 IG8**
- Specialized A1 Premium aluminum trekking design frame, fully manipulated tubing, internal gear dropouts w/ fender and rack braze-ons
 - Body Geometry Comfort grips, dual density gel, integrated bell
 - Shimano Nexus Inter 8 hub
 - Nimbus Sport, 700x38c tires, 60 tpi, Flak Jacket, Reflex strips
 - Specialized Sonoma saddle, 155mm width

GLOBE CITY

CODE NAME, GLOBE CITY Primary identity: commuter bike equipped with all the essentials for comfortably navigating the urban maze. Alias: catalyst for green-consciousness and healthier living.

INSIDE TECH Navigating the urban jungle is easier and safer with a bike truly equipped for the task. Customary to our Globe City bikes are front and back lights, fenders, aluminum racks with retention cords, chainguards, plush Body Geometry saddles and ultra puncture-resistant Nimbus tires.

www.specializedriders.com



Name: Michael Turner
Ride: Specialized Tarmac SL
Favorite Ride: Mountain Drive above Goleta/Santa Barbara
Profile: When he's not engineering bridges, Michael likes to get out and ride the epic roads around his home in Goleta, California. If he's as smart as he looks he probably drops into La Super-Rica Taqueria in Santa Barbara on his way home.



- GLOBE CITY 6 IG8 WOMEN'S**
- Specialized A1 Premium aluminum trekking design frame, fully manipulated tubing, internal gear dropouts w/ fender and rack braze-ons
 - Body Geometry Comfort grips, dual density gel, integrated bell
 - Shimano Nexus Inter 8 hub
 - Nimbus Sport, 700x38c tires, 60 tpi, Flak Jacket, Reflex strips
 - Specialized Sonoma saddle, 175mm width



- GLOBE CITY 7**
- Body Geometry Comfort grips, dual density gel, integrated bell
 - Shimano Acera RD-M340 rear derailleur
 - Shimano FCM-191 crankset, alloy outer ring
 - Shimano HD-3N30-QR super low resistance dynamo hub, 32h
 - Nimbus Sport, 700x38c tires, 60 tpi, Flak Jacket



- GLOBE CITY 7 WOMEN'S**
- Specialized A1 Premium aluminum commuter design frame, fully manipulated tubing w/ fender and rack braze-ons
 - Specialized A1 Premium aluminum steerer and lowers fork
 - Shimano BR-M415 mechanical disc brakes
 - Shimano Internal 3 speed, disc rear hub
 - Nimbus Sport tires, 26x1.5", 60 tpi, wire bead



GLOBE ELITE IG8

- Specialized A1 Premium aluminum trekking design frame, fully manipulated tubing, internal gear dropouts w/ fender and rack braze-ons
- Body Geometry Comfort grips, dual density gel, integrated bell
- Shimano Nexus Inter 8 hub
- Nimbus Sport, 700x38c tires, 60 tpi, Flak Jacket, Reflex strips
- Specialized Sonoma saddle, 155mm width



Navy



Women's Khaki

GLOBE

FREEDOM FIGHTER Underneath its glossy exterior and commuter-friendly frame, the Globe® is waging a war on energy consumption, at-the-pump prices, pollution and obesity. And here you thought it was just a good looking bike that's fun to ride.



Black

GLOBE SPORT DISC

- Specialized A1 Premium aluminum trekking design frame, fully manipulated tubing w/ fender and rack braze-ons
- Specialized A1 Premium aluminum steerer and lowers fork
- Body Geometry Comfort grips, dual density gel, integrated bell
- Shimano Alivio RD-M410 rear derailleur
- Specialized Sonoma saddle, 155mm width



Women's Bone



Bone

GLOBE SPORT

- Specialized A1 Premium aluminum trekking design frame, fully manipulated tubing w/ fender and rack braze-ons
- Specialized A1 Premium aluminum steerer and lowers fork
- Body Geometry Comfort grips, dual density gel, integrated bell
- Shimano Alivio RD-M410 rear derailleur
- Specialized Sonoma saddle, 155mm width



Black



Women's Grey



Bronze

GLOBE

- Specialized A1 Premium aluminum trekking design frame, fully manipulated tubing w/ fender and rack braze-ons
- Body Geometry Comfort grip, dual density gel, integrated bell
- Shimano Altus RD-M310 rear derailleur
- Nimbus Sport, 700x35c tires, 60 tpi, Flak Jacket
- Specialized Body Geometry, 155mm width



Gray



SIRRUS

FIT MEETS FAST Every Sirrus® offers the speed and agility of a road racing bike, paired with enhanced ergonomics and the control of a flat handlebar. A simple, light and worry-free choice for anything from fitness-based training to commuting and event rides.



SIRRUS COMP

- Specialized A1 Premium aluminum frame, fully manipulated tubing, compact design, FACT carbon seatstays w/ Zertz inserts
- Specialized FACT carbon fork, bonded carbon legs, Cr-Mo threadless steerer, Zertz inserts, fender mounts
- Shimano Tiagra rear derailleur, long cage and R440 9-speed STI shifters
- Alex AS1, alloy triple wall rims, machined sidewalls w/ indicator grooves
- Specialized forged alloy, 24/28 hole hubs, double sealed bearings, straight pull spokes, QR
- Specialized All Condition Armadillo tires, 700x28c, wire bead, 60 tpi w/ Armadillo
- Specialized Sonoma saddle, 155mm width



Blue

INSIDE TECH The front end of our Sirrus models has “user-friendly” written all over it: flat handlebars give you more control and easy maneuverability, wide-range gearing ensures confidence in varied

terrain, BG Comfort grips reduce hand numbness and a proprietary FACT carbon fork with vibration-damping Zertz™ inserts smoothes out your ride (excluding base model).



White

SIRRUS SPORT

- Specialized A1 Premium aluminum frame, fully manipulated tubing, compact design, FACT carbon seatstays w/ Zertz inserts
- Specialized FACT carbon fork, bonded carbon legs, Zertz inserts, fender mounts
- Specialized 3D forged stem and Specialized Event, A1 Premium aluminum bar, oversized 31.8mm clamp
- Body Geometry Comfort II grips, triple density gel
- Alex R500 rims, 700c, alloy double wall, machined sidewall rims
- Shimano 8-speed drivetrain with Sora rear derailleur
- Specialized All Condition tires, 700x28c, wire bead, 60 tpi w/ Flak Jacket
- Body Geometry Sonoma 155 saddle



Silver



Silver

SIRRUS

- Specialized A1 Premium aluminum frame, fully manipulated tubing, compact design, integrated headset, hourglass speedstays
- Specialized Comp fork, A1 Premium aluminum legs, Cr-Mo steerer
- Body Geometry Comfort II grips, triple density gel
- Shimano 8-speed drivetrain with Sora rear derailleur
- Body Geometry Sonoma 155mm saddle
- Alloy suspension seatpost, 27.2 w/ preload adjust



Black



Brown

SIRRUS



EXPERIENCE PERFORMANCE ALL ROAD

CROSS TRAIL

CHANGING LANES For the casual rider looking for a little departure from a well-worn commute, the Crosstrail™ is the perfect hybrid for mixing off-road exploits and smooth-rolling fun.



Black

- CROSSTRAIL PRO**
- RST M-29 Pro fork, 80mm, 32mm aluminum stanchions, alloy steerer, Mag lower, coil spring, rep. adj. w/LO and preload adj.
 - Avid SD-7R V-Brakes, cartridge pads, lightweight no compression housing
 - Shimano XT FD-M771 rear derailleur
 - Shimano FC-M540 crankset, polished arms, alloy outer ring
 - Borough XC Pro tires, 700x45c, 120 tpi, aramid bead

INSIDE TECH The Crosstrail has a little Jekyll and Hyde syndrome—mountain aggressor one day and road lover the next, it's equipped with road geometry and 700c Borough tires for easy-rolling on the black

top, but a suspension fork and MTB drivetrain to tackle off-road obstacles. To suit whichever mood you're in.



Silver

- CROSSTRAIL EXPERT**
- Specialized A1 Premium aluminum frame, fully manipulated 700c sloping commuter frame, integrated headset, forged drop outs w/ replaceable hanger, disc only
 - Avid BB-5, mechanical disc brakes, 6" G2 Clean Sweep rotor
 - Shimano LX RD-M581, long cage rear derailleur
 - Borough XC Sport tires, 700x45c, 60 tpi, wire bead
 - Specialized Indie saddle 143mm width



Black

- CROSSTRAIL SPORT**
- Specialized A1 Premium aluminum frame, fully manipulated 700c sloping commuter frame, integrated headset, forged drop outs w/ replaceable hanger
 - RST Neon TnL8 fork, alloy lower, coil spring, preload adjust w/hydraulic lock out
 - Shimano Deore RD-M531, long cage rear derailleur
 - Borough XC Sport 700x45c tires, 60 tpi, wire bead
 - Specialized Body Geometry saddle, 155mm width

CROSS TRAIL



CROSSROADS

LIKE A BENZ Yep, we're talking sweet luxury when it comes to the plush stylings of the Crossroads®. A smooth rolling and comfort-rich leisure ride for that midday cruise, loop on the pier or stress-free spin on the bike path.

ridersclub www.specializedriders.com




Name: Todd Samuelson
Ride: 2007 Stumpjumper Pro Carbon; 08 Tarmac SL
Favorite Ride: The twisty, hilly roads in the Southern Connecticut river valley—paved singletrack
Profile: A rider for over 30 years, Todd started mountain biking before they even called 'em mountain bikes—back in the 1970's. After an epic ride near his home in Connecticut expect to find Todd kickin' it with a cold beer.



CROSSROADS ELITE WOMEN'S

- A1 Premium aluminum low entry "U-Frame" design, Ground Control geometry, 700c comfort frame, formed tubes w/ integrated kick stand mount, forged drop outs
- SR NEX-4010-700 fork, 63mm travel, Hi-Ten stanchions and steerer, preload adj. w/ spring assisted seal
- Body Geometry Comfort Women's grips, dual density gel, integrated bell
- Specialized/Alex Globe rims, 700c, 32h, double wall w/ machine sidewalls and eyelets
- Specialized Hemisphere tires, 700x38c, 60 tpi, Armadillo casing



CROSSROADS ELITE

- A1 Premium aluminum, Ground Control geometry 700c comfort frame, formed tubes w/ integrated kick stand mount, forged drop outs
- SR NEX-4010-700 fork, 63mm travel, Hi-Ten stanchions and steerer, preload adj. w/ spring assisted seal
- Body Geometry Comfort grips, dual density gel, integrated bell
- Specialized/Alex Globe rims, 700c, 32h, double wall w/ machine sidewalls and eyelets
- Specialized Hemisphere tires, 700x38c, 60 tpi, Armadillo casing



INSIDE TECH Unmotivated to ride because of an uncomfortable seat? The Crossroads knows your pain and is here to offer a little consolation—it's called the Comfort Plus saddle. A super cushy support system with

springs that will make you feel like you're floating on air. Coupled with its flat-resistant, 700c Hemisphere tires and low standover height, the Crossroads is a guaranteed smooth, plush and fun ride.



CROSSROADS SPORT

- A1 Premium aluminum, Ground Control geometry 700c comfort frame, formed tubes w/ integrated kick stand mount, forged drop outs
- SR NEX-4010-700 fork, 63mm travel, Hi-Ten stanchions and steerer, preload adj. w/ spring assisted seal
- Body Geometry Comfort grips, dual density gel, twist shift type
- Specialized Hemisphere tires, 700x38c, 60 tpi, wire bead, Flak Jacket
- Specialized Comfort Plus saddle w/ springs



CROSSROADS SPORT WOMEN'S

- A1 Premium aluminum low entry "U-Frame" design, Ground Control geometry, 700c comfort frame, formed tubes w/ integrated kick stand mount, forged drop outs
- SR NEX-4010-700 fork, 63mm travel, Hi-Ten stanchions and steerer, preload adj. w/ spring assisted seal
- Body Geometry Comfort Women's grips, dual density gel, twist shift type
- Specialized Hemisphere tires, 700x38c, 60 tpi, wire bead, Flak Jacket
- Specialized Comfort Plus saddle w/ springs





EXPEDITION

GET OUT OF DODGE When you're in the mood for a relaxing retreat or some casual exercise, jump on the Expedition®; it's your two-wheeled ticket to fun outdoors with the added luxury of comfort components and thicker tires.



- EXPEDITION ELITE**
- A1 Premium aluminum, Ground Control geometry 700c comfort frame, formed tubes w/ integrated kick stand mount, forged drop outs
 - SR NEX-4010-700 fork, 63mm travel, Hi-Ten stanchions and steerer, preload adj. w/ spring assisted seal
 - Body Geometry Comfort grips, dual density gel, integrated bell
 - Specialized/Alex Globe rims, 700c, 32h, double wall w/ machine sidewalls and eyelets
 - Specialized Hemisphere tires, 700x38c, 60 tpi, Armadillo casing



INSIDE TECH You've got it all under control when it comes to the Expedition. As pain-free and user-friendly as they come, the Expedition utilizes ground control geometry (with extremely low standover height)

and high-rise handlebars for stability and maneuverability, plus 26" flat-resistant Hemisphere tires for guaranteed safety, even when riding on uneven terrain.



- EXPEDITION ELITE WOMEN'S**
- A1 Premium aluminum low entry "U-Frame" design, Ground Control geometry, 700c comfort frame, formed tubes w/ integrated kick stand mount, forged drop outs
 - SR NEX-4010-700 fork, 63mm travel, Hi-Ten stanchions and steerer, preload adj. w/ spring assisted seal
 - Body Geometry Comfort Women's grips, dual density gel, integrated bell
 - Specialized/Alex Globe rims, 700c, 32h, double wall w/ machine sidewalls and eyelets
 - Specialized Hemisphere tires, 700x38c, 60 tpi, Armadillo casing



- EXPEDITION SPORT**
- A1 Premium aluminum, Ground Control geometry 700c comfort frame, formed tubes w/ integrated kick stand mount, forged drop outs
 - SR NEX-4010-700 fork, 63mm travel, Hi-Ten stanchions and steerer, preload adj. w/ spring assisted seal
 - Body Geometry Comfort grips, dual density gel, twist shift type
 - Specialized Hemisphere tires, 700x38c, 60 tpi, wire bead, Flak Jacket
 - Specialized Comfort Plus saddle w/ springs



- EXPEDITION SPORT WOMEN'S**
- A1 Premium aluminum low entry "U-Frame" design, Ground Control geometry, 700c comfort frame, formed tubes w/ integrated kick stand mount, forged drop outs
 - SR NEX-4010-700 fork, 63mm travel, Hi-Ten stanchions and steerer, preload adj. w/ spring assisted seal
 - Body Geometry Comfort Women's grips, dual density gel, twist shift type
 - Specialized Hemisphere tires, 700x38c, 60 tpi, wire bead, Flak Jacket
 - Specialized Comfort Plus saddle w/ springs



DESIGNS FOR WOMEN ROAD

WOMAN MEETS ROAD Bicycles and components designed and engineered for female road riders.

THE BIG PICTURE.

WOMEN'S-SPECIFIC FRAMES

Specially calculated Designs for Women geometry puts you in the most efficient and stable position on the bike.

And since we know that women, on average, are lighter at any given height, we create smaller diameter tubing on all carbon and alloy women's frames. This means more compliance and lighter overall bike weights for you.

DOWN TO THE DETAILS.

WOMEN'S-SPECIFIC COMPONENTS

GEARS - Compact doubles or compact triples used on all road models. Wide gear ranges in the rear cassette enable you to conquer every hill and ride with greater ease.

CRANKS - Size of cranks optimized to size of bike (either 165, 170 or 172.5 crank lengths). Whenever possible, we use 165 crank lengths on smaller sized bikes to better fulfill your natural desire to spin.

HANDLEBARS - Not only do we use more compact handlebars to accommodate women's narrower width shoulders, but we've designed women's drop (road) handlebars that bring the brake and shift levers closer to your hands. Creating optimal comfort, confidence and control.

We continue to be the only company that makes a women's carbon bar, but new for this year, as seen on the 2008

S-Works Ruby model, is an ultra lightweight one-piece handlebar/stem combination called the Ruby Mac.

SADDLES - You'll find Designs for Women Body Geometry saddles on all of our women's bikes. All BG saddles have been medically proven to relieve soft tissue pressure and support the sit bones for added comfort.

RUBY

PLAY LIKE THE PROS The Ruby is a pure performance racehorse, engineered for women who like to fly.

- RUBY PRO**
- Specialized FACT 8r carbon frame, Az1 construction, Designs for Women compact design, Zertz inserts
 - Specialized FACT monocoque carbon fork; full carbon legs, crown and steerer w/ Zertz inserts
 - Shimano Dura-Ace 10-speed STI shifters and rear derailleur, short cage
 - SRAM OG-1070 cassette, 10-speed 11-28t
 - Specialized Pro Carbon crankset, integrated oversized design with 50x34T chainrings
 - Roval Fusee wheelset, E5 alloy rims, alloy cassette body, Roval Ti QRs
 - Body Geometry Ruby Women's saddle, carbon reinforced base, hollow Ti rails, microfiber cover



RUBY



©2007 Kurt Jambretz / Action Images

RUBY

GO SPEED RACER, GO Performance optimized for speed-hungry riders and racers looking for the lightest, fastest and best fitting partner on the road, the Ruby® will satisfy your addiction for brutal climbs, thrilling descents and high mileage.



Carbon / Pink

RUBY COMP

- Specialized FACT 7r carbon frame, triple monocoque construction, Designs for Women compact design, Zertz inserts
- Specialized FACT monocoque carbon fork, full carbon legs, crown and steerer w/ Zertz inserts
- Shimano 105 10-speed STI shifters and brakes
- Shimano Ultegra rear derailleur, short cage
- SRAM OG-1070 cassette, 10-speed 11-28t
- 50x34T chainrings
- Shimano RS-10 wheelset
- Specialized Jett Women's saddle, carbon reinforced base, hollow Cr-Mo rails, microfiber cover



Carbon / Pink

RUBY COMP TRIPLE

- Specialized FACT 7r carbon, triple monocoque construction, Designs for Women compact design, Zertz inserts
- Specialized FACT monocoque carbon fork, full carbon legs, crown and steerer w/ Zertz inserts
- Shimano 105 10-speed STI shifters and brakes
- Shimano Ultegra rear derailleur, long cage
- Shimano RS-10 wheelset
- Specialized Jett Women's saddle, carbon reinforced base, hollow Cr-Mo rails, microfiber cover



Carbon / Gold

RUBY EXPERT

- Specialized FACT 8r carbon frame, Az1 construction, Designs for Women compact design, Zertz inserts
- Specialized FACT monocoque carbon fork; full carbon legs, crown and steerer w/ Zertz inserts
- Shimano Dura-Ace 10-speed STI shifters and rear derailleur, short cage
- SRAM OG-1070 cassette, 10-speed 11-28t
- Specialized Pro Carbon crankset, integrated oversized design with 50x34T chainrings
- Roval Fusee wheelset, E5 alloy rims, alloy cassette body, Roval Ti QRs
- Body Geometry Ruby Women's saddle, carbon reinforced base, hollow Ti rails, microfiber cover



Carbon / Silver

INSIDE TECH When every gram counts, it's good to have the Ruby Pro as a close confidante. The frame's Az1 carbon construction combined with specially-tuned tubing dimensions and geometry (to fit



Blue

RUBY ELITE

- Specialized FACT 7r carbon frame, triple monocoque construction, Designs for Women compact design, Zertz inserts
- Specialized FACT monocoque carbon fork, full carbon legs, crown and steerer w/ Zertz inserts
- Shimani 105 10-speed STI shifters and rear derailleur, short cage
- SRAM OG-1070 cassette, 10-speed 11-28t
- 50x34T chainrings
- Mavic Open Sport, double wall rims, machined sidewalls w/ eyelets
- Specialized forged alloy, 24/28 hole hubs, double sealed bearings, straight pull spokes, QR
- Specialized Jett Women's saddle, carbon reinforced base, hollow Cr-Mo rails, microfiber cover



Carbon / Silver

RUBY EXPERT TRIPLE

- Specialized FACT 8r carbon frame, Az1 construction, Designs for Women compact design, Zertz inserts
- Specialized FACT monocoque carbon fork; full carbon legs, crown and steerer w/ Zertz inserts
- Shimano Ultegra 10-speed STI shifters and rear derailleur, short cage
- Roval Echappee wheelset, alloy cassette body, Roval QRs
- Body Geometry Ruby Women's saddle, carbon reinforced base, hollow Ti rails, microfiber cover



Carbon / Gold

female anatomies) yields a super lightweight, smooth riding chassis of superior caliber. Not to mention, unheard of strength and stiffness-to-weight ratios. You're allowed to geek out on this kind of technology!



Blue

RUBY ELITE TRIPLE

- Specialized FACT 7r carbon, triple monocoque construction, Designs for Women compact design, Zertz inserts
- Specialized FACT monocoque carbon fork, full carbon legs, crown and steerer w/ Zertz inserts
- Shimano 105 10-speed STI shifters and brakes
- Shimano Ultegra rear derailleur, long cage
- Shimano RS-10 wheelset
- Specialized Jett Women's saddle, carbon reinforced base, hollow Cr-Mo rails, microfiber cover

RUBY



DOLCE VITA

RAMP IT UP Tired of your exercise routine? Training for a non-profit event ride? Or just looking to fill a free Saturday afternoon? No matter what turns your attention to the road, all scenarios are deserving of a bike like the Dolce or Vita™.



DOLCE ELITE

- Specialized E5 frame, fully manipulated E5 SLX tubing, Designs for Women compact design, FACT carbon seatstays w/ Zertz inserts
- Specialized FACT carbon fork legs and steerer, w/ Zertz inserts
- Shimano Tiagra, 9-speed STI shifters and 105 rear derailleur
- Wide-range gearing with front triple chainrings and 11-28t 9-speed cassette
- Body Geometry Lithia Women's saddle



DOLCE

- Specialized A1 Premium aluminum frame, fully manipulated tubing, Designs for Women compact design, hourglass Speedstays
- Specialized carbon fork, carbon fiber legs, aluminum steerer
- Specialized Comp-Set, 3D forged alloy stem and Specialized Zertz Women's Comp bar
- Shimano 9-speed drivetrain with Tiagra rear derailleur
- Specialized All-Condition tires
- Body Geometry Lithia Women's saddle



Yellow / White



Black / Pink



DOLCE COMP

- Specialized E5 frame, fully manipulated E5 SLX tubing, Designs for Women compact design, FACT carbon seatstays w/ Zertz inserts
- Specialized FACT carbon steerer and fork legs w/ Zertz inserts
- Shimano 105, 10-speed STI shifters and rear derailleur, long cage
- Shimano RS-10 wheelset
- Specialized Lithia Women's saddle

INSIDE TECH When we say our bikes are women's-specific, we really mean it—from the saddle right down to the cranks, we either design or hand pick every critical component to fit female riders. The

Dolce and Vita are equipped with Body Geometry Lithia or Sonoma saddles that eliminate soft tissue pressure, shorter crank arms that enable a faster spin and triple gearing for climbing hills with ease.



VITA SPORT

- Specialized A1 Premium aluminum frame, fully manipulated tubing, Designs for Women ergonomic design, integrated headset, FACT carbon stays with Zertz
- Specialized FACT carbon fork, bonded carbon legs, Zertz inserts, fender mounts
- Women's Body Geometry Comfort II grips, triple density gel
- Shimano 8-speed drivetrain with Sora derailleur
- Body Geometry Sonoma 155 Women's saddle



VITA

- Specialized A1 Premium aluminum frame, fully manipulated tubing, Designs for Women ergonomic design, integrated headset, hourglass speedstays
- Specialized Comp fork, A1 Premium aluminum legs, Cr-Mo steerer
- Women's Body Geometry Comfort II grips, triple density gel
- Shimano 8-speed drivetrain with Sora rear derailleur
- Body Geometry Sonoma 155 Women's saddle
- Alloy suspension seatpost, 27.2 w/ preload adjust



White

DOLCE | VITA

DESIGNS FOR WOMEN OFF-ROAD

WOMAN MEETS TRAIL Bicycles and components designed and engineered for female trail riders.

THE BIG PICTURE.

WOMEN'S-SPECIFIC FRAMES

Specially calculated Designs for Women geometry puts you in the most efficient and stable position on the bike. And since we know that women, on average, are lighter at any given height, we create smaller diameter tubing on all carbon and alloy women's frames. This means more compliance and lighter overall bike weights for you.

FINE-TUNED SUSPENSION

Whenever possible, we have made sure that our forks and rear shocks are adjustable or tuned specifically for women. The Future Shock® and AFR shocks on all Safire models have specially tuned Brains with lighter thresholds that ensure not only the most balanced ride possible, but optimal efficiency and suspension behavior for women's lower center of gravity and generally lighter weight.

DOWN TO THE DIRTY DETAILS.

WOMEN'S-SPECIFIC COMPONENTS

BRAKES - Smaller diameter rotors on all disc brake models give you more control and modulation.

GEARS - Wide range gears and low gear ratios enable you to conquer every hill and ride with greater ease.

HANDLEBARS - Narrower length handlebars for added comfort and stability for narrower shoulders.

GRIPS - Narrower diameter grips add control for women's smaller hands.

SADDLES - You'll find Designs for Women Body Geometry saddles on all of our women's bikes. All BG saddles have been medically proven to relieve soft tissue pressure and support the sit bones for added comfort.



SAFIRE FSR EXPERT

- All new Safire FSR M5 manipulated alloy frame w/ women's-specific ORE TT/DT, Designs for Women geometry, sealed cartridge bearing pivots, DMD Direct Mount F. Der, replaceable derailleur hanger, disc only, 120mm travel
- Specialized AFR Shock w/ remote Trail Tune inertia valve, adj rebound and Brain Fade, 7.25x1.75"
- Fox F120 RLC rear shock, 120mm travel, rebound/compression adjust, lock out w/ threshold adjust, alloy steerer
- DT Swiss custom for Specialized X420, 24mm w/ eyelets, 28/32h and DT Swiss Competition spokes
- Specialized Hi Lo disc front hub, 28h CNC flange and disc mount, sealed cartridge bearing, 9mm DT RWS alloy QR
- DT Swiss custom for Specialized 370 rear hub w/ DT RWS QR, 32h



Red / Black

SAFIRE

A REAL GEM Guaranteed to stoke female mountain bike fiends everywhere, the new Safire™ shines on the trail with a fit and fury primed to handle every root and rock thrown its way. Full suspension technology, super-charged efficiency, women's geometry and miles upon miles of sweet trail-tuned handling.

INSIDE TECH An exclusively full suspension rig, the Safire features our proprietary FSR technology at its very best. This smart suspension system features a fully active design for confident traction and control

on any trail, while remaining fully independent of brake forces and chain torque. Combined with its women's-specific engineering and gear, the Safire delivers a big dose of comfort, control and efficiency.

ridersclub www.specializedriders.com



Name: Anne Shilton
Ride: D4W Stumpjumper FSR
Favorite Ride: Demo Forest
Profile: AC drives the Specialized Designs for Women Demo trailer up and down the East Coast of the USA. You'll see her at demo events, riding her Stumpjumper or grabbing a tasty meal at a truck stop (mmmm chicken fried steak). Once in a blue moon, she heads home to Rocky Mountain National Park—that's where she lives, in a National Park!



Black / Pink

SAFIRE FSR COMP

- All new Safire FSR M5 manipulated alloy frame w/ women's-specific ORE TT/DT, Designs for Women geometry, sealed cartridge bearing pivots, DMD Direct Mount F. Der, replaceable derailleur hanger, disc only, 120mm travel
- Fox Triad rear shock, custom on-the-fly 3-position switch 1) lock out 2) Open 3) ProPedal pedal assisting damping, adjustable rebound, 7.25x1.75"
- Custom Avid Juicy 5 SL brakes, hydraulic disc, 160mm rotor
- Crank Brothers Smarty pedals custom for Specialized
- Specialized Women's Ariel MTB saddle, hollow Cr-Mo rails

Black / Silver



ERA

BIRTH OF A NEW ERA High performance. Light weight. Women’s design. Lucky you. The all-new Era™ FSR® packs enough speed, efficiency and cross-country performance to out-ride and out-live its competitors.



ERA FSR COMP

- Era FSR M5 alloy, Designs for Women geometry, fully manipulated frame w/ women’s-specific ORE DT/TT, FACT carbon link, sealed cartridge bearings, 100mm travel, replaceable derailleur hanger
- Specialized AFR inertia rear shock, Brain Fade, adjustable from HT firm to Trail Tune, air spring, rebound adjust
- Custom Avid Juicy 5 SL brakes, hydraulic disc
- Crank Brothers Smarty pedals custom for Specialized
- Specialized Women’s Ariel MTB saddles, hollow Cr-Mo rails



INSIDE TECH Offering the most intuitive full suspension system on the trail, the Era FSR’s terrain-sensing Flow Control Brain seamlessly switches from firm to fully active settings—always gauging the

appropriate level of travel for every obstacle (Marathon Era FSR only). That technology plus Designs for Women™ geometry and components makes the Era an unstoppable tour de force for women.



ERA COMP

- New Era M5 alloy hardtail frame, Designs for Women geometry, fully manipulated women’s-specific DT, TT, SS, CS, ST w/ Mono-stay seatstays, ORE DT/TT, disc mount, replaceable derailleur hanger
- Fox F90 RL fork, 90mm travel, air spring, rebound/compression adjust w/ lock out, alloy steerer
- Custom Avid Juicy 5 SL brakes, hydraulic disc, 160mm rotor
- Crank Brothers Smarty pedals custom for Specialized
- Specialized Women’s Ariel MTB saddle, hollow Cr-Mo rails



ERA

- New Era M5 alloy hardtail frame, Designs for Women geometry, fully manipulated women’s-specific DT, TT, SS, CS, ST w/ Mono-stay seatstays, ORE DT/TT, disc mount, replaceable derailleur hanger
- Fox F90 RL fork, 90mm travel, air spring, rebound/compression adjust w/ lock out, alloy steerer
- Shimano M542 crankset, 2pc custom for Specialized
- Specialized Fast Trak Control LK tires, 26x2.0”, 60 tpi, tubeless ready aramid bead, dual compound
- Specialized Women’s Ariel MTB saddle, hollow Cr-Mo rails

EXPERIENCE WOMEN’S PERFORMANCE MOUNTAIN

ERA FSR MARATHON

- Era FSR M5 alloy, Designs for Women geometry, fully manipulated frame w/ women’s-specific ORE DT/TT, FACT carbon link, sealed cartridge bearings, 100mm travel, replaceable derailleur hanger
- Specialized AFR Shock w/ Flow Control valve, adjustable from HT firm to Trail Tune, air spring, adjustable rebound
- Magura Marta brakes, hydraulic disc, 160mm SL rotors
- DT Swiss XR 4.2D rims, 24mm w/ eyelets, 28/32h and DT Swiss Super Comp spokes
- Specialized Hi Lo disc, 28h CNC flange and disc mount, sealed cartridge bearing, 9mm DT RWS alloy QR
- DT Swiss custom for Specialized rear hub w/ Star ratchet alloy freehub w/ DT RWS 10mm alloy QR, 32h
- Specialized Women’s Ariel MTB saddle, titanium rails



EXPERIENCE WOMEN'S RECREATIONAL MOUNTAIN

MYKA FSR EXPERT

- X Fusion 02RC rear shock, Specialized tuned, rebound/compression adjust w/ LO, 7.0x1.6", 4 bearing lower shock mount
- RockShox Recon 335 SLite La Femme fork, 100mm travel, 32mm alloy stanchions, alloy steerer, disc only, Turn Key damper, lockout w/ rebound adjust, coil spring
- Custom Avid Juicy 3 SL, hydraulic disc brakes, G2 Clean Sweep rotor
- Shimano Shadow XT M772, SGS cage rear derailleur
- Shimano 505 SPD pedals



Blue

MYKA FSR

HAPPY TRAILS TO YOU Hitting the trails may be just one pastime among the many that you love, but when fire roads and singletrack are calling your name, the Myka FSR backs you up with a complete package of trail-tuned efficiency, control and value.

INSIDE TECH Building an economical ride doesn't mean we cut corners on quality. Quite the contrary. Our Myka™ FSR employs an M4® frame—made from an extremely lightweight material known for its strength, durability and efficiency—and a full suspension system

comparable to our high-end competitive models. And just like all of our Designs for Women models, you can look forward to women's-specific components like a “La Femme” fork and custom, smaller diameter Myka grips.

MYKA FSR COMP

- X Fusion 02RLA rear shock, Specialized tuned, rebound adjust w/ LO, 7.0x1.6", 4 bearing lower shock mount
- RockShox Tora 302 SL La Femme fork, 100mm travel, 32mm Cr-Mo stanchions, alloy steerer, mag lower, coil spring, preload adjust, lockout w/ rebound adjust
- Hayes Stroker Ryde, hydraulic disc brakes
- 1.8mm (15g) stainless spokes, black, alloy nipples
- Specialized The Captain Sport tires, 26x2.0", 60 tpi, wire bead



Brown



Grey

MYKA FSR

- FSR M4 butted frame w/ ORE downtube, Designs for Women geometry, sealed cartridge bearing pivots, replaceable hanger, bolt on cable guides, two sets of water bottle bosses, 100mm travel
- X Fusion 02RLA rear shock, Specialized tuned, rebound adjust w/ LO, 7.0x1.6", 4 bearing lower shock mount
- RockShox Tora 302 SL La Femme fork, 100mm travel, 32mm Cr-Mo stanchions, alloy steerer, mag lower, coil spring, preload adjust, lockout w/ rebound adjust
- 1.8mm (15g) stainless spokes, black, alloy nipples
- Specialized The Captain Sport tires, 26x2.0", 60 tpi, wire bead

MYKA FSR



MYKA

DEVOTED TO DIRT Classic mountain design with a modern twist, the Myka HT will keep you connected to the trail and coming back for more.



MYKA ELITE

- Myka M4 manipulated alloy frame, double-buttressed ORE, Designs for Women geometry, low standover TT (13/15" only), forged drop outs w/ replaceable alloy hanger, disc only
- RockShox Dart 3 La Femme SL fork, 13/15": 80mm, 17/19": 100mm, 28.6mm Cr-Mo stanchions with alloy steerer, coil spring, reb. adj. w/ lockout and preload adjust
- Specialized 3D forged alloy stem, four bolt, 31.8mm, 7 degree rise
- Specialized alloy butted 31.8mm XC rise bars w/ graphic, 620mm wide, 8 degree back, 8 degree up sweep
- Avid BB-5 brakes, mechanical disc, 6" G2 Clean Sweep rotor
- Shimano Acera SL-MC40 shifters



MYKA COMP

- Myka M4 manipulated alloy frame, double-buttressed ORE, Designs for Women geometry, low standover TT (13/15" only), forged drop outs w/ replaceable alloy hanger
- RockShox Dart 3 La Femme SL fork, 13/15": 80mm, 17/19": 100mm, 28.6mm Cr-Mo stanchions with alloy steerer, coil spring, reb. adj. w/ lockout and preload adjust
- Specialized 3D forged alloy stem, four bolt, 31.8mm, 7 degree rise
- Specialized alloy 31.8mm XC rise bar, 620mm wide, 8 degree back, 8 degree up sweep
- Shimano Acera SL-MC40 Rapid Fire shifters
- Shimano FC-M341-8 crankset, replaceable rings, Octalink Spline



MYKA SPORT

- FSR M4 butted frame w/ ORE downtube, Designs for Women geometry, sealed cartridge bearing pivots, replaceable hanger, bolt on cable guides, two sets of water bottle bosses, 100mm travel
- X Fusion O2RLA rear shock, Specialized tuned, rebound adjust w/ LO, 7.0x1.6", 4 bearing lower shock mount
- RockShox Tora 302 SL La Femme fork, 100mm travel, 32mm Cr-Mo stanchions, alloy steerer, mag lower, coil spring, preload adjust, lockout w/ rebound adjust
- 1.8mm (15g) stainless spokes, black, alloy nipples
- Specialized The Captain Sport tires, 26x2.0", 60 tpi, wire bead



MYKA

- Myka A1 Premium aluminum frame, Designs for Women geometry, low standover TT, tig-welded, externally relieved HT, forged dropouts w/ replaceable alloy hanger
- RST Capa T26 fork, 13/15": 80mm 17/19": 100mm, 25.4mm stanchions and 1 1/8" steerer, forged crown, one piece alloy lower, coil spring MCU w/ preload adj.
- Shimano FC-TX70 bottom bracket, square taper
- Specialized XC Women's saddle, Kevlar sides, front and rear bumpers, 155mm width
- Specialized alloy seat post, two bolt micro adjust head, 30.9mm



MYKA EXPERT

- X Fusion O2RC rear shock, Specialized tuned, rebound/compression adjust w/ LO, 7.0x1.6", 4 bearing lower shock mount
- RockShox Recon 335 SLite La Femme fork, 100mm travel, 32mm alloy stanchions, alloy steerer, disc only, Turn Key damper, lockout w/ rebound adjust, coil spring
- Custom Avid Juicy 3 SL, hydraulic disc brakes, G2 Clean Sweep rotor
- Shimano Shadow XT M772, SGS cage rear derailleur
- Shimano 505 SPD pedals

INSIDE TECH Just like its sister models, the Myka HT comes completely decked out with women's components and technology including: a La Femme specially tuned fork, women's-specific geometry with lower standover

height, optimal seat and head tube angles, plus an XC women's saddle and mountain grips. Together, these specifications create more control, better pedaling efficiency and a supremely comfortable fit.



ITCOKY X Σ B



FUSE

GRAVITY'S NEMESIS Matching up against Allan Cooke at the X-Games is going to take a crazy bag of tricks, big air, diehard fearlessness and one seriously tough and light bike that handles everything you pull out—your answer is the Fuse®.



FUSE 4

- 100% Cr-Mo 21" TT frame, double-buttressed TT/DT, MID BB, tig welded, externally relieved integrated HT, integrated seat collar, forged 3D drop outs w/ integrated chain tensioners
- Butted Cr-Mo fork, 1 1/8" threadless, heat treated Cr-Mo 1pc CNC steerer, butted 1.8-1.2mm Cr-Mo 1 1/4" blades, 6mm dropouts for 14mm axle w/ lateral gussets
- Tektro FX-950 brakes, cartridge bearing pivots, CNC cut 15mm offset arms, multi compound cartridge pads
- Tektro XL-950, cartridge bearing pivot, forged lever w/ 2pc clamp, 15mm cable pull
- Fuse SL 2pc crankset, 175mm length, heat treated Sanko Cr-Mo tubular arms, hollow 19mm Cr-Mo spindle
- Fuse SL chainring, CNC'd 28T w/ patented Wave Interface for KMC Kool K-710 chain
- Fuse SL MID bottom bracket, 2x cartridge bearing, alloy cone spacers for 2pc crank w/ 19mm spindle
- Specialized Fuse SL cassette hub, 36h, sealed 4x cartridge bearing, 10t cassette w/ hollow 14mm axle
- Specialized Rhythm Pro front tire, 20x2.1", DC, 60 tpi, aramid bead
- Specialized Compound Pro rear tire, 26x2.0", DC, 60 tpi, aramid bead
- Integrated seat collar w/ replaceable single bolt



Lavender Distressed

INSIDE TECH Some people may think you're a little crazy for doing what you do, but we're on your side. That's why Fuse Cr-Mo frames use a combination of butted, formed and heat-treated

tubes and forgings to deliver the best balance of strength and low weight maneuverability possible. Built to take punishment, jump after jump.



Orange Distressed



Black Distressed




Purple / Green Distressed



Green Distressed

FUSE 3

- 100% Cr-Mo 20.75" TT frame, formed DT/TT, MID BB, tig welded, externally relieved integrated HT, integrated seat collar, 6mm dropouts for 14mm axle
- Cr-Mo fork, 1 1/8" threadless w/ reinforced steerer, 1.4mm 1 1/4" blades, 6mm dropouts for 14mm axle
- Cr-Mo 2pc bar, 620mm wide, 195mm rise, 11 degree back, 6 degree up sweep
- Fuse MID bottom bracket, 2x oversized cartridge bearings, 8 spline spindle
- Fuse Double rims, double wall w/ eyelets (CNC side wall rear only)
- Specialized Fuse rear hub, alloy compact Flip-side M-30, 36h, sealed 4x bearing, hollow 14mm axle
- Integrated seat collar w/ replaceable single bolt



Teal Distressed

FUSE 2

- Hi-Ten 20.5" TT frame w/ Cr-Mo DT/TT/ST, tig welded, externally relieved HT, Euro BB, integrated seat collar, 6mm dropouts for 14mm axle
- Odyssey freewheel, 1/2"x1/8"x13t for M30 thread
- Fuse crankset, tubular heat treated Cr-Mo 3pc, 175mm
- Fuse chainring, forged and CNC alloy, multi spoke design, 36T
- Fuse Euro bottom bracket, steel cups, 4x cartridge bearings, 19mm heat treated Cr-Mo 8 spline spindle
- Specialized Rhythm Sport front tire, 20x2.1", 30 tpi, wire bead
- Specialized Compound Sport rear tire, 20x2.0", 30 tpi, wire bead
- Specialized two bolt seat post, no offset, micro adjust, 30.9mm
- Integrated seat collar w/ replaceable single bolt



Khaki Distressed

FUSE 1

- Hi-Ten 20.5" TT frame, formed DT/TT, tig welded, externally relieved HT, Euro BB, integrated seat collar, 6mm dropouts for 14mm axle
- Hi-Ten 1 1/8" threadless fork w/ reinforced steerer, 1.6mm 1 1/4" blades, 6mm dropouts for 14mm axle
- Fuse forged alloy stem, 50mm extension, 1 1/8" A-Head
- Fuse File grips, Kraton w/ flange
- Odyssey freewheel, 1/2"x1/8"x13t for M30 thread
- Specialized Rhythm Sport front tire, 20x2.1", 30 tpi, wire bead
- Specialized Compound Sport rear tire, 20x2.0", 30 tpi, wire bead
- Integrated seat collar w/ replaceable single bolt



Copper Distressed

FUSE 16

- Hi-Ten 16.5" frame, formed DT/TT, tig welded, externally relieved HT, threaded Euro BB, integrated seat collar, 6mm dropouts for 14mm axle
- Hi-Ten 1 1/8" threadless fork, 1.2mm 1 1/4" blades, 6mm dropouts for 14mm axle
- Fuse forged alloy stem, 50mm extension, 1 1/8" A-Head
- Fuse File grips, Kraton w/ flange
- Odyssey freewheel, 1/2"x1/8"x13t for M30 thread
- Specialized Compound Sport tires, 16x2.0", 30 tpi, wire bead
- CNC'd alloy seat collar, single bolt



HOTROCK FSR

- A1 Premium aluminum frame, FSR technology, double-butted ORE TT/DT, relieved HT, 100% cartridge bearing, 4-bar linkage w/ 75mm travel, replaceable alloy hanger
- Tough Shock FDR, rebound adj, 150mm x 31mm, forged alloy extender w/ bearing pivot, 350lb spring
- RST Capa T24ML fork, 50mm travel, 25.4mm stanchions and 1 1/8" steerer, one piece alloy lowers w/ spring assisted seals, coil spring MCU w/ preload adj. and mechanical LO
- Kraton grips, SRAM 3.0 Comp Gripshift type
- Specialized/Alex HRXC 24 rims, double wall, CNC sidewalls
- Specialized Fast Track tires, 24x1.8", 60 tpi, wire bead
- Specialized BG Kids MTB saddle, Kevlar sides, front and rear bumpers

HOTROCK

HOT WHEELIES From training wheels to the trail-ready, every Hotrock® comes in a range of sizes and colors, fit for the smallest tykes on up. All with durability, fun, safety and quality handed down from the same crew that builds our big-kid bikes.



HOTROCK FS

- A1 Premium aluminum, 24" frame w/ externally relieved HT, double-butted and formed ORE DT/TT, disc mount, forged drop outs w/ replaceable alloy hanger
- RST Capa T24ML fork, 50mm travel, 25.4mm stanchions and 1 1/8" steerer, one piece alloy lowers w/ spring assisted seals, coil spring MCU w/ preload adj. and mechanical LO
- SRAM 3.0 Comp Grip Shift
- Specialized/Alex HRXC 24 rims, double wall, CNC sidewalls
- Specialized Fast Track tires, 24x1.8", 60 tpi, wire bead
- Specialized BG Kids MTB saddle, Kevlar sides, front and rear bumpers



White



HOTROCK 24 TRIPLE

- A1 Premium aluminum, 24" frame w/ low standover top tube, forged drop outs w/ replaceable alloy hanger
- RST Capa C24 fork, 50mm travel, one piece alloy lower, coil spring, spring assisted seal
- Pro Max brakes, alloy "V" w/ linear spring
- Shimano HG-37 cassette, 7-speed, 14-28t
- Specialized Roller tires, 24x2.125", 30 tpi, wire bead



Army / Black



Silver



Pink



HOTROCK 24

- A1 Premium aluminum, 24" frame w/ low standover top tube, forged drop outs w/ replaceable alloy hanger
- RST Capa C24 fork, 50mm travel, one piece alloy lower, coil spring, spring assisted seal
- Pro Max brakes, alloy "V" w/ linear spring
- Shimano HG-37 freewheel, 7-speed, 14-28t
- Specialized Roller tires, 24x2.125", 30 tpi, wire bead



Blue / Black



White



Orange

HOTROCK




HOT ROCK



Blue / Black

HOTROCK 20


- A1 Premium aluminum, 20" frame w/ low standover top tube design, integrated kickstand, forged drop outs w/ replaceable 98954020 alloy hanger
- RST Capa C20 fork, 50mm travel, one piece alloy lower, coil spring, spring assisted seal
- Pro Max brakes, alloy "V" w/ linear spring
- Shimano HG-22 freewheel, 6-speed, 14-28t
- Specialized Roller tires, 20x2.125", 30 tpi, wire bead



Blue / Black

HOTROCK COASTER


- A1 Premium aluminum, 20" frame w/ low standover top tube design, integrated kickstand, horizontal drop outs
- Alloy A-Head stem
- Coaster w/ Tektro "V" brakes
- Alloy single wall rims
- Specialized Roller tires, 20x2.125", 30 tpi, wire bead



Red / Black

HOTROCK 16

- A1 Premium aluminum, 16" frame w/ low standover top tube design, integrated kickstand mount, horizontal drop outs
- A1 Premium aluminum blade fork, 1 1/8" threadless Hi-Ten steerer
- Alloy A-Head stem
- Alloy single wall rims
- Specialized Roller tires, 16x2.125", 30 tpi, wire bead



Blue / Black

HOTROCK 12

- A1 Premium aluminum, Ground Control geometry 12" frame w/ low standover top tube design, horizontal drop outs
- A1 Premium aluminum blade fork, 1" threaded Hi-Ten steerer
- Alloy 1" quill stem
- Alloy single wall rims
- Specialized Roller tires, 12x2.125", 30 tpi, wire bead



Red

HOTWALK

- Specialized A1 Premium aluminum, "Hotwalk" geometry 12" frame w/ low standover TT design
- A1 Premium aluminum blade fork, 1" threaded Hi-Ten steerer
- Alloy 1" quill stem
- Alloy 1pc bar
- Alloy single wall rims
- Specialized Roller tires, 12x2.125", 30 tpi, wire bead



HOTROCK

S-WORKS

BIKES AND EQUIPMENT

TOP SHELF EVERYTHING Pick up the S-Works Catalog at your local authorized Specialized dealer to see the best-of-the-best bikes and equipment available anywhere.



S-WORKS



COMPLETE 08 BIKE SPECIFICATIONS

STUMPJUMPER FSR			
MODEL	SJ FSR Pro Carbon	SJ Pro FSR	SJ Pro FSR Frame
FRAME	All new Stumpjumper FSR FACT 9M carbon main triangle, A21 construction, M5 alloy SS/Cs with Brain mount, DMD Direct Mount F. Der, full cartridge bearing pivots, 120mm travel	All new Stumpjumper FSR M5 manipulated alloy frame w/ ORE TT/DT, sealed cartridge bearing pivots, DMD Direct Mount F. Der, replaceable derailleur hanger, disc only, 120mm travel	All new Stumpjumper FSR M5 manipulated alloy frame w/ ORE TT/DT, sealed cartridge bearing pivots, DMD Direct Mount F. Der, replaceable derailleur hanger, disc only, 120mm travel
REAR SHOCK	Specialized AFR Shock w/ remote Trail Tune inertia valve, adj rebound and Brain Fade, 7.25x1.75"	Specialized AFR Shock w/ remote Trail Tune inertia valve, adj rebound and Brain Fade, 7.25x1.75"	Specialized AFR Shock w/ remote Trail Tune inertia valve, adj rebound and Brain Fade, 7.25x1.75"
FORK	Specialized Future Shock S120, 120mm travel, carbon 1 1/8 to 1.5" steerer, Trail Tune inertia valve, adjustable Brain Fade and rebound, piggyback one sided air spring and damper	Fox F120 RLC, 120mm travel, rebound/compression adjust, lock out w/ threshold adjust, alloy steerer	N/A
HEADSET	1 1/8" threadless, Campy spec integrated sealed cartridge bearing	1 1/8" threadless, alloy cups w/ 10mm insertion, sealed cartridge bearing	N/A
STEM	Specialized adjustable rise, 31.8mm clamp, 3D forged w/ CNC finish	Specialized adjustable rise, 31.8mm clamp, 3D forged w/ CNC finish	N/A
HANDLEBARS	Specialized OS XC low rise carbon bar, 640mm wide, 6 degree up, 8 degree backsweep	Specialized OS XC low rise carbon bar, 640mm wide, 6 degree up, 8 degree backsweep	N/A
GRIPS	Specialized thin lock on grip, dual density	Specialized thin lock on grip, dual density	N/A
FRONT BRAKE	Magura Marta, hydraulic disc, 185 and 205mm SL rotor	Magura Marta, hydraulic disc, 185 and 205mm SL rotor	N/A
REAR BRAKE	Magura Marta, hydraulic disc, 160 and 185mm SL rotor	Magura Marta, hydraulic disc, 160 and 185mm SL rotor	N/A
BRAKE LEVERS	Magura Marta, hydraulic disc	Magura Marta, hydraulic disc	N/A
FRONT DERAILEUR	Shimano M770 XT, DMD top swing	Shimano M770 XT, DMD top swing	Shimano M770 XT, DMD top swing
REAR DERAILEUR	SRAM X-0, 9-speed, mid cage	SRAM X-0, 9-speed, mid cage	N/A
SHIFT LEVERS	SRAM X-0, carbon/aluminum 9-speed trigger	SRAM X-0, carbon/aluminum 9-speed trigger	N/A
CASSETTE	Shimano M760 XT, 9-speed, 11-34t	Shimano M760 XT, 9-speed, 11-34t	N/A
CHAIN	SRAM PC-971 w/ Power Link	SRAM PC-971 w/ Power Link	N/A
CHAINRINGS	New Shimano M-770 XT 22A/32A/44A, 4 bolt 104/64mm	New Shimano M-770 XT 22A/32A/44A, 4 bolt 104/64mm	N/A
BOTTOM BRACKET	New Shimano M-770 XT	New Shimano M-770 XT	N/A
PEDALS	Crank Brothers Smarty custom for Specialized	Crank Brothers Smarty custom for Specialized	N/A
RIMS	DT Swiss XR 42D, 24mm w/ eyelets, 28/32h	DT Swiss XR 42D, 24mm w/ eyelets, 28/32h	N/A
FRONT HUB	Specialized Hi Lo disc, 28h CNC flange and disc mount, sealed cartridge bearing, 9mm DT RWS alloy QR	Specialized Hi Lo disc, 28h CNC flange and disc mount, sealed cartridge bearing, 9mm DT RWS alloy QR	N/A
REAR HUB	DT Swiss custom for Specialized w/ Star Rachet alloy freehub w/ DT RWS 10mm alloy QR, 32h	DT Swiss custom for Specialized w/ Star Rachet alloy freehub w/ DT RWS 10mm alloy QR, 32h	N/A
SPOKES	DT Swiss Super Comp 2.0/17/1.8 stainless, alloy nipples	DT Swiss Super Comp 2.0/17/1.8 stainless, alloy nipples	N/A
FRONT TIRE	S-Works The Captain 26x2.0", 120 TPI, tubeless ready aramid bead, dual compound	S-Works The Captain 26x2.0", 120 TPI, tubeless ready aramid bead, dual compound	N/A
REAR TIRE	S-Works The Captain 26x2.0", 120 TPI, tubeless ready aramid bead, dual compound	S-Works The Captain 26x2.0", 120 TPI, tubeless ready aramid bead, dual compound	N/A
TUBES	Specialized Ultralite, 6mm, presta	Specialized Ultralite, 6mm, presta	N/A
SADDLE	Specialized Phenom, Titanium rails	Specialized Phenom, Titanium rails	N/A
SEAT POST	Thomson straight w/ 12 degree clamp, 367/410mm	Thomson straight w/ 12 degree clamp, 367/410mm	Thomson straight w/ 12 degree clamp, 367/410mm
SEAT BINDER	Alloy collar w/ QR, 34.9mm clamp ID, for carbon frames	Alloy collar w/ QR, 34.9mm clamp ID	Alloy collar w/ QR, 34.9mm clamp ID
NOTES	Protective clear coat, derailleur hanger, reflectors, owners manual	Protective clear coat, derailleur hanger, reflectors, owners manual	Protective clear coat, derailleur hanger, owners manual

MODEL	SJ FSR Expert FSR	SJ FSR Elite	SJ FSR Comp
FRAME	All new Stumpjumper FSR M5 manipulated alloy frame w/ ORE TT/DT, sealed cartridge bearing pivots, DMD Direct Mount F. Der, replaceable derailleur hanger, disc only, 120mm travel	manualAll new Stumpjumper FSR M5 manipulated alloy frame w/ ORE TT/DT, sealed cartridge bearing pivots, DMD Direct Mount F. Der, replaceable derailleur hanger, disc only, 120mm travel	All new Stumpjumper FSR M5 manipulated alloy frame w/ ORE TT/DT, sealed cartridge bearing pivots, DMD Direct Mount F. Der, replaceable derailleur hanger, disc only, 120mm travel
REAR SHOCK	Specialized AFR Shock w/ remote Trail Tune inertia valve, adj rebound and Brain Fade, 7.25x1.75"	Fox Triad, custom on-the-fly 3-position switch 1) lock out 2) Open 3) ProPedal pedal assisting damping, adjustable rebound, 7.25x1.75"	Fox Triad, custom on-the-fly 3-position switch 1) lock out 2) Open 3) ProPedal pedal assisting damping, adjustable rebound, 7.25x1.75"
FORK	Fox F120 RLC, 120mm travel, rebound/compression adjust, lock out w/ threshold adjust, alloy steerer	Fox Float 120 RL, 120mm travel, rebound/compression adjust, lock out, alloy steerer	Fox Float 120 RL, 120mm travel, rebound/compression adjust, lock out, alloy steerer
HEADSET	1 1/8" threadless, alloy cups w/ 10mm insertion, sealed cartridge bearing	1 1/8" threadless, alloy cups w/ 10mm insertion, sealed cartridge bearing	1 1/8" threadless, alloy cups w/ 10mm insertion, sealed cartridge bearing
STEM	Specialized adjustable rise, 31.8mm clamp, 3D forged w/ CNC finish	Specialized adjustable rise, 31.8mm clamp, 3D forged w/ CNC finish	Specialized adjustable rise, 31.8mm clamp, 3D forged w/ CNC finish
HANDLEBARS	Specialized XC low rise 31.8mm bar, 2014 butted alloy, 6 degree up, 8 degree backsweep, 640mm wide	Specialized XC low rise 31.8mm bar, 2014 butted alloy, 6 degree up, 8 degree backsweep, 640mm wide	Specialized XC low rise 31.8mm bar, 6066 butted alloy, 6 degree up, 8 degree backsweep, 640mm wide
GRIPS	Specialized thin lock on grip, dual density	Specialized thin lock on grip, dual density	Specialized thin lock on grip, dual density
FRONT BRAKE	Custom Avid Ultimate 7, hydraulic disc, 185 and 203mm rotor	Custom Avid Ultimate 7, hydraulic disc, 185 and 203mm rotor	Custom Avid Juicy 5 SL, hydraulic disc, 185 and 203mm rotor
REAR BRAKE	Custom Avid Ultimate 7, hydraulic disc, 160 and 185mm rotor	Custom Avid Ultimate 7, hydraulic disc, 160 and 185mm rotor	Custom Avid Juicy 5 SL, hydraulic disc, 160 and 185mm rotor
BRAKE LEVERS	Custom Avid Ultimate 7, hydraulic disc	Custom Avid Ultimate 7, hydraulic disc	Custom Avid Juicy 5 SL, hydraulic disc
FRONT DERAILEUR	Shimano M581 LX, DMD, top swing, dual pull	Shimano M581 LX, DMD, top swing, dual pull	Shimano M581 LX, DMD, top swing, dual pull
REAR DERAILEUR	SRAM X-0, 9-speed, mid cage	New Shimano M772 XT Shadow	SRAM X-9, 9-speed, mid cage
SHIFT LEVERS	SRAM X-9, aluminum 9-speed trigger	Shimano Deore LX M580, 9-speed	SRAM X-7, aluminum 9-speed trigger
CASSETTE	Shimano HG-50, 9-speed, 11-34t	Shimano HG-50, 9-speed, 11-34t	Shimano HG-50, 9-speed, 11-34t
CHAIN	SRAM PC-971 w/ Power Link	SRAM PC-971 w/ Power Link	SRAM PC-971 w/ Power Link
CHAINRINGS	Shimano M-762 XT custom for Specialized 22S/32A/44A, 4 bolt 104/64mm	Shimano M762 XT custom for Specialized 22S/32A/44A, 4 bolt 104/64mm	Shimano M542, 2pc custom for Specialized 22S/32A/44A, 4 bolt 104/64mm
BOTTOM BRACKET	Shimano M-762 XT custom for Specialized	Shimano M762 XT custom for Specialized	Shimano M542, 2pc custom for Specialized
PEDALS	Crank Brothers Smarty custom for Specialized	Crank Brothers Smarty custom for Specialized	Crank Brothers Smarty custom for Specialized
RIMS	DT Swiss custom for Specialized X420, 24mm w/ eyelets, 28/32h	DT Swiss custom for Specialized X420, 24mm w/ eyelets, 28/32h	DT Swiss custom for Specialized X420, 24mm w/ eyelets, 28/32h
FRONT HUB	Specialized Hi Lo disc, 28h CNC flange and disc mount, sealed cartridge bearing, 9mm DT RWS alloy QR	Specialized Hi Lo disc, 28h CNC flange and disc mount, sealed cartridge bearing, 9mm DT RWS alloy QR	Specialized Hi Lo disc, 28h CNC flange and disc mount, sealed cartridge bearing, 9mm DT RWS alloy QR
REAR HUB	DT Swiss custom for Specialized 370 with DT RWS QR, 32h	DT Swiss custom for Specialized 370 with DT RWS QR, 32h	Shimano custom M525SL hub for Specialized, 32h, alloy QR
SPOKES	DT Swiss Competition 1.8/16mm	DT Swiss Competition 1.8/16mm	DT Swiss 1.8mm stainless, alloy nipples
FRONT TIRE	S-Works The Captain 26x2.0", 120 TPI, tubeless ready aramid bead, dual compound	S-Works The Captain 26x2.0", 120 TPI, tubeless ready aramid bead, dual compound	S-Works The Captain 26x2.0", 120 TPI, tubeless ready aramid bead, dual compound
REAR TIRE	S-Works The Captain 26x2.0", 120 TPI, tubeless ready aramid bead, dual compound	S-Works The Captain 26x2.0", 120 TPI, tubeless ready aramid bead, dual compound	S-Works The Captain 26x2.0", 120 TPI, tubeless ready aramid bead, dual compound
TUBES	Specialized Ultralite, 6mm, presta	Specialized Ultralite, 6mm, presta	Specialized Ultralite, 6mm, presta
SADDLE	Specialized XC MTB, hollow Cr-Mo rails, SL foam	Specialized XC MTB, hollow Cr-Mo rails, SL foam	Specialized XC MTB, hollow Cr-Mo rails, SL foam
SEAT POST	2017 butted alloy, two bolt non-setback, 30.9 x 350/400mm	2016 butted alloy, two bolt non-setback, 30.9 x 350/400mm	2015 butted alloy, two bolt non-setback, 30.9 x 350/400mm
SEAT BINDER	Alloy collar w/ QR, 34.9mm clamp ID	Alloy collar w/ QR, 34.9mm clamp ID	Alloy collar w/ QR, 34.9mm clamp ID
NOTES	Protective clear coat, derailleur hanger, reflectors, owners	Protective clear coat, derailleur hanger, reflectors, owners manual	Protective clear coat, derailleur hanger, reflectors, owners manual

MODEL	SJ FSR 29	SJ FSR 29 Frame	FSR XC
FRAME	All new Stumpjumper FSR M5 manipulated alloy frame w/ ORE TT/DT for 29" wheel, sealed cartridge bearing pivots, DMD Direct Mount Der, replaceable derailleur hanger, two sets of water bottle bosses, disc only, 105mm travel	All new Stumpjumper FSR M5 manipulated alloy frame w/ ORE TT/DT for 29" wheel, sealed cartridge bearing pivots, DMD Direct Mount Der, replaceable derailleur hanger, disc only, 105mm travel	FSR M4 butted frame w/ ORE downtube, sealed cartridge bearing pivots, replaceable hanger, bolt on cable guides, two sets of water bottle bosses, disc only, 100mm travel
REAR SHOCK	Specialized AFR Shock w/ remote Trail Tune inertia valve, adj rebound and Brain Fade, 7.25x1.5"	Specialized AFR Shock w/ remote Trail Tune inertia valve, adj rebound and Brain Fade, 7.25x1.5"	Fox Triad II, custom on-the-fly 3-position switch 1) lock out 2) Open 3) ProPedal pedal assisting damping, rebound adjust, 7.0x1.6"
FORK	Rock Shox Reba SL 29, 100mm of travel, air spring, Motion Control damper with adjustable rebound and compression w/ LO	N/A	Rock Shox Reba SL, Air, 100mm travel, 32mm stanchions, disc only, alloy steerer, Motion Control damper, lockout and rebound adjust
HEADSET	1 1/8" threadless, alloy cups w/ 10mm insertion, sealed cartridge bearing	N/A	1 1/8" threadless, black steel cups, loose ball bearings w/ seals
STEM	Specialized adjustable rise, 31.8mm clamp, 3D forged w/ CNC finish	N/A	Specialized 3D forged adjustable rise, 31.8mm clamp, S.75mm, M.90mm, L/XL.105mm
HANDLEBARS	Specialized OS flat bar, 2014 alloy, 6 deg backsweep, 640mm wide	N/A	Specialized XC low rise 31.8mm bar, 6066 butted alloy, 640mm wide, 6 degree up, 8 degree backsweep
GRIPS	Specialized thin lock on grip, dual density	N/A	Specialized MTB, dual density
FRONT BRAKE	Custom Avid Ultimate 7, hydraulic disc, 185 and 203mm rotor	N/A	Custom Avid Juicy 3 SL, hydraulic disc, G2 Clean Sweep rotor S/M: 180mm, L/XL 203mm
REAR BRAKE	Custom Avid Ultimate 7, hydraulic disc, 160 and 185mm rotor	N/A	Custom Avid Juicy 3 SL, hydraulic disc, G2 Clean Sweep rotor S/M: 160mm, L/XL: 203mm
BRAKE LEVERS	Custom Avid Ultimate 7, hydraulic disc	N/A	Custom Avid Juicy 3 SL, hydraulic
FRONT DERAILEUR	Shimano M581 LX, DMD, top swing, dual pull	Shimano M581 LX, DMD, top swing, dual pull	Shimano Deore M530, 34.9mm clamp
REAR DERAILEUR	SRAM X-0, mid cage	N/A	Shimano Shadow XT M772, SGS cage
SHIFT LEVERS	SRAM X-9, trigger	N/A	Shimano Deore M530, 9-speed trigger
CASSETTE	Shimano HG-50, 9-speed, 11-34t	N/A	Shimano HG-50, 9-speed, 11-34t
CHAIN	SRAM PC-971 w/ Power Link	N/A	KMC HG 73 w/ reusable Missing Link
CRANKSET	Shimano M-762 XT custom for Specialized	N/A	Shimano M532, 2pc design, 9-speed, replaceable rings w/ alloy outer
CHAINRINGS	22S/32A/44A, 4 bolt 104/64mm	N/A	22S/32S/44A 4mm thick outer, 4 bolt 104/64mm
BOTTOM BRACKET	Shimano M-762 XT custom for Specialized	N/A	Shimano outboard cartridge bearing design integrated w/ M532 2pc crank
PEDALS	Crank Brothers Smarty custom for Specialized	N/A	Shimano 505 SPD
RIMS	DT Swiss custom for Specialized X470, 29" 24mm wide, 32h	N/A	DT-Swiss 445D, 26", double wall disc, pin joint, eyelets, 32h
FRONT HUB	Specialized Hi Lo disc, 32h, CNC flange and disc mount, sealed cartridge bearing, 9mm DT RWS alloy QR	N/A	Specialized Hi Lo disc, 32h, cartridge bearing disc, CNC flange and disc mount, QR
REAR HUB	DT Swiss custom for Specialized 370 with DT RWS QR, 32h	N/A	Shimano M-475L disc, 32h, 8/9-speed cassette, alloy QR
SPOKES	DT Swiss Competition butted 1.8/16 with alloy nipples	N/A	1.8mm (15g) stainless, black, alloy nipples
FRONT TIRE	S-Works The Captain, 29x2.0", 120 TPI, tubeless ready aramid bead, dual compound	N/A	Specialized The Captain Pro, 26.2.0", 60TPI, tubeless ready, aramid bead
REAR TIRE	S-Works The Captain, 29x2.0", 120 TPI, tubeless ready aramid bead, dual compound	N/A	Specialized The Captain Pro, 26.2.0", 60TPI, tubeless ready, aramid bead
TUBES	Specialized Ultralite, 6mm, presta	N/A	Specialized Ultralite, 6mm, presta
SADDLE	Specialized XC MTB, hollow Cr-Mo rails, SL foam	N/A	Specialized MTB, 7mm hollow Cr-Mo rails, SL foam
SEAT POST	2018 butted alloy, two bolt non-setback, 30.9 x 350/400mm	N/A	2014 butted alloy, two bolt non-setback, 30.9 x 350/400mm
SEAT BINDER	Alloy collar w/ QR, 34.9mm clamp ID	N/A	Alloy collar w/ QR, 34.9mm clamp ID, black
NOTES	Protective clear coat, derailleur hanger, owners manual	Protective clear coat, derailleur hanger, owners manual	Protective clear coat, derailleur hanger, reflectors, owners manual

MODEL	FSR XC Expert	FSR XC Comp	FSR XC Rim
FRAME	FSR M4 butted frame w/ ORE downtube, sealed cartridge bearing pivots, replaceable hanger, bolt on cable guides, two sets of water bottle bosses, disc only, 100mm travel	FSR M4 butted frame w/ ORE downtube, sealed cartridge bearing pivots, replaceable hanger, bolt on cable guides, two sets of water bottle bosses, disc only, 100mm travel	FSR M4 butted frame w/ ORE downtube, sealed cartridge bearing pivots, replaceable hanger, bolt on cable guides, two sets of water bottle bosses, disc only, 100mm travel
REAR SHOCK	X Fusion 02RC, Specialized tuned, rebound/compression adjust w/ LO, 7.0x1.6", 4 bearing lower shock absorber	X Fusion 02RLA, Specialized tuned, rebound adjust w/ LO, 7.0x1.6", 4 bearing lower shock absorber	X Fusion 02RLA, Specialized tuned, rebound adjust w/ LO, 7.0x1.6", 4 bearing lower shock absorber
FORK	RockShox Recon 33S SLite, 100mm travel, 32mm alloy stanchions, alloy steerer, disc only, Turn Key damper, lockout w/ rebound adjust, coil spring	RockShox Tori 302 SL, 100mm travel, 32mm Cr-Mo stanchions, alloy steerer, mag lower, coil spring, preload adjust, lockout w/ rebound adjust	RockShox Tori 302 SL, 100mm travel, 32mm Cr-Mo stanchions, alloy steerer, mag lower, coil spring, preload adjust, lockout w/ rebound adjust
HEADSET	1 1/8" threadless, black steel cups, loose ball bearings w/ seals	1 1/8" threadless, black steel cups, loose ball bearings w/ seals	1 1/8" threadless, black steel cups, loose ball bearings w/ seals
STEM	Specialized 3D forged alloy, 7 degree rise, 31.8mm 4 bolt clamp, S.75mm, M.90mm, L/XL.105mm	Specialized 3D forged alloy, 7 degree rise, 31.8mm 4 bolt clamp, S.75mm, M.90mm, L/XL.105mm	Specialized 3D forged alloy, 7 degree rise, 31.8mm 4 bolt clamp, S.75mm, M.90mm, L/XL.105mm
HANDLEBARS	Specialized XC low rise, 31.8mm, butted alloy, 640mm wide, 6 degree up, 8 degree backsweep	Specialized XC low rise, 31.8mm, butted alloy, 640mm wide, 6 degree up, 8 degree backsweep	Specialized XC low rise, 31.8mm, butted alloy, 640mm wide, 6 degree up, 8 degree backsweep
GRIPS	Specialized MTB, dual density	Specialized MTB, dual density	Specialized MTB, dual density
FRONT BRAKE	Custom Avid Juicy 3 SL, hydraulic disc, G2 Clean Sweep rotor S/M: 180mm, L/XL: 203mm	Hayes Stroker Ryde, hydraulic disc, S/M: 185mm rotor, L/XL: 203mm rotor	Avid SD-3, alloy "V", cartridge pads w/ lpc pad
REAR BRAKE	Custom Avid Juicy 3 SL, hydraulic disc, G2 Clean Sweep rotor S/M: 160mm, L/XL: 203mm	Hayes Stroker Ryde, hydraulic disc, S/M: 160mm rotor, L/XL: 185mm rotor	Avid SD-3, alloy "V", cartridge pads w/ lpc pad
BRAKE LEVERS	Custom Avid Juicy 3 SL, hydraulic	Hayes Stroker Ryde	Avid FR-5
FRONT DERAILEUR	Shimano Deore M530, 34.9mm clamp	Shimano Deore M530, 34.9mm clamp	Shimano Deore M530, 34.9mm clamp
REAR DERAILEUR	Shimano Shadow XT M772, SGS cage	Shimano LX M581, SGS cage	Shimano LX M581, SGS cage
SHIFT LEVERS	Shimano Deore M530, 9-speed trigger	Shimano Deore M530, 9-speed trigger	Shimano Deore M530, 9-speed trigger
CASSETTE	Shimano HG-50, 9-speed, 11-34t	Shimano HG-50, 9-speed, 11-34t	Shimano HG-50, 9-speed, 11-34t
CHAIN	KMC X9, 1/2" x 3/32" w/ reusable Missing Link	KMC X9, 1/2" x 3/32" w/ reusable Missing Link	KMC X9, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Shimano M521, Hollowtech, Octalink spline, replaceable rings w/ alloy outer	Shimano M442-8, Octalink Spline, 9-speed, replaceable rings w/ alloy outer	Shimano M442-8, Octalink Spline, 9-speed, replaceable rings w/ alloy outer
CHAINRINGS	22S/32S/44A 4mm thick outer, 4 bolt 104/64mm	22S/32S/44A 4mm thick outer, 4 bolt 104/64mm	22S/32S/44A 4mm thick outer, 4 bolt 104/64mm
BOTTOM BRACKET	Shimano BB-E525, Octalink Spline, cartridge bearing, 68 x 118mm for 50mm chainline	Shimano BB-E525, Octalink Spline, cartridge bearing, 68 x 118mm for 50mm chainline	Shimano BB-E525, Octalink Spline, cartridge bearing, 68 x 118mm for 50mm chainline
PEDALS	Shimano 505 SPD	Specialized alloy lpc body and cage, 9/16"	Specialized alloy lpc body and cage, 9/16"
RIMS	DT-Swiss 445D, 26", double wall disc, pin joint, eyelets, 32h	Specialized/Alex RHD 26, double wall disc w/ eyelets	Specialized/Alex RHD 26, double wall rim w/ eyelets
FRONT HUB	Specialized Hi Lo disc, 32h, CNC flange and disc mount, polished races, alloy QR	Specialized Hi Lo disc, 32h, CNC flange and disc mount, polished races, alloy QR	Specialized Hi Lo disc, 32h, CNC flange and disc mount, polished races, alloy QR
REAR HUB	Shimano M-475L disc, 32h, 8/9-speed cassette, alloy QR	Shimano M-475L disc, 32h, 8/9-speed cassette, alloy QR	Shimano M-475L disc, 32h, 8/9-speed cassette, alloy QR
SPOKES	1.8mm (15g) stainless, black, alloy nipples	1.8mm (15g) stainless, black, alloy nipples	1.8mm (15g) stainless, black, alloy nipples
FRONT TIRE	Specialized The Captain Sport, 26x2.0", 60TPI, wire bead	Specialized The Captain Sport, 26x2.0", 60TPI, wire bead	Specialized The Captain Sport, 26x2.0", 60TPI, wire bead
REAR TIRE	Specialized The Captain Sport, 26x2.0", 60TPI, wire bead	Specialized The Captain Sport, 26x2.0", 60TPI, wire bead	Specialized The Captain Sport, 26x2.0", 60TPI, wire bead
TUBES	Specialized Ultralite, 6mm, presta	Specialized 1.2mm, schraeder valve	Specialized, 1.2mm, schraeder valve
SADDLE	Specialized MTB, 7mm steel rails	Specialized MTB, 7mm steel rails	Specialized MTB, 7mm steel rails
SEAT POST	2 bolt micro adjust, 6061 alloy, black, 30.9 x 350/400mm	2 bolt micro adjust, 6061 alloy, black, 30.9 x 350/400mm	2 bolt micro adjust, 6061 alloy, black, 30.9 x 350/400mm
SEAT BINDER	Alloy collar w/ QR, 34.9mm clamp ID, black	Alloy collar w/ QR, 34.9mm clamp ID	Alloy collar w/ QR, 34.9mm clamp ID
NOTES	Protective clear coat, derailleur hanger, reflectors, owners manual	Protective clear coat, derailleur hanger, reflectors, owners manual	Protective clear coat, derailleur hanger, reflectors, owners manual

MODEL	Epic Marathon Carbon	Epic Marathon	Epic Marathon Frame
FRAME	FACT 9m carbon front triangle, A21 construction, M5 aluminum rear triangle, sealed cartridge bearing pivots, 100mm travel, FACT carbon link	Epic FSR M5 alloy, fully manipulated frame w/ new larger diameter/stiffer ORE DT/TT, FACT carbon shock link, sealed cartridge bearings, 100mm travel, replaceable derailleur hanger	Epic FSR M5 alloy, fully manipulated frame w/ new larger diameter/stiffer ORE DT/TT, FACT carbon shock link, sealed cartridge bearings, 100mm travel, replaceable derailleur hanger
REAR SHOCK	Specialized AFR Shock w/ Flow Control valve, adjustable from HT firm to Trail Tune, air spring, adjustable rebound	Specialized AFR Shock w/ Flow Control valve, adjustable from HT firm to Trail Tune, air spring, adjustable rebound	Specialized AFR Shock w/ Flow Control valve, adjustable from HT firm to Trail Tune, air spring, adjustable rebound
FORK	Fox F100 RLC, 100mm travel, rebound/compression adjust, lock out w/ threshold adjust, alloy steerer	Fox F100 RLC, 100mm travel, rebound/compression adjust, lock out w/ threshold adjust, alloy steerer	N/A
HEADSET	1 1/8" threadless, Campy spec integrated sealed cartridge bearing	1 1/8" threadless, alloy cups w/ 10mm insertion, sealed cartridge bearing	N/A
STEM	Specialized adjustable rise, 31.8mm clamp, 3D forged w/ CNC finish	Specialized adjustable rise, 31.8mm clamp, 3D forged w/ CNC finish	N/A
HANDLEBARS	Specialized OS XC low rise carbon bar, 640mm wide, 6 degree up, 8 degree backsweep	Specialized OS XC low rise carbon bar, 640mm wide, 6 degree up, 8 degree backsweep	N/A
GRIPS	Specialized thin lock on grip, dual density	Specialized thin lock on grip, dual density	N/A
FRONT BRAKE	Magura Marta, hydraulic disc, 160 and 185mm SL rotor	Magura Marta, hydraulic disc, 160 and 185mm SL rotor	N/A
REAR BRAKE	Magura Marta, hydraulic disc, 160mm SL rotor	Magura Marta, hydraulic disc, 160mm SL rotor	N/A
BRAKE LEVERS	Magura Marta, hydraulic disc	Magura Marta, hydraulic disc	N/A
FRONT DERAILEUR	Shimano M770 XT, 34.9 clamp, bottom swing, dual pull	Shimano M770 XT, 34.9 clamp, bottom swing, dual pull	N/A
REAR DERAILEUR	SRAM X-0, 9-speed, mid cage	SRAM X-0, 9-speed, mid cage	N/A
SHIFT LEVERS	SRAM X-0, carbon/aluminum 9-speed trigger	SRAM X-0, carbon/aluminum 9-speed trigger	N/A
CASSETTE	Shimano M760 XT, 9-speed, 11-34t	Shimano M760 XT, 9-speed, 11-34t	N/A
CHAIN	SRAM PC-971 w/ Power Link	SRAM PC-971 w/ Power Link	N/A
CRANKSET	New Shimano M-770 XT	New Shimano M-770 XT	N/A
CHAINRINGS	22A/32A/44A, 4 bolt 104/64mm	22S/32A/44A, 4 bolt 104/64mm	N/A
BOTTOM BRACKET	New Shimano M-770 XT	New Shimano M-770 XT	N/A
PEDALS	Crank Brothers Smarty custom for Specialized	Crank Brothers Smarty custom for Specialized	N/A
RIMS	DT Swiss XR 42D, 24mm w/ eyelets, 28/32h	DT Swiss XR 42D, 24mm w/ eyelets, 28/32h	N/A
FRONT HUB	Specialized Hi Lo disc, 28h CNC flange and disc mount, sealed cartridge bearing, 9mm DT RWS alloy QR	Specialized Hi Lo disc, 28h CNC flange and disc mount, sealed cartridge bearing, 9mm DT RWS alloy QR	N/A
REAR HUB	DT Swiss custom for Specialized w/ Star Rachet alloy freehub w/ DT RWS 10mm alloy QR, 32h	DT Swiss custom for Specialized Star rachet alloy freehub w/ DT RWS 10mm alloy QR, 32h	N/A
SPOKES	DT Swiss Super Comp 2.0/17/1.8 stainless, alloy nipples	DT Swiss Super Comp 2.0/17/1.8 stainless, alloy nipples	N/A
FRONT TIRE	S-Works Fast Trak LK, 26x2.0", tubeless ready, aramid bead, dual compound	S-Works Fast Trak LK, 26x2.0", tubeless ready, aramid bead, dual compound	N/A
REAR TIRE	S-Works Fast Trak LK, 26x2.0", tubeless ready, aramid bead, dual compound	S-Works Fast Trak LK, 26x2.0", tubeless ready, aramid bead, dual compound	N/A
TUBES	Specialized Ultralite, 6mm, presta	Specialized Ultralite, 6mm, presta	N/A
SADDLE	Specialized Phenom, Titanium rails	Specialized Phenom, Titanium rails	N/A
SEAT POST	Thomson, setback w/ 12 degree clamp, 367/410mm	Thomson, setback w/ 12 degree clamp, 367/410mm	N/A
SEAT BINDER	Alloy collar w/ QR, 34.9mm clamp ID, for carbon frames	Alloy collar w/ QR, 34.9mm clamp ID	N/A
NOTES	Protective clear coat, derailleur hanger, reflectors, owners manual	Protective clear coat, derailleur hanger, reflectors, owners manual	Protective clear coat, derailleur hanger, reflectors, owners manual

	Epic		
MODEL	Epic Expert Carbon	Epic Expert	Epic Comp
FRAME	FACT 9m carbon front triangle, Az1 construction, M5 aluminum rear triangle, sealed cartridge bearing pivots, 100mm travel, hollow alloy shock link	Epic FSR M5 alloy, fully manipulated frame w/ new larger diameter/stiffer ORE DT/TT, hollow alloy shock link, sealed cartridge bearings, 100mm travel, replaceable derailleur hanger	Epic FSR M5 alloy, fully manipulated frame w/ new larger diameter/stiffer ORE DT/TT, hollow alloy shock link, sealed cartridge bearings, 100mm travel, replaceable derailleur hanger
REAR SHOCK	Specialized AFR Inertia, Brain Fade, adjustable from HT firm to Trail Tune, air spring, rebound adjust	Specialized AFR Inertia, Brain Fade, adjustable from HT firm to Trail Tune, air spring, rebound adjust	Specialized AFR Inertia, Brain Fade, adjustable from HT firm to Trail Tune, air spring, rebound adjust
FORK	Fox F100 RL 100mm travel, air spring, rebound/compression adjust w/ lock out, alloy steerer	Fox F100 RL 100mm travel, air spring, rebound/compression adjust w/ lock out, alloy steerer	Fox F100 RL 100mm travel, air spring, rebound/compression adjust w/ lock out, alloy steerer
HEADSET	1 1/8" threadless, Campy spec integrated sealed cartridge bearing	1 1/8" threadless, alloy cups w/ 10mm insertion, sealed cartridge bearing	1 1/8" threadless, alloy cups w/ 10mm insertion, sealed cartridge bearing
STEM	Specialized adjustable rise, 31.8mm clamp, 3D forged w/ CNC finish	Specialized adjustable rise, 31.8mm clamp, 3D forged w/ CNC finish	Specialized adjustable rise, 31.8mm clamp, 3D forged w/ CNC finish
HANDLEBARS	Specialized XC low rise 31.8mm bar, 2014 butted alloy, 6 degree up, 8 degree backsweep, 640mm wide	Specialized XC low rise 31.8mm bar, 2014 butted alloy, 6 degree up, 8 degree backsweep, 640mm wide	Specialized XC low rise 31.8mm bar, 6066 butted alloy, 6 degree up, 8 degree backsweep, 640mm wide
GRIPS	Specialized thin lock on grip, dual density	Specialized thin lock on grip, dual density	Specialized thin lock on grip, dual density
FRONT BRAKE	Custom Avid Ultimate 7, hydraulic disc, 160 and 185mm rotor	Custom Avid Ultimate 7, hydraulic disc, 160 and 185mm rotor	Custom Avid Juicy 5 SL, hydraulic disc, 160 and 185mm rotor
REAR BRAKE	Custom Avid Ultimate 7, hydraulic disc, 160mm rotor	Custom Avid Ultimate 7, hydraulic disc, 160mm rotor	Custom Avid Juicy 5 SL, hydraulic disc, 160mm rotor
BRAKE LEVERS	Custom Avid Ultimate 7, hydraulic disc	Custom Avid Ultimate 7, hydraulic disc	Custom Avid Juicy 5 SL, hydraulic disc
FRONT DERAILLEUR	Shimano M581 LX, 34.9mm clamp, bottom swing, dual pull	Shimano M581 LX, 34.9mm clamp, bottom swing, dual pull	Shimano M581 LX, 34.9mm clamp, bottom swing, dual pull
REAR DERAILLEUR	SRAM X-0, 9-speed, mid cage	SRAM X-0, 9-speed, mid cage	SRAM X-9, 9-speed, mid cage
SHIFT LEVERS	SRAM X-9, aluminum 9-speed trigger	SRAM X-9, aluminum 9-speed trigger	SRAM X-7, aluminum 9-speed trigger
CASSETTE	Shimano HG-50, 9-speed, 11-34t	Shimano HG-50, 9-speed, 11-34t	Shimano HG-50, 9-speed, 11-34t
CHAIN	SRAM PC-971 w/ Power Link	SRAM PC-971 w/ Power Link	SRAM PC-971 w/ Power Link
CRANKSET	Shimano M762 XT custom for Specialized	Shimano M762 XT custom for Specialized	Shimano M542, 2pc custom for Specialized
CHAINRINGS	22S/32A/44A, 4 bolt 104/64mm	22S/32A/44A, 4 bolt 104/64mm	22S/32A/44A, 4 bolt 104/64mm
BOTTOM BRACKET	Shimano M762 XT custom for Specialized	Shimano M762 XT custom for Specialized	Shimano M542, 2pc custom for Specialized
PEDALS	Crank Brothers Smarty custom for Specialized	Crank Brothers Smarty custom for Specialized	Crank Brothers Smarty custom for Specialized
RIMS	DT Swiss custom for Specialized X420, 24mm w/ eyelets, 28/32h	DT Swiss custom for Specialized X420, 24mm w/ eyelets, 28/32h	DT Swiss custom for Specialized X420, 24mm w/ eyelets, 28/32h
FRONT HUB	Specialized Hi Lo disc, 28h CNC flange and disc mount, sealed cartridge bearing, 9mm DT RWS alloy QR	Specialized Hi Lo disc, 28h CNC flange and disc mount, sealed cartridge bearing, 9mm DT RWS alloy QR	Specialized Hi Lo disc, 28h CNC flange and disc mount, sealed cartridge bearing, 9mm DT RWS alloy QR
REAR HUB	DT Swiss custom for Specialized 370 with DT RWS QR, 32h	DT Swiss custom for Specialized 370 with DT RWS QR, 32h	Shimano custom M525SL hub for Specialized, 32h, alloy QR
SPOKES	DT Swiss Competition 1.8/16mm	DT Swiss Competition 1.8/16mm	DT Swiss 1.8mm stainless, alloy nipples
FRONT TIRE	Specialized Fast Trak Control LK, 26x2.0", 60TPI, tubeless ready aramid bead, dual compound	Specialized Fast Trak Control LK, 26x2.0", 60TPI, tubeless ready aramid bead, dual compound	Specialized Fast Trak Control LK, 26x2.0", 60TPI, tubeless ready aramid bead, dual compound
REAR TIRE	Specialized Fast Trak Control LK, 26x2.0", 60TPI, tubeless ready aramid bead, dual compound	Specialized Fast Trak Control LK, 26x2.0", 60TPI, tubeless ready aramid bead, dual compound	Specialized Fast Trak Control LK, 26x2.0", 60TPI, tubeless ready aramid bead, dual compound
TUBES	Specialized Ultralite, 6mm, presta	Specialized Ultralite, 6mm, presta	Specialized Ultralite, 6mm, presta
SADDLE	Specialized XC MTB, hollow Cr-Mo rails, SL foam	Specialized XC MTB, hollow Cr-Mo rails, SL foam	Specialized XC MTB, hollow Cr-Mo rails, SL foam
SEAT POST	2014 butted alloy, single bolt setback, 30.9 x 350/400mm	2014 butted alloy, single bolt setback, 30.9 x 350/400mm	2014 butted alloy, single bolt setback, 30.9 x 350/400mm
SEAT BINDER	Alloy collar w/ QR, 36.9mm clamp ID, for carbon frames	Alloy collar w/ QR, 36.9mm clamp ID	Alloy collar w/ QR, 34.9mm clamp ID
NOTES	Protective clear coat, derailleur hanger, reflectors, owners manual	Protective clear coat, derailleur hanger, reflectors, owners manual	Protective clear coat, derailleur hanger, reflectors, owners manual

ENDURO

Enduro SL Pro Carbon

Epic FSR M5 alloy, fully manipulated frame w/ new larger diameter/stiffer ORE DT/TT, hollow alloy shock link, sealed cartridge bearings, 100mm travel, replaceable derailleur hanger

MODEL	Epic Rim
FRAME	Epic FSR M5 alloy, fully manipulated frame w/ new larger diameter/stiffer ORE DT/TT, hollow alloy shock link, sealed cartridge bearings, 100mm travel, replaceable derailleur hanger
REAR SHOCK	Specialized AFR Inertia, Brain Fade, adjustable from HT firm to Trail Tune, air spring, rebound adjust
FORK	Fox F100 RL 100mm travel, air spring, rebound/compression adjust w/ lock out, alloy steerer
HEADSET	1 1/8" threadless, alloy cups w/ 10mm insertion, sealed cartridge bearing
STEM	Specialized adjustable rise, 31.8mm clamp, 3D forged w/ CNC finish
HANDLEBARS	Specialized XC low rise 31.8mm bar, 6066 butted alloy, 6 degree up, 8 degree backsweep, 640mm wide
GRIPS	Specialized thin lock on grip, dual density
FRONT BRAKE	Avid SD-3R, cantilevers, cartridge pads, lightweight compressionless housing
REAR BRAKE	Avid SD-3R, cantilevers, cartridge pads, lightweight compressionless housing
BRAKE LEVERS	Avid FR-5
FRONT DERAILLEUR	Shimano M581 LX, 34.9mm clamp, bottom swing, dual pull
REAR DERAILLEUR	SRAM X-9, 9-speed, mid cage
SHIFT LEVERS	SRAM X-7, aluminum 9-speed trigger
CASSETTE	Shimano HG-50, 9-speed, 11-34t
CHAIN	SRAM PC-971 w/ Power Link
CRANKSET	Shimano M542, 2pc custom for Specialized
CHAINRINGS	22S/32A/44A, 4 bolt 104/64mm
BOTTOM BRACKET	Shimano M542, 2pc custom for Specialized
PEDALS	Crank Brothers Smarty custom for Specialized
RIMS	Mavic X317, 26", black w/ eyelets, 28/32h
FRONT HUB	Specialized Hi Lo disc, 28h CNC flange and disc mount, sealed cartridge bearing, 9mm DT RWS alloy QR
REAR HUB	Shimano custom M525SL hub for Specialized, 32h, alloy QR
SPOKES	DT Swiss 1.8mm stainless, alloy nipples
FRONT TIRE	Specialized Fast Trak Control LK, 26x2.0", 60TPI, tubeless ready aramid bead, dual compound
REAR TIRE	Specialized Fast Trak Control LK, 26x2.0", 60TPI, tubeless ready aramid bead, dual compound
TUBES	Specialized Ultralite, 6mm, presta
SADDLE	Specialized XC MTB, hollow Cr-Mo rails, SL foam
SEAT POST	2014 butted alloy, single bolt setback, 30.9 x 350/400mm
SEAT BINDER	Alloy collar w/ QR, 34.9mm clamp ID
NOTES	Protective clear coat, derailleur hanger, reflectors, owners manual

PITCH

Pitch Pro

All new M4 Pitch frame, M4 tubing, double ORE downtube, DMD front derailleur mount, sealed cartridge bearing pivots, replaceable hanger, bolt on cable guides, 150mm travel Fox RP2, 2-position switch 1) ProPedal 2) full open, rebound adjust

MODEL	Epic Rim
FRAME	Epic FSR M5 alloy, fully manipulated frame w/ ORE TT and DT, forged HT, sealed cartridge bearing pivots, ISCG mount, adj. geometry, replaceable derailleur hanger, 150mm travel
REAR SHOCK	Specialized AFR Shock w/ Spike valve, air spring, adjustable rebound and low speed compression, 7.875x2.25"
FORK	Specialized Future Shock e150SL, lightwight machined dual crown w/ integrated stem, 150mm travel, rebound, compression and travel adjust, 25mm thru axle, alloy steerer
HEADSET	1 1/8" threadless, alloy cups w/ 10mm insertion, sealed cartridge bearing
STEM	Specialized Future Shock, 31.8mm clamp integrated w/ fork
HANDLEBARS	Specialized Enduro mid rise bar, 6066 alloy, 31.8mm, 6 degree up, 9 degree backsweep, 660mm wide
GRIPS	Specialized thin lock on grip, dual density
FRONT BRAKE	Custom Avid Juicy 5 SL, hydraulic disc, 203mm rotor
REAR BRAKE	Custom Avid Juicy 5 SL, hydraulic disc, 185mm rotor
BRAKE LEVERS	Custom Avid Juicy 5 SL, hydraulic disc
FRONT DERAILLEUR	Shimano M581 LX, DMD, top swing, dual pull
REAR DERAILLEUR	SRAM X-9, 9-speed, mid cage
SHIFT LEVERS	SRAM X-7, aluminum 9-speed trigger
CASSETTE	Shimano HG-50, 9-speed, 11-34t
CHAIN	SRAM PC-971 w/ Power Link
CRANKSET	Shimano M542, 2pc custom for Specialized
CHAINRINGS	22S/32A/44A, 4 bolt 104/64mm
BOTTOM BRACKET	Shimano M542, 2pc custom for Specialized
PEDALS	N/A
RIMS	DT Swiss custom for Specialized X420, 24mm w/ eyelets, 32h
FRONT HUB	Specialized disc, 25mm thru axle, 32h
REAR HUB	DT Swiss custom for Specialized 370 w/ DT RWS QR, 32h
SPOKES	DT Swiss Competition 1.8/16mm
FRONT TIRE	S-Works Eskar, 26x2.3", 120 TPI, aramid tubeless ready bead, dual compound
REAR TIRE	S-Works Eskar, 26x2.3", 120 TPI, aramid tubeless ready bead, dual compound
TUBES	Specialized Ultralite, 6mm, presta
SADDLE	Specialized Enduro, titanium rails, SL foam
SEAT POST	Thomson, setback w/ 12 degree clamp, 367/410mm
SEAT BINDER	Alloy collar w/ QR, 36.9mm clamp ID, for carbon frames
NOTES	Protective clear coat, derailleur hanger, reflectors, owners manual

Rockshox Pike 351 for Specialized, 140mm travel, coil U Turn, Motion Control damper, disc only, alloy steerer, rebound adjust, Maxle 360 included

1 1/8" threadless, alloy cups w/ 10mm insertion, sealed cartridge bearing

Specialized 3D forged alloy, 8 degree rise, 31.8mm 4 bolt clamp, S:60mm, M/L:75mm, XL:90mm

Specialized mid rise, butted, 31.8mm, 660mm wide, 8 degree up, 8 degree backsweep

Specialized Enduro, dual density

Avid Juicy 3 SL, hydraulic disc, G2 Clean Sweep 203mm rotor

Avid Juicy 3 SL, hydraulic disc, G2 Clean Sweep 180mm rotor

Avid Juicy 3 SL

Shimano M580 LX, E type

SRAM X-9, mid cage

SRAM X-5, 9-speed trigger

Shimano HG-50, 9-speed, 11-34t

KMC HG 73 w/ reusable Missing Link

Shimano M532, 2pc design, 9-speed, replaceable rings w/ alloy outer

22S/32S/44A 4mm thick outer, 4 bolt 104/64mm

Shimano BB-ES25, Octalink Spline, cartridge bearing, 68 x 118mm for 50mm chainline

Specialized alloy lpc body and cage 9/16"

Specialized/Alex RHD 26, double wall disc w/ eyelets, 32h

Specialized Stout disc, sealed cartridge bearing, 20mm thru axle, high/low flange

Shimano M475L, 32h, 9-speed cassette

1.8mm (15g) stainless, black, alloy nipples

Specialized Eskar Sport, 26x2.3"

Specialized Eskar Control, 26x2.3"

Specialized, 1.2mm, schraeder valve

Specialized Enduro, 7mm hollow Cr-Mo rails, SL foam

2 bolt micro adjust, 6061 alloy, black, 30.9 x 350/400mm

Alloy collar w/ QR, 34.9mm clamp ID

Protective clear coat, derailleur hanger, reflectors, owners manual

Pitch Comp

All new M4 Pitch frame, M4 tubing, double ORE downtube, DMD front derailleur mount, sealed cartridge bearing pivots, replaceable hanger, bolt on cable guides, 150mm travel X Fusion Q2R, 7.875x2.25", rebound adjust

MODEL	Epic Rim
FRAME	Epic FSR M5 alloy, fully manipulated frame w/ ORE TT and DT, forged HT, sealed cartridge bearing pivots, ISCG mount, adj. geometry, replaceable derailleur hanger, 150mm travel
REAR SHOCK	Specialized AFR Shock w/ Spike valve, air spring, adjustable rebound and low speed compression, 7.875x2.25"
FORK	Specialized Future Shock e150SL, dual crown w/ integrated stem, 150mm travel, rebound, compression and travel adjust, 25mm thru axle, alloy steerer
HEADSET	1 1/8" threadless, alloy cups w/ 10mm insertion, sealed cartridge bearing
STEM	Specialized Future Shock, 31.8mm clamp integrated w/ fork
HANDLEBARS	Specialized Enduro mid rise bar, 2014 alloy, 31.8mm, 6 degree up, 9 degree backsweep, 660mm wide
GRIPS	Specialized thin lock on grip, dual density
FRONT BRAKE	Custom Avid Ultimate 7, hydraulic disc, 203mm rotor
REAR BRAKE	Custom Avid Ultimate 7, hydraulic disc, 185mm rotor
BRAKE LEVERS	Custom Avid Ultimate 7, hydraulic disc
FRONT DERAILLEUR	Shimano M581 LX, DMD, top swing, dual pull
REAR DERAILLEUR	SRAM X-0, 9-speed, mid cage
SHIFT LEVERS	SRAM X-0, carbon/aluminum 9-speed trigger
CASSETTE	Shimano HG-50, 9-speed, 11-34t
CHAIN	SRAM PC-971 w/ Power Link
CRANKSET	Shimano M-762 XT custom for Specialized
CHAINRINGS	22S/32A/44A, 4 bolt 104/64mm
BOTTOM BRACKET	Shimano M-762 XT custom for Specialized
PEDALS	N/A
RIMS	DT Swiss custom for Specialized X420, 24mm w/ eyelets, 32h
FRONT HUB	Specialized disc, 25mm thru axle, 32h
REAR HUB	DT Swiss custom for Specialized 370 w/ DT RWS QR, 32h
SPOKES	DT Swiss Competition 1.8/16mm
FRONT TIRE	S-Works Eskar, 26x2.3", 120 TPI, aramid tubeless ready bead, dual compound
REAR TIRE	S-Works Eskar, 26x2.3", 120 TPI, aramid tubeless ready bead, dual compound
TUBES	Specialized Ultralite, 6mm, presta
SADDLE	Specialized Enduro, hollow Cr-Mo rails, SL foam
SEAT POST	2014 butted alloy, single bolt setback, 30.9 x 350/400mm
SEAT BINDER	Alloy collar w/ QR, 34.9mm clamp ID
NOTES	Protective clear coat, derailleur hanger, reflectors, owners manual

Rockshox Pike 327 for Specialized, 140mm travel, coil U Turn, alloy steerer, rebound adjust, Maxle 360 included

1 1/8" threadless, alloy cups w/ 10mm insertion, sealed cartridge bearing

Specialized 3D forged alloy, 8 degree rise, 31.8mm 4 bolt clamp, S:60mm, M/L:75mm, XL:90mm

Specialized mid rise, butted, 31.8mm, 660mm wide, 8 degree up, 8 degree backsweep

Specialized Enduro, dual density

Hayes Stroker Ryde, 203mm rotor

Hayes Stroker Ryde, 185mm rotor

Hayes Stroker Ryde

Shimano M580 LX, E type

SRAM X-7, mid cage

SRAM X-5, 9-speed trigger

Shimano HG-50, 9-speed, 11-34t

KMC HG 73 w/ reusable Missing Link

Shimano M521, Hollowtech, Octalink spline, replaceable rings w/ alloy outer

22S/32S/44A 4mm thick outer, 4 bolt 104/64mm

Shimano BB-ES25, Octalink Spline, cartridge bearing, 68 x 118mm for 50mm chainline

Specialized alloy lpc body and cage 9/16"

Specialized/Alex RHD 26, double wall disc w/ eyelets, 32h

Specialized Stout disc, sealed cartridge bearing, 20mm thru axle, high/low flange

Shimano M475L, 32h, 9-speed cassette

1.8mm (15g) stainless, black, alloy nipples

Specialized Eskar Sport, 26x2.3"

Specialized Eskar Sport, 26x2.3"

Specialized, 1.2mm, schraeder valve

Specialized Enduro, 7mm steel rails

2 bolt micro adjust, 6061 alloy, black, 30.9 x 350/400mm

Alloy collar w/ QR, 34.9mm clamp ID

Protective clear coat, derailleur hanger, reflectors, owners manual

SX TRAIL

SX Trail II

MODEL	SX Trail II
FRAME	A1 Premium Aluminum frame, ORE TT/DT, forged HT, sealed cartridge bearing pivots, ISCG mount, adjust geometry, replaceable derailleur hanger, derailleur guard, 170mm travel
REAR SHOCK	Fox DHX 5.0 coil 9.0x2.75", adjustable rebound, ProPedal and bottom out control, S:300, M:350, L:400
FORK	Fox 36 Van RC2, 160mm travel, rebound adjust, high/low speed compression adjust, 20mm thru axle, alloy steerer tube
HEADSET	1 1/8" threadless, 7050 alloy cups w/ oversize lower cup and bearing
STEM	Truvativ Holzfeiler, 31.8 clamp, 40mm
HANDLEBARS	Specialized Enduro mid rise, 2014 alloy, 31.8mm bar, 6 degree up, 9 degree backsweep, 660mm wide
GRIPS	Specialized thin lock on grip, dual density
FRONT BRAKE	Custom Avid Code 7, hydraulic disc, 203mm rotor
REAR BRAKE	Custom Avid Code 7, hydraulic disc, 185mm rotor
BRAKE LEVERS	Custom Avid Code 7, hydraulic disc
FRONT DERAILLEUR	Shimano M581 LX, 34.9mm clamp, top swing, dual pull
REAR DERAILLEUR	SRAM X-0, 9-speed, mid cage
SHIFT LEVERS	SRAM X-7, aluminum 9-speed trigger
CASSETTE	Shimano HG-50, 9-speed, 11-34t
CHAIN	SRAM PC-971 w/ Power Link
CRANKSET	Truvativ Holzfeiler w/ BlackSpire Stinger shift guide
CHAINRINGS	24A/36A Specialized alloy shift guard
BOTTOM BRACKET	Truvativ Howitzer Team, outboard bearing, 51mm chainline, 73mm shell
PEDALS	Specialized Lo-Pro Mag, screw in pins
RIMS	DT Swiss EXS:ID, 28mm w/ eyelets, 36h
FRONT HUB	Specialized Stout disc, sealed cartridge bearing, 20mm thru-axle, high/low flange, 36h
REAR HUB	Specialized bolt-on 135mm, solid 10mm 7075 alloy axle w/ RD guard
SPOKES	DT Swiss Competition butted 2.0/1.8 with alloy nipples
FRONT TIRE	Specialized Chunder 26x2.3", 60TPI, aramid bead, cap ply, soft dual compound
REAR TIRE	Specialized Chunder 26x2.3", 60TPI, aramid bead, cap ply, soft dual compound
TUBES	Specialized, 1.2mm, presta
SADDLE	Specialized Enduro, 8mm Cr-Mo rails, SL foam
SEAT POST	Thomson, straight w/ 12 degree clamp, 367mm
SEAT BINDER	Alloy collar w/ QR, 34.9mm clamp ID
NOTES	Protective clear coat, derailleur hanger, reflectors, owners manual

DEMO

Demo 8 II

MODEL	Demo 8 II
FRAME	Demo 8 FSR M5 manipulated alloy, 8.2" travel, 26" F/R wheel, asymetrical rear triangle, ISCG mount, adj. geometry, 1- 1/8" forged HT, cartridge bearing rear shock mount, rear derailleur protector
REAR SHOCK	Fox DHX 5.0 coil 8.75x2.75", adjustable rebound, ProPedal, bottom out control, IFP pressure, S:450, M:500, L:550
FORK	Fox 40 RC2, 200mm travel, external rebound, high/low speed compression adjust, 20mm thru axle, alloy steerer
HEADSET	1 1/8" threadless, 7050 alloy cups w/ oversize lower cup and bearing
STEM	Truvativ Holzfeiler, 31.8 clamp, 40mm
HANDLEBARS	Specialized Demo rise bar, 6066 alloy, 31.8mm, 6 degree up, 9 degree backsweep, 680mm wide
GRIPS	Specialized thin lock on grip, dual density
FRONT BRAKE	Custom Avid Code 7, hydraulic disc, 203mm rotor
REAR BRAKE	Custom Avid Code 7, hydraulic disc, 185mm rotor
BRAKE LEVERS	Custom Avid Code 7, hydraulic disc
FRONT DERAILLEUR	N/A
REAR DERAILLEUR	SRAM X-0, 9-speed, short cage
SHIFT LEVERS	SRAM X-9, aluminum 9-speed trigger
CASSETTE	SRAM PG-970, 12-26t
CHAIN	SRAM PC-971 w/ Power Link
CRANKSET	Truvativ Holzfeiler, 170mm, w/ Gamut P-30 guide
CHAINRINGS	36T, alloy 4 bolt, compact 104mm pattern
BOTTOM BRACKET	Truvativ Howitzer Team, oversize sealed outboard cartridge bearing, 73mm shell
PEDALS	Specialized Lo-Pro Mag, screw in pins
RIMS	DT Swiss EXS:ID, 28mm w/ eyelets, 36h
FRONT HUB	Specialized disc, 20mm thru axle, 36h
REAR HUB	Specialized bolt-on 135mm, hollow 10mm Cr-Mo axle w/ RD guard
SPOKES	DT Swiss Competition butted 2.0/1.8 with alloy nipples
FRONT TIRE	Specialized Chunder 26x2.3", 60TPI, aramid bead, cap ply, soft dual compound
REAR TIRE	Specialized Chunder 26x2.3", 60TPI, aramid bead, cap ply, soft dual compound
TUBES	Specialized, 1.2mm, schraeder valve
SADDLE	Specialized Enduro, 8mm Cr-Mo rails, SL foam
SEAT POST	Thomson straight w/ 12 degree clamp, 367mm
SEAT BINDER	Alloy collar w/ QR, 34.9mm clamp ID
NOTES	Protective clear coat, derailleur hanger, reflectors, owners manual

DEMO 7 II

FRAME	Demo 7 FSR M5 manipulated alloy, 7" travel, 26" F/R wheel, asymetrical rear triangle, ISCG mount, adj. geometry, 1.5" forged HT, cartridge bearing rear shock mount, rear derailleur protector
REAR SHOCK	Fox DHX 5.0 coil 8.5x2.375", adjustable rebound, ProPedal, bottom out control, IFP pressure, S:450, M:500, L:550
FORK	RockShox Totem Air, adj high/low speed comp and reb, 180mm travel, alloy 1.5" steerer, 20mm thru-axle w/ Maxle
HEADSET	1.5" alloy with OS bearings, 7050 lightweight cups
STEM	Truvativ Holzfeiler 1.5", 31.8mm clamp, 40mm
HANDLEBARS	Specialized Demo rise bar, 6066 alloy, 31.8mm, 6 degree up, 9 degree backsweep, 680mm wide
GRIPS	Specialized This lock on grip, dual density
FRONT BRAKE	Custom Avid Code 7, hydraulic disc, 203mm rotor
REAR BRAKE	Custom Avid Code 7, hydraulic disc, 185mm rotor
BRAKE LEVERS	Custom Avid Code 7, hydraulic disc
FRONT DERAILLEUR	N/A
REAR DERAILLEUR	SRAM X-0, 9-speed, short cage
SHIFT LEVERS	SRAM X-9, aluminum 9-speed trigger
CASSETTE	Shimano M760 XT, 9-speed, 11-34t
CHAIN	SRAM PC-971 w/ Power Link
CRANKSET	Truvativ Holzfeiler, 170mm, w/ Gamut P-30 guide
CHAINRINGS	36T, alloy 4 bolt, compact 104mm pattern
BOTTOM BRACKET	Truvativ Howitzer Team, oversized sealed outdoor cartridge bearings
PEDALS	Specialized Lo-Pro Mag, screw in pins
RIMS	DT Swiss EX150, 28mm w/ alloy, 36h
REAR HUB	Specialized disc, 20mm thru axle, 16h
FRONT HUB	Specialized bolt-on 135mm, hollow 16m Cr-Mo axle w/ RD g
SPOKES	DT Swiss Competition built 2.0/18 with alloy nipples
FRONT TIRE	Specialized Chunder 26x2.3", 60TPI, aramid bead, cap ply, soft
REAR TIRE	Specialized Chunder 26x2.3", 60TPI, aramid bead, cap ply, soft
TUBES	Specialized, 12mm, schraeder valve
SADDLE	Specialized Enduro, 8mm Cr-Mo rails, SL foam
SEAT POST	Thomson straight w/ 12 degree clamp, 36mm
SEAT BINDER	Alloy collar w/ GR, 34.9mm clamp ID
NOTES	Protective clear coat, derailleur hanger, reflectors, owners ma

BIGHIT

MODEL	BigHit FSR III
FRAME	BigHit FSR, A1 Premium Aluminum ORE TT/DT, full cartridge bearing pivots, ISCG mount, asymetrical rear triangle, 26" F/R wheel, 8.2" travel, adj. geometry
REAR SHOCK	Fox DHX 4.0, 8.75x2.75", adjustable rebound, ProPedal, I/F pressure, S:400, M:450, L:500
FORK	Marzocchi 888 RV, 200mm travel, alloy steerer, external rebound adjust, double clamp, 20mm thru axle w/ Maxle
HEADSET	1 1/8" threadless, 7050 alloy cups w/ oversize lower cup and bearing
STEM	Truvativ Hussefelt forged/CNC, 40mm, 31.8 clamp
HANDLEBARS	Specialized Big Hit rise bar, 6061 alloy, 31.8mm, 6 degree up, 9 degree backsweep, 680mm wide
GRIPS	Specialized thin lock on grip, dual density
FRONT BRAKE	Avid Juicy 5, hydraulic disc, 203mm rotor
REAR BRAKE	Avid Juicy 5, hydraulic disc, 203mm rotor
BRAKE LEVERS	Avid Juicy 5, hydraulic disc
FRONT DERAILLEUR	N/A
REAR DERAILLEUR	SRAM X-9, 9-speed, short cage
SHIFT LEVERS	SRAM X-7, aluminum 9-speed trigger
CASSETTE	Shimano HG-50, 9-speed, 11-34t
CHAIN	SRAM PC-971 w/ Power Link
CRANKSET	Truvativ Hussefelt, 170mm w/ SBC chain guide
CHAINRINGS	36T, 4 bolt, compact 104mm pattern
BOTTOM BRACKET	Truvativ Howitzer XR outboard bearing, 51mm chainline, 73mm shell
PEDALS	Specialized Lo-Pro alloy
RIMS	DT Swiss/Specialized ES40, 28mm w/ eyelets, 36h
FRONT HUB	Specialized disc, 20mm thru axle, 36h
REAR HUB	Specialized bolt-on 135mm, hollow 10mm Cr-Mo axle w/ RD guard
SPOKES	2.0mm (14g) stainless, black, brass nipples
FRONT TIRE	Specialized Chunder 26x2.3", 60TPI, aramid bead, cap ply, soft dual compound
REAR TIRE	Specialized Chunder 26x2.3", 60TPI, aramid bead, cap ply, soft dual compound
TUBES	Specialized, 12mm, schraeder valve
SADDLE	Specialized Enduro, 8mm Cr-Mo rails, SL foam
SEAT POST	6061 butted alloy, two bolt setback, 30.9 x 300mm
SEAT BINDER	Alloy collar w/ QR, 34.9mm clamp ID
NOTES	Protective clear coat, derailleur hanger, reflectors, owners manual

MODEL	BigHit FSR II
FRAME	BigHit FSR, A1 Premium Aluminum ORE TT/DT, full cartridge bearing pivots, ISCG mount, asymetrical rear triangle, 26" F/R wheel, 7.5" travel, adj. geometry
REAR SHOCK	Fox Van R coil piggy back, 8.75x2.5", adjustable rebound, S:450, M:500, L:550
FORK	RockShox Domain 318, 180mm travel, external rebound and compression adjust, 20mm thru-axle w/ Maxle
HEADSET	1 1/8" threadless, lightweight upper and OS lower Cr-Mo cups
STEM	Truvativ Hussefelt forged/CNC, 40mm, 31.8 clamp
HANDLEBARS	Specialized Big Hit rise bar, 6061 alloy, 31.8mm, 6 degree up, 9 degree backsweep, 680mm wide
GRIPS	Specialized thin lock on grip, dual density
FRONT BRAKE	Hayes Stroker Trail, hydraulic disc, 203mm rotor
REAR BRAKE	Hayes Stroker Trail, hydraulic disc, 203mm rotor
BRAKE LEVERS	Hayes Stroker Trail, hydraulic disc
FRONT DERAILLEUR	N/A
REAR DERAILLEUR	SRAM X-9, 9-speed, short cage
SHIFT LEVERS	SRAM X-7, aluminum 9-speed trigger
CASSETTE	Shimano HG-50, 9-speed, 11-34t
CHAIN	SRAM PC-971 w/ Power Link
CRANKSET	Truvativ Hussefelt, 170mm w/ SBC chain guide
CHAINRINGS	34T, 4 bolt, compact 104mm pattern
BOTTOM BRACKET	Truvativ Howitzer XR outboard bearing, 51mm chainline, 73mm shell
PEDALS	Specialized Lo-Pro alloy
RIMS	DT Swiss/Specialized ES40, 28mm w/ eyelets, 36h
FRONT HUB	Specialized disc, 20mm thru axle, 36h
REAR HUB	Specialized bolt-on 135mm, hollow 10mm Cr-Mo axle w/ RD guard
SPOKES	2.0mm (14g) stainless, black, brass nipples
FRONT TIRE	Specialized Chunder 26x2.3", 60TPI, aramid bead, cap ply, soft dual compound
REAR TIRE	Specialized Chunder 26x2.3", 60TPI, aramid bead, cap ply, soft dual compound
TUBES	Specialized, 12mm, schraeder valve
SADDLE	Specialized Enduro, 8mm Cr-Mo rails, SL foam
SEAT POST	6061 butted alloy, two bolt setback, 30.9 x 300mm
SEAT BINDER	Alloy collar w/ QR, 34.9mm clamp ID
NOTES	Protective clear coat, derailleur hanger, reflectors, owners manual

MODEL	BigHit FSR I
FRAME	BigHit FSR, A1 Premium Aluminum ORE TT/DT, full cartridge bearing pivots, ISCG mount, asymetrical rear triangle, 26" F/R wheel, 7.5" travel, adj. geometry
REAR SHOCK	Fox Vanilla R coil, 8.75x2.5", adjustable rebound, S:450, M:500, L:550
FORK	Marzocchi Z1 Sport, 160mm travel, coil spring, adjustable rebound, 20mm thru axle, alloy steerer
HEADSET	1 1/8" threadless, lightweight upper and OS lower Cr-Mo cups
STEM	Truvativ Hussefelt forged/CNC, 40mm, 31.8 clamp
HANDLEBARS	Specialized 31.8mm bar, 6 degree up, 8 degree backsweep, 640mm wide
GRIPS	Specialized thin lock on grip, dual density
FRONT BRAKE	Hayes Stroker Trail, hydraulic disc, 203mm rotor
REAR BRAKE	Hayes Stroker Trail, hydraulic disc, 203mm rotor
BRAKE LEVERS	Hayes Stroker Trail, hydraulic disc
FRONT DERAILLEUR	N/A
REAR DERAILLEUR	SRAM X-7, 9-speed, short cage
SHIFT LEVERS	SRAM X-5, 8-speed trigger
CASSETTE	SRAM PG-830, 8-speed, 11-32t
CHAIN	Shimano IG-31, 8-speed
CRANKSET	Truvativ Ruktion, 170mm w/ SBC chain guide
CHAINRINGS	34T, 4 bolt, compact 104mm pattern
BOTTOM BRACKET	Truvativ Howitzer XR outboard bearing, 51mm chainline, 73mm shell
PEDALS	Alloy platform, 3mm pressed pins
RIMS	Specialized P-Disc, 32mm, 36h
FRONT HUB	Specialized disc, bolt-on 15mm Cr-Mo axle, sealed bearing, 36h
REAR HUB	Specialized bolt-on 99mm w/ RD guard
SPOKES	2.0mm (14g) stainless, black, brass nipples
FRONT TIRE	Specialized Chunder 26x2.3", 60TPI, aramid bead, cap ply, soft dual compound
REAR TIRE	Specialized Chunder 26x2.3", 60TPI, aramid bead, cap ply, soft dual compound
TUBES	Specialized, 12mm, schraeder valve
SADDLE	Specialized Enduro, 8mm Cr-Mo rails, SL foam
SEAT POST	6061 butted alloy, two bolt setback, 30.9 x 300mm
SEAT BINDER	Alloy collar w/ QR, 34.9mm clamp ID
NOTES	Protective clear coat, derailleur hanger, reflectors, owners manual

P.SERIES

MODEL	BigHit GromHit
FRAME	GromHit FSR, A1 Premium Aluminum frame, ORE TT/DT, full cartridge bearing pivots, ISCG mount, 24" F/R wheel, 130mm travel
REAR SHOCK	X Fusion O2R Specialized tuned, rebound adjust
FORK	Marzocchi Z.1 SL, 130mm travel, internal rebound adjust, alloy stanchions, alloy steerer
HEADSET	1 1/8" threadless, lightweight upper and OS lower Cr-Mo cups
STEM	Truvativ Hussefelt forged/CNC, 40mm, 31.8 clamp
HANDLEBARS	Specialized Enduro mid rise, 6066 alloy, 31.8mm bar, 6 degree up, 9 degree backsweep, 660mm wide
GRIPS	Specialized thin lock on grip, dual density
FRONT BRAKE	Avid BB-7, mechanical disc, G2 Clean Sweep 185mm rotor
REAR BRAKE	Avid BB-7, mechanical disc, G2 Clean Sweep 185mm rotor
BRAKE LEVERS	Avid FR-5
FRONT DERAILLEUR	N/A
REAR DERAILLEUR	SRAM X-7, 9-speed, short cage
SHIFT LEVERS	SRAM X-5, 9-speed trigger
CASSETTE	SRAM PG-830, 8-speed, 11-32t
CHAIN	Shimano IG-31, 8-speed
CRANKSET	Truvativ Blaze w/ Truvativ Box guide
CHAINRINGS	34T, 4 bolt, compact 104mm pattern
BOTTOM BRACKET	Truvativ Power Spline, sealed cartridge bearing
PEDALS	Alloy platform, 3mm pressed pins
RIMS	Specialized P-Disc, 32mm, 36h
FRONT HUB	Specialized disc, bolt-on 9mm Cr-Mo axle, sealed bearing, 36h
REAR HUB	Specialized bolt-on 135mm, w/ RD guard
SPOKES	2.0mm (14g) stainless, black, brass nipples
FRONT TIRE	Specialized Roller, 24x2.3", 60TPI, wire bead
REAR TIRE	Specialized Roller, 24x2.3", 60TPI, wire bead
TUBES	Specialized, 12mm, schraeder valve
SADDLE	Specialized Enduro, 8mm Cr-Mo rails, SL foam
SEAT POST	Alloy microadjust, 30.9 x 300mm
SEAT BINDER	Alloy collar w/ QR, 34.9mm clamp ID
NOTES	Protective clear coat, derailleur hanger, reflectors, owners manual

P.1

Specialized 100% Cr-Mo, double-butted HT/DT, externally relieved HT, disc mount, 6mm offset horizontal drop out for 26" wheel w/ replaceable 98954020 alloy hanger, disc only
Marzocchi D.J.3, 100mm, 32mm Cr-Mo stanchions and 1 1/8" Cr-Mo steerer, fixed rate catridge damping, coil/mcu w/ preload adj. "stiff" spring
Tank FX, 1 1/8" threadless w/ hollow bolt
Truvativ Hussefelt, forged alloy, 31.8mm, 0 degree rise
Specialized butted alloy 31.8mm, 640mm wide, 50mm rise, 8 degree back, 8 degree up sweep
Specialized Enduro, dual density Kraton
Avid BB-5, mechanical disc, 6" G2 Clean Sweep rotor
Avid BB-5, mechanical disc, 6" G2 Clean Sweep rotor
Avid FR-5
N/A
SRAM X-5, short cage
N/A
SRAM PG-830, 8-speed, 11-28t
KMC X8, 1/2" x 3/32" w/ reusable Missing Link
Fuse tubular heat treated Cr-Mo 3pc, 175mm
34A w/ poly bash guard and Specialized ISCG chain guide
Fuse Euro, alloy cups, 4x cartridge bearings, 19mm heat treated Cr-Mo 8 spline spindle
Specialized alloy platform, 9/16"
Specialized/Alex HRD 26, double wall disc w/ eyelets
Specialized P.Disc, CNC high flanges and disc mounts, 36h, nttted 3/8" axle
Specialized P.Disc, cassette, CNC high flanges and disc mounts, 36h, nttted 3/8" axle
Specialized Rhythm Control, 26x2.3", 60TPI, Aramid bead
Specialized Compound Control, 26x2.2", 60TPI, Aramid bead
Specialized schraeder valve
Specialized Fuse, 8mm rails, PVC bumpers front and rear
Specialized two bolt, no offset, micro adjust, 30.9mm
integrated w/ replaceable single bolt
Reflectors, owners manual

P Grom

Specialized 100% Cr-Mo, double-butted HT/DT, externally relieved HT, disc mount, 6mm offset horizontal drop out for 24" wheel w/ replaceable 98954020 alloy hanger, disc only
Marzocchi D.J.3, 100mm, 32mm Cr-Mo stanchions and 1 1/8" Cr-Mo steerer, magnesium lower, fixed rate catridge damping, coil/mcu w/ preload adj. "stiff" spring
Tank FX, 1 1/8" threadless w/ hollow bolt
Truvativ Hussefelt, forged alloy, 31.8mm, 0 degree rise
Specialized butted alloy 31.8mm, 620mm wide, 50mm rise, 8 degree back, 8 degree up sweep
Specialized Enduro, dual density Kraton
Avid BB-5, mechanical disc, 6" G2 Clean Sweep rotor
Avid BB-5, mechanical disc, 6" G2 Clean Sweep rotor
Avid FR-5
N/A
SRAM X-5, short cage
SRAM X-5 trigger
SRAM PG-830, 8-speed, 11-28t
KMC X8, 1/2" x 3/32" w/ reusable Missing Link
Fuse tubular heat treated Cr-Mo 3pc, 165mm
34A w/ poly bash guard and Specialized ISCG chain guide
Fuse Euro, alloy cups, 4x cartridge bearings, 19mm heat treated Cr-Mo 8 spline spindle
Specialized alloy platform, 9/16"
Specialized/Alex HRD 24, double wall disc w/ eyelets
Specialized P.Disc, CNC high flanges and disc mounts, 36h, nttted 3/8" axle
Specialized P.Disc, cassette, CNC high flanges and disc mounts, 36h, nttted 3/8" axle
Specialized Rhythm Control, 24x2.2", 30TPI, wire bead w/ flack jacket
Specialized Compound Sport, 24x2.1", 30TPI, wire bead w/ flack jacket
Specialized schraeder valve
Specialized, 7mm rails, front and rear bumpers
Specialized two bolt, no offset, micro adjust, 30.9mm
integrated w/ replaceable single bolt
Chain stay protector, reflectors, owners manual

STUMPJUMPER

MODEL	SJ Expert Carbon
FRAME	FACT 9M carbon hardtail, Az1 constuction w/ Mono-stay seatstays, forged dropouts w/ disc mount and replaceable derailleur hanger
FORK	Fox F90 RL, 90mm travel, air spring, rebound/compression adjust w/ lock out, alloy steerer
HEADSET	1 1/8" threadless, Campy spec integrated sealed cartridge bearing
STEM	Specialized adjustable rise, 31.8mm clamp, 3D forged w/ CNC finish
HANDLEBARS	Specialized XC flat 31.8mm bar, 2014 butted alloy, 6 degree backsweep, 600mm wide
GRIPS	Specialized thin lock on grip, dual density
FRONT BRAKE	Custom Avid Ultimate 7, hydraulic disc, 160mm rotor
REAR BRAKE	Custom Avid Ultimate 7, hydraulic disc, 160mm rotor
BRAKE LEVERS	Custom Avid Ultimate 7, hydraulic disc
FRONT DERAILLEUR	Shimano M581 LX, 34.9mm clamp, bottom swing, dual pull
REAR DERAILLEUR	SRAM X-9, 9-speed, mid cage
SHIFT LEVERS	SRAM X-9, aluminum 9-speed trigger
CASSETTE	Shimano HG-50, 9-speed, 11-34t
CHAIN	SRAM PC-971 w/ Power Link
CRANKSET	Shimano M762 XT custom for Specialized
CHAINRINGS	22S/32A/44A, 4 bolt 104/64mm
BOTTOM BRACKET	Shimano M762 XT custom for Specialized
PEDALS	Crank Brothers Smarty custom for Specialized
RIMS	DT Swiss custom for Specialized X420, 24mm w/ eyelets, 28/32h
FRONT HUB	Specialized Hi Lo disc, 28h CNC flange and disc mount, sealed cartridge bearing, 9mm DT RWS alloy QR
REAR HUB	DT Swiss custom for Specialized 370 w/ DT RWS QR, 32h
SPOKES	DT Swiss Competition 1.8/16mm
FRONT TIRE	Specialized Fast Trak Control LK, 26x2.0", 60TPI, tubeless ready aramid bead, dual compound
REAR TIRE	Specialized Fast Trak Control LK, 26x2.0", 60TPI, tubeless ready aramid bead, dual compound
TUBES	Specialized Ultralite, 6mm, presta
SADDLE	Specialized XC MTB, hollow Cr-Mo rails, SL foam
SEAT POST	2014 butted alloy, single bolt setback, 30.9 x 350/400mm
SEAT BINDER	Alloy single bolt, 36.9mm clamp ID, for carbon frames
NOTES	Protective clear coat, derailleur hanger, reflectors, owners manual

SJ COMP 29

NEW 29" SJ hardtail, M5 manipulated alloy frame, butted ORE DT/TT, shared tube Mono-stay seatstays, forged adjustable dropouts, disc only
Rock Shox Reba SL, 29, 80mm of travel, air spring, Motion Control damper with adjustable rebound and compression w/ LO
1 1/8" threadless, alloy cups w/ 10mm insertion, sealed cartridge bearing
Specialized adjustable rise, 31.8mm clamp, 3D forged w/ CNC finish
Specialized XC flat 31.8mm bar, 2014 butted alloy, 6 degree backsweep, 600mm wide
Specialized thin lock on grip, dual density
Custom Avid Juicy 5 SL, hydraulic disc, 160mm rotor
Custom Avid Juicy 5 SL, hydraulic disc, 160mm rotor
Custom Avid Juicy 5 SL, hydraulic disc
Shimano M581 LX, 34.9mm clamp, bottom swing, dual pull
SRAM X-9, mid cage
SRAM X-7, trigger
Shimano HG-50, 9-speed, 11-34t
SRAM PC-971 w/ Power Link
Shimano M542, 2pc custom for Specialized
22S/32A/44A, 4 bolt 104/64mm
Shimano M542, 2pc custom for Specialized
Crank Brothers Smarty custom for Specialized
DT Swiss custom for Specialized X470, 29" 24mm wide, 32h
Specialized Hi Lo disc, 32h, CNC flange and disc mount, sealed cartridge bearing, 9mm DT RWS alloy QR
Shimano custom M52SSL hub for Specialized, 32h, alloy QR
DT Swiss 1.8mm stainless, alloy nipples
Specialized Fast Trak Control LK, 29x2.0" 60TPI, tubeless ready aramid bead, dual compound
Specialized Fast Trak Control LK, 29x2.0" 60TPI, tubeless ready aramid bead, dual compound
Specialized Ultralite, 6mm, presta
Specialized XC MTB, hollow Cr-Mo rails, SL foam
2014 butted alloy, single bolt setback, 30.9 x 350/400mm
Alloy single bolt, 34.9mm clamp ID
Protective clear coat, derailleur hanger, owners manual

ROCKHOPPER

MODEL	Rockhopper Comp Disc 29
FRAME	M4 manipulated alloy frame, butted ORE DT, 2 piece forged adjustable dropouts, disc only
FORK	RockShox Tora 318 SL, for 29" wheel, 80mm, 32mm Butted Cr-Mo stanchions and alloy steerer, Mag lower, Solo air spring, reb. adj, Motion Control compression adj.
HEADSET	1 1/8" threadless
STEM	Specialized 3D forged alloy, four bolt, 31.8mm, 7 degree rise
HANDLEBARS	Specialized alloy butted 31.8mm XC rise w/ graphic, 640mm wide, 8 degree back, 8 degree up sweep
GRIPS	Specialized Enduro, dual density Kraton
FRONT BRAKE	Avid BB-5, mechanical disc, 6" G2 Clean Sweep rotor
REAR BRAKE	Avid BB-5, mechanical disc, 6" G2 Clean Sweep rotor
BRAKE LEVERS	Avid FR-5
FRONT DERAILLEUR	Shimano Deore FD-M530, 34.9mm clamp
REAR DERAILLEUR	Shimano Deore RD-M531, SGS cage
SHIFT LEVERS	Shimano Deore SL-M530 trigger
CASSETTE	SRAM PG-830, 8-speed, 11-32t
CHAIN	KMC X9, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Shimano FC-M442-8, replaceable rings w/ alloy outer, Octalink Spline
CHAINRINGS	44A/32S/22S
BOTTOM BRACKET	Shimano BB-ES25, Octalink spline, cartridge bearing, 68 x 126mm for 50mm chainline
PEDALS	Steel cage, composite body, 9/16"
RIMS	Specialized/Alex RHD 29, double wall, eyelets, for disc brakes
FRONT HUB	Specialized Hi Lo disc, 28h, CNC flange and disc mount, polished races, alloy QR
REAR HUB	Specialized Hi Lo disc, cassette, 32h, CNC flanges and disc mount, polished races, alloy QR
SPOKES	1.8mm (15g) stainless, alloy nipples
FRONT TIRE	Specialized Fast Trak LK Sport, 29x2.0", 60TPI, aramid bead
REAR TIRE	Specialized Fast Trak LK Sport, 29x2.0", 60TPI, aramid bead
TUBES	Specialized schraeder valve
SADDLE	Specialized Indie XC, 143mm width
SEAT POST	Specialized alloy two bolt micro adjust head, 30.9mm
SEAT BINDER	Specialized alloy w/ QR, brass washer
NOTES	Chain stay protector, reflectors, clear coat, owners manual

MODEL	SJ COMP
FRAME	M5 alloy hardtail, fully manipulated DT, TT, SS, CS, ST w/ shared tube Mono-stay seatstays, new larger diameter/stiffer ORE DT/TT, disc mount, replaceable derailleur hanger
FORK	Fox F90 RL, 90mm travel, air spring, rebound/compression adjust w/ lock out, alloy steerer
HEADSET	1 1/8" threadless, alloy cups w/ 10mm insertion, sealed cartridge bearing
STEM	Specialized adjustable rise, 31.8mm clamp, 3D forged w/ CNC finish
HANDLEBARS	Specialized XC flat 31.8mm bar, 2014 butted alloy, 6 degree backsweep, 600mm wide
GRIPS	Specialized thin lock on grip, dual density
FRONT BRAKE	Custom Avid Ultimate 7, hydraulic disc, 160mm rotor
REAR BRAKE	Custom Avid Juicy 5 SL, hydraulic disc, 160mm rotor
BRAKE LEVERS	Custom Avid Juicy 5 SL, hydraulic disc
FRONT DERAILLEUR	Shimano M581 LX, 34.9mm clamp, bottom swing, dual pull
REAR DERAILLEUR	SRAM X-9, 9-speed, mid cage
SHIFT LEVERS	SRAM X-7, aluminum 9-speed trigger
CASSETTE	Shimano HG-50, 9-speed, 11-34t
CHAIN	SRAM PC-971 w/ Power Link
CRANKSET	Shimano M542, 2pc custom for Specialized
CHAINRINGS	22S/32A/44A, 4 bolt 104/64mm
BOTTOM BRACKET	Shimano M542, 2pc custom for Specialized
PEDALS	Crank Brothers Smarty custom for Specialized
RIMS	DT Swiss custom for Specialized X420, 24mm w/ eyelets, 28/32h
FRONT HUB	Specialized Hi Lo disc, 28h CNC flange and disc mount, sealed cartridge bearing, 9mm DT RWS alloy QR
REAR HUB	Shimano custom M52SSL hub for Specialized, 32h, alloy QR
SPOKES	DT Swiss 1.8mm stainless, alloy nipples
FRONT TIRE	Specialized Fast Trak Control LK, 26x2.0", 60TPI, tubeless ready aramid bead, dual compound
REAR TIRE	Specialized Fast Trak Control LK, 26x2.0", 60TPI, tubeless ready aramid bead, dual compound
TUBES	Specialized Ultralite, 6mm, presta
SADDLE	Specialized XC MTB, hollow Cr-Mo rails, SL foam
SEAT POST	2014 butted alloy, single bolt setback, 30.9 x 350/400mm
SEAT BINDER	Alloy single bolt, 34.9mm clamp ID
NOTES	Protective clear coat, derailleur hanger, reflectors, owners manual

ROCKHOPPER

MODEL	Rockhopper Pro Disc
FRAME	M4 manipulated alloy frame, butted ORE DT, forged dropouts w/ replaceable 98954020 alloy hanger, disc only
FORK	RockShox Recon Race SLite, 100mm, 32mm alloy stanchions and steerer, Turn Key dampers w/ lockout and reb. adj., 13-15" standard spring, 17-23" "stiff" spring, disc only
HEADSET	1 1/8" threadless
STEM	Specialized 3D forged alloy, four bolt, 31.8mm, 7 degree rise
HANDLEBARS	Specialized alloy butted 31.8mm XC rise w/ graphic, 640mm wide, 8 degree back, 8 degree up sweep
GRIPS	Specialized Enduro, dual density Kraton
FRONT BRAKE	Avid Juicy 3 SL, hydraulic, 6" G2 clean sweep rotor
REAR BRAKE	Avid Juicy 3 SL, hydraulic, 6" G2 Clean Sweep rotor
BRAKE LEVERS	Avid Juicy 3 SL, hydraulic
FRONT DERAILLEUR	Shimano Deore FD-M530, 34.9mm clamp
REAR DERAILLEUR	SRAM X-7, long cage
SHIFT LEVERS	Shimano Deore SL-M530 trigger
CASSETTE	Shimano HG-50, 9-speed, 11-34t
CHAIN	KMC X9SL, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Shimano FC-M532, 2pc design, replaceable rings w/ alloy outer
CHAINRINGS	44A/32S/22S
BOTTOM BRACKET	Shimano outboard cartridge bearing design (included with FC-M532 2pc crank)
PEDALS	Specialized alloy 1pc body and cage, 9/16"
RIMS	DT-Swiss 445D, 26", double wall disc, pin joint, eyelets, 28h front, 32h rear
FRONT HUB	Specialized Hi Lo disc, 28h, CNC flange and disc mount, polished races, alloy QR
REAR HUB	Specialized Hi Lo disc, cassette, 32h, CNC flanges and disc mount, polished races, alloy QR
SPOKES	1.8mm (15g) stainless, alloy nipples, black
FRONT TIRE	Specialized Fast Track Control, 26x2.0", DC, 60TPI, 2Bliss ready aramid bead
REAR TIRE	Specialized Fast Track Control, 26x2.0", DC, 60TPI, 2Bliss ready aramid bead
TUBES	Specialized schraeder valve
SADDLE	Specialized Indie XC, 143mm width
SEAT POST	Specialized alloy two bolt micro adjust head, 30.9mm
SEAT BINDER	Specialized alloy w/ QR, brass washe
NOTES	Chain stay protector, reflectors, clear coat, owners manual

Rockhopper Disc

M4 manipulated alloy frame, butted ORE DT, forged dropouts w/ replaceable 98954020 alloy hanger, disc only
RockShox Dart 3 SL, 100mm, 28.6mm Cr-Mo stanchions and alloy steerer, magnesium lower, coil spring, reb. adj. w/ lockout and preload adj.
1 1/8" threadless
Specialized 3D forged alloy, four bolt, 31.8mm, 7 degree rise
Specialized alloy 31.8mm XC rise, 640mm wide, 8 degree back, 8 degree up sweep
Specialized Enduro, dual density Kraton
Avid BB-5, mechanical disc, 6" G2 Clean Sweep rotor
Avid BB-5, mechanical disc, 6" G2 Clean Sweep rotor
Avid FR-5
Shimano Altus FD-M310-6, top swing, 34.9mm clamp
Shimano Alivio RD-M410
Shimano Alivio Rapid Fire SL-MC40
SRAM PG-830, 8-speed, 11-32t
KMC X8, 1/2" x 3/32" w/ reusable Missing Link
Shimano FC-M347-8, replaceable rings, Octalink Spline
42S/32S/22S
Shimano BB-ES25, Octalink spline, cartridge bearing, 68 x 126mm for 50mm chainline
Steel cage, composite body, 9/16"
Specialized/Alex RHD 26, double wall, for disc brakes
Specialized Hi Lo disc, 28h, CNC flange and disc mount, polished races, alloy QR
Specialized Hi Lo disc, cassette, 32h, CNC flanges and disc mount, polished races, alloy QR
1.8mm (15g) stainless, alloy nipples
Specialized Fast Trak LK Sport, 26x2.0", 60TPI, wire bead
Specialized Fast Trak LK Sport, 26x2.0", 60TPI, wire bead
Specialized schraeder valve
Specialized XC, kevlar discs, front and rear bumpers, 143mm

HARDROCK

MODEL	Rockhopper	Hardrock Pro Disc
FRAME	M4 manipulated alloy frame, butted ORE DT, forged dropouts w/ replaceable 98954020 alloy hanger	Al Premium Aluminum, double-butted, ORE DT, externally relieved HT, reinforced disc mount, forged dropouts w/ replaceable 98954020 alloy hanger, disc only
FORK	SR Suntour SF7-XCM, 100mm travel, 12", 80mm, 30mm Hi-Ten stanchions and alloy steerer, magnesium lower, coil spring, reb. adj. w/ lockout and preload adj.	SR Suntour SF7-XCM-H.LO, 100mm, 12", 80mm, 30mm Hi-Ten stanchions and steerer, coil spring mcu w/ preload adj, hydraulic L.O. spring assisted seals, custom paint/ graphics, disc only
HEADSET	1 1/8" threadless	1 1/8" threadless
STEM	Specialized 3D forged alloy, four bolt, 31.8mm, 7 degree rise	Specialized 3D forged alloy, four bolt, 31.8mm, 7 degree rise
HANDLEBARS	Specialized alloy 31.8mm XC rise, 640mm wide, 8 degree back, 8 degree up sweep	Specialized alloy 31.8mm, Enduro rise, 640mm wide, 8 degree back, 8 degree up sweep
GRIPS	Specialized Enduro, dual density Kraton	Specialized Enduro, dual density Kraton
FRONT BRAKE	Pro Max, alloy "V" w/ linear spring	Avid BB-5, mechanical disc, 6" G2 Clean Sweep rotor
REAR BRAKE	Pro Max, alloy "V" w/ linear spring	Avid BB-5, mechanical disc, 6" G2 Clean Sweep rotor
BRAKE LEVERS	Pro-Max alloy two finger w/ adj. reach	Avid FR-5
FRONT DERAILLEUR	Shimano Altus FD-M310-6, top swing, 34.9mm clamp	Shimano Altus FD-M310-6, top swing, 34.9mm clamp
REAR DERAILLEUR	Shimano Alivio RD-M410	Shimano Alivio RD-M410
SHIFT LEVERS	Shimano Alivio Rapid Fire SL-MC40	Shimano Alivio Rapid Fire SL-MC40
CASSETTE	SRAM PG-830, 8-speed, 11-32t	SRAM PG-830, 8-speed, 11-32t
CHAIN	KMC X8, 1/2" x 3/32" w/ reusable Missing Link	KMC X8, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Shimano FC-M341-8, replaceable rings, Octalink Spline	Shimano FC-M341-8, replaceable rings, Octalink Spline
CHAINRINGS	42S/32S/22S	42S/32S/22S
BOTTOM BRACKET	Shimano BB-ES25, Octalink spline, cartridge bearing, 68 x 126mm for 50mm chainline	Shimano BB-ES25, Octalink spline, cartridge bearing, 68 x 126mm for 50mm chainline
PEDALS	Steel cage, composite body, 9/16"	Specialized alloy platform, 9/16"
RIMS	Specialized/Alex RH 26, double wall, CNC sidewalls	Specialized/Alex HRD 26, double wall disc w/ eyelets
FRONT HUB	Specialized, forged alloy, 28h, polished races, steel QR	Specialized Hi Lo disc, 32h, CNC flange and disc mount, polished races, alloy QR
REAR HUB	Shimano FH-RM30L, cassette, 32h, QR	Specialized Hi Lo disc, cassette, 32h, CNC flanges and disc mount, polished races, alloy QR
SPOKES	1.8mm (15g) stainless	1.8mm (15g) stainless
FRONT TIRE	Specialized Fast Trak LK Sport, 26x2.0", 60TPI, wire bead	Specialized Resolution, 26x2.1", 30TPI, wire bead
REAR TIRE	Specialized Fast Trak LK Sport, 26x2.0", 60TPI, wire bead	Specialized Resolution, 26x2.1", 30TPI, wire bead
TUBES	Specialized schraeder valve	Specialized schraeder valve
SADDLE	Specialized XC, kevlar sides, front and rear bumpers, 143mm width	Specialized Aggro, kevlar sides, front and rear bumpers, 143mm width
SEAT POST	Specialized alloy two bolt micro adjust head, 30.9mm	Specialized alloy two bolt micro adjust head, 30.9mm
SEAT BINDER	Specialized alloy w/ QR, brass washer	Specialized alloy w/ QR
NOTES	Chain stay protector, reflectors, clear coat, owners manual	Chain stay protector, reflectors, clear coat, owners manual

MODEL	Hardrock Comp Disc
FRAME	Al Premium Aluminum, double-butted, ORE DT, externally relieved HT, reinforced disc mount, forged dropouts w/ replaceable 98954020 alloy hanger, disc only
FORK	SR Suntour SF7-XCM, 100mm travel, 12", 80mm, 30mm Hi-Ten stanchions and steerer, one piece alloy lower, coils spring mcu w/ preload adj., spring assisted seals, custom paint/graphic, disc only
HEADSET	1 1/8" threadless
STEM	Specialized 3D forged alloy, two bolt, 25.4mm, 10 degree rise
HANDLEBARS	Alloy 25.4mm, 640mm wide, 38mm rise, 8 degree back, 6 degree up sweep, 3.2mm thick
GRIPS	Specialized Enduro, dual density Kraton
FRONT BRAKE	Avid BB-5, mechanical disc, 6" G2 Clean Sweep rotor
REAR BRAKE	Avid BB-5, mechanical disc, 6" G2 Clean Sweep rotor
BRAKE LEVERS	Shimano EF-50, integrated
FRONT DERAILLEUR	Shimano Altus FD-M310-6, top swing, 34.9mm clamp
REAR DERAILLEUR	Shimano Acera RD-M340
SHIFT LEVERS	Shimano EF-50
CASSETTE	Shimano HG-40, 8-speed, 11-32t
CHAIN	KMC X8, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	SR Suntour XCM-T312, replaceable rings, Octalink spline
CHAINRINGS	42S/32S/22S
BOTTOM BRACKET	Shimano BB-ES25, Octalink spline, cartridge bearing, 68 x 118mm for 50mm chainline
PEDALS	Steel cage, composite body, 9/16"
RIMS	Specialized/Alex HRD 26, double wall disc
FRONT HUB	Specialized Hi Lo disc, 32h, CNC flange and disc mount, polished races, alloy QR
REAR HUB	Specialized Hi Lo disc, cassette, 32h, CNC flanges and disc mount, polished races, alloy QR
SPOKES	1.8mm (15g) stainless
FRONT TIRE	Specialized Resolution, 26x2.1", 30TPI, wire bead
REAR TIRE	Specialized Resolution, 26x2.1", 30TPI, wire bead
TUBES	Specialized schraeder valve
SADDLE	Specialized Aggro, kevlar sides, front and rear bumpers, 143mm width
SEAT POST	Specialized alloy two bolt micro adjust head, 30.9mm
SEAT BINDER	Specialized alloy w/ QR
NOTES	Chain stay protector, reflectors, clear coat, owners manual

HRXC

MODEL	HRXC Sport
FRAME	Al Premium Aluminum, double-butted TT, ORE DT, externally relieved HT, reinforced disc mount, forged dropouts w/ replaceable 98954020 alloy hanger
FORK	RST Capa T26ML, 80mm, 25.4mm stanchions and 1 1/8" steerer, one piece alloy lower, forged crown, coil spring mcu w/ preload adj. and mechanical L.O. disc only
HEADSET	1 1/8" threadless
STEM	Specialized 3D forged alloy, two bolt, 25.4mm, 10 degree rise
HANDLEBARS	Alloy 25.4mm, 620mm wide, 38mm rise, 8 degree back, 6 degree up sweep, 3.2mm thick
GRIPS	Kraton, SRAM 3.0 Comp Gripshift type
FRONT BRAKE	Tektro IOX, mechanical disc w/ 6" rotor
REAR BRAKE	Tektro IOX, mechanical disc w/ 6" rotor
BRAKE LEVERS	Tektro Jr.
FRONT DERAILLEUR	Shimano Altus FD-M310-6, top swing, 34.9mm clamp
REAR DERAILLEUR	SRAM 3.0
SHIFT LEVERS	SRAM 3.0 Comp Grip Shift
CASSETTE	SRAM PG-830, 8-speed, 11-32t
CHAIN	KMC X8, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	SR Suntour XCM-T312, replaceable rings, Octalink spline
CHAINRINGS	42S/32S/22S
BOTTOM BRACKET	Shimano BB-ES25, Octalink spline, cartridge bearing, 68 x 118mm for 50mm chainline
PEDALS	Steel cage, composite body, 9/16"
RIMS	Specialized/Alex HRD 26, double wall, CNC sidewalls
FRONT HUB	Specialized, forged alloy, 32h, polished races, steel QR
REAR HUB	Shimano FH-RM30L, cassette, 32h, QR
SPOKES	1.8mm (15g) stainless
FRONT TIRE	Specialized Fast Trak LK Sport, 26x2.0", 60TPI, wire bead
REAR TIRE	Specialized Fast Trak LK Sport, 26x2.0", 60TPI, wire bead
TUBES	Specialized schraeder valve
SADDLE	Specialized Kids ATB, kevlar sides, front and rear bumpers
SEAT POST	Specialized alloy two bolt micro adjust head, 30.9mm
SEAT BINDER	Specialized alloy w/ QR
NOTES	Chain stay protector, reflectors, clear coat, owners manual

TARMAC

MODEL	Tarmac Pro Double
FRAME	Specialized FACT 8r carbon, Az1 construction, compact race design
FORK	Specialized FACT monocoque carbon fork; full carbon legs, crown and steerer
HEADSET	Specialized Mindset Plus Carbon, 1 1/8" integrated threadless, cartridge sealed bearings, alloy 20mm cone w/ one 10mm and two 5mm alloy spacers
STEM	Specialized Pro-Set lightweight stem, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable
HANDLEBARS	Specialized Expert, 6061 alloy, short-reach drop, ergonomic top shaping, 31.8mm
TAPE	Body Geometry Bar Phat, cork ribbon w/ 2.5mm gel padding
FRONT BRAKE	Shimano 105
REAR BRAKE	Shimano 105
BRAKE LEVERS	Shimano 105, 10-speed STI, flight deck compatible
FRONT DERAILLEUR	Shimano 105, braze-on clamp, bottom pull
REAR DERAILLEUR	Shimano Ultegra, short cage
SHIFT LEVERS	Shimano 105, 10-speed STI, flight deck compatible
CASSETTE	SRAM OG-1070, 10-speed 11-28t
CHAIN	Shimano 105, 10-speed
CRANKSET	Shimano R600, Hollowtech II 2-piece compact crankset
CHAINRINGS	53x34T
BOTTOM BRACKET	Shimano 105, Hollowtech II
PEDALS	Composite body test ride pedals
RIMS	Shimano RS-10
FRONT HUB	Shimano RS-10, QR
REAR HUB	Shimano RS-10, cassette, QR
SPOKES	Stainless 14g aero
FRONT TIRE	Specialized Mondo Pro, 700x23C, aramid bead, 120TPI, Flak Jacket
REAR TIRE	Specialized Mondo Pro, 700x23C, aramid bead, 120TPI, Flak Jacket
TUBES	Specialized standard presta tube
SADDLE	Body Geometry Toupe Team, super light foam, carbon reinforced base, microfiber cover
SEAT POST	Specialized Pavé FACT carbon w/ Zert insert, 27.2mm
SEAT BINDER	Specialized CNC, alloy, 32.6mm clamp
NOTES	Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual

MODEL	Tarmac Pro Compact
FRAME	Specialized FACT 8r carbon, Az1 construction, compact race design
FORK	Specialized FACT monocoque carbon fork; full carbon legs, crown and steerer
HEADSET	Specialized Mindset Plus Carbon, 1 1/8" integrated threadless, cartridge sealed bearings, carbon 20mm cone w/ one 10mm and two 5mm carbon spacers
STEM	S-Works Pro-Set stem, 31.8mm handlebar clamp, 4-position adjustable, Ti hardware
HANDLEBARS	S-Works SL, FACT carbon aero handlebar, short-reach drop, 31.8mm clamp
TAPE	Body Geometry Bar Phat, cork ribbon w/ 2.5mm gel padding
FRONT BRAKE	Shimano Ultegra
REAR BRAKE	Shimano Ultegra
BRAKE LEVERS	Shimano Dura-Ace, 10-speed STI, flight deck compatible
FRONT DERAILLEUR	Shimano Ultegra, 34.9mm clamp, bottom pull
REAR DERAILLEUR	Shimano Dura-Ace, short cage
SHIFT LEVERS	Shimano Dura-Ace, 10-speed STI, flight deck compatible
CASSETTE	SRAM OG-1070, 10-speed 11-28t
CHAIN	Shimano Dura-Ace, 10-speed
CRANKSET	Specialized FACT carbon crankset, integrated oversize design
CHAINRINGS	50x34T
BOTTOM BRACKET	Specialized, oversized integrated
PEDALS	Composite body test ride pedals
RIMS	Roval Fusee Star, E5 Alloy
FRONT HUB	Roval Fusee Star, forged and CNC hub body, Roval Ti QR
REAR HUB	Roval Fusee Star, forged and CNC hub body, alloy cassette, Roval Ti QR
SPOKES	D7 Stainless 14/15g Butted Aero
FRONT TIRE	Specialized Mondo Pro, 700x23C, aramid bead, 120TPI, Flak Jacket
REAR TIRE	Specialized Mondo Pro, 700x23C, aramid bead, 120TPI, Flak Jacket
TUBES	Specialized standard presta tube
SADDLE	Body Geometry Toupe Team, super light foam, carbon reinforced base, hollow Ti rails, microfiber cover
SEAT POST	Specialized Pro SL, FACT carbon w/ Zert insert, 27.2mm
SEAT BINDER	Specialized CNC, alloy, 32.6mm clamp
NOTES	Carbon chain stay protector, derailleur hanger, clear coat, owners manual

MODEL	Tarmac Expert Double Ultegra
FRAME	Specialized FACT 8r carbon, Az1 construction, compact race design
FORK	Specialized FACT monocoque carbon fork; full carbon legs, crown and steerer
HEADSET	Specialized Mindset Plus Carbon, 1 1/8" integrated threadless, cartridge sealed bearings, carbon 20mm cone w/ one 10mm and two 5mm carbon spacers
STEM	Specialized Pro-Set lightweight stem, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable
HANDLEBARS	Specialized Pro, 7050 alloy, short-reach drop, ergonomic top shaping, 31.8mm
TAPE	Body Geometry Bar Phat, cork ribbon w/ 2.5mm gel padding
FRONT BRAKE	Shimano Ultegra
REAR BRAKE	Shimano Ultegra
BRAKE LEVERS	Shimano Ultegra, 10-speed STI, flight deck compatible
FRONT DERAILLEUR	Shimano Ultegra, 34.9mm clamp, bottom pull
REAR DERAILLEUR	Shimano Dura-Ace, short cage
SHIFT LEVERS	Shimano Ultegra, 10-speed STI, flight deck compatible
CASSETTE	SRAM OG-1070, 10-speed 11-28t
CHAIN	Shimano Ultegra, 10-speed
CRANKSET	Shimano Ultegra, Hollowtech II 2-piece crankset
CHAINRINGS	53x39T
BOTTOM BRACKET	Shimano Ultegra, Hollowtech II
PEDALS	Composite body test ride pedals
RIMS	Fulcrum Racing 5
FRONT HUB	Fulcrum Racing 5 Evolution, QR
REAR HUB	Fulcrum Racing 5 Evolution, cassette, QR
SPOKES	Stainless 14g aero
FRONT TIRE	Specialized Mondo Pro, 700x23C, aramid bead, 120TPI, Flak Jacket
REAR TIRE	Specialized Mondo Pro, 700x23C, aramid bead, 120TPI, Flak Jacket
TUBES	Specialized standard presta tube
SADDLE	Body Geometry Toupe Team, super light foam, carbon reinforced base, microfiber cover
SEAT POST	Specialized Pro SL, FACT carbon w/ Zert insert, 27.2mm
SEAT BINDER	Specialized CNC, alloy, 32.6mm clamp
NOTES	Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual

MODEL	Tarmac Comp Compact
FRAME	Specialized FACT 6r carbon, triple monocoque construction, compact race design
FORK	Specialized FACT carbon fork; carbon legs and steerer
HEADSET	Specialized Mindset Plus, 1 1/8" integrated threadless, cartridge sealed bearings, alloy 20mm cone w/ one 10mm and two 5mm alloy spacers
STEM	Specialized Comp-Set, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable
HANDLEBARS	Specialized Expert, 6061 alloy, short-reach drop, ergonomic top shaping, 31.8mm
TAPE	Body Geometry Bar Phat, cork ribbon w/ 2.5mm gel padding
FRONT BRAKE	Shimano 105
REAR BRAKE	Shimano 105
BRAKE LEVERS	Shimano 105, 10-speed STI, flight deck compatible
FRONT DERAILLEUR	Shimano 105, braze-on clamp, bottom pull
REAR DERAILLEUR	Shimano Ultegra, short cage
SHIFT LEVERS	Shimano 105, 10-speed STI, flight deck compatible
CASSETTE	SRAM OG-1070, 10-speed 11-28t
CHAIN	Shimano 105, 10-speed
CRANKSET	Shimano R600, Hollowtech II 2-piece compact crankset
CHAINRINGS	50x34T
BOTTOM BRACKET	Shimano 105, Hollowtech II
PEDALS	Composite body test ride pedals
RIMS	Shimano RS-10
FRONT HUB	Shimano RS-10, QR
REAR HUB	Shimano RS-10, cassette, QR
SPOKES	Stainless 14g aero
FRONT TIRE	Specialized Mondo Pro, 700x23C, aramid bead, 120TPI, Flak Jacket
REAR TIRE	Specialized Mondo Pro, 700x23C, aramid bead, 120TPI, Flak Jacket
TUBES	Specialized standard presta tube
SADDLE	Body Geometry Toupe Team, super light foam, carbon reinforced base, microfiber cover
SEAT POST	Specialized Pavé FACT carbon w/ Zert insert, 27.2mm
SEAT BINDER	Specialized CNC, alloy, 32.6mm clamp
NOTES	Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual

MODEL	Tarmac Pro Frameset
FRAME	Specialized FACT 8r carbon, Az1 construction, compact race design
FORK	Specialized FACT monocoque carbon fork; full carbon legs, crown and steerer
HEADSET	Specialized Mindset Plus Carbon, 1 1/8" integrated threadless, cartridge sealed bearings, carbon 20mm cone w/ one 10mm and two 5mm carbon spacers
STEM	N/A
HANDLEBARS	N/A
TAPE	N/A
FRONT BRAKE	N/A
REAR BRAKE	N/A
BRAKE LEVERS	N/A
FRONT DERAILLEUR	N/A
REAR DERAILLEUR	N/A
SHIFT LEVERS	N/A
CASSETTE	N/A
CHAIN	N/A
CRANKSET	N/A
CHAINRINGS	N/A
BOTTOM BRACKET	N/A
PEDALS	N/A
RIMS	N/A
FRONT HUB	N/A
REAR HUB	N/A
SPOKES	N/A
FRONT TIRE	N/A
REAR TIRE	N/A
TUBES	N/A
SADDLE	N/A
SEAT POST	Specialized Pro SL, FACT carbon w/ Zert insert, 27.2mm
SEAT BINDER	Specialized CNC, alloy, 32.6mm clamp
NOTES	Carbon chain stay protector, derailleur hanger, clear coat, owners manual

MODEL	Tarmac Expert Compact
FRAME	Specialized FACT 8r carbon, Az1 construction, compact race design
FORK	Specialized FACT monocoque carbon fork; full carbon legs, crown and steerer
HEADSET	Specialized Mindset Plus Carbon, 1 1/8" integrated threadless, cartridge sealed bearings, carbon 20mm cone w/ one 10mm and two 5mm alloy spacers
STEM	Specialized Pro-Set lightweight stem, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable
HANDLEBARS	Specialized Expert, 6061 alloy, short-reach drop, ergonomic top shaping, 31.8mm
TAPE	Body Geometry Bar Phat, cork ribbon w/ 2.5mm gel padding
FRONT BRAKE	Shimano Ultegra
REAR BRAKE	Shimano Ultegra
BRAKE LEVERS	Shimano Ultegra, 10-speed STI, flight deck compatible
FRONT DERAILLEUR	Shimano Ultegra, 34.9mm clamp, bottom pull
REAR DERAILLEUR	Shimano Ultegra, short cage
SHIFT LEVERS	Shimano 105, 10-speed STI, flight deck compatible
CASSETTE	SRAM OG-1070, 10-speed 11-28t
CHAIN	Shimano Ultegra, 10-speed
CRANKSET	Shimano Ultegra, Hollowtech II 2-piece crankset
CHAINRINGS	50x34T
BOTTOM BRACKET	Shimano Ultegra, Hollowtech II
PEDALS	Composite body test ride pedals
RIMS	Fulcrum Racing 5
FRONT HUB	Fulcrum Racing 5 Evolution, QR
REAR HUB	Fulcrum Racing 5 Evolution, cassette, QR
SPOKES	Stainless 14g aero
FRONT TIRE	Specialized Mondo Pro, 700x23C, aramid bead, 120TPI, Flak Jacket
REAR TIRE	Specialized Mondo Pro, 700x23C, aramid bead, 120TPI, Flak Jacket
TUBES	Specialized standard presta tube
SADDLE	Body Geometry Toupe Team, super light foam, carbon reinforced base, microfiber cover
SEAT POST	Specialized Pro SL, FACT carbon w/ Zert insert, 27.2mm
SEAT BINDER	Specialized CNC, alloy, 32.6mm clamp
NOTES	Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual

MODEL	Tarmac Elite Double
FRAME	Specialized FACT 6r carbon, triple monocoque construction, compact race design
FORK	Specialized FACT carbon fork; carbon legs and steerer
HEADSET	Specialized Mindset Plus, 1 1/8" integrated threadless, cartridge sealed bearings, alloy 20mm cone w/ one 10mm and two 5mm alloy spacers
STEM	Specialized Comp-Set, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable
HANDLEBARS	Specialized Expert, 6061 alloy, short-reach drop, ergonomic top shaping, 31.8mm
TAPE	Body Geometry Bar Phat, cork ribbon w/ 2.5mm gel padding
FRONT BRAKE	Ultralight dual pivot brakes, Teflon pivots, forged alloy w/ cartridge pads
REAR BRAKE	Ultralight dual pivot brakes, Teflon pivots, forged alloy w/ cartridge pads
BRAKE LEVERS	Shimano 105, 10-speed STI, flight deck compatible
FRONT DERAILLEUR	Shimano 105, braze-on clamp, bottom pull
REAR DERAILLEUR	Shimano 105, short cage
SHIFT LEVERS	Shimano 105, 10-speed STI, flight deck compatible
CASSETTE	SRAM OG-1070, 10-speed 11-28t
CHAIN	Shimano 105, 10-speed
CRANKSET	FSA Gossamer MegaExo, 2-piece crankset
CHAINRINGS	53x39T
BOTTOM BRACKET	FSA MegaExo, integrated exterior cartridge bearings, alloy
PEDALS	Composite body test ride pedals
RIMS	Mavic CXP22 rim, alloy triple-wall, machined sidewalls w/ eyelets
FRONT HUB	Specialized forged alloy, 24 hole, double sealed ball bearings, straight pull spokes, QR
REAR HUB	Specialized forged alloy, 28 hole, double sealed ball bearings, straight pull spokes, cassette, QR
SPOKES	Stainless 14g, straight-pull aero
FRONT TIRE	Specialized Mondo Pro, 700x23C, aramid bead, 120TPI, Flak Jacket
REAR TIRE	Specialized Mondo Pro, 700x23C, aramid bead, 120TPI, Flak Jacket
TUBES	Specialized standard presta tube
SADDLE	Body Geometry Toupe Team, super light foam, carbon reinforced base, microfiber cover
SEAT POST	Specialized Pavé FACT carbon w/ Zert insert, 27.2mm
SEAT BINDER	Specialized CNC, alloy, 32.6mm clamp
NOTES	Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual

MODEL	Tarmac Expert Double Rival
FRAME	Specialized FACT 8r carbon, Az1 construction, compact race design
FORK	Specialized FACT monocoque carbon fork; full carbon legs, crown and steerer
HEADSET	Specialized Mindset Plus Carbon, 1 1/8" integrated threadless, cartridge sealed bearings, carbon 20mm cone w/ one 10mm and two 5mm carbon spacers
STEM	Specialized Pro-Set lightweight stem, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable
HANDLEBARS	Specialized Pro, 7050 alloy, short-reach drop, ergonomic top shaping, 31.8mm
TAPE	Body Geometry Bar Phat, cork ribbon w/ 2.5mm gel padding
FRONT BRAKE	SRAM Rival
REAR BRAKE	SRAM Rival
BRAKE LEVERS	SRAM Rival, 10-speed Double Tap
FRONT DERAILLEUR	SRAM Rival, 34.9mm clamp, bottom pull
REAR DERAILLEUR	SRAM Force, short cage
SHIFT LEVERS	SRAM Rival, 10-speed Double Tap
CASSETTE	SRAM OG-1070, 10-speed 11-28t
CHAIN	SRAM 1050, 10-speed
CRANKSET	SRAM Rival OCT, 2-piece hollow-forged crankset
CHAINRINGS	53x39T
BOTTOM BRACKET	SRAM, integrated exterior cartridge bearings, alloy
PEDALS	Composite body test ride pedals
RIMS	Fulcrum Racing 5
FRONT HUB	Fulcrum Racing 5 Evolution, QR
REAR HUB	Fulcrum Racing 5 Evolution, cassette, QR
SPOKES	Stainless 14g aero
FRONT TIRE	Specialized Mondo Pro, 700x23C, aramid bead, 120TPI, Flak Jacket
REAR TIRE	Specialized Mondo Pro, 700x23C, aramid bead, 120TPI, Flak Jacket
TUBES	Specialized standard presta tube
SADDLE	Body Geometry Toupe Team, super light foam, carbon reinforced base, microfiber cover
SEAT POST	Specialized Pro SL, FACT carbon w/ Zert insert, 27.2mm
SEAT BINDER	Specialized CNC, alloy, 32.6mm clamp
NOTES	Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual

TRANSITION			
MODEL	Transition Pro	Transition Pro Frameset	Transition Expert
FRAME	Specialized FACT 7R N'Aero tube shaping, compact aero geometry, vertical seat adjustment	Specialized FACT 7r N'Aero tube shaping, compact aero geometry, vertical seat adjustment	Specialized FACT 7R N'Aero tube shaping, compact aero geometry, vertical seat adjustment
FORK	Specialized FACT N'Aero fork, alloy 1" steerer	Specialized FACT N'Aero fork, alloy 1" steerer	Specialized FACT N'Aero fork, alloy 1" steerer
HEADSET	Specialized Mindset Plus Carbon, 1" integrated threadless, cartridge sealed bearings, 10mm and two 5mm carbon spacers	Specialized Mindset Plus Carbon, 1" integrated threadless, cartridge sealed bearings, 10mm and two 5mm carbon spacers	Specialized Mindset Plus Carbon, 1" integrated threadless, cartridge sealed bearings, one 10mm and two 5mm carbon spacers
STEM	S-Works Pro-Set stem, 31.8mm handlebar clamp, 4-position adjustable, Ti hardware	N/A	Specialized Pro-Set lightweight stem, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable
HANDLEBARS	Zipp Vuka Clip carbon aero bar	N/A	Zipp Vuka Clip carbon aero bar
TAPE	Body Geometry cork ribbon	N/A	Body Geometry cork ribbon
FRONT BRAKE	Specialized integrated brake system	Specialized integrated brake system	Specialized integrated brake system
REAR BRAKE	Specialized integrated brake system	Specialized integrated brake system	Specialized integrated brake system
BRAKE LEVERS	Carbon aero levers	N/A	Aero levers
FRONT DERAILLEUR	Shimano Dura-Ace, braze-on clamp, bottom pull	N/A	Shimano Ultegra, braze-on clamp, bottom pull
REAR DERAILLEUR	Shimano Dura-Ace, short cage	N/A	Shimano Dura-Ace, short cage
SHIFT LEVERS	Shimano Dura-Ace, 10-speed bar ends	N/A	Shimano Dura-Ace, 10-speed bar ends
CASSETTE	SRAM OG-1070, 10-speed 11-28t	N/A	SRAM OG-1070, 10-speed 11-28t
CHAIN	Shimano Dura-Ace, 10-speed	N/A	Shimano Ultegra, 10-speed
CRANKSET	Specialized Pro Carbon, integrated oversized design	N/A	Shimano Ultegra Hollowtech II, 2-piece design
CHAINRINGS	53x39T	N/A	53x39T
BOTTOM BRACKET	Specialized, oversized integrated	N/A	Shimano Ultegra, Hollowtech II
PEDALS	Composite body test ride pedals	N/A	Composite body test ride pedals
RIMS	Roval Fusee Star	N/A	Mavic Ksyrium Equipe
FRONT HUB	Roval Fusee Star	N/A	Mavic Ksyrium Equipe, 18 hole, Mavic QR
REAR HUB	Roval Fusee Star	N/A	Mavic Ksyrium Equipe, 20 hole, Mavic QR
SPOKES	Stainless 14g aero	N/A	Stainless 14g aero
FRONT TIRE	Specialized Mondo Pro, 700x21c, aramid bead, 120TPI	N/A	Specialized Mondo Pro, 700x21c, aramid bead, 120TPI
REAR TIRE	Specialized Turbo presta tube	N/A	Specialized Mondo Pro, 700x21c, aramid bead, 120TPI
TUBES	Body Geometry TriTip, superlight foam, carbon reinforced base, hollow Ti rails, microfiber cover, 50mm nose width	N/A	Specialized standard presta tube
SADDLE			Body Geometry TriTip, superlight foam, carbon reinforced base, hollow Ti rails, microfiber cover, 50mm nose width
SEAT POST	Specialized Transition carbon, 2 position	Specialized Transition carbon, 2 position	Specialized Transition carbon, 2 position
SEAT BINDER	Specialized wedge seat binder	Specialized wedge seat binder	Specialized wedge seat binder
NOTES	Chain stay protector, derailleur hanger, clear coat, owners manual	Chain stay protector, derailleur hanger, clear coat, owners manual	Chain stay protector, derailleur hanger, clear coat, owners manual
ALLEZ			
MODEL	Transition Comp	Allez Elite Compact	Allez Double
FRAME	Specialized FACT 7R N'Aero tube shaping, compact aero geometry, vertical seat adjustment	Specialized A1 Premium Aluminum, fully manipulated tubing, compact race design, FACT carbon seatstays w/ Zertz inserts	Specialized A1 Premium Aluminum, fully manipulated tubing, compact road design, integrated headset, hourglass speedstays
FORK	Specialized FACT N'Aero fork, alloy 1" steerer	Specialized FACT carbon steerer and fork legs w/ Zertz inserts, alloy crown	Specialized carbon fork, carbon fiber legs, aluminum steerer
HEADSET	Specialized Mindset Plus Carbon, 1" integrated threadless, cartridge sealed bearings, 10mm and two 5mm carbon spacers	Specialized Mindset, 1 1/8" integrated threadless, sealed bearings, alloy 20mm cone w/ one 10mm and two 5mm alloy spacers	Specialized Mindset, 1 1/8" integrated threadless, sealed bearings, alloy 20mm cone w/ one 10mm and two 5mm alloy spacers
STEM	Specialized Pro-Set lightweight stem, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable	Specialized Comp-Set, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable	Specialized Sport, 3D forged alloy, 31.8mm split clamp, 7 degree
HANDLEBARS	Zipp Vuka Clip carbon aero bar	Specialized Expert, 6061 alloy, short-reach drop, ergonomic top shaping, 31.8mm	Specialized Comp, 6061 alloy, short-reach drop, 31.8mm
TAPE	Body Geometry cork ribbon	Body Geometry Bar Phat, cork ribbon w/ 2.5mm gel padding	Body Geometry Bar Phat, cork ribbon w/ 2.5mm gel padding
FRONT BRAKE	Specialized integrated brake system	Ultralight dual pivot brakes, forged alloy w/ cartridge pads	Ultralight dual pivot brakes, Teflon pivots, forged alloy w/ cartridge pads
REAR BRAKE	Specialized integrated brake system	Ultralight dual pivot brakes, Teflon pivots, forged alloy w/ cartridge pads	Ultralight dual pivot brakes, Teflon pivots, forged alloy w/ cartridge pads
BRAKE LEVERS	Aero levers	Shimano Tiagra, 9-speed STI, flight deck compatible	Shimano Sora, 9-speed STI, flight deck compatible
FRONT DERAILLEUR	Shimano 105, 10-speed, braze-on clamp, bottom pull	Shimano Tiagra, 31.8mm clamp, bottom pull	Shimano Sora, 31.8mm clamp, bottom pull
REAR DERAILLEUR	Shimano Ultegra, 10-speed, short cage	Shimano 105, short cage	Shimano Tiagra, short cage
SHIFT LEVERS	Shimano Dura-Ace, 10-speed bar ends	Shimano Tiagra, 9-speed STI, flight deck compatible	Shimano Sora, 9-speed STI, flight deck compatible
CASSETTE	SRAM OG-1070, 10-speed 11-28t	SRAM PG-950, 9-speed 11-28t	SRAM PG-950, 9-speed 12-26t
CHAIN	Shimano 105, 10-speed	Shimano HG-73, 9-speed	Shimano HG-73, 9-speed
CRANKSET	Shimano 105, Hollowtech II 2-piece design	Shimano Tiagra, 2-piece crankset	Sugino Comp, five arm, polished arms
CHAINRINGS	53x39T	50x34T	53x39T
BOTTOM BRACKET	Shimano 105, Hollowtech II	Sugino integrated, exterior cartridge bearings, alloy	Sport cartridge, square taper, 68 x 110mm
PEDALS	Composite body test ride pedals	Composite body, alloy cage w/ toe clips and straps	Composite body, alloy cage w/ toe clips and straps
RIMS	Mavic Aksium	Calco Dynamics 700, alloy triple wall, machined sidewalls w/ indicator grooves	Alex 5500, 700c, alloy double wall, machined sidewalls
FRONT HUB	Mavic Aksium, 20 hole, Mavic QR	Specialized forged alloy, 24 hole, double sealed bearings, straight pull spokes, QR	Specialized forged alloy, 24 hole, double sealed bearings, straight pull spokes, QR
REAR HUB	Mavic Aksium, 24 hole, Mavic QR	Specialized forged alloy, 28 hole, double sealed bearings, straight pull spokes, cassette, QR	Specialized forged alloy, 32 hole, double sealed bearings, straight pull spokes, cassette, QR
SPOKES	Stainless 14g aero	Stainless 14g, straight-pull	Stainless 14g
FRONT TIRE	Specialized Mondo Pro, 700x21c, aramid bead, 120TPI	Specialized Mondo Pro, 700x23c, aramid bead, 120TPI, Flak Jacket	Specialized Mondo Sport, 700x23c, wire bead, 60TPI
REAR TIRE	Specialized Mondo Pro, 700x21c, aramid bead, 120TPI	Specialized Mondo Pro, 700x23c, aramid bead, 120TPI, Flak Jacket	Specialized Mondo Sport, 700x23c, wire bead, 60TPI
TUBES	Specialized standard presta tube	Specialized standard presta tube	Specialized standard presta tube
SADDLE	Body Geometry TriTip, superlight foam, carbon reinforced base, microfiber cover, 50mm nose width	Specialized Alias, carbon reinforced base, microfiber cover	Specialized Comp Road, full padding
SEAT POST	Specialized Transition carbon, 2 position	Specialized Pavé II, FACT carbon w/ Zertz insert, aluminum head, 27.2mm	Specialized carbon fiber wrapped, 27.2mm
SEAT BINDER	Specialized wedge seat binder	Specialized CNC, alloy, 31.8mm clamp	Specialized CNC, alloy
NOTES	Chain stay protector, derailleur hanger, clear coat, owners manual	Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual	Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual
ROUBAIX			
MODEL	Roubaix Pro	Roubaix Elite Triple	Roubaix Compact
FRAME	Specialized FACT 8r carbon, A21 construction, compact design, Zertz inserts	Specialized FACT 8r carbon, A21 construction, compact design, Zertz inserts	Specialized FACT 8r carbon, A21 construction, compact design, Zertz inserts
FORK	Specialized FACT monocoque carbon fork; full carbon legs, crown and steerer w/ Zertz inserts	Specialized FACT monocoque carbon fork, full carbon legs, crown and steerer w/ Zertz inserts	Specialized FACT monocoque carbon fork, full carbon legs, crown and steerer w/ Zertz inserts
HEADSET	Specialized Mindset Plus Carbon, 1 1/8" integrated threadless, cartridge sealed bearings, 10mm and two 5mm carbon spacers	Specialized Mindset Plus, 1 1/8" integrated threadless, cartridge sealed bearings, alloy 20mm cone w/ one 10mm and two 5mm alloy spacers	Specialized Mindset Plus, 1 1/8" integrated threadless, cartridge sealed bearings, alloy 20mm cone w/ one 10mm and two 5mm alloy spacers
STEM	Specialized Pro-Set lightweight stem, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable	Specialized Comp-Set, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable	Specialized Comp-Set, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable
HANDLEBARS	Specialized Zertz Comp, 6061 alloy, Zertz damper, short-reach drop, ergonomic top shaping, 31.8mm	Specialized Zertz Comp, 6061 alloy, Zertz damper, short-reach drop, ergonomic top shaping, 31.8mm	Specialized Zertz Comp, 6061 alloy, Zertz damper, short-reach drop, ergonomic top shaping, 31.8mm
TAPE	Body Geometry Bar Phat, Soft-Touch cork ribbon w/ 2.5mm gel padding	Body Geometry Bar Phat, Soft-Touch cork ribbon w/ 2.5mm gel padding	Body Geometry Bar Phat, Soft-Touch cork ribbon w/ 2.5mm gel padding
FRONT BRAKE	Ultralight dual pivot brakes, Teflon pivots, forged alloy w/ cartridge pads	Ultralight dual pivot brakes, Teflon pivots, forged alloy w/ cartridge pads	Ultralight dual pivot brakes, Teflon pivots, forged alloy w/ cartridge pads
REAR BRAKE	Ultralight dual pivot brakes, Teflon pivots, forged alloy w/ cartridge pads	Ultralight dual pivot brakes, Teflon pivots, forged alloy w/ cartridge pads	Ultralight dual pivot brakes, Teflon pivots, forged alloy w/ cartridge pads
BRAKE LEVERS	Shimano 105, 10-speed STI, flight deck compatible	Shimano 105, 10-speed STI, flight deck compatible	Shimano 105, 10-speed STI, flight deck compatible
FRONT DERAILLEUR	Shimano 105, 10-speed STI, flight deck compatible	Shimano 105, 10-speed STI, flight deck compatible	Shimano 105, 10-speed STI, flight deck compatible
REAR DERAILLEUR	Shimano 105, 10-speed STI, flight deck compatible	Shimano 105, 10-speed STI, flight deck compatible	Shimano 105, 10-speed STI, flight deck compatible
SHIFT LEVERS	Shimano 105, 10-speed STI, flight deck compatible	Shimano 105, 10-speed STI, flight deck compatible	Shimano 105, 10-speed STI, flight deck compatible
CASSETTE	SRAM OG-1070, 10-speed 11-28t	SRAM OG-1070, 10-speed 11-28t	SRAM OG-1070, 10-speed 11-28t
CHAIN	Shimano 105, 10-speed	Shimano 105, 10-speed	Shimano 105, 10-speed
CRANKSET	SRAM OG-1070, 10-speed 11-28t	SRAM OG-1070, 10-speed 11-28t	SRAM OG-1070, 10-speed 11-28t
CHAINRINGS	50x34T	50x34T	50x34T
BOTTOM BRACKET	FSA Gossamer MegaExo, 2-piece crankset	FSA Gossamer MegaExo, 2-piece crankset	FSA Gossamer MegaExo, 2-piece crankset
PEDALS	50x34T	50x34T	50x34T
RIMS	FSA MegaExo, integrated exterior cartridge bearings, alloy	FSA MegaExo, integrated exterior cartridge bearings, alloy	FSA MegaExo, integrated exterior cartridge bearings, alloy
FRONT HUB	Composite body test ride pedals	Composite body test ride pedals	Composite body test ride pedals
REAR HUB	Mavic Open Sport, double wall rim, machined sidewalls w/ eyelets	Mavic Open Sport, double wall rim, machined sidewalls w/ eyelets	Mavic Open Sport, double wall rim, machined sidewalls w/ eyelets
SPOKES	Specialized forged alloy, 24 hole, double sealed bearings, straight pull spokes, QR	Specialized forged alloy, 24 hole, double sealed bearings, straight pull spokes, QR	Specialized forged alloy, 24 hole, double sealed bearings, straight pull spokes, QR
FRONT TIRE	Specialized forged alloy, 28 hole, double sealed bearings, straight pull spokes, cassette, QR	Specialized forged alloy, 28 hole, double sealed bearings, straight pull spokes, cassette, QR	Specialized forged alloy, 28 hole, double sealed bearings, straight pull spokes, cassette, QR
REAR TIRE	Specialized forged alloy, 28 hole, double sealed bearings, straight pull spokes, cassette, QR	Specialized forged alloy, 28 hole, double sealed bearings, straight pull spokes, cassette, QR	Specialized forged alloy, 28 hole, double sealed bearings, straight pull spokes, cassette, QR
TUBES	Stainless 14g, straight-pull	Stainless 14g, straight-pull	Stainless 14g, straight-pull
SADDLE	Specialized Roubaix Pro, 700x23/25c, aramid bead, 120TPI, Flak Jacket	Specialized Roubaix Pro, 700x23/25c, aramid bead, 120TPI, Flak Jacket	Specialized Roubaix Pro, 700x23/25c, aramid bead, 120TPI, Flak Jacket
SEAT POST	Specialized Roubaix Pro, 700x23/25c, aramid bead, 120TPI, Flak Jacket	Specialized Roubaix Pro, 700x23/25c, aramid bead, 120TPI, Flak Jacket	Specialized Roubaix Pro, 700x23/25c, aramid bead, 120TPI, Flak Jacket
SEAT BINDER	Specialized standard presta tube	Specialized standard presta tube	Specialized standard presta tube
NOTES	Specialized Avatar, microfiber cover, gel padding, Cr-Mo Rails	Specialized Avatar, microfiber cover, gel padding, Cr-Mo Rails	Specialized Avatar, microfiber cover, gel padding
SPECIFICATIONS			

MODEL	Roubaix Triple
FRAME	Specialized E5, fully manipulated Columbus E5 SLX tubing, compact race design, FACT carbon seatstays w/ Zert inserts
FORK	Specialized FACT monochoque carbon fork; full carbon legs, crown and steerer w/ Zert inserts
HEADSET	Specialized Mindset Plus, 1 1/8" integrated threadless, cartridge sealed bearings, alloy 20mm cone w/ one 10mm and two 5mm alloy spacers
STEM	Specialized Comp-Set, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable
HANDLEBARS	Specialized Zert Comp, 6061 alloy, Zert damper, short-reach drop, ergonomic top shaping, 31.8mm
TAPE	Body Geometry Bar Phat, Soft-Touch cork ribbon w/ 2.5mm gel padding
FRONT BRAKE	Ultralight dual pivot brakes, Teflon pivots, forged alloy w/ cartridge pads
REAR BRAKE	Ultralight dual pivot brakes, Teflon pivots, forged alloy w/ cartridge pads
BRAKE LEVERS	Shimano 105, 10-speed STI, flight deck compatible
FRONT DERAILLEUR	Shimano 105, 31.8mm clamp, bottom pull
REAR DERAILLEUR	Shimano 105, long cage
SHIFT LEVERS	Shimano 105, 10-speed STI, flight deck compatible
CASSETTE	SRAM OG-1070, 10-speed 11-28t
CHAIN	Shimano 105, 10-speed
CRANKSET	FSA Gossamer MegaExo, 2-piece crankset
CHAINRINGS	50x39x30T
BOTTOM BRACKET	FSA MegaExo, integrated exterior cartridge bearings, alloy
PEDALS	Composite body test ride pedals
RIMS	Mavic Open Sport, double wall rim, machined sidewalls w/ eyelets
FRONT HUB	Specialized forged alloy, 24 hole, double sealed ball bearings, straight pull spokes, QR
REAR HUB	Specialized forged alloy, 28 hole, double sealed ball bearings, straight pull spokes, cassette, QR
SPOKES	Stainless 14g, straight-pull
FRONT TIRE	Specialized Roubaix Pro, 700x23/25c, aramid bead, 120TPI, Flak Jacket
REAR TIRE	Specialized Roubaix Pro, 700x23/25c, aramid bead, 120TPI, Flak Jacket
TUBES	Specialized standard presta tube
SADDLE	Body Geometry Avatar, microfiber cover, gel padding
SEAT POST	Specialized Pavé II, FACT carbon w/ Zert insert, aluminum head, 27.2mm
SEAT BINDER	Specialized CNC, alloy, 31.8mm clamp
NOTES	Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual

MODEL	Sequoia
FRAME	Specialized A1 Premium Aluminum, fully manipulated tubing, compact road design, integrated headset, hourglass speedstays
FORK	Specialized FACT carbon steerer and fork legs w/ Zert inserts, alloy crown
FENDERS	N/A
HEADSET	Specialized Mindset, 1 1/8" integrated threadless, sealed bearings, alloy 20mm cone w/ one 10mm and two 5mm alloy spacers
STEM	Specialized Comp-Set, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable
HANDLEBARS	Specialized Comp, racing drop, 31.8
COFFEE HOLDER	N/A
TAPE	Body Geometry Bar Phat, cork ribbon w/ 2.5mm gel padding
FRONT BRAKE	Ultralight dual pivot brakes, Teflon pivots, forged alloy w/ cartridge pads
REAR BRAKE	Ultralight dual pivot brakes, Teflon pivots, forged alloy w/ cartridge pads
BRAKE LEVERS	Shimano Sora, 8-speed STI, flight deck compatible w/ brake lever extensions
FRONT DERAILLEUR	Shimano Sora, 31.8mm clamp, bottom pull
REAR DERAILLEUR	Shimano Tiagra, long cage
SHIFT LEVERS	Shimano Sora, 9-speed STI, flight deck compatible
CASSETTE	SRAM PG-950, 9-speed 11-28t
CHAIN	Shimano HG73, 9-speed
CRANKSET	Sugino Comp, five arm, polished arms
CHAINRINGS	50x42x30T
BOTTOM BRACKET	Sport cartridge, square taper, 68 x 113mm
PEDALS	Composite body, alloy cage w/ toe clips and straps
RIMS	Alex R500, 700c, alloy double wall, machined sidewalls
FRONT HUB	Specialized forged alloy, 28 hole, double sealed bearings, QR
REAR HUB	Specialized forged alloy, 32 hole, double sealed bearings, QR
SPOKES	Stainless 14g
FRONT TIRE	Specialized All Condition Sport, 700x25c, wire bead, 60TPI w/ Flak Jacket
REAR TIRE	Specialized All Condition Sport, 700x25c, wire bead, 60TPI w/ Flak Jacket
TUBES	Specialized standard presta tube
SADDLE	Body Geometry Sonoma, 155mm width
SEAT POST	Specialized carbon fiber wrapped, 27.2mm
SEAT BINDER	Specialized CNC, alloy, 31.8mm clamp
NOTES	Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual

MODEL	Langster Chicago
FRAME	Specialized A1 Premium Aluminum, fully manipulated tubing, compact design, integrated headset
FORK	Specialized carbon fork, carbon fiber legs, aluminum steerer
HEADSET	Specialized Mindset, 1 1/8" integrated threadless, sealed bearings, alloy 20mm cone w/ one 10mm and two 5mm alloy spacers
STEM	Specialized Sport, 3D forged alloy, 31.8mm split clamp, 7 degree
HANDLEBARS	Specialized A1 Premium Aluminum bullhorn bar
TAPE	Cork tape
FRONT BRAKE	Dual pivot, forged alloy w/ cartridge multi-condition pads
REAR BRAKE	Dual pivot, forged alloy w/ cartridge multi-condition pads
BRAKE LEVERS	Custom Specialized bar-top levers
FRONT DERAILLEUR	N/A
REAR DERAILLEUR	N/A
SHIFT LEVERS	N/A
CASSETTE	Shimano 16t freewheel plus 16t fixed gear cog
CHAIN	KMC Z-510HX
CRANKSET	Sugino Comp, five arm, polished arms
CHAINRINGS	42T CNC Zen Messenger
BOTTOM BRACKET	Sport cartridge, square taper, 68 x 103mm
PEDALS	Composite body, alloy cage w/ toe clips and straps
RIMS	Alex R500, 700c, alloy double wall, machined sidewalls
FRONT HUB	Specialized forged alloy, 32 hole, double sealed w/ chrome track nuts
REAR HUB	Specialized, 32 hole, forged alloy, double sealed w/ chrome track nuts
SPOKES	Stainless 14g
FRONT TIRE	Specialized Mondo Sport, 700x23c, wire bead, 60TPI
REAR TIRE	Specialized Mondo Sport, 700x23c, wire bead, 60TPI
TUBES	Specialized standard presta tube
SADDLE	Specialized Comp Road, full padding
SEAT POST	Specialized carbon fiber wrapped, 27.2mm
SEAT BINDER	Specialized CNC, alloy
NOTES	Chain stay protector, clear coat, owners manual

MODEL	Sequoia Comp
FRAME	Specialized E5, fully manipulated Columbus E5 SLX tubing, compact race design, FACT carbon seatstays w/ Zert inserts
FORK	Specialized FACT monochoque carbon fork, full carbon legs, crown and steerer w/ Zert inserts
HEADSET	Specialized Mindset, 1 1/8" integrated threadless, sealed bearings, alloy 20mm cone w/ one 10mm and two 5mm alloy spacers
STEM	Specialized Comp-Set, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable
HANDLEBARS	Specialized Zert Comp, 6061 alloy, Zert damper, short-reach drop, ergonomic top shaping, 31.8mm
TAPE	Body Geometry Bar Phat, cork ribbon w/ 2.5mm gel padding
FRONT BRAKE	Ultralight dual pivot brakes, Teflon pivots, forged alloy w/ cartridge pads
REAR BRAKE	Ultralight dual pivot brakes, Teflon pivots, forged alloy w/ cartridge pads
BRAKE LEVERS	Shimano 105, 10-speed STI, flight deck compatible w/ brake lever extensions
FRONT DERAILLEUR	Shimano 105, 31.8mm clamp, bottom pull
REAR DERAILLEUR	Shimano 105, long cage
SHIFT LEVERS	Shimano 105, 10-speed STI, flight deck compatible
CASSETTE	SRAM OG-1070, 10-speed 11-28t
CHAIN	Shimano 105, 10-speed
CRANKSET	FSA Gossamer MegaExo, 2-piece crankset
CHAINRINGS	50x39x30T
BOTTOM BRACKET	FSA MegaExo, integrated exterior cartridge bearings, alloy
PEDALS	Composite body, alloy cage w/ toe clips and straps
RIMS	Shimano RS-10
FRONT HUB	Shimano RS-10, QR
REAR HUB	Shimano RS-10, cassette, QR
SPOKES	Stainless 14g
FRONT TIRE	Specialized Roubaix Pro, 700x25c, aramid bead, 120TPI w/ Flak Jacket
REAR TIRE	Specialized Roubaix Pro, 700x25c, aramid bead, 120TPI w/ Flak Jacket
TUBES	Specialized standard presta tube
SADDLE	Body Geometry Sonoma, 155mm width
SEAT POST	Specialized Pavé II, FACT carbon w/ Zert insert, aluminum head, 27.2mm
SEAT BINDER	Specialized CNC, alloy, 31.8mm clamp
NOTES	Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual

MODEL	Langster Seattle
FRAME	Specialized A1 Premium Aluminum, fully manipulated tubing, compact design, integrated headset
FORK	Specialized carbon fork, carbon fiber legs, aluminum steerer
FENDERS	Custom fender set
HEADSET	Specialized Mindset, 1 1/8" integrated threadless, sealed bearings, alloy 20mm cone w/ one 10mm and two 5mm alloy spacers
STEM	Specialized Sport, 3D forged alloy, 31.8mm split clamp, 7 degree
HANDLEBARS	Specialized A1 Premium Aluminum flat bar, 15 degree sweep
COFFEE HOLDER	Custom coffee cup holder w/ handlebar mount
TAPE	Cork tape
FRONT BRAKE	Dual pivot, forged alloy w/ cartridge multi-condition pads
REAR BRAKE	Dual pivot, forged alloy w/ cartridge multi-condition pads
BRAKE LEVERS	Avid FR-5
FRONT DERAILLEUR	N/A
REAR DERAILLEUR	N/A
SHIFT LEVERS	N/A
CASSETTE	Shimano 16t freewheel plus 16t fixed gear cog
CHAIN	KMC Z-510HX
CRANKSET	Sugino Comp, five arm, polished arms
CHAINRINGS	42T CNC Zen Messenger
BOTTOM BRACKET	Sport cartridge, square taper, 68 x 103mm
PEDALS	Composite body, alloy cage w/ toe clips and straps
RIMS	Alex R500, 700c, alloy double wall, machined sidewalls
FRONT HUB	Specialized forged alloy, 32 hole, double sealed w/ chrome track nuts
REAR HUB	Specialized, 32 hole, forged alloy, double sealed w/ chrome track nuts
SPOKES	Stainless 14g
FRONT TIRE	Specialized Mondo Sport, 700x23c, wire bead, 60TPI
REAR TIRE	Specialized Mondo Sport, 700x23c, wire bead, 60TPI
TUBES	Specialized standard presta tube
SADDLE	Specialized Comp Road, full padding
SEAT POST	Specialized carbon fiber wrapped, 27.2mm
SEAT BINDER	Specialized CNC, alloy
NOTES	Chain stay protector, clear coat, owners manual

MODEL	Langster London
FRAME	Specialized A1 Premium Aluminum, fully manipulated tubing, compact design, integrated headset
FORK	Specialized carbon fork, carbon fiber legs, aluminum steerer
HEADSET	Specialized Mindset, 1 1/8" integrated threadless, sealed bearings, alloy 20mm cone w/ one 10mm and two 5mm alloy spacers
STEM	Specialized Sport, 3D forged alloy, 31.8mm split clamp, 7 degree
HANDLEBARS	Cr-Mo track bar, chrome plated
TAPE	Keirin grips
FRONT BRAKE	Dual pivot, forged alloy w/ cartridge multi-condition pads
REAR BRAKE	Dual pivot, forged alloy w/ cartridge multi-condition pads
BRAKE LEVERS	Custom Specialized bar-top levers
FRONT DERAILLEUR	N/A
REAR DERAILLEUR	N/A
SHIFT LEVERS	N/A
CASSETTE	Shimano 16t freewheel plus 16t fixed gear cog
CHAIN	KMC Z-510HX
CRANKSET	Sugino Comp, five arm, polished arms
CHAINRINGS	42T CNC Zen Messenger
BOTTOM BRACKET	Sport cartridge, square taper, 68 x 103mm
PEDALS	Composite body, alloy cage w/ toe clips and straps
RIMS	Alex R500, 700c, alloy double wall, machined sidewalls
FRONT HUB	Specialized forged alloy, 32 hole, double sealed w/ chrome track nuts
REAR HUB	Specialized, 32 hole, forged alloy, double sealed w/ chrome track nuts
SPOKES	Stainless 14g
FRONT TIRE	Specialized Mondo Sport, 700x23c, wire bead, 60TPI
REAR TIRE	Specialized Mondo Sport, 700x23c, wire bead, 60TPI
TUBES	Specialized standard presta tube
SADDLE	Specialized Comp Road, full padding
SEAT POST	Specialized carbon fiber wrapped, 27.2mm
SEAT BINDER	Specialized CNC, alloy
NOTES	Chain stay protector, clear coat, owners manual

MODEL	Sequoia Elite
FRAME	Specialized A1 Premium Aluminum, fully manipulated tubing, compact design, FACT carbon seatstays w/ Zert inserts
FORK	Specialized FACT carbon steerer and fork legs w/ Zert inserts, alloy crown
HEADSET	Specialized Mindset, 1 1/8" integrated threadless, sealed bearings, alloy 20mm cone w/ one 10mm and two 5mm alloy spacers
STEM	Specialized Comp-Set, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable
HANDLEBARS	Specialized Zert Comp, 6061 alloy, Zert damper, short-reach drop, ergonomic top shaping, 31.8mm
TAPE	Body Geometry Bar Phat, cork ribbon w/ 2.5mm gel padding
FRONT BRAKE	Ultralight dual pivot brakes, Teflon pivots, forged alloy w/ cartridge pads
REAR BRAKE	Ultralight dual pivot brakes, Teflon pivots, forged alloy w/ cartridge pads
BRAKE LEVERS	Shimano 105, 9-speed STI, flight deck compatible w/ brake lever extensions
FRONT DERAILLEUR	Shimano Tiagra, 31.8mm clamp, bottom pull
REAR DERAILLEUR	Shimano 105, long cage
SHIFT LEVERS	Shimano Tiagra, 9-speed STI, flight deck compatible
CASSETTE	SRAM PG-950, 9-speed 11-28t
CHAIN	Shimano HG73, 9-speed
CRANKSET	Shimano Tiagra, 2-piece crankset
CHAINRINGS	50x39x30T
BOTTOM BRACKET	Shimano Tiagra, Hollowtech II
PEDALS	Composite body, alloy cage w/ toe clips and straps
RIMS	Alex AS1, alloy triple wall, machined sidewalls w/ indicator grooves
FRONT HUB	Specialized forged alloy, 24 hole, double sealed bearings, straight pull spokes, QR
REAR HUB	Specialized forged alloy, 28 hole, double sealed bearings, straight pull spokes, cassette, QR
SPOKES	Stainless 14g, straight-pull
FRONT TIRE	Specialized All Condition Sport, 700x25c, wire bead, 60TPI w/ Flak Jacket
REAR TIRE	Specialized All Condition Sport, 700x25c, wire bead, 60TPI w/ Flak Jacket
TUBES	Specialized standard presta tube
SADDLE	Body Geometry Sonoma, 155mm width
SEAT POST	Specialized Pavé II, FACT carbon w/ Zert insert, aluminum head, 27.2mm
SEAT BINDER	Specialized CNC, alloy, 31.8mm clamp
NOTES	Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual

MODEL	Langster New York
FRAME	Specialized A1 Premium Aluminum, fully manipulated tubing, compact design, integrated headset
FORK	Specialized carbon fork, carbon fiber legs, aluminum steerer
FENDERS	N/A
HEADSET	Specialized Mindset, 1 1/8" integrated threadless, sealed bearings, alloy 20mm cone w/ one 10mm and two 5mm alloy spacers
STEM	Specialized Sport, 3D forged alloy, 31.8mm split clamp, 7 degree
HANDLEBARS	Specialized A1 Premium Aluminum flat bar, 400mm width
TAPE	Body Geometry Bar Phat, cork ribbon w/ 2.5mm gel padding
FRONT BRAKE	Dual pivot, forged alloy w/ cartridge multi-condition pads
REAR BRAKE	Dual pivot, forged alloy w/ cartridge multi-condition pads
BRAKE LEVERS	Avid FR-5
FRONT DERAILLEUR	N/A
REAR DERAILLEUR	N/A
SHIFT LEVERS	N/A
CASSETTE	Shimano 16t freewheel plus 16t fixed gear cog
CHAIN	KMC Z-510HX
CRANKSET	Sugino Comp, five arm, polished arms
CHAINRINGS	42T CNC Zen Messenger
BOTTOM BRACKET	Sport cartridge, square taper, 68 x 103mm
PEDALS	Composite body, alloy cage w/ toe clips and straps
RIMS	Alex R500, 700c, alloy double wall, machined sidewalls
FRONT HUB	Specialized forged alloy, 32 hole, double sealed w/ chrome track nuts
REAR HUB	Specialized, 32 hole, forged alloy, double sealed w/ chrome track nuts
SPOKES	Stainless 14g
FRONT TIRE	Specialized Mondo Sport, 700x23c, wire bead, 60TPI
REAR TIRE	Specialized Mondo Sport, 700x23c, wire bead, 60TPI
TUBES	Specialized standard presta tube
SADDLE	Specialized Comp Road, full padding
SEAT POST	Specialized carbon fiber wrapped, 27.2mm
SEAT BINDER	Specialized CNC, alloy
NOTES	Chain stay protector, clear coat, owners manual

MODEL	Langster Boston
FRAME	Specialized A1 Premium Aluminum, fully manipulated tubing, compact design, integrated headset
FORK	Specialized carbon fork, carbon fiber legs, aluminum steerer
HEADSET	Specialized Mindset, 1 1/8" integrated threadless, sealed bearings, alloy 20mm cone w/ one 10mm and two 5mm alloy spacers
STEM	Specialized Sport, 3D forged alloy, 31.8mm split clamp, 7 degree
HANDLEBARS	Cr-Mo track bar, chrome plated
TAPE	Keirin grips
FRONT BRAKE	Dual pivot, forged alloy w/ cartridge multi-condition pads
REAR BRAKE	Dual pivot, forged alloy w/ cartridge multi-condition pads
BRAKE LEVERS	Custom Specialized bar-top levers
FRONT DERAILLEUR	N/A
REAR DERAILLEUR	N/A
SHIFT LEVERS	N/A
CASSETTE	Shimano 16t freewheel plus 16t fixed gear cog
CHAIN	KMC Z-510HX
CRANKSET	Sugino Comp, five arm, polished arms
CHAINRINGS	42T CNC Zen Messenger
BOTTOM BRACKET	Sport cartridge, square taper, 68 x 103mm
PEDALS	Composite body, alloy cage w/ toe clips and straps
RIMS	Alex R500, 700c, alloy double wall, machined sidewalls
FRONT HUB	Specialized forged alloy, 32 hole, double sealed w/ chrome track nuts
REAR HUB	Specialized, 32 hole, forged alloy, double sealed w/ chrome track nuts
SPOKES	Stainless 14g
FRONT TIRE	Specialized Mondo Sport, 700x23c, wire bead, 60TPI
REAR TIRE	Specialized Mondo Sport, 700x23c, wire bead, 60TPI
TUBES	Specialized standard presta tube
SADDLE	Specialized Comp Road, full padding
SEAT POST	Specialized carbon fiber wrapped, 27.2mm
SEAT BINDER	Specialized CNC, alloy
NOTES	Chain stay protector, clear coat, owners manual

MODEL	Langster
FRAME	Specialized A1 Premium Aluminum, fully manipulated tubing, compact design, integrated headset
FORK	Specialized carbon fork, carbon fiber legs, aluminum steerer
HEADSET	Specialized Mindset, 1 1/8" integrated threadless, sealed bearings, alloy 20mm cone w/ one 10mm and two 5mm alloy spacers
STEM	Specialized Sport, 3D forged alloy, 31.8mm split clamp, 7 degree
HANDLEBARS	Specialized Comp, 6061 alloy, short-reach drop, 31.8mm
TAPE	Body Geometry Bar Phat, cork ribbon w/ 2.5mm gel padding
FRONT BRAKE	Dual pivot, forged alloy w/ cartridge multi-condition pads
REAR BRAKE	Dual pivot, forged alloy w/ cartridge multi-condition pads
BRAKE LEVERS	Tektro short reach for drop bars
FRONT DERAILLEUR	N/A
REAR DERAILLEUR	N/A
SHIFT LEVERS	N/A
CASSETTE	Shimano 16t freewheel plus 16t fixed gear cog
CHAIN	KMC Z-510HX
CRANKSET	Sugino Comp, five arm, polished arms
CHAINRINGS	42T CNC Zen Messenger
BOTTOM BRACKET	Sport cartridge, square taper, 68 x 103mm
PEDALS	Composite body, alloy cage w/ toe clips and straps
RIMS	Alex R500, 700c, alloy double wall, machined sidewalls
FRONT HUB	Specialized forged alloy, 32 hole, double sealed w/ chrome track nuts
REAR HUB	Specialized, 32 hole, forged alloy, double sealed w/ chrome track nuts
SPOKES	Stainless 14g
FRONT TIRE	Specialized Mondo Sport, 700x23c, wire bead, 60TPI
REAR TIRE	Specialized Mondo Sport, 700x23c, wire bead, 60TPI
TUBES	Specialized standard presta tube
SADDLE	Specialized Comp Road, full padding
SEAT POST	Specialized carbon fiber wrapped, 27.2mm
SEAT BINDER	Specialized CNC, alloy
NOTES	Chain stay protector, clear coat, owners manual

MODEL	TriCross Expert Double
FRAME	Specialized E5, fully manipulated Columbus E5 SLX tubing, semi-compact Freeroad design, FACT carbon seatstays w/ Zert inserts
FORK	S-Works FACT monochoque carbon TriCross fork; full carbon legs, crown and steerer w/ Speed Zertzt, rack and fender fittings
HEADSET	Specialized Mindset Plus, 1 1/8" integrated threadless, cartridge sealed bearings, alloy 20mm cone w/ one 10mm and two 5mm alloy spacers
STEM	Specialized Comp-Set, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable
HANDLEBARS	Specialized Expert, 6061 alloy, short-reach drop, ergonomic top shaping, 31.8mm
TAPE	Body Geometry Bar Phat, cork ribbon w/ 2.5mm gel padding
FRONT BRAKE	TriCross-specific forged linear pull, road-lever specific length
REAR BRAKE	TriCross-specific forged linear pull, road-lever specific length
BRAKE LEVERS	SRAM Rival, 10-speed Double Tap w/ brake lever extensions
FRONT DERAILLEUR	SRAM Rival, 31.8mm clamp, bottom pull
REAR DERAILLEUR	Shimano Ultegra, short cage
SHIFT LEVERS	SRAM Rival, 10-speed Double Tap
CASSETTE	SRAM OG-1070, 10-speed 11-28t
CHAIN	SRAM 1050, 10-speed
CRANKSET	FSA SL-K MegaExo, 2-piece carbon crankset
CHAINRINGS	48x34T
BOTTOM BRACKET	FSA MegaExo, integrated exterior cartridge bearings, alloy
PEDALS	Composite body test ride pedals
RIMS	Roval Pavé SL, E5 Alloy
FRONT HUB	Roval Pavé SL, 20 hole, Roval QR
REAR HUB	Roval Pavé SL, 24 hole, Roval QR
SPOKES	DT Competition Stainless 14g butted
FRONT TIRE	Specialized Houffalize CX Pro, 700x32c, dual-compound tread, aramid bead, 120TPI
REAR TIRE	Specialized Houffalize CX Pro, 700x32c, dual-compound tread, aramid bead, 120TPI
TUBES	Specialized standard presta tube
SADDLE	Body Geometry Phenom SL, super light foam, carbon reinforced base, microfiber cover
SEAT POST	Specialized Pavé II, FACT carbon w/ Zert insert, 27.2mm
SEAT BINDER	Specialized CNC, alloy, 31.8mm clamp
NOTES	Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual

MODEL	TriCross Singlecross
FRAME	Specialized A1 Premium Aluminum, fully manipulated tubing, semi-compact Freeroad design, integrated headset, rack and fender fittings, horizontal dropouts with steel protectors
FORK	Specialized FACT carbon TriCross fork, carbon legs, aluminum steerer, SpeedZertzt inserts, full rack and fender mounts
HEADSET	Specialized Mindset Plus, 1 1/8" integrated threadless, cartridge sealed bearings, alloy 20mm cone w/ one 10mm and two 5mm alloy spacers
STEM	Specialized Sport, 3D forged alloy, 31.8mm split clamp, 7 degree
HANDLEBARS	Specialized Comp, racing drop, 31.8 clamp
GRIPS	N/A
TAPE	Body Geometry Bar Phat, cork ribbon w/ 2.5mm gel padding
FRONT BRAKE	Forged linear pull brakes w/ cartridge pads
REAR BRAKE	Forged linear pull brakes w/ cartridge pads
BRAKE LEVERS	Aero brake levers for linear pull brakes
FRONT DERAILLEUR	N/A
REAR DERAILLEUR	N/A
SHIFT LEVERS	N/A
CASSETTE	Shimano 18t freewheel
CHAIN	KMC Z-510-HX 1-speed chain
CRANKSET	Sugino Comp forged alloy
CHAINRINGS	42T
BOTTOM BRACKET	Sport cartridge, square taper, 68 x 103mm
PEDALS	Composite body, alloy cage w/ toe clips and straps
RIMS	Alex ACE-19, double wall rim, machined sidewalls w/ eyelets
FRONT HUB	Specialized forged alloy, 32 hole, double sealed bearings, QR
REAR HUB	Specialized forged alloy, 32 hole, double sealed bearings, bolt-on
SPOKES	Stainless 14g
FRONT TIRE	Specialized Houffalize Sport CX, 700x32c, wire bead, 60TPI
REAR TIRE	Specialized Houffalize Sport CX, 700x32c, wire bead, 60TPI
TUBES	Specialized standard presta tube
SADDLE	Specialized Comp Road, full padding
SEAT POST	Specialized carbon fiber wrapped, 27.2mm
SEAT BINDER	Specialized CNC, alloy
NOTES	Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual

MODEL	Fat Boy
FRAME	A1 Premium Aluminum, integrated headset, transform top tube with internal brake cable routing, ISCG BB shell, forged dropouts w/ disc mount, 24 x 6" wheel-specific, integrated centerstand mount
FORK	Fat Boy A1 Premium Aluminum double clamp, forged drop outs and disc mount
HEADSET	1 1/8" threadless, integrated
STEM	Fat Boy A1 Premium Aluminum, 31.8mm clamp, integrated into upper fork clamp
HANDLEBARS	Fat Boy Cruiser, A1 premium Aluminum, 700mm wide, 1pc, 31.8mm
TAPE	Specialized Fat Boy, Kraton
FRONT BRAKE	Avid BB-5, mechanical disc, 8" G2 Clean Sweep rotor
REAR BRAKE	Avid BB-5, mechanical disc, 8" G2 Clean Sweep rotor
BRAKE LEVERS	Tektro alloy 4 finger w/ ball end
FRONT DERAILLEUR	N/A
REAR DERAILLEUR	N/A
SHIFT LEVERS	N/A
CASSETTE	Shimano MX-30, single speed, 18t
CHAIN	KMC KOOL K-710 SL, 1/2" x 1/8"
CRANKSET	Specialized Tubular Cr-Mo Moto, 3pc
CHAINRINGS	Fat Boy CNC'd 6061-T6, 42t star design, ISCG mounted chain tensioner, cartridge bearing w/ CNC'd jockey wheel
BOTTOM BRACKET	Threaded cup, 4x cartridge bearing w/ 10 spline 19mm Cr-Mo spindle
PEDALS	Specialized alloy platform, 9/16"
RIMS	F

GLOBE CENTRUM

MODEL	Globe Centrum Sport
FRAME	Specialized A1 Premium Aluminum commuter design, fully manipulated tubing w/ fender and rack braze-ons
FORK	Specialized A1 Premium Aluminum
HEADSET	1 1/8" threadless, integrated
STEM	SBC 3D Forged, four bolt, 31.8mm
HANDLEBARS	Specialized A1 Premium Aluminum, 600mm wide, double-butta'd 31.8mm, 15 degree sweep
GRIPS	Specialized dual density Kraton
FRONT BRAKE	Shimano BR-M415 mechanical disc
REAR BRAKE	Shimano BR-M415 mechanical disc
BRAKE LEVERS	Shimano mechanical disc
FRONT DERAILLEUR	N/A
REAR DERAILLEUR	N/A
SHIFT LEVERS	N/A
CASSETTE	N/A
CHAIN	KMC single speed
CRANKSET	Specialized single speed design 38T w/ guard
CHAINRINGS	38T w/ CNC alloy guard
BOTTOM BRACKET	Shimano BB-UN-25, cartridge bearing, 68 x 113mm
PEDALS	Globe anti-slip composite
RIMS	Specialized/Alex RHD 26, double wall, for disc brakes
FRONT HUB	Specialized Hi Lo disc, 28h, CNC flange and disc mount, polished races, alloy QR
REAR HUB	Specialized single speed, 135mm sealed w/ 6-bolt disc
SPOKES	1.8mm (15g) stainless
FRONT TIRE	Nimbus Sport, 26x1.5" 60TPI, wire bead
REAR TIRE	Nimbus Sport, 26x1.5" 60TPI, wire bead
TUBES	Specialized 26x1.5", schrader valve
SADDLE	Specialized Body Geometry
SEAT POST	Specialized alloy two bolt head, 27.2 x 350mm
SEAT BINDER	Specialized forged alloy
NOTES	Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual

GLOBE CITY

MODEL	Globe City 6 IG8
FRAME	Specialized A1 Premium Aluminum trekking design, fully manipulated tubing, internal gear dropouts w/ fender and rack braze-ons
FORK	Specialized A1 Premium Aluminum steerer and lowers
HEADSET	1 1/8" threadless, integrated
STEM	Specialized 3D forged, two bolt, 25.4mm
HANDLEBARS	Specialized Event A1 Premium Aluminum, 610mm wide, 27 degree sweep
GRIPS	Body Geometry Comfort w/ integrated bell
FRONT BRAKE	Shimano Nexus
REAR BRAKE	Shimano Nexus
BRAKE LEVERS	Shimano Nexus, integrated
FRONT DERAILLEUR	N/A
REAR DERAILLEUR	N/A
SHIFT LEVERS	Shimano Nexus trigger
CASSETTE	N/A
CHAIN	KMC Z-610, single speed
CRANKSET	SBC single speed design 38T w/ CNC guard
CHAINRINGS	38T w/ CNC alloy guard
BOTTOM BRACKET	Shimano BB-UN-25, cartridge bearing, 68 x 113mm
PEDALS	Globe anti-slip composite
RIMS	Specialized/Alex Globe, 700c, 32h, double wall w/ machine sidewalls and eyelets
FRONT HUB	Shimano HD-3N30-QR super low resistance dynamo hub, 32h
REAR HUB	Shimano Nexus Inter 8
SPOKES	1.8mm (15g) stainless
FRONT TIRE	Nimbus Sport, 700x38c, 60TPI, Flak Jacket, Reflex strips
REAR TIRE	Nimbus Sport, 700x38c, 60TPI, Flak Jacket, Reflex strips
TUBES	Specialized 700c, schrader valve
SADDLE	Specialized Sonoma, 155mm width
SEAT POST	Specialized alloy two bolt head, 27.2 x 350mm
SEAT BINDER	Specialized forged alloy
NOTES	Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual

MODEL	Globe City 6 IG8 Women's
FRAME	Specialized A1 Premium Aluminum trekking design, fully manipulated tubing, internal gear dropouts w/ fender and rack braze-ons
FORK	Specialized A1 Premium Aluminum steerer and lowers
HEADSET	1 1/8" threadless, integrated
STEM	Specialized 3D forged, two bolt, 25.4mm
HANDLEBARS	Specialized Event A1 Premium Aluminum, 610mm wide, 27 degree sweep
GRIPS	Body Geometry Comfort w/ integrated bell
FRONT BRAKE	Shimano Nexus
REAR BRAKE	Shimano Nexus
BRAKE LEVERS	Shimano Nexus, integrated
FRONT DERAILLEUR	N/A
REAR DERAILLEUR	N/A
SHIFT LEVERS	Shimano Nexus trigger
CASSETTE	N/A
CHAIN	KMC Z-610, single speed
CRANKSET	SBC single speed design 38T w/ CNC guard
CHAINRINGS	38T w/ CNC alloy guard
BOTTOM BRACKET	Shimano BB-UN-25, cartridge bearing, 68 x 113mm
PEDALS	Globe anti-slip composite
RIMS	Specialized/Alex Globe, 700c, 32h, double wall w/ machine sidewalls and eyelets
FRONT HUB	Shimano HD-3N30-QR super low resistance dynamo hub, 32h
REAR HUB	Shimano Nexus Inter 8
SPOKES	1.8mm (15g) stainless
FRONT TIRE	Nimbus Sport, 700x38c, 60TPI, Flak Jacket, Reflex strips
REAR TIRE	Nimbus Sport, 700x38c, 60TPI, Flak Jacket, Reflex strips
TUBES	Specialized 700c, schrader valve
SADDLE	Specialized Sonoma, 175mm width
SEAT POST	Specialized alloy two bolt head, 27.2 x 350mm
SEAT BINDER	Specialized forged alloy
NOTES	Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual

GLOBE

MODEL	Globe Elite IG8
FRAME	Specialized A1 Premium Aluminum trekking design, fully manipulated tubing, internal gear dropouts w/ fender and rack braze-ons
FORK	Specialized A1 Premium Aluminum steerer and lowers
HEADSET	1 1/8" threadless, integrated
STEM	Specialized 3D forged, two bolt, 25.4mm
HANDLEBARS	Specialized low rise, 25.4mm, 620mm wide, 6066 butted alloy, 8 degree back, 6 degree up sweep
GRIPS	Body Geometry Comfort w/ integrated bell
FRONT BRAKE	Avid SD3 forged alloy "V"
REAR BRAKE	Avid SD3 forged alloy "V"
BRAKE LEVERS	Shimano Nexus, integrated
FRONT DERAILLEUR	N/A
REAR DERAILLEUR	N/A
SHIFT LEVERS	Shimano Nexus trigger
CASSETTE	N/A
CHAIN	KMC Z-610, single speed
CRANKSET	Specialized single speed design 42T w/ CNC guard
CHAINRINGS	42T with CNC alloy guard
BOTTOM BRACKET	Shimano BB-UN-25, cartridge bearing, 68 x 113mm
PEDALS	Globe anti-slip composite
RIMS	Specialized/Alex Globe, 700c, 32h, double wall w/ machine sidewalls and eyelets
FRONT HUB	Specialized, forged alloy, 32h, polished races, steel QR
REAR HUB	Shimano Nexus Inter 8
SPOKES	1.8mm (15g) stainless
FRONT TIRE	Nimbus Sport, 700x35c, 60TPI, Flak Jacket
REAR TIRE	Nimbus Sport, 700x35c, 60TPI, Flak Jacket
TUBES	Specialized 700c, schrader valve
SADDLE	Specialized Sonoma, 155mm width
SEAT POST	Specialized alloy two bolt design alloy, 27.2mm x 350mm sadblast-black
SEAT BINDER	Specialized forged alloy
NOTES	Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual

MODEL	Globe Elite IG8 Women's
FRAME	Specialized A1 Premium Aluminum trekking design, fully manipulated tubing, internal gear dropouts w/ fender and rack braze-ons
FORK	Specialized A1 Premium Aluminum steerer and lowers
HEADSET	1 1/8" threadless, integrated
STEM	Specialized 3D forged, two bolt, 25.4mm
HANDLEBARS	Specialized low rise, 25.4mm, 620mm wide, 6066 butted alloy, 8 degree back, 6 degree up sweep
GRIPS	Body Geometry Comfort w/ integrated bell
FRONT BRAKE	Avid SD3 forged alloy "V"
REAR BRAKE	Avid SD3 forged alloy "V"
BRAKE LEVERS	Shimano Nexus, integrated
FRONT DERAILLEUR	N/A
REAR DERAILLEUR	N/A
SHIFT LEVERS	Shimano Nexus trigger
CASSETTE	N/A
CHAIN	KMC Z-610, single speed
CRANKSET	Specialized single speed design 42T w/ CNC guard
CHAINRINGS	42T with CNC alloy guard
BOTTOM BRACKET	Shimano BB-UN-25, cartridge bearing, 68 x 113mm
PEDALS	Globe anti-slip composite
RIMS	Specialized/Alex Globe, 700c, 32h, double wall w/ machine sidewalls and eyelets
FRONT HUB	Specialized, forged alloy, 32h, polished races, steel QR
REAR HUB	Shimano Nexus Inter 8
SPOKES	1.8mm (15g) stainless
FRONT TIRE	Nimbus Sport, 700x35c, 60TPI, Flak Jacket
REAR TIRE	Nimbus Sport, 700x35c, 60TPI, Flak Jacket
TUBES	Specialized 700c, schrader valve
SADDLE	Specialized Sonoma, 175mm width
SEAT POST	SPC two bolt design alloy, 27.2mm x 350mm sadblast-black
SEAT BINDER	Specialized forged alloy
NOTES	Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual

MODEL	Globe Sport Disc
FRAME	Specialized A1 Premium Aluminum trekking design, fully manipulated tubing w/ fender and rack braze-ons, disc mounts
FORK	Specialized A1 Premium Aluminum steerer and lowers, disc only
HEADSET	1 1/8" threadless, integrated
STEM	Specialized 3D forged, two bolt, 25.4mm
HANDLEBARS	Specialized low rise, 25.4mm, 620mm wide, 6066 butted alloy, 8 degree back, 6 degree up sweep
GRIPS	Body Geometry Comfort w/ integrated bell
FRONT BRAKE	Avid BB-5, mechanical disc, 6" G2 Clean Sweep rotor
REAR BRAKE	Avid BB-5, mechanical disc, 6" G2 Clean Sweep rotor
BRAKE LEVERS	Avid BB-5
FRONT DERAILLEUR	Shimano FD-M310, 31.8mm clamp
REAR DERAILLEUR	Shimano Alivio RD-M410
SHIFT LEVERS	Shimano SL-MC40
CASSETTE	SRAM PG-830, 8-speed, 11-32t
CHAIN	KMC X8, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Shimano FCM-341, alloy outer ring
CHAINRINGS	48Ax36Sx26S, Super Shifter III, w/chainguard
BOTTOM BRACKET	Shimano BB-UN-25, cartridge bearing, 68 x 113mm
PEDALS	Globe anti-slip composite
RIMS	Specialized/Alex Globe, 700c, 32h, double wall w/ machine sidewalls
FRONT HUB	Specialized, forged alloy, 32h, polished races, steel QR
REAR HUB	Shimano M475L, alloy disc hub, 32h, QR
SPOKES	1.8mm (15g) stainless
FRONT TIRE	Nimbus Sport, 700x35c, 60TPI, Flak Jacket
REAR TIRE	Nimbus Sport, 700x35c, 60TPI, Flak Jacket
TUBES	Specialized 700c, schrader valve
SADDLE	Specialized Sonoma, 155mm width
SEAT POST	Specialized alloy two bolt design, 27.2 x 350mm
SEAT BINDER	Specialized forged alloy
NOTES	Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual

MODEL	Globe Sport
FRAME	Specialized A1 Premium Aluminum trekking design, fully manipulated tubing w/ fender and rack braze-ons
FORK	Specialized A1 Premium Aluminum steerer and lowers
HEADSET	1 1/8" threadless, integrated
STEM	Specialized 3D forged, two bolt, 25.4mm
HANDLEBARS	Specialized low rise, 25.4mm, 620mm wide, 6066 butted alloy, 8 degree back, 6 degree up sweep
GRIPS	Body Geometry Comfort w/ integrated bell
FRONT BRAKE	Specialized V-Brakes
REAR BRAKE	Specialized V-Brakes
BRAKE LEVERS	Specialized V-Brake
FRONT DERAILLEUR	Shimano FD-M310, 31.8mm clamp
REAR DERAILLEUR	Shimano Alivio RD-M410
SHIFT LEVERS	Shimano SL-MC40
CASSETTE	SRAM PG-830, 8-speed, 11-32t
CHAIN	KMC X8, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Shimano FCM-341, alloy outer ring
CHAINRINGS	48Ax36Sx26S, Super Shifter III, w/chainguard
BOTTOM BRACKET	Shimano BB-UN-25, cartridge bearing, 68 x 113mm
PEDALS	Globe anti-slip composite
RIMS	Specialized/Alex Globe, 700c, 32h, double wall w/ machine sidewalls
FRONT HUB	Specialized, forged alloy, 32h, polished races, steel QR
REAR HUB	Shimano RM-30
SPOKES	1.8mm (15g) stainless
FRONT TIRE	Nimbus Sport, 700x35c, 60TPI, Flak Jacket
REAR TIRE	Nimbus Sport, 700x35c, 60TPI, Flak Jacket
TUBES	Specialized 700c, schrader valve
SADDLE	Specialized Sonoma, 155mm width
SEAT POST	Specialized alloy two bolt head, 27.2 x 350mm
SEAT BINDER	Specialized forged alloy
NOTES	Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual

MODEL	Globe Sport Women's
FRAME	Specialized A1 Premium Aluminum trekking design, fully manipulated tubing w/ fender and rack braze-ons
FORK	Specialized A1 Premium Aluminum steerer and lowers
HEADSET	1 1/8" threadless, integrated
STEM	Specialized 3D forged, two bolt, 25.4mm
HANDLEBARS	Specialized low rise, 25.4mm, 620mm wide, 6066 butted alloy, 8 degree back, 6 degree up sweep
GRIPS	Body Geometry Comfort w/ integrated bell
FRONT BRAKE	Specialized V-Brakes
REAR BRAKE	Specialized V-Brake
BRAKE LEVERS	Specialized V-Brake
FRONT DERAILLEUR	Shimano FD-M310, 31.8mm clamp
REAR DERAILLEUR	Shimano Alivio RD-M410
SHIFT LEVERS	Shimano EF-50
CASSETTE	SRAM PG-830, 8-speed, 11-32t
CHAIN	KMC X8, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Shimano FCM-341, alloy outer ring
CHAINRINGS	48Ax36Sx26S, Super Shifter III, w/chainguard
BOTTOM BRACKET	Shimano BB-UN-25, cartridge bearing, 68 x 113mm
PEDALS	Globe anti-slip composite
RIMS	Specialized/Alex Globe, 700c, 32h, double wall w/ machine sidewalls
FRONT HUB	Specialized, forged alloy, 32h, polished races, steel QR
REAR HUB	Shimano RM-30
SPOKES	1.8mm (15g) stainless
FRONT TIRE	Nimbus Sport, 700x35c, 60TPI, Flak Jacket
REAR TIRE	Nimbus Sport, 700x35c, 60TPI, Flak Jacket
TUBES	Specialized 700c, schrader valve
SADDLE	Specialized Sonoma, 175mm width
SEAT POST	Specialized alloy two bolt head, 27.2 x 350mm
SEAT BINDER	Specialized forged alloy
NOTES	Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual

SIRRUS

MODEL	Sirrus Pro
FRAME	Specialized FACT 9m carbon, A21 construction, compact design, Zertz Inserts
FORK	Specialized FACT monocoque carbon fork; full carbon legs, crown and steerer w/ Speed Zertz, rack and fender fittings
HEADSET	Specialized Mindset, 1 1/8" integrated threadless, sealed bearings, alloy 40mm cone
STEM	Specialized Comp-Set, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable
HANDLEBARS	Body Geometry Event Zertz, flat 6 degree bend, butted 6061 alloy, Zertz damper, 31.8 clamp
TAPE	Body Geometry, super light foam
FRONT BRAKE	3D forged linear pull brakes w/ cartridge pads
REAR BRAKE	3D forged linear pull brakes w/ cartridge pads
BRAKE LEVERS	Avid FR5 brake levers
FRONT DERAILLEUR	Shimano FD-R453 Tiagra for flat bars
REAR DERAILLEUR	Shimano Tiagra, long cage
SHIFT LEVERS	Shimano R440, 9-speed STI
CASSETTE	SRAM PG-950, 9-speed 11-28t
CHAIN	Shimano 105, 10-speed
CRANKSET	FSA Gossamer MegaExo, 2-piece crankset
CHAINRINGS	50x39x30T
BOTTOM BRACKET	FSA MegaExo, integrated exterior cartridge bearings, alloy
PEDALS	Crank Brothers Smarty w/ reflector
RIMS	Alex AS1, alloy triple wall, machined sidewalls w/ indicator grooves
FRONT HUB	Specialized forged alloy, 24 hole, double sealed bearings, straight pull spokes, QR
REAR HUB	Specialized forged alloy, 28 hole, double sealed bearings, straight pull spokes, cassette, QR
SPOKES	Stainless 14g, straight-pull
FRONT TIRE	Specialized All Condition Pro, 700x28c, aramid bead, 120TPI w/ Armadillo Elite
REAR TIRE	Specialized All Condition Pro, 700x28c, aramid bead, 120TPI w/ Armadillo Elite
TUBES	Specialized standard presta tube
SADDLE	Body Geometry Avatar, microfiber cover, gel padding
SEAT POST	Specialized Pavé II, FACT carbon w/ Zertz insert, aluminum head, 27.2mm
SEAT BINDER	Specialized CNC, alloy
NOTES	Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual

MODEL	Globe
FRAME	Specialized A1 Premium Aluminum trekking design, fully manipulated tubing w/ fender and rack braze-ons
FORK	Specialized Cr-Mo steerer and lowers
HEADSET	1 1/8" threadless, integrated
STEM	Specialized forged alloy, 25 degree rise
HANDLEBARS	Specialized low rise, 25.4mm, 620mm wide, 6066 butted alloy, 8 degree back, 6 degree up sweep
GRIPS	Body Geometry Comfort w/ integrated bell
FRONT BRAKE	Specialized V-Brakes
REAR BRAKE	Specialized V-Brakes
BRAKE LEVERS	Shimano EF-50, integrated
FRONT DERAILLEUR	Shimano C-51, 31.8mm clamp
REAR DERAILLEUR	Shimano Altus RD-M310
SHIFT LEVERS	Shimano EF-50
CASSETTE	Shimano HG-40, 8-speed, 11-32t
CHAIN	KMC X8, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Shimano FCM-191, steel outer ring
CHAINRINGS	48Sx36Sx26S, Super Shifter III, w/chainguard
BOTTOM BRACKET	Shimano BB-UN-25, cartridge bearing, 68 x 113mm
PEDALS	Globe anti-slip composite
RIMS	Alex Z-1000, 700c, alloy
FRONT HUB	Specialized, forged alloy, 32h, polished races, steel QR
REAR HUB	Shimano RM-30
SPOKES	1.8mm (15g) stainless
FRONT TIRE	Nimbus Sport, 700x35c, 60TPI, Flak Jacket
REAR TIRE	Nimbus Sport, 700x35c, 60TPI, Flak Jacket
TUBES	Specialized 700c, schrader valve
SADDLE	Specialized Body Geometry
SEAT POST	Alloy suspension, 27.2mm, two bolt head w/ preload adjust
SEAT BINDER	Specialized forged alloy
NOTES	Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual

SIRRUS COMP

MODEL	Sirrus Comp
FRAME	Specialized A1 Premium Aluminum, fully manipulated tubing, compact design, FACT carbon seatstays w/ Zertz inserts
FORK	Specialized FACT carbon, bonded carbon legs, Cr-Mo threadless steerer
HEADSET	Specialized Mindset, 1 1/8" integrated threadless, sealed bearings, alloy 40mm cone
STEM	Specialized Comp-Set, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable
HANDLEBARS	Body Geometry Event Zertz, flat 6 degree bend, butted 6061 alloy, Zertz damper, 31.8 clamp
TAPE	Body Geometry, super light foam
FRONT BRAKE	3D forged linear pull brakes w/ cartridge pads
REAR BRAKE	3D forged linear pull brakes w/ cartridge pads
BRAKE LEVERS	Avid FR5 brake levers
FRONT DERAILLEUR	Shimano FD-R453 Tiagra for flat bars
REAR DERAILLEUR	Shimano Tiagra, long cage
SHIFT LEVERS	Shimano R440, 9-speed STI
CASSETTE	SRAM PG-950, 9-speed 11-28t
CHAIN	Shimano HG73, 9-speed
CRANKSET	Sugino Comp, five arm, polished arms
CHAINRINGS	50x39x30T
BOTTOM BRACKET	Sport cartridge, square taper, 68 x 113mm
PEDALS	Composite body, alloy cage w/ toe clips and straps
RIMS	Alex AS1, alloy triple wall, machined sidewalls w/ indicator grooves
FRONT HUB	Specialized forged alloy, 24 hole, double sealed bearings, straight pull spokes, QR
REAR HUB	Specialized forged alloy, 28 hole, double sealed bearings, straight pull spokes, cassette, QR
SPOKES	Stainless 14g, straight-pull
FRONT TIRE	Specialized All Condition Armadillo, 700x28c, wire bead, 60TPI w/ Armadillo
REAR TIRE	Specialized All Condition Armadillo, 700x28c, wire bead, 60TPI w/ Armadillo
TUBES	Specialized standard presta tube
SADDLE	Specialized Sonoma, 155mm width
SEAT POST	Specialized carbon fiber wrapped, 27.2mm
SEAT BINDER	Specialized CNC, alloy, 31.8mm clamp
NOTES	Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual

CROSSTRAIL

MODEL	Crosstrail Pro
FRAME	Specialized A1 Premium Aluminum, fully manipulated 700c sloping commuter frame, integrated headset, forged drop outs w/ replaceable hanger, disc only
FORK	RST M-29 Pro, 80mm, 32mm aluminum stanchions, alloy steerer, Mag lower, coil spring, rep. adj. w/ LO and preload adj.
HEADSET	Specialized Mindset, 1 1/8" integrated threadless, sealed bearings, alloy 40mm cone
STEM	Specialized 3D forged 6061 alloy, 31.8mm bar clamp
HANDLEBARS	Specialized Event, A1 Premium Aluminum alloy, 580mm width, 31.8mm
GRIPS	N/A
TAPE	Body Geometry Comfort II, triple density gel
FRONT BRAKE	Forged 6061 alloy, 85mm linear pull, multi-condition pads
REAR BRAKE	Forged 6061 alloy, 85mm linear pull, multi-condition pads
BRAKE LEVERS	Shimano EF-50, EZ Fire, integrated w/ shift lever
FRONT DERAILLEUR	Shimano T301, 31.8 clamp, bottom pull
REAR DERAILLEUR	Shimano Sora, long cage
SHIFT LEVERS	Shimano EF-50, EZ Fire
CASSETTE	Shimano HG-50, 9-speed 12-25t
CHAIN	KMC X9, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Sugino XD, five arm, polished arms w/ chainguard
CHAINRINGS	48x38x28T
BOTTOM BRACKET	Sport cartridge, square taper, 68 x 113mm
PEDALS	Composite body, alloy cage w/ toe clips and straps
RIMS	Alex S500, 700c, alloy double wall, machined sidewalls
FRONT HUB	Specialized forged alloy, 32 hole, double sealed bearings, QR
REAR HUB	Specialized forged alloy, 32 hole, double sealed bearings, QR
SPOKES	Stainless 14g
FRONT TIRE	Specialized All Condition, 700x28c, wire bead, 60TPI w/ Flak Jacket
REAR TIRE	Specialized All Condition, 700x28c, wire bead, 60TPI w/ Flak Jacket
TUBES	Specialized standard presta tube
SADDLE	Specialized Sonoma, 143mm width
SEAT POST	Alloy suspension, 27.2 w/ preload adjust
SEAT BINDER	Specialized CNC, alloy
NOTES	Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual

Globe Women's	
Specialized A1 Premium Aluminum trekking design, fully manipulated tubing w/ fender and rack braze-ons	
Specialized Cr-Mo steerer and lowers	
1 1/8" threadless, integrated	
Specialized forged alloy, 25 degree rise	
Specialized low rise, 25.4mm, 620mm wide, 6066 butted alloy, 8 degree back, 6 degree up sweep	
Body Geometry Comfort w/ integrated bell	
Specialized V-Brakes	
Specialized V-Brakes	
Shimano EF-50, integrated	
Shimano C-51, 31.8mm clamp	
Shimano Altus RD-M310	
Shimano EF-50	
Shimano HG-40, 8-speed, 11-32t	
KMC X8, 1/2" x 3/32" w/ reusable Missing Link	
Shimano FCM-191, steel outer ring	
48Sx36Sx26S, Super Shifter III, w/chainguard	
Shimano BB-UN-25, cartridge bearing, 68 x 113mm	
Globe anti-slip composite	
Alex Z-1000, 700c, alloy	
Specialized, forged alloy, 32h, polished races, steel QR	
Shimano RM-30	
1.8mm (15g) stainless	
Nimbus Sport, 700x35c, 60TPI, Flak Jacket	
Nimbus Sport, 700x35c, 60TPI, Flak Jacket	
Specialized 700c, schrader valve	
Specialized Body Geometry	
Alloy suspension, 27.2mm, two bolt head w/ preload adjust	
Specialized forged alloy	
Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual	

MODEL	Crosstrail Sport
FRAME	Specialized A1 Premium Aluminum, fully manipulated 700c sloping commuter frame, integrated headset, forged drop outs w/ replaceable hanger
FORK	RST Neon TnL8, alloy lower, coil spring
HEADSET	1 1/8" threadless, integrated
STEM	Specialized forged alloy, 15 degree rise
HANDLEBARS	Specialized low rise, 25.4mm, 620mm wide, 6066 butted alloy, 8 degree back, 6 degree up sweep
GRIPS	Body Geometry Mtn., Kraton, closed type 130mm
FRONT BRAKE	Specialized V-Brakes
REAR BRAKE	Specialized V-Brakes
BRAKE LEVERS	Specialized V-Brake
FRONT DERAILEUR	Shimano M-530 Deore, top swing, bottom pull, 31.8mm clamp
REAR DERAILEUR	Shimano Deore RD-M531, long cage
SHIFT LEVERS	Shimano Deore SL-M530 trigger
CASSETTE	Shimano HG-50, 9-speed, 11-32t
CHAIN	KMC X9, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Gugino RD Comp, polished arms
CHAINRINGS	48Ax36Ax26S, Super Shifter III, w/ chainguard
BOTTOM BRACKET	Shimano BB-UN-25, cartridge bearing, 68 x 113mm
PEDALS	Alloy w/ Kraton contact
RIMS	Alex ACE-18, 700c, alloy double wall w/ machine sidewalls
FRONT HUB	Specialized, forged alloy, 32h, polished races, steel QR
REAR HUB	Shimano FH-RM60, forged, 32h, cassette, double sealed, QR
SPOKES	1.8mm (15g) stainless
FRONT TIRE	Borough XC Sport 700x45c, 60TPI, wire bead
REAR TIRE	Borough XC Sport 700x45c, 60TPI, wire bead
TUBES	Specialized 700c, schraeder valve
SADDLE	Specialized Body Geometry, 155mm width, black
SEAT POST	Specialized alloy two bolt head, 27.2 x 350mm
SEAT BINDER	Specialized forged alloy
NOTES	Chain stay protector, derailleur hanger, clear coat, owners manual

MODEL	Crossroads Elite Women's
FRAME	A1 Premium Aluminum low entry "U-Frame" design, Ground Control geometry, 700c comfort frame, formed tubes w/ integrated kick stand mount, forged drop outs, replaceable 98954020 alloy hanger
FORK	SR NEX-400i-700, 63mm, Hi-Ten stanchions and steerer, preload adj. w/ spring assisted seal
HEADSET	Specialized, 1 1/8" threaded, loose ball
STEM	Specialized Ground Control, four bolt, alloy 1 1/8 quill
HANDLEBARS	Alloy, 620mm wide, 60mm rise, 14 degree sweep
GRIPS	Body Geometry Comfort Women's, dual density gel, integrated bell
FRONT BRAKE	Pro Max, alloy "V" w/ linear spring
REAR BRAKE	Pro Max, alloy "V" w/ linear spring
BRAKE LEVERS	Tektro alloy 4 finger lever, Kraton contact area, for rapid fire shifter
FRONT DERAILEUR	Shimano FD-C102, 31.8mm clamp
REAR DERAILEUR	Shimano Acera RD-M340
SHIFT LEVERS	Shimano Acera SL-MC40
CASSETTE	Shimano HG-40, 8-speed, 11-32t
CHAIN	KMC XB, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Shimano FC-TX71, square taper w/ c'ring guard
CHAINRINGS	48S/38S/28S (riveted c'rings)
BOTTOM BRACKET	TH cartridge, square taper, 68 x 122.5mm for 47.5mm chain line
PEDALS	Platform nylon w/ Kraton top, 9/16"
RIMS	Specialized/Alex Globe, 700c, 32h, double wall w/ machine sidewalls and eyelets
FRONT HUB	Specialized, forged alloy, 32h, polished races, steel QR
REAR HUB	Shimano FH-RM30S, cassette, 32h, QR
SPOKES	1.8mm (15g) stainless
FRONT TIRE	Specialized Hemisphere, 700x38c, 60TPI, Armadillo casing
REAR TIRE	Specialized Hemisphere, 700x38c, 60TPI, Armadillo casing
TUBES	Specialized schraeder valve
SADDLE	Specialized Comfort Plus w/ springs
SEAT POST	Alloy suspension, 27.2mm, two bolt head w/ preload adjust
SEAT BINDER	Specialized alloy w/ QR
NOTES	Chain stay protector, derailleur hanger, clear coat, owners manual, rack mount extensions

MODEL	Expedition Elite
FRAME	A1 Premium Aluminum, Ground Control geometry comfort frame, formed tubes w/ integrated kick stand mount, forged drop outs and replaceable 98954020 alloy hanger
FORK	SR NEX-400i-26, 63mm, Hi-Ten stanchions and steerer, preload adj. w/ spring assisted seal
HEADSET	Specialized, 1 1/8" threaded, loose ball
STEM	Specialized Ground Control, four bolt, alloy 1 1/8 quill
HANDLEBARS	Alloy, 620mm wide, 60mm rise, 14 degree sweep
GRIPS	Body Geometry Comfort, dual density gel, integrated bell
FRONT BRAKE	Pro Max, alloy "V" w/ linear spring
REAR BRAKE	Pro Max, alloy "V" w/ linear spring
BRAKE LEVERS	Tektro alloy 4 finger lever, Kraton contact area, for rapid fire shifter
FRONT DERAILEUR	Shimano FD-C050, 31.8mm clamp
REAR DERAILEUR	Shimano Acera RD-M340
SHIFT LEVERS	Shimano Acera SL-MC40
CASSETTE	Shimano HG-40, 8-speed, 11-32t
CHAIN	KMC XB, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Shimano FC-TX70, square taper w/ c'ring guard
CHAINRINGS	42S/34S/24S (riveted c'rings)
BOTTOM BRACKET	TH cartridge, square taper, 68 x 122.5mm for 47.5mm chain line
PEDALS	Platform nylon w/ Kraton top, 9/16"
RIMS	Specialized/Alex HRXC 26, double wall, CNC sidewalls
FRONT HUB	Specialized, forged alloy, 32h, polished races, steel QR
REAR HUB	Shimano FH-RM30S, cassette, 32h, QR
SPOKES	1.8mm (15g) stainless
FRONT TIRE	Specialized Hemisphere, 26x1.95", 60TPI, Armadillo casing
REAR TIRE	Specialized Hemisphere, 26x1.95", 60TPI, Armadillo casing
TUBES	Specialized schraeder valve
SADDLE	Specialized Comfort Plus w/ springs
SEAT POST	Alloy suspension, 27.2mm, two bolt head w/ preload adjust
SEAT BINDER	Specialized alloy w/ QR
NOTES	Chain stay protector, derailleur hanger, clear coat, owners manual, rack mount extensions

CROSSROADS

MODEL	Crossroads Elite
FRAME	A1 Premium Aluminum, Ground Control geometry 700c comfort frame, formed tubes w/ integrated kick stand mount, forged drop outs and replaceable 98954020 alloy derailleur hanger
FORK	SR NEX-400i-700, 63mm, Hi-Ten stanchions and steerer, preload adj. w/ spring assisted seal
HEADSET	Specialized, 1 1/8" threaded, loose ball
STEM	Specialized Ground Control, four bolt, alloy 1 1/8 quill
HANDLEBARS	Alloy, 620mm wide, 60mm rise, 14 degree sweep
GRIPS	Body Geometry Comfort, dual density gel, integrated bell
FRONT BRAKE	Pro Max, alloy "V" w/ linear spring
REAR BRAKE	Pro Max, alloy "V" w/ linear spring
BRAKE LEVERS	Tektro alloy 4 finger lever, Kraton contact area, for rapid fire shifter
FRONT DERAILEUR	Shimano FD-C102, 31.8mm clamp
REAR DERAILEUR	Shimano Acera RD-M340
SHIFT LEVERS	Shimano Acera SL-MC40
CASSETTE	Shimano HG-40, 8-speed, 11-32t
CHAIN	KMC XB, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Shimano FC-TX71, square taper w/ c'ring guard
CHAINRINGS	48S/38S/28S (riveted c'rings)
BOTTOM BRACKET	TH cartridge, square taper, 68 x 122.5mm for 47.5mm chain line
PEDALS	Platform nylon w/ Kraton top, 9/16"
RIMS	Specialized/Alex Globe, 700c, 32h, double wall w/ machine sidewalls and eyelets
FRONT HUB	Specialized, forged alloy, 32h, polished races, steel QR
REAR HUB	Shimano FH-RM30, forged, 32h, cassette, double sealed, QR
SPOKES	1.8mm (15g) stainless
FRONT TIRE	Borough XC Sport 700x45c, 60TPI, wire bead
REAR TIRE	Borough XC Sport 700x45c, 60TPI, wire bead
TUBES	Specialized 700c, schraeder valve
SADDLE	Specialized Body Geometry, 155mm width, black
SEAT POST	Specialized alloy two bolt head, 27.2 x 350mm
SEAT BINDER	Specialized forged alloy
NOTES	Chain stay protector, derailleur hanger, clear coat, owners manual

MODEL	Crossroads Sport
FRAME	A1 Premium Aluminum, Ground Control geometry 700c comfort frame, formed tubes w/ integrated kick stand mount, forged drop outs and replaceable 98954020 alloy hanger
FORK	SR NEX-400i-700, 63mm, Hi-Ten stanchions and steerer, preload adj. w/ spring assisted seal
HEADSET	Specialized, 1 1/8" threaded, loose ball
STEM	Specialized Ground Control, four bolt, alloy 1 1/8 quill
HANDLEBARS	Alloy, 620mm wide, 60mm rise, 14 degree sweep
GRIPS	Body Geometry Comfort Women's, dual density gel, twist shift type
FRONT BRAKE	Pro Max, alloy "V" w/ linear spring
REAR BRAKE	Pro Max, alloy "V" w/ linear spring
BRAKE LEVERS	Tektro alloy 4 finger lever, Kraton contact area, for twist shifter
FRONT DERAILEUR	Shimano FD-C102, 31.8mm clamp
REAR DERAILEUR	Shimano Altus RD-M310
SHIFT LEVERS	Shimano RS-43 Revo Twist
CASSETTE	Shimano MFHG-37, 7-speed, 13-34t mega range
CHAIN	KMC Z7, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Shimano FC-TX71, square taper w/ c'ring guard
CHAINRINGS	48S/38S/28S (riveted c'rings)
BOTTOM BRACKET	TH cartridge, square taper, 68 x 122.5mm for 47.5mm chain line
PEDALS	Platform nylon w/ Kraton top, 9/16"
RIMS	Specialized/Alex Globe, 700c, 32h, double wall w/ machine sidewalls and eyelets
FRONT HUB	Specialized, forged alloy, 32h, polished races, steel QR
REAR HUB	Shimano FH-RM30S, cassette, 32h, QR
SPOKES	1.8mm (15g) stainless
FRONT TIRE	Specialized Hemisphere, 700x38c, 60TPI, wire bead, Flak Jacket
REAR TIRE	Specialized Hemisphere, 700x38c, 60TPI, wire bead, Flak Jacket
TUBES	Specialized schraeder valve
SADDLE	Specialized Comfort Plus w/ springs
SEAT POST	Alloy suspension, 27.2mm, two bolt head w/ preload adjust
SEAT BINDER	Specialized alloy w/ QR
NOTES	Chain stay protector, derailleur hanger, clear coat, owners manual, rack mount extensions

MODEL	Expedition Elite Women's
FRAME	A1 Premium Aluminum low entry "U-Frame" design, Ground Control geometry comfort frame, formed tubes w/ integrated kick stand mount, forged drop outs and replaceable 98954020 alloy hanger
FORK	SR NEX-400i-26, 63mm, Hi-Ten stanchions and steerer, preload adj. w/ spring assisted seal
HEADSET	Specialized, 1 1/8" threaded, loose ball
STEM	Specialized Ground Control, four bolt, alloy 1 1/8 quill
HANDLEBARS	Alloy, 620mm wide, 60mm rise, 14 degree sweep
GRIPS	Body Geometry Comfort Women's, triple density gel, integrated bell
FRONT BRAKE	Pro Max, alloy "V" w/ linear spring
REAR BRAKE	Pro Max, alloy "V" w/ linear spring
BRAKE LEVERS	Tektro alloy 4 finger lever, Kraton contact area, for rapid fire shifter
FRONT DERAILEUR	Shimano FD-C050, 31.8mm clamp
REAR DERAILEUR	Shimano Acera RD-M340
SHIFT LEVERS	Shimano Acera SL-MC40
CASSETTE	Shimano HG-40, 8-speed, 11-32t
CHAIN	KMC XB, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Shimano FC-TX70, square taper w/ c'ring guard
CHAINRINGS	42S/34S/24S (riveted c'rings)
BOTTOM BRACKET	TH cartridge, square taper, 68 x 122.5mm for 47.5mm chain line
PEDALS	Platform nylon w/ Kraton top, 9/16"
RIMS	Specialized/Alex HRXC 26, double wall, CNC sidewalls
FRONT HUB	Specialized, forged alloy, 32h, polished races, steel QR
REAR HUB	Shimano FH-RM30S, cassette, 32h, QR
SPOKES	1.8mm (15g) stainless
FRONT TIRE	Specialized Hemisphere, 26x1.95", 60TPI, Armadillo casing
REAR TIRE	Specialized Hemisphere, 26x1.95", 60TPI, Armadillo casing
TUBES	Specialized schraeder valve
SADDLE	Specialized Comfort Plus w/ springs
SEAT POST	Alloy suspension, 27.2mm, two bolt head w/ preload adjust
SEAT BINDER	Specialized alloy w/ QR
NOTES	Chain stay protector, derailleur hanger, clear coat, owners manual, rack mount extensions

MODEL	Crossroads Elite
FRAME	A1 Premium Aluminum, Ground Control geometry 700c comfort frame, formed tubes w/ integrated kick stand mount, forged drop outs and replaceable 98954020 alloy derailleur hanger
FORK	SR NEX-400i-700, 63mm, Hi-Ten stanchions and steerer, preload adj. w/ spring assisted seal
HEADSET	Specialized, 1 1/8" threaded, loose ball
STEM	Specialized Ground Control, four bolt, alloy 1 1/8 quill
HANDLEBARS	Alloy, 620mm wide, 60mm rise, 14 degree sweep
GRIPS	Body Geometry Comfort, dual density gel, twist shift type
FRONT BRAKE	Pro Max, alloy "V" w/ linear spring
REAR BRAKE	Pro Max, alloy "V" w/ linear spring
BRAKE LEVERS	Tektro alloy 4 finger lever, Kraton contact area, for rapid fire shifter
FRONT DERAILEUR	Shimano FD-C102, 31.8mm clamp
REAR DERAILEUR	Shimano Acera RD-M340
SHIFT LEVERS	Shimano Acera SL-MC40
CASSETTE	Shimano HG-40, 8-speed, 11-32t
CHAIN	KMC XB, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Shimano FC-TX71, square taper w/ c'ring guard
CHAINRINGS	48S/38S/28S (riveted c'rings)
BOTTOM BRACKET	TH cartridge, square taper, 68 x 122.5mm for 47.5mm chain line
PEDALS	Platform nylon w/ Kraton top, 9/16"
RIMS	Specialized/Alex Globe, 700c, 32h, double wall w/ machine sidewalls and eyelets
FRONT HUB	Specialized, forged alloy, 32h, polished races, steel QR
REAR HUB	Shimano FH-RM30S, cassette, 32h, QR
SPOKES	1.8mm (15g) stainless
FRONT TIRE	Specialized Hemisphere, 700x38c, 60TPI, Armadillo casing
REAR TIRE	Specialized Hemisphere, 700x38c, 60TPI, Armadillo casing
TUBES	Specialized schraeder valve
SADDLE	Specialized Comfort Plus w/ springs
SEAT POST	Alloy suspension, 27.2mm, two bolt head w/ preload adjust
SEAT BINDER	Specialized alloy w/ QR
NOTES	Chain stay protector, derailleur hanger, clear coat, owners manual, rack mount extensions

MODEL	Crossroads Sport Women's
FRAME	A1 Premium Aluminum low entry "U-Frame" design, Ground Control geometry, 700c comfort frame, formed tubes w/ integrated kick stand mount, forged drop outs, replaceable 98954020 alloy hanger
FORK	SR NEX-400i-700, 63mm, Hi-Ten stanchions and steerer, preload adj. w/ spring assisted seal
HEADSET	Specialized, 1 1/8" threaded, loose ball
STEM	Specialized Ground Control, four bolt, alloy 1 1/8 quill
HANDLEBARS	Alloy, 620mm wide, 60mm rise, 14 degree sweep
GRIPS	Body Geometry Comfort Women's, dual density gel, twist shift type
FRONT BRAKE	Pro Max, alloy "V" w/ linear spring
REAR BRAKE	Pro Max, alloy "V" w/ linear spring
BRAKE LEVERS	Tektro alloy 4 finger lever, Kraton contact area, for twist shifter
FRONT DERAILEUR	Shimano FD-C102, 31.8mm clamp
REAR DERAILEUR	Shimano Altus RD-M310
SHIFT LEVERS	Shimano RS-43 Revo Twist
CASSETTE	Shimano MFHG-37, 7-speed, 13-34t mega range
CHAIN	KMC Z7, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Shimano FC-TX71, square taper w/ c'ring guard
CHAINRINGS	48S/38S/28S (riveted c'rings)
BOTTOM BRACKET	TH cartridge, square taper, 68 x 122.5mm for 47.5mm chain line
PEDALS	Platform nylon w/ Kraton top, 9/16"
RIMS	Specialized/Alex Globe, 700c, 32h, double wall w/ machine sidewalls and eyelets
FRONT HUB	Specialized, forged alloy, 32h, polished races, steel QR
REAR HUB	Shimano FH-RM30S, cassette, 32h, QR
SPOKES	1.8mm (15g) stainless
FRONT TIRE	Specialized Hemisphere, 700x38c, 60TPI, wire bead, Flak Jacket
REAR TIRE	Specialized Hemisphere, 700x38c, 60TPI, wire bead, Flak Jacket
TUBES	Specialized schraeder valve
SADDLE	Specialized Comfort Plus w/ springs
SEAT POST	Alloy suspension, 27.2mm, two bolt head w/ preload adjust
SEAT BINDER	Specialized alloy w/ QR
NOTES	Chain stay protector, derailleur hanger, clear coat, owners manual, rack mount extensions

MODEL	Expedition Sport
FRAME	A1 Premium Aluminum, Ground Control geometry comfort frame, formed tubes w/ integrated kick stand mount, forged drop outs and replaceable 98954020 alloy hanger
FORK	SR NEX-400i-26, 63mm, Hi-Ten stanchions and steerer, preload adj. w/ spring assisted seal
HEADSET	Specialized, 1 1/8" threaded, loose ball
STEM	Specialized Ground Control, four bolt, alloy 1 1/8 quill
HANDLEBARS	Alloy, 620mm wide, 60mm rise, 14 degree sweep
GRIPS	Body Geometry Comfort, dual density gel, twist shift type
FRONT BRAKE	Pro Max, alloy "V" w/ linear spring
REAR BRAKE	Pro Max, alloy "V" w/ linear spring
BRAKE LEVERS	Tektro alloy 4 finger lever, Kraton contact area, for twist shifter
FRONT DERAILEUR	Shimano FD-C050, 31.8mm clamp
REAR DERAILEUR	Shimano Altus RD-M310
SHIFT LEVERS	Shimano RS-43 Revo Twist
CASSETTE	Shimano MFHG-37, 7-speed, 13-34t mega range
CHAIN	KMC Z7, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Shimano FC-TX70, square taper w/ c'ring guard
CHAINRINGS	42S/34S/24S (riveted c'rings)
BOTTOM BRACKET	TH cartridge, square taper, 68 x 122.5mm for 47.5mm chain line
PEDALS	Platform nylon w/ Kraton top, 9/16"
RIMS	Specialized/Alex HRXC 26, double wall, CNC sidewalls
FRONT HUB	Specialized, forged alloy, 32h, polished races, steel QR
REAR HUB	Shimano FH-RM30S, cassette, 32h, QR
SPOKES	1.8mm (15g) stainless
FRONT TIRE	Specialized Hemisphere, 26x1.95", 60TPI, wire bead, Flak Jacket
REAR TIRE	Specialized Hemisphere, 26x1.95", 60TPI, wire bead, Flak Jacket
TUBES	Specialized schraeder valve
SADDLE	Specialized Comfort Plus w/ springs
SEAT POST	Alloy suspension, 27.2mm, two bolt head w/ preload adjust
SEAT BINDER	Specialized alloy w/ QR
NOTES	Chain stay protector, derailleur hanger, clear coat, owners manual, rack mount extensions

MODEL	Expedition Sport Women's
FRAME	A1 Premium Aluminum low entry "U-Frame" design, Ground Control geometry comfort frame, formed tubes w/ integrated kick stand mount, forged drop outs and replaceable 98954020 alloy hanger
REAR SHOCK	N/A
FORK	SR NEX-400i-26, 63mm, Hi-Ten stanchions and steerer, preload adj. w/ spring assisted seal
HEADSET	Specialized, 1 1/8" threaded, loose ball
STEM	Specialized Ground Control, four bolt, alloy 1 1/8 quill
HANDLEBARS	Hi-Ten, 620mm wide, 60mm rise, 14 degree sweep
GRIPS	Body Geometry Comfort Women's, dual density gel, twist shift type
FRONT BRAKE	Pro Max, alloy "V" w/ linear spring
REAR BRAKE	Pro Max, alloy "V" w/ linear spring
BRAKE LEVERS	Tektro alloy 4 finger lever, Kraton contact area, for twist shifter
FRONT DERAILEUR	Shimano FD-C050, 31.8mm clamp
REAR DERAILEUR	Shimano Altus RD-M310
SHIFT LEVERS	Shimano RS-43 Revo Twist
CASSETTE	Shimano MFHG-37, 7-speed, 13-34t mega range
CHAIN	KMC Z7, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Shimano FC-TX70, square taper w/ c'ring guard
CHAINRINGS	42S/34S/24S (riveted c'rings)
BOTTOM BRACKET	TH cartridge, square taper, 68 x 122.5mm for 47.5mm chain line
PEDALS	Platform nylon w/ Kraton top, 9/16"
RIMS	Alex Z-1000, 26", alloy
FRONT HUB	Specialized, forged alloy, 32h, polished races, steel QR
REAR HUB	Shimano FH-RM30S, cassette, 32h, QR
SPOKES	1.8mm (15g) stainless
FRONT TIRE	Specialized Hemisphere, 26x1.95", 60TPI, wire bead, Flak Jacket
REAR TIRE	Specialized Hemisphere, 26x1.95", 60TPI, wire bead, Flak Jacket
TUBES	Specialized schraeder valve
SADDLE	Specialized Comfort Plus w/ springs
SEAT POST	Alloy suspension, 27.2mm, two bolt head w/ preload adjust
SEAT BINDER	Specialized alloy w/ QR
NOTES	Chain stay protector, derailleur hanger, clear coat, owners manual, rack mount extensions

MODEL	Era FSR
FRAME	Era FSR M5 alloy. Designs for Women geometry, fully manipulated frame w/ women's specific ORE DT/TT, FACT carbon link, sealed cartridge bearings, 100mm travel, replaceable derailleur hanger
REAR SHOCK	Specialized AFR Shock w/ Flow Control valve, adjustable from HT firm to Trail Tune, air spring, adjustable rebound
FORK	Fox F100 RLC, 100mm travel, rebound/compression adjust, lock out w/ threshold adjust, alloy steerer
HEADSET	1 1/8" threadless, alloy cups w/ 10mm insertion, sealed cartridge bearing
STEM	Specialized adjustable rise, 31.8mm clamp, 3D forged w/CNC finish
HANDLEBARS	Specialized XC low rise 31.8mm bar, 6066 butted alloy, 6 degree up, 8 degree backsweep
GRIPS	Specialized Women's MTB, dual density
FRONT BRAKE	Magura Marta, hydraulic disc, 160mm SL rotor
REAR BRAKE	Magura Marta, hydraulic disc, 160mm SL rotor
BRAKE LEVERS	Magura Marta, hydraulic disc
FRONT DERAILEUR	Shimano M770 XT, 34.9mm clamp, bottom swing, dual pull
REAR DERAILEUR	SRAM X-9, 9-speed, mid cage
SHIFT LEVERS	SRAM X-9, aluminum 9-speed trigger
CASSETTE	Shimano HG-50, 9-speed, 11-34t
CHAIN	SRAM PC-971 w/ Power Link
CRANKSET	New Shimano M-770 XT
CHAINRINGS	22A/32A/44A, 4 bolt 104/64mm
BOTTOM BRACKET	New Shimano M-770 XT
PEDALS	Crank Brothers Smarty custom for Specialized
RIMS	DT Swiss XR 4.2D, 24mm w/ eyelets, 28/32h
FRONT HUB	Specialized Hi Lo disc, 28h CNC flange and disc mount, sealed cartridge bearing, 9mm DT RWS alloy QR
REAR HUB	DT Swiss custom for Specialized w/ Star rachet alloy freehub w/ DT RWS 10mm alloy QR, 32h
SPOKES	DT Swiss Super Comp 2.0/17/18 stainless, alloy nipples
FRONT TIRE	S-Works Fast Trak LK, 26x2.0", tubeless ready, aramid bead, dual compound
REAR TIRE	S-Works Fast Trak LK, 26x2.0", tubeless ready, aramid bead, dual compound
TUBES	Specialized Ultralite, 6mm, presta
SADDLE	Specialized Women's Ariel MTB, hollow Cr-Mo rails
SEAT POST	2014 butted alloy, single bolt setback, 30.9 x 350mm
SEAT BINDER	Alloy collar w/ QR, 34.9mm clamp ID
NOTES	Protective clear coat, derailleur hanger, reflectors, owners manual

MODEL	Era Rim
FRAME	New Era M5 alloy hardtail, Designs for Women geometry, fully manipulated Women's specific DT, TT, SS, CS, ST w/ Mono-stay seatstays, ORE DT/TT, disc mount, replaceable derailleur hanger
REAR SHOCK	N/A
FORK	Fox F90 RL, 90mm travel, air spring, rebound/compression adjust w/ lock out, alloy steerer
HEADSET	1 1/8" threadless, alloy cups w/ 10mm insertion, sealed cartridge bearing
STEM	Specialized adjustable rise, 31.8mm clamp, 3D forged w/CNC finish
HANDLEBARS	Specialized XC flat 31.8mm bar, 2014 butted alloy, 6 degree backsweep, 600mm wide
GRIPS	Specialized Women's MTB, dual density
FRONT BRAKE	Avid SD-SR, cantilevers, cartridge pads, lightweight compressionless housing
REAR BRAKE	Avid SD-SR, cantilevers, cartridge pads, lightweight compressionless housing
BRAKE LEVERS	Avid FR-5
FRONT DERAILEUR	Shimano M581 LX, 34.9mm clamp, bottom swing, dual pull
REAR DERAILEUR	SRAM X-9, 9-speed, mid cage
SHIFT LEVERS	SRAM X-7, aluminum 9-speed trigger
CASSETTE	Shimano HG-50, 9-speed, 11-34t
CHAIN	SRAM PC-971 w/ Power Link
CRANKSET	Shimano M542, 2pc custom for Specialized
CHAINRINGS	22S/32S/44A, 4 bolt 104/64mm
BOTTOM BRACKET	Shimano M542, 2pc custom for Specialized
PEDALS	Cr

MODEL	MYKA FSR
FRAME	FSR M4 butted frame w/ ORE downtube, Designs for Women geometry, sealed cartridge bearing pivots, replaceable hanger, bolt on cable guides, two sets of water bottle bosses, 100mm travel
REAR SHOCK	X Fusion 02RLA, Specialized tuned, rebound adjust w/ LO, 7.0x1.6", 4 bearing lower shock mount
FORK	RockShox Tora 302 SL "La Femme", 100mm travel, 32mm Cr-Mo stanchions, alloy steerer, mag lower, coil spring, preload adjust, lockout w/ rebound adjust
HEADSET	1 1/8" threadless, black steel cups, loose ball bearings w/ seals
STEM	Specialized 3D forged alloy, 7 degree rise, 31.8mm 4 bolt clamp, S/60mm, M/75mm, L/90mm
HANDLEBARS	Specialized XC low rise, 31.8mm, butted alloy, 620mm wide, 6 degree up, 8 degree backsweep
GRIPS	Specialized Myka, dual density
FRONT BRAKE	Avid SD-3, alloy "V", cartridge pads w/ 1pc pad
REAR BRAKE	Avid SD-3, alloy "V", cartridge pads, w/ 1pc pad
BRAKE LEVERS	Avid FR-5
FRONT DERAILLEUR	Shimano Deore M530, 34.9mm clamp
REAR DERAILLEUR	Shimano LX M581, SGS cage
SHIFT LEVERS	Shimano Deore M530, 9-speed trigger
CASSETTE	Shimano HG-50, 9-speed, 11-34t
CHAIN	KMC X9, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Shimano M442-8, Octalink Spline, 9-speed, replaceable rings w/ alloy outer
CHAINRINGS	22S/32S/44A 4mm thick outer, 4 bolt 104/64mm
BOTTOM BRACKET	Shimano BB-ES25, Octalink Spline, cartridge bearing, 68 x 118mm for 50mm chainline
PEDALS	Specialized alloy 1pc body and cage, 9/16"
RIMS	Specialized/Alex RHD 26, double wall rim w/ eyelets
FRONT HUB	Specialized Hi Lo disc, 32h, CNC flange and disc mount, polished races, alloy QR
REAR HUB	Shimano M-475L disc, 32h, 8/9-speed cassette, alloy QR
SPOKES	1.8mm (15g) stainless, black, alloy nipples
FRONT TIRE	Specialized The Captain Sport, 26x2.0", 60TPI, wire bead
REAR TIRE	Specialized The Captain Sport, 26x2.0", 60TPI, wire bead
TUBES	Specialized, 1.2mm, schraeder valve
SADDLE	Specialized XC Women's, 143mm width
SEAT POST	2 bolt micro adjust, 6061 alloy, black, 30.9 x 350mm
SEAT BINDER	Alloy collar w/ QR, 34.9mm clamp ID
NOTES	Protective clear coat, derailleur hanger, reflectors, owners manual

MODEL	Myka Comp
FRAME	Myka M4 manipulated alloy frame, double-butted ORE, Designs for Women geometry, low standover TT (13/15" only), forged drop outs w/ replaceable 98954020 alloy hanger
FORK	RockShox Dart 3 La Femme SL, 13/15": 80mm, 17/19": 100mm, 28.6mm Cr-Mo stanchions with alloy steerer, coil spring, reb. adj. w/ lockout and preload adjust
HEADSET	1 1/8" threadless
STEM	Specialized 3D forged alloy, four bolt, 31.8mm, 7 degree rise
HANDLEBARS	Specialized alloy 31.8mm XC rise, 620mm wide, 8 degree back, 8 degree up sweep
GRIPS	Specialized Women's Mtn., dual density Kraton
FRONT BRAKE	Pro Max, alloy "V" w/ linear spring
REAR BRAKE	Pro Max, alloy "V" w/ linear spring
BRAKE LEVERS	Pro-Max alloy two finger w/ adj. reach
FRONT DERAILLEUR	Shimano Altus FD-M310-6, top swing, 34.9mm clamp
REAR DERAILLEUR	Shimano Alivio RD-M410
SHIFT LEVERS	Shimano Acera SL-MC40
CASSETTE	SRAM PG-830, 8-speed, 11-32t
CHAIN	KMC X8, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Shimano FC-M341-8, replaceable rings, Octalink Spline
CHAINRINGS	42S/32S/22S
BOTTOM BRACKET	Shimano BB-ES25, Octalink spline, cartridge bearing, 68 x 126mm for 50mm chainline
PEDALS	Steel cage, composite body, 9/16"
RIMS	Specialized/Alex RH 26, double wall, CNC sidewalls
FRONT HUB	Specialized, forged alloy, 28h, polished races, steel QR
REAR HUB	Shimano FH-RM30L, cassette, 32h, QR
SPOKES	1.8mm (15g) stainless, alloy nipples
FRONT TIRE	Specialized Fast Trak LK Sport, 26x2.0", 60TPI, wire bead
REAR TIRE	Specialized Fast Trak LK Sport, 26x2.0", 60TPI, wire bead
TUBES	Specialized schraeder valve
SADDLE	Specialized XC Women's, kevlar sides, front and rear bumpers, 155mm width
SEAT POST	Specialized alloy two bolt micro adjust head, 30.9mm
SEAT BINDER	Specialized alloy w/ QR, brass washer
NOTES	Chain stay protector, reflectors, clear coat, owners manual

MODEL	RUBY
FRAME	Specialized FACT Br carbon, A21 construction, Designs for Women compact design, Zert inserts
FORK	Specialized FACT monocoque carbon fork; full carbon legs, crown and steerer w/ Zert inserts
HEADSET	Specialized Mindset Plus Carbon, 1 1/8" integrated threadless, cartridge sealed bearings, carbon 20mm cone w/ one 10mm and two 5mm carbon spacers
STEM	S-Works Pro-Set stem, 31.8mm handlebar clamp, 4-position adjustable, Ti hardware
HANDLEBARS	Specialized Ruby SL, FACT carbon women's handlebar, short-reach drops, ergonomic shaping, 31.8mm
TAPE	Body Geometry Bar Phat, cork ribbon w/ 2.5mm gel padding
FRONT BRAKE	Shimano Ultegra
REAR BRAKE	Shimano Ultegra
BRAKE LEVERS	Shimano Dura-Ace, 10-speed STI, flight deck compatible
FRONT DERAILLEUR	Shimano Ultegra, 34.9mm clamp, bottom pull
REAR DERAILLEUR	Shimano Dura-Ace, short cage
SHIFT LEVERS	Shimano Dura-Ace, 10-speed STI, flight deck compatible
CASSETTE	SRAM OG-1070, 10-speed 11-28t
CHAIN	Shimano Dura-Ace, 10-speed
CRANKSET	Specialized Pro Carbon, integrated oversized design
CHAINRINGS	50x34T
BOTTOM BRACKET	Specialized, oversized integrated
PEDALS	Composite body test ride pedals
RIMS	Roval Fusee, E5 Alloy
FRONT HUB	Roval Fusee, Roval Ti QR
REAR HUB	Roval Fusee, alloy cassette, Roval Ti QR
SPOKES	DT Stainless 14/15g Butted Aero
FRONT TIRE	Specialized All Condition Pro, 700x23c, aramid bead, 120TPI w/ Flak Jacket
REAR TIRE	Specialized All Condition Pro, 700x23c, aramid bead, 120TPI w/ Flak Jacket
TUBES	Specialized standard presta tube
SADDLE	Body Geometry Ruby Women's, carbon reinforced base, hollow Ti rails, microfiber cover
SEAT POST	Specialized Pro SL, FACT carbon w/ Zert insert, 27.2mm
SEAT BINDER	Specialized CNC, alloy, 32.6mm clamp
NOTES	Carbon chain stay protector, derailleur hanger, clear coat, owners manual

MYKA HT	Myka Expert
FRAME	Myka M4 manipulated alloy frame, double-butted ORE, Designs for Women geometry, low standover TT (13/15" only), forged drop outs w/ replaceable 98954020 alloy hanger, disc only
REAR SHOCK	N/A
FORK	RockShox Tora 302 La Femme SL, 13/15": 80mm, 17/19": 100mm, Mag lower, coil spring, alloy steerer, 32mm Cr-Mo stanchions, reb. adj. w/ LO and preload adj
HEADSET	1 1/8" threadless
STEM	Specialized 3D forged alloy, four bolt, 31.8mm, 7 degree rise
HANDLEBARS	Specialized alloy butted 31.8mm XC rise w/ graphic, 620mm wide, 8 degree back, 8 degree up sweep
GRIPS	Specialized Women's Mtn., dual density Kraton
FRONT BRAKE	Avid BB-5, mechanical disc, 6" G2 Clean Sweep rotor
REAR BRAKE	Avid BB-5, mechanical disc, 6" G2 Clean Sweep rotor
BRAKE LEVERS	Avid FR-5
FRONT DERAILLEUR	Shimano Deore FD-M530, 34.9mm clamp
REAR DERAILLEUR	Shimano Deore RD-M531, SGS cage
SHIFT LEVERS	Shimano Deore SL-M530 trigger
CASSETTE	Shimano HG-50, 9-speed, 11-34t
CHAIN	KMC X8, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Shimano FC-M442-8, replaceable rings w/ alloy outer, Octalink Spline
CHAINRINGS	44A/32S/22S
BOTTOM BRACKET	Shimano BB-ES25, Octalink spline, cartridge bearing, 68 x 118mm for 50mm chainline
PEDALS	Specialized alloy 1pc body and cage, 9/16"
RIMS	Specialized/Alex RHD 26, double wall, eyelets, for disc brakes
FRONT HUB	Specialized Hi Lo disc, 28h, CNC flange and disc mount, polished races, alloy QR
REAR HUB	Specialized Hi Lo disc, cassette, 32h, CNC flanges and disc mount, polished races, alloy QR
SPOKES	1.8mm (15g) stainless, alloy nipples
FRONT TIRE	Specialized Fast Track Control, 26x2.0", DC, 60TPI, 2Bliss ready aramid bead
REAR TIRE	Specialized Fast Track LK Sport, 26x2.0", DC, 60TPI, 2Bliss ready aramid bead
TUBES	Specialized schraeder valve
SADDLE	Specialized Windle XC, (143mm), women's specific design, kevlar sides, front and rear bumpers, 143mm width
SEAT POST	Specialized butted alloy, two bolt micro adjust head, 30.9mm
SEAT BINDER	Specialized alloy w/ QR
NOTES	Chain stay protector, reflectors, clear coat, owners manual

Myka Sport	Myka
FRAME	Myka A1 Premium Aluminum, Designs for Women geometry, low standover TT, tig-welded, externally relieved HT, forged dropouts w/ replaceable 98954020 alloy hanger
FORK	RST Capa T26ML, 13/15": 80mm 17/19": 100mm, 25.4mm stanchions and 1 1/8" steerer, one piece alloy lower, forged crown, coil spring mcu w/ preload adj. and mechanical LO
HEADSET	1 1/8" threadless
STEM	Specialized 3D forged alloy, four bolt, 25.4mm, 10 degree rise
HANDLEBARS	Specialized alloy 25.4mm, XC rise, 620mm wide, 8 degree back, 8 degree up sweep
GRIPS	Specialized Women's Mtn., dual density Kraton
FRONT BRAKE	Pro Max, alloy "V" w/ linear spring
REAR BRAKE	Pro Max, alloy "V" w/ linear spring
BRAKE LEVERS	Shimano EF-50, integrated
FRONT DERAILLEUR	Shimano Altus FD-M310-6, top swing, 34.9mm clamp
REAR DERAILLEUR	Shimano Acera RD-M340
SHIFT LEVERS	Shimano EF-50
CASSETTE	Shimano HG-40, 8-speed, 11-32t
CHAIN	KMC X8, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Shimano FC-M341-8, replaceable rings, Octalink Spline
CHAINRINGS	42S/32S/22S
BOTTOM BRACKET	Shimano BB-ES25, Octalink spline, cartridge bearing, 68 x 118mm for 50mm chainline
PEDALS	Steel cage, composite body, 9/16"
RIMS	Specialized/Alex RH 26, double wall, CNC sidewalls
FRONT HUB	Specialized, forged alloy, 32h, polished races, steel QR
REAR HUB	Shimano FH-RM30L, cassette, 32h, QR
SPOKES	1.8mm (15g) stainless
FRONT TIRE	Specialized Fast Trak LK Sport, 26x2.0", 60TPI, wire bead
REAR TIRE	Specialized Fast Trak LK Sport, 26x2.0", 60TPI, wire bead
TUBES	Specialized schraeder valve
SADDLE	Specialized XC Women's, kevlar sides, front and rear bumpers, 155mm width
SEAT POST	Specialized alloy two bolt micro adjust head, 30.9mm
SEAT BINDER	Specialized alloy w/ QR
NOTES	Chain stay protector, reflectors, clear coat, owners manual

Ruby Expert	Ruby Expert Triple
FRAME	Specialized FACT Br carbon, A21 construction, Designs for Women compact design, Zert inserts
FORK	Specialized FACT monocoque carbon fork; full carbon legs, crown and steerer w/ Zert inserts
HEADSET	Specialized Mindset Plus Carbon, 1 1/8" integrated threadless, cartridge sealed bearings, carbon 20mm cone w/ one 10mm and two 5mm carbon spacers
STEM	Specialized Pro-Set lightweight stem, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable
HANDLEBARS	Specialized Zert Women's Pro, 2014 alloy, short-reach drop, ergonomic shaping, 31.8
TAPE	Body Geometry Bar Phat, cork ribbon w/ 2.5mm gel padding
FRONT BRAKE	Shimano Ultegra
REAR BRAKE	Shimano Ultegra
BRAKE LEVERS	Shimano Ultegra, 10-speed STI, flight deck compatible
FRONT DERAILLEUR	Shimano Ultegra, 34.9mm clamp, bottom pull
REAR DERAILLEUR	Shimano Ultegra, short cage
SHIFT LEVERS	Shimano Ultegra, 10-speed STI, flight deck compatible
CASSETTE	SRAM OG-1070, 10-speed 11-28t
CHAIN	Shimano Ultegra, 10-speed
CRANKSET	Shimano Ultegra, Hollowtech II 2-piece crankset
CHAINRINGS	50x34T
BOTTOM BRACKET	FSA MegaExo, integrated exterior cartridge bearings, alloy
PEDALS	Composite body test ride pedals
RIMS	Roval Echappee
FRONT HUB	Roval Echappee, Roval QR
REAR HUB	Roval Echappee, alloy cassette, Roval QR
SPOKES	DT Stainless 14/15g Butted Aero
FRONT TIRE	Specialized All Condition Pro, 700x23c, aramid bead, 120TPI w/ Flak Jacket
REAR TIRE	Specialized All Condition Pro, 700x23c, aramid bead, 120TPI w/ Flak Jacket
TUBES	Specialized standard presta tube
SADDLE	Body Geometry Ruby Women's, carbon reinforced base, hollow Ti rails, microfiber cover
SEAT POST	Specialized Pro SL, FACT carbon w/ Zert insert, 27.2mm
SEAT BINDER	Specialized CNC, alloy, 32.6mm clamp
NOTES	Carbon chain stay protector, derailleur hanger, clear coat, owners manual

Myka Elite
Myka M4 manipulated alloy frame, double-butted ORE, Designs for Women geometry, low standover TT (13/15" only), forged drop outs w/ replaceable 98954020 alloy hanger, disc only
N/A
RockShox Dart 3 La Femme SL, 13/15": 80mm, 17/19": 100mm, 28.6mm Cr-Mo stanchions with alloy steerer, coil spring, reb. adj. w/ lockout and preload adjust
1 1/8" threadless
Specialized 3D forged alloy, four bolt, 31.8mm, 7 degree rise
Specialized alloy butted 31.8mm XC rise w/ graphic, 620mm wide, 8 degree back, 8 degree up sweep
Specialized Women's Mtn., dual density Kraton
Avid BB-5, mechanical disc, 6" G2 Clean Sweep rotor
Avid BB-5, mechanical disc, 6" G2 Clean Sweep rotor
Avid FR-5
Shimano Altus FD-M310-6, top swing, 34.9mm clamp
Shimano Alivio RD-M410
Shimano Acera SL-MC40
SRAM PG-830, 8-speed, 11-32t
KMC X8, 1/2" x 3/32" w/ reusable Missing Link
Shimano FC-M341-8, replaceable rings, Octalink Spline
42S/32S/22S
Shimano BB-ES25, Octalink spline, cartridge bearing, 68 x 126mm for 50mm chainline
Steel cage, composite body, 9/16"
Specialized/Alex RHD 26, double wall, for disc brakes
Specialized Hi Lo disc, 28h, CNC flange and disc mount, polished races, alloy QR
Specialized Hi Lo disc, cassette, 32h, CNC flanges and disc mount, polished races, alloy QR
1.8mm (15g) stainless, alloy nipples
Specialized Fast Trak LK Sport, 26x2.0", 60TPI, wire bead
Specialized Fast Trak LK Sport, 26x2.0", 60TPI, wire bead
Specialized schraeder valve
Specialized XC Women's, kevlar sides, front and rear bumpers, 155mm width

Specialized alloy two bolt micro adjust head, 30.9mm
Specialized alloy w/ QR
Chain stay protector, reflectors, clear coat, owners manual
Myka
Myka A1 Premium Aluminum, Designs for Women geometry, low standover TT, tig-welded, externally relieved HT, forged dropouts w/ replaceable 98954020 alloy hanger
RST Capa T26, 13/15": 80mm 17/19": 100mm, 25.4mm stanchions and 1 1/8" steerer, forged crown, one piece alloy lower, coil spring mcu w/ preload adj.
1 1/8" threadless
Alloy A-head
Hi-Ten 25.4mm, 620mm wide, 32mm rise, 8 degree back, 6 degree up sweep
Kraton, Revo type
Pro Max, alloy "V" w/ linear spring
Pro Max, alloy "V" w/ linear spring
Pro-Max alloy two finger w/ adj. reach
Shimano FD-C050, 31.8mm clamp
Shimano Altus RD-M310
Shimano RS-43 Revo Twist
Shimano MFHG-37, 7-speed, 13-34t mega range
KMC Z7, 1/2" x 3/32" w/ reusable Missing Link
Shimano FC-1X70, square taper
42S/34S/24S (riveted c'rings)
TH cartridge, square taper, 68 x 122.5mm for 47.5mm chain line
Steel cage, composite body, 9/16"
Alex Z-1000, 26", alloy
Specialized, forged alloy, 32h, polished races, alloy QR
Specialized, forged alloy, freewheel type, 32h, polished races, alloy QR
1.8mm (15g) stainless
Specialized Fast Trak LK Sport, 26x2.0", 60TPI, wire bead
Specialized Fast Trak LK Sport, 26x2.0", 60TPI, wire bead
Specialized schraeder valve
Specialized XC Women's, kevlar sides, front and rear bumpers, 155mm width
Specialized alloy two bolt micro adjust head, 30.9mm
Specialized alloy w/ QR
Chain stay protector, reflectors, clear coat, owners manual

Ruby Expert Triple	
FRAME	Specialized FACT Br carbon, A21 construction, Designs for Women compact design, Zertz inserts
FORK	Specialized FACT monocoque carbon fork, full carbon legs, crown and steerer w/ Zertz inserts
HEADSET	Specialized Mindset Plus Carbon, 1 1/8" integrated threadless, cartridge sealed bearings, carbon 20mm cone w/ one 10mm and two 5mm carbon spacers
STEM	Specialized Pro-Set lightweight stem, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable
HANDLEBARS	Specialized Zertz Women's Pro, 2014 alloy, short-reach drop, ergonomic shaping, 31.8
TAPE	Body Geometry Bar Phat, cork ribbon w/ 2.5mm gel padding
FRONT BRAKE	Shimano Ultegra
REAR BRAKE	Shimano Ultegra
BRAKE LEVERS	Shimano Ultegra, 10-speed STI, flight deck compatible
FRONT DERAILLEUR	Shimano Ultegra, 34.9mm clamp, bottom pull
REAR DERAILLEUR	Shimano Ultegra, long cage
SHIFT LEVERS	Shimano Ultegra, 10-speed STI, flight deck compatible
CASSETTE	SRAM OG-1070, 10-speed 11-28t
CHAIN	Shimano Ultegra, 10-speed
CRANKSET	Shimano Ultegra, Hollowtech II 2-piece crankset
CHAINRINGS	52x39x30T
BOTTOM BRACKET	FSA MegaExo, integrated exterior cartridge bearings, alloy
PEDALS	Composite body test ride pedals
RIMS	Roval Echappee
FRONT HUB	Roval Echappee, Roval QR
REAR HUB	Roval Echappee, alloy cassette, Roval QR
SPOKES	DT Swiss 14g aero, hidden nipples
FRONT TIRE	Specialized All Condition Pro, 700x23c, aramid bead, 120TPI w/ Flak Jacket
REAR TIRE	Specialized All Condition Pro, 700x23c, aramid bead, 120TPI w/ Flak Jacket
TUBES	Specialized standard presta tube
SADDLE	Body Geometry Ruby Women's, carbon reinforced base, hollow Ti rails, microfiber cover
SEAT POST	Specialized Pro SL, FACT carbon w/ Zertz insert, 27.2mm
SEAT BINDER	Specialized CNC, alloy, 32.6mm clamp
NOTES	Carbon chain stay protector, derailleur hanger, clear coat, owners manual

MODEL	Ruby Comp Compact
FRAME	Specialized FACT 7r carbon, triple monocoque construction, Designs for Women compact design, Zert inserts
FORK	Specialized FACT monocoque carbon fork, full carbon legs, crown and steerer w/ Zert inserts
HEADSET	Specialized Mindset Plus, 1 1/8" integrated threadless, cartridge sealed bearings, alloy 20mm cone w/ one 10mm and two 5mm alloy spacers
STEM	Specialized Pro-Set lightweight stem, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable
HANDLEBARS	Specialized Zert Women's Pro, 2014 alloy, short-reach drop, ergonomic shaping, 31.8
TAPE	Body Geometry Bar Phat, cork ribbon w/ 2.5mm gel padding
FRONT BRAKE	Shimano 105
REAR BRAKE	Shimano 105
BRAKE LEVERS	Shimano 105, 10-speed STI, flight deck compatible
FRONT DERAILLEUR	Shimano 105, 31.8mm clamp, bottom pull
REAR DERAILLEUR	Shimano Ultegra, short cage
SHIFT LEVERS	Shimano 105, 10-speed STI, flight deck compatible
CASSETTE	SRAM OG-1070, 10-speed 11-28t
CHAIN	Shimano 105, 10-speed
CRANKSET	Shimano R600, Hollowtech II 2-piece compact crankset
CHAINRINGS	50x34T
BOTTOM BRACKET	Shimano 105, Hollowtech II
PEDALS	Composite body test ride pedals
RIMS	Shimano RS-10
FRONT HUB	Shimano RS-10, QR
REAR HUB	Shimano RS-10, cassette, QR
SPOKES	Stainless 14g
FRONT TIRE	Specialized All Condition Pro, 700x23c, aramid bead, 120TPI w/ Flak Jacket
REAR TIRE	Specialized All Condition Pro, 700x23c, aramid bead, 120TPI w/ Flak Jacket
TUBES	Specialized standard presta tube
SADDLE	Specialized Jett Women's, carbon reinforced base, hollow Cr-Mo rails, microfiber cover
SEAT POST	Specialized Pavé FACT carbon w/ Zert insert, 27.2mm
SEAT BINDER	Specialized CNC, alloy, 32.6mm clamp
NOTES	Carbon chain stay protector, derailleur hanger, clear coat, owners manual

MODEL	Ruby Elite Triple
FRAME	Specialized FACT 7r carbon, triple monocoque construction, Designs for Women compact design, Zert inserts
FORK	Specialized FACT monocoque carbon fork, full carbon legs, crown and steerer w/ Zert inserts
HEADSET	Specialized Mindset Plus, 1 1/8" integrated threadless, cartridge sealed bearings, alloy 20mm cone w/ one 10mm and two 5mm alloy spacers
STEM	Specialized Comp-Set, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable
HANDLEBARS	Specialized Zert Women's Pro, 2014 alloy, short-reach drop, ergonomic shaping, 31.8
TAPE	Body Geometry Bar Phat, cork ribbon w/ 2.5mm gel padding
FRONT BRAKE	Ultralight dual pivot brakes, Teflon pivots, forged alloy w/ cartridge pads
REAR BRAKE	Ultralight dual pivot brakes, Teflon pivots, forged alloy w/ cartridge pads
BRAKE LEVERS	Shimano 105, 10-speed STI, flight deck compatible
FRONT DERAILLEUR	Shimano 105, 31.8mm clamp, bottom pull
REAR DERAILLEUR	Shimano 105, short cage
SHIFT LEVERS	Shimano 105, 10-speed STI, flight deck compatible
CASSETTE	SRAM OG-1070, 10-speed 11-28t
CHAIN	Shimano 105, 10-speed
CRANKSET	FSA Gossamer MegaExo, 2-piece crankset
CHAINRINGS	50x34T
BOTTOM BRACKET	FSA MegaExo, integrated exterior cartridge bearings, alloy
PEDALS	Composite body test ride pedals
RIMS	Mavic Open Sport, double wall rim, machined sidewalls w/ eyelets
FRONT HUB	Specialized forged alloy, 24 hole, double sealed bearings, straight pull spokes, QR
REAR HUB	Specialized forged alloy, 28 hole, double sealed bearings, straight pull spokes, cassette, QR
SPOKES	Stainless 14g, straight-pull
FRONT TIRE	Specialized All Condition Pro, 700x23c, aramid bead, 120TPI w/ Flak Jacket
REAR TIRE	Specialized All Condition Pro, 700x23c, aramid bead, 120TPI w/ Flak Jacket
TUBES	Specialized standard presta tube
SADDLE	Specialized Jett Women's, carbon reinforced base, hollow Cr-Mo rails, microfiber cover
SEAT POST	Specialized Pavé FACT carbon w/ Zert insert, 27.2mm
SEAT BINDER	Specialized CNC, alloy, 32.6mm clamp
NOTES	Carbon chain stay protector, derailleur hanger, clear coat, owners manual

MODEL	Dolce Elite
FRAME	Specialized E5, fully manipulated Columbus E5 SLX tubing, Designs for Women compact design, FACT carbon seatstays w/ Zert inserts
FORK	Specialized FACT carbon steerer and fork legs w/ Zert inserts
HEADSET	Specialized Mindset, 1 1/8" integrated threadless, sealed bearings, alloy 20mm cone w/ one 10mm and two 5mm alloy spacers
STEM	Specialized Comp-Set, 3D forged alloy, 4-bolt 31.8mm bar clamp, 4-position adjustable
HANDLEBARS	Specialized Zert Women's Comp, 6061 alloy, short-reach drop, ergonomic top shaping, 31.8mm
GRIPS	N/A
TAPE	Body Geometry Bar Phat, cork ribbon w/ 2.5mm gel padding
FRONT BRAKE	Ultralight dual pivot brakes, Teflon pivots, forged alloy w/ cartridge pads
REAR BRAKE	Ultralight dual pivot brakes, Teflon pivots, forged alloy w/ cartridge pads
BRAKE LEVERS	Shimano Tiagra, 9-speed STI, flight deck compatible
FRONT DERAILLEUR	Shimano Sora, 31.8mm clamp, bottom pull
REAR DERAILLEUR	Shimano 105, long cage
SHIFT LEVERS	Shimano Tiagra

	VITA
MODEL	Vita
FRAME	Specialized A1 Premium Aluminum, fully manipulated tubing. Designs for Women ergonomic design, integrated headset, hourglass speedstays
FORK	Specialized Comp. A1 Premium Aluminum legs, Cr-Mo steerer
HEADSET	Specialized Mindset, 1 1/8" integrated threadless, sealed bearings, alloy 40mm cone
STEM	Specialized 3D forged 6061 alloy, 31.8mm bar clamp
HANDLEBARS	Specialized Event, A1 Premium Aluminum alloy, 580mm width, 31.8mm
GRIPS	Women's Body Geometry Comfort II grips, triple density gel, alloy lock-on feature
FRONT BRAKE	Cold-Forged 6061 alloy, 85mm linear pull w/ cartridge pads
REAR BRAKE	Cold-Forged 6061 alloy, 85mm linear pull w/ cartridge pads
BRAKE LEVERS	Shimano EF-50, EZ Fire, integrated w/ shift lever
FRONT DERAILLEUR	Shimano T301, 31.8 clamp, bottom pull
REAR DERAILLEUR	Shimano Sora, long cage
SHIFT LEVERS	Shimano EF-50, EZ Fire
CASSETTE	Shimano HG-50, 8-speed 12-25t
FREEWHEEL	N/A
CHAIN	KMC Z-51, 8-speed
CRANKSET	Sugino XD, five arm, polished arms w/ chainguard
CHAINRINGS	48x38x28T
BOTTOM BRACKET	Sport cartridge, square taper, 68 x 113mm
PEDALS	Composite body, alloy cage w/ short toe clips and straps
RIMS	Alex S500, 700c, alloy double wall, machined sidewalls
FRONT HUB	Specialized forged alloy, 32 hole, double sealed bearings, QR
REAR HUB	Specialized forged alloy, 32 hole, double sealed bearings, QR
SPOKES	Stainless 14g
FRONT TIRE	Specialized All Condition, 700x28c, wire bead, 60TPI w/ Flak Jacket
REAR TIRE	Specialized All Condition, 700x28c, wire bead, 60TPI w/ Flak Jacket
TUBES	Specialized standard presta tube
SADDLE	Body Geometry Women's Sonoma, 155 width
SEAT POST	Alloy suspension, 27.2 w/ preload adjust
SEAT BINDER	Specialized CNC, alloy, 31.8mm clamp
NOTES	Chain stay protector, chain catcher, derailleur hanger, clear coat, owners manual

	Fuse 2
MODEL	Fuse 2
FRAME	Hi-Ten 20.5" TT frame w/ Cr-Mo DT/TT/ST, tig welded, externally relieved HT, Euro BB, integrated seat collar, 6mm dropouts for 14mm axle
FORK	Hi-Ten 1 1/8" threadless w/ reinforced steerer, 1.6mm 1 1/4" blades, 6mm dropouts for 14mm axle
HEADSET	1 1/8" threadless
STEM	Fuse forged alloy, 50mm extension, 1 1/8" A-Head
HANDLEBARS	Hi-Ten 2pc, 620mm wide, 195mm rise, 10 degree back, 5 degree up sweep
GRIPS	Fuse File, Kraton w/ flange
FRONT BRAKE	N/A
REAR BRAKE	Tektro FX330, linear spring, 15mm offset arms w/ grey soft compound pads
BRAKE LEVERS	Tektro SBL-89, alloy 2 finger, 16mm cable pull
FREEWHEEL	Odyssey 1/2"x1/8"x13t for M30 thread
CHAIN	KMC Z-510, 1/2" x 1/8"
CRANKSET	Fuse tubular heat treated Cr-Mo 3pc, 175mm
CHAINRINGS	Fuse, forged and CNC alloy, multi spoke design, 36T
BOTTOM BRACKET	Fuse Euro, steel cups, 4x cartridge bearings, 19mm heat treated Cr-Mo 8 spline spindle
PEDALS	Specialized alloy platform, 9/16"
RIMS	Fuse Double, double wall w/ eyelets (CNC side wall rear only)
FRONT HUB	Specialized Fuse, 36h, sealed mech., solid 14mm axle
REAR HUB	Specialized Fuse, alloy Flip-side M-30, 36h w/ 14mm axle, sealed mech.
SPOKES	2.0mm (14g) UCP, black
FRONT TIRE	Specialized Rhythm Sport, 20x21", 30TPI, wire bead
REAR TIRE	Specialized Compound Sport, 20x2.0", 30TPI, wire bead
TUBES	Specialized schraeder valve
SADDLE	Specialized, 7mm rails, front and rear bumpers
SEAT POST	Specialized two bolt, no offset, micro adjust, 30.9mm
SEAT BINDER	integrated w/ replaceable single bolt
NOTES	Owners manual, chainguard, reflectors, 2x steel axle pegs w/ anti-spin hardware

	HOTROCK
MODEL	Hotrock FSR
FRAME	A1 Premium Aluminum, FSR technology, double-butted ORE TT/DT, relieved HT, 100% cartridge bearing, 4-bar linkage w/ 75mm travel, replaceable 98954020 alloy hanger
REAR SHOCK	Tough Shock FDR, rebound adj, 150mm x 31mm, forged alloy extender w/ bearing pivot, 350lb spring
FORK	RST Capa T24ML, 50mm, 25.4mm stanchions and 1 1/8" steerer, one piece alloy lowers w/ spring assisted seals, coil spring mcu w/ preload adj. and mechanical LO
HEADSET	1 1/8" threadless
STEM	Alloy A-Head
HANDLEBARS	Forged alloy, 580mm wide, 15mm rise, 8 degree sweep
GRIPS	Kraton, SRAM 3.0 Comp Gripshift type
FRONT BRAKE	Pro Max, alloy "V" w/ linear spring
REAR BRAKE	Pro Max, alloy "V" w/ linear spring
BRAKE LEVERS	Tektro Jr.
FRONT DERAILLEUR	Shimano Altus FD-M310-6, top swing, 34.9mm clamp
REAR DERAILLEUR	SRAM 3.0
SHIFT LEVERS	SRAM 3.0 Comp Grip Shift
CASSETTE/FREEWHEEL	Shimano HG-37, 7-speed, 14-28t
CHAIN	KMC Z7, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Truvativ ISO-Flow 3.0, replaceable rings
CHAINRINGS	42S/32S/22S
BOTTOM BRACKET	TH cartridge, square taper, 68 x 113mm for 47.5mm chain line
PEDALS	Steel cage, composite body, 9/16"
RIMS	Specialized/Alex HRXC 24, double wall, CNC sidewalls
FRONT HUB	Specialized, forged alloy, 32h, polished races, alloy QR
REAR HUB	Specialized, forged alloy, freewheel type, 32h, polished races, alloy QR
SPOKES	1.8mm (15g) stainless
FRONT TIRE	Specialized Fast Track, 24x1.8", 60 TPI, wire bead
REAR TIRE	Specialized Fast Track, 24x1.8", 60 TPI, wire bead
TUBES	Specialized schraeder valve
SADDLE	Specialized BG Kids MTB, kevlar sides, front and rear bumpers
SEAT POST	Alloy micro adjust, 27.2mm
SEAT BINDER	Alloy collar w/ QR
NOTES	Chain stay protector, reflectors, clear coat, owners manual

	FUSE
MODEL	Fuse 4
FRAME	100% Cr-Mo 21" TT frame, double-butted TT/DT, MID BB, tig welded, externally relieved HT, integrated seat collar, 6mm dropouts for 14mm axle w/ integrated chain tensioners
FORK	Butted Cr-Mo, 1 1/8" threadless, heat treated Cr-Mo 1pc CNC steerer, butted 1.8-1.2mm Cr-Mo 1 1/4" blades, 6mm dropouts for 14mm axle w/ lateral gussets
HEADSET	FSA Impact, 1 1/8" threadless, integrated
STEM	Fuse SL, forged alloy, 2pc moto-style clamp, top load, 50mm extension, 1 1/8" A-Head
HANDLEBARS	Cr-Mo 2pc, 620mm wide, 195mm rise, 11 degree back, 6 degree up sweep
GRIPS	Fuse Micro Flange w/ CNC bar ends
FRONT BRAKE	N/A
REAR BRAKE	Tektro FX-950, cartridge bearing pivots, CNC cut 15mm offset arms, multi compound cartridge pads
BRAKE LEVERS	Tektro XL-950, cartridge bearing pivot, forged lever w/ 2pc clamp, 15mm cable pull
FRONT DERAILLEUR	N/A
REAR DERAILLEUR	N/A
SHIFT LEVERS	N/A
CASSETTE/FREEWHEEL	N/A
CHAIN	N/A
CRANKSET	N/A
CHAINRINGS	N/A
BOTTOM BRACKET	N/A
PEDALS	N/A
RIMS	N/A
FRONT HUB	N/A
REAR HUB	N/A
SPOKES	N/A
FRONT TIRE	N/A
REAR TIRE	N/A
TUBES	N/A
SADDLE	N/A
SEAT POST	N/A
SEAT BINDER	N/A
NOTES	N/A

	Fuse 1
MODEL	Fuse 1
FRAME	Hi-Ten 20.5" TT frame, formed DT/TT, tig welded, externally relieved HT, Euro BB, integrated seat collar, 6mm dropouts for 14mm axle
FORK	Hi-Ten 1 1/8" threadless w/ reinforced steerer, 1.6mm 1 1/4" blades, 6mm dropouts for 14mm axle
HEADSET	1 1/8" threadless
STEM	Fuse forged alloy, 50mm extension, 1 1/8" A-Head
HANDLEBARS	Hi-Ten 2pc, 620mm wide, 195mm rise, 10 degree back, 5 degree up sweep
GRIPS	Fuse File, Kraton w/ flange
FRONT BRAKE	N/A
REAR BRAKE	Tektro FX330, linear spring, 15mm offset arms w/ grey soft compound pads
BRAKE LEVERS	Tektro SBL-89, alloy 2 finger, 16mm cable pull
FREEWHEEL	Odyssey 1/2"x1/8"x13t for M30 thread
CHAIN	KMC Z-510, 1/2" x 1/8"
CRANKSET	Fuse tubular heat treated Cr-Mo 3pc, 175mm
CHAINRINGS	Fuse, forged and CNC alloy, multi spoke design, 36T
BOTTOM BRACKET	Fuse Euro, steel cups, 4x cartridge bearings, 19mm heat treated Cr-Mo 8 spline spindle
PEDALS	Specialized alloy platform, 9/16"
RIMS	Fuse Single, single wall (CNC side wall rear only)
FRONT HUB	Specialized Fuse, 36h, sealed mech., solid 14mm axle
REAR HUB	Specialized Fuse, alloy Flip-side M-30, 36h w/ 14mm axle, sealed mech.
SPOKES	2.0mm (14g) UCP, black
FRONT TIRE	Specialized Rhythm Sport, 20x21", 30TPI, wire bead
REAR TIRE	Specialized Compound Sport, 20x2.0", 30TPI, wire bead
TUBES	Specialized schraeder valve
SADDLE	Specialized, 7mm rails, front and rear bumpers
SEAT POST	Specialized two bolt, no offset, micro adjust, 30.9mm
SEAT BINDER	CNC'd alloy, single bolt
NOTES	Owners manual, chainguard, reflectors, 2x steel axle pegs w/ anti-spin hardware

	Hotrock FS
MODEL	Hotrock FS
FRAME	A1 Premium Aluminum, 24" frame w/ externally relieved HT, double-butted and formed ORE DT/TT, disc mount, forged drop outs w/ replaceable 98954020 alloy hanger
REAR SHOCK	N/A
FORK	RST Capa T24ML, 50mm, 25.4mm stanchions and 1 1/8" steerer, one piece alloy lowers w/ spring assisted seals, coil spring mcu w/ preload adj. and mechanical LO
HEADSET	1 1/8" threadless
STEM	Alloy A-Head
HANDLEBARS	Alloy, flat, 540mm wide, 6 degree sweep
GRIPS	Kraton, SRAM 3.0 Comp Gripshift type
FRONT BRAKE	Pro Max, alloy "V" w/ linear spring
REAR BRAKE	Pro Max, alloy "V" w/ linear spring
BRAKE LEVERS	Tektro Jr.
FRONT DERAILLEUR	Shimano Altus FD-M310-6, top swing, 34.9mm clamp
REAR DERAILLEUR	SRAM 3.0
SHIFT LEVERS	SRAM 3.0 Comp Grip Shift
CASSETTE/FREEWHEEL	Shimano HG-37, 7-speed, 14-28t
CHAIN	KMC Z7, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Truvativ ISO-Flow 3.0, replaceable rings
CHAINRINGS	42S/32S/22S
BOTTOM BRACKET	TH cartridge, square taper, 68 x 113mm
PEDALS	Steel cage, composite body, 9/16"
RIMS	Specialized/Alex HRXC 24, double wall, CNC sidewalls
FRONT HUB	Specialized, forged alloy, 32h, polished races, alloy QR
REAR HUB	Specialized, forged alloy, freewheel type, 32h, polished races, alloy QR
SPOKES	1.8mm (15g) stainless
FRONT TIRE	Specialized Fast Track, 24x1.8", 60 TPI, wire bead
REAR TIRE	Specialized Fast Track, 24x1.8", 60 TPI, wire bead
TUBES	Specialized schraeder valve
SADDLE	Specialized BG Kids MTB, kevlar sides, front and rear bumpers
SEAT POST	Alloy micro adjust, 27.2mm
SEAT BINDER	Alloy collar w/ QR
NOTES	Chain stay protector, reflectors, clear coat, owners manual

	Fuse 3
MODEL	Fuse 3
FRAME	100% Cr-Mo 20.75" TT frame, formed DT/TT, MID BB, tig welded, externally relieved integrated HT, integrated seat collar, 6mm dropouts for 14mm axle
FORK	Cr-Mo, 1 1/8" threadless w/ reinforced steerer, 1.4mm 1 1/4" blades, 6mm dropouts for 14mm axle
HEADSET	FSA Impact, 1 1/8" threadless, integrated
STEM	Fuse forged alloy, 50mm extension, 1 1/8" A-Head
HANDLEBARS	Cr-Mo 2pc, 620mm wide, 195mm rise, 11 degree back, 6 degree up sweep
GRIPS	Fuse Micro Flange w/ flange
FRONT BRAKE	N/A
REAR BRAKE	Tektro FX15, cold forged, linear spring, 15mm offset arms w/ double bushing pivots, grey soft compound cartridge pads
BRAKE LEVERS	Tektro 275A, forged two finger w/ 2pc clamp, 15mm cable pull
FRONT DERAILLEUR	N/A
REAR DERAILLEUR	N/A
SHIFT LEVERS	N/A
CASSETTE/FREEWHEEL	N/A
CHAIN	N/A
CRANKSET	N/A
CHAINRINGS	N/A
BOTTOM BRACKET	N/A
PEDALS	N/A
RIMS	N/A
FRONT HUB	N/A
REAR HUB	N/A
SPOKES	N/A
FRONT TIRE	N/A
REAR TIRE	N/A
TUBES	N/A
SADDLE	N/A
SEAT POST	N/A
SEAT BINDER	N/A
NOTES	N/A

	Fuse 16
MODEL	Fuse 16
FRAME	Hi-Ten 16.5" frame, formed DT/TT, tig welded, externally relieved HT, threaded Euro BB, integrated seat collar, 6mm dropouts for 14mm axle
FORK	Hi-Ten 1 1/8" threadless, 1.2mm 1 1/4" blades, 6mm dropouts for 14mm axle
HEADSET	1 1/8" threadless
STEM	Fuse forged alloy, 50mm extension, 1 1/8" A-Head
HANDLEBARS	Hi-Ten 2pc, 560mm wide, 165mm rise, 10 degree back, 5 degree up sweep
GRIPS	Fuse File, Kraton w/ flange
FRONT BRAKE	N/A
REAR BRAKE	Tektro FX330, linear spring, 15mm offset arms w/ grey soft compound pads
BRAKE LEVERS	Tektro SBL-89, alloy 2 finger, 16mm cable pull
FREEWHEEL	Odyssey 1/2"x1/8"x13t for M30 thread
CHAIN	KMC Z-510, 1/2" x 1/8"
CRANKSET	Fuse tubular heat treated Cr-Mo 3pc, 140mm
CHAINRINGS	Fuse, forged and CNC alloy, multi spoke design, 30T
BOTTOM BRACKET	Euro steel cups, loose ball w/ 19mm heat treated Cr-Mo 8 spline spindle
PEDALS	Specialized alloy platform, 9/16"
RIMS	Fuse Single, single wall (CNC side wall rear only)
FRONT HUB	Specialized Fuse, 36h, sealed mech., solid 14mm axle
REAR HUB	Specialized Fuse, alloy Flip-side M-30, 36h w/ 14mm axle, sealed mech.
SPOKES	2.0mm (14g) UCP, black
FRONT TIRE	Specialized Compound Sport, 16x2.0", 30TPI, wire bead
REAR TIRE	Specialized Compound Sport, 16x2.0", 30TPI, wire bead
TUBES	Specialized schraeder valve
SADDLE	Specialized, 7mm rails, front and rear bumpers
SEAT POST	Specialized two bolt, no offset, micro adjust, 30.9mm
SEAT BINDER	CNC'd alloy, single bolt
NOTES	Owners manual, chainguard, reflectors, 2x steel axle pegs w/ anti-spin hardware

	Hotrock FS Girls
MODEL	Hotrock FS Girls
FRAME	A1 Premium Aluminum, 24" frame w/ externally relieved HT, double-butted and formed ORE DT/TT, disc mount, forged drop outs w/ replaceable 98954020 alloy hanger
REAR SHOCK	N/A
FORK	RST Capa T24ML, 50mm, 25.4mm stanchions and 1 1/8" steerer, one piece alloy lowers w/ spring assisted seals, coil spring mcu w/ preload adj. and mechanical LO
HEADSET	1 1/8" threadless
STEM	Alloy A-Head
HANDLEBARS	Alloy, flat, 540mm wide, 6 degree sweep
GRIPS	Kraton, SRAM 3.0 Comp Gripshift type
FRONT BRAKE	Pro Max, alloy "V" w/ linear spring
REAR BRAKE	Pro Max, alloy "V" w/ linear spring
BRAKE LEVERS	Tektro Jr.
FRONT DERAILLEUR	Shimano Altus FD-M310-6, top swing, 34.9mm clamp
REAR DERAILLEUR	SRAM 3.0
SHIFT LEVERS	SRAM 3.0 Comp Grip Shift
CASSETTE/FREEWHEEL	Shimano HG-37, 7-speed, 14-28t
CHAIN	KMC Z7, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Truvativ ISO-Flow 3.0, replaceable rings
CHAINRINGS	42S/32S/22S
BOTTOM BRACKET	TH cartridge, square taper, 68 x 113mm
PEDALS	Steel cage, composite body, 9/16"
RIMS	Specialized/Alex HRXC 24, double wall, CNC sidewalls
FRONT HUB	Specialized, forged alloy, 32h, polished races, alloy QR
REAR HUB	Specialized, forged alloy, freewheel type, 32h, polished races, alloy QR
SPOKES	1.8mm (15g) stainless
FRONT TIRE	Specialized Fast Track, 24x1.8", 60 TPI, wire bead
REAR TIRE	Specialized Fast Track, 24x1.8", 60 TPI, wire bead
TUBES	Specialized schraeder valve
SADDLE	Specialized BG Kids MTB, kevlar sides, front and rear bumpers
SEAT POST	Alloy micro adjust, 27.2mm
SEAT BINDER	Alloy collar w/ QR
NOTES	Chain stay protector, reflectors, clear coat, owners manual

	Hotrock 24 Boys Triple
MODEL	Hotrock 24 Boys Triple
FRAME	A1 Premium Aluminum, 24" frame w/ low standover top tube, forged drop outs w/ replaceable 98954020 alloy hanger
FORK	RST Capa C24, 50mm, one piece alloy lower, coil spring, spring assisted seal
HEADSET	1 1/8" threadless
STEM	Alloy A-Head
HANDLEBARS	Hi-Ten, 580mm wide, 50mm rise, 10 degree sweep
GRIPS	Kraton, Revo type
FRONT BRAKE	Pro Max, alloy "V" w/ linear spring
REAR BRAKE	Pro Max, alloy "V" w/ linear spring
BRAKE LEVERS	Tektro Jr.
FRONT DERAILLEUR	Shimano FD-C050, 31.8mm clamp
REAR DERAILLEUR	Shimano RD-TX30, 31.8mm clamp
SHIFT LEVERS	Shimano RS-31 Revo Twist
CASSETTE/FREEWHEEL	Shimano HG-37, 7-speed, 14-28t
CHAIN	KMC Z7, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Sugino, forged alloy arms, chain guard, 152mm
CHAINRINGS	42S/34S/24S (riveted c'rings)
BOTTOM BRACKET	VP, water sealed, square taper, 68 x 124mm
PEDALS	Composite platform, 9/16"
RIMS	Alex C-1000, alloy single wall
FRONT HUB	Forged alloy, nuttid 3/8" axle, 32h
REAR HUB	Forged alloy, nuttid 3/8" axle, 32h
SPOKES	2.0mm (14g) UCP, black
FRONT TIRE	Specialized Roller, 24x2.125", 30TPI, wire bead
REAR TIRE	Specialized Roller, 24x2.125", 30TPI, wire bead
TUBES	Specialized schraeder valve
SADDLE	Specialized Kids
SEAT POST	Alloy micro adjust, 27.2mm
SEAT BINDER	Alloy collar w/ QR
NOTES	Chain stay protector, reflectors, clear coat, owners manual

	Hotrock 24 7 Speed Girls
MODEL	Hotrock 24 7 Speed Girls
FRAME	A1 Premium Aluminum, 24" frame w/ low standover top tube, forged drop outs w/ replaceable 98954020 alloy hanger
FORK	RST Capa C24, 50mm, one piece alloy lower, coil spring, spring assisted seal
HEADSET	1 1/8" threadless
STEM	Alloy A-Head
HANDLEBARS	Hi-Ten, 580mm wide, 50mm rise, 10 degree sweep
GRIPS	Kraton, Revo type
FRONT BRAKE	Pro Max, alloy "V" w/ linear spring
REAR BRAKE	Pro Max, alloy "V" w/ linear spring
BRAKE LEVERS	Tektro Jr.
FRONT DERAILLEUR	N/A
REAR DERAILLEUR	Shimano RD-FT30, direct mount
SHIFT LEVERS	Shimano RS-31 Revo Twist
CASSETTE/FREEWHEEL	Shimano HG-37, 7-speed, 14-28t
CHAIN	KMC Z7, 1/2" x 3/32" w/ reusable Missing Link
CRANKSET	Sugino, forged alloy arms, chain guide, 152mm
CHAINRINGS	36T stamped steel w/ outer guard and dual roller chain guide
BOTTOM BRACKET	VP, water sealed, square taper, 68 x 128mm
PEDALS	Composite platform, 9/16"
RIMS	Alex C-1000, alloy single wall
FRONT HUB	Forged alloy, nuttid 3/8" axle, 32h
REAR HUB	Forged alloy, nuttid 3/8" axle, 32h
SPOKES	2.0mm (14g) stainless
FRONT TIRE	Specialized Roller, 24x2.125", 30TPI, wire bead
REAR TIRE	Specialized Roller, 24x2.125", 30TPI, wire bead
TUBES	Specialized schraeder valve
SADDLE	Specialized Kids
SEAT POST	Alloy micro adjust, 27.2mm
SEAT BINDER	Alloy collar w/ QR
NOTES	Chain stay protector, reflectors, clear coat, owners manual

	Hotrock 20 Boys Coaster
MODEL	Hotrock 20 Boys Coaster
FRAME	A1 Premium Aluminum, 20" frame w/ low standover top tube design, integrated kickstand, horizontal drop outs
FORK	Hi-Ten 1 1/8" threadless
HEADSET	1 1/8" threadless
STEM	Alloy A-Head
HANDLEBARS	Hi-Ten 2pc
GRIPS	Kraton w/ flange
FRONT BRAKE	N/A
REAR BRAKE	Coaster w/ Tektro "V"
BRAKE LEVERS	Tektro Jr.
FRONT DERAILLEUR	N/A
REAR DERAILLEUR	N/A
SHIFT LEVERS	N/A
CASSETTE/FREEWHEEL	1/2"x1/8"x18t cog
CHAIN	KMC Z-410, 1/2" x 1/8"
CRANKSET	Heat treated Hi-Ten, 1pc, 114mm
CHAINRINGS	36T stamped steel
BOTTOM BRACKET	Heat treated Hi-Ten cups, loose ball for OPC
PEDALS	Composite platform, 1/2"
RIMS	Alloy single wall
FRONT HUB	Joy Tech, steel, 36h, nuttid
REAR HUB	Joy Tech coaster, 36h, nuttid
SPOKES	2.0mm (14g) UCP
FRONT TIRE	Specialized Roller, 20x2.125", 30TPI, wire bead
REAR TIRE	Specialized Roller, 20x2.125", 30TPI, wire bead
TUBES	Specialized schraeder valve
SADDLE	Specialized Kids
SEAT POST	Alloy micro adjust, 27.2mm
SEAT BINDER	Alloy single bolt
NOTES	Integrated kickstand, reflectors, clear coat, owners manual

	Hotrock 20 Girls Coaster
MODEL	Hotrock 20 Girls Coaster
FRAME	A1 Premium Aluminum, 20" frame w/ low standover top tube design, integrated kickstand, horizontal drop outs
FORK	Hi-Ten 1 1/8" threadless
HEADSET	1 1/8" threadless
STEM	Alloy A-Head
HANDLEBARS	Hi-Ten 2pc
GRIPS	Kraton w/ flange
FRONT BRAKE	N/A
REAR BRAKE	Coaster w/ Tektro "V"
BRAKE LEVERS	Tektro Jr.
FRONT DERAILLEUR	N/A
REAR DERAILLEUR	N/A
SHIFT LEVERS	N/A
CASSETTE/FREEWHEEL	1/2"x1/8"x18t cog
CHAIN	KMC Z-410, 1/2" x 1/8"
CRANKSET	Heat treated Hi-Ten, 1pc, 114mm
CHAINRINGS	36T stamped steel
BOTTOM BRACKET	Heat treated Hi-Ten cups, loose ball for OPC
PEDALS	Composite platform, 1/2"
RIMS	Alloy single wall
FRONT HUB	Joy Tech, steel, 36h, nuttid
REAR HUB	Joy Tech coaster, 36h, nuttid
SPOKES	2.0mm (14g) UCP
FRONT TIRE	Specialized Roller, 20x2.125", 30TPI, wire bead
REAR TIRE	Specialized Roller, 20x2.125", 30TPI, wire bead
TUBES	Specialized schraeder valve</

MODEL	Hotrock 16 Girls	Hotrock 12 Boys	Hotrock 12 Girls
FRAME	A1 Premium Aluminum, 16" frame w/ low standover top tube design, integrated kickstand mount, horizontal drop outs	A1 Premium Aluminum, Ground Control geometry 12" frame w/ low standover top tube design, horizontal drop outs	A1 Premium Aluminum, Ground Control geometry 12" frame w/ low standover top tube design, horizontal drop outs
FORK	A1 Premium Aluminum blade, 1 1/8" threadless Hi-Ten steerer	A1 Premium Aluminum blade, 1" threaded Hi-Ten steerer	A1 Premium Aluminum blade, 1" threaded Hi-Ten steerer
HEADSET	1 1/8" threadless	1" threaded	1" threaded
STEM	Alloy A-Head	Alloy 1" quill	Alloy 1" quill
HANDLEBARS	Alloy 2pc	Alloy 2pc	Alloy 2pc
GRIPS	Kraton w/ flange	Kraton w/ flange	Kraton w/ flange
FRONT BRAKE	N/A	N/A	N/A
REAR BRAKE	Coaster	Coaster	Coaster
BRAKE LEVERS	N/A	N/A	N/A
FRONT DERAILLEUR	N/A	N/A	N/A
REAR DERAILLEUR	N/A	N/A	N/A
SHIFT LEVERS	N/A	N/A	N/A
CASSETTE/FREEWHEEL	1/2"x1/8"x18t cog	1/2"x1/8"x18t cog	1/2"x1/8"x18t cog
CHAIN	KMC Z-410, 1/2" x 1/8"	KMC Z-410, 1/2" x 1/8"	KMC Z-410, 1/2" x 1/8"
CRANKSET	Heat treated Hi-Ten, 1pc, 95mm	Heat treated Hi-Ten, 1pc, 75mm	Heat treated Hi-Ten, 1pc, 75mm
CHAINRINGS	28T stamped steel	28T stamped steel	28T stamped steel
BOTTOM BRACKET	Heat treated Hi-Ten cups, loose ball for OPC	Heat treated Hi-Ten cups, loose ball for OPC	Heat treated Hi-Ten cups, loose ball for OPC
PEDALS	Composite platform, 1/2"	Composite platform, 1/2"	Composite platform, 1/2"
RIMS	Alloy single wall	Alloy single wall	Alloy single wall
FRONT HUB	Joy Tech, steel, 28h, nutted	Joy Tech, steel, 16h, nutted	Joy Tech, steel, 16h, nutted
REAR HUB	Joy Tech coaster, 28h, nutted	Joy Tech coaster, 16h, nutted	Joy Tech coaster, 16h, nutted
SPOKES	2.0mm (14g) UCP	2.0mm (14g) UCP	2.0mm (14g) UCP
FRONT TIRE	Specialized Roller, 16x2.125", 30TPI, wire bead	Specialized Roller, 12x2.125", 30TPI, wire bead	Specialized Roller, 12x2.125", 30TPI, wire bead
REAR TIRE	Specialized Roller, 16x2.125", 30TPI, wire bead	Specialized Roller, 12x2.125", 30TPI, wire bead	Specialized Roller, 12x2.125", 30TPI, wire bead
TUBES	Specialized schraeder valve	Specialized schraeder valve	Specialized schraeder valve
SADDLE	Specialized Kids	Specialized Kids, integrated 180 x 22.2mm steel post	Specialized Kids, integrated 180 x 22.2mm steel post
SEAT POST	Steel 22.2mm	Steel 22.2mm, integrated w/ saddle	Steel 22.2mm, integrated w/ saddle
SEAT BINDER	Alloy single bolt	Alloy single bolt	Alloy single bolt
NOTES	Chain guard, cross bar pad, training wheels, owners manual	Chain guard, cross bar pad, training wheels, owners manual	Chain guard, cross bar pad, training wheels, owners manual

MODEL	Hotrock Hotwalk Boys	Hotrock Hotwalk Girls
FRAME	Specialized A1 Premium Aluminum, "Hotwalk" geometry 12" frame w/ low standover TT design	Specialized A1 Premium Aluminum, "Hotwalk" geometry 12" frame w/ low standover TT design
FORK	A1 Premium Aluminum blade, 1" threaded Hi-Ten steerer	A1 Premium Aluminum blade, 1" threaded Hi-Ten steerer
HEADSET	1" threaded	1" threaded
STEM	Alloy 1" quill	Alloy 1" quill
HANDLEBARS	Alloy 1pc	Alloy 1pc
GRIPS	Kraton w/ flange	Kraton w/ flange
FRONT BRAKE	N/A	N/A
REAR BRAKE	N/A	N/A
BRAKE LEVERS	N/A	N/A
FRONT DERAILLEUR	N/A	N/A
REAR DERAILLEUR	N/A	N/A
SHIFT LEVERS	N/A	N/A
CASSETTE/FREEWHEEL	N/A	N/A
CHAIN	N/A	N/A
CRANKSET	N/A	N/A
CHAINRINGS	N/A	N/A
BOTTOM BRACKET	N/A	N/A
PEDALS	N/A	N/A
RIMS	Alloy single wall	Alloy single wall
FRONT HUB	Joy Tech, steel, 16h, nutted	Joy Tech, steel, 16h, nutted
REAR HUB	Joy Tech, steel, 16h, nutted	Joy Tech, steel, 16h, nutted
SPOKES	2.0mm (14g) UCP	2.0mm (14g) UCP
FRONT TIRE	Specialized Roller, 12x2.125", 30TPI, wire bead	Specialized Roller, 12x2.125", 30TPI, wire bead
REAR TIRE	Specialized Roller, 12x2.125", 30TPI, wire bead	Specialized Roller, 12x2.125", 30TPI, wire bead
TUBES	Specialized schraeder valve	Specialized schraeder valve
SADDLE	Specialized Kids, integrated 180 x 22.2mm steel post	Specialized Kids, integrated 180 x 22.2mm steel post
SEAT POST	Steel 22.2mm, integrated w/ saddle	Steel 22.2mm, integrated w/ saddle
SEAT BINDER	Alloy single bolt	Alloy single bolt
NOTES	Reflectors, owners manual	Reflectors, owners manual

STUMPJUMPER FSR CARBON

Size	S	M	L	XL
Seat Tube Length, C-2-T	406	444	482	533
Top Tube Length, Horizontal*	556	590	625	645
Top Tube Length, Actual**	541	574	607	627
Chainstay Length	420	420	420	420
Bottom Bracket Height - Low Setting	335	335	335	335
ST Angle, Actual - Low Setting (*)	71	71	71	71
ST Angle, Effective - Low Setting (*)	74.5	74.5	74.5	74.5
Head Tube Angle - Low Setting (*)	68.5	68.5	68.5	68.5
Wheel Base	1085	1121	1158	1180
Standover Height	705	728	738	764
Head Tube Height	128	148	168	188
Handlebar Width	640	640	640	640
Stem Length	70	90	100	110
Crank Length	170	175	175	175
Seatpost Length	367	367	410	410

STUMPJUMPER FSR ALLOY

Size	S	M	L	XL	XXL
Seat Tube Length, C-2-T	406	445	483	533	584
Top Tube Length, Horizontal*	556	590	625	645	665
Top Tube Length, Actual**	563	594	632	653	668
Chainstay Length	420	420	420	420	420
Bottom Bracket Height - Low Setting	335	335	335	335	335
ST Angle, Actual - Low Setting (*)	71	71	71	71	71
ST Angle, Effective - Low Setting (*)	74.5	74.5	74.5	74.5	74.5
Head Tube Angle - Low Setting (*)	68.5	68.5	68.5	68.5	68.5
Wheel Base	1084	1115	1155	1177	1197
Standover Height	721	728	755	764	778
Head Tube Height	100	120	140	160	160
Handlebar Width	640	640	640	640	640
Stem Length	90	105	120	120	120
Crank Length	170	175	175	175	175
Seatpost Length	350	350	400	400	400

STUMPJUMPER FSR 29ER

Size	M	L	XL	XXL
Seat Tube Length, C-2-T	445	483	533	584
Top Tube Length, Horizontal*	595	630	650	670
Top Tube Length, Actual**	610	645	668	683
Chainstay Length	448	448	448	448
Bottom Bracket Height - Low Setting	328	328	328	328
ST Angle, Actual - Low Setting (*)	71	71	71	71
ST Angle, Effective - Low Setting (*)	74.5	74.5	74.5	74.5
Head Tube Angle - Low Setting (*)	69.5	69.5	69.5	69.5
Wheel Base	1129	1166	1188	1208
Standover Height	718	725	767	786
Head Tube Height	100	120	140	140
Handlebar Width	640	640	640	640
Stem Length	90	105	120	120
Crank Length	175	175	175	175
Seatpost Length	350	400	400	400

FSR XC

Size	S	M	L	XL
Seat Tube Length, C-2-T	433	445	483	534
Top Tube Length, Horizontal*	550	586	611	637
Top Tube Length, Actual**	530	566	589	615
Chainstay Length	424	424	424	424
Bottom Bracket Height - Low Setting	321	321	321	321
ST Angle, Actual - Low Setting (*)	73	73	73	73
ST Angle, Effective - Low Setting (*)	73	73	73	73
Head Tube Angle - Low Setting (*)	69	69	69	69
Wheel Base	1053	1090	1116	1144
Standover Height	723	745	760	766
Head Tube Height	100	110	120	148
Handlebar Width	640	640	640	640
Stem Length	75	90	105	105
Crank Length	170	175	175	175
Seatpost Length	350	350	400	400

EPIC CARBON

Size	S	M	L	XL
Seat Tube Length, C-2-T	394	444	483	533
Top Tube Length, Horizontal*	554	589	615	641
Top Tube Length, Actual**	538	572	597	624
Chainstay Length	427	427	427	427
Bottom Bracket Height - Low Setting	331	331	331	331
Bottom Bracket Height - High Setting	—	—	—	—
ST Angle, Actual - Low Setting (*)	74	74	74	74
ST Angle, Actual - High Setting (*)	—	—	—	—
ST Angle, Effective - Low Setting (*)	—	—	—	—
ST Angle,, Effective - High Setting (*)	—	—	—	—
Head Tube Angle - Low Setting (*)	70.5	70.5	70.5	70.5
Head Tube Angle - High Setting (*)	—	—	—	—
Wheel Base	1058	1094	1120	1149
Standover Height	762	769	788	791
Head Tube Height	124	136	146	176
Handlebar Width	640	640	640	640
Stem Length	70	90	110	120
Crank Length	170	175	175	175
Seatpost Length	300	350	400	400

EPIC ALLOY

Size	S	M	L	XL
Seat Tube Length, C-2-T	394	444	483	533
Top Tube Length, Horizontal*	554	589	615	641
Top Tube Length, Actual**	538	572	597	624
Chainstay Length	427	427	427	427
Bottom Bracket Height - Low Setting	331	331	331	331
Bottom Bracket Height - High Setting	—	—	—	—
ST Angle, Actual - Low Setting (*)	74.2	74.2	74.2	74.2
ST Angle, Actual - High Setting (*)	—	—	—	—
ST Angle, Effective - Low Setting (*)	—	—	—	—
ST Angle,, Effective - High Setting (*)	—	—	—	—
Head Tube Angle - Low Setting (*)	70	70	70	70
Head Tube Angle - High Setting (*)	—	—	—	—
Wheel Base	1064	1100	1127	1155
Standover Height	748	757	767	778
Head Tube Height	100	120	140	160
Handlebar Width	640	640	640	640
Stem Length	75	90	105	120
Crank Length	170	175	175	175
Seatpost Length	350	350	400	400

ENDURO CARBON

Size	S	M	L	XL
Seat Tube Length, C-2-T	421	444	483	533
Top Tube Length, Horizontal*	559	591	620	647
Top Tube Length, Actual**	545	574	602	630
Chainstay Length	421	421	421	421
Bottom Bracket Height - Low Setting	356	356	356	356
Bottom Bracket Height - High Setting	367	367	367	367
ST Angle, Actual - Low Setting (*)	71.9	71.9	71.9	71.9
ST Angle, Actual - High Setting (*)	72.8	72.8	72.8	72.8
ST Angle, Effective - Low Setting (*)	74	74	74	74
ST Angle,, Effective - High Setting (*)	73.1	73.1	73.1	73.1
Head Tube Angle - Low Setting (*)	67	67	67	67
Head Tube Angle - High Setting (*)	67.9	67.9	67.9	67.9
Wheel Base	1115	1147	1177	1205
Standover Height	742	748	762	782
Head Tube Height	129	139	153	179
Handlebar Width	660	660	660	660
Stem Length	60	80	80	100
Crank Length	170	175	175	175
Seatpost Length	367	367	410	410

ENDURO ALLOY

Size	S	M	L	XL
Seat Tube Length, C-2-T	421	444	483	533
Top Tube Length, Horizontal*	559	591	620	647
Top Tube Length, Actual**	545	574	602	630
Chainstay Length	421	421	421	421
Bottom Bracket Height - Low Setting	356	356	356	356
Bottom Bracket Height - High Setting	367	367	367	367
ST Angle, Actual - Low Setting (*)	71.9	71.9	71.9	71.9
ST Angle, Actual - High Setting (*)	72.8	72.8	72.8	72.8
ST Angle, Effective - Low Setting (*)	74	74	74	74
ST Angle,, Effective - High Setting (*)	73.1	73.1	73.1	73.1
Head Tube Angle - Low Setting (*)	67	67	67	67
Head Tube Angle - High Setting (*)	67.9	67.9	67.9	67.9
Wheel Base	1115	1147	1177	1205
Standover Height	742	748	762	782
Head Tube Height	102	108	128	150
Handlebar Width	660	660	660	660
Stem Length	60	80	80	100
Crank Length	170	175	175	175
Seatpost Length	350	350	400	400

PITCH

Size	S	M	L	XL
Seat Tube Length, C-2-T	421	444	483	533
Top Tube Length, Horizontal*	565	586	620	635
Top Tube Length, Actual**	553	574	606	632
Chainstay Length	421	421	421	421
Bottom Bracket Height - Low Setting	356	356	356	356
Bottom Bracket Height - High Setting	—	—	—	—
ST Angle, Actual - Low Setting (*)	71.9	71.9	71.9	71.9
ST Angle, Actual - High Setting (*)	—	—	—	—
ST Angle, Effective - Low Setting (*)	74	74	74	74
ST Angle,, Effective - High Setting (*)	—	—	—	—
Head Tube Angle - Low Setting (*)	67	67	67	67
Head Tube Angle - High Setting (*)	—	—	—	—
Wheel Base	—	—	—	—
Standover Height	742	748	759	765
Head Tube Height	102	108	128	150
Handlebar Width	660	660	660	660
Stem Length	60	75	75	90
Crank Length	170	175	175	175
Seatpost Length	350	350	400	400

SX TRAIL

Size	S	M	L	XL
Seat Tube Length, C-2-T	432	457	483	533
Top Tube Length, Horizontal*	556	579	606	638
Top Tube Length, Actual**	526	547	574	613
Chainstay Length	424	424	424	424
Bottom Bracket Height - Low Setting	356	356	356	356
Bottom Bracket Height - High Setting	369	369	369	369
ST Angle, Actual - Low Setting (*)	70	70	70	70
ST Angle, Actual - High Setting (*)	71	71	71	71
ST Angle, Effective - Low Setting (*)	73.5	73.5	73.5	73.5
ST Angle, Effective - High Setting (*)	74.5	74.5	74.5	74.5
Head Tube Angle - Low Setting (*)	66.5	66.5	66.5	66.5
Head Tube Angle - High Setting (*)	67.5	67.5	67.5	67.5
Wheel Base	1132	1155	1182	1214
Standover Height	769	771	785	808
Head Tube Height	102	108	122	128
Handlebar Width	660	660	660	660
Stem Length	40	40	40	40
Crank Length	170	170	170	170
Seatpost Length	330	330	330	330

SX

Size	Short	Long
Seat Tube Length, C-2-T	406	432
Top Tube Length, Horizontal*	566	596
Top Tube Length, Actual**	526	556
Chainstay Length	419	419
Bottom Bracket Height - Low Setting	311	311
Bottom Bracket Height - High Setting	322	322
ST Angle, Actual - Low Setting (*)	68	68
ST Angle, Actual - High Setting (*)	69	69
ST Angle, Effective - Low Setting (*)	71.5	71.5
ST Angle, Effective - High Setting (*)	72.5	72.5
Head Tube Angle - Low Setting (*)	68	68
Head Tube Angle - High Setting (*)	69	69
Wheel Base	1081	1111
Standover Height	172	174

P

Size	L	L	L
Seat Tube Length, C-2-T	373	363	332
Top Tube Length, Horizontal*	585	585	550
Top Tube Length, Actual**	578	568	536
Chainstay Length	402	402	390
Bottom Bracket Height - Low Setting	300	300	295
ST Angle, Actual - Low Setting (*)	71	71	71
ST Angle, Effective - Low Setting (*)	—	—	—
Head Tube Angle - Low Setting (*)	69	69	69
Wheel Base	1042	1041	1006
Standover Height	680	722	684
Head Tube Height	108	110	110
Handlebar Width	680	640	62
Stem Length	40	40	40
Crank Length	175	175	165
Seatpost Length	300	300	300

P CRO-MO P GROM

STUMPJUMPER

13.5	15.5	17	18	19	21	15.5	17	18	19	21	23
343	394	432	457	483	533	394	432	457	483	533	584
535	555	585	600	615	640	565	590	605	620	645	665
530	537	563	575	590	615	553	566	576	590	614	637
424	424	424	424	424	424	440	440	440	440	440	440
304	304	304	304	304	304	304	304	304	304	304	304
73	73	73	73	73	73	72.5	72	72	72	72	72
—	—	—	—	—	—	74	73.5	73.5	73.5	73.5	73.5
70.5	70.5	70.5	70.5	70.5	70.5	71	71.5	71.5	71.5	71.5	71.5
1013	1033	1064	1079	1095	1121	1055	1069	1084	1100	1126	1146
695	728	759	773	796	832	717	780	795	818	855	882
100	100	120	120	140	160	90	100	100	120	140	140
600	600	600	600	600	600	600	600	600	600	600	600
75	75	90	105	105	120	75	90	105	105	120	120
170	170	175	175	175	175	170	175	175	175	175	175
350	350	350	350	400	400	350	350	350	400	400	400

STUMPJUMPER 29ER

ROCKHOPPER

Size	13	15	17	19	21	23	15	17	19	21	23
Seat Tube Length, C-2-T	330	381	432	483	533	584	381	432	483	533	584
Top Tube Length, Horizontal*	545	565	590	615	640	660	570	595	625	650	670
Top Tube Length, Actual**	546	551	568	590	615	638	557	570	595	620	642
Chainstay Length	426	426	426	426	426	426	442	442	442	442	442
Bottom Bracket Height - Low Setting	304	304	304	304	304	304	299	299	299	299	299
ST Angle, Actual - Low Setting (*)	73	73	73	73	73	73	72.5	72	72	72	72
ST Angle, Effective - Low Setting (*)	—	—	—	—	—	—	74	73.5	73.5	73.5	73.5
Head Tube Angle - Low Setting (*)	70	70	70	70	70	70	71	71	71	71	71
Wheel Base	1030	1050	1075	1101	1127	1148	1054	1079	1109	1134	1156
Standover Height	681	715	750	783	820	855	700	770	805	841	877
Head Tube Height	100	100	110	120	140	160	90	90	100	120	140
Handlebar Width	640	640	640	640	640	640	640	640	640	640	640
Stem Length	60	75	75	90	90	90	60	75	90	90	90
Crank Length	170	170	175	175	175	175	170	175	175	175	175
Seatpost Length	350	350	350	400	400	400	350	350	400	400	400

ROCKHOPPER COMP 29

HARDROCK

12	15	17	19	21	24	12 (24" wheel)
305	381	432	483	533	610	318
535	565	590	615	640	665	530
535	550	569	590	616	647	530
427	427	427	427	427	427	420
300	300	300	300	300	300	295
73	73	73	73	73	73	73
—	—	—	—	—	—	—
69	70	70	70	70	70	70
1029	1050	1076	1101	1127	1153	1017
670	723	758	790	823	871	670
100	100	120	120	140	160	100
640	640	640	640	640	640	580
60	60	75	75	90	90	60
165	170	170	175	175	175	160
350	350	350	400	400	400	350

GROMROCK

HRXC

Size	13	15	17	19	21	23
Seat Tube Length, C-2-T	330	381	432	483	533	584
Top Tube Length, Horizontal*	540	555	580	605	630	655
Top Tube Length, Actual**	535	538	557	581	608	638
Chainstay Length	424	424	424	424	424	424
Bottom Bracket Height - Low Setting	299	299	299	299	299	299
ST Angle, Actual - Low Setting (*)	73	73	73	73	73	73
Head Tube Angle - Low Setting (*)	70.25	70.25	70.25	70.25	70.25	70.25
Wheel Base	1018	1033	1059	1084	1110	1136
Standover Height	680	713	757	790	821	855
Head Tube Height	100	100	120	120	140	160
Handlebar Width	640	640	640	640	640	640
Stem Length	60	60	75	75	90	90
Crank Length	170	170	170	175	175	175
Seatpost Length	350	350	350	400	400	400

TARMAC

Size	49	52	54	56	58	61
Seat Tube Length, BB C-2-T	460	490	510	530	550	580
Top Tube Length, Horizontal*	518	537	548	565	582	600
Bottom Bracket Drop	71.5	71.5	69	69	67.5	67.5
Chainstay Length	405	405	405	405	407	410
Seat Tube Angle (*)	75.5	74	73.5	73.25	73	72.5
Head Tube Angle (*)	72.25	73	73	73.5	73.5	74
Fork Rake	45	45	45	43	43	43
Trail	62	57	57	56	56	53
Front Center	576	576	583	591	605	612
Wheel Base	970	970	978	986	1003	1013
Standover Height	730	754	777	800	826	852
Head Tube Length	100	120	145	170	205	230
Handlebar Width	400	400	420	420	440	440
Stem Length	75	90	100	100	110	120
Crank Length	170	170	172.5	172.5	175	175
Seatpost Length	300	350	350	350	350	350

TRANSITION

Size	S	M	L	XL
Equivalent Stnd Frame Sizing	510	540	560	590
Seat Tube Length, BB C-2-T Vertical	445	445	445	475
Reach	380	395	405	425
Stack	505	516	526	527
Bottom Bracket Drop	72	72	72	72
Chainstay Length	395	395	395	395
Saddle Setback Range*	-100 to +50	-100 to +50	-100 to +50	-100 to +50
Head Tube Angle (*)	71.5	72	72	72.5
Fork Rake	43	43	43	43
Trail	68	65	65	62
Front Center	575	589	602	621
Wheel Base	961	975	988	1007
Standover Height	761	763	768	787
Head Tube Length Integrated	100	110	120	120
Handlebar Width	400	400	420	420
Stem Length	75	75	90	100
Crank Length	170	172.5	175	175
Seatpost Length**	350F	350B	350B	350B

ALLEZ JUNIOR

Size	40
Seat Tube Length, BB C-2-T	345
Top Tube Length, Horizontal*	450
Bottom Bracket Drop	30
Chainstay Length	385
Seat Tube Angle (*)	76
Head Tube Angle (*)	70
Fork Rake	42.3
Trail	62
Front Center	529
Wheel Base	912
Standover Height	626
Head Tube Length	110
Handlebar Width	380
Stem Length	60
Crank Length	152
Seatpost Length	300

ROUBAIX EXPERT

49	52	54	56	58	61	64
450	480	500	520	540	570	600
518	537	548	565	582	600	615
73	73	71.5	71.5	70	70	70
412	412	415	415	418	420	420
75.5	74	73.5	73.25	73	72.5	72.5
72	72	72	72.5	72.5	73	73
49	49	49	49	49	49	49
59	59	59	56	56	53	53
582	588	595	606	621	628	643
983	989	1000	1010	1029	1038	1053
739	760	781	802	826	850	875
125	145	165	190	215	235	260
400	400	420	420	440	440	460
75	90	100	100	110	120	130
170	170	172.5	172.5	175	175	175
300	350	350	350	350	350	350

ALLEZ C2

Size	49	52	54	56	58	61	49	52	54	56	58	61
Seat Tube Length, BB C-2-T	430	480	500	520	540	580	430	480	500	520	540	580
Top Tube Length, Horizontal*	518	537	548	565	582	600	518	537	548	565	582	600
Bottom Bracket Drop	71.5	71.5	69	69	67.5	67.5	71.5	71.5	69	69	67.5	67.5
Chainstay Length	405	405	405	405	407	410	405	405	405	405	407	410
Seat Tube Angle (*)	75.5	74	73.5	73.25	73	72.5	75.5	74	73.5	73.25	73	72.5
Head Tube Angle (*)	71.75	72.5	72.5	73	73	73.5	71.75	72.5	72.5	73	73	73.5
Fork Rake	45	45	45	43	43	43	45	45	45	43	43	43
Trail	65	60	60	59	59	56	65	60	60	59	59	56
Front Center	580	580	587	595	610	617	580	580	587	595	610	617
Wheel Base	974	975	982	991	1008	1018	974	975	982	991	1008	1018
Standover Height	712	745	767	790	812	843	712	745	767	790	812	843
Head Tube Length	110	130	155	180	205	230	110	130	155	180	205	230
Handlebar Width	400	400	420	420	440	440	400	400	420	420	440	440
Stem Length	80	90	100	100	110	120	80	90	100	100	110	120
Crank Length	170	170	170	175	175	175	170	170	172.5	172.5	175	175
Seatpost Length	300	350	350	350	350	350	300	350	350	350	350	350

ALLEZ

* Transition saddle setback range is measured from tip of saddle to center of bottom bracket.

** Transition 350 seatpost length: F = Forward, B = Backward

All measurements are in millimeters unless otherwise stated.

* TT is measured horizontally from center of HT to center of ST

** Actual, measured along the length of the tube

*** Number reflects fork travel setting

LANGSTER

Size	49	52	54	56	58	61
Seat Tube Length, BB C-2-T	430	480	500	520	540	580
Top Tube Length, Horizontal*	518	537	548	565	582	600
Bottom Bracket Drop	71.5	71.5	69	69	67.5	67.5
Chainstay Length	405	405	405	405	407	410
Seat Tube Angle (°)	75.5	74	73.5	73.25	73	72.5
Head Tube Angle (°)	71.75	72.5	72.5	73	73	73.5
Fork Rake	45	45	45	43	43	43
Trail	65	60	60	59	59	56
Front Center	580	580	587	595	610	617
Wheel Base	974	975	982	991	1008	1018
Standover Height	708	742	764	786	808	839
Head Tube Length	110	130	155	180	205	230
Handlebar Width	400	400	400	400	420	420
Stem Length	80	90	100	100	110	120
Crank Length	170	170	170	170	172.5	172.5
Seatpost Length	300	350	350	350	350	350

TRICROSS

49	52	54	56	58	61
490	520	540	560	580	610
515	530	545	560	575	595
71	71	69	69	67	67
440	440	440	440	440	440
75.5	74.5	73.5	73	72.5	72
70	70.75	71.5	72	72.5	73
51	51	51	47	47	47
73	68	64	63	61	58
598	599	600	601	607	616
1028	1029	1030	1032	1038	1047
748	770	787	805	823	849
110	125	140	155	170	195
400	420	420	440	440	440
75	90	100	110	110	120
170	170	172.5	175	175	175
300	350	350	350	350	350

GLOBE U FRAME

45	49	53	57	49	52	55	58	61
425	465	495	535	425	465	505	545	570
545	560	570	580	545	560	575	600	615
65	65	65	65	65	65	65	65	65
452	452	452	452	452	452	452	452	452
76	75	74	73	75.5	74.5	73.5	72	72
69	69	69	70	69	69	70	70.5	71
51	51	51	51	51	51	51	51	51
82	82	82	75	82	82	75	72	68
637	648	652	646	637	646	645	650	661
1081	1092	1096	1090	1081	1090	1089	1094	1105
704	703	705	711	758	785	805	833	858
170	170	185	185	155	185	185	205	230
620	620	620	620	620	620	620	620	620
90	90	90	105	90	90	105	105	105
170	170	170	175	170	170	175	175	175
350	350	350	350	350	350	350	350	350

GLOBE

45	49	53	57	49	52	55	58	61
425	465	495	535	425	465	505	545	570
545	560	570	580	545	560	575	600	615
65	65	65	65	65	65	65	65	65
452	452	452	452	452	452	452	452	452
76	75	74	73	75.5	74.5	73.5	72	72
69	69	69	70	69	69	70	70.5	71
51	51	51	51	51	51	51	51	51
82	82	82	75	82	82	75	72	68
637	648	652	646	637	646	645	650	661
1081	1092	1096	1090	1081	1090	1089	1094	1105
704	703	705	711	758	785	805	833	858
170	170	185	185	155	185	185	205	230
620	620	620	620	620	620	620	620	620
90	90	90	105	90	90	105	105	105
170	170	170	175	170	170	175	175	175
350	350	350	350	350	350	350	350	350

RUBY

Size	44	48	51	54	56
Seat Tube Length, BB C-2-T	400	430	450	480	500
Top Tube Length, Horizontal*	496	506	518	537	548
Bottom Bracket Drop	73	73	73	73	71.5
Chainstay Length	405	405	405	405	408
Seat Tube Angle (°)	76	75.75	75.5	74	73.5
Head Tube Angle (°)	70.5	71.25	72	72	72
Fork Rake	51	51	49	49	49
Trail	66	62	59	59	59
Front Center	574	579	582	588	595
Wheel Base	967	973	976	982	993
Standover Height	693	718	735	758	778
Head Tube Length	105	115	125	145	165
Handlebar Width	380	380	400	400	420
Stem Length	75	75	90	100	100
Crank Length	165	165	170	170	172.5
Seatpost Length	300	300	350	350	350

DOLCE ELITE

44	48	51	54	56	44	48	51	54	56
400	430	450	480	500	400	430	450	480	500
496	506	518	537	548	496	506	518	537	548
73	73	73	73	71.5	73	73	73	73	71.5
412	415	415	415	417	412	415	415	415	417
76	75.75	75.5	74	73.5	76	75.75	75.5	74	73.5
70.5	71.25	72	72	72	70.5	71.25	72	72	72
51	51	49	49	49	51	51	49	49	49
66	62	59	59	59	66	62	59	59	59
574	579	582	588	595	574	579	582	588	595
974	983	986	992	1002	974	983	986	992	1002
699	722	738	763	783	699	722	738	763	783
115	125	135	160	180	115	125	135	160	180
380	380	400	400	420	380	380	400	400	420
75	75	90	100	100	75	75	90	100	100
165	165	170	170	170	165	165	170	170	172.5
300	300	350	350	350	300	300	350	350	350

DOLCE

44	48	51	54	56	44	48	51	54	56
400	430	450	480	500	400	430	450	480	500
496	506	518	537	548	496	506	518	537	548
73	73	73	73	71.5	73	73	73	73	71.5
412	415	415	415	417	412	415	415	415	417
76	75.75	75.5	74	73.5	76	75.75	75.5	74	73.5
70.5	71.25	72	72	72	70.5	71.25	72	72	72
51	51	49	49	49	51	51	49	49	49
66	62	59	59	59	66	62	59	59	59
574	579	582	588	595	574	579	582	588	595
974	983	986	992	1002	974	983	986	992	1002
699	722	738	763	783	699	722	738	763	783
115	125	135	160	180	115	125	135	160	180
380	380	400	400	420	380	380	400	400	420
75	75	90	100	100	75	75	90	100	100
165	165	170	170	170	165	165	170	170	172.5
300	300	350	350	350	300	300	350	350	350

GLOBE WOMEN'S

Size	45	49	53	57
Seat Tube Length, BB C-2-T	425	465	495	535
Top Tube Length, Horizontal*	545	560	570	580
Bottom Bracket Drop	65	65	65	65
Chainstay Length	452	452	452	452
Seat Tube Angle (°)	76	75	74	73
Head Tube Angle (°)	69	69	69	70
Fork Rake	51	51	51	51
Trail	82	82	82	75
Front Center	637	648	652	646
Whee Base	1081	1092	1096	1090
Standover Height	696	695	705	711
Head Tube Length	155	155	185	185
Handlebar Width	620	620	620	620
Stem Length	90	90	90	105
Crank Length	170	170	170	175
Seatpost Length	350	350	350	350

GLOBE CENTRUM

16	17.5	19	21
406	445	483	533
555	585	610	630
35	35	35	35
410	410	410	410
73	73	73	73
71	71	71	71
51	51	51	51
64	64	64	64
619	649	675	695
1027	1057	1082	1103
701	720	739	758
160	180	200	220
600	600	600	600
90	90	105	105
170	170	175	175
350	350	350	350

SIRRUS

XS	S	M	L	XL
400	445	480	515	565
510	530	545	565	590
68	68	65	65	65
430	425	425	425	425
76	75	74	73.5	73
70	71.5	72	72.5	73
50	50	50	50	50
72	63	60	56	53
595	597	600	611	626
1015	1012	1016	1027	1042
715	745	782	814	855
135	150	175	205	240
580	580	580	580	580
90	100	100	110	120
170	170	175	175	175
300	350	350	350	350

CROSSTRAIL

45	49	52	55	58	61
432	460	495	535	575	610
575	575	585	595	605	615
65	65	65	65	65	65
450	450	450	450	450	450
74	74	73.5	72.5	71.5	71
69	69	69.5	69.5	69.5	69.5
43	43	43	43	43	43
96	96	92	92	92	92
641	645	649	651	651	657
1083	1087	1091	1093	1093	1099
793	809	829	844	876	901
110	120	120	130	160	185
620	620	620	620	620	620
90	90	90	105	105	105
170	170	170	175	175	175
350	350	350	350	350	350

VITA SPORT

Size	XS	S	M	L	XL
Seat Tube Length, BB C-2-T	360	395	440	475	510
Top Tube Length, Horizontal*	492	505	525	540	560
Bottom Bracket Drop	68	68	68	65	65
Chainstay Length	430	425	425	425	425
Seat Tube Angle (°)	76	76	75	74	73.5
Head Tube Angle (°)	69.5	69.5	71	71.5	72
Fork Rake	52	52	52	50	50
Trail	73	73	64	63	60
Front Center	579	596	598	599	611
Wheel Base	1000	1011	1014	1016	1027
Standover Height	698	726	754	782	81

You can never be too *SPECIALIZED* 

© 2007-2008, Specialized Bicycle Components, Inc.
Printed in USA Part # 7608-0019



This catalog is printed on recycled paper. **Please recycle it again.**
For warranty information, please visit www.specialized.com.