



1 9 9 9

Commitment. Not a very appealing idea in a society driven by convenience. But while most people are happy with a medium two-ingredient pizza in 30 minutes or less, there are others who want more out of life. People in every corner of the world who want something no pizza guy can deliver. Hindu devotees in Malaysia that achieve religious rapture during a painful journey to the sacred Batu Caves. Asmat tribesmen in New Guinea who pay homage to the moon by fitting 12-inch shells through their septum. Suburbanites in Denver who seek fulfillment in the midst of exhaustion during the Leadville 100 mountain bike race. Maybe you're one of these people. If so, we build bicycles for you. Bikes that fit. Bikes that last. Bikes that perform. For the past fourteen years Yeti craftsmen have used the finest materials available and the most effective race-proven designs to create bicycles for the most committed rider. Like our Lawwill DH-8, the fastest downhill bike ever built, our cross-country specific A.S.-3, a fully active feather that quickly converts rolling singletrack into distant memory, the all new A.R.C., arguably the finest handtail on the planet, or our Road Project, a sub-18 pound missile locked onto the nearest USCF finish line. Custom aluminum machines that will take you as far as you're willing to go. For most, that's not much farther than the couch. For you, it could be anywhere.

YETI a.r.c.

PRO XTR

- ALL NEW Yeti A.R.C. frame uses Custom Easton 7005 aluminum with forged seatstay and chainstay yokes for improved strength, rigidity and tire clearance.
- The main frame features the traditional Yeti oval top tube with top tube cable routing to keep the cables up and out of the crud. While the vertically flared down tube combined with an externally butted headtube provides plenty of strength.
- Our famous loop tail is now lighter and stronger with our forged Backbone™ seatstay and chainstay yokes featuring strengthening ribs at all stress points and weight reducing voids throughout.
- The rear dropouts are completely re-designed with a replaceable derailleur hanger and disk brake compatibility.
- Ready to race, Cane Creek sealed headset, Easton EA70 bars, Mavic Crossmax wheels, Rock Shox SID SL 11 80mm fork, Shimano XTR 9-speed, Selle Royal Fizik saddle, Syncros stem and seatpost, Time ATAC pedals, Yeti Hardcore grips and Yeti Factor XC tires.
- Color: Team Black and Yellow, Black and Turquoise, Black and Metallic Blue.




Fig. 10

Yeti's all new hardtail frame relies on the incredible strength of our forged Backbone™ seatstay and chainstay yokes to carry you through any challenge, from the rigors of the NORBA circuit to the unforgiving conditions of the Colorado backcountry.

The monks of Japan's Mount Hiei rely on the strength of their faith to carry them through the Sennichi Kaihogyo, a grueling physical and mental challenge which includes a 7 1/2 day stretch without food, water, rest or sleep, and a 100-day period of running 52 miles per day.



Fig. 11

YETI a.r.c.

RACE XT



- ALL NEW Yeti A.R.C. frame uses Custom Easton 7005 aluminum with forged seatstay and chainstay yokes for improved strength, rigidity and tire clearance.
- The main frame features the traditional Yeti oval top tube with top tube cable routing to keep the cables up and out of the crud. While the vertically flared downtube combined with an externally butted headtube provides plenty of strength.
- Our famous loop tail is now lighter and stronger with our forged Backbone™ seatstay and chainstay yokes featuring strengthening ribs at all stress points and weight reducing voids throughout.
- The rear droopouts are completely re-designed with a replaceable derailleur hanger and disk brake compatibility.
- The hardtail of your dreams. Cane Creek sealed headset, Mavic 222 rims, Rock Shox SID XC 80mm fork, Selle Royal Fizik saddle, Shimano XTR/XT 9-speed, Syncros stem and seatpost, Time ATAC pedals, Yeti Comp 8061 riser bars, Hardcore grips and Factor XC tires.
- Color: Team Black and Yellow, Black and Turquoise, Black and Metallic Blue.



Fig. 2a

On the coast of Ghana, traditional Ewe people heat hand-wrought knives in fire and then apply them to the tongue during intense voodoo ceremonies. They are protected from harm by the healing god, Flimani Koku, whom they invoke with song, dance and blood offerings.

Not unlike the tongue of a Ewe worshipper, Yeti's custom-drawn 7005 Easton Elite tubing is thoroughly heat-treated, giving it uniform strength and protecting it from the evils of molecular imperfection.




Fig. 2b

YETI a.r.c.

COMPL/XT

- ALL NEW Yeti A.R.C. frame uses Custom Easton 7005 aluminum with forged seatstay and chainstay yokes for improved strength, rigidity and tire clearance.
- The main frame features the traditional Yeti oval top tube with top tube cable routing to keep the cables up and out of the crud. While the vertically flared downtube combined with an externally butted head tube provides plenty of strength.
- Our famous loop tail is now lighter and stronger with our forged Backbone™ seatstay and chainstay yokes featuring strengthening ribs at all stress points and weight reducing voids throughout.
- The rear dropouts are completely redesigned with a replaceable derailleur hanger and disk brake compatibility.
- Our best frame with affordable parts. Dene Creek sealed headset, Easton EA70 bars, Mavic 222 rims, Rock Shox Judy SL 80mm fork, Selle Royal Fick saddle, Shimano XT/LX 9-speed, Syncros stem and seatpost, Time ATAC pedals, Yeti Hardcore grips and Factor XC tires.
- Color: Team Black and Yellow, Black and Turquoise, Black and Metallic Blue.



Fig. 0a

The Maori, indigenous people of New Zealand, once tattooed elaborate swirls on their faces to strike fear into the hearts of their enemies and ensure that they always looked fierce in battle. The practice was reserved for warriors of the royal class.



Fig. 0b

The perfect swirls (read: beads) of Yeti's TIG welding, ridden into countless conflicts by warriors at the professional and privateer level, serve notice that your bike is always ready for battle. Craftsmanship in a class by itself.



The Asmat people of New Guinea place Bi Pane' (8-12" nose ornaments made of shell) through a large hole in the septum, believed to symbolize the moon, the wild boar (which holds a place of high esteem in Asmat culture), and the human skulls which the warriors once collected.




- Re-designed for 1999, fully-active, full-suspension design. Custom Easton 7005 aluminum main frame with 6061 aluminum chainstay and seatstay assemblies.
- Extruded Unibody bottom bracket design combines a one-piece bottom bracket and main pivot with an extruded chainstay yoke to minimize lateral flex at the lower pivot. The lower pivot is positioned above and slightly forward of the bottom bracket effectively eliminating drive train induced action on the suspension.
- Seatstay pivot points utilize a sealed cartridge bearing which delivers excellent torsional rigidity and maintenance-free reliability.
- Rock Shox SID strut shock with dual air technology and remote lockout, infinitely adjustable compression and negative air spring and externally adjustable rebound damping all in a super lightweight package.
- Rear dropout is disk brake compatible.
- Out-of-the-box performance. Cane Creek sealed headset, Mavic 222 rims, Rock Shox SID XC 80mm fork, Selle Royal Fizik saddle, Shimano XT/RX1 8-speed, Syncros stem and seatpost, Time ATAC pedals, Yeti Comp 8061 rear bars, Yeti hardcore grips and Yeti Factor XC tires.
- Color: Team: Black and Yellow, Black and Metallic Orange.


YETI *f.a.s.-3*
RACE XT

YETI **a.s.-3** COMPL/XT

- Re-designed for 1999, fully-active, full-suspension design. Custom Easton 7005 aluminum main frame with 6061 aluminum chainstay and seatstay assemblies.
- Extruded Unibody bottom bracket design combines a one-piece bottom bracket and main pivot with an extruded chainstay yoke to minimize lateral flex at the lower pivot. The lower pivot is positioned above and slightly forward of the bottom bracket effectively eliminating drive train induced action on the suspension.
- Seatstay pivot points utilize a sealed cartridge bearing which delivers excellent torsional rigidity and maintenance-free reliability.
- Rock Shox SID strut shock with dual air technology and remote lockout, infinitely adjustable compression and negative air spring and externally adjustable rebound damping all in a super lightweight package.
- Disk brake compatible rear dropout.
- Full-Suspension with plenty of features. Cane Creek sealed headset, Easton EA70 bars, Mavic 222 rims, Rock Shox Judy SL 80mm fork, Selle Royal Fizik saddle, Shimano XT/LX 9-speed, Syncros stem and seatpost, Time ATAC pedals, Yeti Hardcore grips and Yeti Factor XC tires.
- Color: Team Black and Yellow, Black and Metallic Orange.



Yeti engineers placed the A.S.-3 pivot through a large, integral hole in the bike's new extruded Unibody bottom bracket, rendering this critical area of the bike completely immune to frame flex, drive-train induced pogo, and random boar attacks.



YETI lawwill

DH - 8



- ALL NEW Yeti/Lawwill DH-8 frame straight from the NORBA and World Cup Circuit.
- Custom Easton 7005 aluminum main frame with a vertically ovalized top and down tube combined with a straight-gauge head tube to guarantee bonaprove downhill durability.
- Patented Full Energy Transfer System (F.E.T.S.) tail section yields 8 inches of pure vertical wheel travel while ensuring that pedaling energy is transferred directly to the ground without being absorbed by the suspension.
- Fully-floating hydraulic disk brakes provide powerful fade-free stopping power.
- Rock Shox Super Deluxe pull shock with separate coil-over spring preload and adjustable rebound/compression damping for fully-active, stiction-free travel.
- All four primary pivot points are supported by replaceable sealed cartridge bearings which provide silky smooth action and seasons of reliable performance.
- No compromise, just like our factory race bikes. Came Creek sealed headset, Hayes hydraulic brakes, Mavic D321 rims, Michelin Wildgrip DH tires, Race Face DH crank, Rock Shox Boxer fork, Shimano XTR, Syncros stem and seatpost.
- Color: Team Black and Yellow.




Fig. 41

Thanks to the patented Full Energy Transfer System (F.E.T.S.) tail section and eight inches of divinely progressive travel, people who descend on the Yeti Lawwill DH-8 achieve a state of total ecstasy during their journey to the finish line. The most devoted reach the podium, or bleed.

During the Thaipusam religious festival in Malaysia the most extreme Hindu devotees pierce their cheeks with metal rods and carry kavadi, ornate wooden arcs which hold offerings and are attached to the skin with metal hooks. During their ascent to the Batu Caves, the most devoted reach a state of total ecstasy and are said not to bleed.



Fig. 42

YETI road project

- Custom Easton Elite 7005 Aluminum combined with race-proven geometry wrapped-up in a 2.5 pound package.
- Internally and externally-tapered seatstays for improved shock absorption and comfort.
- Oversized, tapered chainstays for sprint-winning torsional rigidity and low-profile crank clearance.
- Traditional size-specific geometry for a perfect fit and predictable handling.
- Our best kept secret: Cane Creek sealed headset, Continental Grand Prix 3000 tires, Mavic Classics Pro wheels, Shimano Dura-Ace/Ultegra 9-speed, Synchron seatpost, TTT bars and stem, Time Club carbon fork.
- Color: Team Black and Yellow.



Fig. 76

In Burma, Paduang women place one brass or copper ring around the neck each year until the height reaches 10 inches or more. The neck is not actually elongated, but the shoulders and ribs are pushed down by the stack, which can weigh 20-pounds or more.

Much preferable to 20 pounds of copper is the 2.5 pound aluminum Yeti Road Project frame, a classically-configured Easton Elite masterpiece that will put you head and shoulders above the competition.




Fig. 77

YETI parts & ACCESSORIES



oval logo hat



ice-ax headband



factory race team hat



ice-ax hat



colorado flag t-shirt



wool varsity jacket
s-xxl



fleece vest
s-xxl



hard core speed grips



speed plugs



speed grips



yeti factor series tires
kevlar beaded

T/2-4 tapered downhill bar



comp 6061 riser bar



yeti/troy lee designs jersey
long sleeve, s-xl



yeti/troy lee designs jersey
s-xl



team t-shirt




cycling socks
m-l

yetiman bottle opener



shot glass



shop apron



water bottles
22oz or 30 oz



pint glass



evolution coffee
mug



sticker pack



ice-ax t-shirt

A.R.C. XTR pro

SIZES	14", 16", 17.5", 19", 20" (COMPLETE & FRAME ONLY)
COLOR	TEAM BLACK/YELLOW BLACK/TURQUOISE BLACK/METALLIC BLUE
FRAME	YETI/EASTON 7005 CUSTOM TAPERED ALUMINUM FRAME, SUSPENSION-SPECIFIC DESIGN, OVALIZED TOP TUBE, VERTICALLY FLARED DOWN TUBE, EXTERNALLY PROFILED HEAD TUBE, 3-BEND TAIL W/FORGED SEATSTAY & CHAINSTAY YOKES, REPLACEABLE DERAILLEUR HANGER, DISK BRAKE DROPOUT ROCK SHOX SID SL - 80mm TRAVEL
FORK	N/A
REAR SHOCK	N/A
HEADSET	CANE CREEK SS ALLOY A-HEADSET, SEALED BEARING
CRANKSET	SHIMANO XTR 4-ARM, MEGA-9, 24-34-46T
FRONT DERAILLEUR	SHIMANO XTR, MEGA-9, TOP SWING/TOP PULL
REAR DERAILLEUR	SHIMANO XTR, MEGA-9
SHIFTERS	SHIMANO XTR RAPIDFIRE, MEGA-9
FREEWHEEL	SHIMANO XTR, MEGA-9, 12-34T
PEDALS	TIME ATAC CLIPLESS ALLOY
BRAKES/LEVERS	F: SHIMANO XTR V-BRAKE/RAPIDFIRE R: SHIMANO XTR V-BRAKE/RAPIDFIRE YETI/EASTON EAT0, TAPERED ALLOY YETI HARDCORE DUAL-DENSITY SYNCHROS HINGED A-HEAD F: MAVIC CROSSMAX R: MAVIC CROSSMAX MAVIC CROSSMAX F: MAVIC CROSSMAX R: MAVIC CROSSMAX YETI FACTOR SELLE ROYAL FIZIK SYNCHROS 7075, 26.8mm
HANDLEBAR	
GRIPS	
STEM	
HUBS	
RIMS	
SPOKES	
TIRES	
SADDLE	
SEAT POST	

A.R.C. XT race

SIZES	14", 16", 17.5", 19", 20" (COMPLETE & FRAME ONLY)
COLOR	TEAM BLACK/YELLOW BLACK/TURQUOISE BLACK/METALLIC BLUE
FRAME	YETI/EASTON 7005 CUSTOM TAPERED ALUMINUM FRAME, SUSPENSION-SPECIFIC DESIGN, OVALIZED TOP TUBE, VERTICALLY FLARED DOWN TUBE, EXTERNALLY PROFILED HEAD TUBE, 3-BEND TAIL W/FORGED SEATSTAY & CHAINSTAY YOKES, REPLACEABLE DERAILLEUR HANGER, DISK BRAKE DROPOUT ROCK SHOX SID XC - 80mm TRAVEL
FORK	N/A
REAR SHOCK	N/A
HEADSET	CANE CREEK C2 ALLOY A-HEADSET, SEALED BEARING
CRANKSET	SHIMANO DEORE XT, MEGA-9, 22-32-44T
FRONT DERAILLEUR	SHIMANO DEORE XT, MEGA-9, TOP SWING/TOP PULL
REAR DERAILLEUR	SHIMANO XTR, MEGA-9
SHIFTERS	SHIMANO DEORE XT, RAPIDFIRE, MEGA-9
FREEWHEEL	SHIMANO DEORE XT, MEGA-9, 11-32T
PEDALS	TIME ATAC CLIPLESS ALLOY
BRAKES/LEVERS	F: SHIMANO DEORE XT V-BRAKE/RAPIDFIRE R: SHIMANO DEORE XT V-BRAKE/RAPIDFIRE YETI COMP DH, TAPERED ALLOY YETI HARDCORE DUAL-DENSITY SYNCHROS HINGED A-HEAD F: SHIMANO DEORE XT, 32H R: SHIMANO DEORE XT, MEGA-9 FREEHUB, 32H MAVIC X222 S AL/NEB, 32H F: DT 1.8 CHAMPION STAINLESS STEEL W/ALLOY NIPPLES R: DT 1.8 CHAMPION STAINLESS STEEL W/ALLOY NIPPLES YETI FACTOR SELLE ROYAL FIZIK SYNCHROS 7075, 26.8mm
HANDLEBAR	
GRIPS	
STEM	
HUBS	
RIMS	
SPOKES	
TIRES	
SADDLE	
SEAT POST	

A.R.C. L/XT comp

SIZES	14", 16", 17.5", 19", 20" (COMPLETE & FRAME ONLY)
COLOR	TEAM BLACK/YELLOW BLACK/TURQUOISE BLACK/METALLIC BLUE
FRAME	YETI/EASTON 7005 CUSTOM TAPERED ALUMINUM FRAME, SUSPENSION-SPECIFIC DESIGN, OVALIZED TOP TUBE, VERTICALLY FLARED DOWN TUBE, EXTERNALLY PROFILED HEAD TUBE, 3-BEND TAIL W/FORGED SEATSTAY & CHAINSTAY YOKES, REPLACEABLE DERAILLEUR HANGER, DISK BRAKE DROPOUT ROCK SHOX JUDY SL - 80mm TRAVEL
FORK	N/A
REAR SHOCK	N/A
HEADSET	CANE CREEK C2 ALLOY A-HEADSET, SEALED BEARING
CRANKSET	SHIMANO DEORE XT, MEGA-9, 22-32-44T
FRONT DERAILLEUR	SHIMANO DEORE XT, MEGA-9, TOP SWING/TOP PULL
REAR DERAILLEUR	SHIMANO DEORE XT
SHIFTERS	SHIMANO DEORE LX, RAPIDFIRE, MEGA-9
FREEWHEEL	SHIMANO DEORE LX, MEGA-9, 11-32T
PEDALS	TIME ATAC CLIPLESS ALLOY
BRAKES/LEVERS	F: SHIMANO DEORE LX V-BRAKE/RAPIDFIRE R: SHIMANO DEORE LX V-BRAKE/RAPIDFIRE YETI/EASTON EAT0, TAPERED ALLOY YETI HARDCORE DUAL-DENSITY SYNCHROS HINGED A-HEAD F: SHIMANO DEORE LX, 32H R: SHIMANO DEORE LX, MEGA-9, 32H MAVIC X222 S AL/NEB, 32H F: DT 1.8 CHAMPION STAINLESS STEEL W/ALLOY NIPPLES R: DT 1.8 CHAMPION STAINLESS STEEL W/ALLOY NIPPLES YETI FACTOR SELLE ROYAL FIZIK SYNCHROS 7075, 26.8mm
HANDLEBAR	
GRIPS	
STEM	
HUBS	
RIMS	
SPOKES	
TIRES	
SADDLE	
SEAT POST	

ROAD PROJECT ULTEGRA

SIZES	49, 51, 53, 55, 57, 59, 61 cm (COMPLETE & FRAMESET)
COLOR	TEAM BLACK/YELLOW
FRAME	YETI/EASTON 7005 CUSTOM TAPERED ALUMINUM FRAME, OVALIZED TOP TUBE, FASTBACK DOUBLE-TAPERED SEAT STAYS, OVERSIZED, DOUBLE-TAPERED CHAIN STAYS W/LOW PROFILE S-BEND TIME CLUB STRAIGHT BLADE
FORK	N/A
REAR SHOCK	N/A
HEADSET	CANE CREEK SS ALLOY A-HEADSET, SEALED BEARING
CRANKSET	SHIMANO ULTEGRA, 53-39T
FRONT DERAILLEUR	SHIMANO ULTEGRA, BRAZE-ON TYPE
REAR DERAILLEUR	SHIMANO DURA ACE, 9-SPEED
SHIFTERS	SHIMANO ULTEGRA, DUAL CONTROL, 9-SPEED
FREEWHEEL	SHIMANO ULTEGRA, 9-SPEED, 12-23T
PEDALS	N/A
BRAKES/LEVERS	F: SHIMANO ULTEGRA DUAL PIVOT/ DUAL CONTROL R: SHIMANO ULTEGRA DUAL PIVOT/ DUAL CONTROL TTT FORMA SL CORK TTT FORGE A-HEAD F: MAVIC CLASSICS PRO R: MAVIC CLASSICS PRO F: MAVIC CLASSICS PRO R: MAVIC CLASSICS PRO CONTINENTAL GRAND PRIX 3900 700x23 SELLE ROYAL PAVE SYNCHROS 7075, 27.2mm
HANDLEBAR	
GRIPS	
STEM	
HUBS	
RIMS	
SPOKES	
TIRES	
SADDLE	
SEAT POST	

A.S.-3 RACE XT


SIZES	16", 17.5", 19", 20" (COMPLETE & FRAME ONLY)
COLOR	TEAM BLACK/YELLOW MAIN W/BLACK SEATSTAY & YELLOW CHAINSTAY BLACK/METALLIC ORANGE MAIN W/BLACK SEATSTAY & METALLIC ORANGE CHAINSTAY
FRAME	EASTON 7005 CUSTOM TAPERED ALUMINUM MAIN, SUSPENSION-SPECIFIC DESIGN, UNIBODY SUSPENSION BOTTOM BRACKET, EXTERNALLY PROFILED HEAD TUBE, ROCK SHOX SID AIR SHOCK W/ADJUSTABLE DAMPING & NEGATIVE SPRING, DISK BRAKE DROPOUT
FORK	ROCK SHOX SID XC - 80mm TRAVEL
REAR SHOCK	ROCK SHOX SID AIR "STRUT" SHOCK, REMOTE LOCKOUT
HEADSET	CANE CREEK C2 ALLOY A-HEADSET, SEALED BEARING
CRANKSET	SHIMANO DEORE XT, MEGA-9, 22-32-44T
FRONT DERAILLEUR	SHIMANO DEORE XT, MEGA-9, TOP SWING/TOP PULL
REAR DERAILLEUR	SHIMANO XTR, MEGA-9
SHIFTERS	SHIMANO DEORE XT, RAPIDFIRE, MEGA-9
FREEWHEEL	SHIMANO DEORE XT, MEGA-9, 11-32T
PEDALS	TIME ATAC CLIPLESS ALLOY
BRAKES/LEVERS	F: SHIMANO DEORE XT V-BRAKE/RAPIDFIRE R: SHIMANO DEORE XT V-BRAKE/RAPIDFIRE YETI COMP DH, TAPERED ALLOY YETI HARDCORE DUAL-DENSITY SYNCHROS HINGED A-HEAD F: SHIMANO DEORE XT, 32H R: SHIMANO DEORE XT, MEGA-9 FREEHUB, 32H MAVIC X222 S AL/NEB, 32H F: DT 1.8 CHAMPION STAINLESS STEEL W/ALLOY NIPPLES R: DT 1.8 CHAMPION STAINLESS STEEL W/ALLOY NIPPLES YETI FACTOR SELLE ROYAL FIZIK SYNCHROS 7075, 26.8mm
HANDLEBAR	
GRIPS	
STEM	
HUBS	
RIMS	
SPOKES	
TIRES	
SADDLE	
SEAT POST	

A.S.-3 COMP L/XT

SIZES	16", 17.5", 19", 20" (COMPLETE & FRAME ONLY)
COLOR	TEAM BLACK/YELLOW MAIN W/BLACK SEATSTAY & YELLOW CHAINSTAY BLACK/METALLIC ORANGE MAIN W/BLACK SEATSTAY & METALLIC ORANGE CHAINSTAY
FRAME	EASTON 7005 CUSTOM TAPERED ALUMINUM MAIN, SUSPENSION-SPECIFIC DESIGN, UNIBODY SUSPENSION BOTTOM BRACKET, EXTERNALLY PROFILED HEAD TUBE, ROCK SHOX SID AIR SHOCK W/ADJUSTABLE DAMPING & NEGATIVE SPRING, DISK BRAKE DROPOUT
FORK	ROCK SHOX JUDY SL - 80mm TRAVEL
REAR SHOCK	ROCK SHOX SID AIR "STRUT" SHOCK, REMOTE LOCKOUT
HEADSET	CANE CREEK C2 ALLOY A-HEADSET, SEALED BEARING
CRANKSET	SHIMANO DEORE LX, MEGA-9, 22-32-44T
FRONT DERAILLEUR	SHIMANO DEORE XT, MEGA-9, TOP SWING/BOTTOM PULL
REAR DERAILLEUR	SHIMANO DEORE XT, MEGA-9
SHIFTERS	SHIMANO DEORE LX, RAPIDFIRE, MEGA-9
FREEWHEEL	SHIMANO DEORE LX, MEGA-9, 11-32T
PEDALS	TIME ATAC CLIPLESS ALLOY
BRAKES/LEVERS	F: SHIMANO DEORE LX V-BRAKE/RAPIDFIRE R: SHIMANO DEORE LX V-BRAKE/RAPIDFIRE YETI/EASTON EAT0, TAPERED ALLOY YETI HARDCORE DUAL-DENSITY SYNCHROS HINGED A-HEAD F: SHIMANO DEORE LX, 32H R: SHIMANO DEORE LX, MEGA-9, 32H MAVIC X222 S AL/NEB, 32H F: DT 1.8 CHAMPION STAINLESS STEEL W/ALLOY NIPPLES R: DT 1.8 CHAMPION STAINLESS STEEL W/ALLOY NIPPLES YETI FACTOR SELLE ROYAL FIZIK SYNCHROS 7075, 26.8mm
HANDLEBAR	
GRIPS	
STEM	
HUBS	
RIMS	
SPOKES	
TIRES	
SADDLE	
SEAT POST	

LAWWILL - DH-8 XTR

SIZES	SMALL, MEDIUM, LARGE (COMPLETE & FRAME ONLY)
COLOR	TEAM BLACK/YELLOW W/BLACK SEATSTAY & YELLOW CHAINSTAY
FRAME	EASTON 7005 TAPERED ALUMINUM MAIN FRAME/6061 LAWWILL FULL ENERGY TRANSFER SYSTEM (F.E.T.S.) TAIL SUSPENSION-SPECIFIC DESIGN, ADJUSTABLE RIDE HEIGHT, ROCK SHOX COUPE DELUXE PULL SHOCK W/ADJUSTABLE DAMPING AND PRE-LOAD, HYDRAULIC DISK BRAKES FRONT & REAR ROCK SHOX BOXER - 151mm TRAVEL, 20mm THRU-AXLE ROCK SHOX COUPE DELUXE "YANK" SHOCK CANE CREEK SS ALLOY A-HEADSET, SEALED BEARING FACE RACE TURBINE LP DH 170mm
FORK	N/A
REAR SHOCK	N/A
HEADSET	SHIMANO XTR, MEGA-9
CRANKSET	SHIMANO XTR, RAPIDFIRE PDG STYLE (REAR ONLY) 9-SPEED
FRONT DERAILLEUR	SHIMANO XTR, MEGA-9, 11-32T
REAR DERAILLEUR	SHIMANO SPD S8 DH CLIPLESS
SHIFTERS	R: HAYES HYDRAULIC DISK/HAYES HYDRAULIC
FREEWHEEL	YETI T2-4 DH, TAPERED ALLOY
PEDALS	YETI HARDCORE DUAL-DENSITY
BRAKES/LEVERS	SYNCHROS HINGED A-HEAD F: RINGLE DISK, 20mm THRU AXLE, 32H R: RINGLE DISK, THRU AXLE, 9-SPEED, 32H MAVIC D321 DISK CO, 32H F: DT 2.0 CHAMPION STAINLESS STEEL W/BRASS NIPPLES R: DT 2.0 CHAMPION STAINLESS STEEL W/BRASS NIPPLES MICHELIN WILDOGRIPPER DH SELLE ROYAL FIZIK SYNCHROS 7075, 26.8mm
HANDLEBAR	
GRIPS	
STEM	
HUBS	
RIMS	
SPOKES	
TIRES	
SADDLE	
SEAT POST	



ice-ax banner 27"x55"



yeti race team patch

oval logo patch



team wind shell jacket



team jersey



team short



team DH jersey




team jersey, sleeveless

YETI parts & ACCESSORIES


YETI

specs & GEOMETRY




ARC

	14"	16"	17.5"	19"	20"
A	21.7"	23.0"	23.4"	23.8"	24.3"
B	71°*	71°*	71°*	71°*	71°*
C	74°	73°	73°	73°	72°
D	40.8"	41.5"	42.0"	42.25"	42.25"
E	16.9"	16.9"	16.9"	16.9"	16.9"
F	11.0"	11.5"	11.5"	11.5"	11.5"
G	1.62"	1.62"	1.62"	1.62"	1.62"
H	4.0"	4.5"	4.5"	5.25"	6.0"
Stand-over	27.75"	29.25"	29.75"	30.5"	31.75"




A.S. - 3

	16"	17.5"	19"	20"
A	23.0"	23.4"	23.8"	24.3"
B	71°*	71°*	71°*	71°*
C	73°	73°	73°	72°
D	41.3"	42.3"	42.7"	43.2"
E	16.9"	16.9"	16.9"	16.9"
F	11.5"	11.5"	11.5"	11.5"
G	1.62"	1.62"	1.62"	1.62"
H	4.5"	4.5"	5.25"	6.0"
Stand-over	28.5"	29.0"	29.75"	31.0"



LAWYILL DH - 8

	S	M	L
A	22.5"	23.5"	24.3"
B	67°*	67°*	67°*
C	73°	73°	73°
D	43.5"	45.2"	46.0"
E	17.5"	17.5"	17.5"
F	15.0"	15.0"	15.0"
G	1.62"	1.62"	1.62"
H	4.5"	4.5"	4.5"
Stand-over	31.5"	32.5"	33.5"



ROAD PROJECT

	49cm	51cm	53cm	55cm	57cm	59cm	61cm
A	52.5cm	53.3cm	54.3cm	55.6cm	56.5cm	57.4cm	58.5cm
B	72.5°	73°	73°	73.5°	73.5°	74°	74°
C	74°	74°	74°	73.5°	73°	73°	72.5°
D	97.0cm	97.5cm	98.0cm	98.0cm	98.4cm	99.1cm	100.2cm
E	40.9cm	40.9cm	40.9cm	40.9cm	40.9cm	40.9cm	40.9cm
F	26.9cm	26.9cm	26.9cm	26.9cm	26.9cm	26.9cm	26.9cm
G	4.0cm	4.0cm	4.0cm	4.0cm	4.0cm	4.0cm	4.0cm
H	9.0cm	9.0cm	11.0cm	12.5cm	14.5cm	16.0cm	18.0cm
Stand-over	74.0cm	76.0cm	78.0cm	80.0cm	81.5cm	83.5cm	85.5cm

* DEPENDING ON SET-UP AND FORK SAG

Seatpost Diameter: All MTB Models, 26.8mm • Road Project, 27.2mm

Headset Diameter: All MTB Models, 1.125" • Road Project, 1.0"

Bottom Bracket Width: All MTB Models, 73mm • Road Project 68mm; English Standard Threading

Front Derailleur Diameter: Yeti/Lawwill DH - Bottom Bracket Mount • A.R.C. and Road Project, 1.125"/31.8mm • A.S.-3, 1.125"/28.6mm

Specifications Subject to Change Without Notice



faster by design

yeti cycles inc. 1690 38th street boulder, co usa 80301-2602 800.531.2340 www.yeticycles.com
yeti is a registered trademark of yeti cycles, inc.