


Campagnolo®





XENON. The Xenon group offers the technical characteristics of the groups positioned higher in Campagnolo's line, while being affordable to a wider market. Xenon is designed for a racing bike, either custom or production.

It is strong, light and reliable in any situation and has the typical Campagnolo quality and performance. With the use of the Regina chain and freewheel selected and checked by Campagnolo, the shifting system will offer maximum performance and efficiency.

The longitudinal and transversal rigidity of the caliper arms along with the quick release being mounted on the brake levers, will guarantee the safety of the brakeset. An optimal kit containing a triple chainring crankset and Olympus front and rear derailleurs can transform the racing bicycle into a touring bicycle.

Xenon is also available in a black finish in which certain components have been treated to provide extreme resistance to all environmental conditions.

FRONT CHANGER

CLIP-ON FIXED ○ CLIP-ON ADJUSTABLE ○ BRAZE-ON ●

SHIFT LEVERS

CLIP-ON ○ BRAZE-ON ●

HUBS

STANDARD ● REAR WIDTH 126,5 130 ○
SPEED 7 8 HOLES 28 32 36 ○ ●

CHAINWHEEL

CRANKS LENGHT 165 167,5 170 172,5 175 177,5 180
39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57
INN. RING ○ ○ ○ ● ○
OUT. RING ○ ○ ○ ○ ○

BOTTOM BRACKET

B.B. WIDTH 68 mm 70 mm
○ ○

SEAT PIN

LENGHT 130 180 25 26,2 26,4 26,6 26,8 27 27,2
○ ● ○ ○ ○ ○ ○ ○ ●

● = STANDARD SIZE ○ = UPON REQUEST




CHORUS. Due to the versatility it offers, Chorus has become Campagnolo's most popular group. Chorus is well suited for all types of today's bicycles, whether they be for competition, touring, or recreation. The rear derailleur is available in a short cage version which has variable geometry due to the patented «Dual Mode System».

This will allow the parallelogram body to be switched into predetermined positions depending upon the desired usage. The best synchronization for rapid and precise shifting is guaranteed by the use of Campagnolo's eight speed cassette hub and freewheel with the Syncro shifting lever.

Speed cassette hub and freewheel with the Synchro sliding lever. Seven speed performance is also ensured by the use of the Campagnolo approved chain and freewheel by Regina. The Chorus brakes have also been equipped with brakepads and holders which have been borrowed from the Record group. The brake levers offer a quick release which can be operated without removing your hands from the handlebars.

The patented "Selform" system is included with the Chorus headset. This exclusive and innovative system will absorb road shock and prolong the useful life of the headset. Chorus is also available in the elegant and durable graphite finish.


FRONT CHANGER		CLIP-ON FIXED ○		CLIP-ON ADJUSTABLE ○		BRAZE-ON ●	
SHIFT LEVERS		CLIP-ON ○		BRAZE-ON ●			
HUBS							
STANDARD ●		REAR WIDTH		126.5 130			
7		28		32		36	
SPEED ●		8		HOLES ○ ●			
CHAINWHEEL							
CRANKS LENGTH		165 167.5		170 172.5		175 177.5 180	
39 40 41 42 43 44 45 46 47		48 49 50 51 52 53 54 55 56 57					
INN. RING ○ ○ ○ ○ ● ○ ○ ○ ○ ○		○ ○ ○ ○ ○ ● ○ ○					
OUT. RING							
BOTTOM BRACKET				68 mm 70 mm			
B.B. WIDTH				○ mm ○ mm			
SEAT PIN							
130 180		25 26.2 26.4 26.6 26.8		27 27.2			
LENGTH ○ ●		ø		○ ○ ○ ○ ○ ○ ○ ●			
● - STANDARD SIZE				○ - UPON REQUEST			



The Croce d'Aune group is also available in a graphite version. This finish is extremely durable and provides an aesthetically pleasing look which will complement any of the various color choices of today's bicycles.

FRONT CHANGER		CLIP-ON FIXED ○		CLIP-ON ADJUSTABLE ○		BRAZE-ON ●													
SHIFT LEVERS		CLIP-ON ○		BRAZE-ON ●															
HUBS																			
STANDARD	○			REAR WIDTH	126,5	130													
SPEED	7	8		HOLES	28	32	36												
					○	○	○												
CASSETTE HUB	●			REAR WIDTH	130	135													
SPEED	7	8		HOLES	28	32	36												
					○	●	●												
CHAINWHEEL																			
CRANKS LENGTH				165	167,5	170	172,5	175	177,5	180									
INN. RING	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57
OUT. RING										○	○	○	○	○	●	○	○		
BOTTOM BRACKET																			
				B.B. WIDTH	68 mm	70 mm													
					○	○													
SEAT PIN																			
LENGTH	130	180	●	ø	25	26,2	28,4	26,6	26,8	27	27,2	●							
					○	○	○	○	○	○									

● = STANDARD SIZE ○ = UPON REQUEST



For the Campagnolo aficionado who desires something a little more exotic, the Record group is also available in the new and totally unique Century finish. A special anodization treatment gives the component a darker finish which provides a dramatic impact on any bicycle.



FRONT CHANGER		CLIP-ON FIXED ○		CLIP-ON ADJUSTABLE ○		BRAZE-ON ●	
SHIFT LEVERS		CLIP-ON ○		BRAZE-ON ●			
HUBS							
STANDARD	○			REAR WIDTH	126.5	130	
		7	8		28	32	36
SPEED	○			HOLES	○	○	○
					130	135	
CASSETTE HUB	●			REAR WIDTH	●	○	
		7	8		28	32	36
SPEED			●	HOLES	○	●	
CHAINWEEL							
CRANKS LENGHT					165	167.5	170
							172.5
							175
							177.5
							180
		39	40	41	42	43	44
INN. RING	○	○	○	○	○	○	○
OUT. RING	○	○	○	○	○	○	○
		45	46	47	48	49	50
		51	52	53	54	55	56
		57	58	59	60	61	62
		63	64	65	66	67	68
		69	70	71	72	73	74
		75	76	77	78	79	80
		81	82	83	84	85	86
		87	88	89	90	91	92
		93	94	95	96	97	98
		99	100	101	102	103	104
		105	106	107	108	109	110
		111	112	113	114	115	116
		117	118	119	120	121	122
		123	124	125	126	127	128
		129	130	131	132	133	134
		135	136	137	138	139	140
		141	142	143	144	145	146
		147	148	149	150	151	152
		153	154	155	156	157	158
		159	160	161	162	163	164
		165	166	167	168	169	170
		171	172	173	174	175	176
		177	178	179	180	181	182
		183	184	185	186	187	188
		189	190	191	192	193	194
		195	196	197	198	199	200
		201	202	203	204	205	206
		207	208	209	210	211	212
		213	214	215	216	217	218
		219	220	221	222	223	224
		225	226	227	228	229	230
		231	232	233	234	235	236
		237	238	239	240	241	242
		243	244	245	246	247	248
		249	250	251	252	253	254
		255	256	257	258	259	260
		261	262	263	264	265	266
		267	268	269	270	271	272
		273	274	275	276	277	278
		279	280	281	282	283	284
		285	286	287	288	289	290
		291	292	293	294	295	296
		297	298	299	300	301	302
		303					
BOTTOM BRACKET				68 mm		70 mm	
				B.B. WIDTH		○	
SEAT PIN							
LENGHT	130	180		25	25.8	26	26.2
	○	●	ø	○	○	○	○
				26.4	26.6	26.8	27
				○	○	○	○
				27.2			●
● = STANDARD SIZE		○ = UPON REQUEST					



OLYMPUS. Olympus is the newest mountain bike group from Campagnolo. This is a group which will fit well on any of the various medium to high end frames on the market today. The rear derailleurs are available in either long or medium cage lengths and are also suitable for eight speed use. The front derailleurs are available with a standard, adjustable or oversized clamp. A standard steel headset is supplied with this group, but an aluminium or oversized aluminium may be specified as well. Seatposts are available in either 280 or 350 mm lengths, aluminium or cromoly and in a variety of sizes. Olympus is also available with the recently patented system consisting of front derailleur, rear derailleur and Bullet shifting. This represents the perfect ergonomic solution between the rider and his bicycle. The internal mechanism is indexed, which guarantees fast, precise and reliable shifting under any circumstance. This revolutionary new system has been extremely well received by racers and specialists alike.

For those who prefer the use of drop style handlebars, an indexing bar end control is also available. When this style of bar is used a specially modified Campagnolo brake lever should be used to ensure the proper performance of the Cantilever brakes.

GEAR	SM ○	MD ○	LG ●
FRONT CHANGER			
FIXED CLIP-ON ●	CLIP-ON ADJUSTABLE ○		
CLIP-ON FOR TUBES Ø 35 + 36 ○	BRAZE-ON ○		
SHIFT LEVERS			
	SYNCRON LEVERS ○		BULLET ●
HUBS			
STANDARD ●	REAR WIDTH	130 135 ○ ●	SPEED 7 8 HOLES 32 36 28 (front) ○ ●
CASSET. HUB ○	REAR WIDTH	130 135 ○ ●	SPEED 7 8 ○ ○ ○ ○
CHAINWHEEL			
CRANKS LENGTH	170 ●	175 ○	
INNER CHAINRING	24 ○	26 ●	28 ○ 30 ○ 34 ○
CENTRAL CHAINRING	36 ●	38 ○	40 ○ 42 ○
OUTER CHAINRING	46 ●	48 ○	50 ○ 52 ○
BOTTOM BRACKET			
B.B. WIDTH mm	124 ●	132 ○	140 ○
SEAT PIN			
LENGTH mm	280 ○	350 ●	
Ø	25,4 26 26,2 26,4 26,6 26,8 27 27,2 28,6 29,4 29,8 30 31,6		● ○ ○ ○ ○
STEEL			
ALUMINIUM	○ ○ ○ ○ ○ ○		
BRAKES			
CANTILEVER ○	CANTILEVER COMPACT ●		CALIPER ○
HEAD SET			
STANDARD STEEL ●	STANDARD ALUMIN ○		ALUMIN. OVER SIZE ○
● - STANDARD SIZE ○ - UPON REQUEST			



CENTAUR. This is the mountain bike group chosen by the finest racing teams in the world. Centaur has proven itself to be a professional level group with many technical features that ensure safety and reliability in any circumstance.

The advantages of Centaur include competition rear derailleurs with eight speed compatibility: available in small, medium and long cage versions and front derailleurs with an improved cage design: available with standard, adjustable or oversized clamps. Maximum shifting performance can be guaranteed when these new derailleurs are integrated with the combination of the Campagnolo cassette hub, Rohloff/Campagnolo chain, and Bullet shifting system.


The cassette hub with freewheel is available with 130 and 135 mm spacing in either 32 or 36 hole drilling. The freewheel cogs utilize a unique patented design featuring three different tooth profiles on each individual sprocket. These cogs range from twelve to thirty four teeth.

The Bullet shifting system provides fast and instinctive shifting in any circumstance.

This twistable grip will accomplish immediate and precise shifts with ease even under load. A super light competition pedal has also been added to the Centaur group. These pedals can be used with either traditional style toe clips or the Campagnolo resin clip. These pedals feature replaceable cages as well.

Headsets are available in steel, standard aluminum and 1 1/4" oversized aluminum.

GEAR	SM ○	MD ○	LG ●
FRONT CHANGER			
FIXED CLIP-ON ● CLIP-ON ADJUSTABLE ○			
CLIP-ON FOR TUBES ø 35 - 36 ○ BRAZE-ON ○			
SHIFT LEVERS		SYNCR0 LEVERS ○ BULLET ●	
HUBS			
STANDARD ○ REAR WIDTH	130 135	SPEED	7 8 HOLES 32 36 28 (front)
	130 135		7 8
CASSET. HUB ● REAR WIDTH	○ ●	SPEED	● ○ ● ○
CHAINWHEEL			
CRANKS LENGHT	170 ● 175 ○		
INNER CHAINRING	24 ○ 26 ●	28 ○	30 ○ 34 ○
CENTRAL CHAINRING	36 ● 38 ○	40 ○	42 ○
OUTER CHAINRING	46 ● 48 ○	50 ○	52 ○
BOTTOM BRACKET			
B.B. WIDTH mm	124 ● 132 ○	140	
SEAT PIN			
LENGHT mm	280 ○ 350 ●		
ø	25.4 26 26.2 26.4 26.6 26.8	27 ● 27.2 28.6 29.4 29.8	30 31.6
STEEL	○ ○ ○ ○ ○ ○ ○ ○	● ○ ○ ○ ○ ○ ○ ○	○ ○ ○ ○ ○ ○ ○ ○
ALUMINIUM	○ ○ ○ ○ ○ ○ ○ ○	○ ○ ○ ○ ○ ○ ○ ○	○ ○ ○ ○ ○ ○ ○ ○
BRAKES CANTILEVER ● CANTILEVER COMPACT ○ CALIPER ○			
HEAD SET STANDARD STEEL ● STANDARD ALUMIN ○ ALUMIN. OVER SIZE ○			
● = STANDARD SIZE ○ = UPON REQUEST			



EUCLID. Euclid is the premier Campagnolo group for the mountain bike. This group is the most prestigious available, designed for the finest high end mountain bikes being used in competition or sport riding. New components have been added to the Euclid group to satisfy the requests of the most demanding consumer.

An essential new system is now available to be used with the already well known small, medium and long cage derailleurs: the eight speed cassette hub. This hub is assembled with new and exclusive Campagnolo cogs which use three different tooth profiles on each sprocket and which are the results of extensive laboratory and field testing.

The combination of this cassette hub with the new Campagnolo/Rohloff SLT-99 chain will provide the maximum in performance and reliability even in extreme situations. Other additional important innovations include the 1 1/4" oversized aluminum headset, 280 and 350 mm seatposts in a specially treated black cromoly, and the new compact super light pedal with replaceable cages.

The quality and durability of each single component, as with every Campagnolo component, has undergone the most extensive controls and tests from the Campagnolo technicians and are constantly monitored to ensure the highest levels of performance.

Aviation grade materials that are finished by numeric controlled machines, which guarantee tolerances of one micron, are only some of the major characteristics of this exceptional group: Euclid.

GEAR	SM ○	MD ○	LG ●
FRONT CHANGER			
FIXED CLIP-ON ●	CLIP-ON ADJUSTABLE ○		
CLIP-ON FOR TUBES ø 35 + 36 ○	BRAZE-ON ○		
SHIFT LEVERS	SYNCO LEVERS ○		BULLET ●
HUBS			
STANDARD ○	REAR WIDTH	130 135 ○ ○	SPEED 7 8 ○ ○
CASSET. HUB ●	REAR WIDTH	130 135 ○ ●	SPEED 7 8 ● ○ ○
CHAINWHEEL			
CRANKS LENGHT	170 ●	175 ○	
INNER CHAINRING	24 ○	26 ●	28 ○ 30 ○ 34 ○
CENTRAL CHAINRING	36 ●	38 ○	40 ○ 42 ○
OUTER CHAINRING	46 ○	48 ●	50 ○ 52 ○
BOTTOM BRACKET			
B.B. WIDTH mm	124	132 ●	140 ○
SEAT PIN			
LENGHT mm	280 ○	350 ●	
STEEL	25,4 26 26,2 26,4 26,6 26,8	27 ●	27,2 28,6 29,4 29,8 30 31,6 ● ○ ○ ○ ○ ○ ○
ALUMINIUM			○ ○ ○ ○ ○ ○ ○
BRAKES			
CANTILEVER ●	CANTILEVER COMPACT ○		CALIPER ○
HEAD SET			
STANDARD STEEL ●	STANDARD ALUMIN. ○		
	ALUMIN. OVER SIZE ○		
● = STANDARD SIZE	○ = UPON REQUEST		

TANDEM ROAD GROUP



TANDEM ROAD GROUP. This group is derived from our Croce d'Aune group. It possesses all of the technical characteristics requested from the most demanding professional racers. This group is a series of components, with very versatile combinations, which maintain Campagnolo's history of quality and reliability. The special 40 hole hub is one of the most important innovations of the group. The double threading on this hub makes it possible to assemble a third brake (either drum or disk type) onto the bicycle.

This hub also uses an oversized axle mounted on two radial bearings. This group may be supplied with either the penta drive brakes of the Croce d'Aune group or the Cantilever brakes. When the Cantilever brakes are used, a specially designed brake handle is supplied which will provide the most efficient braking possible. A very practical solution to shifting is the use of the bar end controls. These controls may be used in friction as well as index mode.

The Croce d'Aune tandem group is a collection of highly innovative components, designed for the particular needs of tandem use and given the maximum attention to detail and performance that has become the Campagnolo trademark.

GEAR	LG ●	MD ○
FRONT CHANGER		
CLIP-ON FIXED ●	CLIP-ON ADJUSTABLE ○	CLIP-ON FOR TUBES ø 35 + 36 ○
SHIFT LEVERS		
BAR-END ●	SYNCO ○	
HUBS		
REAR DOUBLE THREADING ●	WIDTH 140 ○	SPEED 7 ● HOLES 40 ●
CASSETTE HUB ○	WIDTH 140 ○	SPEED 8 ○ HOLES 40 ○
FREE-WHEEL		
REGINA 7 SPEED ●	CAMPAGNOLO 8 SPEED ○	
CHAINWHEEL		
CRANKS LENGTH	170 ● 175 ○	
CONNECTION CHAINRING	36 ○ 38 ○ 42 ●	
INNER CHAINRING	24 ○ 26 ○ 28 ●	30 ○ 34 ○
CENTRAL CHAINRING	36 ○ 38 ○ 40 ●	42 ○
OUTER CHAINRING	46 ○ 48 ○ 50 ○	52 ●
SEAT PIN		
LENGTH mm 180 ●		
TYPE: CHORUS ø	25 26.2 26.4 26.6 26.8 27 27.2	
BRAKES		
TYPE CROCE D'AUNE ●	CANTILEVER EUCLID ○	CALIPER ○
BRAKES LEVERS		
POWER GRADE ●	HYBRID 2 BRAKES ○	HYBRID 3 BRAKES ○
HEAD SET		
TYPE CHORUS ●	CENTAUR STEEL ○	CENTAUR ALUMINIUM OVER SIZE ○
● = STANDARD SIZE	○ = UPON REQUEST	

TANDEM CROCE D'AUNE

GEAR	LG ●	MD ○
FRONT CHANGER		
CLIP-ON FIXED ●	CLIP-ON ADJUSTABLE ○	CLIP-ON FOR TUBES ø 35 + 36 ○
SHIFT LEVERS		
BAR-END ●	SYNCO ○	
HUBS		
REAR DOUBLE THREADING ●	WIDTH 140 ○	SPEED 7 ● HOLES 40 ●
CASSETTE HUB ○	WIDTH 140 ○	SPEED 8 ○ HOLES 40 ○
FREE-WHEEL		
REGINA 7 SPEED ●	CAMPAGNOLO 8 SPEED ○	
CHAINWHEEL		
CRANKS LENGTH	170 ● 175 ○	
CONNECTION CHAINRING	36 ○ 38 ○ 42 ●	
INNER CHAINRING	24 ○ 26 ○ 28 ●	30 ○ 34 ○
CENTRAL CHAINRING	36 ○ 38 ○ 40 ●	42 ○
OUTER CHAINRING	46 ○ 48 ○ 50 ○	52 ●
SEAT PIN		
LENGTH mm 180 ●		
TYPE: XENON ø	25 26.2 26.4 26.6 26.8 27 27.2	
BRAKES		
XENON BLACK ●	CANTILEVER COMPACT OLYMPUS ○	
BRAKES LEVERS		
ATHENA ●	HYBRID 2 BRAKES ○	HYBRID 3 BRAKES ○
HEAD SET		
XENON ●	OLYMPUS ALUMINIUM ○	OLYMPUS OVER SIZE ○
● = STANDARD SIZE	○ = UPON REQUEST	

TANDEM XENON



Compared to the tandem brake bushy, the Centaur tandem group makes the adjustment for an additional brake cable are perfectly matched to the fully adjustable Cantilever brakes. This additional cable is used for either a disk or drum brake which may be mounted on the double threaded rear hub. The shifting system of the front derailleur, rear derailleur and Bullet have proved to be the ideal solution for the tandem. The new super light pedal completes the Centaur tandem group making this the definitive statement in mountain bikes available today as well as the only one worthy of the name Campagnolo.

GEAR	LG ●	MD ○
FRONT CHANGER		
CLIP-ON FIXED ● CLIP-ON ADJUSTABLE ○		
CLIP-ON FOR TUBES ø 35 - 36 ○		
SHIFT LEVERS		
BULLET ● SYNCRO ATB ○		
HUBS	REAR DOUBLE THREADING SPEED 7 ●	BULLET ● HOLES 40 ●
WIDTH 140 ●		
CHAINWHEEL		
CRANKS LENGTH	170 ●	175 ○
CONNECTION CHAINRING	36 C ●	38 C ○
INNER CHAINRING	24 C ●	26 C ○
CENTRAL CHAINRING	36 C ●	38 C ○
OUTER CHAINRING	46 C ○	48 ●
		50 ○ 52 ○
SEAT PIN		
LENGTH mm	280 CENTAUR ●	350 CENTAUR ○
		180 CHORUS ○
BRAKES		
CANTILEVER EUCLID ● CALIPER ○		
BRAKES LEVERS		
CENTAUR COMPACT ● EUCLID 3 BRAKES ○		
HEAD SET		
CENTAUR STEEL ● CENTAUR ALUMINIUM ○		
CENTAUR ALUMINIUM OVER SIZE ○		
● = STANDARD SIZE ○ = UPON REQUEST		

GEAR		LG ●	MD ○
FRONT CHANGER			
CLIP-ON FIXED ● CLIP-ON ADJUSTABLE ○			
CLIP-ON FOR TUBES ø 35 + 36 ○			
SHIFT LEVERS		BULLET ●	SYNCHRO ATB ○
HUBS	REAR DOUBLE THREADING SPEED 7 ●	HOLE 40 ●	WIDTH 140 ●
CHAINWHEEL			
CRANKS LENGTH	170 ●	175 ○	
CONNECTION CHAIN RING	36 ○	38 ○	42 ●
INNER CHAINRING	24 ○	26 ○	28 ● 30 ○ 34 ○
CENTRAL CHAINRING	36 ○	38 ●	40 ○ 42 ○
OUTER CHAINRING	46 ○	48 ●	50 ○ 52 ○
SEAT PIN			
LENGTH mm	280 OLYMPUS ●	350 OLYMPUS ○	180 XENON ○
BRAKES		CANTILEVER COMPACT OLYMPUS ●	
BRAKES LEVERS		OLYMPUS ●	EUCLID 3 BRAKES ○
HEAD SET			
CENTAUR STEEL ● OLYMPUS ALUMINIUM ○			
OLYMPUS ALUMINIUM OVER SIZE ○			
● = STANDARD SIZE ○ = UPON REQUEST			

TANDEM OLYMPUS

LUBRICANT



LUBRICANT. Proper maintenance of components is essential to insure performance and durability. For this reason Campagnolo is offering a new line of oil and grease with special characteristics of protection and lubrication:

- OIL «AMBER PLUS 5» offers a very high degree of protection against oxidation and corrosion. Ideal for regular maintenance especially for freewheels, cables and chains.
- GREASE «KRISTALL SR7» is suggested

sted for assembly and routine maintenance for rear derailleurs, bottom brackets, pedals, hubs and headsets. Also available is «08-TH», a special synthetic lubricating oil which is extremely protective and adhesive and is recommended for chains and cables.

TOOLS



TOOLS. Currently Campagnolo offers a full range of precision tools for the assembly of professional bicycles. These tools are also essential for the proper maintenance of Campagnolo products. In addition to the taps and dies currently offered in the standard tool case we will offer (upon request) new cutting tools featuring the "Carburi Sinterizzati" process. These tools are highly reliable and durable, maintaining their cutting properties over a long period of time and can operate on materials like chrome or micro-fusion bottom brackets without wearing out rapidly.



- ☐ CAMPAGNOLO S.R.L. - VIA DELLA CHICCA, 4 - 36100 VICENZA - ITALIA - PHONE 0444-564933 - TELEX 480074 CAMPA I - TELEFAX 0444-565062
☐ CAMPAGNOLO SARL - RUE DU CHATEAU D'EAU - ROUZIERES DE TOURNAIE - 37360 NEUILLE PONT PIERRE - FRANCE - PHONE 47-566559 - TELEX 750373 WEIFRA - TELEFAX 47-566779
☐ CAMPAGNOLO CORPORATION - 43 FAIRFIELD PLACE - WEST CALDWELL, N.J. 07060 - U.S.A. - PHONE 201-8828733 - TELEX 705994 CAMPA CORP - TELEFAX 201-8828939
- ☐ SERVICE AND TECHNICAL INFORMATION • CENTRAL (ITALY) - Phone 0444/571871
 • U.S.A. - Phone 201/8828733