



QUALITY BIKE PRODUCTS SINCE 1996

**BE EASTERN®**

DESIGNED IN NORTH CAROLINA, USA

— 2013 —



**ALL OF OUR COMPLETE BIKES & AFTERMARKET FRAMES ARE COVERED BY A LIMITED-LIFETIME WARRANTY AGAINST MANUFACTURER'S DEFECT.**

The Eastern Promise is our commitment to you; a commitment that you'll never be left hanging & that you'll always be able to grow with Eastern Bikes. All Eastern complete bikes & aftermarket frames are not only covered by our limited-lifetime warranty above; they're also included in our lifetime trade-in program. Our trade-in program lets you upgrade your frame at a reduced cost over time as your abilities increase. This is another Eastern-exclusive & all the details can be found on our website.

[EASTERNBKES.COM](http://EASTERNBKES.COM)

Hop aboard your new Eastern with confidence; we promise you a lifetime of reliability & upgrade options.

**COMPLETES 4**



**FRAMES 14**



**BARS 16**



**FORKS 17**



**STEMS 18**



**GRIPS & BAR ENDS 19**



**SEATS & POSTS 20**



**PEDALS LEVERS & CABLES 21**



**CRANKS 24**



**SPROCKETS 25  
BB & CHAINS**



**WHEELS 26  
HUBS & RIMS**



**TIRES 28  
PEGS  
AXLE NUTS**



**TEES 29**



**TOOLS 29**



**SPECS 30**

**2013 COMPLETE SPECS**

| Model | Frame        | Fork         | Stem            | Handlebar    | Grip        | Seat      | Pedal      | Crank      | Sprocket   | Chain      | Wheel     | Tire       | Weight |
|-------|--------------|--------------|-----------------|--------------|-------------|-----------|------------|------------|------------|------------|-----------|------------|--------|
| 101   | 26" Aluminum | 26" Aluminum | 25.4mm Aluminum | 26" Aluminum | 26mm Rubber | 26" Black | 26mm Black | 26mm Black | 26mm Black | 26mm Black | 26" Black | 26mm Black | 26.5lb |
| 102   | 26" Aluminum | 26" Aluminum | 25.4mm Aluminum | 26" Aluminum | 26mm Rubber | 26" Black | 26mm Black | 26mm Black | 26mm Black | 26mm Black | 26" Black | 26mm Black | 26.5lb |
| 103   | 26" Aluminum | 26" Aluminum | 25.4mm Aluminum | 26" Aluminum | 26mm Rubber | 26" Black | 26mm Black | 26mm Black | 26mm Black | 26mm Black | 26" Black | 26mm Black | 26.5lb |

**! WARNING! READ BEFORE RIDING**

All of the actions shown in this catalog were performed by experienced & professional individuals. These actions should not be attempted or duplicated. Performance or attempted performance of the actions shown in this catalog could result in serious personal & bodily injury & property damage. Always take appropriate precautions & wear appropriate safety gear, including but not limited to a helmet, when riding a bicycle.



CONTENTS:  
JOSH PERRY  
GAP TO DUMPSTER RIDE TO TAILWHIP  
ZACK ROBERTS

COVER:  
KARL POYNTER  
WEDGE GAP  
KARL POYNTER

# 2013 SIZING + FEATURES

## KEY SPECS FOR COMPLETE BIKES

For full specs, see back inside cover

| SKILL CATEGORY | MODEL NAME  | TT SIZE | CRMO FRAME | CRMO FORK | CRMO BARS | REAR DOUBLE WALL RIM | FRONT DOUBLE WALL RIM | SEALED FRONT HUB | SEALED REAR HUB | INTEGRATED HEADSET | HEAT-TREATED 3PC. TUBULAR CRMO CRANKS | ALLOY SPROCKET | CNC'D 6061 STEM | EASTERN BRAKE LEVER | HALF LINK CHAIN | SEAT/POST COMBO | PIVOTAL SEAT | EASTERN TIRES | EASTERN CROWN PEDALS | SEALED MID BB | INCLUDES PEGS |
|----------------|-------------|---------|------------|-----------|-----------|----------------------|-----------------------|------------------|-----------------|--------------------|---------------------------------------|----------------|-----------------|---------------------|-----------------|-----------------|--------------|---------------|----------------------|---------------|---------------|
| TEAM           | CHIEF       | 21"     | •          | •         | •         | •                    | •                     | •                | •               | •                  | Nomad                                 | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
|                | BOSS        | 21"     | •          | •         | •         | •                    | •                     | •                | •               | •                  | Nomad                                 | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
| PRO            | REAPER      | 21"     | •          | •         | •         | •                    | •                     | •                | •               | •                  | Reaper                                | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
|                | AXIS        | 21"     | •          | •         | •         | •                    | •                     | •                | •               | •                  | Reaper                                | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
| EXPERT         | PHANTOM     | 21"     | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                     | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
|                | WOLFD OG    | 21"     | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                     | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
| INTERMEDIATE   | CREMATOR    | 21"     | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                     | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
|                | SHOVELHEAD  | 21"     | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                     | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
| BEGINNER       | WARLOCK     | 21"     | DT         | •         | •         | •                    | •                     | •                | •               | •                  | •                                     | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
|                | TRAILDIGGER | 21"     | DT         | •         | •         | •                    | •                     | •                | •               | •                  | •                                     | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
| BEGINNER       | GRIFFIN     | 21"     | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                     | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
|                | NIGHTWASP   | 20.5"   | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                     | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
| BEGINNER       | SHOCK       | 18.5"   | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                     | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
|                | VULTURE     | 21"     | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                     | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
| BEGINNER       | COBRA       | 20.5"   | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                     | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
|                | BATTERY     | 20.25"  | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                     | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
| BEGINNER       | PISTON      | 19.75"  | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                     | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
|                | LOWDOWN 120 | 19.75"  | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                     | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
| BEGINNER       | LOWDOWN 118 | 18.4"   | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                     | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
|                | LOWDOWN 116 | 16.4"   | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                     | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |

### CHART LEGEND:



HYDRO-FORMED DOWNTUBE



HELI X TUBING



IPC. CNC'D STEERER TUBE



DT CHROMOLY DOWNTUBE



FEATURE IS INCLUDED ON BIKE

## FEATURES

Explore the many features on our complete bikes and aftermarket parts



### 4130 CHROMOLY

The industry standard for quality metals in BMX products. Look for these icons to indicate whether your bike has chromoly features.



**HELI X TUBING**  
Internal cross-bracing creates better stress distribution & dent resistance, while looking like a normal tube.



**1 PIECE CNC STEERER TUBE**  
Less pieces & welds increase strength, allowing thinner materials to be used, yielding a lighter, higher-performing fork.



**WIDE BB**  
Increases overall frame strength & stiffness. Also, it provides more tire clearance for today's wide tires & a stiffer rear triangle.



**VENUS WHEELS**  
Our best wheel to date. Made up of the low-profile Venus Hub with Birectional technology & double-wall alloy Diode rims. Accommodates the Pop-N-Lock Hub Guard.



**REPLACEABLE BRAKEMOUNTS**  
No matter how you set your bike up, our easy to replace brake mounts will have your bike looking fresh and clean.



**CROWN PEDALS**  
A slimmer profile & multi-faceted knurling make a grippier and lighter pedal.



**POP-N-LOCK HUBGUARD**  
Developed for the Eastern and Nitrous hubs. Protects your hub & very simple to install.



**HYDROFORMED DT**  
These unique downtubes provide more surface area for the weld, making them stronger than conventional tubes.



**PIVOTAL SEAT**  
Allows rider to adjust the angle of their seat quickly and easily.



**LEFT/RIGHT HAND DRIVE BIRECTIONAL HUB**  
Designed to be used as right or left-hand drive w/ no extra parts. Accommodates the Pop-N-Lock Hub Guard.



**INTEGRATED HEADSET**  
Sealed bearing headset for a clean look and an ultra-smooth feel.



**DOUBLE-WALL RIMS**  
Stronger & more reliable than a single-wall rim.




**SEALED HUBS**  
For a smoother ride and very little maintenance.



**HEAT TREATMENT**  
The process of heating metal to achieve a more consistent & stronger bike part.

## SIZING CHART

This chart is only meant to guide you towards the bike that properly fits your proportions. Experience, riding style, and preference are factors that are just as important as your height.






# LOWDOWN

19.75" (120) 18.4" (118) 16.4" (116) 26.0 LBS (120) 24.0 LBS (118/116)



120 MODEL  
Fork Offset: 40mm




**GEARING** // 25/9 Micro-drive (120)  
33/14 (118) 33/16 (116)  
**FRAME** // Lowdown Hi-Tensile Strength  
1020 Steel Frame. *Eastern Promise: lifetime warranty\*,  
lifetime upgrade policy\*\**  
**FORK** // Lowdown Hi-Tensile Strength 1020 Steel  
**BARS** //  
7.75" x 27.5", 1" Upsweep, 12" Backsweep (120)  
6.5" x 24.5", 10" Backsweep (118)  
5" x 20.5", 10" Backsweep (116)  
**HEADSET** // 1-1/8" Aheadset  
**BB** // American Loose Ball Bearing  
**PEDALS** // VP Components Plastic Platform Pedals

**GRIPS** // Velo Mushroom Grip\*  
(Krayton rubber on 118 & 116)  
**STEM** // Forged Alloy Front Load  
**SPROCKET** // Steel 25T(120), Steel 33T(118 & 116)  
**CRANKS** // Forged & Heat-Treated 1pc. Cro-Mo Cranks.  
Light & Strong. (116 & 118 not heat treated)  
**SEAT** // Adjustable Saddle with Embossed Logo  
**SEATPOST** // Steel  
**TIRES** // Multi-Surface, 20" x 2.25" (120) \*\* \*\*\*  
Kenda, 18" x 2.0" (118)  
Kenda, 16" x 2.25" (116)

**REAR HUB** // 36 hole, Cassette Hub, 9-tooth driver,  
14mm Axle Studs(120)  
36 hole, 3/8" Loose Ball Bearing(118)  
36 hole, 3/8" Loose Ball Bearing 16T coaster brake  
hub(116)  
**FRONT HUB** // 36 hole, 3/8" Loose Ball Bearing  
**RIMS** // Alloy 36 Hole  
**REAR BRAKES** // Tektro Forged Alloy U-Brake  
(120) - Forged Alloy U-Brake(118) / Straight Cable  
/ Forged Alloy lever, Designed for U-Brakes  
(Coaster Brake on 116)  
**FREEWHEEL** // 9-Tooth Driver (120) Lida 14T(118)  
**CHAIN** // KMC

**SEAT CLAMP** // Nitrous Locker Forged Alloy  
Clamp (pg. 20)



**\*TAIWAN MODELS**  
\* Grips - Eastern Truffle Grips  
\*\* Front Tire - Kenda Kontact 20" x 2.25"  
\*\*\*Rear Tire - Kenda Kontact 20" x 2.25"


MATTE BLACK /BLACK  
MATTE RED /BLACK

# PISTON

19.75" 26.7 LBS



Fork Offset: 40mm




**GEARING** // 25/9 Micro-drive  
**FRAME** // Piston Hi-Tensile Strength  
1020 Steel Frame. *Eastern Promise: lifetime warranty\*,  
lifetime upgrade policy\*\**  
**FORK** // Piston Hi-Tensile Strength 1020 Steel  
**BARS** // 7.75" x 27.5", 1" Upsweep, 12" Backsweep  
**HEADSET** // 1-1/8" Aheadset  
**BB** // American Loose Ball Bearing  
**PEDALS** // VP Components Plastic Platform Pedals  
**GRIPS** // Velo Mushroom Grip\*  
**STEM** // Forged Alloy Front Load  
**SPROCKET** // 25T Steel

**CRANKS** // Forged & Heat-Treated 1pc. Cro-Mo Cranks.  
Light & Strong.  
**SEAT** // Adjustable Saddle with Embossed Logo  
**SEATPOST** // Steel  
**TIRES** // Multi-Surface, 20" x 2.35"\*\*\* \*\*\*  
**FRONT HUB** // 36 hole 3/8" chromoly axle, Loose  
Ball Bearing  
**REAR HUB** // Fully Sealed 36 hole cassette hub, Forged  
Alloy Shell, 1pc. 9-tooth chromoly driver, 14mm  
chromoly axle, 5 sealed bearings  
**RIMS** // Alloy 36 Hole

**REAR BRAKES** // Tektro Forged Alloy U-Brake /  
Straight Cable / Forged Alloy lever, Designed for  
U-Brakes  
**FREEWHEEL** // Sealed bearing 9-tooth 1pc. driver  
**CHAIN** // KMC  
**SEAT CLAMP** // Nitrous Locker Forged Alloy Clamp  
(pg. 20)

**\*TAIWAN MODELS**  
\* Grips - Eastern Truffle Grips  
\*\* Front Tire - Kenda Kontact 20" x 2.25"  
\*\*\*Rear Tire - Kenda Kontact 20" x 2.25"




MATTE BLACK /BLACK  
MATTE HT BLUE /BLACK

# BATTERY

20.25" 26.5 LBS



Fork Offset: 40mm



**GEARING** // 25/9 Micro-drive

**FRAME** // Battery Hi-Tensile Strength 1020 Steel Frame. Eastern Promise: lifetime warranty\*, lifetime upgrade policy\*\*

**FORK** // Battery Hi-Tensile Strength 1020 Steel

**BARS** // 7.75"x 27.5", 1" Upsweep, 12" Backsweep

**HEADSET** // 1-1/8" Aheadset

**BB** // American Loose Ball Bearing

**PEDALS** // VP Components Plastic Platform Pedals

**GRIPS** // Velo Mushroom Grip\*

**STEM** // Forged Alloy Front Load

**SPROCKET** // 25T Steel

**CRANKS** // Tubular chromoly heat-treated 3pc. cranks with 8 spline spindle

**SEAT** // Adjustable Saddle with Embossed Logo

**SEATPOST** // Steel

**TIRES** // Multi-Surface, 20"x 2.35"\*\*\*

**FRONT HUB** // 36 hole 3/8" chromoly axle, Loose Ball Bearing

**REAR HUB** // Fully Sealed 36 hole cassette hub, Forged Alloy Shell, 1pc. 9-tooth chromoly driver, 14mm chromoly axle, 5 sealed bearings

**RIMS** // Alloy 36 Hole

**REAR BRAKES** // Tektro Forged Alloy U-Brake / Straight Cable / Forged Alloy lever, Designed for U-Brakes

**FREEWHEEL** // Sealed bearing 9-tooth 1pc. driver

**CHAIN** // KMC

**SEAT CLAMP** // Nitrous Locker Forged Alloy Clamp (pg. 20)

**\*TAIWAN MODELS**

\* Grips - Eastern Truffle Grips

\*\* Front Tire - Kenda Kontact 20" x 2.25"

\*\*\*Rear Tire - Kenda Kontact 20" x 2.25"




MATTE BLACK / BLACK  
MATTE CORTEX RED / BLACK

# COBRA / NTS 500

20.5" 26.5 LBS



Fork Offset: 40mm



**GEARING** // 25/9 Micro-drive

**FRAME** // Cobra Hi-Tensile Strength 1020 Steel Frame. Eastern Promise: lifetime warranty\*, lifetime upgrade policy\*\*

**FORK** // Cobra Hi-Tensile Strength 1020 Steel

**BARS** // 8.0"x 28.5", 1" Upsweep, 12" Backsweep

**HEADSET** // 1-1/8" Aheadset

**BB** // American Loose Ball Bearing

**PEDALS** // VP Components Plastic Platform Pedals

**GRIPS** // Velo Mushroom Grip\*

**STEM** // Forged Alloy Front Load

**SPROCKET** // 25T Steel

**CRANKS** // Tubular chromoly heat-treated 3pc. cranks with 8 spline spindle

**SEAT** // Adjustable Saddle with Embossed Logo

**SEATPOST** // Steel

**TIRES** // Multi-Surface, 20"x 2.35"\*\*\*

**FRONT HUB** // Sealed Bearing, 36 hole Alloy Shell, 3/8" chromoly axle

**REAR HUB** // Fully Sealed 36 hole cassette hub, Forged Alloy Shell, 1pc. 9-tooth chromoly driver, 14mm chromoly axle, 5 sealed bearings.

**RIMS** // REAR-Double Wall Alloy, 36 Hole FRONT- Alloy 36 hole

**REAR BRAKES** // Tektro Forged Alloy U-Brake / Straight Cable / Forged Alloy lever, Designed for U-Brakes

**FREEWHEEL** // Sealed bearing 9-tooth 1pc. driver

**CHAIN** // KMC

**SEAT CLAMP** // Nitrous Locker Forged Alloy Clamp (pg. 20)

**PEGS** // 2 pegs

**\*TAIWAN MODELS**

\* Grips - Eastern Truffle Grips

\*\* Front Tire - Kenda Kontact 20" x 2.25"


\*\*\*Rear Tire - Kenda Kontact 20" x 2.25"



MATTE BLACK  
MATTE BLACK / RED  
MATTE ORANGE / BLACK

\*SPECS & PRICING SUBJECT TO CHANGE

# VULTURE 21.0" 26.3 LBS




**GEARING** // 25/9 Micro-drive  
**FRAME** // Vulture w/ "E" logo cut out in Headtube, classic Eastern Seat tube cutout, hi-tensile strength 1020 steel frame. *Eastern Promise: lifetime warranty\*, lifetime upgrade policy\*\**  
**FORK** // Vulture Hi-Tensile Strength 1020 Steel  
**BAR** // 8.0"x 28.5", 1" Upsweep, 12" Backsweep  
**HEADSET** // 1-1/8" Aheadset  
**BB** // American Loose Ball Bearing  
**PEDALS** // VP Components Plastic Platform Pedals  
**GRIPS** // Velo Mushroom Grip\*  
**STEM** // Forged Alloy Front Load


**SPROCKET** // Eastern Phorcys 25T steel  
**CRANKS** // Tubular chromoly heat-treated 3pc. cranks with 8 spline spindle  
**SEAT** // Adjustable Saddle with Embossed Logo  
**SEATPOST** // Steel  
**TIRES** // Multi-Surface, 20" x 2.35"\*\*\*  
**FRONT HUB** // Sealed Bearing, 36 hole Alloy Shell, 3/8" Chromoly axle  
**REAR HUB** // Fully Sealed 36 hole cassette hub, Forged Alloy Shell, 1pc. 9-tooth chromoly driver, 14mm chromoly axle, 5 sealed bearings  
**RIMS** // REAR-Double Wall Alloy, 36 Hole  
**FRONT** - Alloy 36 hole

**REAR BRAKES** // Tektro Forged Alloy U-Brake / Straight Cable / Forged Alloy lever, Designed for U-Brakes  
**FREEWHEEL** // Sealed bearing 9-tooth 1pc. driver  
**CHAIN** // KMC  
**SEAT CLAMP** // Nitrous Locker Forged Alloy Clamp (pg. 20)  
**PEGS** // 2 pegs

**\*TAIWAN MODELS**  
 \* Grips - Eastern Truffle Grips  
 \*\* Front Tire - Kenda Kontact 20" x 2.25"  
 \*\*\*Rear Tire - Kenda Kontact 20" x 2.25"



# SHOCK 18.5" 27.5 LBS




**FRAME** // Shock Flatland Specific Hi-Tensile Strength 1020 Steel Frame. *Eastern Promise: lifetime warranty\*, lifetime upgrade policy\*\**  
**FORK** // Shock Hi-Tensile Strength 1020 Steel  
**BAR** // 7.75"x 25", 1" Upsweep, 12" Backsweep  
**HEADSET** // 1-1/8" Aheadset  
**BB** // American Loose Ball Bearing  
**PEDALS** // VP Components Plastic Platform Pedals  
**GRIPS** // Velo Mushroom Grip\*  
**STEM** // Forged Alloy Front Load  
**SPROCKET** // 25T Steel


**CRANKS** // Tubular chromoly heat-treated 3pc. cranks with 8 spline spindle  
**SEAT** // Adjustable Saddle with Embossed Logo  
**SEATPOST** // Steel  
**TIRES** // Eastern Fuquay Flyer 20" x 2.3" OEM  
**FRONT HUB** // 36 Hole, 3/8" chromoly axle, loose ball bearing  
**REAR HUB** // KT/Quando freecoaster, 36 hole, 14t cog  
**RIMS** // Alloy 36 Hole  
**FRONT & REAR BRAKES** // Tektro Forged Alloy U-Brake front & rear / 1 into 2 Upper Cable, Dual Lower Cables / Forged Alloy lever, Designed for U-Brakes

**FREEWHEEL** // Sealed bearing 9-tooth 1pc. driver  
**CHAIN** // KMC  
**SEAT CLAMP** // Nitrous Locker Forged Alloy Clamp (pg. 20)  
**PEGS** // 4 pegs

**\*TAIWAN MODELS**  
 \* Grips - Eastern Truffle Grips



# NIGHTWASP 20.5" 26.4 LBS




**GEARING** // 25/9 Micro-drive  
**FRAME** // Nightwasp Hi-Tensile Strength 1020 Steel Frame. Eastern Promise: lifetime warranty\*, lifetime upgrade policy\*\*  
**FORK** // Nightwasp Hi-Tensile Strength 1020 Steel  
**BAR** // 8.25"x 28.5", 1" Upsweep, 12" Backsweep  
**HEADSET** // 1-1/8" Aheadset  
**BB** // Sealed Bearing, Mid Bottom Bracket  
**PEDALS** // VP Components Plastic Platform Pedals  
**GRIPS** // Velo Mushroom Grip\*  
**STEM** // Forged Alloy Front Load  
**SPROCKET** // Eastern Phorcys 25T steel


**CRANKS** // Tubular chromoly heat-treated 3pc. cranks with 8 spline spindle  
**SEAT** // Eastern logo 1pc. seat and alloy post combo, Durable Nylon Cover, and Stitched Logo  
**SEATPOST** // Steel  
**TIRES** // Multi-Surface, 20" x 2.35"\*\*\*  
**FRONT HUB** // Sealed Bearing, 36 hole Alloy Shell, 3/8" Chromoly axle  
**REAR HUB** // Fully Sealed 36 hole cassette hub, Forged Alloy Shell, 1pc. 9-tooth chromoly driver, 14mm chromoly axle, 5 sealed bearings.  
**RIMS** // REAR-Double Wall Alloy, 36 Hole  
**FRONT** - Alloy 36 hole

**REAR BRAKES** // Tektro Forged Alloy U-Brake / Straight Cable / Forged Alloy lever, Designed for U-Brakes  
**FREEWHEEL** // Sealed bearing 9-tooth 1pc. driver  
**CHAIN** // KMC  
**SEAT CLAMP** // Nitrous Locker Forged Alloy Clamp (pg. 20)  
**PEGS** // 2 pegs

**\*TAIWAN MODELS**  
 \* Grips - Eastern Truffle Grips  
 \*\* Front Tire - Kenda Kontact 20" x 2.25"  
 \*\*\*Rear Tire - Kenda Kontact 20" x 2.25"



# GRIFFIN 21.0" 26.1 LBS




**GEARING** // 25/9 Micro-drive  
**FRAME** // Griffin Hi-Tensile Strength 1020 Steel Frame w/ "E" logo cut out in Headtube, classic Eastern Seat tube cutout. Eastern Promise: lifetime warranty\*, lifetime upgrade policy\*\*  
**FORK** // Griffin Hi-Tensile Strength 1020 Steel  
**BAR** // 8.25"x 28.5", 1" Upsweep, 12" Backsweep  
**HEADSET** // 1-1/8" Aheadset  
**BB** // Sealed Bearing, Mid Bottom Bracket  
**PEDALS** // VP Components Plastic Platform Pedals  
**GRIPS** // Velo Mushroom Grip\*  
**STEM** // Forged Alloy Front Load

**SPROCKET** // Eastern Phorcys 25T steel  
**CRANKS** // Tubular chromoly heat-treated 3pc. cranks with 8 spline spindle  
**SEAT** // Eastern logo 1pc. seat and alloy post combo, Durable Nylon Cover, and Stitched Logo  
**SEATPOST** // Alloy post included with seat  
**TIRES** // Multi-Surface, 20" x 2.35"\*\*\*  
**FRONT HUB** // Sealed Bearing, 36 hole Alloy Shell, 3/8" Chromoly axle  
**REAR HUB** // Fully Sealed 36 hole cassette hub, Forged Alloy Shell, 1pc. 9-tooth chromoly driver, 14mm chromoly axle, 5 sealed bearings.


**RIMS** // REAR-Double Wall Alloy, 36 Hole  
**FRONT** - Alloy 36 hole  
**REAR BRAKES** // Tektro Forged Alloy U-Brake / Straight Cable / Forged Alloy lever, Designed for U-Brakes  
**FREEWHEEL** // Sealed bearing 9-tooth 1pc. driver  
**CHAIN** // KMC  
**SEAT CLAMP** // Nitrous Locker Forged Alloy Clamp (pg.20)  
**PEGS** // 2 pegs

**\*TAIWAN MODELS**  
 \* Grips - Eastern Truffle Grips  
 \*\* Front Tire - Kenda Kontact 20" x 2.25"  
 \*\*\*Rear Tire - Kenda Kontact 20" x 2.25"



\*SPECS & PRICING SUBJECT TO CHANGE

# TRAILDIGGER 21.0" 26.0 LBS



**GEARING** // 25/9 Micro-drive  
**FRAME** // Traildigger frame w/ 4130 chromoly downtube, integrated headset & mid BB. Holes for replaceable gyro tabs. 78mm wide BB to allow for wider tire clearance. *Eastern Promise: lifetime warranty\*, lifetime upgrade policy\*\**  
**FORK** // Eastern Full 4130 Chromoly w/ Tapered Legs & Hangfree Dropout Design  
**BAR** // Eastern 8.5"x 28.5", 1 Degree Upsweep, 12 Backsweep  
**HEADSET** // Sealed Bearing 45/45 Integrated  
**BB** // Sealed Bearing, Mid Bottom Bracket

**PEDALS** // Eastern Crown Pedals (pg.21)  
**GRIPS** // Eastern Truffle Grip (pg.19)  
**STEM** // Forged Alloy Front Load  
**SPROCKET** // Eastern Phorcys 25T steel  
**CRANKS** // Tubular chromoly heat-treated 3pc. cranks with 8 spline spindle  
**SEAT** // Eastern logo 1pc. seat and alloy post combo, Durable Nylon Cover, and Stitched Logo  
**SEATPOST** // Alloy post included with seat  
**TIRES** //  
**FRONT** - Eastern Curb Monkey 20"x 2.3" OEM (pg. 28)  
**REAR** - Eastern Fuquay Flyer 20"x 2.3" OEM (pg. 28)


**FRONT HUB** // Sealed Bearing, 36 hole Alloy Shell, 3/8" Chromoly axle  
**REAR HUB** // Fully Sealed 36 hole cassette hub, Forged Alloy Shell, 1pc. 9-tooth chromoly driver, 14mm chromoly axle, 5 sealed bearings.  
**RIMS** // Double Wall Alloy, 36 Hole  
**REAR BRAKES** // Tektro Forged Alloy U-Brake / Straight Cable / Eastern 6061 Forged Lever w/ Hinged Clamp (pg. 21)  
**FREEWHEEL** // Sealed bearing 9-tooth 1pc. driver  
**CHAIN** // KMC  
**SEAT CLAMP** // Eastern Slant Forged (pg.20)

**PEGS** // 2 pegs



MATTE BLACK / PURPLE  
 MATTE BLACK / RED  
 GLOSS WHITE / BLACK

# WARLOCK 21.0" 25.3 LBS



**GEARING** // 25/9 Micro-drive  
**FRAME** // Warlock frame w/ "E" logo cut out in Headtube, classic Eastern Seat tube cutout, 4130 chromoly downtube & integrated headset. Chromoly BB, dropouts and headtube. Holes for replaceable gyro tabs. \*\*\*\*\* 78mm wide BB to allow for wider tire clearance. *Eastern Promise: lifetime warranty\*, lifetime upgrade policy\*\**  
**FORK** // Eastern FULL 4130 Chromoly w/ Tapered Legs & Hangfree Dropout Design  
**BAR** // 8.5"x 28.5", 1" Upsweep, 12" Backsweep  
**HEADSET** // Sealed Bearing 45/45 Integrated  
**BB** // Sealed Bearing, Mid Bottom Bracket


**PEDALS** // Eastern Crown pedals (pg. 21)  
**GRIPS** // Eastern Truffle Grip (pg. 19)  
**STEM** // Eastern Forged Alloy Frontload  
**SPROCKET** // Eastern Phorcys 25T steel  
**CRANKS** // Tubular chromoly heat-treated 3pc. cranks with 8 spline spindle  
**SEAT** // Eastern logo 1pc. seat and alloy post combo, Durable Nylon Cover, and Stitched Logo  
**SEATPOST** // Alloy post included with seat  
**TIRES** // Eastern Fuquay Flyer 20"x 2.3" OEM (pg. 28)  
**FRONT HUB** // Sealed Bearing, 36 hole Alloy Shell, 3/8" Chromoly axle

**REAR HUB** // Fully Sealed 36 hole cassette hub, Forged Alloy Shell, 1pc. 9-tooth chromoly driver, 14mm chromoly axle, 5 sealed bearings.  
**RIMS** // Double Wall Alloy, 36 Hole  
**REAR BRAKES** // Tektro Forged Alloy U-Brake / Straight Cable / Eastern 6061 Forged Lever w/ Hinged Clamp (pg. 21)  
**FREEWHEEL** // Sealed bearing 9-tooth 1pc. driver  
**CHAIN** // KMC  
**SEAT CLAMP** // Eastern Slant Forged (pg.20)  
**PEGS** // 2 pegs



MATTE BURGANDY / BLUE  
 MATTE BLACK / SKIN WALL

# SHOVELHEAD 21.0" 24.9 LBS



## GEARING // 25/9 Micro-drive

**FRAME** // Full 4130 Chromoly Shovelhead frame, Integrated headset, mid BB and holes for replaceable gyro tabs.\*\*\*\*\* 78mm wide BB to allow for wider tire clearance. Eastern Promise: lifetime warranty\*, lifetime upgrade policy\*\*

**FORK** // Eastern Full 4130 Chromoly, Tapered Legs & Hangfree Dropout Design, 35mm Offset

**BAR** // Eastern FULL 4130 chromoly 8.5"x 28.5" w/ 2mm Wall Thickness on Grip Tube & 1.2mm Thickness on Crossbar, 1" Upsweep, 12" Backsweep

**HEADSET** // Sealed Bearing 45/45 Integrated

**BB** // Sealed Bearing, Mid Bottom Bracket

**PEDALS** // Eastern Crown pedals (pg. 21)

**GRIPS** // Eastern Truffle Grip (pg. 19)

**STEM** // Eastern Forged Alloy Frontload

**SPROCKET** // Eastern Phorcys 25T 6061 Alloy (pg. 25)

**CRANKS** // Eastern 175mm, tubular chromoly heat-treated 3pc. cranks w/ 8 spline spindle

**SEAT** // Eastern logo 1pc. seat and alloy post combo, Durable Nylon Cover, and Stitched Logo

**SEATPOST** // Alloy post included with seat

**TIRES** //

FRONT - Eastern Curb Monkey 20"x 2.3" OEM (pg. 28)

REAR - Eastern Fuquay Flyer 20"x 2.3" OEM (pg. 28)

**FRONT HUB** // Sealed Bearing, 36 hole Alloy Shell, 3/8" Chromoly axle

**REAR HUB** // Fully Sealed 36 hole cassette hub, Forged Alloy Shell, 1pc. 9-tooth chromoly driver, 14mm chromoly axle, 5 sealed bearings.

**RIMS** // Double Wall Alloy, 36 Hole

**REAR BRAKES** // Tektro Forged Alloy U-Brake / Straight Cable / Eastern 6061 Forged Lever w/ Hinged Clamp (pg. 21)

**FREEWHEEL** // Sealed bearing 9-tooth 1pc. driver

**CHAIN** // KMC Z510H


**SEAT CLAMP** // Eastern Slant Forged (pg.20)

**PEGS** // 2 pegs



MATTE GREEN/  
GOLD  
MATTE BLACK  
/PURPLE

# CREMATOR 21.0" 24.7 LBS



## GEARING // 25/9 Micro-drive

**FRAME** // Full 4130 Chromoly Cremator frame w/ "E" logo cut out in Headtube, classic Eastern Seat tube cutout, Integrated headset, mid BB, replaceable brake mounts and cable stop, holes for replaceable gyro tabs.\*\*\*\*\* 78mm wide BB to allow for wider tire clearance. Eastern Promise: lifetime warranty\*, lifetime upgrade policy\*\*

**FORK** // Eastern Full 4130 Chromoly, Tapered Legs & Hangfree Dropout Design, 25mm Offset

**BAR** // Eastern Full 4130 chromoly 8.5"x 28.5" w/ 2mm Wall Thickness on Grip Tube & 1.2mm Thickness on Crossbar, 1" Upsweep, 12" Backsweep

**HEADSET** // Sealed Bearing 45/45 Integrated

**BB** // Sealed Bearing, Mid Bottom Bracket

**PEDALS** // Eastern Crown pedals (pg. 21)

**GRIPS** // Eastern Truffle Grip (pg. 19)

**STEM** // Eastern Forged Alloy Frontload

**SPROCKET** // Eastern Phorcys 25T 6061 Alloy (pg. 25)

**CRANKS** // Eastern 175mm, tubular chromoly heat-treated 3pc. cranks w/ 8 spline spindle

**SEAT** // Eastern logo 1pc. seat and alloy post combo, Durable Nylon Cover, and Stitched Logo

**SEATPOST** // Alloy post included with seat

**TIRES** // Eastern Fuquay Flyer 20"x 2.3" OEM (pg. 28)

**FRONT HUB** // Sealed Bearing, 36 hole Alloy Shell, 3/8" Chromoly axle

**REAR HUB** // Fully Sealed 36 hole cassette hub, Forged Alloy Shell, 1pc. 9-tooth chromoly driver, 14mm chromoly axle, 5 sealed bearings.

**RIMS** // Double Wall Alloy, 36 Hole

**REAR BRAKES** // Tektro Forged Alloy U-Brake / Straight Cable / Eastern 6061 Forged Lever w/ Hinged Clamp (pg. 21)

**FREEWHEEL** // Sealed Bearing, 9T 1pc. Driver

**CHAIN** // KMC Z510H

**SEAT CLAMP** // Eastern Slant Forged (pg.20)


**PEGS** // 2 pegs



MATTE ORANGE/  
BLUE  
MATTE BLACK  
/SKIN WALL

\*SPECS & PRICING SUBJECT TO CHANGE

# WOLFDOL 21.0" 24.9 LBS




**GEARING** // 25/9 Micro-drive  
**FRAME** // Full 4130 chromoly Wolfdog frame, hydro formed down tube with integrated gusset. Integrated headset, mid BB and holes for gyro tabs.\*\*\*\*\* 78mm wide BB to allow for wider tire clearance. Eastern Promise: lifetime warranty\*, lifetime upgrade policy\*\*  
**FORK** // Eastern Full 4130 chromoly, 1pc. CNC'd steerer tube, machined bearing race with tapered legs and hangfree dropout design, 35mm Offset  
**BAR** // Eastern Full 4130 chromoly 8.5"x 28.5" w/ 2mm Wall Thickness on Grip Tube & 1.2mm Thickness on Crossbar, 1" Upsweep, 12" Backsweep  
**HEADSET** // Sealed Bearing 45/45 Integrated

**BB** // Sealed Bearing, Mid Bottom Bracket  
**PEDALS** // Eastern Crown pedals (pg. 21)  
**GRIPS** // Eastern Truffle Grip (pg. 19)  
**STEM** // Eastern Compressor 6061 alloy CNC'd frontload stem (pg. 18)  
**SPROCKET** // Eastern Phorcys 25T 6061 Alloy (pg. 25)  
**CRANKS** // Eastern 175mm, tubular chromoly heat-treated 3pc. cranks w/ 8 spline spindle  
**SEAT** // Eastern logo 1pc. seat and alloy post combo, Durable Nylon Cover, and Stitched Logo  
**SEATPOST** // Alloy post included with seat


**TIRES** //  
**FRONT** - Eastern Curb Monkey 20" x 2.3" OEM (pg. 28)  
**REAR** - Eastern Fuquay Flyer 20" x 2.3" OEM (pg. 28)  
**FRONT HUB** // Sealed Bearing, 36 hole Alloy Shell, 3/8" Chromoly axle  
**REAR HUB** // Fully Sealed 36 hole cassette hub, Forged Alloy Shell, 1pc. 9-tooth chromoly driver, 14mm chromoly axle, 5 sealed bearings.  
**RIMS** // Double Wall Alloy, 36 Hole  
**REAR BRAKES** // Tektro Forged Alloy U-Brake / Straight Cable / Eastern 6061 Forged Lever w/ Hinged Clamp (pg. 21)  
**FREEWHEEL** // Sealed Bearing, 9T 1pc. Driver

**CHAIN** // Half Link Chain (pg. 25)  
**SEAT CLAMP** // Eastern Slant Forged (pg. 20)  
**PEGS** // 2 pegs

**NOTE:**  
 Darkness of Phosphate color varies naturally



# PHANTOM 21.0" 24.5 LBS




**GEARING** // 25/9 Micro-drive  
**FRAME** // Full 4130 chromoly Phantom frame w/ "E" logo cut out in Headtube, classic Eastern Seat tube cutout, Hydroformed downtube, integrated gusset. Integrated headset, mid BB, replaceable brake mounts and cable stop, holes for replaceable gyro tabs.\*\*\*\*\* 78mm wide BB to allow for wider tire clearance. Eastern Promise: lifetime warranty\*, lifetime upgrade policy\*\*  
**FORK** // Eastern Full 4130 chromoly, 1pc. CNC'd steerer tube, machined bearing race with tapered legs and hangfree dropout design, 25mm Offset


**BAR** // Eastern Full 4130 chromoly 8.5"x 28.5" w/ 2mm Wall Thickness on Grip Tube & 1.2mm Thickness on Crossbar, 1" Upsweep, 12" Backsweep  
**HEADSET** // Sealed Bearing 45/45 Integrated  
**BB** // Sealed Bearing, Mid Bottom Bracket  
**PEDALS** // Eastern Crown pedals (pg. 21)  
**GRIPS** // Eastern Truffle Grip (pg. 19)  
**STEM** // Eastern Compressor 6061 alloy CNC'd frontload stem (pg. 18)  
**SPROCKET** // Eastern Phorcys 25T 6061 Alloy (pg. 25)  
**CRANKS** // Eastern 175mm, tubular chromoly heat-treated 3pc. cranks w/ 8 spline spindle

**SEAT** // Eastern logo 1pc. seat and alloy post combo, Durable Nylon Cover, and Stitched Logo  
**SEATPOST** // Alloy post included with seat  
**TIRES** // Eastern Fuquay Flyer 20" x 2.3" OEM (pg. 28)  
**FRONT HUB** // Sealed Bearing, 36 hole Alloy Shell, 3/8" Chromoly axle  
**REAR HUB** // Fully Sealed 36 hole cassette hub, Forged Alloy Shell, 1pc. 9-tooth chromoly driver, 14mm chromoly axle, 5 sealed bearings.  
**RIMS** // Double Wall Alloy, 36 Hole

**REAR BRAKES** // Tektro Forged Alloy U-Brake / Straight Cable / Eastern 6061 Forged Lever w/ Hinged Clamp (pg. 21)  
**FREEWHEEL** // Sealed Bearing, 9T 1pc. Driver  
**CHAIN** // Half Link Chain (pg. 25)  
**SEAT CLAMP** // Eastern Slant Forged (pg. 20)  
**PEGS** // 2 pegs



# AXIS 21.0" 24.4 LBS



## GEARING // 25/9 Micro-drive

**FRAME** // Axis, FULL 4130 chromoly frame with Helix down tube. Integrated headset, mid BB and holes for gyro tabs.\*\*\*\*\* 78mm wide BB to allow for wider tire clearance. Eastern Promise: lifetime warranty\*, lifetime upgrade policy\*\*

**FORK** // Eastern Full 4130 Chromoly 1pc. CNC'd Steerer Tube w/ Machined Integrated Bearing Race, Tapered Legs & Hangfree Dropout Design, 35mm Offset

**BAR** // Eastern FULL 4130 chromoly 8.5"x 28.5" w/ 2mm Wall Thickness on Grip Tube & 1.2mm Thickness on Crossbar, 1" Upsweep, 12" Backsweep

**HEADSET** // Sealed Bearing 45/45 Integrated

**BB** // Sealed Bearing, Mid Bottom Bracket

**PEDALS** // Eastern Crown pedals (pg. 21)

**GRIPS** // Eastern Truffle Grip (pg. 19)

**STEM** // Eastern Compressor 6061 alloy CNC'd frontload stem (pg. 18)

**SPROCKET** // Eastern Phorcys 25T 6061 Alloy (pg. 25)

**CRANKS** // Reaper Cranks, 48 spline, 3pc. tubular chromoly heat-treated (p. 24)

**SEAT** // Eastern Fat pivotal w/ thick padding and embroidered logo finished in a Durable Nylon Cover (pg. 20)

**SEATPOST** // Forged Alloy Pivotal

## TIRES //

FRONT - Eastern Curb Monkey 20" x 2.3" OEM (pg. 28)

REAR - Eastern Fuquay Flyer 20" x 2.3" OEM (pg. 28)

**FRONT HUB** // Sealed Bearing, 36 hole Alloy Shell, 3/8" Chromoly axle

**REAR HUB** // Eastern Classic Bi-Directional Hub, Right or Left Hand Drive, Forged Alloy Shell, Chromoly Axle, Fully Sealed Bearing. Specially designed to accommodate the Eastern Pop-n-Loc hub guard (pg. 27)

**RIMS** // Double Wall Alloy, 36 Hole

**REAR BRAKES** // Tektro Forged Alloy U-Brake / Straight Cable / Eastern 6061 Forged Lever w/ Hinged Clamp (pg. 21), Clear Brake Pads


**FREEWHEEL** // Sealed bearing 9-tooth

1pc. driver

**CHAIN** // Half Link Chain (pg. 25)


**SEAT CLAMP** // Eastern Slant Forged (pg. 20)

**PEGS** // 2 pegs



MATTE MIDNIGHT/ANTIFREEZE  
MATTE BLACK/CHROME

# REAPER 21.0" 24.2 LBS



## GEARING // 25/9 Micro-drive

**FRAME** // Reaper, w/ "E" logo cut out in Headtube, classic Eastern Seat tube cutout, Full 4130 chromoly frame with Helix down tube. Replaceable brake mounts and cable stop. Integrated headset, mid BB and holes for gyro tabs.\*\*\*\*\* 78mm wide BB to allow for wider tire clearance. Eastern Promise: lifetime warranty\*, lifetime upgrade policy\*\*

**FORK** // Eastern Full 4130 Chromoly 1pc. CNC'd Steerer Tube w/ Machined Integrated Bearing Race, Tapered Legs & Hangfree Dropout Design, 25mm Offset

**BAR** // Eastern Full 4130 chromoly 8.5"x 28.5" w/ 2mm Wall Thickness on Grip Tube & 1.2mm Thickness on Crossbar, 1" Upsweep, 12" Backsweep

**HEADSET** // Sealed Bearing 45/45 Integrated

**BB** // Sealed Bearing, Mid Bottom Bracket

**PEDALS** // Eastern Crown pedals (pg. 21)

**GRIPS** // Eastern Truffle Grip (pg. 19)

**STEM** // Eastern Compressor 6061 alloy CNC'd frontload stem (pg. 18)

**SPROCKET** // Eastern Phorcys 25T 6061 Alloy (pg. 25)

**CRANKS** // Reaper Cranks, 48 spline, 3pc. tubular chromoly heat-treated (p. 24)

**SEAT** // Eastern Fat pivotal w/ thick padding and embroidered logo finished in a Durable Nylon Cover (pg. 20)

**SEATPOST** // Forged Alloy Pivotal

**TIRES** // Eastern Fuquay Flyer 20" x 2.3" OEM (pg. 28)

**FRONT HUB** // Sealed Bearing, 36 hole Alloy Shell, 3/8" Chromoly axle

**REAR HUB** // Eastern Classic Bi-Directional Hub, Right or Left Hand Drive, Forged Alloy Shell, Chromoly Axle, Fully Sealed Bearing. Specially designed to accommodate the Eastern Pop-n-Loc hub guard (pg. 27)

**RIMS** // Double Wall Alloy, 36 Hole

**REAR BRAKES** // Tektro Forged Alloy U-Brake / Straight Cable / Eastern 6061 Forged Lever w/ Hinged Clamp (pg. 21), Clear Brake Pads

**FREEWHEEL** // Sealed bearing 9-tooth

1pc. driver

**CHAIN** // Half Link Chain (pg. 25)

**SEAT CLAMP** // Eastern Slant Forged (pg. 20)


**PEGS** // 2 pegs




MATTE TEAL/BRONZE  
MATTE BLACK/ROSE

\*SPECS & PRICING SUBJECT TO CHANGE

# BOSS 21.0" 22.6 LBS



MATTE  
PHOSPHATE  
/ BRONZE



## GEARING // 25/9 Micro-drive

**FRAME** // Boss w/ "E" logo cut out in Headtube, classic Eastern Seat tube cutout, Full 4130 chromoly frame with Helix down tube. Replaceable brake mounts and cable stop. Integrated headset, mid BB and holes for gyro tabs. \*\*\*\*\* 78mm wide BB to allow for wider tire clearance. Eastern Promise: lifetime warranty\*, lifetime upgrade policy\*\*

**FORK** // Eastern Slayer, Full 4130 chromoly w/ 1pc CNC steerer tube. Machined integrated bearing race, tapered legs & hangfree dropout design, 25mm Offset (pg. 17)

**BAR** // Eastern Tranny, Heat-Treated Full 4130 Chromoly, Double Butted Cross Bar 8.5"x 28.5" 1" Upsweep, 12" Backsweep (pg. 16)

**HEADSET** // Sealed Bearing 45/45 Integrated

**BB** // Sealed Bearing, Mid Bottom Bracket

**PEDALS** // Eastern Crown pedals (pg. 21)

**GRIPS** // Eastern Truffle Grip (pg. 19)

**STEM** // Eastern Compressor 6061 alloy CNCed frontload stem (pg. 18)

**SPROCKET** // CNCed Shogun 7075-T6 Alloy (pg. 25)

**CRANKS** // Eastern Nomad Cranks, Butted Spindle, Concave Arms, 3PC Heat-Treated Tubular 4130 Chromoly (pg. 24)

**SEAT** // Eastern Fat pivotal w/ thick padding and embroidered logo finished in a Durable Nylon Cover (pg. 20)

**SEATPOST** // Forged Alloy Pivotal

**TIRES** // Eastern Fuquay Flyer 20" x 2.3" HP 100PSI (pg. 28)

**FRONT HUB** // Eastern Venus Female Front Hub 7075-T6 Alloy Axle, Heat-Treated Chromoly Studs. Plastic Hub Guard Included. (pg. 26)

**REAR HUB** // Eastern Venus 36 hole Hub. 7075-T6 Alloy Female Axle w/ Heat-Treated Chromoly Studs. Convertible Right or Left Hand Drive, 1 piece 9-Tooth Driver w/ 4-Pawl Engagement. 5 Sealed Bearings & Low-Profile Hub Shell Specially Designed to Accommodate the Eastern Pop-N-Lock Hub Guard (pg. 26)

**HUBGUARD** // Eastern Pop-N-Lock (pg. 27)

**RIMS** // Eastern Diode double wall alloy front and rear rims. Welded Seam (pg. 26)

**REAR BRAKES** // Tektro Forged alloy U-brake, Model 350R for Wider clearance, Clear Brake pads / Straight Cable / Eastern 6061 Forged Lever w/ Hinged Clamp (pg. 21)

**FREEWHEEL** // Sealed bearing, right or left hand drive, 9-tooth 1pc. driver w/ 4 Pawls

**CHAIN** // Half Link Chain (pg. 25)

**SEAT CLAMP** // Eastern Slant Forged (pg. 20)

**PEGS** // 2 pegs

## NOTE:

Darkness of Phosphate color varies naturally

## VENUS WHEELS



## COMPRESSOR STEM



## HELIX DOWNTUBE



## GRIM REAPER CUTOUTS





## DOUBLE-WALL DIODE RIMS



## NOMAD CRANKS



# CHIEF 21.0" 22.8 LBS



GLOSS BLACK/  
CHROME



## GEARING // 25/9 Micro-drive

**FRAME** // Chief Full 4130 chromoly frame w/ Helix down tube. Replaceable brake mounts & cable stop. Integrated headset, mid BB & holes for gyro tabs. 78mm wide BB to allow for wider tire clearance. Eastern Promise: lifetime warranty\*, lifetime upgrade policy\*\*

**FORK** // Eastern Slayer, Full 4130 chromoly w/ 1pc CNC steerer tube. Machined integrated bearing race, tapered legs & hangfree dropout design, 32mm Offset (pg. 17)

**BAR** // Eastern Tranny, Heat-Treated Full 4130 Chromoly, Double Butted Cross Bar 8.5"x 28.5" 1" Upsweep, 12" Backsweep (pg. 16)

**HEADSET** // Sealed Bearing 45/45 Integrated

**BB** // Sealed Bearing, Mid Bottom Bracket

**PEDALS** // Eastern Crown pedals (pg. 21)

**GRIPS** // Eastern Truffle Grip (pg. 19)

**STEM** // Eastern Compressor 6061 alloy CNCed frontload stem (pg. 18)

**SPROCKET** // CNCed Shogun 7075-T6 Alloy (pg. 25)

**CRANKS** // Eastern Nomad Cranks, Butted Spindle, Concave Arms, 3PC Heat-Treated Tubular 4130 Chromoly (pg. 24)

**SEAT** // Eastern Fat pivotal w/ thick padding and embroidered logo finished in a Durable Nylon Cover (pg. 20)

**SEATPOST** // Forged Alloy Pivotal

**TIRES** //

FRONT - Eastern Curb Monkey 20"x 2.3" HP 100PSI (pg.28)

REAR - Eastern Fuquay Flyer 20"x 2.3" HP 100PSI (pg.28)

**FRONT HUB** // Eastern Venus Female Front Hub 7075-T6 Alloy Axle, Heat-Treated Chromoly Studs. Plastic Hub Guard Included. (pg. 26)

**REAR HUB** // Eastern Venus 36 hole Hub. 7075-T6 Alloy Female Axle w/ Heat-Treated Chromoly Studs. Convertible Right or Left Hand Drive, 1 piece 9-Tooth Driver w/ 4-Pawl Engagement. 5 Sealed Bearings & Low-Profile Hub Shell Specially Designed to Accommodate the Eastern Pop-N-Lock Hub Guard (pg. 26)

**HUBGUARD** // Eastern Pop-N-Lock (pg. 27)

**RIMS** // Eastern Diode double wall alloy front and rear rims. Welded Seam (pg. 26)

**REAR BRAKES** // Tektro Forged alloy U-brake, Model 350R for Wider clearance, Clear Brake pads / Straight Cable / Eastern 6061 Forged Lever w/ Hinged Clamp (pg. 21)

**FREEWHEEL** // Sealed bearing, right or left hand drive, 9-tooth 1pc. driver w/ 4 Pawls

**CHAIN** // Half Link Chain (pg. 25)

**SEAT CLAMP** // Eastern Slant Forged (pg.20)

**PEGS** // 2 pegs


## VENUS WHEELS



## COMPRESSOR STEM



## HELIH DOWNTUBE



## SHOGUN SPROCKET



## DOUBLE-WALL DIODE RIMS




## NOMAD CRANKS



\*SPECS & PRICING SUBJECT TO CHANGE

# GRIM REAPER 7

20.5" 20.75" 21.0" 4.06 LBS



POLISHED CLEARCOAT



FRAME INCLUDES SLANT SEATPOST CLAMP



**Eastern Promise:**  
lifetime warranty\*, lifetime upgrade policy\*\*

- // The Grim Reaper 7 is the latest evolution of our lightweight professional level frame
- // Classic EB cut-out in the head tube and cutouts in seat tube and BB
- // Offset Butted and Heat Treated Head Tube
- // Heat Treated Wide Mid Bottom Bracket
- // Heat Treated CNC Machined Drop Outs with Integrated Chain Tensioners
- // Double butted top tube
- // Single Butted Seat Tube

- // Tapered & single butted seat & chain stays
- // Helix Down Tube: ribs inside the tubing help prevent denting & yield a higher strength-to-weight ratio
- // Replaceable 990 mounts
- // Removable Gyro Tabs & Cable Guides
- 75° Head Tube Angle
- 71° Seat Tube Angle
- 13.5" Chain Stay Length (13.2" slammed)
- 8.7" Standover Height
- BB height = 11.5"




MATTE BLACK

GLOSS WHITE

# COMMANDO

20.5" 20.75" 21.0" 4.18 LBS



MATTE BLACK



FRAME INCLUDES SLANT SEATPOST CLAMP



**Eastern Promise:**  
lifetime warranty\*, lifetime upgrade policy\*\*

- // This heavy-duty street frame is built to take whatever a rider can throw at it.
- // Offset Butted and Heat Treated Head Tube
- // Heat Treated Wide Mid Bottom Bracket
- // Heat Treated CNC Machined Drop Outs with Integrated Chain Tensioners
- // Double butted top tube
- // Single Butted Seat Tubes
- // Tapered & single butted seat & chain stays

- // Helix Down Tube: ribs inside the tubing help prevent denting & yield a higher strength-to-weight ratio
- // Replaceable 990 mounts
- // Removable Gyro Tabs & Cable Guides
- 75° Head Tube Angle
- 71° Seat Tube Angle
- 13.5" Chain Stay Length (13.2" slammed)
- 8.7" Standover Height
- BB height = 11.5"



GLOSS WHITE

POLISHED CLEARCOAT

\*SPECS & PRICING SUBJECT TO CHANGE



KELLY BOLTON

TYLER HARRIS

# KARL POYNTER SIGNATURE BAR

8.8"



- // 4130 Chromoly multi-butt grip tubing & double-butt cross bar
- // Heat-treated after welding
- // Embossed Eastern logo in crossbar
- // Comes with signature Karl Poynter stickers
- // Limited-lifetime warranty

Karl Poynter

|           |       |
|-----------|-------|
| RISE      | 8.8"  |
| WIDTH     | 28.0" |
| BACKSWEEP | 12°   |
| UPSWEEP   | 4°    |
| WEIGHT    | 31 oz |



MATTE BLACK

GLOSS ORANGE

POLISHED CHROME

GLOSS WHITE



# TRANNY

8.0" 8.25" 8.5" 8.75" 9.0"



- // 4130 Chromoly multi-butt grip tubing & double-butt cross bar
- // Heat-treated after welding
- // Embossed Eastern logo in crossbar
- // Limited-lifetime warranty

|           |        |        |        |        |        |
|-----------|--------|--------|--------|--------|--------|
| RISE      | 8"     | 8.25"  | 8.5"   | 8.75"  | 9"     |
| WIDTH     | 28.5"  | 28.5"  | 28.0"  | 29.0"  | 30.0"  |
| BACKSWEEP | 12°    | 12°    | 12°    | 12°    | 12°    |
| UPSWEEP   | 1°     | 1°     | 1°     | 1°     | 1°     |
| WEIGHT    | 28.1oz | 28.4oz | 28.6oz | 28.9oz | 30.3oz |




POLISHED CHROME

GLOSS ORANGE

MATTE BLACK

GLOSS WHITE



# THROTTLE

8.0" 8.25" 8.5" 8.75" 9.0"



- // 100% chromoly
- // Extra thick grip tubing
- // An excellent choice for a beginner rider who wants to spruce up their ride.

|           |         |         |         |         |         |
|-----------|---------|---------|---------|---------|---------|
| RISE      | 8"      | 8.25"   | 8.5"    | 8.75"   | 9.0"    |
| WIDTH     | 28.5"   | 28.5"   | 28.5"   | 29.0"   | 30.0"   |
| BACKSWEEP | 12°     | 12°     | 12°     | 12°     | 12°     |
| UPSWEEP   | 1°      | 1°      | 1°      | 1°      | 1°      |
| WEIGHT    | 30.9 oz | 37.3 oz | 43.1 oz | 49.0 oz | 56.5 oz |




GLOSS ORANGE

MATTE BLACK

GLOSS WHITE

POLISHED CHROME



# SLAYER




4130  
CHROMOLY  
FORK

HEAT TREATED

1-PIECE  
CNC'D STEERER TUBE

EASTERN  
PROMISE

- // 100% Heat-treated chromoly
- // Screwfluted 1pc. CNC'd inside & out steerer tube w/ integrated bearing race
- // Hardened CNC'd chromoly dropouts
- // Etched Eastern alloy compression cap w/ ratchet head and cutting line for steerer tube shortening (pg. 18)
- // Eastern original "Hangfree" dropout design to prevent the leg from sticking during grinds
- // Offset: 32mm
- // Compression Bolt: 25mm x 1.5mm
- // Compression bolt tool: 3/8" ratchet head
- // Limited Lifetime warranty



MATTE BLACK



POLISHED CHROME

GLOSS WHITE



GLOSS ORANGE

3/8"  
32.0 oz



SCREW FLUTED  
STEERER TUBE



HARDENED CNC'D  
CHROMOLY DROPOUTS



1-PC. CNC'D STEERER  
TUBE



ETCHED ALLOY CAP  
W/ RATCHET HEAD


# BURNER



4130  
CHROMOLY  
FORK

1-PIECE  
CNC'D STEERER TUBE

- // 100% Japanese Chromoly
- // Tapered Butted Legs
- // 6mm chromoly hangfree dropouts
- // 1-Piece, CNC Machined Steerer Tube
- // Integrated Bearing Race



MATTE BLACK

3/8"  
37.0 oz



1-PC. CNC'D  
STEERER TUBE



CHROMOLY HANG-  
FREE DROPOUTS



CNC'D ALLOY  
COMPRESSION CAP



POLISHED CHROME

GLOSS WHITE


GLOSS ORANGE

# RATROD



4130  
CHROMOLY  
FORK

- // 100% Chromoly
- // 6mm chromoly hangfree dropouts
- // Tapered Fork legs
- // 3/8" dropouts



MATTE BLACK



3/8"  
41.0 oz



6MM CHROMOLY  
DROPOUTS



TAPERED LEGS



GLOSS ORANGE

POLISHED CHROME

GLOSS WHITE

\*SPECS & PRICING SUBJECT TO CHANGE

# CRUSHER 9.6 oz




- // Forged then CNCed 6061 T6 Alloy
- // Rear Clamp design
- // Hardened Chromoly Bolts
- // 50mm reach
- // CNC Machined from 6061 billet Aluminum
- // Hollow JIS 14.9 Hardened Bolts,
- // Smooth at rear to be more knee friendly
- // Stack Height: 32mm



# COMPRESSOR 8.5 oz



- // Forged then CNCed 6061 T6 Alloy
- // Rear Clamp design
- // Hardened Chromoly Bolts
- // 50mm reach
- // Stack Height: 30mm



# TRAP 9.7 oz



- // 6061 forged alloy
- // 50mm reach
- // Great stem at a great price
- // Chromoly bolts
- // Stack Height: 32mm



# 45/45 HEADSET 2.3 oz

- // Integrated style headset
- // Sealed bearings
- // 1-1/8"
- // 45/45 style headsets (36/45 style available only in black)
- // Check with your frame manufacturer to find out what style headset fits your headtube uses



# PRE-LOAD BOLT .6 oz

- // Lightweight 7075 alloy bolt designed to keep your front end tight
- // Extra long threads with cut lines for removing excess length
- // Designed to fit most current forks



# HEADSET SPACER KIT .03 oz

- // Kit of 1-1/8" alloy headset spacers
- // Quantity 2, 2mm spacers
- // Quantity 1, 5mm spacer
- // Use to find the sweet spot for stem placement or just to look cool



## E.O.G.

3.9 oz

- // Eastern logo embossed throughout
  - // Medium profile
  - // Super-soft compounds
  - // Eastern nylon bar ends included
- Diameter: 28mm Length: 133mm



## FUQUAY FLYER

5.3 oz

- // Same pattern as the Fuquay-Flyer tires
  - // Thicker profile
  - // Soft compound
  - // Small diameter thick flanges
  - // Eastern nylon bar ends included
- Diameter: 34mm Length: 142mm



## E/A

3.2 oz

- // Hundreds of raised sections provide a thin yet comfortable grip surface
  - // Perfect for those who demand a thin grip
  - // Eastern nylon bar ends included
- Diameter: 28mm Length: 142mm



## E.ELEPHANT

3.2 oz

- // Elephant skin pattern
  - // Thin profile
  - // Soft compound
  - // Large diameter thin flanges
  - // Eastern nylon bar ends included
- Diameter: 27mm Length: 144.5mm



## E.SKULL

4.8 oz

- // Skull grip pattern
  - // Medium profile
  - // Soft compound
  - // Small diameter thick flanges
  - // Eastern nylon bar ends included
- Diameter: 30mm Length: 144mm



## E.CORAL

3.5 oz

- // Coral pattern embossed throughout grip shape
  - // Medium profile
  - // Super-soft compounds
  - // Eastern nylon bar ends included
- Diameter: 31mm Length: 139mm



## E.TRUFFLE

3.9 oz

- // Angled Ribbed pattern
  - // Medium profile
  - // Soft compound
  - // Small diameter thin flanges
  - // Eastern nylon bar ends included
- Diameter: 30mm Length: 147mm



## E.ALLOY BARENDS

.5 oz

- // CNC machined 7075 aluminum
- // Drilled perimeter to save weight
- // 2 allen set screws for a secure hold



## E.NYLON BARENDS

.5 oz

- // Nylon
- // Plug-style
- // Hollow center that is designed to push in the ends of most 7/8" bars



## E.GRIPSTOPS

.15 oz

- // CNC machined 7075 aluminum
- // Drilled perimeter to save weight
- // Stops your grip from running to the middle of the bar
- // One allen set screw to keep tight



## EB JOSH PERRY SIGNATURE SEAT



*Josh Perry*



BLACK



GREY



ORANGE

**8.5 oz**

- // Real Kevlar cover
- // Extra-Thick comfort foam padding
- // Embossed EB logo
- // Embroidered signature
- // Pivotal-style

## EB FAT PIVOTAL



**8.5 oz**

- // Durable Nylon cover
- // Extra-Thick comfort foam padding
- // Embroidered Eastern logo
- // Pivotal-style



GREY



RED



BLACK



BLUE

## DM FAT COMBO



**11.5 oz**

- // Alloy Post molded with plastic base
- // Durable Nylon Cover cover with stitched logo
- // Thick comfy padding
- // Lighter than conventional seat & post combos



GREY



BLACK



BLUE



WHITE



TAN

## EB SLANT CLAMP



**.45 oz**

- // Forged then CNC'd Alloy Seat Clamp
- // Fits frames with seat tube cut at 10 degrees (Grim Reaper 7/Commando Frames & Select Eastern completes)
- // Available colors to be announced

## DM LOCKER CLAMP



**.5 oz**

- // Forged Alloy Seat Clamp
- // Perfect for "locking" your post into your frame



## EB ALLOY SEATPOST PIVOTAL

**4.8 oz**

- // 200mm
- // Alloy Construction
- // Accommodates Pivotal-Style Seats



## DM ALLOY SEATPOST PIVOTAL

**3.3 oz**

- // 125mm
- // Alloy Construction
- // Accommodates Pivotal-Style Seats



## DM STEEL SEATPOST PIVOTAL

**9.5 oz**

- // 200mm
- // 4130 Chromoly Construction
- // Accommodates Pivotal-Style Seats



## E CROWN PLASTIC



12.3 oz

- // Grippier & lighter version of our popular plastic pedal
- // Original true dual-concave design
- // Unsealed chromoly axle
- // Superior knurling on pedal surface



BLACK RED PURPLE BLUE HOT BLUE



## E CFRP



14.8 oz

- // True dual-concave design
- // Unsealed chromoly axle
- // Knurled pedal surface
- // Carbon fiber reinforced plastic composite with molded pins



BLACK RED PURPLE WHITE LT. BLUE



## E MAGNESIUM



18.0 oz

- // Original true dual-concave design
- // Heat-treated chromoly axle
- // Knurled pedal surface
- // Removable pins
- // Allen wrench & extra pins included
- // Available sealed or unsealed



BLACK  
WHITE



BLACK  
WHITE



## E ALLOY



23.0 oz

- // Original true dual-concave design
- // Knurled pedal surface
- // Removable pins
- // Allen wrench & extra pins included
- // Available sealed or unsealed



BLACK  
RED  
GOLD  
BLUE  
PURPLE  
WHITE



BLACK  
RED  
GOLD  
BLUE  
PURPLE  
WHITE



## E BRAKE LEVER



2.9 oz

- // Forged alloy
- // Hinged clamp for easy installation
- // Features a longer blade for 2-finger braking



MATTE BLACK MATTE BLUE MATTE WHITE  
MATTE RED MATTE PURPLE MATTE GOLD

## E MORAY CABLE



3.1 oz

- // Manufactured to auto industry standards
- // Able to be wound very tightly without binding
- // 60" of housing
- // 65" Teflon-coated inner cable



BLACK TRANS BLACK BLUE  
RED GREEN PURPLE  
PINK WHITE  
YELLOW GREY

## E DETANGLER



1.4 oz

- // Fully CNC'd from 6061 Aluminum
- // Ball bearing interface for super smooth operation
- // Enclosed cable knarps that make set up easy and clean
- // Smooth edges
- // Lightweight



MATTE BLACK MATTE BLUE CHROME  
MATTE RED MATTE PURPLE MATTE GOLD

\*SPECS & PRICING SUBJECT TO CHANGE

# ADAM BANTON





## NOMAD TAPERED 8 / 48-SPLINE 25.7 oz



8-SPLINE ON DRIVE SIDE

48-SPLINE ON NON-DRIVE SIDE

MATTE BLACK

- // Nomad Cranks offer the weight-savings typically seen with 2-pc. cranks, but increased durability over traditional 2-pc. cranks as the parts can be heat-treated separately & properly whereas traditional 2-pc. cranks use the same heat-treatment process for all materials, regardless of hardness.
- // Arms are concave & tapered on 3 sides to increase strength
- // Front-side of the cranks are smooth to be ankle-friendly
- // Machined 1pc. pedal boss is flush w/ the back of the crank eliminating any un-needed material

- // The Nomad Spindle is tapered 8-spline on the drive side & 48 on your typical non-drive side
- // The tapered 8-splines makes it easy to remove the typical drive-side arm unlike many other press-together 3-pc. cranks
- // Spindle is double-butted (internally machined)
- // Comes w/ all tools needed to assemble & remove both arms
- // The crank bolts are machined Grade 8 & hollowed out on the inside to reduce weight

- // 23T micro-drive compatible
- // Post-weld heat-treated
- // Left- & right-hand drive compatible
- // BB's sold separately

Crank arm length: 175mm

- MATTE BLACK
- MATTE BLUE
- MATTE HOT BLUE
- GLOSS ORANGE
- GLOSS RED
- ACID WASH
- GLOSS WHITE
- CHROME
- MATTE PURPLE
- GLOSS GRAY

## TRIBE 48-SPLINE 29.3 oz



ACID WASH



- // 48-spline, 100% chromoly three-piece cranks are strong & lightweight
- // Arms are concave & tapered on three sides to increase strength
- // Front side of the cranks is smooth to be ankle friendly

- // 23T micro drive compatible
- // Post weld heat-treated
- // Left & right hand drive compatible
- // 48-spline, heat-treated, hollow chromoly spindle

- // Comes with all tools needed to assemble & remove both arms
- Crank arm length: 175mm

- MATTE BLACK
- MATTE BLUE
- MATTE HOT BLUE
- GLOSS ORANGE
- GLOSS RED
- ACID WASH
- GLOSS WHITE
- CHROME
- MATTE PURPLE
- GLOSS GRAY

## MOTLEY 16-SPLINE 27.4 oz



MATTE BLUE



- // Lightweight heat-treated chromoly arms
- // The arms are concave & tapered on three sides to increase strength
- // 23T micro-drive compatible

- // Front-side of the cranks are smooth to be ankle-friendly
- // 19mm 16-spline heat-treated chromoly spindle

- // Right-Hand/Left-Hand compatible
- // Arms, bolts & spindle only
- // 5mm & 8mm Allen wrench included for easy installation

- // BB's sold separately
- Crank arm length: 175mm

- MATTE BLACK
- MATTE BLUE
- MATTE PURPLE
- CHROME
- GLOSS WHITE
- GLOSS ORANGE

## REAPER 48-SPLINE 33.2 oz



- // Heat Treated 4130 chromoly arms
- // Heat treated 19mm 48-spline chromoly spindle
- // Arms, bolts & spindle only
- // BB's sold separately

Crank arm length: 175mm

- MATTE BLACK
- GLOSS WHITE
- CHROME
- GLOSS ORANGE

## SHIFTER 8-SPLINE 34.5 oz



- // Heat-treated Chromoly Arms
- // Forged heads
- // Single pinch-bolt design
- // Easy to install
- // 19mm 8-spline spindle
- // BB's sold separately

Crank arm length: 175mm

- MATTE BLACK
- GLOSS WHITE
- MATTE BLUE
- MATTE PURPLE
- MATTE RED
- GLOSS ORANGE

## **SHOLUN** 2.5 oz - 23T 25T 28T



- // CNC machined from 7075 alloy
- // Thicker in areas more prone to stress, thinner where less material is needed
- // 1/8" teeth
- // Rounded tooth profile for increased life of sprocket & chains
- // 15/16" bore w/ 19mm adapter included



## **MEDUSA** 2.1 oz - 25T




- // Forged 7075 alloy
- // 5mm thick
- // 8 crank holes
- // Teeth: 1/8"
- // Bore: 15/16"
- // 19mm adapter included



## **MEDUSA LIGHT**



**23T 25T**  
**1.7 oz**



- // Forged 7075 alloy, then machined for a smooth finish
- // 5mm thick
- // 4 crank holes
- // Teeth 1/8"
- // Bore: 15/16"
- // 19mm adapter included

## **PHORCYS**



**25T**  
**2.1 oz**



- // Forged of 6061 alloy, then CNC machined
- // Rounded tooth profile for increased life of sprocket & chains
- // Great sprocket at a great price - 15/16" bore w/ 19mm adapter included

## **BOTTOM BRACKETS**

### **EURO** 4.6 oz



- AVAILABLE IN 19mm, 20mm, 22mm
- // 7075 CNC machined alloy cups
- // Super-wide bearings
- // Spacers & chainwheel adaptors included



### **MID** 11.7 OZ W/ AM CUPS



- AVAILABLE IN 19mm, 20mm, 22mm
- // Precision sealed bearings
- // Spacers & chainwheel adaptors included



### **SPANISH** 4.8 oz



- AVAILABLE IN 19mm, 20mm, 22mm
- // Precision sealed bearings
- // Spacers & chainwheel adaptors included
- // Only available in black

## **5-SERIES**



**1/2" x 1/8"**  
**11.1 oz**



- // Thick inner and outer plates
- // Master link included
- \*\*Weights are taken before any links are removed

## **7-SERIES**



**1/2" x 1/8"**  
**13.1 oz**



- // Oversized inner & outer plates
- // Master link included
- \*\*Weights are taken before any links are removed

## **HALF-LINK**



**1/2" x 1/8"**  
**13.1 oz**



- // Thick inner & outer plates
- // Reinforced connecting link included
- \*\*Weights are taken before any links are removed

# VENUS

MATTE RED
MATTE PURPLE
MATTE GOLD
MATTE BLACK
MATTE BLUE
MATTE HOT BLUE
PLATINUM
WHITE



## REAR WHEEL

35.3 oz



- // 6061 Forged then CNC Machined hub body
- // Heat treated 9 tooth driver
- // 5 precision sealed bearings
- // Pop-n-Lock Compatible hub guard groove (hubguard sold separately)
- // Comes with three axles
- // 7075 alloy female axle installed
- // Heat treated chromoly female axle, & heat treated chromoly axle that is normal 14mm on one side and female on the drive side for a clean look
- // Right and Left side drive compatible
- // Double-wall 36 hole alloy rims
- // Fusion welded for a better seam
- // Laser Etched Diode Graphic



## FRONT WHEEL

31.1 oz



- // 6061 Forged then CNC machined hub body
- // 7075 alloy female axle, heat treated chromoly bolts
- // Precision sealed bearings
- // Polymer CNC'd hub guard included
- // Double-wall 36 hole alloy rims
- // Fusion welded for a better seam
- // Laser Etched Diode Graphic



## VENUS

### REAR HUB

13.4 oz



- // 6061 Forged then CNC'd machined hub body
- // Heat treated 9 tooth driver
- // 5 precision sealed bearings
- // Comes with three axles
- // Pop-n-Lock groove to fit guard (sold separately)
- // 7075 alloy female axle installed
- // Right & Left side drive compatible

MATTE BLACK
MATTE BLUE
WHITE  
MATTE RED
MATTE PURPLE
MATTE GOLD



## VENUS

### FRONT HUB

6.6 oz  
W/ GUARD



- // 6061 Forged then CNC machined hub body
- // 7075 alloy female axle, heat treated chromoly bolts
- // Precision sealed bearings

MATTE BLACK
MATTE BLUE
MATTE HOT BLUE
WHITE  
MATTE RED
MATTE PURPLE
MATTE GOLD



## DIODE RIMS



- 17.6 oz
- // Double-wall 36 hole alloy rims
  - // Fusion welded for a better seam
  - // Laser Etched Diode Graphic

MATTE BLACK
MATTE BLUE  
MATTE RED
MATTE PURPLE  
WHITE
MATTE GOLD



CNC'D GRAPHICS



## POP-N-LOCK HUBGUARDS

### REAR HUBGUARD

1.1 oz

- // Durable Polymer
- // Protects your hub & spokes
- // Works exclusively on Eastern and Nitrous wheels & hubs w/ the Pop-n-Lock groove

BLACK WHITE  
RED PURPLE  
BLUE



LEARN HOW TO INSTALL  
YOUR POP-N-LOCK HUBGUARD AT  
<http://easternbikes.com/blog/2010/aug/13/how-install-pop-n-lock/>



## BIIRECTIONAL CLASSIC

### REAR HUB

17.8 oz



- // Can be used as right- or left-hand drive w/o any extra parts
- // 5 precision sealed bearings
- // Hardened 14mm hollow chromoly axle
- // 36-hole staggered flange diameters
- // Laser-etched Eastern logo

- // 1-pc 9T driver with 6 reversible pawls for RHD or LHD use
- // Pop-n-Lock groove to fit guard (sold separately)
- Size: 14mm axle



MATTE BLACK MATTE BLUE MATTE HOT BLUE WHITE  
MATTE RED MATTE PURPLE MATTE GOLD FLATINUM



## BIIRECTIONAL CLASSIC

### REAR WHEEL

46.8 oz



- // 36-hole sealed bearing BiDirectional hub with a CNC'd 9t driver
- // 14mm 4130 hardened chromoly axle
- // 36-hole double-wall alloy rim
- // 14g spokes
- // Eastern nylon rubber coated rim strip
- // Pop-n-Lock groove to fit guard (sold separately)

MATTE GOLD MATTE BLUE MATTE HOT BLUE  
MATTE GREY MATTE PURPLE



HOW TO SWITCH YOUR BIIRECTIONAL HUB  
FROM LEFT TO RIGHT HAND DRIVE  
<http://easternbikes.com/products/part/79>

## CLASSIC FRONT

### FRONT HUB

7.6 oz



- // Sealed Bearing
- // 3/8" Axle
- // 36-Hole Alloy Shell



MATTE BLACK MATTE BLUE MATTE HOT BLUE WHITE  
MATTE RED MATTE PURPLE MATTE GOLD



## RINGS RIMS



15.9 oz

- // 6061 double-wall
- // Pinned joint for strength & economics
- // 36 hole
- // Used on our proven Nitrous wheels

MATTE BLACK MATTE BLUE MATTE HOT BLUE WHITE  
MATTE RED MATTE PURPLE MATTE GOLD FLATINUM

## DOUBLE SHOT WHEELS



### REAR WHEEL

40.0 oz

- // Nitrous sealed bearing cassette, 9T driver rear hub
- // 14mm chromoly axle
- // 14g spokes
- // 36-hole, double-walled alloy rim
- // Pop-n-Lock groove to fit guard (sold separately)

MATTE BLACK MATTE BLUE MATTE HOT BLUE  
MATTE RED MATTE PURPLE MATTE GOLD  
WHITE



### FRONT WHEEL

30.0 oz

- // Low-profile sealed bearing front hub
- // 3/8" chromoly axle
- // 14g spokes
- // 36-hole, double-walled alloy rim

MATTE BLACK MATTE BLUE MATTE HOT BLUE  
MATTE RED MATTE PURPLE MATTE GOLD  
MATTE GRAY WHITE



# E TIRES



**FUQUAY FLIER**

20" X 2.3"

- FOLDING - 21.8 oz
- HI-PRESSURE - 23.7 oz
- OEM - 24.0 oz
- // Designed for the street
- // Low-profile tread



**CURB MONKEY**

20" X 2.3"

- FOLDING - 20.6 oz
- HI-PRESSURE - 22.5 oz
- OEM - 28.4 oz
- // Ideal for street, trail & park use
- // Large footprint is designed to grip multiple surfaces



**BURNOUT**

20" X 2.25"

- FOLDING - 16.5 oz
- HI-PRESSURE - 18.4 oz
- OEM - 19.0 oz
- // Designed for skatepark use
- // Virtually no rolling resistance



## 3 NEW WALL COLORS

Available in the FUQUAY FLIER & CURB MONKEY HI-PRESSURE MODELS ONLY



**WHITE WALL**



**RED WALL**



**SKIN WALL**

## 3 LEVELS TO CHOOSE FROM

### FOLDING



- // Accommodates up to 100psi
- // Lightweight folding design w/ Kevlar Bead
- // Uses Kenda's Iron Cap technology for higher thread count and lighter weight

### HI-PRESSURE



- // Accommodates up to 100psi
- // More durable and lighter-weight wire version of the OEM tire
- // Uses Kenda's Iron Cap technology for higher thread count & lighter weight

### OEM



- // Accommodates up to 30-50 psi
- // Most economical wire bead tire

## SLIMS

4.2 oz



- // Hardened chromoly
- // 3.75" long
- // 1-3/8" diameter
- // Anti-rotation pin
- // NOT recommended for street
- // Sold individually



## RAMP V2

8.4 oz



- // Hardened chromoly sleeve over plastic inner
- // 4" long
- // 1-1/2" diameter
- // Suitable for ramp & street use
- // Sold individually



## STEEL

9.2 oz



- // Steel
- // 4" long
- // 1 3/8" diameter
- // 14mm axle holes
- // Sold individually



## AXLE'S NUTS

.5 oz



- // CNC'd from 7075 alloy
- // Available in 3/8" with 14mm short lip for adapting 3/8" axles to 14mm peg holes or dropouts
- // Available in 14mm or 3/8" for common applications
- // Available in 3/8" w/ 14mm long lip for adapting 3/8" axles through 14mm peg openings & dropouts



NC  
QUALITY



F-STOP

Karl Poynter  
Signature Tee



BOSS



BOSTON  
TEA PERRY

Josh Perry  
Signature Tee



TRAILDIGGER

front & back print



POP-ART

Adam Banton  
Signature Tee



## EBIUS TOOLS

### CROSS-KEY WRENCH SOCKETS HEX, TORX & SCREWDRIVERS



- // Compact & Versatile
- // 8/9/10mm Hex Socket to be adapted with various bits
- // Bits Size: Hex 2,3,4,5,6mm - Torx-T25 - Phillips - 2 slotted

### 2.7" 8 IN 1 FLAT TOOL



- // Made of hardened steel
- // 2,3,4,5,6mm hex keys
- // T25 Torx
- // Flat & Phillips screwdriver

### Y-BOX WRENCH 8/9/10MM



- // 8 x 9 x 10 mm Sockets
- // Rubberized Grip



### CONE WRENCH 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 MM

- // Cone Nut Wrench available in: 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm
- // Rubberized Grip for comfort



### Y-HEX WRENCH 4/5/6MM

- // Hex Key Wrench
- // Rubberized Grip



### BMX CHAIN BREAKER

- // Chain Pin Extractor for BMX chains



### TIRE LEVER SET

- // Durable Polymer 3-Piece Tire Lever Set

### PEDAL WRENCH 15MM CARBON STEEL

- // 15 mm Pedal Wrench
- // Rubberized Grip



### SPOKE WRENCHES

- // Available in all common sizes
- // Rubberized Grip

### 7PC ALLEN SET (MM) WITH BALL ENDS



- // Sizes 2mm, 3mm, 4mm, 5mm, 6mm, 7mm, 8mm

2013 COMPLETE SPECS

|                  | LOWDOWN<br>16"                                         | LOWDOWN<br>18"                                       | LOWDOWN<br>20"                                         | PISTON                                                                                                                | BATTERY                                                                                                               | COBRA                                                                                                                 | VULTURE                                                                                                               | SHOCK                                                         | NIGHTWASP                                                                                                             | GRIFFIN                                                                                                               |
|------------------|--------------------------------------------------------|------------------------------------------------------|--------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| Frame            | Lowdown 16"                                            | Lowdown 18"                                          | Lowdown 20"                                            | Piston                                                                                                                | Battery                                                                                                               | Cobra                                                                                                                 | Vulture w/"E" logo cut out in headtube, classic Eastern seat tube cutout                                              | Shock flatland-specific                                       | Nightwasp                                                                                                             | Griffin w/"E" logo cut out in Headtube, classic Eastern seat tube cutout                                              |
| Frame Material   | 1020 Hi-Ten steel                                      | 1020 Hi-Ten steel                                    | 1020 Hi-Ten steel                                      | 1020 Hi-Ten steel                                                                                                     | 1020 Hi-Ten steel                                                                                                     | 1020 Hi-Ten steel                                                                                                     | 1020 Hi-Ten steel                                                                                                     | 1020 Hi-Ten steel                                             | 1020 Hi-Ten steel                                                                                                     | 1020 Hi-Ten steel                                                                                                     |
| Seattube Height  | 7.0"                                                   | 7.0"                                                 | 8.9"                                                   | 8.9"                                                                                                                  | 8.9"                                                                                                                  | 8.9"                                                                                                                  | 8.9"                                                                                                                  | 7.3"                                                          | 8.9"                                                                                                                  | 8.9"                                                                                                                  |
| Top Tube Length  | 16.4"                                                  | 18.4"                                                | 19.75"                                                 | 19.75"                                                                                                                | 20.25"                                                                                                                | 20.5"                                                                                                                 | 21"                                                                                                                   | 18.5"                                                         | 20.5"                                                                                                                 | 21"                                                                                                                   |
| Head Angle       | 72°                                                    | 74.5°                                                | 74.5°                                                  | 74.5°                                                                                                                 | 74.5°                                                                                                                 | 74.5°                                                                                                                 | 75°                                                                                                                   | 75°                                                           | 74.5°                                                                                                                 | 75°                                                                                                                   |
| Seat Angle       | 70°                                                    | 71°                                                  | 71°                                                    | 71°                                                                                                                   | 71°                                                                                                                   | 71°                                                                                                                   | 71°                                                                                                                   | 71°                                                           | 71°                                                                                                                   | 71°                                                                                                                   |
| Chainstay Length | 11.8" to 12"                                           | 13.2" to 13.4"                                       | 13.5" to 13.75"                                        | 13.5" to 13.75"                                                                                                       | 13.5" to 13.75"                                                                                                       | 13.5" to 13.75"                                                                                                       | 13.5" to 13.75"                                                                                                       | 13.5" to 13.75"                                               | 13.5" to 13.75"                                                                                                       | 13.5" to 13.75"                                                                                                       |
| Headset Type     | Aheadset                                               | Aheadset                                             | Aheadset                                               | Aheadset                                                                                                              | Aheadset                                                                                                              | Aheadset                                                                                                              | Aheadset                                                                                                              | Aheadset                                                      | Aheadset                                                                                                              | Aheadset                                                                                                              |
| BB Type          | American                                               | American                                             | American                                               | American                                                                                                              | American                                                                                                              | American                                                                                                              | American                                                                                                              | American                                                      | Mid                                                                                                                   | Mid                                                                                                                   |
| Fork             | Lowdown 16"                                            | Lowdown 18"                                          | Lowdown 20"                                            | Piston                                                                                                                | Battery                                                                                                               | Cobra                                                                                                                 | Vulture                                                                                                               | Shock w/ 990 brake mounts                                     | Nightwasp                                                                                                             | Griffin                                                                                                               |
| Fork Material    | 1020 Hi-Ten steel                                      | 1020 Hi-Ten steel                                    | 1020 Hi-Ten steel                                      | 1020 Hi-Ten steel                                                                                                     | 1020 Hi-Ten steel                                                                                                     | 1020 Hi-Ten steel                                                                                                     | 1020 Hi-Ten steel                                                                                                     | 1020 Hi-Ten steel                                             | 1020 Hi-Ten steel                                                                                                     | 1020 Hi-Ten steel                                                                                                     |
| Fork Offset      | 40mm                                                   | 40mm                                                 | 40mm                                                   | 40mm                                                                                                                  | 40mm                                                                                                                  | 40mm                                                                                                                  | 40mm                                                                                                                  | 40mm                                                          | 40mm                                                                                                                  | 40mm                                                                                                                  |
| Handle Bar       | Hi-Ten                                                 | Hi-Ten                                               | Hi-Ten                                                 | Hi-Ten                                                                                                                | Hi-Ten                                                                                                                | Hi-Ten                                                                                                                | Hi-Ten                                                                                                                | Hi-Ten                                                        | Hi-Ten                                                                                                                | Hi-Ten                                                                                                                |
| Bar Rise         | 5"                                                     | 6.5"                                                 | 7.75"                                                  | 7.75"                                                                                                                 | 7.75"                                                                                                                 | 8.0"                                                                                                                  | 8.0"                                                                                                                  | 7.75"                                                         | 8.25"                                                                                                                 | 8.25"                                                                                                                 |
| Bar Width        | 20.5"                                                  | 24.5"                                                | 27.5"                                                  | 27.5"                                                                                                                 | 27.5"                                                                                                                 | 28.5"                                                                                                                 | 28.5"                                                                                                                 | 25"                                                           | 28.5"                                                                                                                 | 28.5"                                                                                                                 |
| Bar Upsweep      | n/a                                                    | n/a                                                  | 1"                                                     | 1"                                                                                                                    | 1"                                                                                                                    | 1"                                                                                                                    | 1"                                                                                                                    | 1"                                                            | 1"                                                                                                                    | 1"                                                                                                                    |
| Bar Backsweep    | 10°                                                    | 10°                                                  | 12°                                                    | 12°                                                                                                                   | 12°                                                                                                                   | 12°                                                                                                                   | 12°                                                                                                                   | 12°                                                           | 12°                                                                                                                   | 12°                                                                                                                   |
| Headset          | 1-1/8" Aheadset                                        | 1-1/8" Aheadset                                      | 1-1/8" Aheadset                                        | 1-1/8" Aheadset                                                                                                       | 1-1/8" Aheadset                                                                                                       | 1-1/8" Aheadset                                                                                                       | 1-1/8" Aheadset                                                                                                       | 1-1/8" Aheadset                                               | 1-1/8" Aheadset                                                                                                       | 1-1/8" Aheadset                                                                                                       |
| Chainwheel       | 33T steel                                              | 33T steel                                            | 25T steel                                              | 25T steel                                                                                                             | 25T steel                                                                                                             | 25T steel                                                                                                             | 25T steel                                                                                                             | 25T steel                                                     | Eastern Phorcys 25T steel                                                                                             | Eastern Phorcys 25T steel                                                                                             |
| Crank            | Forged, 1pc chromoly cranks                            | Forged, 1pc chromoly cranks                          | Forged and heat-treated 1pc chromoly cranks            | Forged and heat-treated 1pc chromoly cranks                                                                           | Tubular chromoly heat-treated 3pc. cranks w/ 8 spline spindle                                                         | Tubular chromoly heat-treated 3pc. cranks w/ 8 spline spindle                                                         | Tubular chromoly heat-treated 3pc. cranks w/ 8 spline spindle                                                         | Tubular chromoly heat-treated 3pc. cranks w/ 8 spline spindle | Tubular chromoly heat-treated 3pc. cranks w/ 8 spline spindle                                                         | Tubular chromoly heat-treated 3pc. cranks w/ 8 spline spindle                                                         |
| Bottom Bracket   | American loose ball bearing                            | American loose ball bearing                          | American loose ball bearing                            | American loose ball bearing                                                                                           | American loose ball bearing                                                                                           | American loose ball bearing                                                                                           | American loose ball bearing                                                                                           | American loose ball bearing                                   | Sealed bearing mid                                                                                                    | Sealed bearing mid                                                                                                    |
| Stem             | Forged alloy frontload                                 | Forged alloy frontload                               | Forged alloy frontload                                 | Forged alloy frontload                                                                                                | Forged alloy frontload                                                                                                | Forged alloy frontload                                                                                                | Forged alloy frontload                                                                                                | Forged alloy frontload                                        | Forged alloy frontload                                                                                                | Forged alloy frontload                                                                                                |
| Grip             | Krayton rubber                                         | Krayton rubber                                       | *Velo Mushroom grip                                    | *Velo Mushroom grip                                                                                                   | *Velo Mushroom grip                                                                                                   | *Velo Mushroom grip                                                                                                   | *Velo Mushroom grip                                                                                                   | *Velo Mushroom grip                                           | *Velo Mushroom grip                                                                                                   | *Velo Mushroom grip                                                                                                   |
| Front Hub        | 36 hole, with 3/8" chromoly axle, loose ball bearing   | 36 hole, with 3/8" chromoly axle, loose ball bearing | 36 hole, with 3/8" chromoly axle, loose ball bearing   | 36 hole, with 3/8" chromoly axle, loose ball bearing                                                                  | 36 hole, with 3/8" chromoly axle, loose ball bearing                                                                  | Sealed Bearing, 36 hole alloy shell, 3/8" chromoly axle                                                               | Sealed Bearing, 36 hole alloy shell, 3/8" chromoly axle                                                               | Sealed Bearing, 36 hole alloy shell, 3/8" chromoly axle       | Sealed Bearing, 36 hole alloy shell, 3/8" chromoly axle                                                               | Sealed Bearing, 36 hole alloy shell, 3/8" chromoly axle                                                               |
| Rear Hub         | 36 hole, 3/8" loose ball bearing 16T coaster brake hub | 36 hole, 3/8" loose ball bearing                     | 36 hole Cassette Hub with 9T driver w/ 14mm Axle Studs | Fully sealed 36 hole cassette hub, forged alloy shell, 1pc 9T chromoly driver, 14mm chromoly axle, 5 sealed bearings. | Fully sealed 36 hole cassette hub, forged alloy shell, 1pc 9T chromoly driver, 14mm chromoly axle, 5 sealed bearings. | Fully sealed 36 hole cassette hub, forged alloy shell, 1pc 9T chromoly driver, 14mm chromoly axle, 5 sealed bearings. | Fully sealed 36 hole cassette hub, forged alloy shell, 1pc 9T chromoly driver, 14mm chromoly axle, 5 sealed bearings. | KT /Quando freecoaster, 36 hole, 14t cog                      | Fully sealed 36 hole cassette hub, forged alloy shell, 1pc 9T chromoly driver, 14mm chromoly axle, 5 sealed bearings. | Fully sealed 36 hole cassette hub, forged alloy shell, 1pc 9T chromoly driver, 14mm chromoly axle, 5 sealed bearings. |
| Front Rim        | Alloy 36 hole                                          | Alloy 36 hole                                        | Alloy 36 hole                                          | Alloy 36 hole                                                                                                         | Alloy 36 hole                                                                                                         | Alloy 36 hole                                                                                                         | Alloy 36 hole                                                                                                         | Alloy 36 hole                                                 | Alloy 36 hole                                                                                                         | Alloy 36 hole                                                                                                         |
| Rear Rim         | Alloy 36 hole                                          | Alloy 36 hole                                        | Alloy 36 hole                                          | Alloy 36 hole                                                                                                         | Alloy 36 hole                                                                                                         | Double wall alloy, 36 hole                                                                                            | Double wall alloy, 36 hole                                                                                            | Alloy 36 hole                                                 | Double wall alloy, 36 hole                                                                                            | Double wall alloy, 36 hole                                                                                            |
| Spokes           | 14G stainless w/ brass nipples                         | 14G stainless w/ brass nipples                       | 14G stainless w/ brass nipples                         | 14G stainless w/ brass nipples                                                                                        | 14G stainless w/ brass nipples                                                                                        | 14G stainless w/ brass nipples                                                                                        | 14G stainless w/ brass nipples                                                                                        | 14G stainless w/ brass nipples                                | 14G stainless w/ brass nipples                                                                                        | 14G stainless w/ brass nipples                                                                                        |
| Front Tire       | Multi-Surface, 16" x 2.25"                             | Multi-Surface, 18" x 2.0"                            | ** Multi-Surface , 20" x 2.35"                         | ** Multi-Surface , 20" x 2.35"                                                                                        | ** Multi-Surface , 20" x 2.35"                                                                                        | ** Multi-Surface , 20" x 2.35"                                                                                        | ** Multi-Surface , 20" x 2.35"                                                                                        | Eastern Fuquay Flyer 20" x 2.3" OEM                           | ** Multi-Surface , 20" x 2.35"                                                                                        | ** Multi-Surface , 20" x 2.35"                                                                                        |
| Rear Tire        | Multi-Surface, 16" x 2.25"                             | Multi-Surface, 18" x 2.0"                            | *** Multi-Surface , 20" x 2.35"                        | *** Multi-Surface , 20" x 2.35"                                                                                       | *** Multi-Surface , 20" x 2.35"                                                                                       | *** Multi-Surface , 20" x 2.35"                                                                                       | *** Multi-Surface , 20" x 2.35"                                                                                       | Eastern Fuquay Flyer 20" x 2.3" OEM                           | *** Multi-Surface , 20" x 2.35"                                                                                       | *** Multi-Surface , 20" x 2.35"                                                                                       |
| Cable            | N/A                                                    | Straight cable                                       | Straight cable                                         | Straight cable                                                                                                        | Straight cable                                                                                                        | Straight cable                                                                                                        | Straight cable                                                                                                        | 1 into 2 upper cable, dual lower cables                       | Straight cable                                                                                                        | Straight cable                                                                                                        |
| Rear Brake       | Coaster brake                                          | Forged alloy U-brake                                 | Tektro forged alloy U-brake                            | Tektro forged alloy U-brake                                                                                           | Tektro forged alloy U-brake                                                                                           | Tektro forged alloy U-brake                                                                                           | Tektro forged alloy U-brake                                                                                           | Tektro forged alloy U-brake                                   | Tektro forged alloy U-brake                                                                                           | Tektro forged alloy U-brake                                                                                           |
| Front Brake      | N/A                                                    | N/A                                                  | N/A                                                    | N/A                                                                                                                   | N/A                                                                                                                   | N/A                                                                                                                   | N/A                                                                                                                   | Forged alloy U-brake                                          | N/A                                                                                                                   | N/A                                                                                                                   |
| Brake Lever(s)   | N/A                                                    | Forged alloy                                         | Forged alloy                                           | Forged alloy                                                                                                          | Forged alloy                                                                                                          | Forged alloy                                                                                                          | Forged alloy                                                                                                          | Forged alloy                                                  | Forged alloy                                                                                                          | Forged alloy                                                                                                          |
| Freewheel        | N/A                                                    | Lida 14T                                             | 9T Driver                                              | Sealed bearing 9t 1pc driver                                                                                          | Sealed bearing 9t 1pc driver                                                                                          | Sealed bearing 9t 1pc driver                                                                                          | Sealed bearing 9t 1pc driver                                                                                          | Sealed bearing 9t 1pc driver                                  | Sealed bearing 9t 1pc driver                                                                                          | Sealed bearing 9t 1pc driver                                                                                          |
| Chain            | KMC                                                    | KMC                                                  | KMC                                                    | KMC                                                                                                                   | KMC                                                                                                                   | KMC                                                                                                                   | KMC                                                                                                                   | KMC                                                           | KMC                                                                                                                   | KMC                                                                                                                   |
| saddle           | Adjustable saddle with embossed logo                   | Adjustable saddle with embossed logo                 | Adjustable saddle with embossed logo                   | Adjustable saddle with embossed logo                                                                                  | Adjustable saddle with embossed logo                                                                                  | Adjustable saddle with embossed logo                                                                                  | Adjustable saddle with embossed logo                                                                                  | Adjustable saddle with embossed logo                          | EASTERN seat/post combo, durable nylon cover                                                                          | EASTERN seat/post combo, durable nylon cover                                                                          |
| Seat Post        | Steel                                                  | Steel                                                | Steel                                                  | Steel                                                                                                                 | Steel                                                                                                                 | Steel                                                                                                                 | Steel                                                                                                                 | Steel                                                         | Alloy post included with seat                                                                                         | Alloy post included with seat                                                                                         |
| Seat Clamp       | Nitrous Locker forged alloy clamp                      | Nitrous Locker forged alloy clamp                    | Nitrous Locker forged alloy clamp                      | Nitrous Locker forged alloy clamp                                                                                     | Nitrous Locker forged alloy clamp                                                                                     | Nitrous Locker forged alloy clamp                                                                                     | Nitrous Locker forged alloy clamp                                                                                     | Nitrous Locker forged alloy clamp                             | Nitrous Locker forged alloy clamp                                                                                     | Integrated                                                                                                            |
| Pedals           | VP Components, Plastic                                 | VP Components, Plastic                               | VP Components, Plastic                                 | VP Components, Plastic                                                                                                | VP Components, Plastic                                                                                                | VP Components, Plastic                                                                                                | VP Components, Plastic                                                                                                | VP Components, Plastic                                        | VP Components, Plastic                                                                                                | VP Components, Plastic                                                                                                |
| Rotor            | N/A                                                    | N/A                                                  | N/A                                                    | N/A                                                                                                                   | N/A                                                                                                                   | N/A                                                                                                                   | N/A                                                                                                                   | Yes                                                           | N/A                                                                                                                   | N/A                                                                                                                   |
| Color Option 1   | Matte black                                            | Matte black                                          | Matte black                                            | Matte black                                                                                                           | Matte black                                                                                                           | Matte black w/ black anodized rims                                                                                    | Matte black w/ black anodized rims                                                                                    | Matte Black w/ red anodized rims                              | Matte black w/ red anodized rims                                                                                      | Matte black w/ green anodized rims                                                                                    |
| Color Option 2   | Matte red                                              | Matte red                                            | Matte red                                              | Matte hot blue                                                                                                        | Matte red                                                                                                             | Matte black w/ red anodized rims                                                                                      | Matte yellow w/ blue anodized rims                                                                                    |                                                               | Matte Black w/ gold anodized rims                                                                                     | Gloss midnight blue with cyan blue anodized rims                                                                      |
| Color Option 3   | N/A                                                    | N/A                                                  | N/A                                                    | N/A                                                                                                                   | N/A                                                                                                                   | Matte orange w/ black Anodized Rims                                                                                   |                                                                                                                       |                                                               |                                                                                                                       |                                                                                                                       |
| Extras!          |                                                        |                                                      |                                                        |                                                                                                                       |                                                                                                                       | 2 pegs (1pc w/ 10mm hole, 1pc w/ 14mm hole)                                                                           | Velcro cable strap & 2 black steel pegs (1pc w/ 10mm hole, 1pc w/ 14mm hole)                                          | 4 pegs (2pcs w/ 10mm hole, 2pcs w/ 14mm hole)                 | 2 pegs (1pc w/ 10mm hole, 1pc w/ 14mm hole)                                                                           | Velcro cable strap & 2 black steel pegs (1pc w/ 10mm hole, 1pc w/ 14mm hole)                                          |
| Taiwan Models    |                                                        |                                                      |                                                        |                                                                                                                       |                                                                                                                       |                                                                                                                       |                                                                                                                       |                                                               |                                                                                                                       |                                                                                                                       |
| * Grips          |                                                        |                                                      | *Eastern Truffle grips                                 | *Eastern Truffle grips                                                                                                | *Eastern Truffle grips                                                                                                | *Eastern Truffle grips                                                                                                | *Eastern Truffle grips                                                                                                | *Eastern Truffle grips                                        | *Eastern Truffle grips                                                                                                | *Eastern Truffle grips                                                                                                |
| ** Front Tire    |                                                        |                                                      | **Kenda Kontact 20x2.25                                | **Kenda Kontact 20x2.25                                                                                               | **Kenda Kontact 20x2.25                                                                                               | **Kenda Kontact 20x2.25                                                                                               | **Kenda Kontact 20x2.25                                                                                               | **Kenda Kontact 20x2.25                                       | **Kenda Kontact 20x2.25                                                                                               | **Kenda Kontact 20x2.25                                                                                               |
| ***Rear Tire     |                                                        |                                                      | ***Kenda Kontact 20x2.25                               | ***Kenda Kontact 20x2.25                                                                                              | ***Kenda Kontact 20x2.25                                                                                              | ***Kenda Kontact 20x2.25                                                                                              | ***Kenda Kontact 20x2.25                                                                                              | ***Kenda Kontact 20x2.25                                      | ***Kenda Kontact 20x2.25                                                                                              | ***Kenda Kontact 20x2.25                                                                                              |

\* Lifetime Warranty details can be found at [www.easternbikes.com](http://www.easternbikes.com)      \*\* Lifetime upgrade details can be found at [www.easternbikes.com](http://www.easternbikes.com)

\*\*\*\*\*For proper fitment of gyro, a fork with appropriate length steerer tube and approximately 10mm of spacing must be installed. Please see your Eastern Dealer for assistance

\*Taiwan Models - \* Grips - Eastern Truffle Grips      \*\* Front Tire    Kenda Kontact 20" x 2.25"      \*\*\*Rear Tire - Kenda Kontact 20" x 2.25"

\*\*\* Prices, Colors, and Specifications are subject to change.      \*\*\*\*\*The spec subject to change, Eastern Burnout and Curb Monkey are equivalent tires and may be interchanged

\*\*\*\* PLEASE NOTE: Specifications may vary from country to country





**MAIN OFFICE:**  
224 High House Rd. Suite 210  
Cary, NC 27513  
Telephone: (919) 772-1907  
Fax: (919) 779-7255


**GENERAL QUESTIONS:**  
info@easternbikes.com

**US SALES:**  
bryan@easternbikes.com

**INTERNATIONAL SALES:**  
ID@easternbikes.com

**WARRANTIES/  
WAREHOUSE ADDRESS:**  
416 North Meriah St.  
Landis, NC 28088  
warranty@easternbikes.com  
Telephone: (919) 772-1907  
EXT. 722 - Warranty  
EXT. 335 - shipping/receiving  
Fax: (704) 857-2463

**WARRANTY QUESTIONS:**  
warranty@easternbikes.com



## KEY SPECS FOR COMPLETE BIKES

| SKILL CATEGORY | MODEL NAME  | TT SIZE | CRMO FRAME | CRMO FORK | CRMO BARS | REAR DOUBLE WALL RIM | FRONT DOUBLE WALL RIM | SEALED FRONT HUB | SEALED REAR HUB | INTEGRATED HEADSET | HEAT-TREATED 3PC TUBULAR CRMO CRANKS | ALLOY SPROCKET | CNC'D 6061 STEM | EASTERN BRAKE LEVER | HALF LINK CHAIN | SEAT/POST COMBO | PIVOTAL SEAT | EASTERN TIRES | EASTERN CROWN PEDALS | SEALED MID BB | INCLUDES PEGS |
|----------------|-------------|---------|------------|-----------|-----------|----------------------|-----------------------|------------------|-----------------|--------------------|--------------------------------------|----------------|-----------------|---------------------|-----------------|-----------------|--------------|---------------|----------------------|---------------|---------------|
| TEAM           | CHIEF       | 21"     | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                    | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
|                | BOSS        | 21"     | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                    | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
|                | REAPER      | 21"     | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                    | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
|                | AXIS        | 21"     | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                    | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
|                | PHANTOM     | 21"     | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                    | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
| PRO            | WOLFDOG     | 21"     | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                    | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
|                | CREMATOR    | 21"     | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                    | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
|                | SHOVELHEAD  | 21"     | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                    | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
|                | WARLOCK     | 21"     | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                    | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
|                | TRAILDIGGER | 21"     | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                    | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
| INTERMEDIATE   | GRIFFIN     | 21"     | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                    | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
|                | NIGHTWASP   | 20.5"   | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                    | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
|                | SHOCK       | 18.5"   | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                    | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
|                | VULTURE     | 21"     | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                    | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
|                | COBRA       | 20.5"   | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                    | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
| BEGINNER       | BATTERY     | 20.25"  | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                    | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
|                | PISTON      | 19.75"  | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                    | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
|                | LOWDOWN 120 | 19.75"  | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                    | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
|                | LOWDOWN 118 | 18.4"   | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                    | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |
|                | LOWDOWN 116 | 16.4"   | •          | •         | •         | •                    | •                     | •                | •               | •                  | •                                    | •              | •               | •                   | •               | •               | •            | •             | •                    | •             | •             |

CHART LEGEND:



For full specs, see back inside cover or visit  
**WWW.EASTERNBIKES.COM**