

EASTERN

QUALITY BIKES & PARTS SINCE '96



2019

BMX BIKES

4



LEISURE BIKES

20



FRAMES

26



FORKS

30



BARS

31



STEMS

32



GRIPS & BARENDS

34



SEATS & POSTS

35



PEDALS

36



BRAKES

36



CRANKS

37



BB & CHAINS

39



HUBS & RIMS

40



WHEELS

40



TIRES & TUBES

42



PEGS

43



SPROCKETS

43



**LIFETIME
UPGRADES**

All Eastern complete bikes & aftermarket frames are included in our lifetime trade-in program. Our trade-in program lets you upgrade your frame at a reduced cost over time as your abilities increase. This is another Eastern exclusive & all the details can be found on our website.



WARNING! READ BEFORE RIDING

All of the actions shown in this catalog were performed by experienced & professional individuals. These actions should not be attempted or duplicated. Performance or attempted performance of the actions shown in this catalog could result in serious personal & bodily injury & property damage. Always take appropriate precautions & wear appropriate safety gear, including but not limited to a helmet, when riding a bicycle.

LOWDOWN



26.9 Lbs



LIFETIME UPGRADES

FRAME TT: 20" CS: 13.38" FORK RAKE: 28MM BARS RISE: 8.0" UP/BACKSWEEP: 12°/1°



FRAME	Lowdown 20", Hi-Tensile Steel, AM BB, Aheadset
Top Tube Size:	20"
Chainstay Length:	13.38"
FORK	Hi-Tensile Steel
Fork Rake:	28mm
HEADSET	Aheadset
HANDLEBAR	H/BAR Complete Bike bar, Hi-Ten 8.0"
Upsweep/Backsweep	12°/1°
STEM	Forged Alloy Front Load Stem
GRIP	Eastern Riblet Grips
CRANK	3-Piece, Tubular Heat-Treated Chromoly, Bolt for Sprocket, Pinch Bolt with 8-Splined Spindle, 165mm 28.6mm Round Arm
BOTTOM BRACKET	American Ball Bearing
CHAINWHEEL	Eastern Phorcys, Cold Hard Steel, 25T
CHAIN	KMC Z410 1/2 x 1/8
PEDAL	Eastern Atom Plastic Pedal with 9/16" Axle

FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	Alloy Caliper Brake
REAR LEVER	Forged Alloy Lever
BRAKE CABLE [S]	LINEAR
SADDLE	Padded Seat with Railed Supports
POST	Steel 200mm
CLAMP	Forged Alloy
FRONT HUB	Sealed Bearing, Drilled for 36 Spokes, 3/8" Chromoly Axle
REAR HUB	Sealed Bearings, Drilled for 36 Spokes, 14mm Chromoly Axle
FREEWHEEL	9 Tooth Sealed Driver with Hub
FRONT RIM	Alloy, Single Wall, Drilled for 36 Spokes, For 20" Tires
REAR RIM	Alloy, Single Wall, Drilled for 36 Spokes, For 20" Tires
SPOKES	14 Gauge with Brass Nipples

FRONT TIRE	20x2.25
REAR TIRE	20x2.25
PEG	None
Rotor	N/A
Color Option 1	Gloss Black
Color Option 2	Gloss Blue
Color Option 3	Gloss Red
Color Option 4	Gloss White



NOW WITH



STEEL
TUBING



RIBLET
Grips



*** PARTS MAY CHANGE FROM WHAT IS PICTURED



27.0 Lbs



FRAME TT: 20" CS: 13.38" FORK RAKE: 28MM BARS RISE: 8.25" UP/BACKSWEEP: 12°/ 1°



FRAME	Cobra 20", Hi Tensile Steel, AM BB, Aheadset
Top Tube Size:	20"
Chainstay Length:	13.38"
FORK	Chromoly Steerer with Hi-Tensile Steel Legs
Fork Rake:	28mm
HEADSET	Aheadset
HANDLEBAR	H/BAR Complete Bike bar, Hi-Ten, 8.25"
Upsweep/Back-sweep	12°/1°
STEM	Forged Alloy Top Load Stem
GRIP	Eastern Riblet Grips
CRANK	3-Piece, Tubular Heat-Treated Chromoly, Bolt for Sprocket, Pinch Bolt with 8-Splined Spindle, 165mm 28.6mm Round Arm
BOTTOM BRACKET	American Ball Bearing
CHAINWHEEL	Eastern Phorcys, Cold Hard Steel, 25T
CHAIN	KMC Z510 1/2 x 1/8
PEDAL	Eastern Atom Plastic Pedal with 9/16" Chromoly Axle
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	U-Brake, Forged Alloy, Wide Body, Clear Brake Pads

REAR LEVER	Forged Alloy Lever
BRAKE CABLE [S]	LINEAR
SADDLE	Padded Seat with Railed Supports
POST	Steel 200mm
CLAMP	Forged Alloy
FRONT HUB	Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, 3/8" Chromoly Axle
REAR HUB	Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle
FREEWHEEL	9 Tooth Sealed Driver with Hub
FRONT RIM	Alloy, Single Wall, Drilled for 36 Spokes, For 20" Tires
REAR RIM	Alloy, Single Wall, Drilled for 36 Spokes, For 20" Tires
SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	20x2.25
REAR TIRE	20x2.25
PEG	None
Rotor	N/A
Color Option 1	Gloss Black
Color Option 2	Gloss Purple
Color Option 3	Gloss Teal
Color Option 4	Gloss Orange



KENNETH TENCIO



LOU UBA

JAVELIN

25.7 Lbs



LIFETIME UPGRADES



FRAME TT: 20.5" CS: 13.38" FORK RAKE: 28MM BARS RISE: 8.5" UP/BACKSWEEP: 12°/1°



FRAME	Javelin 20", Chromoly Down Tube , Mid BB, Internal Headset
Top Tube Size:	20.5"
Chainstay Length:	13.38"
FORK	Chromoly Steerer with Hi-Tensile Steel Legs
Fork Rake:	28mm
HEADSET	Integrated 45°X45° Sealed Cartridge Bearing
HANDLEBAR	H/BAR Complete Bike bar, Hi-Ten, 8.5"
Upsweep/Back-sweep	12°/1°
STEM	Forged Alloy Top Load Stem
GRIP	Eastern Riblet Grips
CRANK	3-Piece, Tubular Heat-Treated Chromoly, Bolt for Sprocket, Pinch Bolt with 8-Splined Spindle, 170mm 28.6mm Round Arm
BOTTOM BRACKET	Sealed Bearing Mid
CHAINWHEEL	Eastern Phorcys, Cold Hard Steel, 25T
CHAIN	KMC Z510 1/2 x 1/8
PEDAL	Eastern Atom Plastic Pedal with 9/16" Chromoly Axle
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	U-Brake, Forged Alloy, Wide Body, Clear Brake Pads
REAR LEVER	Forged Alloy Lever
BRAKE CABLE [S]	LINEAR

SADDLE	Medium Width Seat/ Post Combo
POST	Comes with Seat
CLAMP	Integrated with Frame
FRONT HUB	Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, 3/8" Chromoly Axle
REAR HUB	Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle
FREEWHEEL	9 Tooth Sealed Driver with Hub
FRONT RIM	Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
REAR RIM	Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	Eastern OEM 20 x 2.40
REAR TIRE	Eastern OEM 20 x 2.40
PEG	None
Rotor	N/A
Color Option 1	Gloss Black
Color Option 2	Gloss Green
Color Option 3	Gloss Blue
Color Option 4	Gloss Purple
Color Option 5	Gloss White



O · R · B · I · T ·

26.0 Lbs



FRAME TT: 20.25" CS: 13.38"

FORK RAKE: 28MM

BARS RISE: 8.25" UP/BACKSWEEP: 12°/1°



4 PEGS & ROTOR INCLUDED

FRAME	Orbit 20", Chromoly Down Tube, Mid BB, Internal Headset
Top Tube Size:	20.25"
Chainstay Length:	13.38"
FORK	Chromoly Steerer with Hi-Tensile Steel Legs
Fork Rake:	28mm
HEADSET	Integrated 45°X45° Sealed Cartridge Bearing
HANDLEBAR	H/BAR Complete Bike bar, Hi-Ten, 8.25"
Upsweep/Back-sweep	12°/1°
STEM	Forged Alloy Top Load Stem
GRIP	Eastern Riblet Grips
CRANK	3-Piece, Tubular Heat-Treated Chromoly, Bolt for Sprocket, Pinch Bolt with 8-Splined Spindle, 165mm 28.6mm Round Arm
BOTTOM BRACKET	Sealed Bearing Mid
CHAINWHEEL	Eastern Phorcys, Cold Hard Steel, 25T
CHAIN	KMC 4510 1/2 x 1/8
PEDAL	Eastern Atom Plastic Pedal with 9/16" Chromoly Axle
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	U-Brake, Forged Alloy, Wide Body, Clear Brake Pads

REAR LEVER	Forged Alloy Lever
BRAKE CABLE [S]	LINEAR
SADDLE	Medium Width Seat/ Post Combo
POST	Comes with Seat
CLAMP	Integrated with Frame
FRONT HUB	Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, 3/8" Chromoly Axle
REAR HUB	Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle
FREEWHEEL	9 Tooth Sealed Driver with Hub
FRONT RIM	Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
REAR RIM	Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	Eastern OEM 20 x 2.40
REAR TIRE	Eastern OEM 20 x 2.40
PEG	Cold Steel Pegs (4pcs)
Rotor	Yes
Color Option 1	Gloss Black
Color Option 2	Gloss White
Color Option 3	Gloss Yellow




*** PARTS MAY CHANGE FROM WHAT IS PICTURED

TREY TURNER



 JHUST ARGENIO



25.5 Lbs



FRAME TT: 20.75" CS: 13.38" **FORK** RAKE: 28MM **BARS** RISE: 8.75" UP/BACKSWEEP: 12°/ 1°



FRAME	Traildigger 20", Full Chromoly, Mid BB, Internal Headset
Top Tube Size:	20.75"
Chainstay Length:	13.38"
FORK	Chromoly Steerer with Hi-Tensile Steel Legs
Fork Rake:	28mm
HEADSET	Integrated 45°X45° Sealed Cartridge Bearing
HANDLEBAR	H/BAR Complete Bike bar, Hi-Ten, 8.75"
Upsweep/Back-sweep	12°/1°
STEM	Forged Alloy Top Load Stem
GRIP	Eastern Riblet Grips
CRANK	3-Piece, Tubular Heat-Treated Chromoly, Bolt for Sprocket, Pinch Bolt with 8-Splined Spindle, 170mm 31.8mm Square Tapered Arm
BOTTOM BRACKET	Sealed Bearing Mid
CHAINWHEEL	Eastern Phorcys, Alloy, 25T
CHAIN	KMC Z510 1/2 x 1/8
PEDAL	New Eastern Facet Pedal with 9/16" Chromoly Axle
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	U-Brake, Forged Alloy, Wide Body, Clear Brake Pads
REAR LEVER	Forged Alloy Lever

BRAKE CABLE [S]	LINEAR
SADDLE	Medium Width Pivotal Seat
POST	Pivotal, 200mm
CLAMP	Integrated with Frame
FRONT HUB	Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, 3/8" Chromoly Axle
REAR HUB	Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle
FREEWHEEL	9 Tooth Sealed Driver with Hub
FRONT RIM	Alloy, Single Wall, Drilled for 36 Spokes, For 20" Tires
REAR RIM	Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	Eastern Squealer OEM 20 x 2.40
REAR TIRE	Eastern Squealer OEM 20 x 2.40
PEG	None
Rotor	N/A
Color Option 1	Gloss Black
Color Option 2	Gloss Purple
Color Option 3	Gloss Red
Color Option 4	Gloss White



*** PARTS MAY CHANGE FROM WHAT IS PICTURED

NEW

NIGHTWASP

25.5 Lbs



LIFETIME UPGRADES

NOW with 4130 CHROMOLY FRAME



FRAME TT: 20.5" CS: 13.38" FORK RAKE: 28MM BARS RISE: 8.5" UP/BACKSWEEP: 12°/1°



FRAME	Nightwasp 20", Full Chromoly, Mid BB, Internal Headset
Top Tube Size:	20.5"
Chainstay Length:	13.38"
FORK	Chromoly Steerer with Hi-Tensile Steel Legs
Fork Rake:	28mm
HEADSET	Integrated 45°X45° Sealed Cartridge Bearing
HANDLEBAR	H/BAR Complete Bike bar, Hi-Ten, 8.5
Upsweep/Back-sweep	12°/1°
STEM	Forged Alloy Top Load Stem
GRIP	Eastern Riblet Grips
CRANK	3-Piece, Tubular Heat-Treated Chromoly, Bolt for Sprocket, Pinch Bolt with 8-Splined Spindle, 165mm 31.8mm Square Tapered Arm
BOTTOM BRACKET	Sealed Bearing Mid
CHAINWHEEL	Eastern Phorcys, Alloy, 25T
CHAIN	KMC Z510 1/2 x 1/8
PEDAL	Eastern Facet Pedal with 9/16" Chromoly Axle
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	U-Brake, Forged Alloy, Wide Body, Clear Brake Pads
REAR LEVER	Forged Alloy Lever

BRAKE CABLE [S]	LINEAR
SADDLE	Medium Width Seat/ Post Combo
POST	Comes with Seat
CLAMP	Integrated with Frame
FRONT HUB	Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, 3/8" Chromoly Axle
REAR HUB	Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle
FREEWHEEL	9 Tooth Sealed Driver with Hub
FRONT RIM	Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
REAR RIM	Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	Eastern Squealer OEM 20 x 2.40
REAR TIRE	Eastern Squealer OEM 20 x 2.40
PEG	None
Rotor	N/A
Color Option 1	Gloss Black
Color Option 2	Gloss Blue
Color Option 3	Gloss Yellow
Color Option 4	Gloss Green



SEALED INTEGRATED HEADSET

SEALED BB

MID BOTTOM BRACKET

TUBULAR 3PC CRANKS CHROMOLY

DOUBLE WALL RIMS

FACET PEDALS

SQUEALER TIRES

NEW

WOLFDog

25.6 Lbs



LIFETIME UPGRADES

NOW with
4130 CHROMOLY FRAME

4130 CHROMOLY FORK



FRAME TT: 20.75" CS: 13.38" FORK RAKE: 28MM BARS RISE: 8.85" UP/BACKSWEEP: 12°/ 1°



FRAME	WolfDog 20", Full Chromoly, Mid BB, Internal Headset
Top Tube Size:	20.75"
Chainstay Length:	13.38"
FORK	Full Chromoly
Fork Rake:	28mm
HEADSET	Integrated 45°X45° Sealed Cartridge Bearing
HANDLEBAR	H/BAR Complete Bike bar, Hi-Ten, 8.85"
Upsweep/Backsweep	12°/1°
STEM	Forged Alloy Top Load Stem
GRIP	Eastern Riblet Grips
CRANK	3-Piece, Tubular Heat-Treated Chromoly, Bolt for Sprocket, Pinch Bolt with 8-Splined Spindle, 170mm 31.8mm Square Tapered Arm
BOTTOM BRACKET	Sealed Bearing Mid
CHAINWHEEL	Eastern Phorcys, Alloy, 28T
CHAIN	KMC Z510 1/2 x 1/8
PEDAL	Eastern Facet Pedal with 9/16" Chromoly Axle
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	U-Brake, Forged Alloy, Wide Body, Clear Brake Pads

REAR LEVER	Forged Alloy Hinged Lever
BRAKE CABLE [S]	LINEAR
SADDLE	Medium Width Pivotal Seat
POST	Pivotal, 200mm
CLAMP	Integrated with Frame
FRONT HUB	Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, 3/8" Chromoly Axle
REAR HUB	Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle
FREEWHEEL	9 Tooth Sealed Driver with Hub
FRONT RIM	Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
REAR RIM	Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	Eastern Squealer OEM 20 x 2.40
REAR TIRE	Eastern Squealer OEM 20 x 2.40
PEG	None
Rotor	N/A
Color Option 1	Gloss Black
Color Option 2	Gloss Orange
Color Option 3	Gloss Olive
Color Option 4	Gloss Red



SEALED BB



SEALED INTEGRATED HEADSET



DOUBLE WALL RIMS

SQUEALER TIRES



*** PARTS MAY CHANGE FROM WHAT IS PICTURED

ELEMENT

25.8 Lbs



FRAME TT: 20.75" CS: 13.38" FORK RAKE: 28MM BARS RISE: 8.75" UP/BACKSWEEP: 12°/1°



2 PEGS INCLUDED



FRAME	Element 20", Full Chromoly, Mid BB, Internal Headset
Top Tube Size:	20.75"
Chainstay Length:	13.38"
FORK	Full Chromoly
Fork Rake:	28mm
HEADSET	Integrated 45°X45° Sealed Cartridge Bearing
HANDLEBAR	H/BAR Complete Bike bar, Hi-Ten, 8.75"
Upsweep/Backsweep	12°/1°
STEM	Forged Alloy Top Load Stem
GRIP	Eastern Riblet Grips
CRANK	3-Piece, Tubular Heat-Treated Chromoly, Bolt for Sprocket, Pinch Bolt with 8-Splined Spindle, 165mm, 31.8mm Square Tapered Arm
BOTTOM BRACKET	Sealed Bearing Mid
CHAINWHEEL	Eastern Phorcys, Cold Hard Steel, 25T
CHAIN	KMC Z510 1/2 x 1/8
PEDAL	Eastern Facet Pedal with 9/16" Chromoly Axle
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	U-Brake, Forged Alloy, Wide Body, Clear Brake Pads

REAR LEVER	Forged Alloy Hinged Lever
BRAKE CABLE [S]	LINEAR
SADDLE	Medium Width Pivotal Seat
POST	Pivotal, 200mm
CLAMP	Integrated with Frame
FRONT HUB	Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, 3/8" Chromoly Axle
REAR HUB	Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle
FREEWHEEL	9 Tooth Sealed Driver with Hub
FRONT RIM	Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
REAR RIM	Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	Eastern Squealer OEM 20 x 2.40
REAR TIRE	Eastern Squealer OEM 20 x 2.40
PEG	Cold Steel Pegs (2pcs)
Rotor	N/A
Color Option 1	Gloss Black
Color Option 2	Gloss White



25.6 Lbs



FRAME TT: 20.85" CS: 13.38" **FORK** RAKE: 28MM **BARS** RISE: 9.0" UP/BACKSWEEP: 12°/1°



2 PEGS INCLUDED

FRAME	Shovelhead 20", Full Chromoly, Removable Brake Mounts, Mid BB, Internal Headset
Top Tube Size:	21.0"
Chainstay Length:	13.38"
FORK	Full Chromoly
Fork Rake:	28mm
HEADSET	Integrated 45°X45° Sealed Cartridge Bearing
HANDLEBAR	H/BAR Complete Bike bar, crmo, 9.0"
Upsweep/Backsweep	12°/1°
STEM	Top Load, CNC Machined 6061 Missile Grade Aluminum
GRIP	Eastern Riblet Grips
CRANK	3-Piece, Tubular Heat-Treated Chromoly, 48-Splined Spindle, 170mm Arm Length
BOTTOM BRACKET	Sealed Bearing Mid
CHAINWHEEL	Eastern Phorcys, Alloy, 28T
CHAIN	KMC Z510 1/2 x 1/8
PEDAL	Eastern Facet Pedal with 9/16" Chromoly Axle
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	U-Brake, Forged Alloy, Wide Body, Clear Brake Pads

REAR LEVER	Forged Alloy Hinged Lever
BRAKE CABLE [S]	LINEAR
SADDLE	Medium Width Pivotal Seat
POST	Pivotal, Alloy, 200mm
CLAMP	Integrated with Frame
FRONT HUB	Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, Female Axle System with 3/8" Allen Key Bolts
REAR HUB	Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle
FREEWHEEL	9 Tooth Sealed Driver with Hub
FRONT RIM	Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
REAR RIM	Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	Eastern Squealer 20 x 2.40 100 PSI
REAR TIRE	Eastern Squealer 20 x 2.40 100PSI
PEG	Cold Steel Pegs (2pcs)
Rotor	N/a
Color Option 1	Gloss Black
Color Option 2	Gloss Red
Color Option 3	Gloss Purple



*** PARTS MAY CHANGE FROM WHAT IS PICTURED

NEW

Thunderbird

V1

25.6 Lbs



LIFETIME UPGRADES

Curb Monkey II



NOW with 4130 CHROMOLY FRAME

FRAME TT: 21.0" CS: 13.74" **FORK** RAKE: 28MM **BARS** RISE: 8.75" UP/BACKSWEEP: 12°/1°



FACET PEDALS

Curb Monkey II



FRAME	Thunderbird 20", Full Chromoly, Mid BB, Internal Headset
Top Tube Size:	21"
Chainstay Length:	13.74"
FORK	Chromoly Steerer with Hi-Tensile Steel Legs
Fork Rake:	28mm
HEADSET	Integrated 45°X45° Sealed Cartridge Bearing
HANDLEBAR	H/BAR Complete Bike bar, Hi-Ten, 8.75"
Upsweep/Backsweep	12°/1°
STEM	Forged Alloy Top Load Stem
GRIP	Eastern Riblet Grips
CRANK	3-Piece, Tubular Heat-Treated Chromoly, Bolt for Sprocket, Pinch Bolt with 8-Splined Spindle, 170mm 31.8mm Square Tapered Arm
BOTTOM BRACKET	Sealed Bearing Mid
CHAINWHEEL	Eastern Phorcys, Alloy, 25T
CHAIN	KMC Z510 1/2 x 1/8
PEDAL	Eastern Facet Pedal with 9/16" Chromoly Axle
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	U-Brake, Forged Alloy, Wide Body, Clear Brake Pads

REAR LEVER	Forged Alloy Lever
BRAKE CABLE [S]	LINEAR
SADDLE	Medium Width Pivotal Seat
POST	Pivotal, 200mm
CLAMP	Integrated with Frame
FRONT HUB	Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, 3/8" Chromoly Axle
REAR HUB	Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle
FREEWHEEL	9 Tooth Sealed Driver with Hub
FRONT RIM	Alloy, Single Wall, Drilled for 36 Spokes, For 20" Tires
REAR RIM	Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	Eastern Curb Monkey 20 x 2.40
REAR TIRE	Eastern Curb Monkey 20 x 2.40
PEG	None
Rotor	N/a
Color Option 1	Gloss Black



SEALED INTEGRATED HEADSET

SEALED BB

MID BOTTOM BRACKET

TUBULAR 3PC CRANKS CHROMOLY


DOUBLE WALL RIMS

pivotal SEAT

Curb Monkey II

FACET PEDALS

ROBBIE TAYLOR



 CHRIS BURDEN

NEW

Thunderbird

V2

25.6 Lbs



LIFETIME UPGRADES



**NOW with
4130
CHROMOLY
FRAME**

**4130
CHROMOLY
FORK**

**4130
CHROMOLY
BARS**

FRAME TT: 21.0" CS: 13.74" FORK RAKE: 28MM BARS RISE: 9.0" UP/BACKSWEEP: 12°/ 1°



Curb Monkey II



**2 COLD STEEL
PEGS INCLUDED**



**SEALED
INTEGRATED
HEADSET**

**SEALED
BB**

**MID
BOTTOM BRACKET**

**TUBULAR
3PC
CRANKS
CHROMOLY**

**DOUBLE
WALL
RIMS**

**pivotal
SEAT**

Curb Monkey II

**FACET
PEDALS**

**REPLACEMENT
BRAKE MOUNTS**

FRAME	Thunderbird 20", Full Chromoly, Removable Brake Mounts, Mid BB, Internal Headset
Top Tube Size:	21"
Chainstay Length:	13.74"
FORK	Full Chromoly
Fork Rake:	28mm
HEADSET	Integrated 45°x45° Sealed Cartridge Bearing
HANDLEBAR	H/BAR Complete Bike bar, crmo, 9.0"
Upsweep/Backsweep	12°/1°
STEM	CNC Machined 6061 Missile Grade Aluminum
GRIP	Eastern Riblet Grips
CRANK	3-Piece, Tubular Heat-Treated Chromoly, 48-Splined Spindle, 170mm Arm Length
BOTTOM BRACKET	Sealed Bearing Mid
CHAINWHEEL	Eastern Phorcys, Alloy, 28T
CHAIN	KMC Z510 1/2 x 1/8
PEDAL	Eastern Facet Pedal with 9/16" Chromoly Axle
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	U-Brake, Forged Alloy, Wide Body, Clear Brake Pads
REAR LEVER	Forged Alloy Hinged Lever

BRAKE CABLE [S]	LINEAR
SADDLE	Medium Width Pivotal Seat
POST	Pivotal, Alloy, 200mm
CLAMP	Integrated with Frame
FRONT HUB	Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, Female Axle System with 3/8" Allen Key Bolts
REAR HUB	Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle
FREEWHEEL	9 Tooth Sealed Driver with Hub
FRONT RIM	Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
REAR RIM	Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	Eastern Curb Monkey 20 x 2.40
REAR TIRE	Eastern Curb Monkey 20 x 2.40
PEG	Cold Steel Pegs (2pcs)
Rotor	N/a
Color Option 1	Gloss Black

NEW

REAPER

24.7 Lbs



**LIFETIME
UPGRADES**



NOW with
**4130
CHROMOLY
FRAME**

**4130
CHROMOLY
FORK**

**4130
CHROMOLY
BARS**


FRAME TT: 20.85" CS: 13.38"

FORK RAKE: 28MM

BARS RISE: 8.85" UP/BACKSWEEP: 12°/1°



1-PC. STEERER TUBE



HELIX DOWNTUBE



**2 SLIM PEGS
INCLUDED**

FRAME	Reaper 20", Full Chromoly with Helix Downtube, Removable Brake Mounts, Mid BB, Internal Headset
Top Tube Size:	20.85"
Chainstay Length:	13.38"
FORK	Reaper 20", Full Chromoly with 1pc CNC'd Steerer Tube
Fork Rake:	28mm
HEADSET	Integrated 45°X45° Sealed Cartridge Bearing
HANDLEBAR	H/BAR Complete Bike bar, crmo, 9.0"
Upsweep/Backsweep	12°/1°
STEM	CNC Machined 6061 Missile Grade Aluminum
GRIP	Eastern Riblet Grips
CRANK	3-Piece, Tubular Heat-Treated Chromoly, 48-Splined Spindle, 170mm Arm Length
BOTTOM BRACKET	Sealed Bearing Mid
CHAINWHEEL	Eastern Phorcys, Alloy, 28T
CHAIN	Half Link 1/2 x 1/8 Half Link 1/2 x 1/8 Half Link 1/2 x 1/8
PEDAL	Eastern Facet Pedal with 9/16" Chromoly Axle
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	U-Brake, Forged Alloy, Wide Body, Clear Brake Pads
REAR LEVER	Forged Alloy Hinged Lever

BRAKE CABLE [S]	LINEAR
SADDLE	Medium Width Pivotal Seat
POST	Pivotal, Alloy, 200mm
CLAMP	Integrated with Frame
FRONT HUB	Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, Female Axle System with 3/8" Allen Key Bolts
REAR HUB	Eastern Buzzip, 60 point engagement ring and 4 Pawls for Virtually Instant Engagment and Unique Buzz sound, Drilled for 36 Spokes, Female Axle with 14mm Allen Key Bolts
FREEWHEEL	9 Tooth Sealed Driver with Hub
FRONT RIM	7000-Series Aluminum, Fusion Welded, Double Wall, Drilled for 36 Spokes, For 20" Tires
REAR RIM	7000-Series Aluminum, Fusion Welded, Double Wall, Drilled for 36 Spokes, For 20" Tires
SPOKES	14 Gauge Stainless Steel with Brass Nipples
FRONT TIRE	Eastern Squealer 20 x 2.40 100 PSI
REAR TIRE	Eastern Squealer 20 x 2.40 100PSI
PEG	Eastern Slim Pegs. Chromoly with Internal Machining to Save Weight. (2pcs)
Rotor	N/a
Color Option 1	Gloss Black



**SEALED
INTEGRATED
HEADSET**

**SEALED
BB**

**MID
BOTTOM BRACKET**

**TUBULAR
3PC
CRANKS**

**DOUBLE
WALL
RIMS**

**pivotal
SEAT**

**SQUEALER
TIRES**

**REPLACEABLE
BRAKE MOUNTS**

**FACET
PEDALS**

*** PARTS MAY CHANGE FROM WHAT IS PICTURED



LIFETIME
UPGRADES



26" LIMITED MODEL
27.5 Lbs

LIMITED
MODELS



REGULAR
MODELS



26"

FRAME	Growler 26", Hi-Tensile Steel, AM BB, Aheadset, 135mm Rear Hub Spacing, Welded on Rotor Brake Mounts: Limited has Full Chromoly Frame
Top Tube Size:	22.5"
Chainstay Length:	16.9"
FORK	Growler 26", Hi-Tensile Steel: Limited has full chromoly Fork
Fork Rake:	32mm
HEADSET	Aheadset
HANDLEBAR	Hi Ten, 22.2mm bar bore, 1.2mm T, 7" x 28"
Upsweep /Backsweep	11°/1°
STEM	Forged Alloy Front Load Stem
GRIP	Eastern Riblet Grips
CRANK	Forged 1-Piece, Heat-Treated Chromoly, 175mm Arm Length: Limited comes with 3-Piece, Tubular Heat-Treated Chromoly, Pinch Bolt with 8-Splined Spindle, 170mm Arm Length

BOTTOM BRACKET	American Ball Bearing: Limited Edition comes with sealed bearing alloy cups
CHAINWHEEL	Eastern Maxum, Alloy, 36T
CHAIN	KMC 2410 1/2 x 1/8
PEDAL	Eastern Atom Plastic Pedal with 1/2" Axle : (Limited 9/16")
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	Disc Brake, Mechanical
REAR LEVER	Forged Alloy Lever
BRAKE CABLE [S]	LINEAR
SADDLE	Padded Seat with Railed Supports
POST	Steel 300mm
CLAMP	Integrated with Frame
FRONT HUB	Sealed Bearing, Steel Shell, Drilled for 36 Spokes, 3/8" Axle
REAR HUB	Ball Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Axle

FREEWHEEL	15 Tooth Freewheel
FRONT RIM	Alloy, Single Wall, Drilled for 36 Spokes, For 26" Tires
REAR RIM	Alloy, Single Wall, Drilled for 36 Spokes, For 26" Tires
SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	26 x 2.2
REAR TIRE	26 x 2.2
PEG	None
Rotor	N/a
Color Option 1	Gloss Black/Camo
Color Option 2	Gloss Yellow
Color Option 3	Gloss Pink
Color Option 4	Gloss Blue
Color Option 5	Gloss Red
Color Option 6	Chrome
Color Option 7	Gloss White



LIFETIME UPGRADES

29" REG. MODEL
28.0 LbsREGULAR
MODELSSTEEL
TUBINGDOUBLE
WALL
RIMS

29"

FRAME	Growler 29", Hi-Tensile Steel, AM BB, Aheadset, 135mm Rear Hub Spacing, Welded on Rotor Brake Mounts: Limited has Full Chromoly Frame
Top Tube Size:	24"
Chainstay Length:	18"
FORK	Growler 26", Hi-Tensile Steel: Limited has full chromoly Fork
Fork Rake:	32mm
HEADSET	Aheadset
HANDLEBAR	Hi Ten, 22.2mm bar bore, 1.2mm T, 7" x 28"
Upsweep/Backsweep	11°/1°
STEM	Forged Alloy Front Load Stem
GRIP	Eastern Riblet Grips
CRANK	Forged 1-Piece, Heat-Treated Chromoly, 175mm Arm Length: Limited comes with 3-Piece, Tubular Heat-Treated Chromoly, Pinch Bolt with 8-Splined Spindle, 170mm Arm Length

BOTTOM BRACKET	American Ball Bearing: Limited Edition comes with sealed bearing alloy cups
CHAINWHEEL	Eastern Maxum, Alloy, 36T
CHAIN	KMC Z510 1/2 x 1/8
PEDAL	Eastern Atom Plastic Pedal with 1/2" Axle : (Limited 9/16")
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	Disc Brake, Mechanical
REAR LEVER	Forged Alloy Lever
BRAKE CABLE [S]	LINEAR
SADDLE	Padded Seat with Railed Supports
POST	Steel 300mm
CLAMP	Integrated with Frame
FRONT HUB	Sealed Bearing, Steel Shell, Drilled for 36 Spokes, 3/8" Axle
REAR HUB	Ball Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Axle

FREEWHEEL	15 Tooth Freewheel
FRONT RIM	Alloy, Double Wall, Drilled for 36 Spokes, For 29" Tires
REAR RIM	Alloy, Double Wall, Drilled for 36 Spokes, For 29" Tires
SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	29 x 2.35
REAR TIRE	29 x 2.35
PEG	None
Rotor	N/A
Color Option 1	Gloss Black/Camo
Color Option 2	Gloss Yellow
Color Option 3	Gloss Pink
Color Option 4	Gloss Blue
Color Option 5	Gloss Red
Color Option 6	Chrome
Color Option 7	Gloss White

*** PARTS MAY CHANGE FROM WHAT IS PICTURED




24" LIMITED SHOWN HERE
27.4 Lbs

LIMITED
MODELS



REGULAR
MODELS





FRAME TT: 22" CS: 15.4" FORK RAKE: 32MM
BARS UP/BACKSWEEP: 11°/3°

24"

FRAME	Commando 24", Hi-Tensile Steel, AM BB, Aheadset
Top Tube Size:	22"
Chainstay Length:	15.4"
FORK	Commando 24", Hi-Tensile Steel
Fork Rake:	32mm
HEADSET	Aheadset
HANDLEBAR	Commando H/Bar for 24" bike
Upsweep/Back-sweep	11°/3°
STEM	Forged Alloy Top Load Stem
GRIP	Eastern Riblet Grips
CRANK	Forged 1-Piece, Heat-Treated Chromoly, 175mm Arm Length: Limited comes with 3-Piece, Tubular Heat-Treated Chromoly, Pinch Bolt with 8-Splined Spindle, 170mm Arm Length
BOTTOM BRACKET	American Ball Bearing: Limited Edition comes with sealed bearing alloy cups
CHAINWHEEL	Eastern Maxum, Alloy, 36T
CHAIN	KMC Z410 1/2 x 1/8

PEDAL	Eastern Atom Plastic Pedal with 1/2" Axle : (Limited 9/16")
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	U-Brake, Forged Alloy, Clear Brake Pads
REAR LEVER	Forged Alloy Lever
BRAKE CABLE [S]	LINEAR
SADDLE	Padded Seat with Railed Supports
POST	Steel, 350mm
CLAMP	Alloy Bolt Clamp
FRONT HUB	Ball Bearing, Steel Shell, Drilled for 36 Spokes, 3/8" Axle
REAR HUB	Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle
FREEWHEEL	16 Tooth Freewheel
FRONT RIM	Alloy, Single Wall, Drilled for 36 Spokes, For 24" Tires
REAR RIM	Alloy, Single Wall, Drilled for 36 Spokes, For 24" Tires

SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	24 x 1.95
REAR TIRE	24 x 1.95
PEG	None
Rotor	N/a
Color Option 1	Gloss Black/Camo
Color Option 2	Gloss Yellow
Color Option 3	Gloss Red
Color Option 4	Gloss Pink
Color Option 5	Chrome
Color Option 6	Gloss White



*** PARTS MAY CHANGE FROM WHAT IS PICTURED

PUSHER



- LIGHTWEIGHT ALLOY FRAME, FORK, BARS AND SEAT POST
- ONE PIECE HANDLE BAR STEM COMBO WITH QUICK RELEASE FOR EASY ADJUSTMENT
- SOFT PADDED SEAT
- QUICK RELEASE SEAT POST CLAMP FOR EASY ADJUSTMENT
- EVA TIRES SO NO NEED TO WORRY ABOUT FLAT TIRES
- BUTTON HEAD STYLE AXLE BOLTS KEEP KIDS FROM GETTING SCRATCHED
- SOFT RUBBER GRIPS WITH LARGER ENDS TO AID IN GRIP
- SEALED FRONT AND REAR WHEEL BEARINGS



Seat Adjustable



23.5"
(60cm)

1-6 Years

47"
(120cm)



Bars Adjustable



4.6 lbs
FEATHERLIGHT
ALLOY CONSTRUCTION



*** PARTS MAY CHANGE FROM WHAT IS PICTURED

GRIM REAPER X



Lifetime upgrade policy**

4.75 LBS

TOP TUBE SIZE • 20.5" 20.75" 21.0"

- The Grim Reaper 10 is the latest evolution of our lightweight professional level frame
- Helix Down Tube, Top Tube & Chainstays: ribs inside the tubing help prevent denting & yield a higher strength-to-weight ratio
- Classic EB cut-out in the heat-treated head tube and reinforced cutouts in seat tube
- Offset Butted and Heat Treated Head Tube
- Heat Treated Wide Mid Bottom Bracket
- Heat-Treated 8mm Thick Drop Outs with Integrated Chain Tensioners

- Single Butted Seat Tube
- Single Butted Seat Stays
- Replaceable 990 mounts
- Removable Gyro Tabs & Cable Guides
- Spy Clamp: Integrated with Frame

75° Head Tube Angle

71° Seat Tube Angle


13.5" Chain Stay Length
(13.2" slammed)

8.7" Standover Height

BB height = 11.5"

COLORS

Gloss Black, Chrome, Coolant Green, Coolant Gold



GUERRA MARTYR III



Lifetime upgrade policy**

3.9 LBS

TOP TUBE SIZE • 20.5", 20.75", 21", 21.25"

- Materials - 100% Japanese Post Weld Heat Treated Chromoly tubing. Downtube is Triple Butted. Top tube, Seat Tube, Seatstays and Chainstays are Double Butted. BB, Headtube & Dropouts are Hardened Chromoly. Headtube is Offset Butted
- Headset - 1-1/8" Integrated w/ Offset Butted Headtube

- Bottom Bracket - Maltese BB w/ 11.5" BB Height
- Chainstay Length - 13.75"
- Head Tube Angle - 75 Degrees
- Seat Tube Angle - 71 Degrees
- Spy Clamp: Integrated with Frame

- Brake Mount Location - Replaceable Mounts on Seatstays

- Dropouts - 14mm Machined & Heat Treated w/ 6mm Thick Chromoly Dropouts

COLORS: Gloss Black, Coolant Red



REINFORCED
SEAT TUBE CUTOUT



HEADTUBE CUTOUT



CNC MACHINED DROPOUTS



SPY CLAMP
INTERNAL SEATPOST CLAMP



HELIK TUBES

TOPTUBE - DOWNTUBE
AND CHAINSTAYS



TOMMY MYALL

CAM HARRIS

NIGHT RAIN

LIFETIME UPGRADES

E³ WELDING PROCESS

4130 CHROMOLY FRAME

SPY CLAMP

MID BOTTOM BRACKET



*Lifetime upgrade policy***


5.6 LBS

TOP TUBE SIZE • 21.65"

- 10mm or 14mm
- Full 4130 chromoly frame w/ double butted top tube
- Double butted downtube that is offset butted at the head to create an internal gusset
- Internal head tube with CNCed EB logo
- Hydroformed monocoque chainstays
- Mid BB

- Laser cut dropouts
- Heat-treated bottom bracket, dropouts and head tube
- Disc brake tabs
- Eastern Low Boy integrated seat post clamp
- 14.7" Slammed chain stay/ 15" to center

COLOR:
Matte Black



*** PARTS MAY CHANGE FROM WHAT IS PICTURED

THICK RHONDA



**THICK
IN ALL THE
RIGHT
PLACES!**



**E³ WELDING
PROCESS**

**LIFETIME
UPGRADES**

*Lifetime upgrade policy***

5.4 LBS

TOP TUBE SIZE
19.69" – 20.69" – 21.169"

COLORS
Gloss Black, Coolant Green, Trans Gold

- Full 4130 Japanese Chromoly
- Heat-Treated HeadTube, Dropouts and BB
- 8mm Thick Dropouts
- Extra Wide BB to do away with all the unnecessary spacers
- CNC'd Mid Bottom Bracket

- Double-Butted Top Tube, seat tube, offset butted head tube, single butted seat stays
- Extra thick down tube and chain stays to prevent denting
- 2.4" tire clearance
- Removable brake mounts and hardware

- Spy Clamp: Integrated with Frame
- 75 Degree Head tube angle
- 71.2 Degree Seat tube angle
- 9.4" Standover Height
- 13.25" Rear End



KEYSTONE



**E³ WELDING
PROCESS**

**LIFETIME
UPGRADES**



**EXTRA
THICK
DOWNTUBE**

*Lifetime upgrade policy***

5.33 LBS

TOP TUBE SIZE
19.69" – 20.69" – 21.169"

- Full 4130 Japanese Chromoly
- Heat-Treated HeadTube, Dropouts and BB
- CNC'd Mid Bottom Bracket
- Double-Butted Top Tube
- Extra-Thick Butted Down Tube
- Single-Butted Seat Tube
- Gussets on both Down Tube and Top Tube
- Tapered Chain Stays

- Integrated with Frame
- 75° Head tube angle
- 71° Seat tube angle
- 7.4" Standover Height
- 13.2" Rear End





JUSTIN FARABAUGH



EXTRA
THICK
DOWNTUBE



SPY
CLAMP
INTERNAL SEATPOST CLAMP



8MM
CNC MACHINED
THICK
DROPOUTS

LABYRINTH



E³ WELDING PROCESS

LIFETIME
UPGRADES

EXPERT
LEVEL

4130
CHROMOLY
FRAME

MID
BOTTOM BRACKET

EXTRA
THICK
DOWNTUBE

Lifetime upgrade policy**

5.3 LBS

TOP TUBE SIZE 20.69" 21.169"

COLORS Gloss Black, Chrome, Coolant Green,
Gloss Yellow

- Full 4130 Japanese Chromoly
- Heat-Treated HeadTube, Dropouts and BB
- CNC'd Mid Bottom Bracket
- Double-Butted Top Tube

- Extra-Thick Butted Down Tube
- Single-Butted Seat Tube
- Gussets on Down Tube and Top Tube
- Tapered Chain Stays
- Integrated with Frame

- 75 Head tube angle
- 71 seat tube angle
- 9.1" Standover Height
- 13.25" Rear End



*** PARTS MAY CHANGE FROM WHAT IS PICTURED



Swivel Hip

3/8"
32.4 oz



1
PIECE
CNC STEERER TUBE



- CNC'D HARDENED CHROMOLY DROPOUTS
- TAPERED & BUTTED LEGS


LIFETIME
UPGRADES

- 100% Heat-treated chromoly
- Hardened CNC'd chromoly dropouts
- Etched Eastern alloy compression cap w/ratchet head and cutting line for steerer tube shortening

- Eastern original "Hangfree" dropout design to prevent the leg from sticking during grinds
- Offset: 32mm
- Compression Bolt: 25mm x 1.5mm

- Compression bolt tool: 3/8" ratchet head

WELDING
PROCESS



ATB
SERIES




LIFETIME
UPGRADES



3/8"
39.2 oz

- 100% Chromoly
- 5mm chromoly hangfree dropouts



5MM CHROMOLY DROPOUTS • TAPERED LEGS

THROTTLE
SERIES

3/8"
37.5 oz




1
PIECE
CNC STEERER TUBE

LIFETIME
UPGRADES



- 100% Japanese Chromoly
- Tapered Butted Legs
- 5mm chromoly hangfree dropouts
- 1-Piece, CNC Machined Steerer Tube
- Integrated Bearing Race

COLORS:
Chrome, Gloss Black



5MM CHROMOLY DROPOUTS • TAPERED & BUTTED LEGS

8.25" 8.5" 8.75" 9.0" 9.5" 10.0"

4130 CHROMOLY BARS

HEAT TREATED


29.3 oz

TEAM LEVEL

- 4130 Chromoly multi-butt grip tubing and double-butt crossbar
- Heat-treated after welding
- Upsweep/Backsweep 12°/1°
- E3 Welding Process ensures the most dependable welds possible
- Limited Lifetime Warranty

E3 WELDING PROCESS

LIFETIME UPGRADES



4PECE

LIFETIME UPGRADES

E3 WELDING PROCESS

4130 CHROMOLY BARS

HEAT TREATED

8.75"

- Multi butted heat treated chromoly

- 29" wide
- 2° up
- 10° back



TEAM LEVEL

THROTTLE SERIES

LIFETIME UPGRADES

EXPERT LEVEL

8.25" 8.5" 8.75" 9.0" 9.5" 10.0"



4130 CHROMOLY BARS

- 100% chromoly
- Extra thick grip tubing
- An excellent choice for a beginner rider who wants to spruce up their ride.

COLORS:
Chrome, Gloss Black

ATOM SERIES

LIFETIME UPGRADES

BEGINNER LEVEL

8.5" 8.75" 9.0" 9.5" 10.0



4130 CHROMOLY BARS

30.9 oz

- Tough as hell 100% Chromoly
 - Extra thick grip tubing
- COLORS:
E D Black

NIGHT RAIN

LIFETIME UPGRADES

26 MTB

TEAM LEVEL

10.7 oz

- 6061-T6 Alloy construction
- 31.8mm clamping area
- 2" Rise
- 27 inch width

COLORS:
Gloss Black Ano, Gloss Red Ano,
Gloss Gold Ano,
Gloss Blue & Oil Slick



*** PARTS MAY CHANGE FROM WHAT IS PICTURED

<COMPRESSOR> TOPLOAD STEM

10.2 oz

- CNC machined 6061 T6 Alloy
- Rear Clamp design
- Hardened Chromoly Grade 12.9 bolts for superior strength
- 50mm reach
- Stack Height: 30mm

COLORS:
Matte Black Ano, Matte Red Ano,
Matte Blue Ano, Matte White, Oil
Slick, Coolant Green, Chrome



<COMPRESSOR> FRONTLOAD STEM

8.5 oz

- CNC machined 6061 T6 Alloy
- Rear Clamp design

- Hardened Chromoly Grade 12.9 bolts for superior strength
- 50mm reach
- Stack Height: 30mm

COLORS:
Matte Black Ano, Matte Red Ano,
Matte Blue Ano, Matte White,
Oil Slick,
Coolant Green, Chrome



JOSH ROBERSON

LEVI VARNER

RUSSELL SUMMERVILLE



CONRAD ROSENBERGER

THROTTLE SERIES



9.7 oz

- 6061 forged alloy
- 50mm reach
- Great stem at a great price
- Chromoly bolts
- Stack Height: 32mm



COLORS:
Raw, Matte Black, Matte Red,
Matte Blue, Matte White, Oil
Slick, Coolant Green

TOPLOAD



FRONTLOAD



ATOM SERIES



9.7 oz

- 6061 forged alloy
- 50mm reach
- Great stem at a great price
- Chromoly bolts

COLORS:
ED Black



*** PARTS MAY CHANGE FROM WHAT IS PICTURED

ZACH KRING



 JACOB TEER

RIBLET GRIPS



3.9 oz

- Angled Ribbed pattern
- Medium profile
- Soft compound
- Small diameter thin flanges
- Eastern nylon bar ends included

Diameter: 30mm Length: 147mm

COLORS:

Black, Red, Blue, White



NYLON BARENDS



.5 oz

- Nylon
- Plug-style
- Hollow center that is designed to push in the ends of most 7/8" bars

COLORS: Black, Red, Blue, White, Glow in the Dark, Camo

ATOM AHEADSET

110c

STS Aheadset, 1-1/8"

Size: 1-1/8" threadless

BLACK



HEADSET SPACER KIT

.03 oz

- Kit of 1-1/8" alloy headset spacers
- Quantity 2, 2mm spacers
- Quantity 1, 5mm spacer
- Use to find the sweet spot for stem placement or just to look cool

COLORS:

Matte Black Ano, Matte Red Ano, Matte Blue Ano, Matte Gold Ano, Matte White



45/45 HEADSET



2.3 oz

- Integrated 45/45 style headset
- Sealed bearings
- 1-1/8"

• 36/45 style available only in black

• Check with your frame manufacturer to find out what style headset fits your headtube uses

COLORS:

Matte Black Ano, Chrome, Matte Red Ano, Matte Blue Ano, Matte Gold Ano, Matte White

CAP FOR 45/45 HEADSET



- Cap for integrated 45/45 style headset
- 1-1/8"

COLORS:

Matte Black Ano, Matte Red Ano, Matte Blue Ano, Matte Gold Ano, Matte White

*** PARTS MAY CHANGE FROM WHAT IS PICTURED

BIG Softy

COMFORT SEAT

NEW

- Unbelievably soft leisure seat.. almost like your couch.
- 10 inches wide and 10 inches tall
- Designed for your easy riding around the neighborhood or further.
- Embossed Eastern logo
- Durable Vinyl cover



Gel SEAT COVER

NEW



- Durable Nylon cover
- Extra-Soft Gel padding



PIVOTAL

8.5-11.1 oz

- Durable Nylon cover
- Extra-Thick comfort foam padding
- Embroidered Eastern logo
- Pivotal-style



COMBO

11.5 oz

- Alloy Post molded with plastic base
- Durable Nylon Cover cover with stitched logo
- Thick comfy padding
- Lighter than conventional seat & post combos



LEATHER PIVOTAL

10.0 oz

- Super rugged leather cover
- Thick comfy padding
- Extra-Thick comfort foam padding
- Pivotal-style
- Embroidered Eastern logo



3.3 oz

- 125mm
- Alloy Construction
- Accommodates Pivotal-Style Seats

COLORS:
Matte Black Ano, Matte Red Ano, Matte Blu
Ano, Matte White, Matte Gold Ano



FORGED ALLOY

PIVOTAL SEATPOST

4.8 oz

- 200mm
- Alloy Construction
- Accommodates Pivotal-Style Seats

COLORS:
Matte Black Ano, Matte Red Ano, Matte Blue Ano,
Matte White, Matte Gold Ano



.5 oz

- Forged Alloy Seat Clamp
- Perfect for locking your post into your frame

COLORS:
Matte Black Ano, Matte Red
Ano, Matte Blue Ano, Matte
White, Matte Gold Ano

LINX PEDALS



NEW




- Wide body and Steel Pins for incredible grip.
- Chromoly axle
- Removable pins
- Heat treated chromoly axle

COLORS: Black, Purple, Red, Orange and Blue



EZRA

FLATS PLUS 12 oz



FACET PEDALS

12.3 oz

- Fiber reinforced material increases strength and durability
- Original true dual-concave design increases grip
- Unique tread pattern for increased traction
- Heat treated chromoly axle

COLORS: Black, Camo



AVAILABLE WITH AND WITHOUT STRAP



ATOM SERIES



14.5 oz

- Lightweight plastic platform pedal
- Sturdy and dependable unsealed chromoly axle
- Grippy surface knurling
- Molded raised plastic pins for extra grip



MORAY CABLE



3.1 oz

- Manufactured to auto industry standards
- Able to be wound very tightly without binding
- 60" of housing
- 65" Teflon-coated inner cable



THROTTLE SERIES

2.4 oz

- The Throttle lever is a great intermediate level brake lever
- Lightweight design
- Forged 6061 Alloy
- Two Finger
- Hinged Clamp

COLORS: Raw, Matte Black, Chrome, Coolant Green, Oil Slick, Matte Red, Matte Blue, Matte White




FORGED 6061 ALLOY

REYNOLDS 853



48-SPLINE
24.4 oz

REYNOLDS 853 AIR HARDENED STEEL PROVIDES
THE ULTIMATE IN STRENGTH AND DURABILITY



- Much stronger than traditional chromoly
- 2.5 style design saves weight by eliminating one spindle bolt

- 19mm hollow internally and externally machined spindle
- CNC'd pedal boss for strength

- Forged spindle boss
 - Micro drive compatible
- Crank arm length:
175mm

COLORS:
Chrome,
Coolant Green,
Gloss Black



THROTTLE SERIES



48-SPLINE
31.3 oz



- Heat-treated Chromoly Arms
- Forged heads
- Printed Logo on back of crank arm
- 19mm 48-spline spindle
- BB's sold separately

Crank arm length:
170mm & 175mm

COLORS:
Chrome & Gloss Black



ATOM SERIES



8-SPLINE
33.9 oz

- Heat Treated chromoly arms
- Heat treated 19mm 8-spline chromoly spindle
- Arms, bolts & spindle only
- BB's sold separately

Crank arm length: 175mm

COLORS:
ED Black & Chrome



EURO 4.6 oz



AVAILABLE IN 19MM

- 7075 CNC machined alloy cups
- Super-wide bearings
- Spacers & chainwheel adaptors included

COLORS: Matte Black Ano, Matte Red Ano, Matte Blue Ano, Matte White, Matte Gold Ano

SPANISH 4.8 oz



AVAILABLE IN 19MM

- Precision sealed bearings
- Spacers & chainwheel adaptors included

20mm 22mm only available in black

COLORS: Matte Black Ano, Matte Red Ano, Matte Blue Ano, Matte White, Matte Gold Ano

MID 11.7 OZ W/ AM CUPS



AVAILABLE IN 19MM, 22MM

- Precision sealed bearings
- Spacers & chainwheel adaptors included

COLORS: Matte Black Ano, Matte Red Ano, Matte Blue Ano, Matte White, Matte Gold Ano

*22mm only available in black, red, white, blue

EURO 1 PC.

AVAILABLE IN 19MM, 20MM, 22MM

O.D. SIZE: 21MM / I.D. SIZES: 19, 20 AND 22MM



SPANISH 1 PC.

AVAILABLE IN 19MM, 20MM, 22MM

O.D. SIZE: 37MM / I.D. SIZES: 19, 20 AND 22MM



MID/AMERICAN 1 PC.

AVAILABLE IN 19MM, 20MM, 22MM

O.D. SIZE: 41MM / I.D. SIZES: 19, 20 AND 22MM



ATM 410 SERIES



1/2" x 1/8"
11.1 oz

- Thick inner and outer plates
- Master link included
- **Weights are taken before any links are removed
- COLORS: Black, Silver



ATM HALF-LINK SERIES



1/2" x 1/8"
13.1 oz

- Thick inner & outer plates
- Reinforced connecting link included
- **Weights are taken before any links are removed
- COLORS: Black, Silver



5 SERIES



1/2" x 1/8"
11.1 oz

- Thick inner and outer plates
- **Weights are taken before any links are removed

COLORS: Black, Red, Blue, White, Silver, Chrome



7 SERIES



1/2" x 1/8"
13.1 oz

- Oversized inner & outer plates
- Master link included
- **Weights are taken before any links are removed

COLORS: Black, Red, Blue, White, Silver



HALF-LINK



1/2" x 1/8"
13.1 oz

- Thick inner & outer plates
- Reinforced connecting link included
- **Weights are taken before any links are removed

COLORS: Black, Red, Blue, White, Silver, Chrome



*** PARTS MAY CHANGE FROM WHAT IS PICTURED



FREECOASTER/CASSETTE HUB

16 oz
9T



INSIDE THE EZRA CONVERTIBLE FREECOASTER HUB

1. NON DRIVE SIDE CONE NUT: CNC'd 7075T6 Alloy M14x1.0 thread
2. AXLE: 4130 Heat Treated Hollow Chromoly Precision CNC machined axle with M14x1.0 threads. The axle is broached at each end to accept an 8mm hex key/allen wrench to make disassembly easier.
3. HUB BEARINGS: Precision sealed 6902RS2 bearings. The larger bearings have been proven to be longer-lasting than the smaller bearings used in many other hubs.

4. HUB SHELL: Forged then CNC machined from 6061-T6 alloy. 36H. Features built-in groove to accommodate the Eastern Pop-N-Lock Hubguard.

5. RATCHET RING: Heat treated Chromoly. Just the right hardness to never wear out.

6. CLUTCH SPRING WASHER

7. CLUTCH SPRING: Custom precision made spring to allow just enough tension to get the pawls moving.

8. CLUTCH DISC: Precision CNC'd Delrin

9. CLUTCH DISC PILOT SPACER: CNC machined 6061 Alloy

10. BACKSIDE DRIVER BEARING: Precision sealed 6802RS bearing. Deep grooved to provide plenty of lateral strength.

11. PAWLS: Precision CNC machined pawls. 3 per hub. Used in both the cassette & the freecoaster mode.

12A. RETENTION SPRINGS (used in freecoaster mode): Precision custom made retention springs provide just enough down force to keep the pawls out of the way in freecoaster mode.

12B. EXPANSION SPRINGS (used in cassette mode): Expansion Springs are custom made to push the pawls up when you use the hub in cassette mode.

13. DRIVER: Precision CNC machined 4130 Heat Treated Chromoly

14. DRIVER BEARING SPACER: CNC machined Bearing spacer

15. FRONTSIDE DRIVER BEARINGS: Precision sealed 6802RS2 bearings. Deep grooved to provide plenty of lateral strength. 2 are used under the chain to add strength.

16. DRIVE SIDE CONE NUT: CNC machined 7075-T6 Alloy



3 CLUTCH DISCS FOR 3 OPTIONS (sold separately)

SLACK OPTIONS

8A THIS CLUTCH OFFERS THE MOST SLACK POSSIBLE. (ALREADY PRE-INSTALLED)

8B THIS IS MIDDLE OF THE ROAD SLACK.

8C THIS IS A LITTLE MORE THAN THE SLACK THAT YOU GET WITH A CASSETTE HUB.

RHD & LHD AVAILABLE

COLORS: Matte Black Ano, Chrome, Matte Red Ano, Matte Blue Ano, Matte White, Matte Gold Ano, Raw



THROTTLE SERIES




15.9 oz

- 6061 double-wall alloy
- Pinned joint for strength & economics
- 36 hole

COLORS: Matte Black Ano, Matte Red Ano, Matte Blue Ano, Matte White, Matte Gold Ano

DOUBLE WALL RIMS



THROTTLE SERIES

REAR WHEEL 40.0 oz

DOUBLE WALL RIMS

FRONT WHEEL 30.0 oz



- Sealed bearing cassette, 9T driver rear hub
 - 14mm chromoly axle
 - 14g spokes
 - 36-hole, double-walled alloy rim
- COLORS: Matte Black Ano, Matte Red Ano, Matte Blue Ano, Matte Gold Ano



- Sealed bearing front hub
 - 3/8" Axle
 - 14g spokes
 - 36-hole, double-walled alloy rim
 - 14mm Chromoly Axle
- COLORS: Matte Black Ano, Matte Red Ano, Matte Blue Ano, Matte Gold Ano



BZZIP WHEELS

DOUBLE WALL
RIMS



RHD AND LHD AVAILABLE



FRONT WHEEL

35.8 oz

- 6061-T6 Alloy Shell
- Heat treated Chromoly with Female Allen head bolts for a smooth look
- 14mm internal axle
- Precision Sealed Bearings
- Double Wall Welded Seam Rim
- 36 Hole

COLORS:
Matte Black Ano,
Matte Red Ano,
Matte Blue Ano, Matte Gold Ano

REAR CASSETTE WHEEL

44.2 oz

- Eastern Buzzip Rear Hub
- 6061-T6 Alloy Shell
- Female Axle Heat Treated Chromoly Axle with 14mm Allen Key Bolts
- 60 point engagement ring
- 6 Pawl driver with individual springs
- Virtually Instant Engagement
- Unique Buzz sound

- 14mm hollow axle
 - Double Wall Welded Seam Rim
 - 36 Hole
- COLORS: Matte Black Ano,
Matte Red Ano, Matte Blue Ano,
Matte Gold Ano

THROTTLE SERIES

BMX FRONT HUB 7.6 oz



- Sealed Bearing
- 3/8" Axle
- 36-Hole Alloy Shell

COLORS: Matte Black Ano, Chrome, Matte Red Ano, Matte Blue Ano,
Matte White, Matte Gold Ano, Raw



FREECOASTER WHEEL

DOUBLE WALL
RIMS

POP N LOCK
COMPATIBLE

FREECOASTER
FC
HUB



40.6 oz

- 14mm heat treated chromoly axle
- Adjustable Slack
- 7075 Alloy hardware
- Pawl Engagement System
- 5 Sealed Bearings
- Double Wall Welded Seam Rim
- 36 Hole

COLORS:
Matte Black Ano,
Matte Red Ano,
Matte Blue Ano,
Matte Gold Ano



*** PARTS MAY CHANGE FROM WHAT IS PICTURED

Curb Monkey II

20"



AGGRESSIVE TREAD PATTERN

- FOR INCREASED GRIP

LARGE FOOTPRINT

- DESIGNED TO GRIP MULTIPLE SURFACES

- Grippy Eastern Formula
- Large Eastern hotpatch
- Built for the streets, trails & skateparks



OEM 60PSI
20 x 2.4



HP 100PSI
20 x 2.4

SQUEALER

20"



SMOOTH CENTER

- LOWER ROLLING RESISTANCE
- INCREASED SPEED

RECESSED TREAD

- MORE GRIND FRIENDLY
- GRIPPY FOR CARVING

- Grippy Eastern Formula
- Built for the streets and skateparks
- Large Eastern hotpatch



OEM 60PSI
20 x 2.4



HP 100PSI
20 x 2.4

THROTTLE
SERIES



MULTI-SURFACE

- GRIPS ANY SURFACE WELL
- GREAT FOR PARK, STREET & DIRT

EASTERN HOT PATCH

- BOLD UNIQUE LOOK




HP 100PSI
OEM 60PSI
20 x 2.2
20 x 2.3



- Grippy Eastern Formula
- Performs great on all surfaces
- Large Eastern hotpatch

GROWLER

26"



MULTI-SURFACE

- GRIPS ANY SURFACE WELL

DENSER CENTER TREAD

- INCREASED SPEED AND DURABILITY

26 x 2.125

- Grippy Eastern Formula
- Performs great on all surfaces
- Large Eastern hotpatch

NEW

26" TIRES



- REPLACEMENT TIRE FOR 26" TIRES (26X1.95)
- MULTI-PURPOSE THREAD
- CABLE BEAD

NEW

REPLACEMENT TUBES



PREMIUM REPLACEMENT TUBES

• AVAILABLE SIZES:

- 20" x 1.75/2.125, A/V (Schrader)
- 26" x 1.75/2.125, A/V (Schrader)
- 26" x 1.75/2.125, Presta valve 33mmL
- 700x 35C/43C, A/V (Schrader)
- 700x 35C/43C, Presta valve 33mmL
- 700x 35C/43C, Presta valve 39mmL
- 700x 35C/43C, Presta valve 48mmL
- 700x 35C/43C, Presta valve 60mmL
- 29" x 1.75/2.125, A/V (Schrader)

EZRA

EQUIS 2.4 oz - 25T



- CNC machined from 7075 alloy
- Thicker in areas more prone to stress, thinner where less material is needed
- 1/8" teeth
- Rounded tooth profile for increased life of sprocket & chains
- 15/16" bore w/ 19mm adapter included

COLORS:
 Chrome, Matte Black Ano, Matte Red Ano, Matte Blue Ano, Matte White, Matte Gold Ano, Raw

MEDUSA 2.1 oz - 25T



- Forged 7075 alloy
- 5mm thick
- 8 crank holes
- Teeth: 1/8"
- Bore: 15/16"
- 19mm adapter included

COLORS:
 Gloss White, Matte Black Ano, Matte Red Ano, Matte Blue Ano, Matte Gold Ano, Raw



SLIM PEGS 4.2 oz

- 3/8" & 14mm available
- Hardened chromoly
- 3.75" long
- 1-3/8" diameter
- Anti-rotation pin
- NOT recommended for street
- Sold individually

**ATOM SERIES**

9.2 oz

- 4" long
- 1 3/8" diameter
- 14mm axle holes
- Sold individually



PHORCYS

2.1 oz - 25T



- Forged of 6061 alloy, then CNC machined
- Rounded tooth profile for increased life of sprocket & chains
- Great sprocket at a great price - 15/16" bore w/ 19mm adapter included

COLORS:
 Gloss White, Matte Black Ano, Matte Red Ano, Matte Blue Ano, Matte Gold Ano, Raw



EASTERN

QUALITY BIKES & PARTS SINCE '96



2019