



# KENNETH TENCIO



## WARNING! READ BEFORE RIDING

All of the actions shown in this catalog were performed by experienced & professional individuals. These actions should not be attempted or duplicated. The actions shown in this catalog could result in serious personal & bodily injury & property damage. Always take appropriate precautions & wear appropriate safety gear when riding a bicycle.



## BMX BIKES

4



## LEISURE BIKES

22



## FRAMES

30



## FORKS

34



## BAR

36



## STEMS

37



## GRIPS & BARENDS

38



## SEATS & POSTS

39



## PEDALS

40



## BRAKES

40



## CRANKS

41



## BB & CHAINS

42



## SPROCKETS

43



## PEGS

43



## HUBS & RIMS

44



## WHEELS

45



## TIRES & TUBES

46



## LIFETIME UPGRADES

All Eastern complete bikes & aftermarket frames are included in our lifetime trade-in program. Our trade-in program lets you upgrade your frame at a reduced cost over time as your abilities increase. This is another Eastern exclusive & all the details can be found on our website.

MORE INFO AT [WWW.EASTERNBIKES.COM](http://WWW.EASTERNBIKES.COM)

LOULUBA

# BIKE FEATURES

WE'VE WORKED HARD TO MAKE SURE EVERY EASTERN MODEL FOR 2021 FEATURES THE MOST CRUCIAL QUALITY PARTS TO ENSURE A LONG-LASTING BIKE.



OUR 2021 BIKES ARE SPEC'D RIGHT WITH FEATURES LIKE A SEALED BEARING REAR HUB FOR A RELIABLE, LOW-MAINTENANCE RIDE.



ASIDE FROM THE EN BMX MODEL COMES TUBULAR CHROMOLY

## RIBLET Grips



THE RIBLET IS A FLANGELESS VERSION OF THE POPULAR TRUFFLE GRIP. YOUNG GUNS LOVE THE CLEAN MINIMAL DESIGN, BUT EVERYONE CAN APPRECIATE THE SOFT TOUCH AND HIGH PERFORMANCE OF A CLASSIC MUSHROOM PATTERN.



WE DECIDED TO ADD A LITTLE OLD SCHOOL FLAIR TO THE 2021 MODELS WITH A PAD ON THE CROSSBAR. IT LOOKS COOL AND IT MIGHT SAVE YOU SOME TEETH!



ENTRY LEVEL, PAYDIRT, EVERY 2021 EASTERN  
IS STOCK WITH STRONG AND LIGHT 3-PIECE  
48-SPLINE OR 48-SPLINE CRANKS.



EVERY 2021 EASTERN BMX BIKE FEATURES A SEALED BEARING FRONT HUB TO  
MAXIMIZE PERFORMANCE AND MINIMIZE MAINTENANCE.

# PAYDIRT AIR



FRAME TT: 20" CS: 13.38" FORK RAKE: 28MM BARS RISE: 8.0" UP/BACKSWEEP: 12°/1°

|                          |                                                            |
|--------------------------|------------------------------------------------------------|
| <b>FRAME</b>             | Paydirt 20", Hi-Tensile Steel, AM BB, Aheadset             |
| <b>Top Tube Size:</b>    | 20"                                                        |
| <b>Chainstay Length:</b> | 13.38"                                                     |
| <b>FORK</b>              | Hi-Tensile Steel                                           |
| <b>Fork Rake:</b>        | 28mm                                                       |
| <b>HEADSET</b>           | Aheadset                                                   |
| <b>HANDLEBAR</b>         | H/BAR Complete Bike bar, Hi-Ten 8.0"                       |
| <b>Upsweep/Backsweep</b> | 12°/1°                                                     |
| <b>STEM</b>              | Forged Alloy Front Load Stem                               |
| <b>GRIP</b>              | Eastern Riblet Grips                                       |
| <b>CRANK</b>             | Forged 1-Piece Heat Treated cranks for extra durability    |
| <b>BOTTOM BRACKET</b>    | American Ball Bearing                                      |
| <b>CHAIN-WHEEL</b>       | Eastern Phorcys, Cold Hard Steel, 25T                      |
| <b>CHAIN</b>             | KMC Z410 1/2 x 1/8                                         |
| <b>PEDAL</b>             | Eastern Atom Plastic Pedal with 1/2" Axle                  |
| <b>FRONT BRAKE</b>       | N/A                                                        |
| <b>FRONT LEVER</b>       | N/A                                                        |
| <b>REAR BRAKE</b>        | Alloy Caliper Brake                                        |
| <b>REAR LEVER</b>        | Forged Alloy Lever                                         |
| <b>BRAKE CABLE[S]</b>    | LINEAR                                                     |
| <b>SADDLE</b>            | Padded Seat with Railed Supports                           |
| <b>POST CLAMP</b>        | Steel 200mm                                                |
| <b>FRONT HUB</b>         | Sealed Bearings, Drilled for 36 Spokes, 3/8" Chromoly Axle |

|                      |                                                                             |
|----------------------|-----------------------------------------------------------------------------|
| <b>REAR HUB</b>      | Sealed Bearings, Drilled for 36 Spokes, 14mm Chromoly Axle                  |
| <b>FREEWHEEL</b>     | 9 Tooth Sealed Driver with Hub                                              |
| <b>FRONT RIM</b>     | Alloy, Single Wall, Drilled for 36 Spokes, For 20" Tires                    |
| <b>REAR RIM</b>      | Alloy, Single Wall, Drilled for 36 Spokes, For 20" Tires                    |
| <b>SPOKES</b>        | 14 Gauge with Brass Nipples                                                 |
| <b>FRONT TIRE</b>    | 20 x 2.25                                                                   |
| <b>REAR TIRE</b>     | 20 x 2.25                                                                   |
| <b>PEG</b>           | None                                                                        |
| <b>Rotor</b>         | N/A                                                                         |
| <b>Color Options</b> | Gloss Black, Gloss Yellow, Gloss White, Gloss Purple, Gloss Blue, Gloss Red |



# LOWDOWN

12" 14" 16" 18" & 20"  
AVAILABLE

26.9 Lbs



LIFETIME  
UPGRADES



FRAME TT: 20" CS: 13.38" FORK RAKE: 28MM BARS RISE: 8.0" UP/BACKSWEEP: 12°/1°



|                           |                                                                                                                      |
|---------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>FRAME</b>              | Lowdown 20", Hi-Tensile Steel, AM BB, Aheadset                                                                       |
| <b>Top Tube Size:</b>     | 20"                                                                                                                  |
| <b>Chainstay Length:</b>  | 13.38"                                                                                                               |
| <b>FORK</b>               | Hi-Tensile Steel                                                                                                     |
| <b>Fork Rake:</b>         | 28mm                                                                                                                 |
| <b>HEADSET</b>            | Aheadset                                                                                                             |
| <b>HANDLEBAR</b>          | H/BAR Complete Bike bar, Hi-Ten 8.0"                                                                                 |
| <b>Upsweep/Back-sweep</b> | 12°/1°                                                                                                               |
| <b>STEM</b>               | Forged Alloy Front Load Stem                                                                                         |
| <b>GRIP</b>               | Eastern Riblet Grips                                                                                                 |
| <b>CRANK</b>              | 3-Piece, Tubular Heat-Treated Chromoly, Bolt for Sprocket, Pinch Bolt with 8-Splined Spindle, 165mm 28.6mm Round Arm |

|                        |                                                            |
|------------------------|------------------------------------------------------------|
| <b>BOTTOM BRACKET</b>  | American Ball Bearing                                      |
| <b>CHAINWHEEL</b>      | Eastern Phorcys, Cold Hard Steel, 25T                      |
| <b>CHAIN</b>           | KMC Z410 1/2 x 1/8                                         |
| <b>PEDAL</b>           | Eastern Atom Plastic Pedal with 9/16" Axle                 |
| <b>FRONT BRAKE</b>     | N/A                                                        |
| <b>FRONT LEVER</b>     | N/A                                                        |
| <b>REAR BRAKE</b>      | Alloy Caliper Brake                                        |
| <b>REAR LEVER</b>      | Forged Alloy Lever                                         |
| <b>BRAKE CABLE [S]</b> | LINEAR                                                     |
| <b>SADDLE</b>          | Padded Seat with Railed Supports                           |
| <b>POST</b>            | Steel 200mm                                                |
| <b>CLAMP</b>           | Forged Alloy                                               |
| <b>FRONT HUB</b>       | Sealed Bearings, Drilled for 36 Spokes, 3/8" Chromoly Axle |

|                      |                                                                                        |
|----------------------|----------------------------------------------------------------------------------------|
| <b>REAR HUB</b>      | Sealed Bearings, Drilled for 36 Spokes, 14mm Chromoly Axle                             |
| <b>FREEWHEEL</b>     | 9 Tooth Sealed Driver with Hub                                                         |
| <b>FRONT RIM</b>     | Alloy, Single Wall, Drilled for 36 Spokes, For 20" Tires                               |
| <b>REAR RIM</b>      | Alloy, Single Wall, Drilled for 36 Spokes, For 20" Tires                               |
| <b>SPOKES</b>        | 14 Gauge with Brass Nipples                                                            |
| <b>FRONT TIRE</b>    | 20 x 2.25                                                                              |
| <b>REAR TIRE</b>     | 20 x 2.25                                                                              |
| <b>PEG</b>           | None                                                                                   |
| <b>Rotor</b>         | N/A                                                                                    |
| <b>Color Options</b> | Gloss Black, Gloss Yellow, Gloss White, Gloss Orange, Gloss Tan, Gloss Blue, Gloss Red |



FRAME TT: 20" CS: 13.38" FORK RAKE: 28MM BARS RISE: 8.25" UP/BACKSWEEP: 12°/1°



|                           |                                                                                                                      |
|---------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>FRAME</b>              | Cobra 20", Hi Tensile Steel, AM BB, Aheadset                                                                         |
| <b>Top Tube Size:</b>     | 20"                                                                                                                  |
| <b>Chainstay Length:</b>  | 13.38"                                                                                                               |
| <b>FORK</b>               | Chromoly Steerer with Hi-Tensile Steel Legs                                                                          |
| <b>Fork Rake:</b>         | 28mm                                                                                                                 |
| <b>HEADSET</b>            | Aheadset                                                                                                             |
| <b>HANDLEBAR</b>          | H/BAR Complete Bike bar, Hi-Ten, 8.25"                                                                               |
| <b>Upsweep/Back-sweep</b> | 12°/1°                                                                                                               |
| <b>STEM</b>               | Forged Alloy Top Load Stem                                                                                           |
| <b>GRIP</b>               | Eastern Riblet Grips                                                                                                 |
| <b>CRANK</b>              | 3-Piece, Tubular Heat-Treated Chromoly, Bolt for Sprocket, Pinch Bolt with 8-Splined Spindle, 170mm 28.6mm Round Arm |

|                        |                                                     |
|------------------------|-----------------------------------------------------|
| <b>BOTTOM BRACKET</b>  | American Ball Bearing                               |
| <b>CHAINWHEEL</b>      | Eastern Phorcys, Cold Hard Steel, 25T               |
| <b>CHAIN</b>           | KMC Z510 1/2 x 1/8                                  |
| <b>PEDAL</b>           | Eastern Atom Plastic Pedal with 9/16" Chromoly Axle |
| <b>FRONT BRAKE</b>     | N/A                                                 |
| <b>FRONT LEVER</b>     | N/A                                                 |
| <b>REAR BRAKE</b>      | U-Brake, Forged Alloy, Wide Body, Clear Brake Pads  |
| <b>REAR LEVER</b>      | Forged Alloy Lever                                  |
| <b>BRAKE CABLE [S]</b> | LINEAR                                              |
| <b>SADDLE</b>          | Padded Seat with Railed Supports                    |
| <b>POST</b>            | Steel 200mm                                         |
| <b>CLAMP</b>           | Forged Alloy                                        |

|                      |                                                                               |
|----------------------|-------------------------------------------------------------------------------|
| <b>FRONT HUB</b>     | Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, 3/8" Chromoly Axle |
| <b>REAR HUB</b>      | Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle |
| <b>FREEWHEEL</b>     | 9 Tooth Sealed Driver with Hub                                                |
| <b>FRONT RIM</b>     | Alloy, Single Wall, Drilled for 36 Spokes, For 20" Tires                      |
| <b>REAR RIM</b>      | Alloy, Single Wall, Drilled for 36 Spokes, For 20" Tires                      |
| <b>SPOKES</b>        | 14 Gauge with Brass Nipples                                                   |
| <b>FRONT TIRE</b>    | 20 x 2.25                                                                     |
| <b>REAR TIRE</b>     | 20 x 2.25                                                                     |
| <b>PEG</b>           | None                                                                          |
| <b>Rotor</b>         | N/A                                                                           |
| <b>Color Options</b> | Gloss Black, Gloss Purple, Gloss Teal, Gloss Orange, Gloss Tan, Gloss Blue    |



# E=J=A=V=E=L=I=N

25.7 Lbs



LIFETIME UPGRADES

WIDE Throttle TIRES

FRAME TT: 20.5" CS: 13.38" FORK RAKE: 28MM BARS RISE: 8.5" UP/BACKSWEEP: 12°/1°

|                          |                                                                                                                      |
|--------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>FRAME</b>             | Javelin 20", Chromoly Down Tube, Mid BB, Internal Headset                                                            |
| <b>Top Tube Size:</b>    | 20.5"                                                                                                                |
| <b>Chainstay Length:</b> | 13.38"                                                                                                               |
| <b>FORK</b>              | Chromoly Steerer with Hi-Tensile Steel Legs                                                                          |
| <b>Fork Rake:</b>        | 28mm                                                                                                                 |
| <b>HEADSET</b>           | Integrated 45°X45° Sealed Cartridge Bearing                                                                          |
| <b>HANDLEBAR</b>         | H/BAR Complete Bike bar, Hi-Ten, 8.5"                                                                                |
| <b>Upsweep/Backsweep</b> | 12°/1°                                                                                                               |
| <b>STEM</b>              | Forged Alloy Top Load Stem                                                                                           |
| <b>GRIP</b>              | Eastern Riblet Grips                                                                                                 |
| <b>CRANK</b>             | 3-Piece, Tubular Heat-Treated Chromoly, Bolt for Sprocket, Pinch Bolt with 8-Splined Spindle, 170mm 28.6mm Round Arm |
| <b>BOTTOM BRACKET</b>    | Sealed Bearing Mid                                                                                                   |
| <b>CHAINWHEEL</b>        | Eastern Phorcys, Cold Hard Steel, 25T                                                                                |
| <b>CHAIN</b>             | KMC Z510 1/2 x 1/8                                                                                                   |
| <b>PEDAL</b>             | Eastern Atom Plastic Pedal with 9/16" Chromoly Axle                                                                  |
| <b>FRONT BRAKE</b>       | N/A                                                                                                                  |
| <b>FRONT LEVER</b>       | N/A                                                                                                                  |
| <b>REAR BRAKE</b>        | U-Brake, Forged Alloy, Wide Body, Clear Brake Pads                                                                   |
| <b>REAR LEVER</b>        | Forged Alloy Lever                                                                                                   |
| <b>BRAKE CABLE [S]</b>   | LINEAR                                                                                                               |

|                      |                                                                                                                     |
|----------------------|---------------------------------------------------------------------------------------------------------------------|
| <b>SADDLE</b>        | Medium Width Seat/ Post Combo                                                                                       |
| <b>POST CLAMP</b>    | Comes with Seat Integrated with Frame Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, 3/8" Chromoly Axle |
| <b>FRONT HUB</b>     | Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle                                       |
| <b>REAR HUB</b>      | Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle                                       |
| <b>FREEWHEEL</b>     | 9 Tooth Sealed Driver with Hub                                                                                      |
| <b>FRONT RIM</b>     | Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires                                           |
| <b>REAR RIM</b>      | Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires                                           |
| <b>SPOKES</b>        | 14 Gauge with Brass Nipples                                                                                         |
| <b>FRONT TIRE</b>    | Eastern Throttle OEM 20 x 2.40                                                                                      |
| <b>REAR TIRE</b>     | Eastern Throttle OEM 20 x 2.40                                                                                      |
| <b>PEG</b>           | None                                                                                                                |
| <b>Rotor</b>         | N/A                                                                                                                 |
| <b>Color Options</b> | Gloss Black, Gloss Antifreeze, Gloss Tan, Gloss Orange, Gloss Blue                                                  |

NEW COLOR



NEW COLOR



NEW COLOR






26.0 Lbs




FRAME TT: 20.25" CS: 13.38" FORK RAKE: 28MM BARS RISE: 8.25" UP/BACKSWEEP: 12°/1°

|                           |                                                                                                                      |
|---------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>FRAME</b>              | Orbit 20", Chromoly Down Tube, Mid BB, Internal Headset                                                              |
| <b>Top Tube Size:</b>     | 20.25"                                                                                                               |
| <b>Chainstay Length:</b>  | 13.38"                                                                                                               |
| <b>FORK</b>               | Chromoly Steerer with Hi-Tensile Steel Legs                                                                          |
| <b>Fork Rake:</b>         | 28mm                                                                                                                 |
| <b>HEADSET</b>            | Integrated 45°X45° Sealed Cartridge Bearing                                                                          |
| <b>HANDLEBAR</b>          | H/BAR Complete Bike bar, Hi-Ten, 8.25"                                                                               |
| <b>Upsweep /Backsweep</b> | 12°/1°                                                                                                               |
| <b>STEM</b>               | Forged Alloy Top Load Stem                                                                                           |
| <b>GRIP</b>               | Eastern Riblet Grips                                                                                                 |
| <b>CRANK</b>              | 3-Piece, Tubular Heat-Treated Chromoly, Bolt for Sprocket, Pinch Bolt with 8-Splined Spindle, 165mm 28.6mm Round Arm |
| <b>BOTTOM BRACKET</b>     | Sealed Bearing Mid                                                                                                   |
| <b>CHAINWHEEL</b>         | Eastern Phorcys, Cold Hard Steel, 25T                                                                                |
| <b>CHAIN</b>              | KMC 4510 1/2 x 1/8                                                                                                   |
| <b>PEDAL</b>              | Eastern Atom Plastic Pedal with 9/16" Chromoly Axle                                                                  |
| <b>FRONT BRAKE</b>        | N/A                                                                                                                  |
| <b>FRONT LEVER</b>        | N/A                                                                                                                  |
| <b>REAR BRAKE</b>         | U-Brake, Forged Alloy, Wide Body, Clear Brake Pads                                                                   |
| <b>REAR LEVER</b>         | Forged Alloy Lever                                                                                                   |
| <b>BRAKE CABLE [S]</b>    | LINEAR                                                                                                               |
| <b>SADDLE</b>             | Medium Width Seat/ Post Combo                                                                                        |
| <b>POST</b>               | Comes with Seat                                                                                                      |
| <b>CLAMP</b>              | Integrated with Frame                                                                                                |
| <b>FRONT HUB</b>          | Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, 3/8" Chromoly Axle                                        |
| <b>REAR HUB</b>           | Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle                                        |
| <b>FREEWHEEL</b>          | 9 Tooth Sealed Driver with Hub                                                                                       |
| <b>FRONT RIM</b>          | Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires                                            |
| <b>REAR RIM</b>           | Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires                                            |

|                      |                                                    |
|----------------------|----------------------------------------------------|
| <b>SPOKES</b>        | 14 Gauge with Brass Nipples                        |
| <b>FRONT TIRE</b>    | Eastern Throttle OEM 20 x 2.40                     |
| <b>REAR TIRE</b>     | Eastern Throttle OEM 20 x 2.40                     |
| <b>PEG</b>           | Cold Steel Pegs (4pcs)                             |
| <b>Rotor</b>         | Yes                                                |
| <b>Color Options</b> | Gloss Black, Gloss Blue, Gloss Yellow, Gloss Green |





FRAME TT: 20.75" CS: 13.38" FORK RAKE: 28MM BARS RISE: 8.75" UP/BACKSWEEP: 12°/1°

|                   |                                                                                                                               |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------|
| FRAME             | Traildigger 20", Full Chromoly, Mid BB, Internal Headset                                                                      |
| Top Tube Size:    | 20.75"                                                                                                                        |
| Chainstay Length: | 13.38"                                                                                                                        |
| FORK              | Chromoly Steerer with Hi-Tensile Steel Legs                                                                                   |
| Fork Rake:        | 28mm                                                                                                                          |
| HEADSET           | Integrated 45°X45° Sealed Cartridge Bearing                                                                                   |
| HANDLEBAR         | H/BAR Complete Bike bar, Hi-Ten, 8.75"                                                                                        |
| Upsweep/Backsweep | 12°/1°                                                                                                                        |
| STEM              | Forged Alloy Top Load Stem                                                                                                    |
| GRIP              | Eastern Riblet Grips                                                                                                          |
| CRANK             | 3-Piece, Tubular Heat-Treated Chromoly, Bolt for Sprocket, Pinch Bolt with 8-Splined Spindle, 170mm 31.8mm Square Tapered Arm |
| BOTTOM BRACKET    | Sealed Bearing Mid                                                                                                            |
| CHAINWHEEL        | Eastern Phorcys, Alloy, 25T                                                                                                   |
| CHAIN             | KMC Z510 1/2 x 1/8                                                                                                            |
| PEDAL             | New Eastern Facet Pedal with 9/16" Chromoly Axle                                                                              |
| FRONT BRAKE       | N/A                                                                                                                           |
| FRONT LEVER       | N/A                                                                                                                           |
| REAR BRAKE        | U-Brake, Forged Alloy, Wide Body, Clear Brake Pads                                                                            |
| REAR LEVER        | Forged Alloy Lever                                                                                                            |
| BRAKE CABLE [S]   | LINEAR                                                                                                                        |
| SADDLE            | Medium Width Pivotal Seat                                                                                                     |
| POST              | Pivotal, 200mm                                                                                                                |
| CLAMP             | Integrated with Frame                                                                                                         |
| FRONT HUB         | Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, 3/8" Chromoly Axle                                                 |
| REAR HUB          | Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle                                                 |
| FREEWHEEL         | 9 Tooth Sealed Driver with Hub                                                                                                |
| FRONT RIM         | Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires                                                     |
| REAR RIM          | Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires                                                     |
| SPOKES            | 14 Gauge with Brass Nipples                                                                                                   |
| FRONT TIRE        | Eastern Squealer OEM 20 x 2.40                                                                                                |
| REAR TIRE         | Eastern Squealer OEM 20 x 2.40                                                                                                |
| PEG               | None                                                                                                                          |
| Rotor             | N/a                                                                                                                           |
| Color Options     | Gloss Black, Gloss Army Green, Gloss Blue, Gloss White, Gloss Orange                                                          |

NEW COLOR



\*\*\* Parts may change from what is pictured

# NIGHTWASP



25.5 Lbs



LIFETIME UPGRADES

NOW with  
4130  
CHROMOLY  
FRAME

FRAME TT: 20.5" CS: 13.38" FORK RAKE: 28MM BARS RISE: 8.5" UP/BACKSWEEP: 12°/1°

|                           |                                                                                                                               |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| <b>FRAME</b>              | Nightwasp 20", Full Chromoly, Mid BB, Internal Headset                                                                        |
| <b>Top Tube Size:</b>     | 20.5"                                                                                                                         |
| <b>Chainstay Length:</b>  | 13.38"                                                                                                                        |
| <b>FORK</b>               | Chromoly Steerer with Hi-Tensile Steel Legs                                                                                   |
| <b>Fork Rake:</b>         | 28mm                                                                                                                          |
| <b>HEADSET</b>            | Integrated 45°X45° Sealed Cartridge Bearing                                                                                   |
| <b>HANDLEBAR</b>          | H/BAR Complete Bike bar, Hi-Ten, 8.5                                                                                          |
| <b>Upsweep/Back-sweep</b> | 12°/1°                                                                                                                        |
| <b>STEM</b>               | Forged Alloy Top Load Stem                                                                                                    |
| <b>GRIP</b>               | Eastern Riblet Grips                                                                                                          |
| <b>CRANK</b>              | 3-Piece, Tubular Heat-Treated Chromoly, Bolt for Sprocket, Pinch Bolt with 8-Splined Spindle, 165mm 31.8mm Square Tapered Arm |
| <b>BOTTOM BRACKET</b>     | Sealed Bearing Mid                                                                                                            |
| <b>CHAINWHEEL</b>         | Eastern Phorcys, Alloy, 25T                                                                                                   |
| <b>CHAIN</b>              | KMC Z510 1/2 x 1/8                                                                                                            |
| <b>PEDAL</b>              | Eastern Facet Pedal with 9/16" Chromoly Axle                                                                                  |
| <b>FRONT BRAKE</b>        | N/A                                                                                                                           |
| <b>FRONT LEVER</b>        | N/A                                                                                                                           |
| <b>REAR BRAKE</b>         | U-Brake, Forged Alloy, Wide Body, Clear Brake Pads                                                                            |
| <b>REAR LEVER</b>         | Forged Alloy Lever                                                                                                            |
| <b>BRAKE CABLE [S]</b>    | LINEAR                                                                                                                        |
| <b>SADDLE</b>             | Medium Width Seat/ Post Combo                                                                                                 |
| <b>POST CLAMP</b>         | Comes with Seat                                                                                                               |
| <b>FRONT HUB</b>          | Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, 3/8" Chromoly Axle                                                 |
| <b>REAR HUB</b>           | Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle                                                 |
| <b>FREEWHEEL</b>          | 9 Tooth Sealed Driver with Hub                                                                                                |

|                      |                                                                           |
|----------------------|---------------------------------------------------------------------------|
| <b>FRONT RIM</b>     | Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires |
| <b>REAR RIM</b>      | Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires |
| <b>SPOKES</b>        | 14 Gauge with Brass Nipples                                               |
| <b>FRONT TIRE</b>    | Eastern Squealer OEM 20 x 2.40                                            |
| <b>REAR TIRE</b>     | Eastern Squealer OEM 20 x 2.40                                            |
| <b>PEG</b>           | None                                                                      |
| <b>Rotor</b>         | N/a                                                                       |
| <b>Color Options</b> | Gloss Black, Gloss Antifreeze, Gloss Marine Green                         |

NEW  
COLOR





**LUKE PADELSKI**

# WOLF DOG

25.6 Lbs



LIFETIME UPGRADES

SQUEALER TIRES

NOW WITH 4130 CHROMOLY FRAME

4130 CHROMOLY FORK

FRAME TT: 20.75" CS: 13.38" FORK RAKE: 28MM BARS RISE: 8.85" UP/BACKSWEEP: 12°/1°

|                           |                                                                                                                               |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| <b>FRAME</b>              | Wolfdog 20", Full Chromoly, Mid BB, Internal Headset                                                                          |
| <b>Top Tube Size:</b>     | 20.75"                                                                                                                        |
| <b>Chainstay Length:</b>  | 13.38"                                                                                                                        |
| <b>FORK</b>               | Full Chromoly                                                                                                                 |
| <b>Fork Rake:</b>         | 28mm                                                                                                                          |
| <b>HEADSET</b>            | Integrated 45°X45° Sealed Cartridge Bearing                                                                                   |
| <b>HANDLEBAR</b>          | H/BAR Complete Bike bar, Hi-Ten, 8.85"                                                                                        |
| <b>Upsweep/ Backsweep</b> | 12°/1°                                                                                                                        |
| <b>STEM</b>               | Forged Alloy Top Load Stem                                                                                                    |
| <b>GRIP</b>               | Eastern Riblet Grips                                                                                                          |
| <b>CRANK</b>              | 3-Piece, Tubular Heat-Treated Chromoly, Bolt for Sprocket, Pinch Bolt with 8-Splined Spindle, 170mm 31.8mm Square Tapered Arm |
| <b>BOTTOM BRACKET</b>     | Sealed Bearing Mid                                                                                                            |
| <b>CHAINWHEEL</b>         | Eastern Phorcys, Alloy, 28T                                                                                                   |
| <b>CHAIN</b>              | KMC Z510 1/2 x 1/8                                                                                                            |
| <b>PEDAL</b>              | Eastern Facet Pedal with 9/16" Chromoly Axle                                                                                  |
| <b>FRONT BRAKE</b>        | N/A                                                                                                                           |
| <b>FRONT LEVER</b>        | N/A                                                                                                                           |
| <b>REAR BRAKE</b>         | U-Brake, Forged Alloy, Wide Body, Clear Brake Pads                                                                            |
| <b>REAR LEVER</b>         | Forged Alloy Hinged Lever                                                                                                     |
| <b>BRAKE CABLE [S]</b>    | LINEAR                                                                                                                        |
| <b>SADDLE</b>             | Medium Width Pivotal Seat                                                                                                     |
| <b>POST</b>               | Pivotal, 200mm                                                                                                                |
| <b>CLAMP</b>              | Integrated with Frame                                                                                                         |
| <b>FRONT HUB</b>          | Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, 3/8" Chromoly Axle                                                 |
| <b>REAR HUB</b>           | Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle                                                 |
| <b>FREEWHEEL</b>          | 9 Tooth Sealed Driver with Hub                                                                                                |

|                      |                                                                           |
|----------------------|---------------------------------------------------------------------------|
| <b>FRONT RIM</b>     | Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires |
| <b>REAR RIM</b>      | Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires |
| <b>SPOKES</b>        | 14 Gauge with Brass Nipples                                               |
| <b>FRONT TIRE</b>    | Eastern Squealer OEM 20 x 2.40                                            |
| <b>REAR TIRE</b>     | Eastern Squealer OEM 20 x 2.40                                            |
| <b>PEG</b>           | None                                                                      |
| <b>Rotor</b>         | N/A                                                                       |
| <b>Color Options</b> | Gloss Black, Gloss Rust, Gloss Marine Green                               |



NEW COLOR



pivotal SEAT



NOW WITH 4130 CHROMOLY FRAME

4130 CHROMOLY FORK



WIDE SQUEALER TIRES

Throttle DOUBLE WALL RIMS



# ELEMENT



FRAME TT: 20.75" CS: 13.38" FORK RAKE: 28MM BARS RISE: 8.75" UP/BACKSWEEP: 12°/1°

|                           |                                                                                                                                |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| <b>FRAME</b>              | Element 20", Full Chromoly, Mid BB, Internal Headset                                                                           |
| <b>Top Tube Size:</b>     | 20.75"                                                                                                                         |
| <b>Chainstay Length:</b>  | 13.38"                                                                                                                         |
| <b>FORK</b>               | Full Chromoly                                                                                                                  |
| <b>Fork Rake:</b>         | 28mm                                                                                                                           |
| <b>HEADSET</b>            | Integrated 45°X45° Sealed Cartridge Bearing                                                                                    |
| <b>HANDLEBAR</b>          | H/BAR Complete Bike bar, Hi-Ten, 8.75"                                                                                         |
| <b>Upsweep/Back-sweep</b> | 12°/1°                                                                                                                         |
| <b>STEM</b>               | Forged Alloy Top Load Stem                                                                                                     |
| <b>GRIP</b>               | Eastern Riblet Grips                                                                                                           |
| <b>CRANK</b>              | 3-Piece, Tubular Heat-Treated Chromoly, Bolt for Sprocket, Pinch Bolt with 8-Splined Spindle, 165mm, 31.8mm Square Tapered Arm |
| <b>BOTTOM BRACKET</b>     | Sealed Bearing Mid                                                                                                             |
| <b>CHAINWHEEL</b>         | Eastern Phorcys, Cold Hard Steel, 25T                                                                                          |
| <b>CHAIN</b>              | KMC Z510 1/2 x 1/8                                                                                                             |
| <b>PEDAL</b>              | Eastern Facet Pedal with 9/16" Chromoly Axle                                                                                   |
| <b>FRONT BRAKE</b>        | N/A                                                                                                                            |
| <b>FRONT LEVER</b>        | N/A                                                                                                                            |
| <b>REAR BRAKE</b>         | U-Brake, Forged Alloy, Wide Body, Clear Brake Pads                                                                             |
| <b>REAR LEVER</b>         | Forged Alloy Hinged Lever                                                                                                      |
| <b>BRAKE CABLE [S]</b>    | LINEAR                                                                                                                         |
| <b>SADDLE</b>             | Medium Width Pivotal Seat                                                                                                      |
| <b>POST</b>               | Pivotal, 200mm                                                                                                                 |
| <b>CLAMP</b>              | Integrated with Frame                                                                                                          |
| <b>FRONT HUB</b>          | Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, 3/8" Chromoly Axle                                                  |
| <b>REAR HUB</b>           | Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle                                                  |
| <b>FREEWHEEL</b>          | 9 Tooth Sealed Driver with Hub                                                                                                 |
| <b>FRONT RIM</b>          | Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires                                                      |
| <b>REAR RIM</b>           | Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires                                                      |
| <b>SPOKES</b>             | 14 Gauge with Brass Nipples                                                                                                    |

|                     |                                |
|---------------------|--------------------------------|
| <b>FRONT TIRE</b>   | Eastern Squealer OEM 20 x 2.40 |
| <b>REAR TIRE</b>    | Eastern Squealer OEM 20 x 2.40 |
| <b>PEG</b>          | Cold Steel Pegs (2pcs)         |
| <b>Rotor</b>        | N/A                            |
| <b>Color Optins</b> | Gloss White, Gloss Black       |



\*\*\* Parts may change from what is pictured



25.6 Lbs



LIFETIME UPGRADES

100 PSI

**SQUEALER**  
TIRES

NOW WITH  
**4130 CHROMOLY FRAME**

**4130 CHROMOLY FORK**

**4130 CHROMOLY BARS**

FRAME TT: 20.85" CS: 13.38" FORK RAKE: 28MM BARS RISE: 9.0" UP/BACKSWEEP: 12°/1°

|                          |                                                                                                         |
|--------------------------|---------------------------------------------------------------------------------------------------------|
| <b>FRAME</b>             | Shovelhead 20", Full Chromoly, Removable Brake Mounts, Mid BB, Internal Headset                         |
| <b>Top Tube Size:</b>    | 21.0"                                                                                                   |
| <b>Chainstay Length:</b> | 13.38"                                                                                                  |
| <b>FORK</b>              | Full Chromoly                                                                                           |
| <b>Fork Rake:</b>        | 28mm                                                                                                    |
| <b>HEADSET</b>           | Integrated 45°X45° Sealed Cartridge Bearing                                                             |
| <b>HANDLEBAR</b>         | H/BAR Complete Bike bar, crmo, 9.0"                                                                     |
| <b>Upsweep/Backsweep</b> | 12°/1°                                                                                                  |
| <b>STEM</b>              | Top Load, CNC Machined 6061 Missile Grade Aluminum                                                      |
| <b>GRIP</b>              | Eastern Riblet Grips                                                                                    |
| <b>CRANK</b>             | 3-Piece, Tubular Heat-Treated Chromoly, 48-Splined Spindle, 170mm Arm Length                            |
| <b>BOTTOM BRACKET</b>    | Sealed Bearing Mid                                                                                      |
| <b>CHAINWHEEL</b>        | Eastern Phorcys, Alloy, 28T                                                                             |
| <b>CHAIN</b>             | KMC Z510 1/2 x 1/8                                                                                      |
| <b>PEDAL</b>             | Eastern Facet Pedal with 9/16" Chromoly Axle                                                            |
| <b>FRONT BRAKE</b>       | N/A                                                                                                     |
| <b>FRONT LEVER</b>       | N/A                                                                                                     |
| <b>REAR BRAKE</b>        | U-Brake, Forged Alloy, Wide Body, Clear Brake Pads                                                      |
| <b>REAR LEVER</b>        | Forged Alloy Hinged Lever                                                                               |
| <b>BRAKE CABLE (S)</b>   | LINEAR                                                                                                  |
| <b>SADDLE</b>            | Medium Width Pivotal Seat                                                                               |
| <b>POST</b>              | Pivotal, Alloy, 200mm                                                                                   |
| <b>CLAMP</b>             | Integrated with Frame                                                                                   |
| <b>FRONT HUB</b>         | Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, Female Axle System with 3/8" Allen Key Bolts |
| <b>REAR HUB</b>          | Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle                           |
| <b>FREEWHEEL</b>         | 9 Tooth Sealed Driver with Hub                                                                          |

|                      |                                                          |
|----------------------|----------------------------------------------------------|
| <b>FRONT RIM</b>     | Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires |
| <b>REAR RIM</b>      | Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires |
| <b>SPOKES</b>        | 14 Gauge with Brass Nipples                              |
| <b>FRONT TIRE</b>    | Eastern Squealer 20 x 2.40 100 PSI                       |
| <b>REAR TIRE</b>     | Eastern Squealer 20 x 2.40 100PSI                        |
| <b>PEG</b>           | Cold Steel Pegs (2pcs)                                   |
| <b>Rotor</b>         | N/a                                                      |
| <b>Color Options</b> | Gloss Black, Gloss Orange                                |

**NEW COLOR**



100 PSI

**SQUEALER**  
TIRES



**SEALED INTEGRATED HEADSET**

**SEALED BB**

**MID BOTTOM BRACKET**

**TUBULAR 3PC CRANKS CHROMOLY**

**DOUBLE WALL RIMS**

48 SPLINE  
**Throttle**  
CRANKS



**pivotal SEAT**

100 PSI  
**SQUEALER**  
TIRES

**REPLACEABLE BRAKE MOUNTS**

**FACET PEDALS**



**2 PEGS INCLUDED**

# Thunderbird

V1

25.6 Lbs



LIFETIME UPGRADES

Curb Monkey II



NOW With  
4130  
CHROMOLY  
FRAME

**FRAME** TT: 21.0" CS: 13.74"

**FORK** RAKE: 28MM

**BARS** RISE: 8.75" UP/BACKSWEEP: 12°/1°



FACET  
PEDALS



|                          |                                                                                                                               |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| <b>FRAME</b>             | Thunderbird 20", Full Chromoly, Mid BB, Internal Headset                                                                      |
| <b>Top Tube Size:</b>    | 21"                                                                                                                           |
| <b>Chainstay Length:</b> | 13.74"                                                                                                                        |
| <b>FORK</b>              | Chromoly Steerer with Hi-Tensile Steel Legs                                                                                   |
| <b>Fork Rake:</b>        | 28mm                                                                                                                          |
| <b>HEADSET</b>           | Integrated 45°X45° Sealed Cartridge Bearing                                                                                   |
| <b>HANDLEBAR</b>         | H/BAR Complete Bike bar, Hi-Ten, 8.75"                                                                                        |
| <b>Upsweep/Backsweep</b> | 12°/1°                                                                                                                        |
| <b>STEM</b>              | Forged Alloy Top Load Stem                                                                                                    |
| <b>GRIP</b>              | Eastern Riblet Grips                                                                                                          |
| <b>CRANK</b>             | 3-Piece, Tubular Heat-Treated Chromoly, Bolt for Sprocket, Pinch Bolt with 8-Splined Spindle, 170mm 31.8mm Square Tapered Arm |
| <b>BOTTOM BRACKET</b>    | Sealed Bearing Mid                                                                                                            |
| <b>CHAINWHEEL</b>        | Eastern Phorcys, Alloy, 25T                                                                                                   |
| <b>CHAIN</b>             | KMC Z510 1/2 x 1/8                                                                                                            |
| <b>PEDAL</b>             | Eastern Facet Pedal with 9/16" Chromoly Axle                                                                                  |
| <b>FRONT BRAKE</b>       | N/A                                                                                                                           |
| <b>FRONT LEVER</b>       | N/A                                                                                                                           |
| <b>REAR BRAKE</b>        | U-Brake, Forged Alloy, Wide Body, Clear Brake Pads                                                                            |

|                        |                                                                               |
|------------------------|-------------------------------------------------------------------------------|
| <b>REAR LEVER</b>      | Forged Alloy Lever                                                            |
| <b>BRAKE CABLE [S]</b> | LINEAR                                                                        |
| <b>SADDLE</b>          | Medium Width Pivotal Seat                                                     |
| <b>POST CLAMP</b>      | Pivotal, 200mm                                                                |
| <b>FRONT HUB</b>       | Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, 3/8" Chromoly Axle |
| <b>REAR HUB</b>        | Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle |
| <b>FREEWHEEL</b>       | 9 Tooth Sealed Driver with Hub                                                |
| <b>FRONT RIM</b>       | Alloy, Single Wall, Drilled for 36 Spokes, For 20" Tires                      |
| <b>REAR RIM</b>        | Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires     |
| <b>SPOKES</b>          | 14 Gauge with Brass Nipples                                                   |
| <b>FRONT TIRE</b>      | Eastern Curb Monkey 20 x 2.40                                                 |
| <b>REAR TIRE</b>       | Eastern Curb Monkey 20 x 2.40                                                 |
| <b>PEG</b>             | None                                                                          |
| <b>Rotor</b>           | N/a                                                                           |
| <b>Color Option 1</b>  | Gloss Black                                                                   |



SEALED  
INTEGRATED  
HEADSET

SEALED  
BB

MID  
BOTTOM BRACKET

TUBULAR  
3PC  
CRANKS  
CHROMOLY

DOUBLE  
WALL  
RIMS

pivotal  
SEAT

Curb Monkey II

FACET  
PEDALS



25.6 Lbs



100 PSI  
**Curb Monkey**  
TIRES

NOW with  
**4130 CHROMOLY FRAME**

**4130 CHROMOLY FORK**

**4130 CHROMOLY BARS**

**FRAME** TT: 21.0" CS: 13.74"

**FORK** RAKE: 28MM

**BARS** RISE: 9.0" UP/BACKSWEEP: 12°/1°



**2 COLD STEEL PEGS INCLUDED**

|                          |                                                                                  |
|--------------------------|----------------------------------------------------------------------------------|
| <b>FRAME</b>             | Thunderbird 20", Full Chromoly, Removable Brake Mounts, Mid BB, Internal Headset |
| <b>Top Tube Size:</b>    | 21"                                                                              |
| <b>Chainstay Length:</b> | 13.74"                                                                           |
| <b>FORK</b>              | Full Chromoly                                                                    |
| <b>Fork Rake:</b>        | 28mm                                                                             |
| <b>HEADSET</b>           | Integrated 45°X45° Sealed Cartridge Bearing                                      |
| <b>HANDLEBAR</b>         | H/BAR Complete Bike bar, crmo, 9.0"                                              |
| <b>Upsweep/Backsweep</b> | 12°/1°                                                                           |
| <b>STEM</b>              | CNC Machined 6061 Missile Grade Aluminum                                         |
| <b>GRIP</b>              | Eastern Riblet Grips                                                             |
| <b>CRANK</b>             | 3-Piece, Tubular Heat-Treated Chromoly, 48-Splined Spindle, 170mm Arm Length     |
| <b>BOTTOM BRACKET</b>    | Sealed Bearing Mid                                                               |
| <b>CHAINWHEEL</b>        | Eastern Phorcys, Alloy, 28T                                                      |
| <b>CHAIN</b>             | KMC Z510 1/2 x 1/8                                                               |
| <b>PEDAL</b>             | Eastern Facet Pedal with 9/16" Chromoly Axle                                     |
| <b>FRONT BRAKE</b>       | N/A                                                                              |
| <b>FRONT LEVER</b>       | N/A                                                                              |
| <b>REAR BRAKE</b>        | U-Brake, Forged Alloy, Wide Body, Clear Brake Pads                               |
| <b>REAR LEVER</b>        | Forged Alloy Hinged Lever                                                        |

|                        |                                                                                                         |
|------------------------|---------------------------------------------------------------------------------------------------------|
| <b>BRAKE CABLE [S]</b> | LINEAR                                                                                                  |
| <b>SADDLE</b>          | Medium Width Pivotal Seat                                                                               |
| <b>POST</b>            | Pivotal, Alloy, 200mm                                                                                   |
| <b>CLAMP</b>           | Integrated with Frame                                                                                   |
| <b>FRONT HUB</b>       | Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, Female Axle System with 3/8" Allen Key Bolts |
| <b>REAR HUB</b>        | Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle                           |
| <b>FREEWHEEL</b>       | 9 Tooth Sealed Driver with Hub                                                                          |
| <b>FRONT RIM</b>       | Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires                               |
| <b>REAR RIM</b>        | Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires                               |
| <b>SPOKES</b>          | 14 Gauge with Brass Nipples                                                                             |
| <b>FRONT TIRE</b>      | Eastern Curb Monkey 20 x 2.40 100 psi                                                                   |
| <b>REAR TIRE</b>       | Eastern Curb Monkey 20 x 2.40 100 psi                                                                   |
| <b>PEG</b>             | Cold Steel Pegs (2pcs)                                                                                  |
| <b>Rotor</b>           | N/A                                                                                                     |
| <b>Color Option 1</b>  | Gloss Black                                                                                             |



**SEALED BB**

**TUBULAR 3PC CRANKS CHROMOLY**

**pivotal SEAT**



**SEALED INTEGRATED HEADSET**

**MID BOTTOM BRACKET**

**DOUBLE WALL RIMS**

100 PSI  
**Curb Monkey**  
TIRES

**REPLACEABLE BRAKE MOUNTS**



**KENNETH TENCIO**

# REAPER

24.7 Lbs



LIFETIME UPGRADES

100 PSI  
**SQUEALER**  
TIRES



NEW COLOR



2 SLIM PEGS INCLUDED

NOW with  
**4130 CHROMOLY FRAME**

**4130 CHROMOLY FORK**

**4130 CHROMOLY BARS**

**FRAME** TT: 20.85" CS: 13.38"

**FORK** RAKE: 28MM **BARS** RISE: 8.85" UP/BACKSWEEP: 12°/1°



HELIX DOWNTUBE

HELIK  
TUBING



1-PC. STEERER  
TUBE

48 SPLINE  
**Throttle**  
CRANKS



NEW  
COLOR



|                          |                                                                                                 |
|--------------------------|-------------------------------------------------------------------------------------------------|
| <b>FRAME</b>             | Reaper 20", Full Chromoly with Helix Downtube, Removable Brake Mounts, Mid BB, Internal Headset |
| <b>Top Tube Size:</b>    | 20.85"                                                                                          |
| <b>Chainstay Length:</b> | 13.38"                                                                                          |
| <b>FORK</b>              | Reaper 20", Full Chromoly with 1pc CNC'd Steerer Tube                                           |
| <b>Fork Rake:</b>        | 28mm                                                                                            |
| <b>HEADSET</b>           | Integrated 45°X45° Sealed Cartridge Bearing                                                     |
| <b>HANDLEBAR</b>         | H/BAR Complete Bike bar, chromo, 9.0"                                                           |
| <b>Upsweep/Backsweep</b> | 12°/1°                                                                                          |
| <b>STEM</b>              | CNC Machined 6061 Missile Grade Aluminum                                                        |
| <b>GRIP</b>              | Eastern Riblet Grips                                                                            |
| <b>CRANK</b>             | 3-Piece, Tubular Heat-Treated Chromoly, 48-Splined Spindle, 170mm Arm Length                    |
| <b>BOTTOM BRACKET</b>    | Sealed Bearing Mid                                                                              |
| <b>CHAINWHEEL</b>        | Eastern Phorcys, Alloy, 28T                                                                     |
| <b>CHAIN</b>             | Half Link 1/2 x 1/8 Half Link 1/2 x 1/8 Half Link 1/2 x 1/8                                     |
| <b>PEDAL</b>             | Eastern Facet Pedal with 9/16" Chromoly Axle                                                    |
| <b>FRONT BRAKE</b>       | N/A                                                                                             |
| <b>FRONT LEVER</b>       | N/A                                                                                             |
| <b>REAR BRAKE</b>        | U-Brake, Forged Alloy, Wide Body, Clear Brake Pads                                              |

|                        |                                                                                                                                                                           |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>REAR LEVER</b>      | Forged Alloy Hinged Lever                                                                                                                                                 |
| <b>BRAKE CABLE [S]</b> | LINEAR                                                                                                                                                                    |
| <b>SADDLE</b>          | Medium Width Pivotal Seat                                                                                                                                                 |
| <b>POST</b>            | Pivotal, Alloy, 200mm                                                                                                                                                     |
| <b>CLAMP</b>           | Integrated with Frame                                                                                                                                                     |
| <b>FRONT HUB</b>       | Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, Female Axle System with 3/8" Allen Key Bolts                                                                   |
| <b>REAR HUB</b>        | Eastern Buzzip, 60 point engagement ring and 4 Pawls for Virtually Instant Engagement and Unique Buzz sound, Drilled for 36 Spokes, Female Axle with 14mm Allen Key Bolts |
| <b>FREEWHEEL</b>       | 9 Tooth Sealed Driver with Hub                                                                                                                                            |
| <b>FRONT RIM</b>       | 7000-Series Aluminum, Fusion Welded, Double Wall, Drilled for 36 Spokes, For 20" Tires                                                                                    |
| <b>REAR RIM</b>        | 7000-Series Aluminum, Fusion Welded, Double Wall, Drilled for 36 Spokes, For 20" Tires                                                                                    |
| <b>SPOKES</b>          | 14 Gauge Stainless Steel with Brass Nipples                                                                                                                               |
| <b>FRONT TIRE</b>      | Eastern Squealer 20 x 2.40 100 PSI                                                                                                                                        |
| <b>REAR TIRE</b>       | Eastern Squealer 20 x 2.40 100PSI                                                                                                                                         |
| <b>PEG</b>             | Eastern Slim Pegs. Chromoly with Internal Machining to Save Weight. (2pcs)                                                                                                |
| <b>Rotor</b>           | N/a                                                                                                                                                                       |
| <b>Color Options</b>   | Gloss Black                                                                                                                                                               |



SEALED  
INTEGRATED  
HEADSET

SEALED  
BB

MID  
BOTTOM BRACKET

TUBULAR  
3PC  
CRANKS

DOUBLE  
WALL  
RIMS

pivotal  
SEAT

100 PSI  
**SQUEALER**  
TIRES

REPLACEABLE  
BRAKE MOUNTS

FACET  
PEDALS

**ROBBIE & MORGAN**



*Thunderbird* & GROWLER





26" LIFESTYLE BMX



LIFETIME UPGRADES



26" LIMITED MODEL  
27.5 Lbs

LIMITED  
MODELS



REGULAR  
MODELS



26"

#### FRAME

Growler 26", Hi-Tensile Steel, AM BB, Aheadset, 135mm Rear Hub Spacing, Welded on Rotor Brake Mounts: Limited has Full Chromoly Frame

Top Tube Size:  
Chainstay Length:

22.5"  
16.9"

#### FORK

Growler 26", Hi-Tensile Steel: Limited has full chromoly Fork

Fork Rake:

32mm

#### HEADSET

Aheadset

#### HANDLEBAR

Hi Ten, 22.2mm bar bore, 1.2mm T, 7" x 28"

Upsweep  
/Backsweep

11°/1°

#### STEM

Forged Alloy Front Load Stem

#### GRIP

Eastern Riblet Grips

#### CRANK

Forged 1-Piece Heat Treated cranks for extra durability, 175mm Arm Length: Limited comes with 3-Piece, Tubular Heat-Treated Chromoly, Pinch Bolt with 8-Splined Spindle, 170mm Arm Length

#### BOTTOM BRACKET

American Ball Bearing: Limited Edition comes with sealed bearing alloy cups

#### CHAINWHEEL

Eastern Maxum, Alloy, 36T

#### CHAIN

KMC Z410 1/2 x 1/8

#### PEDAL

Eastern Atom Plastic Pedal with 1/2" Axle : (Limited 9/16")

#### FRONT BRAKE

N/A

#### FRONT LEVER

N/A

#### REAR BRAKE

Disc Brake, Mechanical

#### REAR LEVER

Forged Alloy Lever

#### BRAKE CABLE [S]

LINEAR

#### SADDLE

Padded Seat with Railed Supports

#### POST

Steel 300mm

#### CLAMP

Integrated with Frame

#### FRONT HUB

Sealed Bearing, Steel Shell, Drilled for 36 Spokes, 3/8" Axle

#### REAR HUB

Ball Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Axle

#### FREEWHEEL

15 Tooth Freewheel

#### FRONT RIM

Alloy, Single Wall, Drilled for 36 Spokes, For 26" Tires

#### REAR RIM

Alloy, Single Wall, Drilled for 36 Spokes, For 26" Tires

#### SPOKES

14 Gauge with Brass Nipples

#### FRONT TIRE

26 x 2.2

#### REAR TIRE

26 x 2.2

#### PEG

None

#### Rotor

N/a

#### Color Options

Gloss Black, Gloss Yellow, Gloss White, Gloss Orange, Gloss Pink, Gloss Blue, Gloss Red



**29" LIFESTYLE  
BMX**



**LIFETIME  
UPGRADES**



**29" REG. MODEL  
28.0 Lbs**

**REGULAR  
MODELS**

**STEEL  
TUBING**



**DOUBLE  
WALL  
RIMS**



**29"**

|                          |                                                                                                                                                                                           |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>FRAME</b>             | Growler 29", Hi-Tensile Steel, AM BB, Aheadset, 135mm Rear Hub Spacing, Welded on Rotor Brake Mounts: Limited has Full Chromoly Frame                                                     |
| <b>Top Tube Size:</b>    | 24"                                                                                                                                                                                       |
| <b>Chainstay Length:</b> | 18"                                                                                                                                                                                       |
| <b>FORK</b>              | Growler 26", Hi-Tensile Steel: Limited has full chromoly Fork                                                                                                                             |
| <b>Fork Rake:</b>        | 32mm                                                                                                                                                                                      |
| <b>HEADSET</b>           | Aheadset                                                                                                                                                                                  |
| <b>HANDLEBAR</b>         | Hi Ten, 22.2mm bar bore, 1.2mm T, 7" x 28"                                                                                                                                                |
| <b>Upsweep/Backsweep</b> | 11°/1°                                                                                                                                                                                    |
| <b>STEM</b>              | Forged Alloy Front Load Stem                                                                                                                                                              |
| <b>GRIP</b>              | Eastern Riblet Grips                                                                                                                                                                      |
| <b>CRANK</b>             | Forged 1-Piece Heat Treated cranks for extra durability, 175mm Arm Length: Limited comes with 3-Piece, Tubular Heat-Treated Chromoly, Pinch Bolt with 8-Splined Spindle, 170mm Arm Length |

|                        |                                                                             |
|------------------------|-----------------------------------------------------------------------------|
| <b>BOTTOM BRACKET</b>  | American Ball Bearing: Limited Edition comes with sealed bearing alloy cups |
| <b>CHAINWHEEL</b>      | Eastern Maxum, Alloy, 36T                                                   |
| <b>CHAIN</b>           | KMC Z510 1/2 x 1/8                                                          |
| <b>PEDAL</b>           | Eastern Atom Plastic Pedal with 1/2" Axle: (Limited 9/16")                  |
| <b>FRONT BRAKE</b>     | N/A                                                                         |
| <b>FRONT LEVER</b>     | N/A                                                                         |
| <b>REAR BRAKE</b>      | Disc Brake, Mechanical                                                      |
| <b>REAR LEVER</b>      | Forged Alloy Lever                                                          |
| <b>BRAKE CABLE [S]</b> | LINEAR                                                                      |
| <b>SADDLE</b>          | Padded Seat with Railed Supports                                            |
| <b>POST</b>            | Steel 300mm                                                                 |
| <b>CLAMP</b>           | Integrated with Frame                                                       |
| <b>FRONT HUB</b>       | Sealed Bearing, Steel Shell, Drilled for 36 Spokes, 3/8" Axle               |
| <b>REAR HUB</b>        | Ball Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Axle          |

|                      |                                                                                   |
|----------------------|-----------------------------------------------------------------------------------|
| <b>FREEWHEEL</b>     | 15 Tooth Freewheel                                                                |
| <b>FRONT RIM</b>     | Alloy, Double Wall, Drilled for 36 Spokes, For 29" Tires                          |
| <b>REAR RIM</b>      | Alloy, Double Wall, Drilled for 36 Spokes, For 29" Tires                          |
| <b>SPOKES</b>        | 14 Gauge with Brass Nipples                                                       |
| <b>FRONT TIRE</b>    | 29 x 2.35                                                                         |
| <b>REAR TIRE</b>     | 29 x 2.35                                                                         |
| <b>PEG</b>           | None                                                                              |
| <b>Rotor</b>         | N/a                                                                               |
| <b>Color Options</b> | Gloss Black, Gloss Yellow, Gloss White, Chrome, Gloss Pink, Gloss Blue, Gloss Red |

New

# BIG REAPER



LIMITED  
MODELS



26"

|                           |                                                                                                                           |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------|
| <b>FRAME</b>              | Big Reaper 26", Aluminum Alloy, AM BB, Aheadset, 135mm Rear Hub Spacing, Welded on Rotor Brake Mounts<br>BB: American/Mid |
| <b>Top Tube Size:</b>     | 22.5"                                                                                                                     |
| <b>Chainstay Length:</b>  | 16.9"                                                                                                                     |
| <b>FORK</b>               | Big Reaper 26", Hi-Tensile Steel                                                                                          |
| <b>Fork Rake:</b>         | 32mm                                                                                                                      |
| <b>HEADSET</b>            | Aheadset                                                                                                                  |
| <b>HANDLEBAR</b>          | Hi Ten, 22.2mm bar bore, 1.2mm T, 7" x 28"                                                                                |
| <b>Upsweep /Backsweep</b> | 11°/1°                                                                                                                    |
| <b>STEM</b>               | Forged Alloy Front Load Stem                                                                                              |
| <b>GRIP</b>               | Eastern Riblet Grips                                                                                                      |
| <b>CRANK</b>              | LTD model comes with 3-Piece, Tubular Heat-Treated Chromoly, Pinch Bolt with 8-Splined Spindle, 170mm Arm Length          |

|                        |                                                                                |
|------------------------|--------------------------------------------------------------------------------|
| <b>BOTTOM BRACKET</b>  | Limited Edition alloy cups with sealed bearings<br>American/Mid                |
| <b>CHAINWHEEL</b>      | Eastern Maxum, Alloy, 36T                                                      |
| <b>CHAIN</b>           | KMC Z410 1/2 x 1/8                                                             |
| <b>PEDAL</b>           | Eastern Atom Plastic Pedal with 1/2" Axle :<br>(Limited 9/16")                 |
| <b>FRONT BRAKE</b>     | N/A                                                                            |
| <b>FRONT LEVER</b>     | N/A                                                                            |
| <b>REAR BRAKE</b>      | Disc Brake, Mechanical                                                         |
| <b>REAR LEVER</b>      | Forged Alloy Lever                                                             |
| <b>BRAKE CABLE [S]</b> | LINEAR                                                                         |
| <b>SADDLE</b>          | Padded Seat with Railed Supports                                               |
| <b>POST</b>            | Steel 300mm                                                                    |
| <b>CLAMP</b>           | Alloy Bolt Clamp                                                               |
| <b>FRONT HUB</b>       | Sealed Bearings, Forged Alloy Shell, Drilled for 36 Spokes, 3/8" Chromoly Axle |

|                      |                                                                                              |
|----------------------|----------------------------------------------------------------------------------------------|
| <b>REAR HUB</b>      | Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle 9 Tooth Driver |
| <b>FREEWHEEL</b>     | 15 Tooth Freewheel                                                                           |
| <b>FRONT RIM</b>     | Alloy, Single Wall, Drilled for 36 Spokes, For 26" Tires                                     |
| <b>REAR RIM</b>      | Alloy, Single Wall, Drilled for 36 Spokes, For 26" Tires                                     |
| <b>SPOKES</b>        | 14 Gauge with Brass Nipples                                                                  |
| <b>FRONT TIRE</b>    | 26 x 2.2                                                                                     |
| <b>REAR TIRE</b>     | 26 x 2.2                                                                                     |
| <b>PEG</b>           | None                                                                                         |
| <b>Rotor</b>         | N/a                                                                                          |
| <b>Color Options</b> | Gloss Black, Gloss Yellow, Gloss Purple, Gloss Red                                           |

New

# ALPACA



LIFETIME UPGRADES



★ ★ ★ ★  
LIGHTWEIGHT  
ALUMINUM  
FRAME  
★ ★ ★ ★



|                       |                                                                                                         |
|-----------------------|---------------------------------------------------------------------------------------------------------|
| <b>FRAME</b>          | Custom designed 6061 Hydroformed Aluminum for 29" wheel, replaceable gear hanger, 135mm forged dropouts |
| <b>Top Tube Size:</b> | 15", 17", 19", 21"                                                                                      |
| <b>FORK</b>           | RST 100mm Travel, Coil Sprung, Mechanical Lockout dial                                                  |
| <b>Fork Rake:</b>     | 32mm                                                                                                    |
| <b>HEADSET</b>        | FSA Zero Stack Sealed Bearing, 2 x 10mm Spacer                                                          |
| <b>HANDLEBAR</b>      | Eastern Tapered Alloy 740mm, 32mm Rise, 31.8mm Clamp                                                    |
| <b>STEM</b>           | Eastern 3D Forged 50mm, 10deg Rise, 31.8mm Bar Clamp, Cro-Mo Bolts                                      |
| <b>GRIP</b>           | Eastern Krayton Black with Lock-on Clamps                                                               |
| <b>CRANK</b>          | X-Gear Cold Forged 175mm arms 34t Chaining                                                              |
| <b>BOTTOM BRACKET</b> | VP Cartridge Bearing                                                                                    |
| <b>CHAINWHEEL</b>     | 34T Chaining                                                                                            |

|                        |                                                                                                                     |
|------------------------|---------------------------------------------------------------------------------------------------------------------|
| <b>CHAIN</b>           | KMC Z9 114L Silver Grey                                                                                             |
| <b>PEDAL</b>           | Eastern VP Alloy platform                                                                                           |
| <b>CASSETTE</b>        | X-Gear 9 Speed 11-42t Shimano-Sram Compatible                                                                       |
| <b>REAR DERAILLEUR</b> | X-Gear 9 Speed Forged Alloy Shimano-Sram Compatible                                                                 |
| <b>GEAR SHIFTER</b>    | X-Gear 9 Speed Shimano-Sram Compatible                                                                              |
| <b>BRAKES</b>          | Radius Hydraulic Disc with adjustable reach lever, 160mm Front and Rear Disc                                        |
| <b>WHEELS</b>          | Eastern KT68 29" Sealed Bearing Quick Release Hubs, 36h Black Double Wall Rim, Black Stainless Spokes Brass Nipples |
| <b>TIRES</b>           | Kenda Honey Badger 29" x 2.2 Tri-bite Blackwall                                                                     |
| <b>SADDLE</b>          | Eastern Padded with Vinyl cover                                                                                     |
| <b>Color Options</b>   | Gloss Black, Gloss Yellow, Gloss Grey, Gloss Blue, Gloss Red                                                        |



16" 20" & 24"  
AVAILABLELIFETIME  
UPGRADES24" **FRAME** TT: 22.0" CS: 15.4" **FORK** RAKE: 32MM **BARS** UP/BACKSWEEP: 11°/3°LIMITED  
MODELSREGULAR  
MODELS

|                          |                                                                                                                                                                                           |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>FRAME</b>             | Commando 24", Hi-Tensile Steel, AM BB, Aheadset                                                                                                                                           |
| <b>Top Tube Size:</b>    | 22"                                                                                                                                                                                       |
| <b>Chainstay Length:</b> | 15.4"                                                                                                                                                                                     |
| <b>FORK</b>              | Commando 24", Hi-Tensile Steel                                                                                                                                                            |
| <b>Fork Rake:</b>        | 32mm                                                                                                                                                                                      |
| <b>HEADSET</b>           | Aheadset                                                                                                                                                                                  |
| <b>HANDLEBAR</b>         | Commando H/Bar for 24" bike                                                                                                                                                               |
| <b>Upsweep/Backsweep</b> | 11°/3°                                                                                                                                                                                    |
| <b>STEM</b>              | Forged Alloy Top Load Stem                                                                                                                                                                |
| <b>GRIP</b>              | Eastern Riblet Grips                                                                                                                                                                      |
| <b>CRANK</b>             | Forged 1-Piece Heat Treated cranks for extra durability, 175mm Arm Length: Limited comes with 3-Piece, Tubular Heat-Treated Chromoly, Pinch Bolt with 8-Splined Spindle, 170mm Arm Length |
| <b>BOTTOM BRACKET</b>    | American Ball Bearing: Limited Edition comes with sealed bearing alloy cups                                                                                                               |
| <b>CHAINWHEEL</b>        | Eastern Maxum, Alloy, 36T                                                                                                                                                                 |
| <b>CHAIN</b>             | KMC Z410 1/2 x 1/8                                                                                                                                                                        |
| <b>PEDAL</b>             | Eastern Atom Plastic Pedal with 1/2" Axle: (Limited 9/16")                                                                                                                                |
| <b>FRONT BRAKE</b>       | N/A                                                                                                                                                                                       |
| <b>FRONT LEVER</b>       | N/A                                                                                                                                                                                       |
| <b>REAR BRAKE</b>        | U-Brake, Forged Alloy, Clear Brake Pads                                                                                                                                                   |
| <b>REAR LEVER</b>        | Forged Alloy Lever                                                                                                                                                                        |
| <b>BRAKE CABLE [S]</b>   | LINEAR                                                                                                                                                                                    |
| <b>SADDLE</b>            | Padded Seat with Railed Supports                                                                                                                                                          |
| <b>POST</b>              | Steel, 350mm                                                                                                                                                                              |
| <b>CLAMP</b>             | Alloy Bolt Clamp                                                                                                                                                                          |

|                      |                                                                                   |
|----------------------|-----------------------------------------------------------------------------------|
| <b>FRONT HUB</b>     | Ball Bearing, Steel Shell, Drilled for 36 Spokes, 3/8" Axle                       |
| <b>REAR HUB</b>      | Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle     |
| <b>FREEWHEEL</b>     | 16 Tooth Freewheel                                                                |
| <b>FRONT RIM</b>     | Alloy, Single Wall, Drilled for 36 Spokes, For 24" Tires                          |
| <b>REAR RIM</b>      | Alloy, Single Wall, Drilled for 36 Spokes, For 24" Tires                          |
| <b>SPOKES</b>        | 14 Gauge with Brass Nipples                                                       |
| <b>FRONT TIRE</b>    | 24 x 1.95                                                                         |
| <b>REAR TIRE</b>     | 24 x 1.95                                                                         |
| <b>PEG</b>           | None                                                                              |
| <b>Rotor</b>         | N/A                                                                               |
| <b>Color Options</b> | Gloss Black, Gloss Yellow, Gloss White, Chrome, Gloss Pink, Gloss Blue, Gloss Red |



# PUSHER

**LIFETIME  
UPGRADES**

SOFT PADDED SEAT

QUICK RELEASE  
CLAMPS FOR EASY  
ADJUSTMENT

SOFT RUBBER GRIPS  
WITH LARGER ENDS  
TO AID IN GRIP

1 PIECE HANDLE BAR  
STEM COMBO

LIGHTWEIGHT ALLOY FRAME,  
FORK, BARS & SEAT POST




KID FRIENDLY BUTTON HEAD  
STYLE AXLE BOLTS TO PREVENT  
GETTING SCRATCHED

EVA TIRES SO NO NEED  
TO WORRY ABOUT FLAT

Seat Adjustable

Bars Adjustable



10.75"

19.5"

22"

**4.6 lbs**  
**FEATHERLIGHT**  
ALLOY CONSTRUCTION

- Lightweight alloy frame, fork, bars and seat post
- One piece handle bar stem combo with quick release for easy adjustment
- Soft padded seat
- Quick release seat post clamp for easy adjustment
- EVA tires so no need to worry about flat tires
- Button head style axle bolts keep kids from getting scratched
- Soft rubber grips with larger ends to aid in grip
- Sealed front and rear wheel bearings





CONRAD ROSENBERGER



**E<sup>3</sup> WELDING PROCESS**

**LIFETIME UPGRADES**



**4130 CHROMOLY FRAME**



**EXTRA THICK DOWNTUBE**

*Lifetime upgrade policy\*\**

**5.33 LBS**

TOP TUBE SIZE  
19.69" – 20.69" – 21.169"

- Full 4130 Japanese Chromoly
- Heat-Treated HeadTube, Dropouts and BB
- CNC'd Mid Bottom Bracket
- Double-Butted Top Tube

- Extra-Thick Butted Down Tube
- Single-Butted Seat Tube
- Gussets on both Down Tube and Top Tube
- Tapered Chain Stays

- Integrated with Frame
- 75° Head tube angle
- 71° Seat tube angle
- 7.4" Standover Height
- 13.2" Rear End



# GRIM REAPER X



**E<sup>3</sup> WELDING PROCESS**  
**LIFETIME UPGRADES**


*Lifetime upgrade policy\*\**

**4.75 LBS**


TOP TUBE SIZE • 20.5" 20.75" 21.0"

- The Grim Reaper 10 is the latest evolution of our lightweight professional level frame
- Helix Down Tube, Top Tube & Chainstays: ribs inside the tubing help prevent denting & yield a higher strength-to-weight ratio
- Classic EB cut-out in the heat-treated head tube and reinforced cutouts in seat tube
- Offset Butted and Heat Treated Head Tube
- Heat Treated Wide Mid Bottom Bracket
- Heat-Treated 8mm Thick Drop Outs with Integrated Chain Tensioners
- Single Butted Seat Tube

- Single Butted Seat Stays
- Replaceable 990 mounts
- Removable Gyro Tabs & Cable Guides
- Spy Clamp: Integrated with Frame
- 75° Head Tube Angle
- 71° Seat Tube Angle
- 13.5" Chain Stay Length (13.2" slammed)
- 8.7" Standover Height
- BB height = 11.5"
- COLORS  
Gloss Black, Chrome, Coolant Green, Coolant Gold



**TOPTUBE - DOWN-TUBE AND CHAINSTAYS**



**8MM CNC MACHINED THICK DROPOUTS**

**THICK RHONDA**



**E3 WELDING PROCESS**

**LIFETIME UPGRADES**

*Lifetime upgrade policy\*\**

5.4 LBS

TOP TUBE SIZE  
19.69" – 20.69" – 21.169"

COLORS  
Gloss Black, Coolant Green, Trans Gold

- Full 4130 Japanese Chromoly
- Heat-Treated HeadTube, Dropouts and BB
- 8mm Thick Dropouts
- Extra Wide BB to do away with all the unnecessary spacers
- CNC'd Mid Bottom Bracket

- Double-Butted Top Tube, seat tube, offset butted head tube, single butted seat stays
- Extra thick down tube and chain stays to prevent denting
- 2.4" tire clearance
- Removable brake mounts and hardware

- Spy Clamp: Integrated with Frame
- 75 Degree Head tube angle
- 71.2 Degree Seat tube angle
- 9.4" Standover Height
- 13.25" Rear End





ROBBIE TAYLOR

**NIGHT RAIN**

**LIFETIME UPGRADES**

**E<sup>3</sup> WELDING PROCESS**

**4130 CHROMOLY FRAME**

**SPY CLAMP**

**MID BOTTOM BRACKET**



*Lifetime upgrade policy\*\**


**5.6 LBS**

TOP TUBE SIZE • 21.65"

- 10mm or 14mm
- Full 4130 chromoly frame w/ double butted top tube
- Double butted downtube that is offset butted at the head to create an internal gusset
- Internal head tube with CNC'd EB logo
- Hydroformed monocoque chainstays
- Mid BB


- Laser cut dropouts
- Heat-treated bottom bracket, dropouts and head tube
- Disc brake tabs
- Eastern Low Boy integrated seat post clamp
- 14.7" Slammed chain stay/ 15" to center

COLOR:  
Matte Black





3/8"  
32.4 oz



- CNC'D HARDENED CHROMOLY DROP-OUTS
- TAPERED & BUTTED LEGS



- 100% Heat-treated chromoly
- Hardened CNC'd chromoly dropouts
- Etched Eastern alloy compression cap w/ratchet head and cutting line for steerer tube shortening
- Eastern original "Hangfree" dropout design to prevent the leg from sticking during grinds
- Offset: 32mm
- Compression Bolt: 25mm x 1.5mm
- Compression bolt tool: 3/8" ratchet head




ATM  
SERIES



3/8"  
39.2 oz

- 100% Chromoly
- 5mm chromoly hangfree dropouts



5MM CHROMOLY DROPOUTS • TAPERED LEGS


THROTTLE  
SERIES

3/8"  
37.5 oz



- 100% Japanese Chromoly
- Tapered Butted Legs
- 5mm chromoly hangfree dropouts
- 1-Piece, CNC Machined Steerer Tube
- Integrated Bearing Race

COLORS:  
Chrome, Gloss Black



5MM CHROMOLY DROPOUTS • TAPERED & BUTTED LEGS



**ZACH KRINGS**

# 4PECE



**E3 WELDING PROCESS**



29.3 oz

- 4130 Chromoly multi-butt grip tubing and double-butt crossbar
- E3 Welding Process ensures the most dependable welds possible
- Heat-treated after welding
- Upsweep/Backsweep 12°/1°
- Limited Lifetime Warranty

8.25" 8.5" 8.75" 9.0" 9.5" 10.0"



## SCYTHER

8.25" 8.5" 8.75" 9.0" 9.5" 10.0"

- 4130 Chromoly multi-butt grip tubing and double-butt crossbar
- E3 Welding Process ensures the most dependable welds possible
- Heat-treated after welding
- Upsweep/Backsweep 12°/1°
- Limited Lifetime Warranty

**E3 WELDING PROCESS**



29.3 oz



## THROTTLE SERIES

8.25" 8.5" 8.75" 9.0" 9.5" 10.0"

- 100% chromoly
- Extra thick grip tubing
- An excellent choice for a beginner rider who wants to spruce up their ride.

COLORS:  
Chrome, Gloss Black



## ATOM SERIES

8.5" 8.75" 9.0" 9.5" 10.0"

30.9 oz

- Tough as hell 100% Chromoly
- Extra thick grip tubing

COLORS:  
E D Black



## NIGHTTRAIN



10.7 oz

- 6061-T6 Alloy construction
- 31.8mm clamping area
- 2" Rise
- 27 inch width

COLORS:  
Gloss Black Ano, Gloss Red Ano,  
Gloss Gold Ano,  
Gloss Blue & Oil Slick





## <COMPRESSOR> TOPLOAD STEM



10.2 oz

- CNC machined 6061 T6 Alloy
- Rear Clamp design
- Hardened Chromoly Grade 12.9 bolts for superior strength
- 50mm reach
- Stack Height: 30mm



COLORS:

Matte Black Ano, Matte Red Ano, Matte Blue Ano, Matte White, Oil Slick, Coolant Green, Chrome



## <COMPRESSOR> FRONTLOAD STEM



8.5 oz

- CNC machined 6061 T6 Alloy
- Rear Clamp design
- Hardened Chromoly Grade 12.9 bolts for superior strength
- 50mm reach
- Stack Height: 30mm



COLORS:

Matte Black Ano, Matte Red Ano, Matte Blue Ano, Matte White, Oil Slick, Coolant Green, Chrome



## THRUSTLE SERIES



9.7 oz

- 6061 forged alloy
- 50mm reach
- Great stem at a great price
- Chromoly bolts
- Stack Height: 32mm



COLORS:

Raw, Matte Black, Matte Red, Matte Blue, Matte White, Oil Slick, Coolant Green



TOPLOAD



FRONTLOAD

## ATOM SERIES



9.7 oz

- 6061 forged alloy
- 50mm reach
- Great stem at a great price
- Chromoly bolts

COLORS:

ED Black





## 45/45 HEADSET

2.3 oz

- Integrated 45/45 style headset
- Sealed bearings
- 1-1/8"

- 36/45 style available only in black
- Check with your frame manufacturer to find out what style headset fits your headtube uses



## TALL CAP & SPACER KIT

Our new redesigned taller headset cap adds some serious flavor to your bike, plus it includes three anodized spacers to dial it in how you like it.

Includes:

- 15mm alloy replacement headset cap
- 1 - 5mm Spacer
- 2 - 3mm Spacer

## ATOM AHEADSET SERIES

110g

STS Aheadset, 1-1/8"

Size: 1-1/8" threadless



## HEADSET SPACER KIT

.03 oz

- Kit of 1-1/8" alloy headset spacers
- Quantity 2, 2mm spacers
- Quantity 1, 5mm spacer
- Use to find the sweet spot for stem placement or just to look cool

COLORS:

Matte Black Ano, Matte Red Ano, Matte Blue Ano, Matte Gold Ano, Matte White



## RIBLET GRIPS



3.9 oz

- Angled Ribbed pattern
  - Medium profile
  - Soft compound
  - Small diameter thin flanges
  - Eastern nylon bar ends included
- Diameter: 30mm Length: 147mm



## ATOM SERIES

3.3 oz

- 125mm
- Alloy Construction
- Accommodates Pivotal-Style Seats

COLORS:

Matte Black Ano, Matte Red Ano, Matte Blue Ano, Matte White, Matte Gold Ano



## FORGED ALLOY PIVOTAL SEATPOST

4.8 oz

- 200mm
- Alloy Construction
- Accommodates Pivotal-Style Seats

COLORS:

Matte Black Ano, Matte Red Ano, Matte Blue Ano, Matte White, Matte Gold Ano



## ATOM SERIES



.5 oz

- Forged Alloy Seat Clamp
- Perfect for locking your post into your frame

COLORS:

Matte Black Ano, Matte Red Ano, Matte Blue Ano, Matte White, Matte Gold Ano



## PIVOTAL

8.5-11.1 oz

- Durable Nylon cover
- Extra-Thick comfort foam padding
- Embroidered Eastern logo
- Pivotal-style



## COMBO

11.5 oz

- Alloy Post molded with plastic base
- Durable Nylon Cover cover with stitched logo
- Thick comfy padding
- Lighter than conventional seat & post combos



## BLACK TAR PIVOTAL

The Eastern fat black tar pivotal is a great replacement for your old hard seat. Thick cushy foam will have you riding in comfort and the grippy textured cover minimizes slippage.

- Extra-Thick comfort foam padding
- Embossed Eastern BMX logo
- Pivotal-style



## BIG Softy

COMFORT SEAT

- Unbelievably soft leisure seat... almost like your couch.
- 10 inches wide and 10 inches tall
- Designed for your easy riding around the neighborhood or further.
- Embossed Eastern logo
- Durable Vinyl cover



## Gel SEAT COVER

- KIT FEATURES
- Durable Nylon cover
  - Extra-Soft Gel padding
  - Carrying Bag



Available in: Small, Medium and Large

# LINX PEDALS



- Wide body and Steel Pins for incredible grip.
- Chromoly axle
- Removable pins
- Heat treated chromoly axle

COLORS: Black, Purple, Red, Orange and Blue



## FACET PEDALS



12.3 oz

- Fiber reinforced material increases strength and durability
- Original true dual-concave design increases grip
- Unique tread pattern for increased traction
- Heat treated chromoly axle

COLORS:  
Black, Camo

AVAILABLE WITH  
AND WITHOUT  
STRAP



## EZRA FLATS PLUS 12 oz



## MORAY CABLE



3.1 oz

- Manufactured to auto industry standards
- Able to be wound very

tightly without binding

- 60" of housing
- 65" Teflon-coated inner cable

## THROTTLE SERIES



2.4 oz

- The Throttle lever is a great intermediate level brake lever
- Lightweight design
- Forged 6061 Alloy
- Two Finger
- Hinged Clamp

COLORS:  
Raw, Matte Black, Chrome, Coolant Green,  
Oil Slick, Matte Red, Matte Blue,  
Matte White



## ATOM SERIES



14.5 oz

- Lightweight plastic platform pedal
- Sturdy and dependable unsealed chromoly axle
- Grippy surface knurling
- Molded raised plastic pins for extra grip




# REYNOLDS 853



**48-SPLINE**  
24.4 oz

Reynolds 853 air hardened steel provides the ultimate in strength and durability



- Much stronger than traditional chromoly
- 2.5 style design saves weight by eliminating one spindle bolt

- 19mm hollow internally and externally machined spindle
- CNC'd pedal boss for strength

- Forged spindle boss
  - Micro drive compatible
- Crank arm length: 175mm

COLORS:  
Chrome,  
Coolant Green,  
Gloss Black

**E3 WELDING PROCESS**



# THROTTLE SERIES



**48-SPLINE**  
31.3 oz

- Heat-treated Chromoly Arms
- Forged heads
- Printed Logo on back of crank arm
- 19mm 48-spline spindle
- BB's sold separately

Crank arm length:  
170mm & 175mm

COLORS:  
Chrome & Gloss Black



# ATOM SERIES



**8-SPLINE**  
33.9 oz

- Heat Treated chromoly arms
- Heat treated 19mm 8-spline chromoly spindle
- Arms, bolts & spindle only
- BB's sold separately

Crank arm length: 175mm

COLORS:  
ED Black & Chrome



# HALF-LINK CHAINS



1/2" x 1/8"  
13.1 oz

- Thick inner & outer plates
- Reinforced connecting link included

\*\*Weights are taken before any links are removed

COLORS:  
Black, Red, Blue, White, Silver,  
Chrome



WHITE BLACK BLUE SILVER

**ATOM** HALF-LINK  
S E R I E S



1/2" x 1/8"  
13.1 oz

- Thick inner & outer plates
- Reinforced connecting link included

\*\*Weights are taken before any links are removed

COLORS: Black, Silver

## 7 SERIES



1/2" x 1/8"  
13.1 oz

- Oversized inner & outer plates
- Master link included

\*\*Weights are taken before any links are removed

COLORS:  
Black, Red, Blue, White, Silver



BLUE RED SILVER WHITE BLACK

## 5 SERIES



1/2" x 1/8"  
11.1 oz

- Thick inner and outer plates
- \*\*Weights are taken before any links are removed

COLORS:  
Black, Red, Blue, White, Silver,  
Chrome



RED SILVER WHITE BLACK

**ATOM** 410  
S E R I E S



1/2" x 1/8"  
11.1 oz

- Thick inner and outer plates
- Master link included

\*\*Weights are taken before any links are removed

COLORS: Black, Silver

## EURO 4.6 oz



AVAILABLE IN 19MM

- 7075 CNC machined alloy cups
- Super-wide bearings
- Spacers & chainwheel adaptors included

COLORS: Matte Black Ano

## SPANISH 4.8 oz



AVAILABLE IN 19MM

- Precision sealed bearings
- Spacers & chainwheel adaptors included

20mm 22mm only available in black

COLORS: Matte Black Ano, Matte Red Ano, Matte Blue Ano, Matte White, Matte Gold Ano

## MID 11.7 OZ W/ AM CUPS



AVAILABLE IN 19MM, 22MM

- Precision sealed bearings
- Spacers & chainwheel adaptors included

COLORS: Matte Black Ano, Matte Red Ano, Matte Blue Ano, Matte White, Matte Gold Ano

\*22mm only available in black, red, white, blue

## EURO 1 PC.

AVAILABLE IN 19MM, 20MM, 22MM  
O.D. SIZE: 21MM / I.D. SIZES: 19, 20  
AND 22MM



## SPANISH 1 PC.

AVAILABLE IN 19MM, 20MM, 22MM  
O.D. SIZE: 37MM / I.D. SIZES: 19, 20 AND 22MM



## MID/AMERICAN 1 PC.

AVAILABLE IN 19MM, 20MM, 22MM  
O.D. SIZE: 41MM / I.D. SIZES: 19, 20 AND 22MM





LUKE PADELSKI

ROBBIE TAYLOR

## EZRA<sup>®</sup> EQUIS 2.4 oz - 25T



- CNC machined from 7075 alloy
- Thicker in areas more prone to stress, thinner where less material is needed
- 1/8" teeth
- Rounded tooth profile for increased life of sprocket & chains
- 15/16" bore w/ 19mm adapter included

COLORS:  
Chrome, Matte Black Ano, Matte Red Ano, Matte Blue Ano, Matte White, Matte Gold Ano, Raw

## MEDUSA 2.1 oz - 25T



- Forged 7075 alloy
- 5mm thick
- 8 crank holes
- Teeth: 1/8"
- Bore: 15/16"
- 19mm adapter included

COLORS:  
Gloss White, Matte Black Ano, Matte Red Ano, Matte Blue Ano, Matte Gold Ano, Raw



## ATOM<sup>®</sup> SERIES

9.2 oz

- 4" long
- 1 3/8" diameter
- 14mm axle holes
- Sold individually



## PHORCYS 2.1 oz - 25T



- Forged of 6061 alloy, then CNC machined
- Rounded tooth profile for increased life of sprocket & chains
- Great sprocket at a great price - 15/16" bore w/ 19mm adapter included

COLORS:  
Gloss White, Matte Black Ano, Matte Red Ano, Matte Blue Ano, Matte Gold Ano, Raw





# FREECOASTER /CASSETTE

## HUB

16 oz  
9T



INSIDE THE EZRA CONVERTIBLE FREECOASTER HUB

1. NON DRIVE SIDE CONE NUT: CNC'd 7075T6 Alloy M14x1.0 thread

2. AXLE: 4130 Heat Treated Hollow Chromoly Precision CNC machined axle with M14x1.0 threads. The axle is broached at each end to accept an 8mm hex key/allen wrench to make disassembly easier.

3. HUB BEARINGS: Precision sealed 6902RS2 bearings. The larger bearings have been proven to be longer-lasting than the smaller bearings used in many other hubs.

4. HUB SHELL: Forged then CNC machined from 6061-T6 alloy. 36H. Features built-in groove to accommodate the Eastern Pop-N-Lock Hubguard.

5. RATCHET RING: Heat treated Chromoly. Just the right hardness to never wear out.

6. CLUTCH SPRING WASHER

7. CLUTCH SPRING: Custom precision made spring to allow just enough tension to get the pawls moving.

8. CLUTCH DISC: Precision CNC'd Delrin

9. CLUTCH DISC PILOT SPACER: CNC machined 6061 Alloy

10. BACKSIDE DRIVER BEARING: Precision sealed 6802RS bearing. Deep grooved to provide plenty of lateral strength.

11. PAWLS: Precision CNC machined pawls. 3 per hub. Used in both the cassette & the freecoaster mode.

12A. RETENTION SPRINGS

(used in freecoaster mode): Precision custom made retention springs provide just enough down force to keep the pawls out of the way in freecoaster mode.

12B. EXPANSION SPRINGS

(used in cassette mode): Expansion Springs are custom made to push the pawls up when you use the hub in cassette mode.


13. DRIVER: Precision CNC machined 4130 Heat Treated Chromoly

14. DRIVER BEARING SPACER:

CNC machined Bearing spacer

15. FRONTSIDE DRIVER BEARINGS: Precision sealed 6802RS2 bearings. Deep grooved to provide plenty of lateral strength. 2 are used under the chain to add strength.

16. DRIVE SIDE CONE NUT: CNC machined 7075-T6 Alloy



## RHD & LHD AVAILABLE



COLORS: Matte Black Ano, Chrome, Matte Red Ano, Matte Blue Ano, Matte White, Matte Gold Ano, Raw

**THROTTLE**  
SERIES

DOUBLE  
WALL  
RIMS



- Sealed bearing cassette, 9T driver rear hub
- 14mm chromoly axle
- 14g spokes
- 36-hole, double-walled alloy rim

COLORS: Matte Black Ano, Matte Red Ano, Matte Blue Ano, Matte Gold Ano



REAR WHEEL 40.0 oz FRONT WHEEL 30.0 oz



- Sealed bearing front hub
- 3/8" Axle
- 14g spokes
- 36-hole, double-walled alloy rim
- 14mm Chromoly Axle

COLORS: Matte Black Ano, Matte Red Ano, Matte Blue Ano, Matte Gold Ano

**THROTTLE**  
SERIES



15.9 oz

- 6061 double-wall alloy
- Pinned joint for strength & economics
- 36 hole

COLORS: Matte Black Ano, Matte Red Ano, Matte Blue Ano, Matte White, Matte Gold Ano

DOUBLE  
WALL  
RIMS



# BZZIP WHEELS

DOUBLE WALL  
RIMS



RHD AND LHD AVAILABLE



## FRONT WHEEL

35.8 oz

- 6061-T6 Alloy Shell
- Heat treated Chromoly with Female Allen head bolts for a smooth look
- 14mm internal axle
- Precision Sealed Bearings
- Double Wall Welded Seam Rim
- 36 Hole

COLORS:  
Matte Black Ano,  
Matte Red Ano,  
Matte Blue Ano, Matte Gold Ano

## REAR CASSETTE WHEEL

44.2 oz

- Eastern Buzzip Rear Hub
- 6061-T6 Alloy Shell
- Female Axle Heat Treated Chromoly Axle with 14mm Allen Key Bolts
- 60 point engagement ring

- 6 Pawl driver with individual springs
- Virtually Instant Engagement
- Unique Buzz sound
- 14mm hollow axle
- Double Wall Welded Seam Rim
- 36 Hole

COLORS: Matte Black Ano,  
Matte Red Ano, Matte Blue Ano,  
Matte Gold Ano



# FREECOASTER WHEEL

DOUBLE WALL  
RIMS

POP N LOCK  
COMPATIBLE

FREECOASTER  
FC  
HUB



40.6 oz

- 14mm heat treated chromoly axle
- Adjustable Slack
- 7075 Alloy hardware
- Pawl Engagement System
- 5 Sealed Bearings
- Double Wall Welded Seam Rim
- 36 Hole

COLORS:  
Matte Black Ano,  
Matte Red Ano,  
Matte Blue Ano,  
Matte Gold Ano



**Curb Monkey** 20"



**100 PSI**  
HIGH PRESSURE

**AGGRESSIVE TREAD PATTERN**  
• FOR INCREASED GRIP

**LARGE FOOTPRINT**  
• DESIGNED TO GRIP MULTIPLE SURFACES

- Grippy Eastern Formula
- Large Eastern hotpatch
- Built for the streets, trails & skateparks



HP 100PSI  
20 x 2.4

**SQUEALER** 20"



**100 PSI**  
HIGH PRESSURE

**SMOOTH CENTER**  
• LOWER ROLLING RESISTANCE  
• INCREASED SPEED

**RECESSED TREAD**  
• MORE GRIND FRIENDLY  
• GRIPPY FOR CARVING

- Grippy Eastern Formula
- Large Eastern hotpatch
- Built for the streets, trails & skateparks



HP 100PSI  
20 x 2.4

**THROTTLE** 20"  
SERIES



**100 PSI**  
HIGH PRESSURE

**MULTI-SURFACE**  
• GRIPS ANY SURFACE WELL  
• GREAT FOR PARK, STREET & DIRT

**EASTERN HOT PATCH**  
• BOLD UNIQUE LOOK

- Grippy Eastern Formula
- Performs great on all surfaces
- Large Eastern hotpatch



HP 100PSI  
20 x 2.2  
20 x 2.3  
20 x 2.4

**GROWLER** 26"



**MULTI-SURFACE**  
• GRIPS ANY SURFACE WELL

**DENSER CENTER TREAD**  
• INCREASED SPEED AND DURABILITY

26 x 2.125

- Grippy Eastern Formula
- Performs great on all surfaces
- Large Eastern hotpatch





## 20" E304

20 x 1.75  
(actual inflated width 1.625")

- Grippy multi-surface tread
- 35 PSI
- Cable (slack wire) folding design



## 20" P1023

20 x 1.75  
(actual inflated width 1.625")

- Grippy multi-surface tread
- 35 PSI
- Cable (slack wire) folding design



**NEW  
COLOR**



## 26" PREMIUM TIRES

26 x 1.95

- Replacement Tire for 26" tires
- Multi-Purpose Thread
- Cable Bead



## 26" E701

26 x 1.95  
(actual inflated width 2.0")

- Grippy multi-surface tread
- 40 PSI
- Cable (slack wire) folding design



**NEW  
COLOR**



## 26" E702

26 x 1.95  
(actual inflated width 2.0")

- Grippy multi-surface tread
- 40 PSI
- Cable (slack wire) folding design



## 26" E614

26 x 1.95  
(actual inflated width 1.875")

- Grippy multi-surface tread
- 40-65 PSI
- Cable (slack wire) folding design



## 26" E303

26 x 1.95  
(actual inflated width 1.875")

- Grippy multi-surface tread
- 40 PSI
- Cable (slack wire) folding design



## 29" E610

29 x 2.1  
(actual inflated width 2.1")

- Grippy multi-surface tread
- 40-65 PSI
- Cable (slack wire) folding design



## 29" E624

29 x 2.25  
(actual inflated width 1.375")

- Grippy multi-surface tread
- 40 PSI
- Cable (slack wire) folding design



## 700 X 35C E614

700 x 35c  
(actual inflated width 1.375")

- Grippy multi-surface tread
- 50-75 PSI
- Cable (slack wire) folding design



## Curb Monkey Kits

100 PSI  
HIGH PRESSURE

20 x 2.4  
KITS MAY INCLUDE

- Eastern Curb Monkey Tire - 20" x 2.4" - Grippy Eastern Bikes formula
- Eastern Premium replacement 20" tube
- 2 Hi-Quality Tire Levers
- Rim Strips



## GROWLER Kits

26 x 2.125  
KITS MAY INCLUDE

- Eastern Growler Tires - 26" - Grippy Eastern Bikes formula
- Eastern Premium replacement 26" tubes
- Hi-Quality Tire Levers
- Rim Strips



## THRATTLE Kits

100 PSI  
HIGH PRESSURE

20 x 2.2  
20 x 2.3  
20 x 2.4  
KITS MAY INCLUDE

- Eastern Throttle Tire - 20" - Grippy Eastern Bikes formula
- Eastern Premium replacement 20" tube
- 2 Hi-Quality Tire Levers
- Rim Strips



## 26" PREMIUM TIRE Kits

26 x 1.95  
KITS MAY INCLUDE

- Eastern Premium Replacement Tires - 26" - Grippy Eastern Bikes formula
- Eastern Premium replacement 26" tubes
- Hi-Quality Tire Levers
- Rim Strips

# REPLACEMENT TUBES



## • AVAILABLE SIZES:

20"x1.75/2.125, A/V (Schrader)  
 26"x1.75/2.125, A/V (Schrader)  
 26"x1.75/2.125, Presta valve 33mmL  
 700x 35C/43C, A/V (Schrader)  
 700x 35C/43C, Presta valve 33mmL  
 700x 35C/43C, Presta valve 39mmL  
 700x 35C/43C, Presta valve 48mmL  
 700x 35C/43C, Presta valve 60mmL  
 29"x1.75/2.125, A/V (Schrader)

# REPLACEMENT TUBE Kits



## KITS MAY INCLUDE

- Eastern Premium replacement tubes
- Hi-Quality Tire Levers
- Rim Strips



**RUSSELL SUMMERVILLE**

# 2022 BIKE FEATURES

|                       | TT<br>SIZE | FULL<br>CHROMO<br>FRAME | FULL<br>CHROMO<br>FORK   | FULL<br>CHROMO<br>BARS | EASTERN<br>RIBLET<br>GRIPS | DOUBLE<br>WALL<br>RIMS | SEALED<br>FRONT<br>HUB | SEALED<br>REAR<br>HUB | INT.<br>HEADSET | HEAT TREATED<br>3PC TUBULAR<br>CHROMO<br>CRANKS | ALLOY<br>SPROCKET | CNC'D<br>6061<br>STEM | THROTTLE<br>BRAKE<br>LEVER | HALF<br>LINK<br>CHAIN | SEAT/<br>POST<br>COMBO | PIVOTAL<br>SEAT | EASTERN<br>TIRES | EASTERN<br>PEDALS | SEALED<br>BB | INCLUDES<br>PEGS           |
|-----------------------|------------|-------------------------|--------------------------|------------------------|----------------------------|------------------------|------------------------|-----------------------|-----------------|-------------------------------------------------|-------------------|-----------------------|----------------------------|-----------------------|------------------------|-----------------|------------------|-------------------|--------------|----------------------------|
| REAPER                | 20.85"     | DT                      | 1                        | ✓                      | ✓                          | ✓                      | ✓                      | ✓                     | ✓               | 48<br>SPLINE                                    | ✓                 | ✓                     | ✓                          | ✓                     | ✓                      |                 | ✓                | FACET<br>PEDALS   | ✓            | 2 SLIM<br>PEGS<br>INCLUDED |
| THUNDERBIRD<br>V2     | 21.0"      | ✓                       | 1                        | ✓                      | ✓                          | ✓                      | ✓                      | ✓                     | ✓               | 48<br>SPLINE                                    | ✓                 | ✓                     | ✓                          | ✓                     | ✓                      |                 | ✓                | FACET<br>PEDALS   | ✓            | 2 SLIM<br>PEGS<br>INCLUDED |
| SHOVELHEAD            | 21.0"      | ✓                       | ✓                        | ✓                      | ✓                          | ✓                      | ✓                      | ✓                     | ✓               | 48<br>SPLINE                                    | ✓                 | ✓                     | ✓                          |                       |                        |                 | ✓                | FACET<br>PEDALS   | ✓            | 2 PEGS<br>INCLUDED         |
| ELEMENT               | 20.75"     | ✓                       | ✓                        |                        | ✓                          | ✓                      | ✓                      | ✓                     | ✓               | ✓                                               | ✓                 |                       | ✓                          |                       |                        |                 | ✓                | FACET<br>PEDALS   | ✓            | 2 PEGS<br>INCLUDED         |
| WOLFD OG              | 20.75"     | ✓                       | ✓                        |                        | ✓                          | ✓                      | ✓                      | ✓                     | ✓               | ✓                                               | ✓                 |                       | ✓                          |                       |                        |                 | ✓                | FACET<br>PEDALS   | ✓            |                            |
| THUNDERBIRD<br>V1     | 21.0"      | ✓                       | CRMO<br>STEERER<br>TUBE  |                        | ✓                          | ✓                      | ✓                      | ✓                     | ✓               | ✓                                               | ✓                 |                       |                            |                       |                        |                 | ✓                | FACET<br>PEDALS   | ✓            |                            |
| NIGHTWASP             | 20.5"      | ✓                       | CRMO<br>STEERER<br>TUBE  |                        | ✓                          | ✓                      | ✓                      | ✓                     | ✓               | ✓                                               | ✓                 |                       |                            |                       | ✓                      |                 |                  | FACET<br>PEDALS   | ✓            |                            |
| TRAILDIGGER           | 20.75"     | ✓                       | CRMO<br>STEERER<br>TUBE  |                        | ✓                          | ✓                      | ✓                      | ✓                     | ✓               | ✓                                               | ✓                 |                       |                            |                       |                        |                 | ✓                | FACET<br>PEDALS   | ✓            |                            |
| ORBIT                 | 20.25"     | CRMO DT<br>ONLY         | CRMO<br>STEERER<br>TUBE  |                        | ✓                          | ✓                      | ✓                      | ✓                     | ✓               | ✓                                               |                   |                       |                            |                       | ✓                      |                 | ✓                | ATOM<br>PEDALS    | ✓            | 4 PEGS<br>INCLUDED         |
| JAVELIN               | 20.5"      | CRMO DT<br>ONLY         | CRMO<br>STEERER<br>TUBE  |                        | ✓                          | ✓                      | ✓                      | ✓                     | ✓               | ✓                                               |                   |                       |                            |                       | ✓                      |                 | ✓                | ATOM<br>PEDALS    | ✓            |                            |
| COBRA                 | 20"        |                         | *CRMO<br>STEERER<br>TUBE |                        | ✓                          |                        | ✓                      | ✓                     |                 | ✓                                               |                   |                       |                            |                       |                        |                 | ✓                | ATOM<br>PEDALS    |              |                            |
| LOWDOWN               | 20"        |                         |                          |                        | ✓                          |                        | ✓                      |                       |                 | ✓                                               |                   |                       |                            |                       |                        |                 | ✓                | ATOM<br>PEDALS    |              |                            |
| PAYDIRT               | 20"        |                         |                          |                        | ✓                          |                        | ✓                      | ✓                     |                 |                                                 |                   |                       |                            |                       |                        |                 |                  | ATOM<br>PEDALS    |              |                            |
| PUSHER                |            |                         |                          |                        |                            |                        | ✓                      | ✓                     |                 |                                                 |                   |                       |                            |                       |                        |                 |                  |                   |              |                            |
| GROWLER<br>29"<br>26" | 24"        | LIMITED                 | LIMITED                  |                        | ✓                          |                        | ✓                      |                       |                 | LIMITED                                         | ✓                 |                       |                            |                       |                        |                 |                  | ATOM<br>PEDALS    | LIMITED      |                            |
| COMMANDO 24"          | 22.5"      | LIMITED                 | LIMITED                  |                        | ✓                          |                        | ✓                      |                       |                 | LIMITED                                         | ✓                 |                       |                            |                       |                        |                 | ✓                | ATOM<br>PEDALS    | LIMITED      |                            |
| BIG REAPER 26"<br>LTD | 22"        |                         |                          |                        | ✓                          |                        |                        | ✓                     |                 | LIMITED                                         | ✓                 |                       |                            |                       |                        |                 |                  | ATOM<br>PEDALS    | LIMITED      |                            |
| ALPAKA 29" MTB        | 15"-21"    | HYDROFORMED<br>ALUMINUM |                          |                        |                            | ✓                      | ✓                      | ✓                     |                 | X-GEAR COLD<br>FORGED                           | ✓                 |                       |                            |                       |                        |                 |                  | ATOM<br>PEDALS    | LIMITED      | CARTRIDGE                  |

PRO

EXPERT

INTERMEDIATE

BEGINNER

BMX  
LIFESTYLE