



A high-angle photograph of a man, Robbie Taylor, performing a wallride on a BMX bike. He is positioned against a large, textured brick wall. The man is wearing a light-colored t-shirt, dark shorts, and a grey baseball cap. His bike is black with a single front wheel and a chain drive. The scene is set in an indoor space with wooden beams visible at the top and two wooden ramps in the foreground. The lighting is warm, casting a shadow of the rider and his bike onto the brick wall.

ROBBIE TAYLOR

WARNING! READ BEFORE RIDING

All of the actions shown in this catalog were performed by experienced & professional individuals. Do not attempt or duplicated. Performance or attempted performance of the actions shown in this catalog may result in personal & bodily injury & property damage. Always take appropriate precautions & wear appropriate safety gear, not limited to a helmet, when riding a bicycle.

BMX BIKES

4



LEISURE & MTB BIKES

22



FRAMES

34



FORKS

36



BARs

38



STEMS

39



GRIPS & HEADSETS

40



SEATS & POSTS

40



PEDALS

42



BRAKES

43




CRANKS

43



BB & CHAINS

44



SPROCKETS

45



PEGS

45



RIMS

46



WHEELS

46



TIRES & TUBES

47



LIFETIME
UPGRADES

All Eastern complete bikes & aftermarket frames are included in our lifetime trade-in program. Our trade-in program lets you upgrade your frame at a reduced cost over time as your abilities increase. This is another Eastern exclusive & all the details can be found on our website.

MORE INFO AT WWW.EASTERNBIKES.COM

COVER

KENNETH TENCIO



AGUSTIN MUNOZ

Individuals. These actions should not be
his catalog could result in serious
appropriate safety gear, including but

BIKE FEATURES

WE'VE WORKED HARD TO MAKE SURE EVERY EASTERN MODEL FOR 2021 FEATURES THE MOST CRUCIAL QUALITY PARTS TO ENSURE A LONG-LASTING BIKE.



OUR 2021 BIKES ARE SPEC'D RIGHT WITH FEATURES LIKE A SEALED BEARING REAR HUB FOR A RELIABLE, LOW-MAINTENANCE RIDE.



ASIDE FROM THE EN BMX MODEL COMES TUBULAR CHROMOLY

RIBLET Grips



THE RIBLET IS A FLANGELESS VERSION OF THE POPULAR TRUFFLE GRIP. YOUNG GUNS LOVE THE CLEAN MINIMAL DESIGN, BUT EVERYONE CAN APPRECIATE THE SOFT TOUCH AND HIGH PERFORMANCE OF A CLASSIC MUSHROOM PATTERN.



WE DECIDED TO ADD A LITTLE OLD SCHOOL FLAIR TO THE 2021 MODELS WITH A PAD ON THE CROSSBAR. IT LOOKS COOL AND IT MIGHT SAVE YOU SOME TEETH!



ENTRY LEVEL, PAYDIRT, EVERY 2021 EASTERN BMX BIKE IS STOCK WITH STRONG AND LIGHT 3-PIECE CRANKS WITH 8-SPLINE OR 48-SPLINE CRANKS.



EVERY 2021 EASTERN BMX BIKE FEATURES A SEALED BEARING FRONT HUB TO MAXIMIZE PERFORMANCE AND MINIMIZE MAINTENANCE.

PAYDIRT
AIR



26.9 Lbs



LIFETIME UPGRADES

NEW COLOR

FRAME TT: 20" CS: 13.38" FORK RAKE: 28MM BARS RISE: 8.0" UP/BACKSWEEP: 12°/1°

FRAME	Paydirt 20", Hi-Tensile Steel, AM BB, Aheadset
Top Tube Size:	20"
Chainstay Length:	13.38"
FORK	Hi-Tensile Steel
Fork Rake:	28mm
HEADSET	Aheadset
HANDLEBAR	H/BAR Complete Bike bar, Hi-Ten 8.0"
Upsweep/Backsweep	12°/1°
STEM	Forged Alloy Front Load Stem
GRIP	Eastern Riblet Grips
CRANK	Forged 1-Piece Heat Treated cranks for extra durability
BOTTOM BRACKET	American Ball Bearing
CHAIN-WHEEL	Eastern Phorcys, Cold Hard Steel, 25T
CHAIN	KMC Z410 1/2 x 1/8
PEDAL	Eastern Atom Plastic Pedal with 1/2" Axle
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	Alloy Caliper Brake
REAR LEVER	Forged Alloy Lever
BRAKE CABLE [S]	LINEAR
SADDLE	Padded Seat with Railed Supports
POST	Steel 200mm
CLAMP	Forged Alloy
FRONT HUB	Sealed Bearings, Drilled for 36 Spokes, 3/8" Chromoly Axle

REAR HUB	Sealed Bearings, Drilled for 36 Spokes, 14mm Chromoly Axle
FREEWHEEL	9 Tooth Sealed Driver with Hub
FRONT RIM	Alloy, Single Wall, Drilled for 36 Spokes, For 20" Tires
REAR RIM	Alloy, Single Wall, Drilled for 36 Spokes, For 20" Tires
SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	20 x 2.25
REAR TIRE	20 x 2.25
PEG	None
Rotor	N/A
Color Options	Gloss Black, Gloss Yellow, Gloss Purple, Gloss Blue, Gloss Red

NEW COLOR



LOWDOWN

26.9 Lbs



LIFETIME UPGRADES



FRAME TT: 20" CS: 13.38" FORK RAKE: 28MM BARS RISE: 8.0" UP/BACKSWEEP: 12°/1°

NEW COLOR



NEW COLOR



FRAME	Lowdown 20", Hi-Tensile Steel, AM BB, Aheadset
Top Tube Size:	20"
Chainstay Length:	13.38"
FORK	Hi-Tensile Steel
Fork Rake:	28mm
HEADSET	Aheadset
HANDLEBAR	H/BAR Complete Bike bar, Hi-Ten 8.0"
Upsweep/Back-sweep	12°/1°
STEM	Forged Alloy Front Load Stem
GRIP	Eastern Riblet Grips
CRANK	3-Piece, Tubular Heat-Treated Chromoly, Bolt for Sprocket, Pinch Bolt with 8-Splined Spindle, 165mm 28.6mm Round Arm

BOTTOM BRACKET	American Ball Bearing
CHAINWHEEL	Eastern Phorcys, Cold Hard Steel, 25T
CHAIN	KMC Z410 1/2 x 1/8
PEDAL	Eastern Atom Plastic Pedal with 9/16" Axle
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	Alloy Caliper Brake
REAR LEVER	Forged Alloy Lever
BRAKE CABLE [S]	LINEAR
SADDLE	Padded Seat with Railed Supports
POST	Steel 200mm
CLAMP	Forged Alloy
FRONT HUB	Sealed Bearings, Drilled for 36 Spokes, 3/8" Chromoly Axle

REAR HUB	Sealed Bearings, Drilled for 36 Spokes, 14mm Chromoly Axle
FREEWHEEL	9 Tooth Sealed Driver with Hub
FRONT RIM	Alloy, Single Wall, Drilled for 36 Spokes, For 20" Tires
REAR RIM	Alloy, Single Wall, Drilled for 36 Spokes, For 20" Tires
SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	20 x 2.25
REAR TIRE	20 x 2.25
PEG	None
Rotor	N/A
Color Options	Gloss Black, Gloss Yellow, Gloss Orange, Gloss Tan, Gloss Blue, Gloss Red



NEW COLOR



FRAME TT: 20" CS: 13.38" FORK RAKE: 28MM BARS RISE: 8.25" UP/BACKSWEEP: 12°/1°

NEW
COLOR



FRAME	Cobra 20", Hi Tensile Steel, AM BB, Aheadset
Top Tube Size:	20"
Chainstay Length:	13.38"
FORK	Chromoly Steerer with Hi-Tensile Steel Legs
Fork Rake:	28mm
HEADSET	Aheadset
HANDLEBAR	H/BAR Complete Bike bar, Hi-Ten, 8.25"
Upsweep/Back-sweep	12°/1°
STEM	Forged Alloy Top Load Stem
GRIP	Eastern Riblet Grips
CRANK	3-Piece, Tubular Heat-Treated Chromoly, Bolt for Sprocket, Pinch Bolt with 8-Splined Spindle, 170mm 28.6mm Round Arm

BOTTOM BRACKET	American Ball Bearing
CHAINWHEEL	Eastern Phorcys, Cold Hard Steel, 25T
CHAIN	KMC Z510 1/2 x 1/8
PEDAL	Eastern Atom Plastic Pedal with 9/16" Chromoly Axle
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	U-Brake, Forged Alloy, Wide Body, Clear Brake Pads
REAR LEVER	Forged Alloy Lever
BRAKE CABLE [S]	LINEAR
SADDLE	Padded Seat with Railed Supports
POST	Steel 200mm
CLAMP	Forged Alloy

FRONT HUB	Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, 3/8" Chromoly Axle
REAR HUB	Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle
FREEWHEEL	9 Tooth Sealed Driver with Hub
FRONT RIM	Alloy, Single Wall, Drilled for 36 Spokes, For 20" Tires
REAR RIM	Alloy, Single Wall, Drilled for 36 Spokes, For 20" Tires
SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	20 x 2.25
REAR TIRE	20 x 2.25
PEG	None
Rotor	N/A
Color Options	Gloss Black, Gloss Purple, Gloss Teal, Gloss Orange, Gloss Tan, Gloss Blue



JAVELIN

25.7 Lbs



WIDE
Throttle
TIRES

FRAME TT: 20.5" CS: 13.38" FORK RAKE: 28MM BARS RISE: 8.5" UP/BACKSWEEP: 12°/1°

FRAME	Javelin 20", Chromoly Down Tube, Mid BB, Internal Headset
Top Tube Size:	20.5"
Chainstay Length:	13.38"
FORK	Chromoly Steerer with Hi-Tensile Steel Legs
Fork Rake:	28mm
HEADSET	Integrated 45°X45° Sealed Cartridge Bearing
HANDLEBAR	H/BAR Complete Bike bar, Hi-Ten, 8.5"
Upsweep/Backsweep	12°/1°
STEM	Forged Alloy Top Load Stem
GRIP	Eastern Riblet Grips
CRANK	3-Piece, Tubular Heat-Treated Chromoly, Bolt for Sprocket, Pinch Bolt with 8-Splined Spindle, 170mm 28.6mm Round Arm
BOTTOM BRACKET	Sealed Bearing Mid
CHAINWHEEL	Eastern Phorcys, Cold Hard Steel, 25T
CHAIN	KMC Z510 1/2 x 1/8
PEDAL	Eastern Atom Plastic Pedal with 9/16" Chromoly Axle
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	U-Brake, Forged Alloy, Wide Body, Clear Brake Pads
REAR LEVER	Forged Alloy Lever
BRAKE CABLE [S]	LINEAR

SADDLE	Medium Width Seat/ Post Combo
POST CLAMP	Comes with Seat Integrated with Frame
FRONT HUB	Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, 3/8" Chromoly Axle
REAR HUB	Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle
FREEWHEEL	9 Tooth Sealed Driver with Hub
FRONT RIM	Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
REAR RIM	Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	Eastern Throttle OEM 20 x 2.40
REAR TIRE	Eastern Throttle OEM 20 x 2.40
PEG	None
Rotor	N/A
Color Options	Gloss Black, Gloss Antifreeze, Gloss Tan, Gloss Orange, Gloss Blue

NEW
COLOR




NEW
COLOR



NEW
COLOR





26.0 Lbs



LIFETIME UPGRADES

WIDE Throttle TIRES


4 PEGS & ROTOR INCLUDED


FRAME TT: 20.25" CS: 13.38" FORK RAKE: 28MM BARS RISE: 8.25" UP/BACKSWEEP: 12°/1°

FRAME	Orbit 20", Chromoly Down Tube, Mid BB, Internal Headset
Top Tube Size:	20.25"
Chainstay Length:	13.38"
FORK	Chromoly Steerer with Hi-Tensile Steel Legs
Fork Rake:	28mm
HEADSET	Integrated 45°X45° Sealed Cartridge Bearing
HANDLEBAR	H/BAR Complete Bike bar, Hi-Ten, 8.25"
Upsweep /Backsweep	12°/1°
STEM	Forged Alloy Top Load Stem
GRIP	Eastern Riblet Grips
CRANK	3-Piece, Tubular Heat-Treated Chromoly, Bolt for Sprocket, Pinch Bolt with 8-Splined Spindle, 165mm 28.6mm Round Arm
BOTTOM BRACKET	Sealed Bearing Mid
CHAINWHEEL	Eastern Phorcys, Cold Hard Steel, 25T
CHAIN	KMC 4510 1/2 x 1/8
PEDAL	Eastern Atom Plastic Pedal with 9/16" Chromoly Axle
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	U-Brake, Forged Alloy, Wide Body, Clear Brake Pads
REAR LEVER	Forged Alloy Lever
BRAKE CABLE [S]	LINEAR
SADDLE	Medium Width Seat/ Post Combo
POST	Comes with Seat
CLAMP	Integrated with Frame
FRONT HUB	Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, 3/8" Chromoly Axle
REAR HUB	Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle
FREEWHEEL	9 Tooth Sealed Driver with Hub
FRONT RIM	Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
REAR RIM	Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires

SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	Eastern Throttle OEM 20 x 2.40
REAR TIRE	Eastern Throttle OEM 20 x 2.40
PEG	Cold Steel Pegs (4pcs)
Rotor	Yes
Color Options	Gloss Black, Gloss Blue, Gloss Yellow, Gloss Green

NEW COLOR





25.5 Lbs



FRAME TT: 20.75" CS: 13.38" FORK RAKE: 28MM BARS RISE: 8.75" UP/BACKSWEEP: 12°/1°

FRAME	Traildigger 20", Full Chromoly, Mid BB, Internal Headset
Top Tube Size:	20.75"
Chainstay Length:	13.38"
FORK	Chromoly Steerer with Hi-Tensile Steel Legs
Fork Rake:	28mm
HEADSET	Integrated 45°X45° Sealed Cartridge Bearing
HANDLEBAR	H/BAR Complete Bike bar, Hi-Ten, 8.75"
Upsweep/Backsweep	12°/1°
STEM	Forged Alloy Top Load Stem
GRIP	Eastern Riblet Grips
CRANK	3-Piece, Tubular Heat-Treated Chromoly, Bolt for Sprocket, Pinch Bolt with 8-Splined Spindle, 170mm 31.8mm Square Tapered Arm
BOTTOM BRACKET	Sealed Bearing Mid
CHAINWHEEL	Eastern Phorcys, Alloy, 25T
CHAIN	KMC Z510 1/2 x 1/8
PEDAL	New Eastern Facet Pedal with 9/16" Chromoly Axle
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	U-Brake, Forged Alloy, Wide Body, Clear Brake Pads
REAR LEVER	Forged Alloy Lever
BRAKE CABLE [S]	LINEAR
SADDLE	Medium Width Pivotal Seat
POST	Pivotal, 200mm
CLAMP	Integrated with Frame
FRONT HUB	Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, 3/8" Chromoly Axle
REAR HUB	Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle
FREEWHEEL	9 Tooth Sealed Driver with Hub
FRONT RIM	Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
REAR RIM	Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	Eastern Squealer OEM 20 x 2.40
REAR TIRE	Eastern Squealer OEM 20 x 2.40
PEG	None
Rotor	N/a
Color Options	Gloss Black, Gloss Army Green, Gloss Blue, Gloss White, Gloss Orange

NEW COLOR



*** Parts may change from what is pictured

NIGHTWASP



25.5 Lbs



LIFETIME UPGRADES

NOW with
4130
CHROMOLY
FRAME

FRAME TT: 20.5" CS: 13.38" FORK RAKE: 28MM BARS RISE: 8.5" UP/BACKSWEEP: 12°/1°

FRAME	Nightwasp 20", Full Chromoly, Mid BB, Internal Headset
Top Tube Size:	20.5"
Chainstay Length:	13.38"
FORK	Chromoly Steerer with Hi-Tensile Steel Legs
Fork Rake:	28mm
HEADSET	Integrated 45°X45° Sealed Cartridge Bearing
HANDLEBAR	H/BAR Complete Bike bar, Hi-Ten, 8.5
Upsweep/Back-sweep	12°/1°
STEM	Forged Alloy Top Load Stem
GRIP	Eastern Riblet Grips
CRANK	3-Piece, Tubular Heat-Treated Chromoly, Bolt for Sprocket, Pinch Bolt with 8-Splined Spindle, 165mm 31.8mm Square Tapered Arm
BOTTOM BRACKET	Sealed Bearing Mid
CHAINWHEEL	Eastern Phorcys, Alloy, 25T
CHAIN	KMC Z510 1/2 x 1/8
PEDAL	Eastern Facet Pedal with 9/16" Chromoly Axle
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	U-Brake, Forged Alloy, Wide Body, Clear Brake Pads
REAR LEVER	Forged Alloy Lever
BRAKE CABLE [S]	LINEAR
SADDLE	Medium Width Seat/ Post Combo
POST	Comes with Seat
CLAMP	Integrated with Frame
FRONT HUB	Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, 3/8" Chromoly Axle
REAR HUB	Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle
FREEWHEEL	9 Tooth Sealed Driver with Hub

FRONT RIM	Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
REAR RIM	Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	Eastern Squealer OEM 20 x 2.40
REAR TIRE	Eastern Squealer OEM 20 x 2.40
PEG	None
Rotor	N/a
Color Options	Gloss Black, Gloss Antifreeze, Gloss Marine Green

NEW
COLOR





LUKE PADELSKI



FRAME TT: 20.75" CS: 13.38" FORK RAKE: 28MM BARS RISE: 8.85" UP/BACKSWEEP: 12°/1°

FRAME	Wolfdog 20", Full Chromoly, Mid BB, Internal Headset
Top Tube Size:	20.75"
Chainstay Length:	13.38"
FORK	Full Chromoly
Fork Rake:	28mm
HEADSET	Integrated 45°X45° Sealed Cartridge Bearing
HANDLEBAR	H/BAR Complete Bike bar, Hi-Ten, 8.85"
Upsweep/Backsweep	12°/1°
STEM	Forged Alloy Top Load Stem
GRIP	Eastern Riblet Grips
CRANK	3-Piece, Tubular Heat-Treated Chromoly, Bolt for Sprocket, Pinch Bolt with 8-Splined Spindle, 170mm 31.8mm Square Tapered Arm
BOTTOM BRACKET	Sealed Bearing Mid
CHAINWHEEL	Eastern Phorcys, Alloy, 28T
CHAIN	KMC Z510 1/2 x 1/8
PEDAL	Eastern Facet Pedal with 9/16" Chromoly Axle
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	U-Brake, Forged Alloy, Wide Body, Clear Brake Pads
REAR LEVER	Forged Alloy Hinged Lever
BRAKE CABLE [S]	LINEAR
SADDLE	Medium Width Pivotal Seat
POST	Pivotal, 200mm
CLAMP	Integrated with Frame

FRONT HUB	Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, 3/8" Chromoly Axle
REAR HUB	Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle
FREEWHEEL	9 Tooth Sealed Driver with Hub
FRONT RIM	Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
REAR RIM	Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	Eastern Squealer OEM 20 x 2.40
REAR TIRE	Eastern Squealer OEM 20 x 2.40
PEG	None
Rotor	N/a
Color Options	Gloss Black, Gloss Marine Green



ELEMENT



25.8 Lbs



LIFETIME UPGRADES

SQUEALER TIRES

NOW with 4130 CHROMOLY FRAME

4130 CHROMOLY FORK



2 PEGS INCLUDED

FRAME TT: 20.75" CS: 13.38" FORK RAKE: 28MM BARS RISE: 8.75" UP/BACKSWEEP: 12°/1°

FRAME	Element 20", Full Chromoly, Mid BB, Internal Headset
Top Tube Size:	20.75"
Chainstay Length:	13.38"
FORK	Full Chromoly
Fork Rake:	28mm
HEADSET	Integrated 45°X45° Sealed Cartridge Bearing
HANDLEBAR	H/BAR Complete Bike bar,Hi-Ten, 8.75"
Upsweep/Back-sweep	12°/1°
STEM	Forged Alloy Top Load Stem
GRIP	Eastern Riblet Grips
CRANK	3-Piece, Tubular Heat-Treated Chromoly, Bolt for Sprocket, Pinch Bolt with 8-Splined Spindle, 165mm , 31.8mm Square Tapered Arm
BOTTOM BRACKET	Sealed Bearing Mid
CHAINWHEEL	Eastern Phorcys, Cold Hard Steel, 25T
CHAIN	KMC Z510 1/2 x 1/8
PEDAL	Eastern Facet Pedal with 9/16" Chromoly Axle
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	U-Brake, Forged Alloy, Wide Body, Clear Brake Pads
REAR LEVER	Forged Alloy Hinged Lever
BRAKE CABLE [S]	LINEAR
SADDLE	Medium Width Pivotal Seat
POST	Pivotal, 200mm
CLAMP	Integrated with Frame
FRONT HUB	Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, 3/8" Chromoly Axle
REAR HUB	Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle
FREEWHEEL	9 Tooth Sealed Driver with Hub
FRONT RIM	Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
REAR RIM	Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
SPOKES	14 Gauge with Brass Nipples

FRONT TIRE	Eastern Squealer OEM 20 x 2.40
REAR TIRE	Eastern Squealer OEM 20 x 2.40
PEG	Cold Steel Pegs (2pcs)
Rotor	N/a
Color Optins	Gloss White, Gloss Black



NOW with 4130 CHROMOLY FRAME

4130 CHROMOLY FORK



WIDE SQUEALER TIRES

pivotal SEAT



SEALED INTEGRATED HEADSET

REPLACEABLE BRAKEMOUNTS

Throttle DOUBLE WALL RIMS

FACET PEDALS




*** Parts may change from what is pictured



FRAME TT: 20.85" CS: 13.38" FORK RAKE: 28MM BARS RISE: 9.0" UP/BACKSWEEP: 12°/1°

FRAME	Shovelhead 20", Full Chromoly, Removable Brake Mounts, Mid BB, Internal Headset
Top Tube Size:	21.0"
Chainstay Length:	13.38"
FORK	Full Chromoly
Fork Rake:	28mm
HEADSET	Integrated 45°X45° Sealed Cartridge Bearing
HANDLEBAR	H/BAR Complete Bike bar, crmo, 9.0"
Upsweep/Backsweep	12°/1°
STEM	Top Load , CNC Machined 6061 Missile Grade Aluminum
GRIP	Eastern Riblet Grips
CRANK	3-Piece, Tubular Heat-Treated Chromoly, 48-Splined Spindle, 170mm Arm Length
BOTTOM BRACKET	Sealed Bearing Mid
CHAINWHEEL	Eastern Phorcys, Alloy, 28T
CHAIN	KMC Z510 1/2 x 1/8
PEDAL	Eastern Facet Pedal with 9/16" Chromoly Axle
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	U-Brake, Forged Alloy, Wide Body, Clear Brake Pads
REAR LEVER	Forged Alloy Hinged Lever
BRAKE CABLE [S]	LINEAR
SADDLE	Medium Width Pivotal Seat
POST	Pivotal, Alloy, 200mm
CLAMP	Integrated with Frame
FRONT HUB	Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, Female Axle System with 3/8" Allen Key Bolts
REAR HUB	Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle
FREEWHEEL	9 Tooth Sealed Driver with Hub

FRONT RIM	Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
REAR RIM	Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	Eastern Squealer 20 x 2.40 100 PSI
REAR TIRE	Eastern Squealer 20 x 2.40 100PSI
PEG	Cold Steel Pegs (2pcs)
Rotor	N/a
Color Options	Gloss Black, Gloss Orange



2 PEGS INCLUDED

Thunderbird

V1

25.6 Lbs



LIFETIME UPGRADES

Curb Monkey II

NOW with 4130 CHROMOLY FRAME

FRAME TT: 21.0" CS: 13.74" FORK RAKE: 28MM BARS RISE: 8.75" UP/BACKSWEEP: 12°/1°



FRAME	Thunderbird 20", Full Chromoly, Mid BB, Internal Headset
Top Tube Size:	21"
Chainstay Length:	13.74"
FORK	Chromoly Steerer with Hi-Tensile Steel Legs
Fork Rake:	28mm
HEADSET	Integrated 45°X45° Sealed Cartridge Bearing
HANDLEBAR	H/BAR Complete Bike bar, Hi-Ten, 8.75"
Upsweep/Backsweep	12°/1°
STEM	Forged Alloy Top Load Stem
GRIP	Eastern Riblet Grips
CRANK	3-Piece, Tubular Heat-Treated Chromoly, Bolt for Sprocket, Pinch Bolt with 8-Splined Spindle, 170mm 31.8mm Square Tapered Arm
BOTTOM BRACKET	Sealed Bearing Mid
CHAINWHEEL	Eastern Phorcys, Alloy, 25T
CHAIN	KMC Z510 1/2 x 1/8
PEDAL	Eastern Facet Pedal with 9/16" Chromoly Axle
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	U-Brake, Forged Alloy, Wide Body, Clear Brake Pads

REAR LEVER	Forged Alloy Lever
BRAKE CABLE [S]	LINEAR
SADDLE	Medium Width Pivotal Seat
POST	Pivotal, 200mm
CLAMP	Integrated with Frame
FRONT HUB	Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, 3/8" Chromoly Axle
REAR HUB	Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle
FREEWHEEL	9 Tooth Sealed Driver with Hub
FRONT RIM	Alloy, Single Wall, Drilled for 36 Spokes, For 20" Tires
REAR RIM	Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	Eastern Curb Monkey 20 x 2.40
REAR TIRE	Eastern Curb Monkey 20 x 2.40
PEG	None
Rotor	N/a
Color Option 1	Gloss Black



SEALED INTEGRATED HEADSET

SEALED BB

MID BOTTOM BRACKET

TUBULAR CHROMOLY 3PC CRANKS

DOUBLE WALL RIMS

pivotal SEAT

Curb Monkey II



FACET PEDALS

V2

LIFETIME UPGRADES

100 PSI
Curb Monkey 
TIRES



**NOW with
4130
CHROMOLY
FRAME**

A circular logo with the text "4130 CHROMOLY FORK" inside. The text is arranged in three lines: "4130" at the top, "CHROMOLY" in the middle, and "FORK" at the bottom. The font is bold and sans-serif. The logo is tilted slightly to the right.

BARS RISE: 9.0" UP/BACKSWEEP: 12°/1°



48 SPLINE
Throttle
CRANKS



**2 COLD STEEL
PEGS INCLUDED**



**SEALED
INTEGRATED
HEADSET**

SEALED
BB



MID
BOTTOM BRACKET



**DOUBLE
WALL
RIMS**

100 PSI
Curb Monkey
TIRES



REPLACEABLE

BRAKEMOUNTS

The diagram shows a cross-section of a brake mount assembly. It consists of a central cylindrical component with a threaded top section, flanked by two larger, solid cylindrical components. The entire assembly is mounted on a base plate. The text 'REPLACEABLE' is written vertically on the left, and 'BRAKEMOUNTS' is written vertically on the right.

BRAKE CABLE [S]	LINEAR
SADDLE	Medium Width Pivotal Seat
POST	Pivotal, Alloy, 200mm
CLAMP	Integrated with Frame
FRONT HUB	Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, Female Axle System with 3/8" Allen Key Bolts
REAR HUB	Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle
FREEWHEEL	9 Tooth Sealed Driver with Hub
FRONT RIM	Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
REAR RIM	Eastern Throttle Alloy, Double Wall, Drilled for 36 Spokes, For 20" Tires
SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	Eastern Curb Monkey 20 x 2.40 100 psi
REAR TIRE	Eastern Curb Monkey 20 x 2.40 100 psi
PEG	Cold Steel Pegs (2pcs)
Rotor	N/a
Color Option 1	Gloss Black



ANTHONY VILLANI



24.7 Lbs



LIFETIME UPGRADES

100 PSI
SQUEALER
TIRES



NEW COLOR



2 SLIM PEGS INCLUDED


NOW with
4130 CHROMOLY FRAME

4130 CHROMOLY FORK


4130 CHROMOLY BARS

FRAME TT: 20.85" CS: 13.38"

FORK RAKE: 28MM **BARS** RISE: 8.85" UP/BACKSWEEP: 12°/1°



HELIX DOWNTUBE



1-PC. STEERER TUBE

48 SPLINE
Throttle
CRANKS



FRAME	Reaper 20", Full Chromoly with Helix Downtube, Removable Brake Mounts, Mid BB, Internal Headset
Top Tube Size:	20.85"
Chainstay Length:	13.38"
FORK	Reaper 20", Full Chromoly with 1pc CNC'd Steerer Tube
Fork Rake:	28mm
HEADSET	Integrated 45°X45° Sealed Cartridge Bearing
HANDLEBAR	H/BAR Complete Bike bar, crmo, 9.0"
Upsweep/Backsweep	12°/1°
STEM	CNC Machined 6061 Missile Grade Aluminum
GRIP	Eastern Riblet Grips
CRANK	3-Piece, Tubular Heat-Treated Chromoly, 48-Splined Spindle, 170mm Arm Length
BOTTOM BRACKET	Sealed Bearing Mid
CHAINWHEEL	Eastern Phorcys, Alloy, 28T
CHAIN	KMC Z510 1/2 x 1/8
PEDAL	Eastern Facet Pedal with 9/16" Chromoly Axle
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	U-Brake, Forged Alloy, Wide Body, Clear Brake Pads
REAR LEVER	Forged Alloy Hinged Lever

BRAKE CABLE [S]	LINEAR
SADDLE	Medium Width Pivotal Seat
POST	Pivotal, Alloy, 200mm
CLAMP	Integrated with Frame
FRONT HUB	Sealed Bearing, Forged Alloy Shell, Drilled for 36 Spokes, Female Axle System with 3/8" Allen Key Bolts
REAR HUB	Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 14mm Chromoly Axle
FREEWHEEL	9 Tooth Sealed Driver with Hub
FRONT RIM	7000-Series Aluminum, Fusion Welded, Double Wall, Drilled for 36 Spokes, For 20" Tires
REAR RIM	7000-Series Aluminum, Fusion Welded, Double Wall, Drilled for 36 Spokes, For 20" Tires
SPOKES	14 Gauge Stainless Steel with Brass Nipples
FRONT TIRE	Eastern Squealer 20 x 2.40 100 PSI
REAR TIRE	Eastern Squealer 20 x 2.40 100PSI
PEG	Eastern Slim Pegs. Chromoly with Internal Machining to Save Weight. (2pcs)
Rotor	N/a
Color Options	Gloss Black



SEALED INTEGRATED HEADSET

SEALED BB

MID BOTTOM BRACKET

TUBULAR 3PC CRANKS

DOUBLE WALL RIMS

PIVOTAL SEAT

100 PSI
SQUEALER
TIRES

REPLACEABLE BRAKE MOUNTS

FACET PEDALS

ROBBIE & MORGAN



Thunderbird & GROWLER 26"





LIFETIME
UPGRADES



26" LIMITED MODEL
27.5 Lbs

LIMITED
MODELS



REGULAR
MODELS



26"

FRAME	Growler 26", Hi-Tensile Steel, AM BB, Aheadset, 135mm Rear Hub Spacing, Welded on Rotor Brake Mounts: Limited has Full Chromoly Frame
Top Tube Size:	22.5"
Chainstay Length:	16.9"
FORK	Growler 26", Hi-Tensile Steel: Limited has full chromoly Fork
Fork Rake:	32mm
HEADSET	Aheadset
HANDLEBAR	Hi Ten, 22.2mm barbare, 1.2mm T, 7" x 28"
Upsweep /Backsweep	11°/1°
STEM	Forged Alloy Front Load Stem
GRIP	Eastern Riblet Grips

CRANK	Forged 1-Piece Heat Treated cranks for extra durability, 175mm Arm Length: Limited comes with 3-Piece, Tubular Heat-Treated Chromoly, Pinch Bolt with 8-Splined Spindle, 170mm Arm Length
BOTTOM BRACKET	American Ball Bearing: Limited Edition comes with sealed bearing alloy cups
CHAINWHEEL	Eastern Maxum, Alloy, 36T
CHAIN	KMC Z410 1/2 x 1/8
PEDAL	Eastern Atom Plastic Pedal with 1/2" Axle : (Limited 9/16")
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	Disc Brake, Mechanical
REAR LEVER	Forged Alloy Lever
BRAKE CABLE[S]	LINEAR
SADDLE	Padded Seat with Railed Supports
POST	Steel 300mm

CLAMP	Integrated with Frame
FRONT HUB	Sealed Bearing, Steel Shell, Drilled for 36 Spokes, 3/8" Axle
REAR HUB	Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 3/8" Chromoly Axle with 16 Tooth Freewheel Cog
FREEWHEEL	16 Tooth Freewheel
FRONT RIM	Alloy, Single Wall, Drilled for 36 Spokes, For 26" Tires
REAR RIM	Alloy, Single Wall, Drilled for 36 Spokes, For 26" Tires
SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	26 x 2.2
REAR TIRE	26 x 2.2
PEG	None
Rotor	N/a
Color Options	Gloss Black, Gloss Yellow, Gloss White, Gloss Purple, Gloss Pink, Gloss Blue, Gloss Red



LIFETIME UPGRADES



29" REG. MODEL
28.0 Lbs

REGULAR MODELS

STEEL TUBING



DOUBLE WALL RIMS



29"

FRAME	Growler 29", Hi-Tensile Steel, AM BB, Aheadset, 135mm Rear Hub Spacing, Welded on Rotor Brake Mounts: Limited has Full Chromoly Frame
Top Tube Size:	24"
Chainstay Length:	18"
FORK	Growler 26", Hi-Tensile Steel: Limited has full chromoly Fork
Fork Rake:	32mm
HEADSET	Aheadset
HANDLEBAR	Hi Ten, 22.2mm bar bore, 1.2mm T, 7" x 28 "
Upsweep/ Backsweep	11°/1°
STEM	Forged Alloy Front Load Stem
GRIP	Eastern Riblet Grips
CRANK	Forged 1-Piece Heat Treated cranks for extra durability, 175mm Arm Length: Limited comes with 3-Piece, Tubular Heat-Treated Chromoly, Pinch Bolt with 8-Splined Spindle, 170mm Arm Length

BOTTOM BRACKET	American Ball Bearing: Limited Edition comes with sealed bearing alloy cups
CHAINWHEEL	Eastern Maxum, Alloy, 36T
CHAIN	KMC Z510 1/2 x 1/8
PEDAL	Eastern Atom Plastic Pedal with 1/2" Axle : (Limited 9/16")
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	Disc Brake, Mechanical
REAR LEVER	Forged Alloy Lever
BRAKE CABLE [S]	LINEAR
SADDLE	Padded Seat with Railed Supports
POST	Steel 300mm
CLAMP	Integrated with Frame
FRONT HUB	Sealed Bearing, Steel Shell, Drilled for 36 Spokes, 3/8" Axle

REAR HUB	Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 3/8" Chromoly Axle with 16 Tooth Freewheel Cog
FREEWHEEL	16 Tooth Freewheel
FRONT RIM	Alloy, Double Wall, Drilled for 36 Spokes, For 29" Tires
REAR RIM	Alloy, Double Wall, Drilled for 36 Spokes, For 29" Tires
SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	29 x 2.35
REAR TIRE	29 x 2.35
PEG	None
Rotor	N/a
Color Options	Gloss Black, Gloss Yellow, Gloss White, Gloss Pink, Gloss Blue, Gloss Red

BIG REAPER

LIFETIME UPGRADES



FRAME	Big Reaper 26", Aluminum Alloy, AM BB, Aheadset, 135mm Rear Hub Spacing, Welded on Rotor Brake Mounts BB: American/Mid
Top Tube Size:	22.5"
Chainstay Length:	16.9"
FORK	Big Reaper 26", Hi-Tensile Steel
Fork Rake:	32mm
HEADSET	Aheadset
HANDLEBAR	Hi Ten, 22.2mm barbare, 1.2mm T, 7" x 28"
Upsweep /Backsweep	11°/1°
STEM	Forged Alloy Front Load Stem
GRIP	Eastern Riblet Grips
CRANK	LTD model comes with 3-Piece, Tubular Heat-Treated Chromoly, Pinch Bolt with 8-Splined Spindle, 170mm Arm Length

BOTTOM BRACKET	Limited Edition alloy cups with sealed bearings American/Mid
CHAINWHEEL	Eastern Maxum, Alloy, 36T
CHAIN	KMC Z410 1/2 x 1/8
PEDAL	Eastern Atom Plastic Pedal with 1/2" Axle : (Limited 9/16")
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	Disc Brake, Mechanical
REAR LEVER	Forged Alloy Lever
BRAKE CABLE [S]	LINEAR
SADDLE	Padded Seat with Railed Supports
POST	Steel 300mm
CLAMP	Alloy Bolt Clamp
FRONT HUB	Sealed Bearings, Forged Alloy Shell, Drilled for 36 Spokes, 3/8" Chromoly Axle

REAR HUB	Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 3/8" Chromoly Axle with 16 Tooth Freewheel Cog
FREEWHEEL	16 Tooth Freewheel
FRONT RIM	Alloy, Single Wall, Drilled for 36 Spokes, For 26" Tires
REAR RIM	Alloy, Single Wall, Drilled for 36 Spokes, For 26" Tires
SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	26 x 2.2
REAR TIRE	26 x 2.2
PEG	None
Rotor	N/a
Color Options	Gloss Black, Gloss Yellow, Gloss Purple, Gloss Red



ANTHONY



ANTHONY VILLANI



27.5" & 29"



FEATHERLIGHT
ALLOY
CONSTRUCTION

1x9
XGear
DRIVETRAIN

9 SPEED

HYDRAULIC
DISC BRAKES

SPRING
FORK

3D FORGED
ALLOY
STEM

2.2
TIRES



DOUBLE
WALL
ALLOY RIMS





29"

ALPAKA



LIFETIME UPGRADES



FEATHERLIGHT
ALLOY
CONSTRUCTION

X-Gear
1x9
DRIVETRAIN

9
SPEED

**SPRING
FORK**

**HYDRAULIC
DISC BRAKES**

3D FORGED
ALLOY
STEM

2.2
TIRES

**Sealed
HUBS**

**DOUBLE
WALL**
ALLOY RIMS



FRAME	Custom designed 6061 Hydroformed Aluminium for 29" wheel, replaceable gear hanger, 135mm forged dropouts
Top Tube Size:	15", 17", 19", 21"
FORK	Eastern Spring Fork 130mm Travel, Coil Sprung, Mechanical Lockout dial
Fork Rake:	32mm
HEADSET	Loose Ball
HANDLEBAR	Eastern Tapered Alloy 740mm, 32mm Rise, 31.8mm Clamp
STEM	Eastern 3D Forged 50mm, 10deg Rise, 31.8mm Bar Clamp, Cro-Mo Bolts
GRIP	Eastern Krayton Black with Lock-on Clamps
CRANK	X-Gear Cold Forged 170mm arms with 34t Chainring
BOTTOM BRACKET	VP Cartridge Bearing
CHAINWHEEL	34T Chainring
CHAIN	KMC 9 Speed


PEDAL	Eastern VP Alloy platform
CASSETTE	X-Gear 9 Speed 11-42t Shimano-Sram Compatible
REAR DERAILLEUR	X-Gear 9 Speed Forged Alloy Shimano-Sram Compatible
GEAR SHIFTER	X-Gear 9 Speed Shimano-Sram Compatible
BRAKES	Radius Hydraulic Disc with adjustable reach lever, 180mm Front and 160mm Rear Disc
WHEELS	Eastern 29" Quick Release Hubs, 36h Black Double Wall Rim, Black Stainless Spokes Brass Nipples
TIRES	Wide 2.2" x 29" - style may vary
SADDLE	Eastern Padded with Vinyl cover
SEATPOST	Eastern forged alloy 30.9 x 350mm height marked with quick release seatclamp
Color Options	Gloss Black, Gloss Yellow, Gloss Grey, Gloss Blue, Gloss Red





27.5"

ALPACA



LIFETIME UPGRADES



FEATHERLIGHT
ALLOY
CONSTRUCTION

X-Gear
1x9
DRIVETRAIN

9
SPEED

**SPRING
FORK**

**HYDRAULIC
DISC BRAKES**

3D FORGED
ALLOY
STEM

2.2
TIRES

**Sealed
HUBS**

**DOUBLE
WALL**
ALLOY RIMS



FRAME	Custom designed 6061 Hydroformed Aluminum for 27.5" wheel, replaceable gear hanger, 135mm forged dropouts
Top Tube Size:	23.5" (Small 15") - 23.5" (Medium 17") - 23.5" (Large 19")
FORK	Eastern Spring Fork 130mm Travel, Coil Sprung, Mechanical Lockout dial
Fork Rake:	32mm
HEADSET	FSA Zero Stack Sealed Bearing, 2 x 10mm Spacer
HANDLEBAR	Eastern Tapered Alloy 740mm, 32mm Rise, 31.8mm Clamp
STEM	Eastern 3D Forged 50mm, 10deg Rise, 31.8mm Bar Clamp, Cro-Mo Bolts
GRIP	Eastern Krayton Black with Lock-on Clamps
CRANK	X-Gear Cold Forged 170mm arms 34t Chainring
BOTTOM BRACKET	VP Cartridge Bearing
CHAINWHEEL	34T Chainring

CHAIN	KMC Z9 114L Silver Grey
PEDAL	Eastern VP Alloy platform
CASSETTE	X-Gear 9 Speed 11-42t Shimano-Sram Compatible
REAR DERAILLEUR	X-Gear 9 Speed Forged Alloy Shimano-Sram Compatible
GEAR SHIFTER	X-Gear 9 Speed Shimano-Sram Compatible
BRAKES	Radius Hydraulic Disc with adjustable reach lever, 160mm Rear and 180mm Front Disc
WHEELS	Eastern 27.5" Quick Release Hubs, 36h Black Double Wall Rim, Black Stainless Spokes Brass Nipples
TIRES	Kenda Honey Badger 27.5" x 2.2 Tri-bite Blackwall
SADDLE	Eastern Padded with Vinyl cover
SEATPOST	Eastern forged alloy 30.9 x 350mm height marked with quick release seatclamp
Color Options	Gloss Purple, Gloss Blue, Gloss White

LIFESTYLE BMX

24"



LIFETIME
UPGRADES



27.4 Lbs

24" **FRAME** TT: 22.0" CS: 15.4" **FORK** RAKE: 32MM **BARS** UP/BACKSWEEP: 11°/3°



FRAME	Commando 24", Hi-Tensile Steel, AM BB, Aheadset
Top Tube Size:	22"
Chainstay Length:	15.4"
FORK	Commando 24", Hi-Tensile Steel
Fork Rake:	32mm
HEADSET	Aheadset
HANDLEBAR	Commando H/Bar for 24" bike
Upsweep/Backsweep	11°/3°
STEM	Forged Alloy Top Load Stem
GRIP	Eastern Riblet Grips
CRANK	Forged 1-Piece Heat Treated cranks for extra durability, 175mm Arm Length: Limited comes with 3-Piece, Tubular Heat-Treated Chromoly, Pinch Bolt with 8-Splined Spindle, 170mm Arm Length
BOTTOM BRACKET	American Ball Bearing: Limited Edition comes with sealed bearing alloy cups
CHAINWHEEL	Eastern Maxum, Alloy, 36T
CHAIN	KMC Z410 1/2 x 1/8
PEDAL	Eastern Atom Plastic Pedal with 1/2" Axle : (Limited 9/16")
FRONT BRAKE	N/A
FRONT LEVER	N/A
REAR BRAKE	U-Brake, Forged Alloy, Clear Brake Pads
REAR LEVER	Forged Alloy Lever
BRAKE CABLE [S]	LINEAR
SADDLE	Padded Seat with Railed Supports
POST	Steel, 350mm
CLAMP	Alloy Bolt Clamp

FRONT HUB	Ball Bearing, Steel Shell, Drilled for 36 Spokes, 3/8" Axle
REAR HUB	Sealed Bearings, Forged Alloy Shell Drilled for 36 Spokes, 3/8" Chromoly Axle with 16 Tooth Freewheel Cog
FREEWHEEL	16 Tooth Freewheel
FRONT RIM	Alloy, Single Wall, Drilled for 36 Spokes, For 24" Tires
REAR RIM	Alloy, Single Wall, Drilled for 36 Spokes, For 24" Tires
SPOKES	14 Gauge with Brass Nipples
FRONT TIRE	24 x 1.95
REAR TIRE	24 x 1.95
PEG	None
Rotor	N/a
Color Options	Gloss Black, Gloss Yellow, Gloss White, Chrome, Gloss Pink, Gloss Blue, Gloss Red



PUSHER

**LIFETIME
UPGRADES**



4.6 lbs

FEATHERLIGHT

ALLOY CONSTRUCTION

- Lightweight alloy frame, fork, bars and seat post
- One piece handle bar stem combo with quick release for easy adjustment
- Soft padded seat
- Quick release seat post clamp for easy adjustment
- EVA tires so no need to worry about flat tires
- Button head style axle bolts keep kids from getting scratched
- Soft rubber grips with larger ends to aid in grip
- Sealed front and rear wheel bearings





CONRAD ROSENBERGER



E³ WELDING PROCESS

LIFETIME UPGRADES



4130 CHROMOLY FRAME

MID BOTTOM BRACKET

EXTRA THICK DOWNTUBE

*Lifetime upgrade policy***

5.33 LBS

TOP TUBE SIZE

19.69" – 20.69" – 21.169"

• Full 4130 Japanese Chromoly

• Heat-Treated HeadTube, Dropouts and BB

• CNC'd Mid Bottom Bracket

• Double-Butted Top Tube

• Extra-Thick Butted Down Tube

• Single-Butted Seat Tube

• Gussets on both Down Tube and Top Tube

• Tapered Chain Stays

• Integrated with Frame

• 75° Head tube angle

• 71° Seat tube angle

• 7.4" Standover Height

• 13.2" Rear End





*Lifetime upgrade policy***


5.6 LBS

TOP TUBE SIZE • 21.65"

- 10mm or 14mm
- Full 4130 chromoly frame w/ double butted top tube
- Double butted downtube that is offset butted at the head to create an internal gusset
- Internal head tube with CNCed EB logo
- Hydroformed monocoque chainstays
- Mid BB


- Laser cut dropouts
- Heat-treated bottom bracket, dropouts and head tube
- Disc brake tabs
- Eastern Low Boy integrated seat post clamp
- 14.7" Slammed chain stay/ 15" to center

COLOR:
Matte Black



Throttle SERIES

3/8"
37.5 oz



1PIECE
CNC STEERER TUBE

- 100% JAPANESE CHROMOLY
- TAPERED & BUTTED LEGS



- 100% Japanese Chromoly
- Tapered Butted Legs
- 5mm chromoly hangfree dropouts
- 1-Piece, CNC Machined Steerer Tube
- Integrated Bearing Race





ATOM SERIES



5MM CHROMOLY DROPOUTS • TAPERED LEGS

3/8"
39.2 oz

- 100% Chromoly
- 5mm chromoly hangfree dropouts





ZACH KRING

Scythe

8.25" 8.5" 8.75" 9.0" 9.5" 10.0"



29.3 oz

- 4130 Chromoly multi-buttet grip tubing and double-buttet crossbar
- E3 Welding Process ensures the most dependable welds possible
- Heat-treated after welding
- Upsweep/Backsweep 12°/1°
- Limited Lifetime Warranty

E3 WELDING PROCESS

LIFETIME UPGRADES



Throttle

SERIES

8.25" 8.5" 8.75" 9.0" 9.5" 10.0"

- 100% chromoly
- Extra thick grip tubing
- An excellent choice for a beginner rider who wants to spruce up their ride.



LIFETIME UPGRADES

ATOM

SERIES

8.5" 8.75" 9.0" 9.5" 10.0"



30.9 oz

- Tough as hell 100% Chromoly
- Extra thick grip tubing

LIFETIME UPGRADES



NIGHT TRAIN


LIFETIME UPGRADES



10.7 oz

- 6061-T6 Alloy construction
- 31.8mm clamping area
- 2" Rise
- 27 inch width





<COMPRESSOR> TOPLOAD STEM



10.2 oz

- CNC machined 6061 T6 Alloy
- Rear Clamp design
- Hardened Chromoly Grade 12.9 bolts for superior strength
- 50mm reach
- Stack Height: 30mm

<COMPRESSOR> FRONTLOAD STEM



8.5 oz

- CNC machined 6061 T6 Alloy
- Rear Clamp design
- Hardened Chromoly Grade 12.9 bolts for superior strength
- 50mm reach
- Stack Height: 30mm



Throttle SERIES



9.7 oz

- 6061 forged alloy
- 50mm reach
- Great stem at a great price
- Chromoly bolts
- Stack Height: 32mm



#ZRA® TOPLOAD STEM



11.1 oz

- 6061 CNC'd Billet Aluminum
- Hardened Solid Chromoly Grade 12.9 bolts for superior strength
- REACH: 53mm
- RISE: 32mm
- STACK HEIGHT: 33mm stack height with recessed top to hide compression bolt






RIBLET Grips

3.9 oz

- Angled Ribbed pattern
- Medium profile
- Soft compound
- Small diameter thin flanges
- Eastern nylon bar ends included

Diameter: 30mm Length: 147mm



45/45 HEADSET

2.3 oz

- Integrated 45/45 style headset
- Sealed bearings
- 1-1/8"
- 36/45 style available only in black
- Check with your frame manufacturer to find out what style headset fits your headtube uses



TALL CAP & SPACER KIT



Our new redesigned taller headset cap adds some serious flavor to your bike, plus it includes three anodized spacers to dial it in how you like it.

15mm alloy replacement headset cap

1 - 5mm Spacer

2 - 3mm Spacer



Throttle SERIES

PIVOTAL SEATPOST

4.8 oz

- Post Diameter 25.4mm
- 200mm for various seatpost height adjustments to fit any rider preference.
- Laser engraved logo on side
- Accommodates all pivotal-style seats

ATOM SERIES AHEADSET

3.9 oz

STS Aheadset, 1-1/8"

Size: 1-1/8" threadless



Throttle SERIES

SEATPOST CLAMP

.5 oz

- Stylish upgrade to any bike
- Constructed of light and durable forged alloy
- Proven traditional seat post clamp design
- Wide variety of anodized colors available



ATOM SERIES



.5 oz

- Forged Alloy Seat Clamp
- Perfect for locking your post into your frame



PIVOTAL

8.5-11.1 oz

- Available in camo, grey camo, red, blue, corduroy, canvas, genuine leather, grey, white, black
- Durable Nylon cover
- Extra-Thick comfort foam padding
- Embroidered Eastern logo
- Pivotal-style



COMBO

11.5 oz

- Alloy Post molded with plastic base
- Durable Nylon Cover cover with stitched logo
- Thick comfy padding
- Lighter than conventional seat & post combos
- Available in camo, grey camo, corduroy, canvas



DURA HYDE PIVOTAL

8.5 oz

- Durable Faux Leather Vinyl
- Extra-Thick comfort foam padding
- Embossed Eastern EBMX logo
- Pivotal-style

BIG Softy V1 Heavy Duty

COMFORT SEAT

- Great for Larger Riders
- SUPER STRONG construction with extra thick metal plate rails
- Extra soft padding and dual spring suspension system
- 10 inches wide and 10 inches tall
- Designed for your easy riding around the neighborhood or further.
- Embossed Eastern logo
- Durable Vinyl cover



BIG Softy v2 Universal

COMFORT SEAT

- UNIVERSAL RAIL SYSTEM: Designed this seat to make it work
- Extra soft padding and dual spring suspension system
- 10 inches wide and 10 inches tall
- Designed for your easy riding around the neighborhood or further.
- Embossed Eastern logo
- Durable Vinyl cover



Gel SEAT COVER

- Durable Nylon cover
- Extra-Soft Gel padding
- Carrying Bag
- 3 Sizes



Waterproof RAIN COVER

Keep your seat and in turn, you rear dry. High quality Plastic-lined Rain Cover designed to fit wider Exercise Seats.

- 10" wide x 10" long
- Elastic edges for secure fit



LINX PEDALS




- Wide body and Steel Pins for incredible grip.
- Chromoly axle
- Removable pins
- Heat treated chromoly axle



EZRA® FLATS PLUS

12.0 oz


- Lightweight plastic platform pedal
- Sturdy and dependable unsealed chromoly axle
- Grippy surface knurling
- Molded raised plastic pins for extra grip



ATOM SERIES

14.5 oz

- Lightweight plastic platform pedal
- Sturdy and dependable unsealed chromoly axle
- Grippy surface knurling
- Molded raised plastic pins for extra grip



FACET PEDALS



12.3 oz

- Fiber reinforced material increases strength and durability
- Original true dual-concave design increases grip
- Unique tread pattern for increased traction
- Heat treated chromoly axle


Throttle SERIES



48-SPLINE
31.3 oz

- Heat-treated Chromoly Arms
- Forged heads
- Printed Logo on back of crank arm
- 19mm 48-spline spindle
- BB's sold separately

Crank arm length:
170mm & 175mm



MORAY CABLE

3.1 oz

- Manufactured to auto industry standards
- Able to be wound very tightly without binding
- 60" of housing
- 65" Teflon-coated inner cable



GYRO KIT

- 1-1/8"
- Upper Cable Length: 425mm
- Gyro Inner Diameter 46mm



Throttle SERIES



2.4 oz

- The Throttle lever is a great intermediate level brake lever
- Lightweight design
- Forged 6061 Alloy
- Two Finger
- Hinged Clamp





HALF-LINK CHAINS



1/2" x 1/8"
13.1 oz

- Thick inner & outer plates
- Reinforced connecting link included

**Weights are taken before any links are removed



7 SERIES

1/2" x 1/8"
13.1 oz

- Oversized inner & outer plates
- Master link included

**Weights are taken before any links are removed



5 SERIES



1/2" x 1/8"
11.1 oz

- Thick inner and outer plates

**Weights are taken before any links are removed



ATOM 410 SERIES 5



1/2" x 1/8"
11.1 oz

- Thick inner and outer plates

- Master link included

**Weights are taken before any links are removed



MANUEL GATICA

NIC HILTON

MEDUSA 2.1 oz - 25T



- Forged 7075 alloy
- 5mm thick
- 8 crank holes
- Teeth: 1/8"
- Bore: 15/16"
- 19mm adapter included



SLIM PEGS

4.2 oz

- 4.2 oz - 3/8" & 14mm
- Hardened chromoly
- 3.75" long
- 1-3/8" diameter
- Anti-rotation pin
- NOT recommended for street
- Sold individually



9.2 oz

- 4" long
- 1 3/8" diameter
- 14mm axle holes
- Sold individually



SLIT PEGS

9.2 oz

- 3/8" & 14mm Available
- Hardened Chromoly
- Laser cut slits on one side for weight savings
- 3.75" Long
- 1-3/8" Diameter
- Anti-rotation pin
- NOT recommended for street
- Sold individually



OEM RIBBED PEGS

5.7 oz

- Strong and light steel peg
- Available in 14mm and 3/8"
- 31.8mm OD(outside dimension) x 95mm long
- Black ED Finish
- High Strength forged steel construction



BUZZIP WHEELS



FRONT WHEEL

35.8 OZ

- 6061-T6 Alloy Shell
- Heat treated Chromoly with Female Allen head bolts for a smooth look
- 14mm internal axle
- Precision Sealed Bearings
- Double Wall Welded Seam Rim
- 36 Hole



Throttle SERIES

40.0 OZ

- Sealed bearing cassette, 9T driver rear hub
- 14mm chromoly axle
- 14g spokes
- 36-hole, double-walled alloy rim



Throttle SERIES



15.9 OZ

- 6061 double-wall alloy
- Pinned joint for strength & economics
- 36 hole



Curb Monkey 20"



100 PSI
HIGH PRESSURE

AGGRESSIVE TREAD PATTERN
• FOR INCREASED GRIP

LARGE FOOTPRINT
• DESIGNED TO GRIP MULTIPLE SURFACES

20 x 2.4

- High Pressure 100psi
- Grippy Eastern Formula
- Large Eastern hotpatch
- Built for the streets, trails & skateparks

3 COLOR OPTIONS



SQUEALER 20"



100 PSI
HIGH PRESSURE

SMOOTH CENTER
• LOWER ROLLING RESISTANCE
• INCREASED SPEED

RECESSED TREAD
• MORE GRIND FRIENDLY
• GRIPPY FOR CARVING

20 x 2.4

- High Pressure 100psi
- Grippy Eastern Formula
- Large Eastern hotpatch
- Built for the streets, trails & skateparks

3 COLOR OPTIONS



Throttle 20"
SERIES



100 PSI
HIGH PRESSURE

MULTI-SURFACE
• GRIPS ANY SURFACE WELL
• GREAT FOR PARK, STREET & DIRT

EASTERN HOT PATCH
• BOLD UNIQUE LOOK

3 SIZES

20 x 2.2
20 x 2.3
20 x 2.4

- High Pressure 100psi
- Grippy Eastern Formula
- Performs great on all surfaces
- Large Eastern hotpatch

3 COLOR OPTIONS



ATOM 20"
SERIES



MULTI-SURFACE
• GRIPS ANY SURFACE WELL

SMOOTH CENTER TREAD
• INCREASED SPEED AND DURABILITY

20 x 1.75

(actual inflated width 1.625")

- Grippy multi-surface tread
- 35 PSI
- Cable (slack wire) folding design

GROWLER 26"



MULTI-SURFACE

- GRIPS ANY SURFACE WELL

DENSER CENTER TREAD

- INCREASED SPEED AND DURABILITY

26 x 2.125

- Grippy Eastern Formula
- Performs great on all surfaces
- Large Eastern hotpatch



20" E304

20 x 1.75
(actual inflated width 1.625")

- Grippy multi-surface tread
- 35 PSI
- Cable (slack wire) folding design



20" E304

20 x 1.75
(actual inflated width 1.625")

- Grippy multi-surface tread
- 35 PSI
- Cable (slack wire) folding design



26" PREMIUM TIRES

26 x 1.95

- Replacement Tire for 26" tires
- Multi-Purpose Thread
- Cable Bead



26" E701

26 x 1.95
(actual inflated width 2.0")

- Grippy multi-surface tread
- 40 PSI
- Cable (slack wire) folding design



26" E303

26 x 1.95
(actual inflated width 1.875")

- Grippy multi-surface tread
- 40 PSI
- Cable (slack wire) folding design



26" E701

26 x 1.95
(actual inflated width 2.0")

- Grippy multi-surface tread
- 40 PSI
- Cable (slack wire) folding design



Curb Monkey Kits

100 PSI
HIGH PRESSURE

20 x 2.4
KITS MAY INCLUDE

- Eastern Curb Monkey Tire - 20" x 2.4" - Grippy Eastern Bikes formula
- Eastern Premium replacement 20" tube
- 2 Hi-Quality Tire Levers
- Rim Strips



GROWLER Kits

26 x 2.125
KITS MAY INCLUDE

- Eastern Growler Tires - 26" - Grippy Eastern Bikes formula
- Eastern Premium replacement 26" tubes
- Hi-Quality Tire Levers
- Rim Strips



Throttle SERIES Kits

100 PSI
HIGH PRESSURE

20 x 2.2
20 x 2.3
20 x 2.4
KITS MAY INCLUDE

- Eastern Throttle Tire - 20" - Grippy Eastern Bikes formula
- Eastern Premium replacement 20" tube
- 2 Hi-Quality Tire Levers
- Rim Strips



26" PREMIUM TIRE Kits

26 x 1.95
KITS MAY INCLUDE

- Eastern Premium Replacement Tires - 26" - Grippy Eastern Bikes formula
- Eastern Premium replacement 26" tubes
- Hi-Quality Tire Levers
- Rim Strips

REPLACEMENT TUBES



• AVAILABLE SIZES:

20"x1.75/2.125, A/V (Schrader)
 26"x1.75/2.125, A/V (Schrader)
 26"x1.75/2.125, Presta valve 33mmL
 700x 35C/43C, A/V (Schrader)
 700x 35C/43C, Presta valve 33mmL
 700x 35C/43C, Presta valve 39mmL
 700x 35C/43C, Presta valve 48mmL
 700x 35C/43C, Presta valve 60mmL
 29"x1.75/2.125, A/V (Schrader)

REPLACEMENT TUBE Kits



KITS MAY INCLUDE

- Eastern Premium replacement tubes
- Hi-Quality Tire Levers
- Rim Strips

RUSSELL SUMMERVILLE

CONRAD ROSENBERGER

